

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.


We also ask that you:

- + Make non-commercial use of the files We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + Maintain attribution The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + Keep it legal Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search


Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/





the GIFT OF Univ. of Colifornia

. AS 36 .C1522 **V**25



THE GIFT OF Univ. of California









		·	

		•	
•			
•			

SEMICENTENNIAL PUBLICATIONS

OF THE

UNIVERSITY OF CALIFORNIA



1868-1918

,			

UNIVERSITY OF CALIFORNIA PUBLICATIONS

IN

ENTOMOLOGY

CHARLES W. WOODWORTH
EDITOR

VOLUME 2

		•
		•
·		

UNIVERSITY OF CALIFORNIA PUBLICATIONS

TECHNICAL BULLETINS

COLLEGE OF AGRICULTURE, AGRICULTURAL EXPERIMENT STATION

ENTOMOLOGY

Vol. 2, pp. i-xiv, 1-902

November 30, 1917



EXCEPTING THE
APHIDIDAE, COCCIDAE AND ALEURODIDAE

EDWARD P. VAN DUZEE

UNIVERSITY OF CALIFORNIA PRESS
BERKELEY

TO THE MEMORY OF THE LATE PHILIP REESE UHLER

IN SINCERE APPRECIATION OF HIS UNREMITTING AND DIS-INTERESTED LABOR IN ELUCIDATING AND PLACING ON A FIRMER FOUNDATION THE STUDY OF NORTH AMERICAN HEMIPTEROLOGY AND OF HIS UNFAILING KINDNESS AND READY ASSISTANCE EXTENDED TO THE AUTHOR DURING THE EARLY YEARS OF HIS STUDIES OF THESE INSECTS, THIS WORK IS MOST RESPECTFULLY DEDICATED.



CONTENTS

	FAGE
Introductory	ix
Catalogue	1
Additions and corrections	
List of works cited	828
Index to genera and higher group names	843
Index to species	858



INTRODUCTORY

The present catalogue undertakes to give a complete enumeration of all the described Hemiptera, to and including the Chermidae, recorded from or known to occur in America north of the southern boundary of the United States. The families Aphididae, Coccidae and Aleurodidae have been omitted, largely because of the fact that I have made no careful study of these groups and feel that others are more competent to work out their synonymy. On account of their different habits and the special methods required in observing, collecting and preserving them, this omission is of little moment to students of the higher families of the Hemiptera.

The first draft of this catalogue was completed more than two years ago and as there was then no prospect of its early publication, a Check List giving the classification, synonymy and dates for all the species was prepared and, through the kindness of Mr. Wm. T. Davis of New York, was published by the New York Entomological Society. The introductory matter given below is largely a repetition of that published in the Check List and the numbering of the species in this catalogue has been made to correspond with that in the Check List to facilitate ready reference from one to the other, the species added since the publication of that list having been interpolated in fractional form. A summary of the rules used by me in working out the nomenclature of the catalogue was published in March, 1916, in the Annals of the Entomological Society of America and need not be repeated here.

While perhaps less philosophical, it has seemed best to begin this catalogue with the higher forms so as to bring it more into line with such recent works as the Oshanin, Kirkaldy, and Lethierry and Severin catalogues. For the Heteroptera the Reuter classification of 1912 has been followed very closely, but it has seemed desirable to reduce a number of his families to subfamily rank. Unfortunately the Homoptera have not been worked out with equal thoroughness, but Hansen's studies seem to show conclusively that the Fulgoridae, which I prefer for the present to retain as a single family, are the highest and most specialized of the Homoptera. In this respect also the Cicadidae appear to approach the Fulgoridae, but their develop-

It might be more logical to ment has been along a different line. consider the Membracidae as a mere subfamily of the Jassidae, and they are retained here as a separate family more out of deference to common usage. A critical study of the whole of the Homoptera may result in dividing the Fulgoridae into two or possibly three distinct families and in leaving the Membracidae and perhaps the Bythoscopidae, Cicadellidae and Jassidae as distinct families under a superfamily Cicadelloidea. Kirkaldy divides his Fulgoroidea into eight distinct families, but gives no characters from which we can judge of the value of his scheme and his divisions certainly are of unequal Kirkaldy also claims that the Gyponini have very little to do with the Cicadellini but he fails to give his reasons, merely rejecting the position of the ocelli as a character of any real importance. this character certainly has more value than the horizontal extension of the head and I propose to retain my classification of 1892 until some reason is advanced for rejecting it, merely changing the value of the several groups. I might add that the division Dorydiaria is sufficiently distinguished by the venation, although the flattening of the head is characteristic, and that the Bythoscopinae in their larval and other characters are allied to the Membracidae and serve to connect them with the Jassidae.

In selecting the references to be included in this catalogue it has been my object to take such as will show the history and standing, not only of each species and genus but also of the higher groups. Here for the first time the history and synonymy of the group names higher than the genus have been worked out with as great care and accuracy as in the case of the genera and species. If this effort will help in any measure to stabilize family nomenclature, it will well repay the time and space required. I have rejected as illogical and contrary to the accepted rules of zoological nomenclature Kirkaldy's system of founding the family name on the oldest genus-name included and have adopted Dr. Horvath's system by which we give priority to family names the same as we do to the names of genera and species; and, what is really the foundation of the system, we give to each family a type genus and the family name follows that of the type genus through all its subsequent changes. For example the family Gelastocoridae was founded as Galgulidae with Gaugulus When it was found that the name Galgulus was preas type genus. occupied and the genus was renamed Gelastocoris the family name automatically became Gelastocoridae, instead of taking the next oldest

name, Mononychidae, which would have changed the type of the family to Mononyx. Logically, we have no more right to change the type of a family than of a genus or a species.

Every one who has given the matter any study will agree that most changes in generic names come from one of two causes; changes in the accepted dates of the books in which they were published and diversity of method in the selection of geno-types. In the matter of dates I have accepted no changes unless I could feel satisfied that they were justified. There will be no uniformity in this matter until there is an official bibliography with all dates validated by an international committee, a consummation that I fear is still far in the Regarding geno-types I have followed the International Rules as closely as I could interpret them. As a basis I have accepted the type fixations in five of the earlier works in all cases where but one type was named. Where two or more were named I have rejected them all and accepted the next valid single fixation. The five works referred to are: Lamarck, Systême des animaux sans vertèbres, 1801; Fabricius, Systema Rhyngotorum, 1803; Latreille, Considérations générales sur l'ordre naturel des animaux, 1810; Laporte, Essai d'une classification systématique de l'ordre des Hémiptères, 1832; and Westwood, Introduction to the modern classification of insects: Synopsis, at end of vol. 2, 1840. These type-fixations have, I think, been accepted by Dr. Reuter and other European Hemipterists and probably are open to as few objections as any cases where the type species is not named in so many words in connection with each individual All these writers, with the possible exception of Fabricius, stated that they were naming types for the genera and we have Fallén for authority that he was doing so. Kirkaldy claims that Fabricius indicated types for his genera in the Entomologica Systematica in the same way that he did in his Systema Rhyngotorum, but he really made such a designation by repeating generic characters in his specific descriptions in the case of but very few hemipterous genera, and then without italics, and in his later work he omitted some of these and changed others; hence there seems to be no valid reason why we should accept these earlier ones as type-fixations.

I have here accepted the classification of geno-types devised by Mr. O. F. Cook and published in May, 1914, in the American Naturalist. These terms are:

Orthotype, a type by original designation.

Haplotype, a type by single reference (only species).

Logotype, a type by subsequent designation.

Pseudotype, an erroneous type designation.

In the terminology I have uniformly used the endings idae for families, inae for subfamilies, ini for tribes and aria for divisions or subtribes, thus changing the terminations of divisions where they had been used as tribes by Reuter and others. All genera have been considered as nomina nuda until a type can be fixed, thus invalidating all genera founded without the mention of a described species. become valid and date from the naming of an included species that is recognizable and available as type. On the contrary a genus published in a systematic work, without a description but with distinct indication that it was established for a previously described valid This, however, does not include mere species, has been accepted. catalogue names unless they are given to replace a preoccupied name. The changes from either of these causes are very few in the North American Hemiptera. The most important are the use of Tibicen for Cicada of Stål and most recent writers, Meadorus Mulsant and Rey for Elasmucha Stål and Corecoris Hahn for Spartocera Laporte. The new genera established in the first part of Fieber's Die europäischen Hemiptera published in 1860 are nomina nuda there and are not recognized until they appear in the later pages with the mention of a Amyot's monomials, validated later by Kolenati, have been credited to the latter author and date from the publication of his descriptions.

I might add that priority, whether in the name of a species, genus or of a higher group, has been strictly followed throughout this catalogue so far as such priority was susceptible of proof.

No attempt has been made to include every published reference to each species, but I have tried not to omit one giving a useful description or figure or one that is of interest in extending the geographical range of the species. All references effecting the synonymy and history of the species, genus or family have been included. Our knowledge of the distribution of our species is still too fragmentary to allow the satisfactory naming of a "habitat" so I have contented myself with recording, by states only, the known or published localities of capture.

It has been my endeavor within each genus to arrange the species systematically so as to show their relationships. But in the genus Arctocorixa this was impossible and in certain other genera it has been but imperfectly accomplished.

į

As one important object of this catalogue is to show the history of each name, all references have been arranged strictly in chronological order and, in the case of species, the genus in which it was placed by each author is given if it differs from the one here adopted. In the case of names higher than genera, the original form used has been appended to each reference if it differs from that here employed, and the category is also given where different.

Preoccupied names are marked by a ||.

Names cited in error by a †.

Emendations by a 1.

Clerical errors by a §.

Nomina nuda by a ¶.

The following names are proposed for the first time in this catalogue:

· Fitchiella for Naso Fitch.

Empoa querci var. gillettei for var. bifasciata (G. & B.)

Since the publication of the Check List in June, 1916, 263 species have been added to our North American list, of which sixteen, mostly Chermidae, are forms overlooked in the preparation of that list, and of the remaining 247 a few are exotic forms recently recognized from our territory, the balance being apparently valid new species. Ten of the species included in the Check List have since been sunk as synonymous of others, leaving a net gain of 253 species and making the total number listed in this catalogue, 3198 accepted species.

It will be noted that the original form of each name has been used here, except where a typographical error is evident. This has not been done with the idea of imposing upon our students the use of improperly formed words. In each case all published emendations have been given and each student is at liberty to use such emendations as in his judgment may seem best.

The table of additions and corrections was made up from the last proof sent me from the printers and it is quite possible that a few of the corrections included will be found to have been made on the final sheets.

An adequate recognition of the assistance received during the preparation of this catalogue would embrace a wide circle of friends and correspondents who have kindly sent me suggestions and corrections. These have contributed much toward the accuracy and value of the work and to them I wish to extend my sincere thanks. Special acknowledgments are due to Professor C. W. Woodworth

of the University of California, to Dr. Barton W. Evermann, Director of the California Academy of Sciences, whose kind consideration has greatly lightened the labor of the final preparation and printing of this work, and to Dr. E. Bergroth of Turtola, Finland, for most valuable synonymical and bibliographical information.

EDWARD P. VAN DUZEE.

San Francisco, California, October 12, 1917.

Order HEMIPTERA Linn.

Linnaeus, Syst. Naturae, Edn. 10, i, p. 434, 1758. Geoffroy, Hist. Abreg. des Ins., i. p. 410, 1762. Forster, Novae Spec. Ins., Cent. I, p. 67, 1771. Goeze, Ent. Beyt., ii, p. 1, 1778. Olivier, Encyc. Meth. Hist. Nat., iv, p. 24, 1789. Thunberg, Charac. Gen. Ins., Edn. 2, p. 31, 1791. Lamarck, Syst. des Anim. s. Vert., p. 289, 1801. Latreille, Hist. Nat. Crust. Ins., iii, p. 240, 1802. Latreille, Genera Crust. Ins., iii, p. 108, 1807. Latreille, Consid. Génl., p. 250, 1810. Latreille, Fam. Nat. Règne Anim., p. 416, 1825. Fallén, Hemip. Suec., Cimic., preface, 1829. Latreille, in Cuvier, Règne Anim., Edn. 2, v, p. 189, 1829. Brullé, Hist. Nat. des Ins., ix, p. 233, 1835. Spinola, Essai sur les Hémip., p. 7, 1837 (1840). Amyot and Serville, Hémip., p. 1, 1843. Proboscidea Scopoli, Ent. Carn., p. 112, 1763. Ryngota Fabricius, Syst. Ent., p. 673, 1775. Fabricius Ent. Syst., iv, p. 1, 1794. #Rhyngota Fabricius, Syst. Rhyng., p. iii, 1803. Rhynchota Burmeister, Handb. d. Ent., ii, p. 45, 1835. Arthroidignatha Spinola, Tavola Sinot, p. 25, 1850.

SECTION HEMELYTRATA Fall.

Fallén, Hemip. Suec., Cimic., preface, 1829.

Latreille, Fam. Nat. Règne Anim., p. 418, 1825.

Latreille, Consid. Génl., p. 250, 1810.

Suborder HETEROPTERA Latr.

Fallén, Hemip. Suec., Cimic., preface, 1829.
Brullé, Hist. Nat. des Ins., ix, p. 239, 1835.
Spinola, Essai s. les Hémip., p. 7, 1837 (1840).
Westwood, Intr. Mod. Classif. Ins., ii, p. 450, 1840.
Amyot and Serville, Hémip., p. 11, 1843.

Dermaptera Retzius, Gen. et Spec. Ins., p. v, 1783.

Hemiptera Leach, Brewster's Edinbg. Encyc., ix, p. , 1815.

Mac Leay, Horae Ent., ii, p. 367, 1821.

Mac Leay, Trans. Linn. Soc. Lond., xiv, p. 67, 1825.
Stephens, Illust. Brit. Ent., i, p. 2, 1828.

Leach, Brewster's Edinbg. Encyc., Am. edn., viii, p. 710, 1832.

Laporte, Essai Classif. Syst. Hemip., p. 1, 1832.

Handlirsch, Die Fossil Ins., p. , 1908.

Brues & Melander, Key Fam. N. Am. Ins., p. 76, 1915.

SERIES POLYNEURIA Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 78, 1910. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 38, 49, 1912. Oshanin, Kat. Palae. Hemip., p. 1, 1912.

Superfamily SCUTELLEROIDEA (Burm.)

Burmeister, Handb. d. Ent., ii, p. 343, 1835, Scutati.

Dohrn, Cat. Hemip., p. 1, 1859, Scutata.

Flor, Rhyng. Livl., i, p. 63, 1860, Scutata.

Scutelleriens Brullé, Hist. Nat. des Ins., ix, p. 389, 1835.

Westwood, Hope Cat., i, p. 3, 1837, Scutelleridae. [Scutelleridae. Westwood, Intr. Mod. Classif. Ins., ii, p. 484; Synop., p. 123, 1840, Blanchard, Hist. des Ins., Hémip., p. 141, 1840, Scutelleriens.

Longiscutes Amyot and Serville, Hémip., p. xv, 1843.

Gorski, Anal. Ent., i, p. 21, 1852.

Pentatomida Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 31, 1872. (Family.) Uhler, Check List, p. 3, 1886, Superfam. Pentatomoideae.

Puton, Cat. Hémip. Palae., edn. 3, p. 5, 1886, Fam. Pentatomides.

Lethierry and Severin, Cat. Génl. Hémip., i, p. 1, 1893, Fam. Penta-[tomidae.

Hüeber, Cat. Ins. Fauna Germ., Heter., p. 5, 1902, Fam. Pentatomides. Distant, Fauna Brit. Ind., Rhyn., i, p. 1, 1902, Fam. Pentatomidae. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 3, 1904, Fam. Pentatomidae. Bergroth, Mém. Soc. Ent. Belg., xv, p. 132, 1908, Fam. Pentatomoidae. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 79, 1910, Superfam.

[Pentatomoideae.

Reuter, Of. Vet. Soc. Forh., liv, Afd. A, No. 6, p. 49, 1912, Superfam.

[Pentatomoideae.]

Zimmer, Univ. Neb. Studies, xi, p. 2, 1912, Fam. Pentatomidac.

Van Duzee, Check List Hemip., p. 1, 1916, Pentatomoidea.

Cimicidae Kirkaldy, Can. Ent., xl, p. 359, 1908.

Kirkaldy, Cat. Hemip., i, p. 1, 1909 (omits Cydnidae.) [series.)
Peltocephala Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 78, 1910 (as

PHALANX PENTATOMIFORMES Reut.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, p. 49, 1912.

Family SCUTELLERIDAE (Leach)

Leach, Brewster's Edinbg. Encyc., ix, p. —, 1815, Scutellerida.

Laporte, Essai Classif. Syst. Hémip., p. 66, 1832, Scutellerites (in part).

Leach, Brewster's Edinbg. Encyc., Am. Ed., viii, p. 710, 1832, Scutellerida.

Costa, Cimic. Reg. Neap., Cent. i, p. 55, 1838, Scutellerini.

Germar, Zeit. f. Ent., i, p. 4, 1839, Scutellerites. (Monograph.)

Spinola, Essai sur les Hémip., p. 357, 1840, Scutelleroides.

Blanchard, Hist. des Ins., Hémip., p. 155, 1840, Scutellerites.

Westwood, Intr. Mod. Classif. Ins., ii, Synop. p. 124, 1840, Subfam. Scutellerides.

Spinola, Tavola Sinot., p. 28, 1850, Subfam. Scutelleroideac. (Keys.)

Dohrn, Cat. Hemip., p. 1, 1859, Scutelleroides.

Vollenhoven, Essai Faune Ent. Ind. Neer., i, p. 3, 1863, Scutellerides.

Vollenhoven, Essai Faune Ent. Ind. Neer., 1, p. 3, 1863, Scutellerides Stål, Hemip. Afr., i. p. 33, 1864, Subfam. Scutellerida.

Stål, Hemip. Fabr., i, p. 9, 1868, Subfam. Scutellerida. [(Key.) Mayr, Reise Freg. Novara, Zool. ii, Hemip. p. 11, 1868, Subfam. Scutellerida. Stål, Enum. Hemip., i, p. 4, 1870, Subfam. Scutellerina. (Systematic.) Stål, Of. Vet. Akad. Forh., xxvii, p. 615, 1870, Subfam. Scutellerina. Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 31, 1872, Subfam. Scutellerina. Uhler, Stand. Nat. Hist., ii, p. 293, 1884. Uhler, Check List, p. 1, 1886. Puton, Cat. Hémip. Palae., Edn. 3, p. 5, 1886. [(Catalogue.) Lethierry and Severin, Cat. Génl. Hémip., i, p. 15, 1893, Subfam. Scutelleridae. Distant, Fauna Br. Ind., Rhyn., i, p. 38, 1902, Subfam. Scutellerinae. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 11, 1904. (Systematic.) Schouteden, Genera Ins., Fasc. 24, p. 1, 1904. (Systematic.) Oshanin, Verz. Palae. Hemip., i, p. 27, 1906, Subfam. Scutellerina. Bergroth, Mém. Soc. Ent. Belg., xv, p. 139, 1908, Subfam. Scutellerinae. Kirkaldy, Cat. Hemip., i, p. 262, 1909, Subfam. Scutellerinae. (Catalogue.) Banks, Cat. Nearc. Hemip., p. 96, 1910. (Catalogue.) Oshanin, Kat. Palae. Hemip., p. 4, 1912, Subfam. Scutellerinae. [(Keys.) Zimmer, Univ. Neb. Studies, xi, pp. 220, 239, 1912, Subfam. Scutellerinae. Tetyrae Fieber, Europ. Hemip., p. 27, 1861. Stål, Of. Vet. Akad. Forh., xxiv, p. 491, 1867, Tetyridae. (Keys.) Pachycoridae Uhler, Proc. Am. Ent. Soc., ii, p. 158, 1863. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 393, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 272, 1876.

Subfamily TETYRINAE (Stål)

Stål, Enum. Hemip., iii, pp. 3, 24, 1873, Div. Tetyraria. Distant, Fauna Br. Ind., Rhyn., i, p. 65, 1902, Div. Tetyraria. Schouteden, Genera Ins., Fasc. 24, pp. 4, 42, 1904, Tribe Tetyraria, Kirkaldy, Cat. Hemip., i, p. 275, 1909, Tribe Tetyrini. Zimmer, Univ. Neb. Studies, xi, p. 239, 1912, Tribe Tetyrini.

Genus Tetyra Fabr. Orthotype antillarum Kirk.

Fabricius, Syst. Rhyng., p. 128, 1803.

Wolff, Icon. Cimic., v. p. vii, 1811.

Stål, Of. Vet. Akad. Forh., xxiv, p. 492, 1867.

Stål, Enum. Hemip., i, p. 4, 1870. (Systematic.)

Distant, Biol. Centr. Am., Heter., i, p. 13, 1880.

Schouteden, Genera Ins., Fasc. 24, pp. 44, 47, 1904. (Description.)

Macraulax Dallas, List of Hemip., i, pp. 5, 36, 1851. (Haplotype bipunc-Distant, Ann. Mag. Nat. Hist., Ser. 7, iv, p. 41, 1889. [tata H.S.)

1. Tetyra antillarum Kirk.

Kirkaldy, Cat. Hemip., i, p. 284, 1909. (n.n. for arcuata Fabr.)

"arcuata (Fabricius), Ent. Syst., iv, p. 83, 1794, Cimex.

Fabricius, Syst. Rhyng., p. 134, 1803.

Burmeister, Handb. d. Ent., ii, p. 393, 1835, Pachycoris.

Germar, Zeit. f. Ent., i, p. 92, 1839, Pachycoris.

Schjodte, Kroy. Nat. Tidskr., iv, p. 292, 1842, Pachycoris.

Walker, Cat. Heter., i, p. 48, 1867, Pachycoris.

Stål, Hemip. Fabr., i, p. 13, 1868.

Stål, Enum. Hemip., i, p. 4, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 13, 1880. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 11, 1904. Schouteden, Genera Ins., Fasc. 24, p. 47, 1904. Localities: Fla. (West Indies, Mexico.)

2. Tetyra robusta Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 383, 1897. Localities: Ariz. (Mexico.)

3. Tetyra bipunctata (H.S.)

Herrich-Schaeffer, Wanz. Ins., iv, p. 87, fig. 420, 1839, Pachycoris.
Dallas, List of Hemip., i, p. 36, pl. 1, fig. 4, 1851, Macraulax.
Stål, Enum. Hemip., i, p. 4, 1870.
Distant, Biol. Centr. Am., Heter., i, p. 13, 1880.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 11, 1904.
Schouteden, Genera Ins., Fasc. 24, p. 47, 1904.
Bueno and Brimley, Ent. News, xviii, p. 441, 1907.
Smith, Cat. Ins. N. J., Edn. 3, p. 132, 1910.
Olsen, Jl. N. Y. Ent. Soc., xx, p. 48, 1912.
tristis (Uhler), Proc. Ent. Soc. Phila., i, p. 21, 1861, Macraulax.

istis (Uhler), Proc. Ent. Soc. Phila., i, p. 21, 1861, Macraulax. Localities: N. Y., N. J., Md., D. C., N. C., Texas. (Mexico.)

Genus **Pachycoris** Burm. Logotype torridus Scop.

Burmeister, Handb. d. Ent., ii, p. 391, 1835.

Hahn, Wanz. Ins., iii, p. 26, 1835.

Germar, Zeit. f. Ent., i, p. 80, 1839.

Blanchard, Hist. des Ins., Hémip., p. 155, 1840.

Amyot and Serville, Hémip., p. 37, 1843.

Spinola, Tavola Sinot, p. 29, 1850.

Stål, Of. Vet. Akad. Forh., xxiv, p. 492, 1867.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., pp. 16, 25, 1868.

Stål, Enum. Hemip., i, pp. 4, 5, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 14, 1880.

Schouteden, Genera Ins., Fasc. 24, p. 48, 1904. (Names torridus Scop. type.)

4. Pachycoris torridus (Scop.)

Scopoli, Annus V, Hist. Nat., p. 110, 1772, Cimex.

Gmelin, in Linnaeus Syst. Nat., Edn. 13, i, pt. 4, p. 2134, 1788, Cimex.

Stål, Enum. Hemip., i, p. 5, 1870 (var. a. and c.).

Berg, Hemip. Argent., p. 25, 1879.

Distant, Biol. Centr. Am., Heter., i, p. 14, pl. 1, fig. 1, 1880.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 12, 1904.

Schouteden, Genera Ins., Fasc. 24, p. 49, 1904.

Breddin, Wien. Ent. Zeit., xxv, p. 190, fig. 3, 1906.

†fabricii (Tigny), Hist. d'Ins., Edn. 2, iv, p. 290, fig. 6, 1813, Pentatoma.

Burmeister, Handb. d. Ent., ii, p. 392, 1835.

Hahn, Wanz. Ins., iii, p. 27, fig. 249, 1835.

Germar, Zeit. f. Ent., i, p. 84, 1839.

Blanchard, Hist. d'Ins., iv, p. 155, 1840.

Amyot and Serville, Hémip., p. 38, 1843.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 273, 1876.

a. var. aquila H.S.

Herrich-Schaeffer, Wanz. Ins., v, p. 7, fig. 463, 1839.

Schouteden, Genera Ins., Fasc. 24, p. 49, 1904.

vars. i and k, Stål, Enum. Hemip., i, p. 6, 1870.

var. i, Distant, Biol. Centr. Am., Heter., i, p. 16, pl. 1, fig. 7, 1880.

b. var. decoratus (Perty).

Perty, Del. Anim., p. 164, pl. 33, fig. 1, 1830, Scutellera.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 25, 1866.

Schouteden, Genera Ins., Fasc. 24, p. 49, 1904.

†klugii Herrich-Schaeffer, Wanz. Ins., iv, p. 5, fig. 347, 1839 (part).

aeneievntris (Vollenhoven), Fauna Ent. Neerl., i, p. 7, pl. 1, fig. 3, 1863, var. f, g, h, Stål, Enum. Hemip., i, p. 6, 1870. [Poecilocoris.

var. f, g, h, Stål, Enum. Hemip., i, p. 6, 1870. [Poec Distant, Biol. Centr. Am., Heter., i, p. 15, pl. 1, figs. 5, 6, 1880.

c. var. klugii Burm.

Burmeister, Handb. d. Ent., ii, p. 392, 1835.

Germar, Zeit. f. Ent., i, p. 85, 1839.

Amyot and Serville, Hémip., p. 38, 1843.

Schouteden, Genera Ins., Fasc. 24, p. 49, 1904.

Breddin, Wien. Ent. Zeit., xxv, p. 189, fig. 2, 1906.

var. e, Stål, Enum. Hemip., i, p. 6, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 15, pl. 1, fig. 4, 1880.

d. var. linnaei Westw.

Westwood, Hope Cat., i, p. 12, 1837.

Schouteden, Genera Inst., Fasc. 24, p. 49, 1904.

var. a, Stål, Enum. Hemip., i, p. 5, 1870 (part).

stallii Uhler, Proc. Am. Ent. Soc., ii, p. 159, 1863.

e. var. schaefferi Schout.

Schouteden, Genera Ins., Fasc. 24, p. 49, 1904.

†Klugi Herrich-Schaeffer, Wanz. Ins., iv, p. 5, fig. 348, 1839 (part).

var. d, Stål, Enum. Hemip., i, p. 6, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 15, pl. 1, figs. 2, 3, 1880.

f. var. schousboei (Fabr.).

Fabricius, Syst. Rhyng., p. 132, 1803, Tetyra.

Burmeister, Handb. d. Ent., ii, p. 392, 1835.

Germar, Zeit. f. Ent., i, p. 83, 1839.

Schjodti, in Kroyer, Nat. Tidskr., iv, p. 288, 1842, Tetyra.

Schouteden, Genera Ins., Fasc. 24, p. 49, 1904.

†fabricii Herrich-Schaeffer, Wans. Ins., iv, p. 6, fig. 349, 1839.

var. b, Stål, Enum. Hemip., i, p. 5, 1870.

Localities: Calif. (Neotropical.)

Genus Chelysoma Bergr.

Logotype variabilis (II.S.)

Bergroth, Rev. d'Ent., x, p. 235, 1891. (n.n. for Orsilochus Stål.)

Schouteden, Genera Ins., Fasc. 24, p. 52, 1904. (Names variabilis type.)

Kirkaldy, Cat. Hemip., i, p. 283, 1909. (Names variabilis type.)

|| Ursilochus Stål, Of. Vet. Akad. Forh., xxiv, p. 493, 1867.

Stål, Enum. Hemip., i, p. 9, 1870. (Systematic.)

Distant, Biol. Centr. Am., Heter., i, p. 16, 1880.

5. Chelysoma guttatum (H.S.)

Herrich-Schaeffer, Wanz. Ins., iv, p. 4, fig. 345, 1839, Pachycoris. Germar, Zeit. f. Ent., i, p. 96, 1839, Pachycoris. (Description.) Stål, Enum. Hemip., i, p. 9, 1870, Orsilochus. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 12, 1904, Orsiolchus. Schouteden, Genera Ins., Fasc. 24, p. 52, 1904. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 153, 1909.

Bueno and Engelhardt, Can. Ent., xlii, p. 149, 1910.

Localities: N. C., S. C., Ga., Fla.

Genus Camirus Stal

Logotype conicus Germ.

Stål, Rio Jan. Hemip., ii, p. 57, 1862.

Distant, Biol. Centr. Am., Heter., i, p. 24, 1880,

[pseudotype.)

Schouteden, Genera Ins., Fasc. 24, pp. 43, 55, 1904. (Names porosus Germ. ||Zophoëssa Dallas, List of Hemip., i, p. 43, 1851. (Haplotype porosus Stål, Stet. Ent. Zeit., xxiii, p. 83, 1862. [Germ.)

Stål, Stet. Ent. Zeit., xxiii, p. 83, 1862. Stål, Of. Vet. Akad. Forh., xxiv, p. 491, 1867.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 15, 1868.

6. Camirus porosus (Germ.)

Germar, Zeit. f. Ent., i, p. 108, 1839, Pachycoris.

Dallas, List of Hemip., i, p. 43, 1851, Zophočssa.

Stål, Enum. Hemip., i, pp. 17, 1870, Zophoëssa.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 274, 1876, Zophoëssa.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 16, 1904.

Schouteden, Genera Ins., Fasc. 24, p. 55, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 153, 1909.

pullatus Distant, Biol. Centr. Am., Heter., i, p. 316, pl. 30, fig. 9, 1889.
Localities: Fla., Texas, Calif. (Nearctic.)

7. Camirus consocius (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 274, 1876, Zophoëssa.

Schouteden, Genera Ins., Fasc. 24, p. 55, 1904.

Barber, Brookl. Inst., Sci. Bul., i, p. 256, 1906.

Localities: Texas, Ariz., Calif.

Genus Acantholoma Stål

Haplotype denticulata Stål

Stål, Of. Vet. Akad. Forh., xxiv, p. 491, 1867 (invalid here).

Stål, Enum. Hemip., i, p. 17, 1870 (valid here).

Schouteden, Genera Ins., Fasc. 24, pp. 43, 55, 1904.

8. Acantholoma denticulata Stål

Stål, Enum. Hemip., i, p. 17, 1870.

Van Duzee, Trans. Am. Ent. Soc., xxx, pp. 16, 77, 1904.

Schouteden, Genera Ins., Fasc. 24, p. 56, pl. 4, fig. 2, 1904.

Localities: Ind., Ill., Kan.

Genus Diolcus Mayr.

Logotype irroratus (Fabr.)

Mayr, Verh. Zool.-Bot. Ges. Wien, xiv, p. 904, 1864.

Stål, Of. Vet. Akad. Forh., xxiv, p. 493, 1867.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 26, 1868. [type.]

Schouteden, Genera Ins., Fasc. 24, pp. 44, 56, 1904. (Names irroratus Fabr.

9. Diolcus irroratus (Fabr.)

Fabricius, Syst. Ent., p. 699, 1775, Cimex.

Fabricius, Ent. Syst., iv, p. 88, 1794, Cimex.

Fabricius, Syst. Rhyng., p. 136, 1803, Tetyra.

Germar, Zeit. f. Ent., i, p. 99, 1839, Pachycoris.

Herrich-Schaeffer, Wanz. Ins., v, p. 55, fig. 500, 1839, Pachycoris.

Schjodte, in Kroyer, Nat. Tidskr., iv, p. 297, 1842, Pachycoris.

Guerin, in Sagra, Hist. de l'Isl. de Cuba, Ins., p. 362, 1857, Scutellera.

Dallas, List of Hemip., i, p. 37, 1851, Symphylus.

Mayr, Verh. Zool.-Bot. Ges. Wien, xiv, p. 905, 1864.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 29, 1868.

Stål, Enum. Hemip., i, p. 10, 1870.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 12, 1904.

Schouteden, Genera Ins., Fasc. 24, p. 57, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 6, 1907.

nebulosa (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 32, pl. Hémip. 5, fig.
Germar, Zeit. f. Ent., i, p. 100, 1839, Pachycoris. [4, 1805, Scutellera.
Mayr, Verh. Zool.-Bot. Ges. Wien, xiv, p. 905, 1864.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 29, 1868.

hebraica (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 81, pl. Hémip. 7, fig. Germar, Zeit. f. Ent., i, p. 100, 1839, Pachycoris. [1, 1805, Scutellera. cordigera (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 234, pl. Hémip. 5b, [fig. 7, 1805, Scutellera.

Mayr, Verh. Zool.-Bot., Ges. Wien, xiv, p. 905, 1864.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 29, 1868.

flavescens (Westwood), Hope Cat., i, p. 12, 1837, Pachycoris.

Germar, Zeit. f. Ent., i, p. 100, 1839, Pachycoris.

Mayr, Verh. Zool.-Bot. Ges. Wien, xiv, p. 905, 1864.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 29, 1868.

Localities: Fla. (West Indies.)

10. Diolcus chrysorrhoeus (Fabr.)

Fabricius, Syst. Rhyng., p. 138, 1803, Tetyra.

Germar, Zeit. f. Ent., i, p. 95, 1839, Pachycoris.

Herrich-Schaeffer, Wanz. Ins., v. p. 6, fig. 460, 1839, Pachycoris.

Uhler, in Say's Compl. Works, i, p. 310, 1859, Pachycoris.

Walker, Cat. Heter., i, p. 46, 1867, Pachycoris.

Stål, Enum. Hemip., i, p. 11, 1870.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 12, 1904.

Schouteden, Genera Ins., Fasc. 24, p. 57, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 153, 1909.

viridipunctata (Say), Heter. N. Harm., p. 1, 1831; Fitch reprint, p. 755, Say, Compl. Writ., i, p. 310, Scutellera. [Scutellera.

Localities: S. C., Fla., Miss., Texas.

Genus Stethaulax Bergr. Haplotype marmoratus (Say)

Bergroth, Revue d'Ent., x, p. 235, 1891. (n.n. for Aulacostethus Uhl.) Schouteden, Genera Ins., Fasc. 24, p. 57, 1904.

Kirkaldy, Cat. Hemip., i, p. 279, 1909.

Aulacostethus Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 93, 1871; xix, Van Duzee, Trans. Am. Ent. Soc., xxx. p. 12, 1904. [p. 367, 1878.

11. Stethaulax marmoratus (Say)

Say, Heter. N. Harm., p. 2, 1831; Fitch reprint, p. 755; Compl. Writ., i, 310,

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 94, 1871; xix, p. 368, 1878, Aulaco-Van Duzee, Trans. Am. Ent. Soc., xxx, pp. 12, 76, 1904. [stethus. Smith, Cat. Ins. N. J., Edn. 3, p. 132, 1910.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 49, 1912.

simulans (Uhler), Bul. U. S. Geol. Goog. Surv., i, p. 272, 1876, Aulacostethus. Van Duzee., Trans. Am. Ent. Soc., xxx, pp. 13, 76, 1904.

Localities: N. Y., N. J., Md., N. C., Ga., Texas, Calif.

Genus Sphyrocoris Mayr.

Haplotype, obliques (Germ.)

Mayr, Verh. Zool. Bot. Ges. Wien, xiv, p. 904, 1864. Stål, Of. Vet. Akad. Forh., xxiv, p. 495, 1867.

Mayr, Reise Freg. Novara, Zool. ii, Hemip. pp. 16, 26, 1868.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 15, 1904. Schouteden, Genera Ins., Fasc. 24, p. 58, 1904.

12. Sphyrocoris obliquus (Germ.)

Germar, Zeit. f. Ent., i, p. 94, 1839, Pachycoris.

Herrich-Schaeffer, Wanz. Ins., v, p. 54, fig. 491, 1839, Pachycoris.

Dallas, List Hemip., i, p. 35, 1851, Pachycoris.

Stål, Stet. Ent. Zeit., xxiii, p. 81, 1862, Homaemus.

Walker, Cat. Heter., i, p. 48, 1867, Pachycoris.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 26, 1868.

Stål, Enum. Hemip., i, p. 15, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 273, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 21, 1880.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 224, 1894.

Distant, Ann. Mag. Nat. Hist., Ser. 7, iv, p. 44, 1899.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 15, 1904.

Schouteden, Genera Ins., Fasc. 24, p. 59, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 153, 1909.

Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 126, 1912.

delineatus (Walker), Cat. Heter., i, p. 48, 1867, Pachycoris.

Localities: Fla., Texas, Ariz., Calif. (West Indies, Mexico.)

13. Sphyrocoris punctellus (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 81, 1862, Homaemus.

Stål, Of. Vet. Akad. Forh., xxiv, p. 495, 1867.

Stål, Enum. Hemip., i, p. 15, 1870.

Distant Biol. Centr. Am., Heter., i, p. 21, pl. 2, fig. 5, 1880.

Schouteden, Genera Ins., Fasc., 24, p. 59, 1904.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 158, 1907.

Localities: Ariz. (Mexico.)

Genus Homaemus Dall.

Logotype exilis (H.S.) = aeneifrons (Say)

Dallas, List Hemip., i, p. 36, 1851.

Stål, Of. Vet. Akad. Forh., xxiv, p. 494, 1867.

Stål, Enum. Hemip., i, p. 14, 1870. (Systematic.)

Distant, Biol. Centr. Am., Heter., i, p. 19, 1890.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 13, 1904. (Key.)

Schouteden, General Ins., Fasc. 24, pp. 45, 59, 1904. (Names aeneifrons Say Zimmer, Univ. Neb. Studies, xi, p. 239, 1912. [type.)

14. Homaemus aeneifrons (Say)

Say, Long's Exp. to St. Peter's River, ii, p. 299, 1824, Scutellera.

Say, Compl. Writ., i, p. 199, Scutellera.

Stål, Enum. Hemip., i, p. 15, 1870.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 393, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 272, 1876; iii, p. 365, 1877; iv, p. 503, Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 368, 1878.

Distant, Biol. Centr. Am., Heter. i, p. 20, 1880.

Provancher, Pet. Faune Ent. Can., iii, p. 21, 1885.

Gillette & Baker, Hemip. Colo., p. 9, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 13, 1904.

Schouteden, Genera Ins., Fasc. 24, p. 59, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 548, 1905.

Smith, Cat. Ins. N. J., Edn. 3, p. 132, 1910.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 25, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 239, 1912.

exilis (Herrich-Schaeffer), Wanz. Ins., iv, p. 5, fig. 346, 1839, Pachycoris.

Germar, Zeit. f. Ent., i, p. 98, 1839, Pachycoris.

Localities: Quebec, Ont., N. H., Mass., N. Y., N. J., Pa., Md.,
Va., Wis., Neb., Dak., Colo., N. Mex., Man., Calif., Vanc. Isd.

15. Homaemus bijugis Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872. (Name only.) Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 393, 1872. (Description.) Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 272, 1876; iii, p. 365, 1877. Van Duzee, Trans. Am. Ent. Soc., xxx, pp. 13, 76, 1904. Schouteden, Genera Ins., Fasc. 24, p. 60, pl. 5, fig. 1, 1904. Zimmer, Univ. Neb. Studies, xi, p. 240, 1912.

consors Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 272, 1876.Van Duzee, Trans. Am. Ent. Soc., xxx, pp. 14, 76, 1904.

Kirkaldy, Cat. Hemip., i, p. 279, 1909.

Localities: Dak., Ia., Neb., Kan., Colo., Utah, N. Mex., Nev., Ariz., Calif.

16. Homaemus parvulus (Germ.)

Germar, Zeit. f. Ent., i, p. 107, 1839, Pachycoris. Herrich-Schaeffer, Wanz. Ins., v, p. 54, fig. 501, 1839, Pachycoris. Dallas, List of Hemip., i, p. 36, 1851. Kirkaldy, Cat. Hemip., i, p. 279, 1909.

†grammica (Wolff), Icon. Cimic., v, p. 172, fig. 166, 1811, Tetyra. Stål, Enum. Hemip., i, p. 14, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 19, 1880.

Gillette & Baker, Hemip. Colo., p. 9, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 14, 1904.

Schouteden, Genera Ins., Fasc. 24, p. 60, 1904.

Bueno and Brimley, Ent. News, xviii, p. 441, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 153, 1909.Localities: N. C., Fla., Kan., Colo., Texas, Calif.

17. Homsemus proteus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 82, 1862.
Stål, Enum. Hemip., i, p. 15, 1870.
Distant, Biol. Centr. Am., Heter., i, p. 20, pl. 2, figs. 3, 4, 1880.
Uhler, Proc. U. S. Natl. Mus., xxvii, p. 349, 1904.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 15, 1904.
Schouteden, Genera Ins., Fasc. 24, p. 60, 1904.
Barber, Brookl. Inst. Sci. Bul., i, p. 255, 1906.
Localities: Texas, N. Mex., Ariz., Calif.

18. Homaemus variegatus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 3, 1914. Localities: Calif.

Subfamily ODONTOTARSINAE (Stål) Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 32, 1872, Div. Odontotarsaria.

Stål, Enum. Hemip., iii, pp. 4, 26, 1873, Div. Odontotarsaria. (Key.) Distant, Fauna Br. Ind., Rhyn., i, p. 67, 1902, Div. Odontotarsaria. Schouteden, Genera Ins., Fasc. 24, pp. 4, 69, 1904. (Key.) Oshanin, Verz. Palae. Hemip., i, p. 33, 1906. Kirkaldy, Cat. Hemip., i, p. 262, 1909, Tribe Odontotarsini. Zimmer, Univ. Neb. Studies, xi, p. 240, 1912, Tribe Odontotarsini. Eurygastraria Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 32, 1872. Stål, Enum. Hemip., iii, pp. 4, 28, 1873 (as Division; Key). Distant, Fauna Br. Ind., Rhyn., i, p. 68, 1902 (as Division). Oshanin, Verz. Palae. Hemip., i, p. 40, 1906 (as Division). Oshanin, Kat. Palae. Hemip., p. 5, 1912 (as Tribe). Odontoscelaria Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 33, 1872 (as Stål, Enum. Hemip., iii, pp. 4, 30, 1873 (as Division) [Division.) Distant, Fauna Br. Ind., Rhyn., i, p. 70, 1902 (as Division). Oshanin, Verz. Palae. Hemip., i, p. 29, 1906 (as Division). Oshanin, Kat. Palae. Hemip., p. 4, 1912 (as Tribe).

Genus Eurygaster Lap. Orthotype hottentotus (Fabr.)

Laporte, Essai Classif. Syst. Hémip., pp. 68, 69, 1832. Spinola, Essai sur les Hémip., p. 365, 1837 (1840). Amyot and Serville, Hémip., p. 51, 1843. Kolenati, Melet. Ent., iv, p. 9, 1846. Spinola, Tavola Sinot., p. 28, 1850. Dallas, List of Hemip., i, p. 47, 1851. Flor, Rhyn. Livl., i, p. 84, 1860. Fieber, Europ. Hemip., pp. 84, 368, 1861. Stål, Hemip. Afr., i, p. 61, 1864. Douglas and Scott, Br. Hemip., p. 64, 1865. Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 16, 1868. Stål, Of. Vet. Akad. Forh., xxix, p. 33, 1872. Stål, Enum. Hemip., iii, p. 29, 1873. Atkinson, Jl. Asiatic Soc. Bengal, lvi, p. 187, 1887. Schouteden, Genera Ins., Fasc. 24, pp. 70, 71, 1904.

†Tetyra Burmeister, Handb. d. Ent., ii, p. 389, 1835. Germar, Zeit. f. Ent., i, p. 72, 1839.

Blanchard, Hist. des Ins., Hémip., p. 155, 1840.

Gorski, Anal. Ent., i, p. 38, 1852.

[Linn.)

Bellocoris Hahn, Wanz. Ins., ii, p. 42, 1834. (Logotype Cimex maurus Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 124, 1840. (Cites [maurus as type.)

Kirkaldy, Cat. Hemip., i, p. 270, 1909. (Names purpureolineatus Rossi [pseudotype.)

19. Eurygaster alternatus (Say)

Say, Am. Ent., iii, pl. 43, 1828; Compl. Writ., i, p. 94, Tetyra. Germar, Zeit. f. Ent., i, p. 74, 1839, Tetyra.

Dallas, List of Hemip., i, p. 47, 1851.

Stål, Enum. Hemip., i, p. 18, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 274, 1876.

Uhler in Wheeler's Rept. Chief. Eng., for 1877, p. 1322.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 503, 1878.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 368, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 23, 1885.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 18, 1904.

Schouteden, Genera Ins., Fasc. 24, p. 72, 1904.

Smith, Cat. Ins. N. J., Edn. 3, p. 132, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 240, 1912.

nicoletanensis Provancher, Nat. Can., iv, p. 73, 1872.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Ill., Neb., Dak., Mont., Colo., N. Mex., Utah, Calif., Vanc. Isd.

20. Eurygaster shoshone Kirk.

Kirkaldy, Cat. Hemip., i, p. 273, 1909. (n.n. for carinatus Van D.) ||carinatus Van Duzee, Trans. Am. Ent. Soc., xxx, p. 18, 1904. Schouteden, Genera Ins., Fasc. 24, p. 72, 1904.

Banks, Cat. Nearc. Heter., p. 97, 1910.

Localities: Idaho, Utah, Nevada.

Genus Fokkeria Schout.

Haplotype crassa Schout. = producta (Van D.)

Schouteden, Ann. Soc. Ent. Belg., xlviii, p. 301, 1904.

Schouteden, Genera Ins., Fasc. 24, p. 83, 1904.

21. Fokkeria producta (Van D.)

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 20, 1904, Odontoscelis. Schouteden, Genera Ins., Fasc. 24, p. 84, pl. 5, fig. 1, 1904. crassa Schouteden, Ann. Soc. Ent. Belg., xlviii, p. 301, 1904. Localities: Colo.

Genus Phimodera Germ.

Logotype galgulina H.S.

Germar, Zeit. f. Ent., i, p. 60, 1839. Amyot and Serville, Hémip., p. 56, 1843. Gorski, Anal. Ent., i, p. 49, 1852.

Flor, Rhyn. Livl., i, p. 80, 1860.

Fieber, Europ. Hemip., p. 374, 1861.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 19, 1868.

Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 32, 1872.

Stål, Enum. Hemip., iii, p. 27, 1873.

Schouteden, Genera Ins., Fasc. 24, p. 84, 1904. (Names galgulina H.S. type.) Reuter, Acta Soc. Sci. Fenn., xxxiii, No. 8, p. 9, 1906. (Monograph.)

22. Phimodera torrida Reut.

Reuter, Acta Soc. Sci. Fenn., xxxiii, No. 8, p. 17, pl. 1, fig. 3; pl. 2, fig. 3, 1906. Locality: Nevada.

23. Phimodera torpida Walk.

Walker, Cat. Heter., i, p. 75, 1867.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 274, 1876.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 16, 1904.

Schouteden, Genera Ins., Fasc. 24, p. 85, 1904.

Reuter, Acta Soc. Sci. Fenn., xxxiii, No. 8, p. 22, pl. 1, fig. 7; pl. 2, fig. 8, 1906.

- a. var. fusco-testacea Reuter, Acta Soc. Sci. Fenn., xxxiii, No. 8, p. 23, 1906.
- b. var. obscura Reuter, Acta Soc. Sci. Fenn., xxxiii, No. 8, p. 23, 1906.

Localities: Sask., Colo.

24. Phimodera binotata (Say)

Say, Long's 2d Exp., ii, p. 298, 1824; Compl. Writ., i, p. 198, Scutellera. Uhler, Check List, p. 2, 1886.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 16, 1904.

Reuter, Acta Soc. Sci. Fenn., xxxiii, No. 8, p. 42, 1906.

Zimmer, Univ. Neb. Studies, xi, p. 240, 1912.

Localities: Neb., Colo.

Genus Euptychodera Bergr.

Haplotype corrugata (Van D.)

Bergeroth, Mem. Soc. Ent. Belg., xv, p. 143, 1908. (n.n. for *Ptychodera* Reut.) || *Ptychodera* Reut., Acta Soc. Sci. Fenn., xxxiii, No. 8, p. 44, 1906.

25. Euptychodera corrugata (Van D.)

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 16, 1904, Phimodera. Schouteden, Genera Ins., Fasc. 24, p. 85, 1904, Phimodera.

Reuter, Acta Soc. Sci. Fenn., xxxiii, No. 8, p. 45, pl. 1, fig. 20; pl. 2, figs. 20,

[21, 1906, Ptychodera.

Localities: Colo., Utah.

Genus Vanduzeeina Schout.

Orthotype balli (Van D.)

Schouteden, Genera Ins., Fasc. 24, p. 85, 1904.

26. Vanduzeeina balli (Van D.)

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 19, 1904, Odontoscelis.

Schouteden, Genera Ins., Fasc. 24, p. 86, 1904.

Localities: Colo., N. Mex., Calif.

Family CYDNIDAE (Billbg.)

Billberg, Enum. Ins., p. 70, 1820, Cydnides. Schioedte, in Kroyer, Nat. Tidskr., ii, p. 454, 1849, Cydnini. Spinola, Tavola Sinot., pp. 30, 36, 1850. Subfam. Cydnoideae. Fieber, Europ. Hemip., pp. 27, 361, 1861. Stål, Stet. Ent. Zeit., xxiii, p. 94, 1862, Cydnida. Stål, Of. Vet, Akad. Forh., xxvii, p. 614, 1870, Cydnina. Stål, Enum. Hemip., v, p. 17, 1876, Subfam. Cydnina. Berg, Hemip. Argent., p. 9, 1879, Subfam. Cydnina. Distant, Biol. Centr. Am., Heter., i, p. 1, 1880, Cydninae. Distant, Fauna Br. Ind., Rhyn., i, p. 81, 1902, Subfam. Cydninae. Kirkaldy, Can. Ent., xl, p. 359, 1908. Horvath, Ann. Mus. Natl. Hung., ix, p. 6, 1911. Oshanin, Kat. Palae., Hemip., p. 1, 1912. Thyreocoridae Kirkaldy, Can. Ent., xl, p. 364, 1908. Kirkaldy, Cat. Hemip., i, p. xxxix, 1909. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A. No. 6, pp. 45, 61, 1912.

Subfamily THYREOCORINAE (Van D.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 5, 1907, Family Thyreo-[coridae. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 153, 1909, Family Thyreocoridae.

Kirkaldy, Cat. Hemip., p. xxxix, 1909, Tribe Thyreocorini. Banks, Cat. Nearc. Hemip., p. 101, 1910, Family Thyreocoridae.

Corimelaenidae Uhler, in Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872.
Uhler, in Hayden's Surv. Terr., Rept. for 1871, p. 392, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 269, 1876; iii, p. 365, 1877; Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 366, 1878. [iv, p. 503, 1878.

Uhler, Check List, p. 2, 1886.

Lethierry and Severin, Cat. Génl. Hémip., i, p. 11, 1893.

Genus Thyreocoris Schr.

Logotype scarabaeoides (Linn.)

Schrank, Fauna Boica, p. 46, 1801.

Hahn, Wanz. Ins., ii, p. 46, 1834.

Spinola, Essai sur les Hémip., p. 369, 1840.

Kolenati, Melet. Ent., iv, p. 8, 1846.

Stål, Stet. Ent. Zeit., xxiii, p. 94, 1862.

Stål, Hemip. Fabr., i, p. 8, 1868.

Stål, Enum. Hemip., v, p. 22, 1876.

Berg, Hemip. Argent., p. 16, 1879.

Distant, Biol. Centr. Am., Heter., i, p. 9, 1880.

Provancher, Pet. Faune Ent. Can., iii, p. 19, 1885.

Oshanin, Verz. Palae. Hemip., i, p. 6, 1906.

Oshanin, Kat. Palae. Hemip., p. 1, 1912. (Names scarabaeoides Linn. type.) Zimmer, Univ. Neb. Studies, xi, p. 243, 1912.

†Odontoscelis Burmeister, Handb. d. Ent., ii, p. 385, 1835.

Germar, Zeit. f. Ent., i, p. 36, 1839.

Herrich-Schaeffer, Wanz. Ins., v, p. 33, 1839.

Blanchard, Hist. des Ins., Hémip., p. 161, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 124, 1840. (Names Spinola, Tavola Sinot., p. 29, 1850 (in part). [scarabaeoides pseudotype.) Gorski, Anal. Ent., i, p. 55, 1852. (Subdiv. II.)

Corimelaena White, Mag. Nat. Hist., n.s. iii, p. 539, 1839. (Orthotype Dallas, List of Hemip., i, p. 56, 1851. [lateralis Fabr.)

Dohrn, Cat. Hemip., p. 5, 1859.

Stål, Rio Jan. Hemip., i, p. 8, 1860.

Fieber, Europ. Hemip., p. 364, 1861.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 10, 1868.

Uhler in Hayden's Surv. Terr., Rept. for 1871, p. 392, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 269, 1876.

Uhler, Check List, p. 2, 1886.

Lethierry and Severin, Cat. Génl. Hémip., i, p. 11, 1893.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 3, 1904. (Key.)

Coreomelas Amyot and Serville, Hemip., p. 67, 1843.

Flor, Rhyn. Livl., i, p. 149, 1860.

Galgupha Amyot and Serville, Hemip., p. 68, 1843.

27. Thyreocoris ater (Am. & Serv.)

Amyot and Serville, Hémip., p. 68, 1843, Galgupha.

Stål, Ann. Soc. Ent. Fr., Ser. 4, iv, p. 48, 1864.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 366, 1878, Corimelaena.

Uhler, Check List, p. 2, 1886, Corimelaena.

Van Duzee, Can. Ent., xxi, p. 2, 1889, Corimelaena.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 169, 1894.

|| helopioides (Wolff), Icon. Cimic., v, p. 174, fig. 168, 1811, Tetyra.

tunicolor (Germar), Zeit. f. Ent., i, p. 37, 1839, Odontoscelis.

Herrich-Schaeffer, Wanz. Ins., v, pp. 12, 34, fig. 470, 1839, Odontoscelis.

Dallas, List of Hemip., i, p. 57, 1851, Corimelaena.

Stål, Enum. Hemip., v, p. 23, 1876.

Provancher, Pet. Faune Ent. Can., iii, p. 20, 1885.

Lethierry and Severin, Cat. Génl. Hémip., i, p. 13, 1893, Corimelaena.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 4, 1904, Corimelaena.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 153, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 138, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 244, 1912.

Localities: Quebec, Ont., Me., Conn., N. Y., N. J., N. C., Tenn., Wisc., Neb., Colo., Texas, Manitoba.

(?Thyreocoris unicolor Palisot-Beauvois, p. 33, pl. 5, fig. 5, 1805, Scutellera. ["South States.")

28. Thyreocoris nitiduloides (Wolff)

Wolff, Icon. Cimic., iii, p. 98, fig. 92, 1902, Cimex.

Germar, Zeit. f. Ent., i, p. 37, 1839, Odontoscelis.

Herrich-Schaeffer, Wanz. Ins., v, pp. 12, 33, fig. 471, 1839, Odontoscelis.

Dallas, List of Hemip., i, p. 56, 1851, Corimelaena.

Uhler, in Hayden's Surv. Terr., Rept. for 1871, p. 392, 1872, Corimelaena. Stål, Enum. Hemip., v, p. 23, 1876. [Corimelaena.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 269, 1876; iv, p. 365, 1877,

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 366, 1878, Corimelaena.

Distant, Biol. Centr. Am., Heter., i, p. 10, 1880.

Lethierry & Severin, Cat. Hémip., i, p. 12, 1893, Corimelaena.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 169, 1894, Corimelaena. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 5, 1904, Corimelaena. Zimmer, Univ. Neb. Studies, xi, p. 245, 1912.

histeroides (Say), Hemip. N. Harm., p. 2, 1831; Fitch reprint, p. 756; [Compl. Writ., i, p. 311, Thyreocoris

Localities: N. Y., N. J., Pa., N. C., Mo., N. D., Neb., Kan., Colo., Texas.

28½. Thyreocoris rastratus (Stål)

Stål, Rio Jan. Hemip., i, p. 8, 1860, Corimelaena.

Stål, Stet. Ent. Zeit., xxiii, p. 94, 1862.

Stål, Enum. Hemip., v, p. 23, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 10, pl. 3, fig. 5, 1880.

Van Duzee, Trans. Am. Ent. Soc., xxvii, p. 343, 1901, Corimelaena.

Localities: Texas (Barber in litt.) (Neotropical.)

29. Thyreocoris anthracinus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 270, 1876, Corimelaena. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 6, 1904, Corimelaena. Zimmer, Univ. Neb. Studies, xi, p. 246, 1912.

Localities: Neb., Colo., N. Mex., Idaho, Calif., Vanc. Isd.

30. Thyreocoris denudatus (Uhl.)

Uhler, Proc. Am. Ent. Soc., ii, p. 157, 1863, Corimclaena. Localities: La.

31. Thyreocoris niger (Dall.)

Dallas, List of Hemip., i, p. 57, 1851, Corimelaena.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 6, 1904, Corimelaena.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 177, 1906; pt. 2, p. 158, 1907; Zimmer, Univ. Neb. Studies, xi, p. 245, 1912. [Corimelaena.

Localities: Ont., Kan., Neb., Colo., Ariz.

32. Thyreocoris ciliatus (Uhl.)

Uhler, Proc. Am. Ent. Soc., ii, p. 156, 1863, Corimelaena.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 270, 1876, Corimelaena.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 6, 1904, Corimelaena. Zimmer, Univ. Neb. Studies, xi, p. 246, 1912.

Localities: Fla., Neb., Kan., Colo., Utah, Ariz., Calif., Oregon.

33. Thyreocoris coerulescens Stål

Stål, Stet. Ent. Zeit., xxiii, p. 94, 1862.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 270, 1876, Corimelaena.

Distant, Biol. Centr. Am., Heter., i, p. 10, 1880.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 7, 1904, Corimelaena.

cyanea (Uhler), Proc. Am. Ent. Soc., ii, p. 157, 1863, Corimelaena.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 270, 1876, Corimelaena. cyaneonigra (Walker), Cat. Heter., i, p. 78, 1867, Corimelaena.

Localities: Colo., Ariz., Calif. (Mexico.)

34. Thyreocoris lateralis (Fabr.)

Fabricius, Syst. Rhyng., p. 142, 1803, *Tetyra*. Wolff, Icon. Cimic., v, p. 175, fig. 169, 1811, *Tetyra*. Germar, Zeit. f. Ent., i, p. 39, 1839, *Odontoscelis*.

Herrich-Schaeffer, Wanz. Ins., v, pp. 13, 34, fig. 473, 1839, Odontoscelis. White, Mag. Nat. Hist., n.s. iii, p. 439, 1839, Corimelaena.

Stål, Enum. Hemip., v, p. 23, 1876.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 271, 1876, Corimelaena.

Distant, Biol. Centr. Am., Heter., i, p. 11, 1880.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 225, 1894, Corimelaena.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 154, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 138, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 246, 1912.

gilletti (Van Duzee), Trans. Am. Ent. Soc., xxx, p. 8, 1904, Corimelaena. Bueno & Brimley, Ent. News, xviii, p. 441, 1907, Corimelaena.

Bergroth, Mém. Soc. Ent. Belg., xv, p. 139, 1908.

Smith, Cat. Ins. N. J., Edn. 3, p. 138, 1910.

Localities: Mass., R. I., N. Y., Pa., N. J., Md., D. C., N. C., Fla., Ohio, Mich., Ill., Neb., Kan., Okl., Texas. (Mexico.)

35. Thyreocoris montanus Van D.

Van Duzee, Ent. News, xx, p. 231, 1909.

Zimmer, Univ. Neb. Studies, xi, p. 247, 1912.

†lateralis (Van Duzee), Trans. Am. Ent. Soc., xxx, p. 7, 1904, Corimelaena. Localities: Neb., Colo., Utah, Wy., Calif., Wash.

36. Thyreocoris extensus (Uhl.)

Uhler, Proc. Am. Ent. Soc., ii, p. 155, 1863, Corimelaena.

Uhler, in Hayden's Surv. Terr., Rept. for 1871, p. 393, 1872, Corimelaena.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 271, 1876, Corimelaena.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 225, 1894, Corimelaena.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 350, 1904, Corimelaena.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 9, 1904, Corimelaena.

Localities: Dak., Colo., Utah, N. Mex., Ariz., Calif., Oregon.

37. Thyreocoris pulicarius (Germ.)

Germar, Zeit. f. Ent., i, p. 39, 1839, Odontoscelis.

Herrich-Schaeffer, Wanz. Ins., v, p. 34, 1839, Odontoscelis.

Dallas, List of Hemip., i, p. 59, 1851, Corimelaena.

Stål, Enum. Hemip., v, p. 23, 1876.

[melaena.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 271, 1876; iv, p. 503, 1878, Cori-Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 367, 1878, Corimelaena.

Distant, Biol. Centr. Am., Heter., i, p. 11, 1880.

Provancher, Pet. Faune Ent. Can., iii, p. 21, 1885.

Uhler, Proc. Zool. Soc. Lond., for 1894, p. 170.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 169, 1894, Corimelaena.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 9, 1904, Corimelaena.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 154, 1909.

Van Duzee, Can. Ent., xli, p. 369, 1909.

Zimmer, Univ. Neb. Studies, xi, p. 247, 1912.

marginella (Dallas), List of Hemip., i, p. 59, 1851, Corimelaena.

Distant, Biol. Centr. Am., Heter., i, p. 308, pl. 30, fig. 1, 1889. [gupha. flavomarginata (Thomas), Trans. Ill. St. Agr. Soc., v, p. 455, 1865, Gal†tibialis Uhler, Check List, p. 2, 1886, Corimelaena.

Localities: Quebec, Ont., Mass., N. Y., N. J., Pa., Md., D. C., Ga., Fla., Miss., La., Minn., Dak., Neb., Kan., Mo., Colo., Texas, Br. Am.

38. Thyreocoris minutus (Uhl.)

Uhler, Proc. Am. Ent. Soc., ii, p. 155, 1863, Corimelaena. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 76, 1904, Corimelaena. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 5, 1907.

Localities: Fla., Texas. (West Indies.)

39. Thyreocoris obtusus (Uhl.)

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 225, 1894, Corimelaena.

Localities: Texas. (Mexico.)

40. Thyreocoris renormatus (Uhl.)

Uhler, Hemip. Colo., p. 11, 1895, Corimelaena.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 9, 1904, Corimelaena.
†albipennis (Uhler), Hemip. Colo., p. 10, 1895, Corimelaena (young).
Localities: Colo.

41. Thyreocoris guttiger Stål

Stål, Stet. Ent. Zeit., xxiii, p. 94, 1862.
Stål, Enum. Hemip., v, p. 24, 1876.
Distant, Biol. Centr. Am., Heter., i, p. 11, pl. 2, fig. 16, 1880.
Barber, Brookl. Inst., Sci. Bul., i, p. 255, 1906.
Osborn and Drake, Ohio Nat., xv, p. 541, 1915.
Localities: Texas. (Neotropical.)

42. Thyreocoris sayi (Van D.)

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 10, 1904, Corimelaena (n.n. for Zimmer, Univ. Neb. Studies, xi, p. 247, 1912. [albipennis Say.]

||albipennis Say, Heter. N. Harm., p. 2, 1831, Fitch reprint p. 756.

Say, Compl. Writ., i, p. 311.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 271, 1876, Corimelaena.

Osborn, Ent. News, iv, p. 91, 1893, Corimelaena.

Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 121, 1894, Corimelaena.

Localities: Neb., Colo.

Subfamily CYDNINAE (Dallas)

Dallas, List of Hemip., i, p. 109, 1851, Family Cydnidae.

Stål, Hemip. Afr., i, p. 18, 1864, Family Cydnida.

Uhler, Bul. U. S. Geol. Geog. Surv., ii, p. 275, 1876, Family Cydnidae.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 366, 1877, Family Cydnidae.

[(Monograph.)

Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 26, 1881, Cydnidae. (Monograph.)

Puton, Cat. Palae. Hemip., Edn. 3, p. 8, 1886, Tribe Cydnini.

Uhler, Check List, p. 3, 1886, Family Cydnidae.

Lethierry and Severin, Cat. Génl. Hémip., i, p. 60, 1893, Subfamily Cydnidae.

Kirkaldy, Fauna Hawaiien., iii, p. 172, 1902, Subfamily Cydninae.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 23, 1904, Subfamily Cydnidae.

Kirkaldy, Cat. Hemip., i, p. xxxix, 1909, Tribe Cydnini.

Banks, Cat. Nearc. Hemip., p. 98, 1910, Family Cydnidae.

Zimmer, Univ. Neb. Studies, xi, p. 240, 1912.

TRIBE CYDNINI (Stål)

Stål, Hemip. Afr., i, p. 18, 1864, Subfamily Cydnida.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 6, 1868, Subfamily Cydnida.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 366, 1877. Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 33, 1881, *Cydnides*. Zimmer, Univ. Neb. Studies, xi, p. 241, 1912.

Genus Cyrtomenus Am. & Serv.

Logotype castaneus Am. & Serv. = mirabilis (Perty)

Amyot and Serville, Hémip., p. 90, 1843.

Dallas, List of Hemip., i, pp. 110, 111, 1851.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 367, 1877.

Distant, Biol. Centr. Am., Heter., i, p. 2, 1880.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 196, 1881.

†Cydnus Amyot and Serville, Hemip., p. 91, 1843.

43. Cyrtomenus teter (Spin.)

Spinola, Essai sur les llémip., p. 332, 1840, Cydnus.

Dallas, List of Hemip., i, p. 111, 1851.

Distant, Biol. Centr. Am., Heter., i, p. 2, pl. 2, fig. 13, 1880.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 197, pl. 6, fig. 17, 1881.

Banks, Cat. Nearc. Hemip., p. 99, 1910.

acthiops (Amyot and Serville), Hemip., p. 92, 1843, Cydnus. [(male). excavatus Distant, Biol. Centr. Am., Heter., i, p. 2, pl. 2, fig. 12, 1880 Localities: Calif. (Neotropical.)

44. Cyrtomenus mirabilis (Perty)

Perty, Del. Anim. Artic., p. 166, 1834, Cydnus.

Stål, Enum. Hemip., v, p. 18, 1876.

Berg, Hemip. Argent., p. 10, 1879.

Distant, Biol. Centr. Am., Heter., i, p. 3, 1880.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 199, pl. 6, fig. 19, 1881.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 226, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 23, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 154, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 133, 1910.

mutabilis (Perty), Del. Anim. Artic., pl. 33, fig. 6, 1834, Cydnus.

Burmeister, Hand. d. Ent., ii, p. 375, 1835, Cydnus.

Dallas, List of Hemip., i, p. 112, 1851.

Herrich-Schaeffer, Wanz. Ins., p. 76, 1853, Cydnus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 275, 1876, iii, p. 367, 1877.

castaneus Amyot and Serville, Hémip., p. 91, 1843.

Stål, Enum. Hemip., v. p. 18, 1876.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 24, 1904.

crassus Walker, Cat. Heter., i, p. 147, 1867.

Distant, Ann. Mag. Nat. Hist., Ser. 7, iv, p. 227, 1899.

obtusus Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 369, 1877.

umbonatus (Berg), Hemip. Argent., p. 14, 1879, Macroscytus.

Localities: N. J., S. C., Ga., Fla., Texas, N. Mex., Ariz., Calif. (Neotropical.)

Genus Macroporus Uhl. Haplotype repetitus Uhl.

Whler, Bul. U. S. Geol. Geog. Surv., i, p. 278, 1876, iii, p. 375, 1877.Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 328, 1881.

45. Macroporus repetitus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 279, 1876, iii, p. 375, 1877.
Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 329, pl. 10, fig. 46, 1881.
Localities: Md., Calif.

Genus Homaloporus Uhl.

Haplotype congruus Uhler

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 376, 1877. Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 330, 1881.

46. Homaloporus congruus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 377, 1877.
Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 330, pl. 10, fig. 47, 1881.
Zimmer, Univ. Neb. Studies, xi, p. 241, 1912.

Localities: Neb., Colo., Texas.

47. Homaloporus pangaeiformis Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 331, pl. 11, fig. 48, 1881. Snow, Trans. Kan. Acad. Sci., xx, pt. i, p. 151, 1906.

Localities: Texas(?). (Mexico.)

Genus Aethus Dall.

Logotype indicus (Westw.)

Dallas, List of Hemip., i, pp. 110, 112, 1851.

Stål, Hemip. Afr., i, pp. 19, 20, 1864.

Stål, Enum. Hemip., v, p. 18, 1876.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 378, 1877.

Distant, Biol. Centr. Am., Heter., i, p. 4, 1880.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 423, 1881.

†Cydnus, Leach in Brewster's Edinb. Encyc., Am. Edn., viii, p. 710, 1832.

Fieber, Europ. Hemip., pp. 83, 363, 1861.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 9, 1868.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 145, 1882.

Lethierry and Severin, Cat. Génl. Hémip., i, p. 65, 1894.

Distant, Fauna Br. Ind., Rhyn., i, p. 90, 1902. (Cites nigritus as type.)

Oshanin, Verz. Palae. Hemip., i, p. 9, 1906.

Banks, Cat. Nearc. Hemip., p. 99, 1910.

Oshanin, Kat. Palae. Hemip., p. 1, 1912.

Zimmer, Univ. Neb. Studies, xi, p. 24, 1912.

Trichosternus Mulsant and Rey, Punaise de France, Pent., p. 24, 1860.

Tominotus Mulsant and Rey, Punaise de France, Pent., p. 29, 1860 (Haplo[type signoreti M. & S.)

Microporus Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 394, 1872.
[(Name only.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 275, 1876. (Haplotype Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 373, 1877. [obliquus Uhl.) Distant, Biol. Centr. Am., Heter., i, p. 8, 1880. [type conformis Uhl.)

Trichocoris Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 277, 1876. (Haplo-Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 371, 1877.

Rhytidoporus Uhler, Bul. U. S. Geol. Geog. Surv., ii, p. 380, 1877. (Hap-[lotype indentatus Uhl.)

Cryptoporus Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 381, 1877. [Uhl.) Bergthora Kirkaldy, Entomol., xxxvii, p. 280, 1904 (n.n. for Cryptoporus

48. Aethus testudinatus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 276, 1876, Microporus.
Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 374, 1877, Microporus.
Distant, Biol. Centr. Am., Heter., i, p. 8, pl. 2, fig. 24, 1880, Microporus.
Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 424, pl. 11, fig. 53, 1881.
Localities: Ind., Colo., N. Mex., Calif. (Mexico.)

49. Aethus conformis (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 277, 1876; iii, p. 372, 1877, Tricho-Signoret, Ann. Soc. Ent. Fr., Ser. 6, i, p. 425, pl. 11, fig. 54, 1881. [coris. Locality: Calif.

50. Aethus communis Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 379, 1877.
Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 35, pl. 2, fig. 76, 1882.
Barber, Brookl. Inst. Sci. Bul., i, p. 256, 1906, Cydnus.
Localities: Fla., Texas. (West Indies.)

51. Aethus indentatus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 380, 1877, Rhytidoporus. Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 38, pl. 2, fig. 80, 1882.

Localities: Fla. (West Indies.)

52. Aethus compactus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 382, 1877, Cryptoporus.
 Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 41, pl. 2, fig. 83, 1882.
 Localities: Texas.

53. Aethus obliquus (Uhl.)

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 394, 1872, Microporus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 276, 1876; iii, p. 373, 1877, Microporus. Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 161, pl. 7, fig. 97, 1882, Cydnus. Zimmer, Univ. Neb. Studies, xi, p. 241, 1912.

**Olsen, Jl. N. Y. Ent. Soc., xx, p. 50, 1912, Cydnus.

Localities: N. Y.(1), Neb., Colo., Utah, Texas, Ariz., Calif., Oregon.

54. Aethus politus Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 36, pl. 2, fig. 77, 1882. Localities: Calif.

Genus Pangaeus Stål

Logotype margo (Dall.)

Stål, Stet. Ent. Zeit., xxiii, p. 95, 1862. Stål, Enum. Hemip., v, p. 19, 1876. Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 383, 1877. Distant, Biol. Centr. Am., Heter., i, p. 5, 1880.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 244, 1882, Pangoeus.

Provancher, Pet. Faune Ent. Can., iii, p. 28, 1885. Zimmer, Univ. Neb. Studies, xi, pp. 23, 24, 1912.

55. Pangaeus margo (Dall.)

Dallas, List of Hemip., i, p. 116, 1851, *Aethus*. Stål, Stet. Ent. Zeit., xxiii, p. 95, 1862.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 387, 1877.
Distant, Biol. Centr. Am., Heter., i, p. 5, pl. 2, fig. 15, 1880.
Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 248, pl. 8, fig. 107, 1882.
Distant, Biol. Centr. Am., Heter., i, p. 306, 1889.
Distant, Am. Mag. Nat. Hist., Ser. 7, iv, p. 222, 1899.
confusus Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 249, pl. 8, fig. 108, 1882.
scitus (Walker), Cat. Heter., iii, p. 535, 1868, Aethus.
Localities: Ariz. (Neotropical.)

56. Pangaeus discrepans Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 386, 1877.
Distant, Biol. Centr. Am., Heter., i, p. 7, pl. 2, fig. 19, 1880.
Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 249, pl. 8, fig. 109, 1882.
Localities: Ind., Tenn., Idaho, Colo., Texas, Calif.

57. Pangaeus uhleri Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 253, pl. 9, fig. 112, 1882. Bueno and Brimley, Ent. News, xviii, p. 441, 1907, Pangaelus. [rugifrons Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 384, 1877. Localities: N. C., S. C., Ga., Texas.

58. Pangaeus bilineatus (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 315, 1825; Compl. Writ., ii, p. 242, Say, Heter. N. Harm., p. 10, 1832; Fitch reprint, p. 768; Compl. Writ., i, Dallas, List of Hemip., i, p. 119, 1851, Aethus. [p. 323, Cydnus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 275, 1876; iii, p. 383, 1877. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 371, 1878. Distant, Biol. Centr. Am., Heter., i, p. 6, 1880. Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 254, pl. 9, fig. 13, 1882. Provancher, Pet. Faune Ent. Can., iii, p. 28, 1885. Barber, Brookl. Inst., Sci. Bul., i, p. 256, 1906. Smith, Cat. Ins. N. J., Edn. 3, p. 133, 1910. Van Duzee, Can Ent., xliv, p. 318, 1912. Zimmer, Univ. Neb. Studies, xi, p. 242, 1912. femoralis (Herrich-Schaeffer), Wanz. Ins., v, p. 98, fig. 548, 1839, Cydnus. [robertsoni Uhler MS] Uhler, Proc. Bost. Soc. Nat. Hist, xix, p. 372, 1878. Localities: Quebec, Mass., Conn., N. Y., N. J., Pa., Md., N. C., Ala., Okl., Texas. (Mexico.)

59. Pangaeus spangbergi Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 259, pl. 9, fig. 116, 1882. Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 158, 1907. Localities: Texas, Ariz.

60. Pangaeus piceatus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 96, 1862.
Stål, Enum. Hemip., v, p. 19, 1876.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 275, 1876; iii, p. 388, 1877.
Distant, Biol. Centr. Am., Heter., i, p. 5, pl. 2, fig. 18, 1880.
Signoret, Ann. Soc. Ent. Fr., Ser. 6, ii, p. 262, pl. 9, fig. 120, 1882.
Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 126, 1912.
†insularis (Dallas), List of Hemip., i, p. 120, 1851, Aethus.

tenuis (Walker), Cat. Heter., i, p. 151, 1867, Aethus.
Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 390, 1877.
Distant, Ann. Mag. Nat. Hist., Ser. 7, iv, p. 221, 1899.
parilis (Walker), Cat. Heter., i, p. 153, 1867, Aethus
Localities: Texas, N. Mex., Ariz., Calif.

Genus Geotomus Muls. & Rey. Logotype punctulatus Costa.

Mulsant and Rey, Punaise de Fr., Pent., p. 34, 1866.
Signoret, Ann. Soc. Ent. Fr. Ser. 6, iii, p. 34, 1883.
Distant, Biol. Centr. Am., Heter., i, p. 307, 1889.
Lethierry and Severin, Cat. Génl. Hémip., i, p. 71, 1893.
Distant, Fauna Br. Ind., Rhyn., i, p. 98, 1902.
Zimmer, Univ. Neb. Studies, xi, pp. 23, 24, 1912. [type elongatus Uhl.)
Melanaethus Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 280, 1876. (Haplo-Alonips Signoret, Ann. Mus. Civ. Genoa, xvi, p. 653, 1881.

61. Geotomus robustus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 390, 1877, Melanaethus.
Signoret, Ann. Soc. Ent. Fr., Ser. 6, iii, p. 59, pl. 4, fig. 168, 1883.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 154, 1909.
Smith, Cat. Ins. N. J., Edn. 3, p. 133, 1910.
Zimmer, Univ. Neb. Studies, xi, p. 242, 1912.
Localities: Mass., N. J., Pa., Md., Ga., Fla., Neb.

62. Geotomus pennsylvanicus Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, iii, p. 207, pl. 4, fig. 169, 1883 (n.n. for [picinus Uhl.)

||picinus (Uhler), Bul. U. S. Geol. Geog. Surv., iii, p. 391, 1877, Melanaethus.

Localities: Pa., Ga.

63. Geotomus parvulus Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, iii, p. 208, pl. 4, fig. 170, 1883 (n.n. for Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 177, 1906. [elongatus Uhl.) ||elongatus (Uhler), Bul. U. S. Geol. Geog. Surv., i, p. 280, 1876, Melanaethus. Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 392, 1877, Melanaethus. Localities: Ariz., Calif.

64. Geotomus uhleri Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, iii, p. 211, pl. 5, fig. 174, 1883. Locality: "N. Am."

65. Geotomus punctatissimus Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, iii, p. 216, pl. 5, fig. 180, 1883. Locality: Sitka.

66. Geotomus subglaber (Walk.)

Walker, Cat. Heter., i, p. 150, 1867, Aethus.
Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 394, 1877, Melanaethus.
Distant, Ann. Mag. Nat. Hist., Ser. 7, iv, p. 223, 1899.
Locality: "N. Am."

Genus Amnestus Dall. Haplotype spinifrons Say

Dallas, List of Hemip., i, pp. 110, 126, 1851.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 307, 1868.

Stål, Enum. Hemip., v, p. 21, 1876.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 369, 1877.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, iii, p. 367, 1883.

Distant, Biol. Centr. Am., Heter., i, p. 307, 1889.

Zimmer, Univ. Neb. Studies, xi, pp. 241, 242, 1912.

Magoa Stål, Rio Jan. Hemip., i, p. 13, 1860. (Logotype cribratus Stål.)

67. Amnestus spinifrons (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 316, 1825; Compl. Writ., ii, p. 242,

Dallas, List of Hemip., i, p. 126, pl. 3, fig. 2, 1851.

Stål, Enum. Hemip., v, p. 21, 1876.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 370, 1877.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 372, 1878.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, iii, p. 367, pl. 10, fig. 192, 1883.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 169, 1894.

Smith, Cat. Ins. N. J., Edn. 3, p. 133, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 243, 1912.

Localities: Mass., N. Y., N. J., Pa., Ga., Md., Mich., Ind., Ill., Neb., Kan., Texas.

68. Amnestus pusillus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 278, 1876; iii, p. 371, 1878.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, iii, p. 372, pl. 10, fig. 197, 1883.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 226, 1894.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 350, 1904.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 25, 1904.

Smith, Cat. Ins. N. J., Edn. 3, p. 133, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 243, 1912.

†subferrugineus Gillette & Baker, Hemip. Colo., p. 11, 1895.

Localities: N. H., N. Y., N. J., Pa., Fla., Miss., Tenn., Ind., Iowa, Neb., Kan., Colo.

69. Amnestus pallidus Zimm.

Zimmer, Can. Ent., xlii, p. 166, 1910 (misspelled Annectus).

Locality: Neb.

TRIBE SEHIRINI (Stål)

Stål, Hemip. Afr., i, p. 18, 1864, Subfamily Schirida.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 10, 1868, Subfamily Schirida.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 396, 1877.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, iii, p. 521, 1883, Groupe Schiridea.

Zimmer, Univ. Neb. Studies, xi, p. 243, 1912.

Genus Lobolophus Bergr.

Haplotype anthracinus (Uhl.)

Bergroth, Rev. d'Ent., x, p. 235, 1891 (n.n. for Lobonotus Uhl.).

||Lobonotus Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 395, 1877.

Distant, Biol. Centr. Am., Heter., i, p. 9, 1880.

Signoret, Ann. Soc. Ent. Fr., Ser. 6. iii, p. 529, 1883.

Lethierry and Severin, Cat. Génl. Hémip., i, p. 77, 1893.

Banks, Cat. Nearc. Hemip., p. 100, 1910.

70. Lobolophus anthracinus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 395, 1877, Lobonotus.
Distant, Biol. Centr. Am., Heter., i, p. 9, pl. 4, fig. 7, 1880.
Signoret, Ann. Soc. Ent. Fr., Ser. 6, iii, p. 529, pl. 16, fig. 208, 1883.
Localities: Texas. (Mexico.)

Genus Sehirus Am. and Serv.

Logotype morio (Linn.)

Amyot and Serville, Hémip., p. 96, 1843.

Dallas, List of Hemip., i, p. 127, 1851.

Fieber, Europ. Hemip., p. 366, 1861.

Mulsant and Rey, Punaise de Fr., Pent., p. 47, 1866.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 396, 1877.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, iv, p. 51, 1884. Oshanin, Kat. Palae. Hemip., p. 3, 1912. (Names morio Linn. type.)

Tritomegas Amyot and Serville, Hémip., p. 98, 1843. (Logotype bicolor Signoret, Ann. Soc. Ent. Fr., Ser. 6, iv, p. 50, 1884. [Linn.) Legnotus Schiodte in Kroyer's Nat. Tidskr., ii, p. 464, 1849.

Canthophorus Mulsant and Rey, Punaise de Fr., Pent., p. 54, 1866. (Logo-Stål, Enum. Hemip., v, p. 22, 1876. [type dubius Scop.)

Distant, Biol. Centr. Am., Heter., i, p. 9, 1880.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, iv, p. 55, 1884.

Provancher, Pet. Faune Ent. Can., iii, p. 27, 1885.

Adomerus Mulsant and Rey, Punaise de Fr., Pent., p. 66, 1866. (Haplo-Signoret, Ann. Soc. Ent. Fr., Ser. 6, iv, p. 46, 1884. (type biguttatus Linn.)

Lalervis Signoret, Ann. Soc. Ent. Fr., Ser. 6, iv, p. 48, 1884. (Haplotype [expansa Sign.)

71. Sehirus cinctus (P. B.)

Palisot-Beauvois, Ins. Rec. Afr. Am., p. 114, pl. Hémip. 8, fig. 7, 1805, Stål, Hemip. Afr., i, p. 29, 1864. [Pentatoma. Stål, Enum. Hemip., v, p. 22, 1876, Canthophorus. [phorus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 281, 1876; iii, p. 397, 1877, Cantho-Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 372, 1878, Canthophorus. Uhler, Bul. U. S. Geol. Geog. Surv., iv., p. 503, 1878, Canthophorus. Distant, Biol. Centr. Am., Heter., i, p. 9, 1880, Canthophorus.

Signoret, Ann. Soc. Ent. Fr., Ser. 6, iv, p. 60, pl. 3, fig. 227, 1884, Canthophorus. Povancher, Pet. Faune Ent. Can., iii, p. 27, 1885, Canthophorus. [phorus. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 170, 1894, Canthophorus. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 26, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 548, 1905.

Zimmer, Univ. Neb. Studies, xi, p. 243, 1912.

ligatus (Say). Heter. N. Harm., p. 10, 1831; Fitch reprint. p. 767, Cudnus.

ligatus (Say), Heter. N. Harm., p. 10, 1831; Fitch reprint, p. 767, Cydnus.
Say, Compl. Writ., i, p. 322, Cydnus.

albonotatus Dallas, List of Hemip., i, p. 127, 1851.

Uhler, in Say's Compl. Writ., i, p. 323, 1859.

Localities: Quebec, Ont., N. H., N. Y., N. J., Pa., D. C., N. C., Miss., Ohio, Neb., Manitoba.

Family PENTATOMIDAE (Leach)

Leach, Brewster's Edinb. Encyc., ix, p. 121, 1815, Pentatomides.

Stephens, Cat. Br. Ins., ii, p. 337, 1829, Pentatomidae.

Leach, Brewster's Edinb. Encyc., Am. Edn., viii, p. 710, 1832, Pentatomida.

Spinola, Essai sur les Hémip., p. 260, 1837 (1840), Pentatomites.

Blanchard, Hist. des Ins., Hémip., p. 141, 1840, Pentatomites.

Westwood, Intr. Mod. Classif. Ins., Synop., p. 123, 1840, Subfam. Pentatomides.

Spinola, Tavola Sinot., p. 26, 1850, Pentatomitae.

Stål, Hemip. Afr., i, p. 32, 1866, Pentatomida. (Includes Scutelleridae.)

Stål, Of. Vet. Akad. Forh., xxix, p. 33, 1872, Pentatomina.

Stål, Enum. Hemip., v, p. 28, 1876, Pentatomidae. (Includes Scutelleridae.)

Distant, Fauna Br. Ind., Rhyn., i, p. 109, 1902 (as subfamily).

Parshley, Psyche, xxii, p. 170, 1915. (Systematic.)

Subfamily GRAPHOSOMATINAE (Jakl.)

Jakowleff, Horae Soc. Ent. Ross, xviii, p. 204, 1884, Subfam. Graphosomini. Puton, Cat. Hémip. Palae., Edn. 3, p. 7, 1886, Tribe Graphosomini. Lethierry and Severin, Cat. Génl. Hémip., i, p. 49, 1893, Graphosomidae. Distant, Fauna Br. Ind., Rhyn., i, p. 70, 1902. Schouteden, Rhyng. Aethiop., i, p. 95, 1903. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 21, 1904, Graphosomidae. Schouteden, Genera Ins., Fasc. 30, p. 2, 1905. Oshanin, Verz. Palae. Hemip., i, p. 49, 1906, Graphosomina. Banks, Cat. Nearc. Hemip., p. 92, 1910, Graphosominae. Oshanin, Kat. Palae. Hemip., p. 6, 1912, Graphosominae. Zimmer, Univ. Neb. Studies, xi, p. 220, 1912, Graphosominae.

TRIBE PODOPINI (Dall.)

Dallas, List of Hemip., i, p. 51, 1851, Podopidae.
Dohrn, Cat. Hemip., p. 5, 1859, Podopidae.
Stål, Of. Vet. Akad. Forh., xxix, p. 34, 1872, Div. Podoparia.
Jakowleff, Horae Soc. Ent. Ross., xviii, p. 204, 1884, Podoparia.
Schouteden, Genera Ins., Fasc. 30, pp. 3, 28, 1905, Tribe Podoparia.
Zimmer, Univ. Neb. Studies, xi, p. 238, 1912.

Genus Oncozygia Stål Haplotype clavicornis Stål

Stål, Enum. Hemip., ii, p. 15, 1872. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 21, 1904. Schouteden, Genera Ins., Fasc. 30, p. 29, 1905.

72. Oncozygia clavicornis Stål

Stål, Enum. Hemip., ii, p. 16, 1872.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 23, 1904.
Schouteden, Genera Ins., Fasc. 30, p. 30, pl. 3, fig. 12, 1905.
Localities: Va., Texas.

Genus Podops Lap. Orthotype inunctus Fabr.

Laporte, Essai Classif. Syst. Hémip., p. 72, 1832. Burmeister, Handb. d. Ent., ii, p. 387, 1835 (Sec. B. only). Spinola, Essai sur les Hémip., p. 372, 1837 (1840).

Germar, Zeit. f. Ent., i, p. 63, 1839.

Herrich-Schaeffer, Wanz. Ins., v, p. 44, 1839.

Blanchard, Hist. des Ins., Hémip., p. 161, 1840 (2d div. only).

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 124, 1840.

Amyot and Serville, Hémip., p. 56, 1843.

Spinola, Tavola Sinot., p. 30, 1850.

Dallas, List of Hemip., i, p. 52, 1851.

Gorski, Anal. Ent., i, p. 48, 1852.

Flor, Rhyn. Livl., i, p. 77, 1860.

Fieber, Europ. Hemip., pp. 82, 349, 1861.

Stål, Hemip. Afr., i, pp. 77, 89, 1864.

Walker, Cat. Heter., i, p. 70, 1867.

Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 34, 1872.

Stål, Enum. Hemip., ii, p. 15, 1872.

Lethierry and Severin, Cat. Génl. Hémip., i, p. 55, 1893.

Distant, Fauna Br. Ind., Rhyn., i, p. 72, 1902.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 22, 1904.

Schouteden, Genera Ins., Fasc. 30, pp. 29, 31, 1905.

Oshanin, Verz. Palae. Hemip., i, p. 68, 1906.

Begroth, Mém. Soc. Ent. Belg., xv, p. 146, 1908.

Oshanin, Kat. Palae. Hemip., p. 8, 1912.

Subgenus Amaurochrous Stål Logotype dubius (P. B.)

Stål, Enum. Hemip., ii, p. 15, 1872.

Schouteden, Genera Ins., Fasc. 30, p. 32, 1905 (names dubius type).

Kirkaldy, Cat. Hemip., i, p. 237, 1909 (names cinctipes type and on p. 373 [states that dubius = cinctipes).

Zimmer, Univ. Neb. Studies, xi, p. 238, 1912.

†Scotinophara Stål, Of. Vet. Akad. Forh., xxiv, p. 523, 1867.

73. Podops dubius (P. B.)

Palisot-Beauvois, Ins. Rec. Afr. Am., p. 33, pl. Hémip. 5, fig. 6, 1805, Germar, Zeit. f. Ent., i, p. 64, 1839. [Scutellera.

Herrich-Schaeffer, Wanz. Ins., v, p. 44, fig. 495, 1839.

Amyot and Serville, Hemip., p. 57, 1843, Podops.

Dallas, List of Hemip., i, p. 52, 1851, Podops.

Stål, Enum. Hemip., ii, p. 15, 1872.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 77, 1904, Podops. (Doubtful.)

Schouteden, Genera Ins., Fasc. 30, p. 33, 1905.

?Smith, Cat. Ins. N. J., Edn. 3, p. 132, 1910.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 50, 1912.

Localities: N. Y. (1), N. J., Va. (West Indies.)

74. Podops cinctipes (Say)

Say, Am. Ent., iii, pl. 43, 1828; Compl. Writ., i, p. 94, Tetyra.

Stål, Of. Vet. Akad. Forh., xxiv, p. 502, 1867, Scotinophara.

Stål, Enum. Hemip., ii, p. 15, 1872.

Uhler, Check List, p. 5, 1886, Podops.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 170, 1894, Podops.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 22, 1904, Podops.

Schouteden, Genera Ins., Fasc. 30, p. 33, 1905. Bueno, Jl. N. Y. Ent. Soc., xvi, p. 226, 1908.

Zimmer, Univ. Neb. Studies, xi, p. 238, 1912.

†dubius Germar, Zeit. f. Ent., i, p. 64, 1839, Podops.

Herrich-Schaeffer, Wanz. Ins., v, p. 44, fig. 495, 1839, Podops.

Dallas, List of Hemip., i, p. 52, 1851, Podops.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 274, 1876, Podops.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 368, 1878, Podops.

Gillette and Baker, Hemip. Colo., p. 13, 1895, Podops.

Localities: Quebec, Ont., N. Y., N. J., D. C., Neb.

75. Podops parvulus Van D.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 22, 1904, *Podops*. Schouteden, Genera Ins., Fasc. 30, p. 33, pl. 3, fig. 13, 1905. Smith, Cat. Ins. N. J., Edn. 3, p. 132, 1910. Zimmer, Univ. Neb. Studies, xi, p. 238, 1912.

Localities: Quebec, Mass., N. Y., N. J., Neb., Kan., Colo.

Genus Weda Schout.

Haplotype horvathi Schout.

Schouteden, Ann. Soc. Ent. Belg., xlix, p. 145, 1905. Schouteden, Genera Ins., Fasc. 30, p. 42, 1905.

76. Weda horvathi Schout.

Schouteden, Ann. Soc. Ent. Belg., xlix, p. 145, 1905.

Locality: Colo.

Subfamily PENTATOMINAE Stål

Stål, Hemip. Afr., i, pp. 32, 76, 1864.

Stål, Enum. Hemip., ii, p. 12, 1870.

Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 31, 1872, Subfam. Pentatomina Distant, Biol. Centr. Am., Heter., i, p. 49, 1880. [(part).

Puton, Cat. Hémip. Palae., Edn. 3, p. 9, 1886, Tribe Pentatomini.

Distant, Fauna Br. Ind., Rhyn., i, pp. 2, 109, 1902.

Oshanin, Verz. Palae. Hemip., i, p. 72, 1906, Subfam. Pentatomina.

Oshanin, Kat. Palae. Hemip., p. 9, 1912.

Zimmer, Univ. Neb. Studies, xi, p. 220, 1912.

Macropeltidae Fieber, Europ. Hemip., pp. 26, 77, 327, 1861 (as family). Stål, Stet. Ent. Zeit., xxiii, p. 96, 1862.

TRIBE DISCOCEPHALINI (Fieb.)

Fieber, Europ. Hemip., pp. 26, 77, 326, 1861, Fam. Discocephalidae. Stål, Of. Vet. Akad. Forh., xxiv, p. 499, 1867, Discocephalida. Stål, Hemip. Fabr., i, p. 17, 1868, Discocephalida. Stål, Enum. Hemip., ii, p. 4, 1872, Discocephalina. Distant, Biol. Centr. Am., Heter., i, p. 44, 1880, Subfam. Discocephalinae. Kirkaldy, Cat. Hemip., i, pp. 34, 214, 1909.

Genus Platycarenus Fieb. Haplotype umbraculata Fieb.

Fieber, Europ. Hemip., pp. 77, 326, 1861. Stål, Hemip. Fabr., i, p. 18, 1868. Stål, Enum. Hemip., ii, p. 5, 1872. (As subgen. of Discocephala.) Kirkaldy, Cat. Hemip., i., p. 215, 1909.

Discocephalessa Kirkaldy, Cat. Hemip., i, p. 215, 1909. (Orthotype [notulata Stål.)

77. Platycarenus clypeatus (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 96, 1862, Discocephala.

Stål, Hemip. Fabr., i, p. 18, 1868, Discocephala.

Stål, Enum. Hemip., ii, p. 6, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 45, pl. 6, fig. 1, 1880, Discocephala.

Barber, Brookl. Inst. Sci. Bul., i, p. 257, 1906, Discocephala.

Snow, Trans. Kan. Acad. Sci., xx., pt. 2, p. 158, 1907, Discocephala.

Kirkaldy, Cat. Hemip., i, p. 215, 1909.

inobtrusa (Walker), Cat. Heter., i, p. 183, 1867, Discocephala.

Localities: Texas, Ariz. (Mexico.)

78. Platycarenus marginellus (Stål)

Stål, Enum. Hemip., ii, p. 6, 1872, Discocephala.

Distant, Biol. Centr. Am., Heter., i, p. 45, pl. 5, fig. 2, 1880, Discocephala

Kirkaldy, Cat. Hemip., i, p. 216, 1909.

Localities: Ariz. (Neotropical.)

TRIBE SCIOCORINI (A. & S.)

Amyot and Serville, Hémip., p. 118, 1843, Groupe Sciocorides part. Stål, Of. Vet. Akad. Forh., xxix, p. 35, 1872, Div. Sciocoraria. Stål, Enum. Hemip., v, p. 49, 1876 (without name). Atkinson, Jl. Asiatic Soc. Beng., lvii, p. 11, 1888.

Distant, Fauna Br. Ind., Rhyn., i, p. 125, 1902, Div. Sciocoraria.

Kirkaldy, Cat. Hemip., i, pp. 34, 208, 1909.

Genus Sciocoris Fall.

Haplotype umbrinus (Wolff) = cursitans (Fabr.)

Fallén, Hemip. Suec. Cimic., p. 20, 1829.

Hahn, Wanz. Ins., i, p. 194, 1831.

Burmeister, Handb. d. Ent., ii, p. 372, 1835.

Herrich-Schaefer, Nomen. Ent., i, p. 37, 1835.

Brullé, Hist. Nat. des Ins., ix, p. 397, 1835.

Spinola, Essai sur les Hémip., p. 312, 1837 (1840).

Blanchard, Hist. des Ins., Hémip., p. 151, 1840.

Westwood, Intr. Mod. Classif. Ins., Synop., p. 124, 1840.

Amyot and Serville, Hémip., p. 120, 1843.

Spinola, Tavola Sinot., p. 35, 1850.

Fieber, Rhyngotog., p. 12, 1851.

Dallas, List of Hemip., i, p. 131, 1851.

Gorski, Anal. Ent., i, p. 64, 1852.

Flor, Rhyng. Livl., i, p. 109, 1860.

Fieber, Europ. Hemip., pp. 82, 355, 1861.

Stål, Hemip. Afr., i, pp. 79, 120, 1864.

Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 35, 1872.

Stål, Enum. Hemip., v, p. 50, 1876.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 32, 1904.

79. Sciocoris microphthalmus Flor.

Flor, Rhyng. Livl., i, p. 114, 1860.

Reuter, Ent. Tidskr., i, p. 125, 1880.

Puton, Synop. Hemip., ii, p. 39, 1881.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 32, 1904.

||umbrinus Fieber, Rhyngotog., p. 16, 1851.

Fieber, Europ. Hemip., p. 358, 1861.

curtipennis Mulsant and Rey, Punaise de Fr., Pent., p. 105, 1866.

Localities: Ont., N. H.

TRIBE MECIDIINI (Dist.)

Distant, Fauna Br. Ind., Rhyn., i, p. 140, 1902, Div. Mecidaria.

Platycoraria, Bergroth, Proc. Zool. Soc. Lond. for 1905, p. 147 (as divi-Oshanin, Kat. Palae. Hemip., p. 9, 1912 (Tribe). [sion).

Diemeniini Kirkaldy, Cat. Hemip., i, pp. 34, 202, 1909.

Genus Mecidea Dall.

Logotype indica Dall.

Dallas, List of Hemip., i, p. 139, 1851.

Stål, Hemip. Afr., i, p. 132, 1864.

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 58, 1872.

Stål, Enum. Hemip. ii, p. 17, 1872; v, p. 34, 1876.

Distant, Fauna Br. Ind., Rhyn., i, p. 140, 1902.

[description.)

Reuter, Of. Finska Vet. Soc. Forh., lv, Afd. A, No. 14, p. 10, 1913 (full Cerataulax Signoret, Ann. Soc. Ent. Fr., Ser. 2, ix, p. 335, 1851 (Haplo[type quadrivittatus Sign.]

80. Mecidea longula Stål

Stål, Of. Vet. Akad. Forh., xi, p. 233, 1854; xiii, p. 57, 1856.

Stål, Enum. Hemip., ii, p. 17, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 283, 1876.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 26, 1904.

Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 177, 1906.

Localities: Ia., Colo., N. Mex., Texas, Ariz.

TRIBE HALYINI (Stål)

Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 35, 1872, Division Halyaria.

Stål, Enum. Hemip., v, p. 34, 1876, Division Halyaria.

Distant, Fauna Br. Ind., Rhyn., i, p. 109, 1902, Division Halyaria.

Oshanin, Verz. Palae. Hemip., i, p. 72, 1906, Division Halyaria.

Kirkaldy, Cat. Hemip., i, p. 34, 1909.

Oshanin, Kat. Palae. Hemip., pp. 9, 182, 1912, Tribe Halyaria.

Zimmer, Univ. Neb. Studies, xi, p. 220, 1912.

Genus Brochymena Am. & Serv.

Haplotype †serrata Am. & Serv. = 4-pustulata (Fabr.)

Amyot and Serville, Hémip., p. 106, 1843.

Spinola, Tavola Sinot., p. 31, 1850.

Dallas, List of Hemip., i, p. 188, 1851.

Stål, Of. Vet. Akad. Forh., xxiv, p. 525, 1867.

Stål, Enum. Hemip., ii, p. 16, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 51, 1880. Provancher, Pet. Faune Ent. Can., iii, p. 34, 1885. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 26, 1904. (Key.)

81. Brochymena arborea (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 311, 1825; Compl. Writ., ii, p. 239, Dallas, List of Hemip., i, p. 188, 1851. [Pentatoma. Herrich-Schaeffer, Wanz. Ins., Verz., p. 26, 1853. Stål, Enum. Hemip., ii, p. 17, 1872. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 394, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 283, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 372, 1878.

Distant, Biol. Centr. Am., Heter., i, p. 59, 1880.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 170, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 27, 1904.

Barber, Brookl. Inst. Sci. Bul., i, p. 257, 1906.

Smith, Cat. Ins. N. J., Edn. 3, p. 134, 1910.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 50, 1912.

†erosa (Herrich-Schaeffer), Wanz. Ins., v, p. 70, fig. 515, 1839; vii, p. 56, †annulata Walker, Cat. Heter., i, p. 230, 1867. [1844, Halys. Localities: Ont., Me., Mass., N. Y., N. J., Pa., Md., D. C., N. C., Ga., Fla., Ohio, Kan., Okl., N. Mex., Texas. (Mexico)

82. Brochymena haedula Stål

Stål, Stet. Ent. Zeit., xxiii, p. 99, 1862.

Stål, Enum. Hemip., ii, p. 17, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 52, pl. 5, fig. 7, 1880.

Van Duzee, Trans. Am. Ent. Soc., xxx, pp. 27, 28, 1904.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 34, 1910.

Localities: Texas, Ariz. (Mexico.)

83. Brochymena poeyi (Guer.)

Guerin, in La Sagra, Hist. de Cuba, Ins., p. 365, pl. 13, fig. 1, 1857, Pentatoma. Stål, Berl. Ent. Zeit., x, p. 156, 1860.

Stål, Enum. Hemip., ii, p. 17, 1872.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 28, 1904.

Localities: Fla. (West Indies.)

84. Brochymena myops Stål

Stål, Enum. Hemip., ii, p. 16, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 283, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 373, 1878.

Distant, Biol. Centr. Am., Heter., i, p. 51, 1880.

Bueno and Brimley, Ent. News, xviii, p. 441, 1907.

Van Duzee, Can. Ent., xliv, p. 318, 1912.

†quadripustulata Herrich-Schaeffer, Wanz. Ins., vii, p. 57, fig. 729, 1844. 4-notata Provancher, Nat. Can., iv, p. 74, 1872.

Uhler, Check List, p. 5, 1886.

Localities: N. C., Ala., La., Texas, N. Mex.

85. Brochymena 4-pustulata (Fabr.)

Fabricius, Syst. Ent., p. 704, 1775, Cimex. Goeze, Ent. Beytr., i, p. 238, 1778, Cimex.

```
Fabricius, Spec. Ins., ii, p. 347, 1781, Cimex.
Fabricius, Mantissa Ins., ii, p. 285, 1787, Cimex.
Gmelin in Linnaeus, Syst. Nat., Edn., 13, i, pt. 4, 2140, 1788, Cimex.
Fabricius, Ent. Syst., iv, p. 100, 1794, Cimex.
Fabricius, Syst. Rhyng., p. 182, 1803, Halys.
Dallas, List of Hemip., i, p. 188, 1851.
Stål, Enum. Hemip., ii, p. 16, 1872.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 170, 1894.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 28, 1904.
Van Duzee, Can. Ent., xliv, p. 318, 1912.
Olsen, Jl. N. Y. Ent. Soc., xx, p. 50, 1912.
  †serrata (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 187, pl. Hémip. 11, fig.
      Amyot and Serville, Hémip., p. 107, 1843.
                                                              [8, 1805, Halys.
      Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 394, 1872.
   pupillata (Herrich-Schaeffer), Wanz. Ins., iv, p. 104, fig. 453, 1839, Halys.
      Herrich-Schaeffer, Wanz. Ins., vii, p. 58, 1844, Halys.
  †annulata Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 283, 1876.
      Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 373, 1878.
      Provancher, Pet. Faune Ent. Can., iii, p. 35, 1885.
          Localities: Quebec, Ont., N. Y., N. J., Pa., D. C., N. C., Ohio, Neb.,
             Kan., Colo., Utah, Ariz., Calif.
                     86. Brochymena affinis Van D.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 29, 1904.
          Localities: Idaho, Wash., Calif.
                    87. Brochymena tenebrosa Walk.
Walker, Cat. Heter., i, p. 231, 1867.
Distant, Biol. Centr. Am., Heter., i, pl. 6, fig. 5, 1880.
Kirkaldy, Cat. Hemip., i, p. 192, 1909.
  ||obscura (Herrich-Schaeffer), Wanz. Ins., v, p. 68, fig. 513, 1839; vii,
                                                          [p. 59, 1844, Halys.
       Stål, Enum. Hemip., ii, p. 16, 1872.
       Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 283, 1876.
       Distant, Biol. Centr. Am., Heter., i, p. 52, 1880.
       Uhler, Proc. Ent. Soc. Wash., ii, p. 368, 1893.
       Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 228, 1894.
       Van Duzee, Trans. Am. Ent. Soc., xxx, p. 29, 1904.
       Barber, Brookl. Inst. Sci. Bul., i, p. 257, 1906.
          Localities: Texas, Colo., Utah, Ariz., Nev., Calif., Oregon. (Mex-
             ico.)
                       88. Brochymena cariosa Stål
Stål, Enum. Hemip., ii, p. 17, 1872.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 30, 1904.
          Localities: Fla., Miss., Tenn., La., Ark., Texas.
```

89. Brochymena carolinensis (Westw.)

Westwood, Hope Cat., i, p. 22, 1837, Halys.

Dallas, List of Hemip., i, p. 189, 1851.

Stål, Enum. Hemip., ii, p. 17, 1872.

Distant, Proc. Zool. Soc. Lond. for 1900, p. 823.

Kirkaldy, Cat. Hemip., i, p. 191, 1909.

#annulatus (Fabricius), Syst. Ent., p. 704, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 238, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 347, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 285, 1787, Cimex.

Gmelin, in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2139, 1888, Cimex.

Fabricius, Ent. Syst., iv, p. 100, 1894, Cimex.

Fabricius, Syst. Rhyng., p. 182, 1803, Halys.

Herrich-Schaeffer, Wanz. Ins., vii, p. 57, fig. 728, 1844, Halys.

Stål, Enum. Hemip., ii, p. 16, 1872.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 30, 1904.

Bueno and Brimley, Ent. News, xviii, p. 442, 1907.

†serrata (Wolff), Icon. Cimic., v, p. 184, fig. 178, 1811, Halys.

harrisii Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 95, 1871; xix, p. 373, 1878.

Localities: N. Y., N. J., D. C., N. C., Ga., Fla.

90. Brochymena punctata Van D.

Van Duzee, Can. Ent., xli, p. 369, 1909.

Banks, Cat. Nearc. Hemip., p. 92, 1910.

†harrisii Van Duzee, Trans. Am. Ent. Soc., xxx, p. 31, 1904.

Bueno and Brimley, Ent. News, xviii, p. 442, 1907.

Localities: Va., Ga.

91. Brochymena marginella Stål

Stål, Enum. Hemip., ii, p. 16, 1872. (As var. of annulata.) Van Duzee, Trans. Am. Ent. Soc., xxx, p. 31, 1904.

Localities: Fla., Texas.

92. Brochymena(?) laticornis (Say)

Say, Heter. N. Harm., p. 5, 1831; Fitch reprint, p. 760; Compl. Writ., i, 315, Localities: "U. S." [Pentatoma.

TRIBE PENTATOMINI (Stål)

Stål, Of. Vet. Akad. Forh., xxix, p. 37, 1872, Division *Pentatomaria*. Kirkaldy, Cat. Hemip., i, pp. 34, 35, 1909.
Oshanin, Kat. Palae., Hemip., p. 10, 1912.
Zimmer, Univ. Neb. Studies, xi, p. 221, 1912.

Genus **Peribalus** Muls. & Rey. Logotype vernalis Wolff.

Mulsant and Rey, Punaise de Fr., Pent., pp. 237, 262, 1866. Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 37, 1872. Distant, Biol. Centr. Am., Heter., i, p. 65, 1880. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 32, 1904. (Key.) Zimmer, Univ. Neb. Studies, xi, pp. 221, 223, 1912. †Holcostethus Kirkaldy, Cat. Hemip., i, p. 47, 1909.

93. Peribalus abbreviatus (Uhl.)

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 397, 1872, Holcostethus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 289, 1876; iii, p. 403, 1877, Holcostethus. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 230, 1894, Holcostethus. Gillette and Baker, Hemip. Colo., p. 16, 1895, Holcostethus. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 33, 1904. Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 177, 1906.

Zimmer, Univ. Neb. Studies, xi, p. 224, 1912.
Localities: Neb., Kan., Colo., Utah, Mont., Ariz., Calif., Br. Am.
(Mexico.)

94. Peribalus limbolarius Stål

Stål, Enum. Hemip., ii, p. 34, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 403, 1877.
Distant, Biol. Centr. Am., Heter., i, p. 65, pl. 6, fig. 19, 1880.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 171, 1894.
Gillette and Baker, Hemip. Colo., p. 16, 1895.
Uhler, Proc. U. S. Natl. Mus., xxvii, p. 351, 1904.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 32, 1904.
Zimmer, Univ. Neb. Studies, xi, p. 223, 1912.
modestus Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 396, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 289, 1876.
Localities: Ont., N. Y., N. J., N. C., Ga., Ill., Neb., Kan., Colo., Texas, N. Mex., Manitoba, Mont., Utah, Ariz., Calif., Vanc. Isd. (Mexico.)

95. Peribalus tristis Van D.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 33, 1904. Localities: Calif., Vanc. Isd.

96. Peribalus piceus (Dall.)

Dallas, List of Hemip., i, p. 236, 1851, Pentatoma(?).
Gillette and Baker, Hemip. Colo., p. 16, 1895.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 34, 1904.
Localities: Ont., Ia., Mont., Colo.

97. Peribalus dubius (Dall.)

Dallas, List of Hemip., p. 237, 1851, Pentatoma. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 34, 1904. Localities: "N. Am."

Genus Trichopepla Stål

Haplotype pilipes (Dall.) = semivittata (Say)

Stål, Of. Vet. Akad. Forh., xxiv, p. 528, 1867. Distant, Biol. Centr. Am., Heter., i, p. 64, 1880. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 34, 1904. Zimmer, Univ. Neb. Studies, xi, p. 221, 1912.

98. Trichopepla semivittata (Say)

Say, Heter. N. Harm., p. 9, 1832; Fitch reprint, p. 766; Compl. Writ., i, p. Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 96, 1871. [322, Pentatoma. Stål, Enum. Hemip., ii, p. 34, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 289, 1876; iii, p. 403, 1877.
Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 374, 1878.
Distant, Biol. Centr. Am., Heter., i, p. 64, pl. 6, fig. 5, 1880.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 34, 1904.

Zimmer, Univ. Neb. Studies, xi, p. 224, 1912.

||semivittatum (Herrich-Schaeffer), Wanz. Ins., vii, p. 101, fig. 766, 1844, Walker, Cat. Heter., iii, p. 559, 1868, Pentatoma. [Pentatoma. pilipes (Dallas), List of Hemip., i, p. 247, 1851, Pentatoma.

Stål, Of. Vet. Akad. Forh., xxiv, p. 528, 1867.

Localities: Ont., N. Y., N. J., Pa., Del., D. C., N. C., Fla., Ohio, Ind., Neb., Colo., Texas.

99. Trichopepla atricornis Stål

Stål, Enum. Hemip., ii, p. 34, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 403, 1877.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 35, 1904.

Localities: Ill., Wisc., Colo., Mont., Calif., Br. Am., Alaska.

Genus Rhytidolomia Stål

Logotype senilis Say

Stål, Enum. Hemip., ii, p. 33, 1872.

Kirkaldy, Entomol., xxxiii, p. 240, 1900. (Names senilis type.)

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 35, 1904 (as subgenus).

Kirkaldy, Cat. Hemip., i, p. 52, 1909.

||Lioderma Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 97, 1871. (Logotype Stål, Enum. Hemip., ii, p. 32, 1872. [saucia Say.)

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 377, 1878.

Uhler, Check List, p. 6, 1886.

Liodermion Kirkaldy, Entomol., xxxvii. p. 280, 1904 (n.n. for Lioderma Kirkaldy, Cat. Hemip., p. 53, 1909 (as subgenus). [Uhl).

Zimmer, Univ. Neb. Studies, xi, p. 224, 1912.

100. Rhytidolomia viridicata (Walk.)

Walker, Cat. Heter., ii, p. 283, 1867, Hymenarcys.

Distant, Ann. Mag. Nat. Hist., Ser. 7, iv, p. 436, 1899, Pentatoma.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 36, 1904, Pentatoma.

Zimmer, Univ. Neb. Studies, xi, p. 225, 1912, Liodermion. [(as new.)

||viridicata (Uhler), Wheeler's Surv., v., p. 830, pl. 42, fig. 11, 1875, Lioderma,

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 504, 1878, Lioderma.

Uhler, Check List, p. 6, 1886, Lioderma.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 230, 1894, Lioderma.

Localities: Neb., Colo., Mont. (Mexico.)

101. Rhytidolomia saucia (Say).

Say, Heter. N. Harm., p. 6, 1831; Fitch reprint, p. 762; Compl. Writ., i, p. Stål, Of. Vet. Akad. Forh., xxiv, p. 528, 1867, Pentatoma. [318, Pentatoma. Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 97, 1871, Lioderma.

Stål, Enum. Hemip., ii, p. 34, 1872, Lioderma.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 378, 1878, Lioderma.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 36, 1904, Pentatoma.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 155, 1909, Pentatoma.

Smith, Cat. Ins. N. J., Edn. 3, p. 134, 1910.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 24, 1910.

Localities: Mass., Conn., N. Y., Va., Fla.

102. Rhytidolomia senilis (Say)

Say, Heter. N. Harm., p. 5, 1831; Fitch reprint, p. 760; Compl. Writ., i, p. Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 97, 1871, Lioderma. [316, Pentatoma.

Stål, Enum. Hemip., ii, p. 33, 1872, Lioderma.
Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 378, 1878, Lioderma.
Distant, Proc. Zool. Soc. Lond. for 1900, p. 811, Pentatoma.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 37, 1904, Pentatoma.
Smith, Cat. Ins. N. J., Edn. 3, p. 134, 1910.
Bueno, Jl. N. Y. Ent. Soc., xviii, p. 24, 1910.
Olsen, Jl. N. Y. Ent. Soc., xx, p. 51, 1912.
oblonga (Westwood), Hope Cat., i, p. 9. No. 83, 1837, Pentatoma.
ovalis (Westwood), Hope Cat., i, p. 39, 1837, Pentatoma.
grisca (Dallas), List of Hemip., i, p. 246, 1851, Pentatoma.
Stål, Of. Vet. Akad. Forh., xxiv, p. 528, 1867, Pentatoma.
Localities: N. Y., N. J., Va.

103. Rhytidolomia belfragei Stål

Stål, Enum. Hemip., ii, p. 33, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 287, 1876.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 37, 1904, Pentatoma.
Zimmer, Univ. Neb. Studies, xi, p. 225, 1912, Liodermion.
Localities: Ill., Iowa, Neb., "Canada."

104. Rhytidolomia osborni (Van D.)

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 37, 1904, Pentatoma. Snow, Trans. Kan. Acad. Sci., xx, pt. i, p. 177, 1906, Pentatoma. Localities: Colo., Texas, Ariz.

105. Rhytidolomia faceta (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 315, 1824; Compl. Writ., ii, p. 242, Penta-Uhler, Hayden's Surv. Terr., Rept. for 1871; p. 399, 1872, Pentatoma. [toma. Van Duzee, Trans. Am. Ent. Soc. xxx, p. 38, 1904, Pentatoma.
Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 177, 1906; Pentatoma.
Zimmer, Univ. Neb. Studies, xi, p. 225, 1912, Liodermion.
Localities: Dak., Neb., Colo., Utah, Ariz., Calif.

Genus Chlorochroa Stål Logotype ligata Say

Stål, Enum. Hemip., ii, p. 33, 1872. (As subgen. of Lioderma.)

Distant, Biol. Centr. Am. Heter., i, p. 63, 1880. [toma.)

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 38, 1904. (As subgen. of Penta-Oshanin, Verz. Palae. Hemip., i, p. 108, 1906. [ligata type.)

Kirkaldy, Cat. Hemip., i, p. 53, 1909. (As subgen. of Rhytidolomia; names †Pentatoma Fieber, Europ. Hemip., pp. 80, 336, 1861.

Stål, Of. Vet. Akad. Forh., xxiv, p. 528, 1867 (part). Puton, Cat. Hémip. Palae., Edn. 3, p. 12, 1886. Lethierry and Severin, Cat. Génl. Hémip., i, p. 119, 1893. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 35, 1904. Banks, Cat. Nearc. Hemip., p. 88, 1912.

†Lioderma Provancher, Pet. Faune Ent. Can., iii, p. 41, 1885. [Linn.)

Pitedia Reuter, Rev. Synon., p. 124, No. 55, 1888. (Haplotype juniperina

106. Chlorochroa uhleri Stål

Stål, Enum. Hemip., ii, p. 33, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 289, 1876. Distant, Biol. Centr. Am., Heter., i, p. 64, pl. 6, fig. 18, 1880.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 39, 1904, Pentatoma.

Forbes, Rept. Ill. St. Ent., xxiii, p. 116, fig. 101, 1905, Pentatoma.

Zimmer, Univ. Neb. Studies, xi, p. 225, 1912, Liodermion. [Cimex. *flavomarginatus* (Kouchakevitch), Horae Soc. Ent. Ross., iv, p. 99, 1867, †ligata (Fitch), 3d Rept. Trans. N. Y. St. Agr. Soc., xvi, p. 389, 1856, Penta-Provancher, Pet. Faune Ent. Can., iii, p. 41, 1885, Lioderma. [toma. †juniperina (Provancher), Pet. Faune Ent. Can., iii, p. 36, 1885, Pentatoma.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 171, 1894, Pentatoma.

Gillette and Baker, Hemip. Colo., p. 15, 1895, Pentatoma.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 39, 1904, Pentatoma.

persimilis Hovarth, Ann. Mus. Natl. Hung., vi, p. 555, 1908.

Smith, Cat. Ins. N. J., Edn. 3, p. 135, 1910.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 51, 1912.

107. Chlorochroa congrua Uhl.

Utah, Mont., Idaho, Calif., Alaska. (Mexico.)

Localities: Quebec, Ont., Me., Conn., N. Y., N. J., Neb., Colo.,

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 288, 1876. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 40, 1904, *Pentatoma*. Localities: Colo., Utah, Mont., Idaho.

108. Chlorochroa ligata (Say)

Say, Heter. N. Harm., p. 5, 1831; Fitch reprint, p. 760; Compl. Writ., i, p. 315, Stål, Enum. Hemip., ii, p. 33, 1872. [Pentatoma. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 399, 1872, Pentatoma. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 288, 1876. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1323. Distant, Biol. Centr. Am., Heter., i, p. 64, 1880. Townsend, Can. Ent., xxiv, p. 193, 1892, Lioderma. Uhler, Proc. Ent. Soc. Wash., ii, p. 368, 1893. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 230, 1894. Gillette and Baker, Hemip. Colo., p. 15, 1895, Lioderma. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 41, 1904, Pentatoma. Morrill, U. S. Dept. Agr., Bur. Ent., Bul. 86, p. 23, 1910, Pentatoma. rufocinctus (Herrich-Schaeffer), Wanz. Ins., iv, p. 94, fig. 436, 1839, Cimex. marginatus (Dallas), List of Hemip., i, p. 277, 1851, Rhaphigaster. Walker, Cat. Heter., iii, p. 357; iii, p. 566, 1867, Raphigaster. rubromarginatus (Kouchakevitch), Horae Soc. Ent. Ross., iv, p. 101, pl. 2, [fig. 4, 1867, Cimex. Localities: Colo., Utah, N. Mex., Ariz., Calif., Vanc. Isd. (Mexico.)

109. Chlorochroa sayi Stål

Stål, Enum. Hemip., ii, p. 33, 1872.

Uhler, Wheeler's Surv. 100th Merid., v, p. 831, 1875.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 287, 1876; iii, p. 402, 1877.

Uhler, Wheeler's Rept. Chief. Eng. for 1877, p. 1324.

Uhler, Proc. Ent. Soc. Wash., ii, p. 368, 1893, Lioderma.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 230, 1894, Lioderma.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 41, 1904, Pentatoma.

Morrill, U. S. Dept. Agr., Bur. Ent., Bul. 86, p. 73, 1910, Pentatoma. granulosa (Uhler), Hayden's Surv. Terr., Rept. for 1871, p. 398, 1872,

[Pentatoma.

Localities: Kan., Colo., Mont., Idaho, Utah, Nev., Ariz., Calif.

Genus Carpocoris Kolen.

Logotype nigricornis Fabr. = pudicus Poda.

Kolenati, Melet. Ent., iv, p. 45, 1846.

Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 37, 1872.

Distant, Fauna Br. Ind., Rhyn., i, p. 157, 1902.

Kirkaldy, Cat. Hemip., i, p. 56, 1909. (Names nigricornis Fabr. type.) †Mormidea Fieb., Europ. Hemip., p. 334, 1861.

Subgenus Antheminia Muls. & Rey

Logotype lynx Fabr. = lunulatus Goez.

Mulsant and Rey, Punaise de Fr., p. 238, 1866.

Kirkaldy, Cat. Hemip. i., pp. 56, 57, 1909. (Names lynx type.)

110. Carpocoris remotus Horv.

Horvath, Ann. Mus. Natl. Hung., v, p. 296, 1907.

Banks, Cat. Nearc. Hemip., p. 83, 1910.

†lynx Stål, Enum. Hemip., ii, p. 33, 1872.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 398, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 289, 1876.

Uhler, Proc. Ent. Soc. Wash., ii, p. 368, 1893.

Gillette and Baker, Hemip. Colo., p. 16, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 42, 1904.

Localities: N. D., Colo., Mont., Utah, Ariz., Calif.

Genus Mormidea Am. & Serv.

Logotype ypsilon Linn.

Amyot and Serville, Hémip., p. 134, 1843.

Dallas, List of Hemip., i, p. 210, 1851.

Stål, Of. Vet. Akad. Forh., xxiv, p. 527, 1867.

Stål, Enum. Hemip., ii, p. 19, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 53, 1880.

Provancher, Pet. Faune Ent. Can., iii, p. 43, 1885.

Kirkaldy, Cat. Hemip., i, p. 59, 1909. (Names ypsilon Linn. type.)

Zimmer, Univ. Neb. Studies, xi, p. 222, 1912.

Subgenus Melanochila Stål

Haplotype lugens Fabr.

Stål, Enum. Hemip., ii, p. 19, 1872.

Kirkaldy, Cat. Hemip., i, p. 59, 1909. (Names lugens Fabr. type.)

111. Mormidea lugens (Fabr.)

Fabricius, Syst. Ent., p. 716, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 248, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 360, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 297, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., i, pt. 4, p. 2155, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 125, 1794, Cimex. Fabricius, Syst. Rhyng., p. 187, 1803, Cydnus.

Wolff, Icones Cimic., v, p. 186, fig. 180, 1811, Cydnus.

Herrich-Schaeffer, Wanz. Ins., v, p. 66, fig. 510, 1889, Cimex; vii, p. 96, 1844, Dallas, List of Hemip., i, p. 248, 1851, Pentatoma. [Pentatoma.

Stål, Stet. Ent. Zeit., xxiii, p. 103, 1862.

Walker, Cat. Heter., ii, pp. 253, 288, 1867, Pentatoma; iii, p. 43, 1868.

Stål, Enum. Hemip., ii, p. 19, 1872.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 395, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 285, 1876; iii, p. 402, 1877.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 376, 1878.

Distant, Biol. Centr. Am., Heter., i, p. 54, 1880.

Provancher, Pet. Faune Ent. Can., iii, p. 43, 1885.

Van Duzee, Can. Ent., xxi, p. 2, 1889.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 171, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 42, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 155, 1909.

Zimmer, Univ. Neb. Studies, xi, p. 226, 1912.

albipes (Fabricius), Ent. Syst., Suppl., p. 535, 1798, Cimex.

Fabricius, Syst. Rhyng., p. 177, 1803, Cimex. [n.n. for albipes Fabr.). gamma (Fabricius), Syst. Rhyng., Emmend. at end of volume, 1803, Cimex Say, Heter., N. Harm., p. 10, 1831; Fitch reprint, p. 767; Compl. Writ., [i, p. 322, Pentatoma.

punctipes (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 113, pl. Hémip. 8, [fig. 6, 1805, Pentatoma.

|| punctipes (Say), Jl. Acad. Nat. Sci. Phila., iv, p. 313, No. 4, 1825, Penta-Say, Compl. Writ., ii, p. 241, 1859. ftoma. Localities: Quebec, Ont., N. H., N. Y., N. J., Pa., D. C., Va.,

N. C., S. C., Fla., Wisc., Neb., Kan., Okl., Dak., Wyo., Colo., Texas. (West Indies, Mexico.)

Subgenus Mormidea Am. & Serv.

Stål, Enum. Hemip., ii, p. 19, 1872.

112. Mormidea pictiventris Stål

Stål, Stet. Ent. Zeit., xviii, p. 103, 1862.

Stål, Enum. Hemip., ii, p. 20, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 55, pl. 5, fig. 11, 1880.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 42, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 7, 1907.

Localities: Fla., Texas. (West Indies, Mexico.)

113. Mormidea sordidula Stål

Stål, Enum. Hemip., ii, p. 21, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 285, 1876.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 43, 1904.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 151, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 7, 1907.

Localities: Texas, N. Mex. (Neotropical.)

114. Mormidea tetra Walk.

Walker, Cat. Heter., iii, p. 551, 1868.

Distant, Biol. Centr. Am., Heter., i, p. 56, pl. 6, fig. 6, 1880.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 43, 1904. Snow, Trans Kan. Acad. Sci., xx, pt. 1, p. 177, 1906. grisescens Stål, Enum. Hemip., ii, p. 21, 1872. Localities: Texas, Ariz. (Mexico.)

115. Mormidea punctifer (Walk.)

Walker, Cat. Heter., ii, p. 274, 1867, Eysarcoris.
Distant, Ann. Mag. Nat. Hist., Ser. 7, iv, p. 437, 1894.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 78, 1904.
Locality: Calif.

116. Mormidea guerini L. & S.

Lethierry and Severin, Cat. Génl. Hémip., i, p. 123, 1893 (n.n. for geographica †geographica Guerin, Hist. de Cuba, Ins., p. 369, 1857. [Guer.).

Localities: Fla. (Cuba.)

Genus Solubea Bergr.

Logotype typhaeus (Fabr.) = pugnax (Fabr.)

Bergroth, Rev. d'Ent., x, p. 235, 1891 (n.n. for *Oebalus* Stål). Kirkaldy, Cat. Hemip., i, p. 61, 1909. (Names *pugnax* Fabr. type.) Zimmer, Univ. Neb. Studies, xi, p. 222, 1912.

||Oebalus Stål, Stet. Ent. Zeit., xxiii, p. 102, 1862.

Stål, Of. Vet. Akad. Forh., xxiv, p. 527, 1867.

Stål, Enum. Hemip., ii, p. 22, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 56, 1880.

117. Solubea puguax (Fabr.)

Fabricius, Syst. Ent., p. 704, 1775, Cimex. Goeze, Ent. Beytr., ii, p. 238, 1778, Cimex. Fabricius, Spec. Ins., ii, p. 348, 1781, Cimex. Fabricius, Mantissa Ins., ii, p. 285, 1787, Cimex. Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2140, 1788, Cimex. Fabricius, Ent. Syst., iv, p. 100, 1794, Cimex. Fabricius, Syst. Rhyng., p. 161, 1803, Cimex. Stål, Enum. Hemip., ii, p. 22, 1872, Oebalus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 285, 1876, Oebalus. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 377, 1878, Oebalus. Distant, Biol. Centr. Am., Heter., i, p. 56, 1880, Oebalus. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 43, 1904, Oebalus. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 155, 1909. Smith, Cat. Ins. N. J., Edn. 3, p. 135, 1910. Bueno, Jl. N. Y. Ent. Soc., xviii, p. 24, 1910. Olsen, Jl. N. Y. Ent. Soc., xx, p. 52, 1912. Zimmer, Univ. Neb. Studies, xi, p. 226, 1912. typhoeus (Fabricius), Syst. Rhyng., p. 162, 1803, Cimex. Wolff, Icon. Cimic., v, p. 180, fig. 174, 1811, Cimex.

Dallas, List of Hemip., i, p. 216, 1851, Mormidea.

Guerin in La Sagra, Hist. de Cuba, Ins., p. 370, 1857, Pentatoma.

Stål, Stet. Ent. Zeit., xxiii, p. 102, 1862.

Walker, Cat. Heter., ii, p. 253, 1867, Mormidea.

Stål, Hemip. Fabr., i, p. 27, 1868. [fig. 9, 1805, Pentatoma. orthocantha (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 130, pl. Hémip. 9,

augur (Say), Heter. N. Harm., p. 3, 1831; Fitch reprint, p. 758; Compl. [Writ., i, p. 313, Pentatoma.

vitripennis (Burmeister), Handb. d. Ent., ii, p. 367, 1835, Cimex.

Localities: N. Y., N. J., Pa., Md., D. C., N. C., S. C., Ga., Fla., Miss., Ohio, Ia., Neb., Kan., Colo., Texas, Ariz. (West Indies, Mexico.)

Genus Euschistus Dall. Logotype tristigmus (Say)

Dallas, List of Hemip., i, p. 201, 1851.

Stål, Of. Vet. Akad. Forh., xxiv, p. 528, 1867.

Walker, Cat. Heter., ii, p. 243, 1867.

Stål, Enum. Hemip., ii, p. 23, 1872 (names tristigmus type).

Distant, Biol. Centr. Am., Heter., i, p. 58, 1880.

Provancher, Pet. Faune Ent. Can., iii, p. 36, 1885.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 43, 1904. (Key.)

Kirkaldy, Cat. Hemip., i, p. 63, 1909. (Names apicalis Dall. pseudotype.)

Zimmer, Univ. Neb. Studies, xi, pp. 222, 227, 1912.

Subgenus Euschistus Dall.

Stål, Enum. Hemip., ii, p. 26, 1872.

118. Euschistus servus (Say)

Say, Heter. N. Harm., p. 4, 1831; Fitch reprint, p. 759; Compl. Writ., i, p. Stål, Enum. Hemip., ii, p. 26, 1872. [314, Pentatoma.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 286, 1876; iii, p. 402, 1877.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1323.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 375, 1878.

Distant, Proc. Zool. Soc. Lond. for 1900, p. 811.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 45, 1904.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 177, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 155, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 135, 1910.

Morrill, U. S. Dept. Agr., Bur. Ent., Bul. 86, p. 75, 1910.

?harrisii (Westwood), Hope Cat., i, p. 41, 1837, Pentatoma.

Distant, Proc. Zool. Soc. Lond. for 1900, p. 818, pl. 52, fig. 2,

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 42, 1904.

spilota (Westwood), Hope Cat., i, p. 42, 1837, Pentatoma.

Localities: Mass., N. J., Pa., Md., D. C., Va., N. C., S. C., Ga., Fla., Miss., La., Ill., Dak., Colo., N. Mex., Texas.

119. Euschistus latimarginatus Zim.

Zimmer, Can. Ent., lii, p. 167, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 227, 1912.

Localities: Neb., Colo.

120. Euschistus impictiventris Stål

Stål, Enum. Hemip., ii, p. 26, 1872.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1323.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 45, 1904.

?jugalis Provancher, Pet. Faune Ent. Can., iii, p. 204, 1888.

Van Duzee, Can. Ent., xliv, p. 325, 1912.

Localities: Colo., N. Mex., Texas, Utah, Vanc. Isd.

121. Euschistus euschistoides (Voll.)

Vollenhoven, Versl. Med. Kon. Akad. Wetens. Amst., Ser. 2, ii, p. 180, 1868, Kirkaldy, Cat. Hemip., i, p. 64, 1909. [Diceraeus.

fissilis Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 96, 1871.

Stål, Enum. Hemip., ii, p. 26, 1872.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 396, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 286, 1876.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1323.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 375, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 36, 1885.

Van Duzee, Bul. Buf. Soc. Nat Sci., v, p. 171, 1894.

Gillette and Baker, Hemip. Colo., p. 14, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 44, 1904.

Bueno and Engelhardt, Can. Ent., xlii, p. 148, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 227, 1912.

Localities: Quebec, Ont., N. H., Mass., N. Y., N. J., Pa., N. C., Ohio, Ill., Neb., Colo., Mont., Vanc. Isd.

122. Euschistus conspersus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 388, 1897.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 46, 1904.

Localities: Calif., Wash., Vanc. Isd.

123. Euschistus inflatus Van D.

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 107, 1903; xxx, p. 45, 1904.

Localities: Colo., N. Mex.

124. Euschistus politus Uhl.

Uhler, Can. Ent., xxix, p. 117, 1897.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 46, 1904.

Smith, Cat. Ins. N. J., Edn. 3, p. 135, 1910.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 52, 1912.

Localities: N. H., Mass., R. I., N. Y., N. J., Md., D. C., Ohio.

125. Euschistus tristigmus (Say)

Say, Heter. N. Harm., p. 4, 1831; Fitch reprint, p. 758; Compl. Writ., i, p. Uhler, Proc. Ent. Soc. Phila., i, p. 23, 1861. [314, Pentatoma.

Stål, Enum. Hemip., ii, p. 26, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 286, 1876.

Distant, Biol. Centr. Am. Heter., i, p. 58, pl. 5, figs. 20, 21, 1880.

Provancher, Pet. Faune Ent. Can., iii, p. 36, 1885.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 171, 1894.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 228, 1894.

Distant, Proc. Zool. Soc. Lond. for 1900, p. 812.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 47, 1904.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 52, 1912.

Zimmer, Univ. Neb. Studies, xi, p. 228, 1912.

inconspecta (Westwood), Hope Cat., i, p. 42, 1837.

Dallas, List of Hemip., i, p. 206, 1851.

||tristigmus (Herrich-Schaeffer), Wanz. Ins., vii, pp. 95, 101, fig. 767, 1844,

[Pentatoma (as new).

Dallas, List of Hemip., i, p. 207, 1851. [Herrich-Schaeffer, Wanz. Ins., Verz., p. 96, 1853.

luridus Dallas, List of Hemip., i, p. 207, pl. 7, fig. 6, 1851.

a. var. pyrrhocerus (H. S.)

Herrich-Schaeffer, Wanz. Ins., vi, p. 71, fig. 638, 1842, Cimex.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 396, 1872.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 47, 1904.

Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Pa., Md., D. C., Va., N. C., Ga., Fla., Ia., Neb., Kan., Okl., Mo., La., Colo.

126. Euschistus variolarius (P. B.)

Palisot-Beauvois, Ins. Rec. Afr. Am., p. 149, pl. Hémip. 10, fig. 6, 1805, Stål, Enum. Hemip., ii, p. 26, 1872. [Pentatoma.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 285, 1876; iii, p. 402, 1877.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 374, 1878.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 171, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 47, 1904.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 53, 1912.

Zimmer, Univ. Neb. Studies, xi, p. 228, 1912.

|| punctipes (Say), Jl. Acad. Nat. Sci. Phila., iv, p. 314, No. 5, 1825; Compl. Dallas, List of Hemip., i, p. 207, 1851. [Writ., ii, p. 241, Pentatoma. Herrich-Schaeffer, Wanz. Ins., Verz., p. 96, 1853.

sordidus (Herrich-Schaeffer), Wanz. Ins., vi, p. 70, fig. 637, 1842, Cimex; [vii, p. 95, 1844, Pentatoma; Verz., p. 96, 1853.

†ictericus (Herrich-Schaeffer), Wanz. Ins., vi, p. 71, fig. 639, 1842, Cimex; [vii, p. 95, 1844, Pentatoma; Verz., p. 95, 1853.

Localities: Ont., N. Y., N. J., Pa., D. C., Neb., Kan., Colo., Utah, Idaho.

127. Euschistus ictericus (Linn.)

Linnaeus, Cent. Ins., p. 16, 1763, Cimex.

Linnaeus, Amoen. Acad., vi, p. 399, 1763, Cimex.

Linnaeus, Syst. Nat., Edn. 12, i, pt. 2, p. 719, 1767, Cimex.

Fabricius, Syst. Ent., p. 702, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 192, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 345, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 284, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2136, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 95, 1794, Cimex.

Fabricius, Syst. Rhyng., p. 157, 1803, Cimex.

Dallas, List of Hemip., i, p. 206, 1851 (excel. synon.).

Walker, Cat. Heter., ii, p. 243, 1867; iii, p. 451, 1868, Aceratodes.

Stål, Enum. Hemip., ii, p. 26, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 286, 1876.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 171, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 47, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 155, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 135, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 228, 1912.

rubrofusca (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 185, pl. Hemip. 11, *cognatus Dallas, List Hemip., i, p. 204, 1851. [fig. 3, 1805, *Pentatoma. Localities: Ont., N. Y., N. J., N. C., Fla., Ill., Wisc., Neb., Colo., Texas.

128. Euschistus bifibulus (P. B.)

Palisot-Beauvois, Ins. Rec. Afr. Am., p. 148, pl. Hémip. 10, fig. 5, 1805, Dallas, List of Hemip., i, p. 204, 1851. [Pentatoma.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 95, 1853. Stål, Stet. Ent. Zeit., xxiii, p. 100, 1862. Stål, Enum. Hemip., ii, p. 27, 1872. Distant, Biol. Centr. Am., Heter., i, p. 59, 1880. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 48, 1904. Barber, Brookl. Inst. Sci. Bul., i, p. 259, 1906. Snow, Trans. Kan. Acad. Sci., xx, p. 151, 1906. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 7, 1907; ix, p. 155, 1909. Localities: Fla., Texas. (Neotropical.)

129. Euschistus crenator (Fabr.)

Fabricius, Ent. Syst., iv, p. 101, 1794, Cimex. Fabricius, Syst. Rhyng., p. 162, 1803, Cimex. Stål, Hemip. Fabr., i, p. 26, 1868. Stål, Enum. Hemip., ii, p. 27, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 286, 1876. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1323. Distant, Biol. Centr. Am., Heter., i, p. 59, 1880. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 172. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 229, 1894. Distant, Ann. Mag. Nat. Hist., Ser. 7, iv, p. 437, 1899. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 48, 1904. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 7, 1907.

dobscura (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 149, pl. Hémip. 10, [fig. 7 (not fig. 9), 1805, Pentatoma.

Guerin in Sagra, Hist. de Cuba, Ins., p. 366, 1857, Pentatoma. pustulata (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 185, pl. Hémip. 11, [fig. 2, 1805, Pentatoma.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 95, 1853. (As synon. of [ictericus Linn.)

Guerin in Sagra, Hist. de Cuba, Ins., p. 368, 1857, Pentatoma.

||obscurus Dallas, List of Hemip., i, p. 208, 1851.

Stål, Stet. Ent. Zeit., xxiii, p. 100, 1862. conterminus Walker, Cat. Heter., ii, p. 248, 1867.

melanocantha (Walker), Cat. Heter., iii, p. 552, 1868, Mormidea.

Localities: Texas, Ariz., Calif. (Neotropical.)

130. Euschistus spurculus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 100, 1862.

Stål, Enum. Hemip., ii, p. 28, 1872.

Signoret, Bul. Ent. Soc. Fr. for 1877, p. xxxvi (use as food).

Distant, Biol. Centr. Am., Heter., i, p. 59, pl. 6, fig. 10, 1880; p. 330, 1890.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 177, 1906.

Barber, Jl. N. Y., Ent. Soc., xviii, p. 34, 1910.

Localities: Ariz. (Mexico.)

131. Euschistus comptus Walk.

Walker, Cat. Heter., iii, p. 550, 1868.

Stål, Enum. Hemip., ii, p. 28, 1872.

Distant, Biol. Cent. Am., Heter., i, p. 60, pl. 6, fig. 11, 1880.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 48, 1904.

Localities: Texas. (Neotropical.)

132. Euschistus crassus Dall.

Dallas, List of Hemip., i, p. 205, 1851. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 48, 1904. Localities: Ga., Fla.

133. Euschistus biformis Stål

Stål, Stet. Ent. Zeit., xxiii, p. 100, 1862.

Walker, Cat. Heter., iii, p. 550, 1868.

Stål, Enum. Hemip., ii, p. 28, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 60, pl. 5, fig. 15, 1880.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 77, 1904.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 177, 1906.

Localities: Ariz. (Mexico.)

134. Euschistus zopilotensis Dist.

Distant, Biol. Centr. Am., Heter., i, p. 330, pl. 31, fig. 9, 1890. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 48, 1904. Localities: Texas. (Mexico.)

Subgenus Paraschistus Kirk. Orthotype integer Stål

Kirkaldy, Cat. Hemip., i, p. 63, 1909.

135. Euschistus integer Stål

Stål, Enum. Hemip., ii, p. 28, 1872.
Distant, Biol. Cent. Am., Heter., i, p. 60, pl. 7, fig. 5, 1880.
Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 177, 1906.
Localities: Ariz. (Mexico.)

Genus Padaeus Stål

Logotype irroratus (H. S.) = viduus (Voll.)
Stål, Stet. Ent. Zeit., xxiii, p. 101, 1862.
Stål, Of. Vet. Akad. Forh., xxiv, p. 528, 1867.
Distant, Biol. Centr. Am., Heter., i, p. 61, 1880.
Kirkaldy, Cat. Hemip., i, p. 68, 1909. (Names irroratus = viduus type.)

136. Padaeus viduus (Voll.)

Vollenhoven, Versl. Med. Kon. Akad. Weten., Amst., Ser. 2, ii, p. 180, 1868, Kirkaldy, Cat. Hemip., i, p. 69, 1909. [Mormidea. ||irroratus (Herrich-Schaeffer), Wanz. Ins., iv, p. 19, fig. 367, 1839, Cimex. Herrich-Schaeffer, Wanz. Ins., vii, p. 94, 1844, Pentatoma.

Dallas, List of Hemip., i, p. 215, 1851, Mormidea. Stål, Stet. Ent. Zeit., xxiii, p. 101, 1862. Stål, Enum. Hemip., ii, p. 29, 1872. Distant, Biol. Centr. Am., Heter., i, p. 61, 1880. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 78, 1904. Barber, Jl. N. Y. Ent. Soc., xviii, p. 35, 1910.

Localities: Ariz. (not Fla.). (Neotropical.)

Genus Proxys Spin. Haplotype victor Fabr.

Spinola, Essai sur les Hémip., p. 325, 1837 (1840). Stål, Of. Vet. Akad. Forh., xxiv, p. 527, 1867. Distant, Biol. Centr. Am., Heter., i, p. 62, 1880.

‡Prooxys Amyot and Serville, Hémip., p. 139, 1843.

Proxis Spinola, Tavola Sinot., p. 36, 1850.

137. Proxys albopunctulatus (P. B.)

Palisot-Beauvois, Ins. Rec. Afr. Am., p. 130, pl. Hémip. 9, fig. 8, 1805, *Penta-*Stål, Enum. Hemip., ii, p. 29, 1872. [toma.

Distant, Biol. Centr. Am., Heter., i, p. 62, 1880.

Distant, Ann. Mag. Nat. Hist., Ser. 7, iv, p. 438, 1899.

------ Stoll, Punais., figs. 159, 230, 1790 (without name).

†victor (Herrich-Schaeffer), Wanz. Ins., iv, p. 21, fig. 369, 1839, Cimex.

Herrich-Schaeffer, Wanz. Ins., vii, p. 94, 1844, Pentatoma.

§albopunctatus Uhler, Check List, p. 6, 1886.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 49, 1904.

Localities: "Southern States" (Uhler), doubtful.

138. Proxys punctulatus (P. B.)

Palisot-Beauvois, Ins. Rec. Afr. Am., p. 188, pl. Hémip. 11, fig. 9, 1805, Guerin in Sagra, Hist. de Cuba, Ins., p. 370, 1857, *Pentatoma*. [Halys. Stål, Enum. Hemip., ii, p. 29, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 286, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 63, 1880.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 229, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 49, 1904.

Bueno and Brimley, Ent. News., xviii, p. 442, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 155, 1909.

†victor (Wolff), Icon. Cimic., v, p. 181, fig. 175, 1811, Cimex.

Amyot and Serville, Hémip., p. 140, 1843, Prooxys.

tenebrosa (Say), Ins. Louis., p. 10, 1832; Heter. N. Harm., p. 10, 1832;

[Fitch reprint, p. 767; Compl. Writ., i, pp. 304, 322, Pentatoma. †delirator Amyot and Serville, Hémip., p. 140, pl. 3, fig. 7, 1843, Prooxys. brevispinus Guerin in Sagra, Hist. de Cuba, Ins., p. 371, 1857.

geniculata Stål, Stet. Ent. Zeit., xxiii, p. 102, 1862, Prooxys.

Localities: Pa., N. C., Ga., Fla., La., Okl., Texas. (Neotropical.)

Genus Coenus Dall.

Haplotype tarsalis Dall. = delius (Say)

Dallas, List of Hemip., i, pp. 194, 230, 1851.

Stål, Of. Vet. Akad. Forh., xxiv, p. 526, 1867.

Provancher, Pet. Faune Ent. Can., iii, p. 40, 1885.

Zimmer, Univ. Neb. Studies, xi, p. 222, 1912.

139. Coenus delius (Say)

Say, Heter. N. Harm., p. 8, 1831; Fitch reprint, p. 765; Compl. Writ., i, p. Stål, Of. Vet. Akad. Forh., xxiv, p. 526, 1867. [320, Pentatoma. Stål, Enum. Hemip., ii, p. 30, 1872.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 396, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 287, 1876; iv, p. 504, 1878.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 376, 1878.

Provancher, Pet. Faune Ent. Can., ii, p. 40, 1885.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 171, 1894.

Gillette and Baker, Hemip. Colo., p. 15, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 49, 1904. Smith, Cat. Ins. N. J., Edn. 3, p. 135, 1910.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 53, 1912.

Zimmer, Univ. Neb. Studies, xi, p. 229, 1912.

aeruginosa (Amyot and Serville), Hémip., p. 125, 1843, Hymenarcys.

Walker, Cat. Heter., ii, p. 282, 1867, Hymenarcys.

tarsalis, Dallas, List of Hemip., i, p. 230, pl. 8, fig. 6, 1851. [ii, p. 183, 1868. punctatinsimus Vollenhoven, Versl. Med. Kon. Akad. Weten., Amst., Ser.

Localities: Quebec, Ont., Mass., N. Y., N. J., Pa., Fla., Ill., Wisc., Neb., Colo., Okl., Texas, Mont., Br. Col.

Genus Hymenarcys Am. & Serv.

Logotype perpunctata Am. & Serv. = nervosa Say.

Amyot and Serville, Hémip., p. 124, 1843.

Stål, Of. Vet. Akad. Forh., xxiv, p. 526, 1867.

Stål, Enum. Hemip., ii, p. 30, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 63, 1880.

Provancher, Pet. Faune Ent. Can., iii, p. 39, 1885.

Kirkaldy, Cat. Hemip., i, p. 72, 1909. (Names nervosa Say type.)

Zimmer, Univ. Neb. Studies, xi, pp. 222, 229, 1912.

: Hymenarcis Spinola, Tavola Sinot., p. 36, 1850.

140. Hymenarcys aequalis (Say)

Say, Heter. N. Harm., p. 7, 1831; Fitch reprint, p. 764; Compl. Writ., i, p. Stål, Enum. Hemip., ii, p. 30, 1872. [319, Pentatoma.

Uhler, Hayden's Surv., Rept. for 1871, p. 396, 1872.

Uhler, Bul. U S.. Geol. Geog. Surv., i, p. 287, 1876.

Cockerell, Trans. Am. Ent. Soc., xx, p. 362, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 229, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 49, 1904.

Barber, Brookl. Inst. Sci. Bul., i, p. 259, 1906.

Zimmer, Univ. Neb. Studies, xi, p. 229, 1912.

dentatus (Herrich-Schaeffer), Wanz. Ins., v, p. 64, fig. 507, 1839, Cimex. Herrich-Schaeffer, Wanz. Ins., vii, p. 95, 1842, Pentatoma.

Walker, Cat. Heter., ii, p. 288, 1867, Pentatoma.

boxura (Dallas), List of Hemip., i, p. 244, 1851, Pentatoma.

Localities: Mass., N. Y., N. J., Md., D. C., N. C., Ga., Fla., Miss., Ohio, Ind., Ill., Mo., Dak., Neb., Kan., Colo., Okl., Texas, Mont., Sask.

141. Hymenarcys reticulata Stål

Staf, Enum. Hemip., ii, p. 30, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 63, pl. 6, fig. 17, 1880.

Localities: Ariz. (Mexico.)

142. Hymenarcys crassa Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 387, 1897.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 158, 1907.

Locality: Ariz.

143. Hymenarcys nervosa (Say)

Say, Heter. N. Harm., p. 9, 1832; Fitch reprint, p. 766; Compl. Writ., i, p. Walker, Cat. Heter., ii, p. 283, 1867.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 287, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 375, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 40, pl. 1, fig. 11, 1885.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 49, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 155, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 135, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 229, 1912.

pennsylvaniae (Westwood), Hope Cat., i, p. 35, 1837, Pentatoma.

perpunctata Amyot and Serville, Hémip., p. 124, 1843.

Stål, Of. Vet. Akad. Forh., xix, p. 502, 1862.

Localities: Quebec, Mass., N. Y., N. J., Pa., Md., D. C., Va., N. C., S. C., Ga., Fla., Ind., Ill., Mo., Dak., Neb.. Okl., Texas.

Genus Aelia Fabr. Orthotype acuminata Linn.

Fabricius, Syst. Rhyng., p. 188, 1803.

Fallén, Hemip. Suec. Cimic., p. 33, 1829.

Hahn, Wanz. Ins., i, p. 120, 1831.

Leach, Brewster's Edinb. Encyc., Am. Edn., viii, p. 710, 1832.

Laporte, Essai Classif. Syst. Hémip., p. 66, 1832.

Herrich-Schaeffer, Nomen. Ent., i, pp. 37, 55, 1835.

Brullé, Hist. Nat. des Ins., ix, p. 401, 1835. (Names acuminatus type.)

Spinola, Essai sur les Hémip., p. 313, 1837 (1840).

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 123, 1840.

Blanchard, Hist. des Ins., Hémip., p. 154, 1840.

Amyot and Serville, Hémip., p. 133, 1843.

Spinola, Tavola Sinot., p. 36, 1850.

Dallas, List of Hemip., i, p. 222, 1851.

Gorski, Anal. Ent., i, p. 71, 1852 (subgen. of Pentatoma).

Flor, Rhyng. Livl., i, p. 118, 1860 (Subgen. I.).

Fieber, Europ. Hemip., pp. 82, 350, 1861.

Douglas and Scott, Br. Hemip., p. 68, 1865.

Mulsant and Rey, Punaise de Fr., Pent., p. 128, 1866.

Stål, Of. Vet. Akad. Forh., xxix, p. 36, 1872.

Zimmer, Univ. Neb. Studies, xi, p. 222, 1912.

†Cimex Burmeister, Handb. d. Ent., ii, p. 366, 1835 (in part).

144. Aelia americana Dall.

Dallas, List of Hemip., i, p. 223, 1851.

Walker, Cat. Heter., ii, p. 271, 1867.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 284, 1876.

Gillette and Baker, Hemip. Colo., p. 14, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 49, 1904.

Zimmer, Univ. Neb. Studies, xi, p. 229, 1912.

Localities: Dak., Neb., Colo., Mont., Manitoba.

Genus Neottiglossa Kby. Haplotype trilineata Kirby

Kirby, Richardson's Fauna Bor. Am., iv, p. 276, 1837.

Stål, Of. Vet. Akad. Forh., xxix, p. 36, 1872.

Stål, Enum. Hemip., ii, p. 18, 1872.

Provancher, Pet. Faune Ent. Can., iii, p. 38, 1885.

Zimmer, Univ. Neb. Studies, xi, pp. 222, 230, 1912.

†Eysarcoris Spinola, Essai sur les Hémip., p. 310, 1837 (1840).

Aelioides Dohrn, Stet. Ent. Zeit., xxi, p. 101, 1860. (Orthotype inflexa Douglas and Scott, Br. Hemip., p. 70, 1865. [Wolff.)

Mulsant and Rey, Punaise de Fr., Pent., p. 142, 1866. [Fieb.)

Platysolen Fieber, Europ. Hemip., pp. 82, 353, 1861. (Logotype griseus Subgenus Neottiglossa Kby.

Stål, Enum. Hemip., ii, p. 18, 1872.

145. Neottiglossa undata (Say)

Say, Heter. N. Harm., p. 8, 1831; Fitch reprint, p. 764; Compl. Writ., i, p. Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 96, 1871. [319, *Pentatoma*. Stål, Enum. Hemip., ii, p. 18, 1872.

Uhler, Hayden's Surv. Rept. for 1871, p. 395, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 284, 1876; iii, p. 401, 1877.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 376, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 39, 1885.

Macgillivray and Houghton, Ent. News, xiv, p. 263, 1903, Mormidea.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 50, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 548, 1905.

Van Duzee, Can. Ent., xliv, p. 318, 1912.

Zimmer, Univ. Neb. Studies, xi, 230, 1912.

†americana (Provancher), Pet. Faune Ent. Can., iii, p. 38, 1885, Aelia. Localities: Quebec, Ont., N. H., Mass., N. Y., N. J., Pa., Ohio, Ill., Wisc., Minn., Neb., Colo., Calif., Vanc. Isd.

146. Neottiglossa trilineata (Kby.)

Kirby, Richardson's Fauna Bor. Am., iv, p. 276, pl. 6, fig. 6, 1837, Pentatoma. Kirby in Bethune's reprint, p. 135, Pentatoma.

Dallas, List of Hemip., i, p. 224, 1851, Aelia.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 401, 1877.

Uhler, Can. Ent., x, p. 138, 1878.

Localities: Dak., Neb., Manitoba, Br. Col.

Subgenus **Texas** Kirk. Logotype sulcifrons Stål

Kirkaldy, Entomol., xxxvii, p. 280, 1904 (n.n. for Melanostoma Stål). Kirkaldy, Cat. Hemip., i, pp. 79, 80, 1909. (Names sulcifrons type.) [Stål.) #Melanostoma Stål, Enum. Hemip., ii, p. 18, 1872. (Logotype sulcifrons

147. Neottiglossa sulcifrons Stål

Stål, Enum. Hemip., ii, p. 18, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 284, 1876; iii, p. 402, 1877, *Melan-*Uhler, Proc. Ent. Soc. Wash., ii, p. 368, 1893. [ostoma.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 50, 1904.

Bueno and Brimley, Ent. News, xviii, p. 442, 1907.

Smith, Cat. Ins. N. J., Edn. 3, p. 135, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 230, 1912.

Localities: N. J., Md., D. C., N. C., Ga., Neb., Kan., Utah, Texas.

148. Neottiglossa cavifrons Stål

Stål, Enum. Hemip., ii, p. 18, 1872.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 50, 1904.

Localities: Texas, Utah, Calif.

Genus Cosmopepla Stål

Logotype carnifex Fabr. = bimaculata Thom.

Stål, Of. Vet. Akad. Forh., xxiv, p. 525, 1867.

Stål, Enum. Hemip., ii, p. 18, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 52, 1880.

Provancher, Pet. Faune Ent. Can., iii, p. 44, 1885.

Montandon, Proc. U. S. Natl. Mus., xvi, p. 45, 1893. (Synopsis of species.)

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 50, 1904. (Key.)

Kirkaldy, Cat. Hemip., i, p. 80, 1909. (Names carnifex type.)

Zimmer, Univ. Neb. Studies, xi, p. 222, 1912.

149. Cosmopepla bimaculata (Thom.)

Thomas, Trans. Ill. St. Ag. Soc., v, p. 455, 1865, Pentatoma.

||carnifex (Fabricius), Ent. Syst. Suppl., p. 535, 1798, Cimex.

Coquebert, Illust. Icon. Ins., ii, p. 81, pl. 19, fig. 3, 1801, Cimex.

Fabricius, Syst. Rhyng., p. 117, 1803. Cimex.

Hahn, Wanz. Ins., ii, p. 117, 1834, Eysarcoris.

Kirby, Richardson's Fauna Bor. Am., iv, p. 275, 1837, Pentatoma.

Dallas, List of Hemip., i, p. 225, 1851, Eysarcoris.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 153, 1853, Pentatoma.

Walker, Cat. Heter., ii, p. 274, 1867, Eysarcoris.

Stål, Of. Vet. Akad. Forh., xxiv, p. 525, 1867.

Stål, Hemip. Fabr., i, p. 28, 1868.

Stål, Enum. Hemip., ii, p. 18, 1872.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 395, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 284, 1876; iii, p. 402, 1877;

Uhler, Proc. Bost. Soc. Nat. Hist., xix. p. 376, 1878. [iv, p. 504, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 44, 1885.

Montandon, Proc. U. S. Natl. Mus., xvi, p. 46, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 170, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 51, 1904.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 54, 1912.

Zimmer, Univ. Neb. Studies, xi, p. 231, 1912.

lintneriana Kirkaldy, Cat. Hemip., i, p. 80, 1909 (n.n. for carnifex Fabr.)

Localities: Quebec, Ont., Nov. Sco., Me., N. H., Mass., N. Y., N. J., Pa., D. C., N. C., Ga., Miss., Ohio, Ill., Mo., Neb., Kan., Okl., Texas, Colo., Utah, Mont., Ariz., Wash.

150. Cosmopepla uhleri Montd.

Montandon, Proc. U. S. Natl. Mus., xvi, p. 48, 1893.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 51, 1904.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 177, 1906.

Localities: Neb., Ariz., Nevada, Calif.

Cosmopepla conspicillaris (Dall.)

Dallas, List of Hemip., i, p. 225, 1851, Eysarcoris.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 153, 1853, Pentatoma.

Stål, Enum. Hemip., ii, p. 19, 1872.

Uhler, Wheeler's Surv., 100th Merid., v, p. 830, 1875.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 284, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 53, pl. 5, fig. 8, 1880.

Montandon, Proc. U. S. Natl. Mus., xvi, pp. 46, 49, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 229, 1894.

Gillette and Baker, Hemip. Colo., p. 14, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 51, 1904.

Localities: Colo., Utah, Mont., Calif., Oregon, Wash., Vanc. Isd.

152. Cosmopepla binotata Dist.

Distant, Biol. Centr. Am., Heter., i, p. 327, pl. 31, fig. 7, 1889.

Montandon, Proc. U. S. Natl. Mus., xvi, pp. 46, 49, 1893.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 51, 1904.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 35, 1910.

Localities: Wis., Ariz. (Mexico.)

153. Cosmopepla decorata (Hahn)

Hahn, Wanz. Ins., ii, p. 117, fig. 198, 1834, Eysarcoris.

Dallas, List of Hemip., i, p. 225, 1851, Eysarcoris.

Herrich-Schaeffer, Wanz. Ins., vii, 96, 1853, Pentatoma.

Stål, Enum. Hemip., ii, p. 19, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 284, 1876.

Distant, Biol. Centr. Am., Heter, i, p. 53, 1880.

Montandon, Proc. U. S. Natl. Mus., xvi, p. 46, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 228, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 52, 1904.

Barber, Brookl. Inst., Sci. Bul., i, p. 259, 1906.

Localities: Ariz., Texas. (Mexico.)

Genus Eysarcoris Hahn

Logotype perlatus Fabr. = aeneus Scop.

Hahn, Wanz. Ins., ii, p. 66, 1834.

Spinola, Tavola Sinot., p. 35, 1850. (Spelled Cysarcoris by error.)

Dallas, List of Hemip., i, p. 224, 1851.

Stål, Hemip. Afr., i, p. 135, 1864.

Douglas and Scott, Br. Hemip., p. 74, 1865.

Stål, Of. Vet. Akad. Forh., xxix, p. 37, 1872.

Kirkaldy, Cat. Hemip., i, p. 82, 1909. (Names aeneus type.)

‡ Eusarcoris Fieber, Europ. Hemip., pp. 79, 331, 1861.

Mulsant and Rey, Punaise de Fr., Pent., p. 37, 1866.

Oshanin, Verz. Palae. Hemip., p. 95, 1906.

‡Eysarcocoris Stål, Hemip. Afr., i, p. 135, 1864.

‡Eusarcocoris Marshall, Ent. Mo. Mag., iv, pp. 260, 281, 1868.

Distant, Fauna Br. Ind., Rhyn., i, p. 165, 1902.

[Stål.)

Analocus Stål, Of. Vet. Akad. Forh., xxix, p. 36, 1872. (Logotype misellus

154. Eysarcoris intergressus Uhl.

Uhler, Proc. Ent. Soc. Wash., ii, p. 368, 1893.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 52, 1904.

†melanocephalus (Uhler), Bul. U. S. Geol. Geog. Surv., i, pl. 19, fig. 7, 1876. Gillette and Baker, Hemip. Colo., p. 14, 1895, Neottiglossa.

Localities: Kan., Colo., Utah, Mont., Idaho, Calif., Vanc. Isd.

Genus Menecles Stål

Orthotype incertus Say

Stål, Of. Vet. Akad. Forh., xxiv, p. 527, 1867. Zimmer, Univ. Neb. Studies, xi, p. 223, 1912.

155. Menecles incertus (Say)

Say, Heter. N. Harm., p. 6, 1831; Fitch reprint, p. 762; Compl. Writ., i, Stål, Of. Vet. Akad. Forh., xxiv, p. 527, 1867. [p. 317, Pentatoma. Stål, Enum. Hemip., ii, p. 31, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 287, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 375, 1878.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 52, 1904.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 177, 1906.

Smith, Cat. Ins. N. J., Edn. 3, p. 136, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 231, 1912.

Localities: Ont., Mass., N. Y., N. J., Pa., Ohio, Ill., Mo., Neb., Kan., Ark., Ariz., Calif.

Genus Prionosoma Uhl. Haplotype podopioides Uhl.

Uhler, Proc. Am. Ent. Soc., ii, p. 363, 1863. Zimmer, Univ. Neb. Studies, xi, p. 222, 1912.

156. Prionosoma podopioides Uhl.

Uhler, Proc. Am. Ent. Soc., ii, p. 364, 1863.

Stål, Enum. Hemip., ii, p. 33, 1872.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 394, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 283, 1876; iii, p. 401, 1877.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1323.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 228, 1894.

Gillette and Baker, Hemip. Colo., p. 13, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 52, 1904.

Van Duzee, Can. Ent., xliv, p. 325, 1912.

Zimmer, Univ. Neb. Studies, xi, p. 231, 1912.

villosum Prov., Pet. Faune Ent. Can., iii, p. 204, 1889. Localities: Neb., Colo., Utah, N. Mex., Ariz., Nev., Calif., Vanc. Isd.

Genus Thyanta Stål Logotype perditor Fabr.

Stål, Rio Jan. Hemip., ii, p. 58, 1862.

Stål, Of. Vet. Akad. Forh., xxiv, p. 529, 1867.

Stål, Enum. Hemip., ii, p. 34, 1872.

Provancher, Pet. Faune Ent. Can., iii, p. 42, 1885.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 52, 1904. (Key.)

Kirkaldy, Cat. Hemip., i, p. 94, 1909. (Names perditor type.)

Zimmer, Univ. Neb. Studies, xi, pp. 222, 232, 1912.

157. Thyanta perditor (Fabr.)

Fabricius, Ent. Syst., iv, p. 102, 1794, Cimex.

Fabricius. Syst. Rhyng., p. 163, 1803, Cimex.

Dallas, List of Hemip., i, p. 206, 1851, Euschistus.

Guerin in Sagra, Hist. de Cuba, Ins., p. 367, 1857, Pentatoma.

Stål, Stet. Ent. Zeit., xxiii, p. 104, 1862.

Walker, Cat. Heter., ii, p. 247, 1867, Euschistus.

Stål, Hemip. Fabr., i, p. 29, 1868.

fUhler, Hayden's Surv. Terr., Rept. for 1871, p. 399, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 289, 1876; iii, p. 404, 1877.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1324.

Distant, Biol. Centr. Am., Heter., i, p. 66, 1880.

Berg., Hemip. Argent. Add., p. 182, 1884.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 230, 1894.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 173, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 53, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 9, 1907.

Zimmer, Univ. Neb. Studies, xi, p. 232, 1912. [fig. 8, 1805, Pentatoma. fascifera (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 160, pl. Hémip. 10, collaris (Westwood), Hope Cat., i, p. 40, 1837, Pentatoma.

dimidiatus (Herrich-Schaeffer), Wanz. Ins., vi, p. 66 (under name trans-[versalis), fig. 629, 1842, Cimex.

Herrich-Schaeffer, Wanz. Ins., vii, p. 94, 1844, Pentatoma. (Herrich-Schaeffer has here transferred the name and reference for this species to the one preceding it.)

?rubiginosus (Dallas), List of Hemip., i, p. 206, 1851, Euschistus.

fasciatus (Walker), Cat. Heter., ii, p. 245, 1867, Euschistus.

adjunctor (Walker), Cat. Heter., ii, p. 249, 1867, Euschistus.

Localities: Fla., Ariz. (Neotropical.) (More northerly localities probably refer to the next.)

158. Thyanta custator (Fabr.)

Fabricius Syst. Rhyng., p. 164, 1803, Cimex.

Dallas, List of Hemip., i, p. 251, 1851, Pentatoma.

Stål, Rio Jan. Hemip., ii, p. 58, 1862.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 399, 1872.

Stål, Enum. Hemip., ii, p. 34, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 289, 1876; iii, p. 404, 1877.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 380, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 42, 1885.

Uhler, Proc. Ent. Soc. Wash., ii, p. 368, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 230, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 171, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 53, 1904.

Barber, Brookl. Inst. Sci. Bul., i, p. 260, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 155, 1909.

Morrill, U. S. Dept. Agr., Bur. Ent., Bul. 86, p. 84, 1910.

Barber, Jl. N. Y. Ent. Soc., xix, p. 109, 1911.

Zimmer, Univ. Neb. Studies, xi, p. 232, 1912.

Localities: Quebec, Mass., Conn., N. Y., N. J., Pa., N. C., Ga., Fla., Miss., Tenn., Ia., Dak., Neb., Mo., Colo., Utah, Texas, Ariz., Calif., Oregon, Vanc. Isd.

159. Thyanta pallido-virens (Stål)

Stål, Freg. Eug. Resa, Ins., p. 227, 1859, Pentatoma.

Stål, Rio Jan. Hemip., ii, p. 58, 1862.

Stål, Enum. Hemip., ii, p. 35, 1872.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 231, 1894.

†custator Kirkaldy, Cat. Hemip., i, p. 94, 1909 (in part).

Locality: Calif.

160. Thyanta calceata (Say)

Say, Heter. N. Harm., p. 8, 1831; Fitch reprint, p. 765; Compl. Writ., i, p. Barber, Jl. N. Y. Ent. Soc., xix, p. 108, 1911. [320, Pentatoma. Olsen, Jl. N. Y. Ent. Soc., xx, p. 54, 1912. [toma. †custator (Herrich-Schaeffer), Wanz. Ins., vii, p. 106, fig. 771, 1844, Penta-Localities: Conn., N. Y., N. J., Va., N. C.

161. Thyanta casta Stål

Stål, Stet. Ent. Zeit., xxiii, p. 104, 1862.
Distant, Biol. Centr. Am., Heter., i, p. 66, pl. 5, fig. 19, 1880.
Uhler, Proc. Zool. Soc. Lond. for 1894, p. 174.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 231, 1894.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 54, 1904.
Uhler, Proc. U. S. Natl. Mus., xxvii, p. 351, 1904.
Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 125, 1912.
Localities: Fla., N. Mex., Ariz., Calif. (Neotropical.)

162. Thyanta antiguensis (Westw.)

Westwood, Hope Cat., i, p. 36, 1837, Pentatoma.

Distant, Proc. Zool. Soc. Lond. for 1900, p. 812.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 54, 1904.

Barber, Brookl. Inst. Sci. Bul., i, p. 260, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 9, 1907.

Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 125, 1912.

taeniola (Dallas), List of Hemip., i, p. 250, 1851, Pentatoma.

Stål, Rio Jan. Hemip., ii, p. 58, 1862.

Stål, Enum. Hemip., ii, p. 35, 1872.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 173.

Localities: Fla., Ariz., Texas, Calif. (Neotropical.)

163. Thyanta rugulosa (Say)

Say, Het. N. Harm., p. 7, 1831; Fitch reprint, p. 764; Compl. Writ., i, p. 319, Stål, Enum. Hemip., ii, p. 35, 1872. [Pentatoma. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 399, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 290, 1876; iii, p. 403, 1877. Uhler, Wheeler's Rept. Chief of Eng. for 1877, p. 1324. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 231, 1894. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 54, 1909. Zimmer, Univ. Neb. Studies, xi, p. 233, 1912.

Localities: Neb., Colo., Utah, Mont., Ariz., Calif.

164. Thyanta punctiventris Van D.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 55, 1904. Zimmer, Univ. Neb. Studies, xi, p. 233, 1912. Localities: N. D., Neb., Colo., Utah, Calif.

165. Thyanta brevis Van D.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 56, 1904. Barber, Brookl., Inst. Sci. Bul., i, p. 260, 1906. Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 177, 1906. Localities: Colo., Utah, Idaho, Texas, Ariz., Calif.

Genus Chlorocoris Spin.

Haplotype tau Spin.

Spinola, Essai sur les Hémip., p. 288, 1837 (1840).

Dallas, List of Hemip., pp. 151, 166, 1851.

Stål, Of. Vet. Akad. Forh., xxiv, p. 525, 1867.

Stål, Enum. Hemip., ii, p. 35, 1872.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 35, 1910. [planata = tau Spin.]

Thelima Amyot and Serville, Hemip., p. 107, 1843. (Haplotype com-

Subgenus Chlorocoris Spin.

Stål, Enum. Hemip., ii, p. 35, 1872.

166. Chlorocoris atrispinus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 99, 1862.

Stål, Enum. Hemip., ii, p. 35, 1872.

Distant, Biol. Centr. Am., Heter. i, p. 67, pl. 5, fig. 21, 1880.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 35, 1910.

Localities: N. Mex. (Neotropical.)

Subgenus Monochrocerus Stål

Logotype rufispinus Dall.

Stål, Enum. Hemip., ii, p. 35, 1872.

Kirkaldy, Cat. Hemip., i, p. 95, 1909. (Names rufispinus type.)

167. Chlorocoris subrugosus Stål

Stål, Enum. Hemip., ii, p. 36, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 68, pl. 6, fig. 21, 1880.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 35, 1910.

Localities: Ariz. (Mexico.)

168. Chlorocoris flaviviridis Barb.

Barber, Jl. N. Y. Ent. Soc., xxii, p. 164, 1914.

†rufopictus Barber, Jl. N. Y. Ent. Soc., xviii, p. 35, 1910.

Locality: Ariz.

169. Chlorocoris hebetatus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 335, pl. 31, fig. 16, 1890.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 35, 1910.

Localities: Ariz. (Mexico.)

Genus Loxa Am. & Serv.

Logotype flavicollis Drury

Amyot and Serville, Hémip., p. 137, 1843.

Dallas, List of Hemip., i, pp. 193, 198, 1851.

Stål, Of. Vet. Akad. Forh., xxiv, p. 525, 1867.

Stål, Enum. Hemip., ii, p. 36, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 70, 1880.

Kirkaldy, Cat. Hemip., i, p. 96, 1909. (Names flavicollis type.)

170. Loxa flavicollis (Drury)

Drury, Illust. Exot. Ent., ii, p. 67, pl. 36, fig. 4, 1773, Cimex.

Stoll, Punais, pp. 81, 82, figs. 196, 198, 200, 1792. (No name.)

Amyot and Serville, Hémip., p. 137, 1843.

Dallas, List of Hemip., i, p. 198, 1851.

Walker, Cat. Heter., iii, p. 549, 1868.

Stål, Enum. Hemip., ii, p. 36, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 290, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 70, 1880.

Distant, Ann. Mag. Nat. Hist., Ser. 7, iv, p. 441, 1899 (excl. syn).

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 57, 1904.

albicollis (Fabricius), Spec. Ins., ii, p. 347, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 285, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2138, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 98, 1794, Cimex.

Fabricius, Syst. Rhyng., p. 160, 1803, Cimex.

Cimex. [Pentatoma.

Herrich-Schaeffer, Wanz. Ins., vi, p. 68, fig. 634, 1842; vii, p. 94, 1844, viridis (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 111, pl. Hémip. 8, fig. 1, [1805, Pentatoma.

virescens Amyot and Serville, Hémip., p. 137, pl. 3, fig. 3, 1843.

(Not deducta Walker, Cat. Heter., ii, p. 242, 1867.)

Localities: Texas, N. Mex. (Neotropical.)

171. Loxa florida Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 156, 1909.

†flavicollis Van Duzee, Trans. Am. Ent. Soc., xxx, p. 57, 1904 (in part). Locality: Fla.

Genus Murgantia Stål

Logotype tessellata Am. & Serv.

Stål, Stet. Ent. Zeit., xxiii, p. 105, 1862.

Stål, Of. Vet. Akad. Forh., xxiv, p. 529, 1867.

Stål, Enum. Hemip., ii, p. 37, 1872.

Kirkaldy, Cat. Hemip., i, p. 106, 1909. (Names tessellata type.)

Zimmer, Univ. Neb. Studies, xi, p. 222, 1912.

172. Murgantia histrionica (Hahn)

Hahn, Wanz. Ins., ii, p. 116, fig. 196, 1834, Strachia.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 93, 1853, Eurydema.

Stål, Stet. Ent. Zeit., xxii, p. 141, 1861, Strachia.

Stål, Stet. Ent. Zeit., xxiii, p. 106, 1862.

Stål, Enum. Hemip., ii, p. 37, 1872.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 396, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 290, 1876; iii, p. 404, 1877.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1324.

Distant, Biol. Centr. Am., Heter., i, p. 71, pl. 7, fig. 21, 1880.

Uhler, Proc. Calif, Acad. Sci., Ser. 2, iv, p. 231, 1894.

Osborn, Proc. Ia. Acad. Sci., i, pt. 4, 121, 1893.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 57, 1904.

Barber, Brookl. Inst. Sci. Bul., i, p. 261, 1906.

Morrill, U. S. Dept. Agr., Bur. Ent., Circ. 103, 1908.

Smith, Cat. Ins. N. J., Edn. 3, p. 136, 1910.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 54, 1912.

Zimmer, Univ. Neb. Studies, xi, p. 233, 1912.

nigricans Cockerell, Bul. S. Calif. Acad. Sci., ii, p. 85, 1903 (a dark form).

Localities: N. Y., N. J., Pa., Del., D. C., Md., N. C., Ga., Fla.,

La., Ohio, Ill., Mo., Neb., Kans., Colo., N. Mex., Texas, Ariz.,

Nev., Calif.

ļ

173. Murgantia varicolor (Westw.)

Westwood, Hope Cat., i, p. 37, 1837, Pentatoma. Distant, Proc. Zool. Soc. Lond. for 1900, p. 812.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 57, 1904.

munda (Dallas), List of Hemip., i, p. 264, 1851, Strachia.

Stål, Of. Vet. Akad. Forh., xix, p. 497, 1862, Strachia.

Walker, Cat. Heter., ii, p. 316, 1867.

Stål, Enum. Hemip., ii, p. 37, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 71, pl. 7, fig. 20, 1880.

|| munda Stål, Stet. Ent. Zeit., xxii, p. 141, 1861.

Stål, Stet. Ent. Zeit., xxiii, p. 106, 1862.

Uhler, Check List, p. 7, 1886.

Localities: "West States" (Uhler). (Neotropical.)

174. Murgantia violascens (Westw.)

Westwood, Hope Cat., i, p. 34, 1837, Pentatoma.

Dallas, List of Hemip., i, p. 263, 1851, Strachia.

Stål, Of. Vet. Akad. Forh., xix, p. 467, 1862.

Stål, Enum. Hemip., ii, p. 37, 1872.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 57, 1904.

concinna (Dallas), List of Hemip., i, p. 265, 1851, Strachia.

Localities: Fla. (West Indies.)

175. Murgantia(?) angularis (Walk.)

Walker, Cat. Heter., ii, p. 315, 1867, Strachia. Locality: N. Am.

Genus Vulsirea Spin.

Logotype nigrorubra Spin. = violacea Fabr.

Spinola, Essai sur les Hémip., p. 350, 1837 (1840).

Amyot and Serville, Hémip., p. 142, 1843.

Herrich-Schaeffer, Wanz., Ins., viii, p. 12, 1848.

Dallas, List of Hemip., i, pp. 196, 271, 1851.

Stål, Stet. Ent. Zeit., xxii, p. 139, 1861.

Stål, Of. Vet. Akad. Forh., xxiv, p. 531, 1867.

Stål, Enum. Hemip., ii, p. 39, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 75, 1880.

Kirkaldy, Cat. Hemip., i, p. 112, 1909. (Names violacea type.) †Rhaphigaster Spinola, Tavola Sinot., p. 34, 1850 (part).

176. Vulsirea violacea (Fabr.)

Fabricius, Syst. Rhyng., p. 167, 1803, Cimex.

Stoll, Punais., p. 62, fig. 133, 1792 (without name).

Herrich-Schaeffer, Wanz. Ins., iv, p. 89, fig. 425, 1839, Cimex.

Herrich-Schaeffer, Wanz. Ins., vii, p. 95, 1844, Pentatoma.

Stål, Hemip. Fabr., i, p. 31, 1868.

Stål, Enum. Hemip., ii, p. 39, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 76, 1880.

Distant, Ann. Mag. Nat. Hist., Ser. 7, v, p. 391, 1900.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 57, 1904.

abdominalis (Westwood), Hope Cat., i, p. 32, 1837, Rhaphigaster.

superba Walker, Cat. Heter., ii, p. 354, 1867.

a. var. lativentris Walker

Walker, Cat. Heter., ii, p. 353, 1867.

Distant, Biol. Centr. Am., Heter., i, p. 76, 1880.

[1868.

tau Vollenhoven, Versl. Med. Kon. Akad. Weten., Amst., Ser. 2, ii, p. 186,

b. var. ancora Spin.

Spinola, Essai sur les Hémip., p. 351, 1837 (1840).

Amyot and Serville, Hémip., p. 143, 1843.

Herrich-Schaeffer, Wanz. Ins., viii, p. 12, 1845.

Dallas, List of Hemip., i, p. 272, 1851.

Stål, Enum. Hemip., ii, p. 39, 1872.

c. var. nigro-rubra Spin.

Spinola, Essai sur les Hémip., p. 351, 1837 (1840).

Amyot and Serville, Hémip., p. 143, 1843.

Dallas, List of Hemip., i, p. 271, 1851.

Stål, Of. Vet. Akad. Forh., xiii, p. 60, 1856.

Guerin in Sagra, Hist. de Cuba, Ins., p. 372, 1857, Pentatoma.

ponderosa (Stal), Of. Vet. Akad. Forh., xi, p. 233, 1854, Strachia. Localities: Fla. (Neotropical.)

Genus Runibia Stål

Logotype perspicua (Fabr.)

Stål, Stet. Ent. Zeit., xxii, pp. 140, 141, 1861.

Stål, Of. Vet. Akad. Forh., xxv, p. 529, 1867.

Stål, Enum. Hemip., ii, p. 38, 1872.

Kirkaldy, Cat. Hemip., i, p. 110, 1909. (Names perspicua Fabr. type.)

177. Runibia(?) proxima (Dall.)

Dallas, List of Hemip., i, p. 255, 1851, Pentatoma.

Stål, Stet. Ent. Zeit., xxii, p. 141, 1861.

Walker, Cat. Heter., ii, p. 317, 1867, Strachia.

Stål, Enum. Hemip., ii, p. 39, 1872.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 151, 1906.

Localities: Texas. (West Indies.)

Genus Nezara Am. & Serv.

Logotype smaragdula (Fabr.) = viridula (Linn.)

Amyot and Serville, Hémip., p. 143, 1843.

Dallas, List of Hemip., i, p. 274, 1851. (Subgen. of Rhaphigaster.)

Fieber, Europ. Hemip., pp. 78, 329, 1861.

Stål, Hemip. Afr., i, pp. 192, 193, 1864.

Mulsant and Rey, Punais. de Fr., Pent., p. 288, 1866.

Stål, Of. Vet. Akad. Forh., xxiv, pp. 514, 530, 1867.

Stål, Enum. Hemip., ii, p. 40, 1872.

Stål, Of. Vet. Akad. Forh., xxix, p. 38, 1872.

Stål, Enum. Hemip., v, p. 63, 1876.

Distant, Biol. Centr. Am., Heter, i, p. 77, 1880.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 57, 1904. (Key.)

Kirkaldy, Cat. Hemip., i, p. 115, 1909. (Names viridula type.)

Zimmer, Univ. Neb. Studies, xi, p. 233, 1912.

Bergroth, Ann. Soc. Ent. Belg., lviii, p. 25, 1914.

178. Nezara viridula (Linn.)

Linnaeus, Syst. Nat., Edn. 10, i, p. 444, 1758, Cimex.

Linnaeus, Syst. Nat., Edn. 12, i, pt. 2, p. 721, 1767, Cimex.

Fabricius, Ent. Syst., p. 710, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 196, 1778, Cimer.

Fabricius, Spec. Ins., ii, p. 354, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 291, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2150, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 109, 1794, Cimex.

Fabricius, Syst. Rhyng., p. 166, 1803, Cimex.

Stål, Hemip. Afr., i, p. 193, 1864.

Stål, Hemip. Fabr., i, p. 31, 1868.

Gerstecker, Decker, Reisen in Ost. Afr., iii, p. 401, 1873.

Stål, Enum. Hemip., ii, p. 41, 1872; v, p. 91, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 78, 1880.

Reuter, Rev. Synon., p. 126, No. 57, 1888.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 176.

Distant, Ann. Mag. Nat. Hist., Ser. 7, v, p. 392, 1900.

Distant, Proc. Zool. Soc. Lond. for 1900, p. 813.

Distant, Fauna Br. Ind., i, p. 220, 1902.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 58, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 10, 1907; ix, p. 157, 1909.

Morrill, U. S. Dept. Agr., Bur. Ent., Bul. 86, p. 82, 1910.

variabilis (Villers), Ent., p. 505, 1789, Cimex.

†smaragdula (Dufour), Recher. Hemip., p. 157, 1833, Pentatoma.

Amyot and Serville, Hémip., p. 141, 1843.

Gorski, Anal. Ent., i, p. 103, 1852, Pentatoma.

Guerin in Sagra, Hist. de Cuba, Ins., p. 373, 1857, Pentatoma.

Fieber, Europ. Hemip., p. 330, 1861.

berylina (Westwood), Hope Cat., i, p. 38, 1837, Pentatoma.

hemichloris (Germar), Silb. Rev., v, p. 166, 1837, Cimex.

approximata Reiche and Fairmaire, Voy. Abys., p. 443, 1847.

prasinus (Dallas), List of Hemip., i, p. 274, 1851, Rhaphigaster.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 182, 1853, Rhaphigaster. Mulsant and Rey, Punais. de Fr., Pent., p. 295, 1866.

orbus (Stål), Of. Vet. Akad. Forh., x, p. 221, 1853, Rhaphigaster.

a. var. smaragdula (Fabr.)

Fabricius, Syst. Ent., p. 711, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 246, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 354, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 292, 1787, Cimex

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2153, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 109, 1794, Cimex.

Wolff, Icon. Cimic., ii, p. 56, fig. 53, 1801, Cimex.

Fabricius, Syst. Rhyng., p. 167, 1803, Cimex.

Herrich-Schaeffer, Nomen. Ent., i, p. 57, 1835, Rhaphigaster.

Costa, Cimic. Neap. Cent., i, p. 56, 1838, Pentatoma.

spirans (Fabricius), Ent. Syst., Suppl., p. 533, 1798, Cimex.

Fabricius, Syst. Rhyng., p. 167, 1803, Cimex.

viridissimus (Wolff), Icon. Cimic., ii, p. 55, fig. 52, 1801, Cimex.

unicolor (Westwood), Hope. Cat., i, p. 38, 1837, Pentatoma.
subscricea (Westwood), Hope Cat., i, p. 38, 1837, Pentatoma.
Dallas, List of Hemop., i, p. 275, 1851, Rhaphigaster.
leii (Westwood), Hope Cat., i, p. 38, 1837, Pentatoma.
3-punctigera (Westwood), Hope. Cat., i, p. 38, 1837, Pentatoma.
[proxima (Westwood), Hope Cat., i, p. 38, 1837, Pentatoma.
chinensis (Westwood), Hope Cat., i, p. 38, 1837, Pentatoma.
[propinqua (Westwood), Hope Cat., i, p. 39, 1837, Pentatoma.
plicaticollis (Lucas), Exped. Alg., p. 87, pl. 3, fig. 9, 1849, Pentatoma.

b. var. torquata (Fabr).

Fabricius, Syst. Ent., p. 710, 1775, Cimex.
Goeze, Ent. Beytr., ii, p. 245, 1778, Cimex.
Fabricius, Spec. Ins., ii, p. 353, 1781, Cimex.
Fabricius, Mantissa Ins., ii, p. 291, 1787, Cimex.
Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2150, 1788, Cimex.
Fabricius, Ent. Syst., iv, p. 108, 1794, Cimex.
Fabricius, Syst. Rhyng., p. 160, 1803, Cimex.
Latreille, Hist. Nat. Crust. Ins., xii, p. 190, 1804, Pentatoma.
Herrich-Schaeffer, Nomen. Ent., i, p. 57, 1835, Rhaphigaster.
Herrich-Schaeffer, Wanz. Ins., iv, p. 100, fig. 447, 1839, Rhaphigaster.
Stål, Of. Vet. Akad. Forh., xii, p. 345, 1855, Rhaphigaster.
transversus (Thunberg), Diss. Ent., Nov. Ins., ii, p. 40, 1783, Cimex.
flavicollis (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 185, 1805, Pentatoma.
flavicornis (Palisot-Beauvois), Ins. Rec. Afr. Am., pl. Hémip., 11, fig. 4,

oblonga (Westwood), Hope Cat., i, p. 37, 1837, Pentatoma. vicaria (Walker), Cat. Heter., ii, p. 303, 1867, Pentatoma. Localities: Va., Fla., La. (Warmer parts of the world.)

Genus Acrosternum Fieb. Haplotype heegeri Fieb.

Fieber, Europ. Hemip., pp. 79, 331, 1861. Stål, Of. Vet. Akad. Forh., xxix, p. 38, 1872. Stål, Enum. Hemip., ii, p. 41, 1872; v, pp. 63, 90, 1876. Kirkaldy, Cat. Hemip., i, p. 118, 1906. Bergroth, Ann. Soc. Ent. Belg., lviii, p. 25, 1914.

179. Acrosternum pennsylvanicum (De Geer)

De Geer, Mémoirs, iii, p. 330, pl. 34, fig. 5, 1773, Cimex.

Gmelin, in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2148, 1788, Cimex.

Palisot-Beauvois, Ins. Rec. Afr. Am., p. 186, pl. Hémip. 11, fig. 5, 1805,
Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 98, 1871, Rhaphigaster. [Pentatoma.

Stål, Enum. Hemip., ii, p. 42, 1872.
Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 380, 1878, Rhaphigaster.
Uhler, Check List, p. 8, 1886.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 58, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 157, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 136, 1910.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 55, 1912. [Writ., i, p. 317, Pentatoma. abrupta (Say), Heter. N. Harm., p. 6, 1831; Fitch reprint, p. 761; Compl. parnisus (Dallas), List of Hemip., i, p. 279, 1851, Rhaphigaster. Kirkaldy, Cat. Hemip., i, p. 121, 1909.

Localities: Quebec, Mass., N. Y., N. J., Pa., Ga., Fla., Ohio, Ill., Ia.

180. Acrosternum marginatum (P. B.)

Palisot-Beauvois, Ins. Rec. Afr. Am., p. 147, pl. Hémip. 10; fig. 1, 1805, Amyot and Serville, Hémip., p. 143, 1843. [Pentatoma. Guerin in Sagra, Hist. de Cuba, Ins., p. 374, 1857, Pentatoma. Stål, Enum. Hemip., ii, p. 42, 1872. Distant, Biol. Centr. Am., Heter., i, p. 79, pl. 7, fig. 23, 1880. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 175. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 58, 1904. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 10, 1907. †spirans (Dallas), List of Hemip., i, p. 280, 1851, Rhaphigaster. jurgiosa Stål, Stet. Ent. Zeit., xxiii, p. 106, 1862. Localities: Fla., Texas, Ariz., Calif. (Neotropical.)

181. Acrosternum hilaris (Say)

Say, Ins. of La., p. 9, 1832; Heter. N. Harm., p. 5, 1831; Fitch reprint, p. [761; Compl. Writ., i, pp. 304, 316, Pentatoma. Walker, Cat. Heter, iii, p. 566, 1868, Rhaphigaster. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 380, 1878, Nezara. Uhler, Proc. Ent. Soc. Wash., ii, p. 368, 1893, Nezara. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, 172, 1894, Nezara. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 58, 1904, Nezara. Barber, Brookl. Inst. Sci. Bul., i, p. 261, 1906, Nezara. Morrill, U. S. Dept. Agr., Bur. Ent., Bul. 86, p. 78, 1910, Nezara. Zimmer, Univ. Neb. Studies, xi, p. 233, 1912, Nezara. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 5, 1914. sarpinus (Dallas), List of Hemip., i, p. 276, 1851, Rhaphigaster. Walker, Cat. Heter., ii, p. 357, 1867, Rhaphigaster. †pennsylvanicus (Fitch), 3d Rept., Trans. N. Y. St. Agr. Soc., xvi, p. 389, [1856, Rhaphigaster. Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., Md., D. C., Va., N. C., Fla., La., Ia., Neb., Kan., Colo., Utah, Mont., Texas, Ariz., Calif.

Genus Banasa Stål Logotype induta Stål

Stål, Rio Jan. Hemip., i, p. 24, 1860. Stål, Enum. Hemip., ii, p. 43, 1872. Distant, Biol. Centr. Am., Heter., i, p. 79, 1880. Provancher, Pet. Faune Ent. Can., iii, p. 45, 1885. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 59, 1904. (Key.) Kirkaldy, Cat. Hemip., i, p. 115, 1909. (Names induta Stål type.) Atomosira Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 97, 1871. (Haplo-Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 378, 1878. [type sordida Uhl.)

182. Banasa dimidiata (Say)

Say, Heter. N. Harm., p. 7, 1831; Fitch reprint, p. 763; Compl. Writ., i, p. Stål, Enum. Hemip., ii, p. 43, 1872. [318, Pentatoma.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 291, 1876.

Provancher, Pet. Faune Ent. Can., iii, p. 46, 1885.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 172, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 60, 1904.

Van Duzee, Can. Ent., xliv, p. 318, 1912.

Zimmer, Univ. Neb. Studies, xi, p. 234, 1912.

†calva Provancher, Pet. Faune Ent. Can., iii, p. 46, 1885.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 172, 1874.

†euchlora Provancher, Pet. Faune Ent. Can., iii, p. 46, 1885.

\$dimiata Kirkaldy, Cat. Hemip., i, p. 122, 1909.

Localities: Quebec, Ont., Mass., N. Y., Pa., Md., D. C., N. C., Ga., Fla., N. D., Neb., Colo., Utah, Mont., Okl., Texas, Calif., Vanc. Isd.

183. Banasa subrufescens (Walk.)

Walker, Cat. Heter., ii, p. 290, 1867, Pentatoma.

Kirkaldy, Cat. Hemip., i, p. 122, 1909.

||dimidiatus (Stål) Rio Jan. Hemip., i, p. 22, 1860, Rhaphigaster.

basalis (Walker), Cat. Heter., ii, p. 291, 1867, Pentatoma.

derivatus (Walker), Cat. Heter., ii, p. 361, 1867, Rhaphigaster.

varians Stål, Enum. Hemip., ii, p. 43, 1872 (n.n. for dimidiatus Stål).

Distant, Ann. Mag. Nat. Hist., Ser. 7, v, pp. 393, 433, 1900.

Distant, Biol. Centr. Am., Heter., i, p. 80, pl. 7, fig. 7, 1880.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 351, 1904.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 60, 1904.

Localities: N. Mex. (Neotropical.)

184. Banasa calva (Say)

Say, Heter. N. Harm., p. 7, 1832; Fitch reprint, p. 763; Compl. Writ., i, p. [318, Pentatoma.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 291, 1876; iii, p. 404, 1877.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 379, 1878, Atomosira.

Lethierry and Severin, Cat. Génl. Hémip., i, p. 198, 1893, Pentatoma.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 232, 1894.

Gillette and Baker, Hemip. Colo., p. 17, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 59, 1904.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 23, 1910.

catinus (Dallas), List of Hemip., i, p. 282, 1851, Rhaphigaster.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 23, 1910.

†dimidiata Provancher, Pet. Faune Ent. Can., iii, p. 46, 1885.

Localities: "Canada," N. Y., Pa., Va., N. C., Ga., Colo., Mont.

185. Banasa lenticularis Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 174.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 157, 1909.

Localities: Fla. (West Indies.)

186. Banasa sordida (Uhl.)

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 98, 1871, Atomosira. Stål, Enum. Hemip., ii, p. 44, 1872.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1324.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 378, 1878, Atomosira.

Gillette and Baker, Hemip. Colo., p. 17, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 60, 1904.

Localities: Mass., Md., Va., Colo., N. Mex., Ariz., Calif., Vanc. Isd.

187. Banasa packardi Stål

Stål, Enum. Hemip., ii, p. 43, 1872.

Smith, Cat. Ins. N. J., Edn. 2, p. 121, 1900.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 61, 1904.

Bueno and Engelhardt, Can. Ent., xlii, p. 148, 1910.

Localities: N. J., N. C., Ga., Fla.

188. Banasa euchlora Stål

Stål, Enum. Hemip., ii, p. 44, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 291, 1876.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 61, 1904.

Localities: Md., S. C., Ga., Fla., Ia., Okl., Texas.

189. Banasa imbuta (Walk.)

Walker, Cat. Heter., ii, p. 358, 1867, Rhaphigaster.

Distant, Biol. Centr. Am., Heter., i, p. 80, pl. 7, fig. 10, 1880.

Barber, Brookl. Inst. Sci. Bul., i, p. 261, 1906.

Localities: Texas. (Mexico.)

Genus Piezodorus Fieb.

Haplotype degeeri Fieb. = lituratus (Fabr.)

Feiber, Europ. Hemip., pp. 78, 329, 1861.

Stål, Hemip., Afr., i, p. 198, 1864 (as subgen. of Nezara.)

Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 38, 1872.

Stål, Enum. Hemip., ii, p. 44, 1872; v, pp. 66, 100, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 81, 1880.

190. Piezodorus guildinii (Westw.)

Westwood, Hope Cat., p. 31, 1837, Rhaphigaster.

Dallas, List of Hemip., i, p. 283, 1851, Rhaphigaster.

Stål, Enum. Hemip., ii, p. 45, 1872.

‡guildani (Herrich-Schaeffer), Wanz. Ins., Verz., p. 181, 1853, Rhaphigaster. ‡guildingi, Uhler, Proc. Zool. Soc. Lond. for 1894, p. 175.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 61, 1904.

[1909.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 10, 1907; ix, p. 157,

Localities: Ga., Fla., N. Mex. (West Indies.)

191. Piezodorus(?) lituratus (Fabr.)

Fabricius, Ent. Syst., iv, p. 114, 1794, Cimex.

Wolff, Icon. Cimic., i, p. 14, fig. 14, 1800, Cimex.

Fabricius, Syst. Rhyng., p. 170, 1803, Cimex.

Burmeister, Handb. d. Ent., ii, p. 365, 1835, Cimex.

Stål, Hemip. Fabr., i, p. 31, 1868.

Vollenhoven, Hemip. Neerl., p. 41, 1878, Cimex.

Reuter, Berl. Ent. Zeit., xxix, p. 42, 1885.

Reuter, Rev. Synon., p. 127, 1888.

|| bilobus (Gmelin) in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2149, 1788, incarnata (Germar), Fauna Ins. Europ., iv, p. 23, 1818, Pentatoma. | Cimex.

Herrich-Schaeffer, Nomen. Ent., i, p. 57, 1835, Rhaphigaster.

Spinola, Essai sur les Hémip., p. 350, 1837 (1840), Rhaphigaster.

Kolenati, Melet. Ent., iv, p. 56, 1845, Rhaphigaster.

Mulsant and Rey, Punais. de Fr., Pent., p. 301, 1866.

Puton, Cat. Hémip. Palae., Edn. 3, p. 13, 1886.

Distant, Ann. Mag. Nat. Hist., Ser. 7, v, p. 421, 1900.

Distant, Proc. Zool. Soc. Lond. for 1900, p. 823.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 61, 1904.

purpuripennis (Hahn), Wanz. Ins., ii, p. 62, fig. 151, 1834, Pentatoma.

Rambur, Fauna And., p. 125, 1842, Rhaphigaster.

Amyot and Serville, Hémip., p. 148, 1843, Rhaphigaster.

Gorski, Anal. Ent., i, p. 101, 1852, Pentatoma.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 183, 1853, Rhaphigaster.

Douglas and Scott, Br. Hemip., p. 100, 1865.

[Not Cimex purpureipennis De Geer, which is a Carpocoris.]

punctulatus (Westwood), Hope Cat., i, p. 31, 1837, Rhaphigaster.

*purpuripenne (Blanchard), Hist. des Ins., Hémip., p. 149, 1840, Pentatoma. degeeri Fieber, Europ. Hemip., p. 329, 1861.

[The var. aliaceum Germ. has not been taken here.]

Localities: Fla. (Europe.)

Genus Arvelius Spin.

Logotype gladiator (Fabr.) = albopunctatus (De Geer)

Spinola, Essai sur les Hémip., p. 344, 1837 (1840).

Amyot and Serville, Hémip., p. 150, 1843.

Spinola, Tavola Sinot., p. 34, 1850.

Dallas, List of Hemip., i, p. 301, 1851.

Stål, Of. Vet. Akad. Forh., xxiv, p. 531, 1867.

Walker, Cat. Heter., iii, p. 572, 1868.

Distant, Biol. Centr. Am., Heter., i, p. 82, 1880.

Kirkaldy, Cat. Hemip., i, p. 150, 1909. (Names albopunctatus type.)

192. Arvelius albopunctatus (De Geer)

De Geer, Mémoirs, iii, p. 331, pl. 34, fig. 6, 1773, Cimex.

Goeze, Ent. Beytr., ii, p. 243, 1778, Cimex.

Amyot and Serville, Hémip., p. 150, 1843.

Dallas, List of Hemip., i, p. 302, 1851.

Guerin in Sagra, Hist. de Cuba, Ins., p. 374, 1857, Pentatoma.

Stål, Stet. Ent. Zeit., xxiii, p. 108, 1862.

Stål, Enum. Hemip., ii, p. 47, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 290, 1876.

Berg, Hemip. Argent., p. 59, 1879.

Distant, Biol. Centr. Am., Heter., i, p. 82, 1880.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 232, 1894.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 173.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 61, 1904.

Barber, Brookl. Inst., Sci. Bul., i, p. 261, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 157, 1909. gladiator (Fabricius), Syst. Ent., p. 705, 1775, Cimex. Goeze, Ent. Beytr., ii, p. 239, 1778, Cimex. Fabricius, Spec. Ins., ii, p. 348, 1781, Cimex. Fabricius, Mantissa Ins., ii, p. 285, 1787, Cimex. Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2140, 1778, Cimex. Fabricius, Ent. Syst., iv, p. 101, 1794, Cimex. Fabricius, Syst. Rhyng., p. 162, 1803, Cimex. [Pentatoma. Palisot-Beauvois, Ins. Rec. Afr. Am., p. 127, pl. Hémip. 9, fig. 1, 1805, Le Peletier and Serville, Encyc. Meth., x, p. 56, 1825, Pentatoma. Burmeister, Handb. d. Ent., ii, p. 359, 1835, Acanthosoma. Spinola, Essai sur les Hemip., p. 346, 1837 (1840). Herrich-Schaeffer, Wanz. Ins., v, p. 104, fig. 557, 558, 1839. Blanchard, Hist. de Ins., Hémip., p. 146, 1840, Acanthosoma. Herrich-Schaeffer, Wanz. Ins., viii, p. 5, 1848, Acanthosoma. leucostictus (Gmelin) in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2148,

- Stoll, Abh. Wanz., p. 13, fig. 12, 1792 (without name). [1788, Cimex. luteicornis (Westwood), Hope. Cat., i, p. 30, 1837, Acanthosoma.

Localities: Fla., Texas, Ariz., Calif.

Genus Neopharnus Van D. Orthotype fimbriatus Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 73, 1910.

193. Neopharnus fimbriatus Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 73, 1910. Locality: Fla.

> Genus Dendrocoris Bergr. Haplotype humeralis Uhl.

Bergroth, Revue d'Ent., x, p. 228, 1891 (n.n. for Liotropis Uhl.) Barber, Brookl. Inst. Sci. Bul., i, p. 262, 1906. Kirkaldy, Cat. Hemip., i, p. 151, 1909. Barber, Ent. News, xxii, p. 268, 1911. Bergroth, Ann. Soc. Ent. Fr., lxxxiii, pp. 438, 439, 1915. (Key.) ||Liotropis Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 399, 1877. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 62, 1904. (Key.)

194. Dendrocoris humeralis (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 400, 1877, Liotropis. Bergroth, Revue d'Ent., x, pp. 228, 229, 1891. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 351, 1904. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 62, 1904, Liotropis. Barber, Ent. News, xxii, p. 269, 1911. Bergroth, Ann. Soc. Ent. Fr., lxxxiii, p. 440, 1915.

Localities: Vt., Mass., N. J., Pa., Md., W. Va., Ga., Ohio, Ia., Kan., Colo., Calif. (?).

195. Dendrocoris fruticicola Bergr.

Bergroth, Revue d'Ent., x, p. 228, 1891. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 62, 1904. Liotropis. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 157, 1909.

Bueno and Engelhardt, Can. Ent., xlii, p. 148, 1910. Barber, Ent. News, xxii, p. 269, 1911. Bergroth, Ann. Soc. Ent. Fr., lxxxiii, p. 440, 1915. Localities: N. C., Fla.

196. Dendrocoris reticulatus Barb.

Barber, Ent. News, xxii, p. 270, 1911.

Bergroth, Ann. Soc. Ent. Fr., lxxxiii, p. 439, 1915.

†fruticicola Uhler, Proc. U. S. Natl. Mus., xxvii, p. 351, 1904.

Barber, Brookl. Inst. Sci. Bul., i, p. 263, 1906.

Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 126, 1912.

Localities: New Mex., Ariz., Calif.

197. Dendrocoris arizonensis Barb.

Barber, Ent. News, xxii, p. 270, 1911.
Bergroth, Ann. Soc. Ent. Fr., lxxxiii, p. 440, 1915.
Locality: Ariz.

198. Dendrocoris pini Montd.

Montandon, Proc. U. S. Natl. Mus., xvi, p. 51, 1893.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 63, 1904, Liotropis.
Barber, Ent. News, xxii, p. 269, 1911.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 5, 1914.
Bergroth, Ann. Soc. Ent. Fr., lxxxiii, p. 439, 1915.
Localities: Colo., Utah, Texas, Ariz., Calif.

199. Dendrocoris contaminatus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 390, 1897.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 62, 1904, Liotropis.
Osborn, Ent. News, xx, p. 177, 1909, Liotropis (on cactus).
Barber, Ent. News, xxii, p. 269, 1911.
Bergroth, Ann. Soc. Ent. Fr., lxxxiii, p. 440, 1915.
Localities: Utah, Texas, N. Mex., Ariz., Calif.

Genus **Odmalea** Bergr. Orthotype quadripunctula Bergr.

Bergroth, Ann. Soc. Ent. Fr., lxxxiii, p. 436, 1915.

200. Odmalea schaefferi (Barb.)

Barber, Brookl. Inst. Sci. Bul., i, p. 262, 1906, Dendrocoris.
Barber, Ent. News, xxii, p. 269, 1911, Dendrocoris.
Bergroth, Ann. Soc. Ent. Fr., lxxxiii, pp. 438, 439, 1915, Dendrocoris.
Locality: Texas.

Genus Brepholoxa Van D. Haplotype heidemanni Van D.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 78, 1904. Van Duzee, Can. Ent., xli, p. 384, 1909.

201. Brepholoxa heidemanni Van D. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 78, 1904.

Locality: Fla.

TRIBE EDESSINI Kirk.

Kirkaldy, Cat. Hemip., i, pp. 34, 153, 1909.

Genus Edessa Fabr. Orthotype cervus Fabr.

Fabricius, Syst. Rhyng., p. 145, 1803.

Laporte, Essai Classif. Syst. Hémip., p. 62, 1832.

Burmeister, Handb. d. Ent., ii, p. 353, 1835.

Spinola, Essai sur les Hémip., p. 342, 1837 (1840).

Blanchard, Hist. des Ins., Hémip., p. 143, 1840.

Amyot and Serville, Hémip., p. 158, 1843.

Spinola, Tavola Sinot., p. 32, 1850.

Dallas, List of Hemip., i, pp. 317, 319, 1851.

Stål, Stet. Ent. Zeit., xxiii, p. 109, 1862.

Stål, Of. Vet. Akad. Forh., xxiv, p. 532, 1867.

Stål, Enum. Hemip., ii, p. 49, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 86, 1880.

[bifida Say.)

Ascra Say, Ins. of La., p. 8, 1832; Compl. Writ., i, p. 304. (Haplotype Dorypleura Amyot and Serville, Hémip., p. 157, 1843. (Haplotype bubalus [Lep.)

Hypoxys Amyot and Serville, Hémip., p. 157, 1843. (Haplotype quadridens [Fabr.)

Pygoda Amyot and Serville, Hémip., p. 159, 1843. (Haplotype polita Lep.) Accratodes Amyot and Serville, Hémip., p. 160, 1843. (Haplotype cruen[tus Fabr.)

202. Edessa bifida (Say)

Say, Ins. of La., p. 7, 1832; Heter. N. Harm., p. 9, 1832; Fitch reprint, p. [767; Compl. Writ., i, pp. 303, 322, Pentatoma.

Stål, Enum. Hemip., ii, p. 154, 1872.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 176 (in part).

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 63, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 158, 1909.

albirenis (Herrich-Schaeffer), Wanz. Ins., vii, p. 127, fig. 774, 1844.

Dallas, List of Hemip., i, p. 336, 1851, Aceratodes.

||cornuta (Guerin) in Sagra, Hist. de Cuba, Ins., p. 376, 1857, Pentatoma. Localities: Fla., La., Texas.

Subfamily ACANTHOSOMINAE (Stål)

Stål, Hemip. Afr., i, pp. 33, 219, 1864, Acanthosomida.
Stål, Of. Vet. Akad. Forh., xxiv, p. 532, 1867; xxvii, p. 638, 1870, Acanthosomina.
Stål, Of. Vet. Akad. Forh., xxix, No. 3, pp. 32, 39, 1872, Acanthosomina.
Stål, Enum. Hemip., ii, p. 61, 1872; v, p. 108, 1876, Acanthosomina.
Distant, Biol. Centr. Am., Heter., i, p. 100, 1881.
Lethierry and Severin, Cat. Génl. Hémip., i, p. 250, 1893, Acanthosomidae.
Distant, Fauna Br. Ind., Rhyng., i, p. 313, 1902, Acanthosomidae.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 73, 1904, Acanthosomidae
Oshanin, Verz. Palae., Hemip., i, p. 165, 1906, Acanthosomina.
Kirkaldy, Cat. Hemip., i, pp. 34, 166, 1909, Tribe Acanthosomini.
Oshanin, Kat. Palae., Hemip., p. 17, 1912.

Genus Meadorus M. & R.

Logotype †interstinctus M. & R. = griseus (Linn.)

Mulsant and Rey, Punais. de Fr., Pent., p. 315, 1866.

Kirkaldy, Cat. Hemip., i, p. 175, 1909. (As synon.; names griscus type.) ||Clinocoris Hahn, Wanz. Ins., ii, p. 70, 1834. (Haplotype haemorrhoidalis

Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 39, 1872. [Fabr.)

Stål, Enum. Hemip., v, pp. 110, 114, 1876.

Oshanin, Verz. Palae., Hemip., i, p. 170, 1906.

†Sastragala Fieber, Europ. Hemip., pp. 78, 327, 1861.

TElasmucha Stål, Ann. Soc. Ent. Fr., Ser. 4, iv, p. 54, 1864.

Stål, Hemip. Afr., i, p. 220, 1864 (nomen nudum here).

Stål, Hemip. Fabr., i, p. 39, 1868. (Includes ferrugator and two others.) Bergroth, Ent. News, xviii, p. 49, 1907.

Kirkaldy, Cat. Hemip., i, p. 175, 1909. (Names ferrugator type.)

Oshanin Kat. Palac., Hemip., p. 18, 1912.

†Acanthosoma Distant, Biol. Centr. Am., Heter., i, p. 100, 1881.

Provancher, Pet. Faune Ent. Can., iii, p. 47, 1885.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 73, 1904. (Key.)

†Elasmostethus Lethierry and Severin, Cat. Génl. Hémip., i, p. 255, 1893.

Distant, Fauna Br. Ind., Rhyn., i, p. 326, 1902. (Gives griseum Linn. [as type.)

203. Meadorus lateralis (Say)

Say, Heter. N. Harm., p. 3, 1831; Fitch reprint, p. 757; Compl. Writ., i, p. Stål, Enum. Hemip., ii, p. 61, 1872, Acanthosoma. [312, Edessa.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 381, 1878, Acanthosoma.

Distant, Biol. Centr. Am., Heter., i, p. 101, 1881, Acanthosoma.

Provancher, Pet. Faune Ent. Can., iii, p. 48, 1885, Acanthosoma.

Distant, Proc. Zool. Soc. Lond. for 1900, p. 817, Acanthosoma.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 73, 1904, Acanthosoma.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 549, 1905, Acanthosoma.

Bergroth, Ent. News, xviii, p. 49, 1907, Elasmucha.

Van Duzee, Can. Ent., xl, p. 109, 1908, Clinocoris.

Smith, Cat. Ins. N. J., Edn. 3, p. 138, 1910, Elasmucha.

Reuter, Of. Finska Vet. Akad. Forh., liv, Afd. A, No. 7, p. 15, 1912, Elas-Horvath, Ann. Mus. Natl. Hung., x, p. 608, 1912, Elasmucha.

nebulosa (Kirby), Richardson's Fauna Bor. Am., iv, p. 277, 1837; Reprint [in Can. Ent., x, p. 138, 1878, Edessa.

Dallas, List of Hemip., i, p. 307, 1851, Acanthosoma.

Stål, Stet. Ent. Zeit., xxiii, p. 109, 1862, Elasmostethus.

affinis (Westwood), Hope Cat., i, p. 30, 1837, Acanthosoma.

picicolor (Westwood), Hope Cat., i, p. 30, 1837, Acanthosoma.

Localities: Quebec, Ont., N. H., N. Y., N. J., Vanc. Isd. (Mexico.)

Genus Elasmostethus Fieb.

Logotype dentatus De Geer = interstinctus Linn.

Fieber, Europ. Hemip., pp. 78, 328, 1861.

Stål, Ann. Soc. Ent. Fr., Ser. 4, iv, p. 54, 1864. (Names dentatus De Geer Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 39, 1872. [type.)

Oshanin, Verz. Palae., Hemip., i, p. 168, 1906.

Bergroth, Ent. News, xviii, p. 49, 1907.

Kirkaldy, Cat. Hemip., i, p. 177, 1909.

Oxydalus Mulsant and Rey, Punais. de Fr., Pent., p. 324, 1867. (Haplo-[type dentatus De Geer.)

‡ Elasmatostethus Marshall, Ent. Mo. Mag., iv, p. 281, 1868.

204. Elasmostethus cruciatus (Say)

Say, Heter. N. Harm, p. 2, 1831; Fitch reprint, p. 756; Compl. Writ., i, p. 311, Uhler, Proc. Ent. Soc. Phila., i, p. 23, 1861, Acanthosoma. [Edessa. Stål, Enum. Hemip., ii, p. 61, 1872, Acanthosoma.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1324, Acanthosoma.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 172, 1894, Acanthosoma.

Distant, Proc. Zool. Soc. Lond. for 1900, p. 818, Acanthosoma.

Van Duzee, Trans. Am. Ent., Soc., xxx, p. 73, 1904, Acanthosoma.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 549, 1905, Acanthosoma. Bergroth, Ent. News, xviii, p. 49, 1907.

borealis (Westwood), Hope Cat., i, p. 30, 1837, Acanthosoma.

Stål, Enum. Hemip., ii, p. 61, 1872, Acanthosoma.

Localities: Quebec, Ont., N. H., N. Y., N. J., N. C., Colo., Utah, N. Mex., Vanc. Isd.

205. Elasmostethus cooleyi (Van D.)

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 74, 1904, Acanthosoma. (As var. Bergroth, Ent. News, xviii, p. 49, 1907.

Locality: Mont.

206. Elasmostethus atricornis (Van D.)

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 75, 1904, Acanthosoma.

Bergroth, Ent. News, xviii, p. 48, 1907.

Van Duzee, Can. Ent., xliv, p. 318, 1912.

†cruciata (Provancher), Pet. Faune Ent. Can., iii, p. 48, 1885, Acanthosoma. Localities: Quebec, N. Y., Ind.

Subfamily ASOPINAE (Spin.)

Spinola, Tavola Sinot., pp. 29, 30, 1850, Asopoideae. Dallas, List of Hemip., i, p. 75, 1851, Fam. Asopidae. Stål, Hemip. Afr., i, pp. 32, 62, 1864, Asopida. Stål, Of. Vet. Akad. Forh., xxiv, p. 495, 1867, Asopina. Stål, Enum. Hemip., i, p. 21, 1870, Asopina. Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 31, 1872, Asopina. Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1323. Distant, Biol. Centr. Am., Heter., i, p. 26, 1880. Puton, Cat. Hémip. Palae., Edn. 3, p. 14, 1886, Tribe Asopini. Uhler, Check List, p. 3, 1886, Asopina. Distant, Fauna Br. Ind., Rhyn., i, pp. 2, 243, 1902. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 63, 1904, Asopidae. Oshanin, Verz. Palae. Hemip., i, p. 151, 1906, Asopina. Schouteden, Genera Ins., Fasc. 52, p. 2, 1907. Schumacher, Zeit. f. Wissen. Insek., vi, p. 263, 1910. (Biology.) Oshanin, Kat. Palae. Hemip., p. 18, 1912.

Zimmer, Univ. Neb. Studies, xi, pp. 220, 234, 1912.
 Arminae, Bergr., Rev. Russe Ent., iv, p. 32, 1904.
 Schouteden, Rhyn., Aethop., i, Fasc. 2, p. 133, 1905.
 Bergroth, Wien. Ent. Zeit., xxx, pt. 6-7, p. 129, 1911.
 Amyoteinae Schouteden, Genera Ins., Fasc. 52, p. 2, 1907.
 Cimicinae Kirkaldy, Cat. Hemip., p. 3, 1909.

Genus Stiretrus Lap.

Logotype decemguttatus Lep. & Serv.

Laport, Essai Classif. Syst. Hémip., p. 75, 1832. Spinola, Essai sur les Hemip., p. 356, 1837. Germar, Zeits. f. Ent., i, p. 10, 1839. Herrich-Schaeffer, Wanz. Ins., v, p. 23, 1839. Amyot and Serville, Hémip., p. 75, 1843. Spinola, Tavola Sinot., p. 30, 1850. Dallas, List of Hemip., i, p. 78, 1851. Stål, Of. Vet. Akad. Forh., xxiv, p. 496, 1867. Stål, Enum. Hemip., i, p. 22, 1870. Distant, Biol. Centr. Am., Heter., i, p. 26, 1880. Schouteden, Genera Ins., Fasc. 52, p. 6, 1907. (Names decemguttatus type.) Kirkaldy, Cat. Hemip., i, p. 30, 1909. (Names smaragdulus pseudotype.) Stiretrosoma Spinola, Essai sur les Hémip., p. 356, 1837 (1840). (Logo-Amyot and Serville, Hémip., p. 76, 1843. [type erythrocephalus Lep.) "Stictonotus Stål, Enum. Hemip., i, p. 22, 1870 (subgen.) Schouteden, Genera Ins., Fasc. 52, p. 7, 1907. (Names rugosus logo-Oncogaster Stål, Enum. Hemip., i, p. 24, 1870 (as subgenus). Schouteden, Genera Ins., Fasc. 52, pp. 7, 8, 1907. (Names ceruleus [Dall. type.) ||Stictocoris Kirkaldy, Entomol., xxxvii, p. 279, 1904 (n.n. for Stictonotus Schouteden, Genera Ins., Fasc. 52, p. 7, 1907. [Stål.) Stictonotion Kirkaldy, Wien. Ent. Zeit., xxiv, p. 268, 1905 (n.n. for [Stictocoris Kirk.) Stiretroides Schouteden, Genera Ins., Fasc. 52, pp. 7, 9, 1907 (as subgen. [with type loratus.) Kirkaldy, Cat. Hemip., i, p. 30, 1909. (Names latipes pseudotype.)

207. Stiretrus anchorago (Fabr.)

Fabricius, Spec. Ins., ii, p. 341, 1781, Cimex.
Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2132, 1788, Cimex.
Fabricius, Ent. Syst., iv, p. 86, 1794, Cimex.
Fabricius, Syst. Rhyng., p. 137, 1803, Tetyra.
Dallas, List of Hemip., i, p. 80, 1851.
Stål, Enum. Hemip., i, p. 24, 1870.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 281, 1876.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 63, 1904.
Schouteden, Genera Ins., Fasc. 52, p. 8, 1907.
pulchellus (Westwood), Hope Cat., p. 42, 1837, Pentatoma.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 158, 1909.
inflata Schumacher, Sitz. Ges. Nat.-for. Freunde for 1912, p. 96 (as subsp.).

a. var. fimbriatus (Say)

Say, Am. Ent., iii, pl. 43, 1828; Compl. Writ., i, p. 93, pl. 43, Tetyra.

Germar, Zeit. f. Ent., i, p. 16, 1839.

Herrich-Schaeffer, Wanz. Ins., p. 193, 1853.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 369, 1878.

Smith, Cat. Ins. N. J., Edn. 3, p. 137, fig. 59, 1910.

variegatus (Herrich-Schaeffer), Wanz. Ins., iv, p. 90, fig. 427, 1839, †anchorago Schouteden, Genera Ins., Fasc. 52, pl. 1, fig. 3, 1907. [Asopus.

b. var. diana (Fabr.)

Fabricius, Syst. Rhyng., p. 137, 1803, Tetyra.

Burmeister, Handb. d. Ent., ii, p. 381, 1835, Asopus.

Germar, Zeit. f. Ent., i, p. 19, 1839.

Herrich-Schaeffer, Wanz. Ins., v, p. 3, fig. 454, 1839.

||anchorago (Westwood), Hope Cat., i, p. 42, 1837, Pentatoma.

ornatus Dallas, List of Hemip., i, p. 80, 1851.

anchorago var. Distant, Biol. Centr. Am., Heter., i, pl. 1, fig. 15, 1880.

c. var. personatus Germ.

Germar, Zeit. f. Ent., i, p. 16, 1839.

Stål, Stet. Ent. Zeit., xxiii, p. 85, 1862.

Stål, Enum. Hemip., i, p. 25, 1870.

d. var. violaceus (Say)

Say, Am. Ent., iii, pl. 43, 1828; Compl. Writ., i, p. 94, Tetyra.

Germar, Zeit. f. Ent., i, p. 12, 1839.

Amyot and Serville, Hémip., p. 76, pl. 1, fig. 1, 1843.

Dallas, List of Hemip., i, p. 79, 1851.

Stål, Enum. Hemip., i, p. 25, 1870.

Distant, Biol. Centr. Am., Heter., i, pl. 1, fig. 14, 1880.

Localities: Mass., Conn., N. Y., N. J., Pa., Md., N. C., Va., Ga., Fla., La., Kan., N. Mex., Texas.

Genus Heterosceloides Schoutd.

Orthotype lepida (Stål)

Schouteden, Genera Ins., Fasc. 52, p. 19, 1907.

208. Heterosceloides lepida (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 93, 1862, Phyllochirus.

Distant, Biol. Centr. Am., Heter., i, p. 33, pl. 3, fig. 21, 1880, Heteroscelis.

Schouteden, Genera Ins., Fasc. 52, p. 20, pl. 1, fig. 6, 1907.

Barber, Jl. N. Y. Ent. Soc., xxii, p. 171, 1914, Heteroscelis.

scutellaris (Walker), Cat. Heter., iii, p. 529, 1868, Bodetria.

Localities: Texas. (Neotropical.)

Genus Alcaeorrhynchus Bergr.

Haplotype grandis (Dall.)

Bergroth, Revue d'Ent., x, p. 235, 1891 (n.n. for Mutyca Stål).

Schouteden, Genera Ins., Fasc. 52, p. 32, 1907. (Names grandis type.) || Mutyca Stål, Rio Jan. Hemip., ii, p. 58, 1858.

Stål, Of. Vet. Akad. Forh., xxiv, p. 496, 1867.

Stål, Enum. Hemip., i, p. 48, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 35, 1880.

209. Alcaeorrhynchus phymatophora (P. B.)

Palisot-Beauvois, Ins. Rec. Af. Am., p. 112, pl. Hémip. 8, fig. 2, 1805, PentaAmyot and Serville, Hémip., p. 82, 1843, Canthecona. [toma.
Herrich-Schaeffer, Wanz. Ins., Verz., p. 32, 1853, Canthecona.
Guerin in Sagra, Hist. de Cuba, Ins., p. 364, 1857, Canthecoma.

Stål, Enum. Hemip., i, p. 48, 1870, Mutyca.

Berg, Hemip. Argent., p. 33, 1879, Mutyca.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 72, 1904, Mutycha.

Schouteden, Genera Ins., Fasc. 52, p. 32, 1907.

Localities: Fla. (Neotropical.)

210. Alcaeorrhynchus grandis (Dall.)

Dallas, List of Hemip., i, p. 91, 1851, Canthecona.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 31, 1853, Canthecona.

Stål, Rio Jan. Hemip., ii, p. 58, 1858, Mutyca.

Stål, Stet. Ent. Zeit., xxiii, p. 90, 1862, Mutyca.

Distant, Biol. Centr. Am., Heter., i, p. 36, 1880, Mutyca.

Berg, Hemip. Argent., p. 180, 1884, Mutyca.

†phymatophora (Stål), Enum. Hemip., i, p. 48, 1870, Mutyca (part).

Berg, Hemip. Argent., p. 33, 1879, Mutyca (part).

Localities: Fla. (Neotropical.)

Genus Oplomus Spin.

Logotype tripustulatus Fabr.

Spinola, Essai sur les Hémip., p. 355, 1837 (1840).

Spinola, Tavola Sinot., p. 30, 1850.

Dallas, List of Hemip., i, p. 82, 1851.

Stål, Of. Vet. Akad. Forh., xxiv, p. 496, 1867.

Stål, Enum. Hemip., i, p. 26, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 29, 1880.

Schouteden, Genera Ins., Fasc. 52, p. 32, 1907. (Names tripustulatus type.)

Catostyrax Amyot and Serville, Hémip., p. 82, 1843. (Haplotype catena †Hoplomus Gistel, Naturges des Thierr., p. x, 1848. [Drury.)

Subgenus Polypoecilus Stål Haplotype dichrous (H. S.)

Stål, Enum. Hemip., i, p. 26, 1870.

Schouteden, Genera Ins., Fasc. 52, pp. 33, 34, 1907. (Names dichrous type.)

211. Oplomus dichrous (H. S.)

Herrich-Schaeffer, Wanz. Ins., iv, p. 89, fig. 426, 1839, Asopus.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 167, 1853, Platynopus.

Stål, Stet. Ent. Zeit., xxiii, p. 86, 1862.

Stål, Enum. Hemip., i, p. 26, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 29, pl. 1, fig. 16, 1880.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 64, 1904.

Schouteden, Genera Ins., Fasc. 52, p. 34, 1907.

var. a, b, Stål, Enum. Hemip., i, p. 26, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 29, 1880.

a. var. rubropictus Voll.

Vollenhoven, Tidskr. v. Ent., vi, p. 121, 1863.

Walker, Cat. Heter., iii, p. 529, 1868.

var. c, d, Stål, Enum. Hemip., i, p. 26, 1870.

Distant, Biol. Centr. Am., Heter., i, pp. 29, 30, 1880.

b. var. rhodomelas (H. S.)

Herrich-Schaeffer, Wanz. Ins., iv, p. 90, fig. 428, 1839, Asopus.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 168, 1853, Platynopus.

vars. e-g, Stål, Enum. Hemip., i, pp. 26, 27, 1880.

vars. e-h, Distant, Biol. Centr. Am., Heter., i, p. 30, pl. 1, fig. 16, 1880. Localities: Ariz., Pa. (accidental). (Neotropical.)

Subgenus Oplomus Spin.

Stål, Enum. Hemip., i, p. 27, 1870.

[type.)

Schouteden, Genera Ins., Fasc. 52, pp. 34, 35, 1907. (Names tripustulatus

212. Oplomus tripustulatus (Fabr.)

Fabricius, Syst. Rhyng., p. 172, 1803, Cimex.

Spinola, Essai sur les Hémip., p. 355, 1837 (1840).

Dallas, List of Hemip., i, p. 86, 1851.

Stål, Hemip. Fabr., i, p. 15, 1868.

Stål, Enum. Hemip., i, p. 28, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 30, 1880.

var. a, Stål, Enum. Hemip., i, p. 28, 1870.

a. var. flavoguttatus Voll.

Vollenhoven, Tidskr. v. Ent., vi, p. 123, 1863.

basalis Walker, Cat. Heter., i, p. 122, 1867.

var. b, Stål, Enum. Hemip., i, p. 28, 1870.

b. var. chrysomelas Walk.

Walker, Cat. Heter., i, p. 121, 1867.

var. c, d, Stål, Enum. Hemip., i, p. 28, 1870.

c. var. e-g, Stål

Stål, Enum. Hemip., i, p. 28, 1870.

d. var. salamandra (Burm.)

Burmeister, Handb. d. Ent., ii, p. 381, 1835, Asopus.

Dallas, List of Hemip., i, p. 84, 1851.

Walker, Cat. Heter., i, p. 120, 1867.

Distant, Biol. Centr. Am., Heter., i, pl. 4, fig. 16, 1880.

var. h, i, Stål, Enum. Hemip., i, pp. 28, 29, 1870.

e. var. tibialis (Fabr.)

Fabricius, Syst. Rhyng., p. 176, 1803, Cimex.

Stål, Hemip. Fabr., i, p. 16, 1868.

----- Stoll, Punais., p. 88, fig. 206, 1792 (without name).

var. h, Stål, Enum. Hemip., i, p. 29, 1870.

var. l, m, Stål, Enum. Hemip., i, p. 29, 1870.

f. var. violaceus Dall.

Dallas, List of Hemip., i, p. 85, 1851.

Localities: Fla. (typical form). (Neotropical.)

213. Oplomus mundus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 87, 1862.

Stål, Enum. Hemip., i, p. 30, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 32, pl. 4, fig. 17, 1880.

Barber, Brookl. Inst. Sci. Bul., i, p. 263, 1906.

Schouteden, Genera Ins., Fasc. 52, p. 35, 1907.

Localities: Texas. (Neotropical.)

Genus Perillus Stål Logotype confluens H. S.

Stål, Stet. Ent. Zeit., xxiii, p. 88, 1862 (subgen. of Oplomus).

Stål, Of. Vet. Akad. Forh., xxiv, p. 496, 1867.

Stål, Enum. Hemip., i, p. 31, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 33, 1880.

Provancher, Pet. Faune Ent. Can., iii, p. 32, 1885.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 64, 1904. (Key.)

Schouteden, Genera Ins., Fasc. 52, pp. 11, 36, 1907. (Names confluens type., Van Duzee, Can. Ent., xli, p. 370, 1909.

Perilloides Schouteden, Genera Ins., Fasc. 52, pp. 11, 37, 1907. (Ortho-Kirkaldy, Cat. Hemip., i, p. 6, 1909. [type bioculatus Fabr.) Zimmer, Univ. Neb. Studies, xi, p. 234, 1912.

214. Perillus confluens (H. S.)

Herrich-Schaeffer, Wanz. Ins., v, p. 77, fig. 552, 1839, Asopus.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 168, 1853, Podisus.

Stål, Stet. Ent. Zeit., xxiii, p. 88, 1862.

Walker, Cat. Heter., i, p. 120, 1867, Oplomus.

Stål, Enum. Hemip., i, p. 32, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 282, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 33, pl. 1, fig. 18, 1880.

Cockerell, Trans. Am. Ent. Soc., xx, p. 361, 1893.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 65, 1904.

Schouteden, Genera Ins., Fasc. 52, p. 37, 1907.

Localities: Colo., Texas, N. Mex., Ariz. (Neotropical.)

215. Perillus splendidus (Uhler)

Uhler, Proc. Ent. Soc., Phila., i, p. 22, 1861, Zicrona.

Stål, Enum. Hemip., i, p. 32, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 282, 1876.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1323.

Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 121, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 228, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 66, 1904.

Schouteden, Genera Ins., Fasc. 52, p. 39, 1907.

Localities: Colo. (1), Texas, Calif. (Mexico.)

216. Perillus bioculatus (Fabr.)

Fabricius, Syst. Ent., p. 715, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 248, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 358, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 295, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2157, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 120, 1794, Cimex.

Fabricius, Syst. Rhyng., p. 175, 1803, Cimex.
Stål, Enum. Hemip., ii, p. 129, 1872.
Lethierry and Severin, Cat. Génl. Hémip., i, p. 206, 1893.
Gillette and Baker, Hemip. Colo., p. 12, 1895, Mineus.
Smith, Cat. Ins. N. J., Edn. 2, p. 117, 1900, Mineus.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 66, 1904.
Schouteden, Genera Ins., Fasc. 52, p. 37, 1907, Perilloides.
Smith, Cat. Ins. N. J., Edn. 3, p. 137, 1910, Perilloides.
Zimmer, Univ. Neb. Studies, xi, p. 234, 1912, Perilloides.

a. var. clanda (Say)

Say, Jl. Acad. Nat. Sci. Phil., iv, p. 312, 1825; Compl. Writ., ii, p. 240, Penta; claudus Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 395, 1872. [toma. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 281, 1876; iii, p. 398, 1877. Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1323. Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 504, 1878. Uhler, Check List, p. 4, 1886.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 228, 1894. Gillette and Baker, Hemip. Colo., p. 12, 1895.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 67, 1904.
Localities: Ont., N. Y., N. J., Ia., Neb., Kan., Dak., Wyo., Colo., Utah, Nev., Mont., N. Mex., Ariz., Calif., Oregon, Idaho.

217. Perillus circumcinctus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 89, 1862.

Stål, Enum. Hemip., i, p. 32, 1870.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 395, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 282, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 370, 1878.

Distant, Biol. Centr. Am., Heter., i, p. 34, pl. 6, fig. 6, 1880.

Provancher, Pet. Faune Ent. Can., iii, p. 32, 1885.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 170, 1894.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 67, 1904.

Schouteden, Genera Ins., Fasc. 52, p. 37, 1907, Perilloides.

Smith, Cat. Ins. N. J., Edn. 3, p. 137, 1910, Perilloides.

Zimmer, Univ. Neb. Studies, xi, p. 235, 1912, Perilloides.

marginatus Provancher, Nat. Can., iv, p. 74, 1872.

Localities: Ont., N. H., Mass., N. Y., N. J., Ill., Mo., Neb., Dak.

218. Perillus exaptus (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 313, 1825; Compl. Writ., ii, p. 240, Uhler, Proc. Ent. Soc. Phila., i, p. 23, 1861, Zicrona. [Pentatoma. Stål, Enum. Hemip., i, p. 32, 1870.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 395, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 281, 1876; iv, p. 504, 1878.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 369, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 33, 1885.

Gillette and Baker, Hemip. Colo., p. 12, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 107, 1903; xxx, p. 65, 1904.

Schouteden, Genera Ins., Fasc. 52, p. 38, pl. 3, fig. 2, 1907, Perilloides.

Smith, Cat. Ins. N. J., Edn. 3, p. 137, 1910, Perilloides.

Zimmer, Univ. Neb. Studies, xi, p. 234, 1912, Perilloides.

variegata (Kirby), in Richardson, Fauna Bor. Am., iv, p. 267, 1837, Penta-Kirby in Bethune's reprint, p. 135, Pentatoma.

marginella (Dallas), List of Hemip., i, p. 109, 1851, Zicrona.

Localities: Quebec, Ont., Mass., N. Y., N. J., Ill., Mo., Dak., Wyo., Colo., N. Mex., Mont., Utah, Manitoba, Wash.

Genus Rhacognathus Fieb. Haplotype punctatus (Linn.)

Fieber, Europ. Hemip., pp. 81, 347, 1861. Stål, Of. Vet. Akad. Forh., xxiv, p. 498, 1867; xxix, No. 3, p. 40, 1872. Provancher, Pet. Faune Ent. Can., iii, p. 33, 1885. Schouteden, Genera Ins., Fasc. 52, p. 54, 1907.

219. Rhacognathus americanus Stål

Stål, Enum. Hemip., i, p. 33, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 282, 1876.

Provancher, Pet. Faune Ent. Can., iii, p. 34, 1885.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 68, 1904.

Schouteden, Genera Ins., Fasc. 52, p. 55, 1907.

Localities: Ohio, Ill., Manitoba.

Genus Euthyrhynchus Dall. ' Haplotype floridanus (Linn.)

Dallas, List of Hemip., i, pp. 77, 104, 1851. Dohrn, Cat. Hemip., p. 8, 1859 (spelled Eutyrhynchus).

Stål, Enum. Hemip., i, p. 54, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 41, 1880.

Schouteden, Genera Ins., Fasc. 52, p. 55, 1907.

220. Euthyrhynchus floridanus (Linn.)

Linnaeus, Syst. Nat., Edn. 12, i, pt. 2, p. 719, 1767, Cimex.

Fabricius, Syst. Ent., p. 702, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 192, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 346, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 284, 1787, Cimex.

Gmelin, in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2136, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 96, 1794, Cimex.

Fabricius, Syst. Rhyng., p. 158, 1803, Cimex.

Burmeister, Handb. d. Ent., ii, p. 380, 1835, Asopus.

Herrich-Schaeffer, Wanz. Ins., iv, p. 102, fig. 450, 1839, Asopus.

Blanchard, Hist. des Ins., Hemip., p. 154, 1840, Stiretrus.

Amyot and Serville, Hémip., p. 84, 1843, Asopus.

Dallas, List of Hemip., i, p. 104, 1851.

Stål, Stet. Ent. Zeit., xxiii, p. 93, 1862.

Stål, Enum. Hemip., i, p. 54, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 41, pl. 1, fig. 21, 1880.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 73, 1904.

Schouteden, Genera Inst., Fasc. 52, p. 56, pl. 4, fig. 2, 1907.

Bueno and Brimley, Ent. News, xviii, p. 443, 1907.

punicus (Linnaeus), Syst. Nat., Edn. 12, i, pt. 2, p. 719, 1767, Cimex.

Fabricius, Syst. Ent., p. 703, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 194, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 346, 1781, Cimex.

Fabricius, Mantissa, Ins., ii, p. 285, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2138, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 97, 1794, Cimex.

Fabricius, Syst. Rhyng., p. 159, 1803, Cimex.

Dallas, List of Hemip., i, p. 104, pl. 2, fig. 1, 1851.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 19, 1853, Asopus.

emarginata (Say), Heter. N. Harm., p. 4, 1831; Fitch reprint, p. 758; [Compl. Writ., i, p. 313, Pentatoma.

trivittatus (Herrich-Schaeffer), Wanz. Ins., iv, p. 103, fig. 451, 1839, colorata (Walker), Cat. Heter., i, p. 136, 1867, Arma. [Asopus.

Localities: Pa., Ga., N. C., Tenn., La.

Genus Mineus Stål

Orthotype strigipes (H. S.)

Stål, Of. Vet. Akad. Forh., xxiv, p. 498, 1867. Schouteden, Genera Ins., Fasc. 52, p. 61, 1907.

221. Mineus strigipes (H. S.)

Herrich-Schaeffer, Wanz. Ins., ix, p. 338, 1853, Podisus.

Walker, Cat. Heter., i, p. 144, 1867, Tynacantha(?).

Stål, Enum. Hemip., i, p. 32, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 282, 1876.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 67, 1904.

Schouteden, Genera Ins., Fasc. 52, p. 61, pl. 4, fig. 10, 1907.

Bueno and Brimley, Ent. News, xviii, p. 443, 1907.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 224, 1908.

Smith, Cat. Ins. N. J., Edn. 3, p. 137, 1910.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 56, 1912.

Localities: N. Y., N. J., Md., D. C., Va., N. C., S. C., Ga., Ohio, Texas (†), N. Mex.(†).

Genus Apateticus Dall.

Haplotype halys Dall. = lineolatus (H. S.)

Dallas, List of Hemip., i, p. 105, 1851.

Stål, Of. Vet. Akad. Forh., xxiv, p. 498, 1867 (as subgenus).

Stål, Enum. Hemip., i, p. 49, 1870.

Schouteden, Genera Ins., Fasc. 52, pp. 68, 70, 1907 (part).

Van Duzee, Can. Ent., xli, p. 371, 1909.

Bergroth, Wien. Ent. Zeit., xxx, pt. 6-7, p. 129, 1911.

Zimmer, Univ. Neb. Studies, xi, p. 236, 1912.

[as type.)

† Podisus Distant, Fauna Br. Ind., Rhyn., i, p. 253, 1902. (Cites lineolatus

Subgenus Apateticus Dall.

Van Duzee, Can. Ent., xli, p. 371, 1909.

222. Apateticus lineolatus (H. S.)

Herrich-Schaeffer, Wanz. Ins., v, p. 69, fig. 514, 1839, Halys.

Stål, Enum. Hemip., ii, p. 129, 1872, Podisus.

Distant, Biol. Centr. Am., Heter., i, p. 36, 1880, Podisus.

Barber, Brookl. Inst. Sci. Bul., i, p. 263, 1906, Podisus.

Schouteden, Genera Ins., Fasc. 52, p. 70, pl. 5, fig. 7, 1907. Van Duzee, Can. Ent., xli, p. 371, 1909.

halys Dallas, List of Hemip., i, p. 105, pl. 2, fig. 2, 1851.

Stål, Stet. Ent. Zeit., xxiii, p. 93, 1862.

Stål, Of. Vet. Akad. Forh., xxiv, p. 498, 1867.

Distant, Biol. Centr. Am., Heter., i, pl. 1, fig. 19, 1880.

punctipennis (Herrich-Schaeffer), Wanz. Ins., ix, p. 338, 1853, Podisus.

Localities: Fla., Texas. (Neotropical.)

223. Apateticus marginiventris (Stål)

Stål, Enum. Hemip., i, p. 49, 1870, Podisus.

Distant, Biol. Centr. Am., Heter., i, p. 37, pl. 4, fig. 24, 1880, Podisus.

Schouteden, Genera Ins., Fasc. 52, p. 70, 1907.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 36, 1909, Podisus.

Van Duzee, Can. Ent., xli, p. 371, 1909.

Zimmer, Univ. Neb. Studies, xi, p. 236, 1912.

gillettei (Uhler), Hemip. Colo., p. 12, 1895, Podisus.

Kirkland, Mass. St. Bd. Agr., Rept. xlv, p. 418, pl. 1, fig. 6, 1897, Van Duzee, Trans. Am. Ent. Soc., xxx, p. 69, 1904, *Podisus*. [*Podisus*. Schouteden, Genera Ins., Fasc. 52, p. 70, 1907.

Localities: Neb., Colo., Ariz. (Mexico.)

Subgenus Apoecilus Stål

Haplotype grandis (Dall.) = cynicus (Say)

Stål, Enum. Hemip., i, p. 49, 1870.

Schouteden, Genera Ins., Fasc. 52, p. 70, 1907.

Van Duzee, Can. Ent., xli, p. 371, 1909.

224. Apateticus cynicus (Say)

Say, Heter. N. Harm., p. 3, 1831; Fitch reprint, p. 757; Compl. Writ., i, p. [312, Pentatoma.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 282, 1876; iv, p. 504, 1878.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 370, 1878, Podisus.

Uhler, Stand. Nat. Hist., ii, p. 291, 1884, Podisus.

Provancher, Pet. Faune Ent. Can., iii, p. 29, 1885, Podisus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 170, 1894, Podisus.

Gillette and Baker, Hemip. Colo., p. 12, 1895, Podisus.

Kirkland, Mass. St. Bd. Agr., Rept. xlv, p. 425, pl. 1, fig. 7, 1897, Podisus.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 70, 1904, Podisus.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 350, 1904, Podisus.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 9, 1904, Podisus.

Schouteden, Genera Ins., Fasc. 52, p. 71, pl. 5, fig. 8, 1907.

Zimmer, Univ. Neb. Studies, xi, p. 237, 1912.

grandis (Dallas), List of Hemip., i, p. 96, 1851, Arma.

Fitch, 3d Rept., Trans. N. Y. St. Agr. Soc., xvi, p. 335, 1856, Arma.

Stål, Of. Vet. Akad. Forh., xxiv, p. 497, 1867, Podisus.

Stål, Enum. Hemip., i, p. 49, 1870.

Lethierry and Severin, Cat. Génl. Hémip., i, p. 218, 1893, Podisus.

Localities: Quebec, Ont., Mass., N. Y., Pa., Md., Ill., Mo., Dak., Neb., Kan., Wisc., Colo., Texas, Ariz.

225. Apateticus bracteatus (Fitch)

Fitch, 3d Rept., Trans. N. Y. St. Agr. Soc., xvi, p. 336, 1856, Arma. Gillette and Baker, Hemip. Colo., p. 12, 1895, Podisus.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 350, 1904, Podisus.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 70, 1904, Podisus.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 10, 1904, Podisus.

Schouteden, Genera Ins., Fasc. 52, p. 70, 1907.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 225, 1908.

Kirkaldy, Cat. Hemip., i, p. 22, 1909.

Zimmer, Univ. Neb. Studies, xi, p. 237, 1912.

Localities: Quebec, Mass., N. Y., Neb., Idaho, Vanc. Isd.

226. Apateticus crocatus (Uhl.)

Uhler, Trans. Md. Acad. Sci., i, p. 384, 1897, Podisus.

Kirkland, Mass. St. Bd. Agr., Rept. xlv, p. 422, 1897, Podisus.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 70, 1907, Podisus.

Schouteden, Genera Ins., Fasc. 52, p. 70, 1907. [var. of cynicus.)

[obscuripes Uhl M8] Riley, Rept. U. S. Dept. Agr. for 1878, p. 245. (As [crocatus Uhl. M8] Hagen, Can. Ent., xvi, p. 40, 1884, Podiscus.

Localities: Manitoba, Colo., Utah, Ariz., Calif., Oregon, Wash., Vanc. Isd.

Genus **Podisus** H. S. Logotype vittipennis H. S. = bifidus Lap.

Herrich-Schaeffer, Wanz. Ins., ix, pp. 296, 337, 1853. Stål, Of. Vet. Akad. Forh., xxiv, p. 497, 1867. Stål, Enum. Hemip., i, p. 48, 1870. Distant, Biol. Centr. Am., Heter., i, p. 36, 1880. Provancher, Pet. Faune Can., iii, p. 29, 1885. Kirkland, Mass. St. Bd. Agr., Rept. xlv, p. 412, 1897. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 68, 1904. Kirkaldy, Entomol., xli, p. 124, 1908. (Names vittipennis type.) Van Duzee, Can. Ent., xli, p. 370, 1909. Kirkaldy, Cat. Hemip., i, p. 18, 1909 (subgen. of Apateticus). Bergroth, Wien. Ent. Zeit., xxx, pt. 6-7, p. 129, 1911.

Subgenus Podisus H. S.

Van Duzee, Can. Ent., xli, p. 371, 1909.

Telepta Stål, Rio Jan. Hemip., i, p. 10, 1860. (Logotype distinctus Stål.)

Stål, Of. Vet. Akad. Forh., xxiv, p. 497, 1867. [type.)

Kirkaldy, Cat. Hemip., i, p. 18, 1909. (Names crassimargo pseudo
Eupodisus Schouteden, Genera Ins., Fasc. 52, pp. 70, 71, 1907. (Orthotype

[modestus Dall.)

227. Podisus maculiventris (Say)

Say, Ins. of La., p. 11, 1832, Pentatoma; reprint in Psyche, viii, p. 307, 1899.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 71, 1904.
Barber, Brookl. Inst. Sci. Bul., i, p. 264, 1906.
Morrill, U. S. Dept. Agr., Div. Ent., Bul. 60, pp. 155-161, 1906.
Schouteden, Genera Ins., Fasc. 52, p. 72, 1907.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 158, 1909.
Kirkaldy, Cat. Hemip., i, p. 19, 1909.

Olsen, Jl. N. Y. Ent. Soc., xviii, p. 40, 1910.

Zimmer, Univ. Neb. Studies, xi, p. 237, 1912, Apateticus.

spinosa (Dallas), List of Hemip., i, p. 98, 1851, Arma.

Fitch, 3d Rept., Trans. N. Y. St. Agr. Soc., xvi, p. 336, 1856, Arma.

Stål, Of. Vet. Akad. Forh., xxiv, p. 497, 1867.

Stål, Enum. Hemip., i, p. 51, 1870.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 395, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 282, 1876; iii, p. 399, 1877.

Provancher, Pet. Faune Ent. Can., iii, p. 31, 1885.

Van Duzee, Can. Ent., xxi, p. 2, 1889.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 170, 1894.

Gillette and Baker, Hemip. Colo., p. 13, 1895.

Kirkland, Mass. St. Bd. Agr., Rept. xlv, p. 431, pl. 1, fig. 4, 1897. pallens (Stål), Freg. Eugen. Resa, Ins., p. 222, 1859, Arma.

Stål, Of. Vet. Akad. Forh., xxiv, p. 497, 1867.

Stål, Enum. Hemip., i, p. 51, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 282, 1876.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 228, 1894.

Kirkland, Mass. St. Bd. Agric. Rept., xlv, p. 421, 1897.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 72, 1904.

Schouteden, Genera Ins., Fasc. 52, p. 72, 1907, Apateticus.

Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 124, 1912, Apateticus.

Localities: Quebec, Ont., Vt., Mass., N. Y., Pa., Md., N. C., Ga., Fla., Ohio, Wisc., Neb., Kan., Okl., Texas, Manitoba, Mont., Colo., Ariz., Calif., Vanc. Isd.

2271/2. Podisus fretus Olsen

Olsen, Bul. Brookl. Ent. Soc., xi, p. 82, 1916.

Localities: Mass., N. Y., N. J., N. C.

228. Podisus serieventris Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 94, 1871; xix, p. 370, 1878. Gillette and Baker, Hemip. Colo., p. 13, 1895.

fKirkland, Mass. St. Bd. Agr., Rept. xlv, p. 429, pl. 1, fig. 2, 1897. (Not well [distinguished from maculiventris.)

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 71, 1904.

Van Duzee, 20th Rept. N. Y., St. Ent., p. 548, 1905.

Van Duzee, Can. Ent., xxxviii, p. 406, 1906.

Schouteden, Genera Ins., Fasc. 52, p. 72, 1907, Apateticus.

Van Duzee, Can. Ent., xliv, p. 318, 1912.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., Minn., Colo., Mont., Vanc. Isd.

229. Podisus modestus (Dall.)

Dallas, List of Hemip., i, p. 101, 1851, Arma.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 17, 1853, Arma.

Fitch, 3d Rept., Trans. N. Y. St. Agr. Soc., xvi, p. 390, 1856, Arma.

Stål, Enum. Hemip., i, p. 51, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 283, 1876; iii, p. 399, 1877.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 370, 1878.

Distant, Biol. Centr. Am., Heter., i, p. 38, pl. 4, fig. 4, 1880.

Provancher, Pet. Faune Ent. Can., iii, p. 30, 1885.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 170, 1894.

Gillette and Baker, Hemip. Colo., p. 13, 1895.

Kirkland, Mass. St. Bd. Agr., Rept. xiv, p. 419, pl. 1, fig. 9, 1897.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 71, 1904.

Schouteden, Genera Ins., Fasc. 52, p. 72, 1907, Apateticus.

Zimmer, Univ. Neb. Studies, xi, p. 237, 1912, Apateticus.

?aggressor (Walker), Cat. Heter., ii, p. 359, 1867, Rhaphigaster.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., Ga., Ohio, Ill., Dak., Neb., Colo., Mont.

230. Podisus placidus Uhl.

Uhler, Am. Ent., ii, p. 203, 1870.

Gillette and Baker, Hemip. Colo., p. 13, 1895.

Uhler, Can. Ent., xxix, p. 116, 1897.

Van Duzee, Can. Ent., xxix, p. 160, 1897.

Kirkland, Mass. St. Bd. Agr., Rept. xlv, p. 416, 1897.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 71, 1907.

Schouteden, Genera Ins., Fasc. 52, p. 72, 1907.

Smith, Cat. Ins. N. J., Edn. 3, p. 138, 1910, Apateticus.

Olsen, Jl. N. Y. Ent. Soc., xx, p. 57, 1912.

Zimmer, Univ. Neb. Studies, xi, p. 238, 1912, Apateticus.

Localities: Quebec., Ont., Mass., N. Y., N. J., Mich., Ia., Neb., Colo.

231. Podisus sagitta (Fabr.)

Fabricius, Ent. Syst., iv, p. 99, 1794, Cimex.

Fabricius, Syst. Rhyng., p. 161, 1803, Cimex.

Stål, Enum. Hemip., i, p. 50, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 37, pl. 1, fig. 22, 1880.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 172.

Van Duzee, Trans. Am. Ent. Soc., xxx, p. 72, 1904.

Schouteden, Genera Ins., Fasc. 52, p. 72, 1907.

didymus (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 128, pl. Hémip. 9, fig.

Amyot and Serville, Hémip., p. 85, 1843, Arma. [2, 1805, Pentatoma.

Dallas, List of Hemip., i, p. 102, 1851, Arma.

Stål, Stet. Ent. Zeit., xxiii, p. 90, 1865, Telepta.

Walker, Cat. Heter., i, p. 135, 1867, Arma.

Stål, Of. Vet. Akad. Forh., xxiv, p. 497, 1867.

monospilus (Walker), Cat. Heter., i, p. 136, 1867, Arma.

Localities: Texas. (Neotropical.)

232. Podisus fuscescens (Dall.)

Dallas, List of Hemip., i, p. 102, 1851, Arma.

Stål, Of. Vet. Akad. Forh., xxiv, p. 497, 1867.

Stål, Enum. Hemip., i, p. 50, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 38, pl. 4, fig. 20, 1880.

Barber, Brookl. Inst. Sci. Bul., i, p. 263, 1906.

Schouteden, Genera Ins., Fasc. 52, p. 71, 1907.

||fuscescens (Stål), Stet. Ent. Zeit., xxiii, p. 90, 1862, Telepta.

Localities: Texas. (Mexico.)

233. Podisus mucronatus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 386, 1897. Kirkland, Mass. St. Bd. Agr., Rept. xlv, p. 437, pl. 1, fig. 9, 1897. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 72, 1904. Schouteden, Genera Ins., Fasc. 52, p. 72, 1907. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 158, 1909.

Localities: Fla. (Neotropical.)

Subgenus Tylospilus Stål

Logotype chilensis Spin.

Stål, Enum. Hemip., i, p. 52, 1870. Schouteden, Genera Ins., Fasc. 52, pp. 70, 73, 1907. (Names *chilensis* type.) Van Duzee, Can. Ent., xli, p. 371, 1909.

234. Podisus acutissimus Stål.

Stål, Enum. Hemip., i, p. 53, 1870.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 283, 1876, Tylospilus.
Distant, Biol. Centr. Am., Heter., i, p. 40, pl. 2, fig. 22, 1880.
Kirkland, Mass. St. Bd. Agr., Rept. xlv, p. 435, 1897.
Van Duzee, Trans. Am. Ent. Soc., xxx, p. 72, 1904.
Barber, Brookl. Inst. Sci. Bul., i, p. 264, 1906.
Localities: Colo., Texas, Ariz. (Mexico.)

Genus Zicrona Am. & Serv.

Haplotype caerulea (Linn.)

Amyot and Serville, Hémip., p. 86, 1843.

Dallas, List of Hemip., i, p. 107, 1851.

Fieber, Europ. Hemip., pp. 81, 346, 1861.

Douglas and Scott, Br. Hemip., p. 88, 1865.

Mulsant and Rey, Punais. de Fr., Pent., p. 360, 1866

Stål, Of. Vet. Akad. Forh., xxiv, p. 499, 1867.

Stål, Enum. Hemip., i, p. 36, 1870.

Stål, Of. Vet. Akad. Forh., xxix, No. 3, p. 40, 1872.

Schouteden, Genera Ins., Fasc. 52, p. 74, 1907.

235. Zicrona caerulea (Linn.)

Linnaeus, Syst. Nat., Edn. 10, i, p. 445, 1758, Cimex.
Linnaeus, Fauna Suec., Edn. 2, p. 250, No. 933, 1761, Cimex.
Geoffroy, Hist. des Ins., i, p. 472, No. 75, 1762, Cimex (not binominal).
Linnaeus, Syst. Nat., Edn. 12, i, pt. 2, p. 722, 1767, Cimex.
De Geer, Mémoirs, iii, p. 268, 1773, Cimex.
Fabricius, Syst. Ent., p. 716, 1775, Cimex.
Goeze, Ent. Beytr., ii, p. 201, 1778, Cimex.
Schrank, Enum. Ins. Aust., p. 275, 1781, Cimex.
Fabricius, Spec. Ins., ii, p. 359, 1781, Cimex.
Fourcroy, Ent. Paris., p. 218, 1785, Cimex.
Fabricius, Mantissa Ins., ii, p. 296, 1787, Cimex.
Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2154, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 123, 1794, Cimex. Wolff, Icon. Cimic., i, p. 18, fig. 18, 1800, Cimex. Walckenaer, Faune Paris., ii, p. 345, 1802, Cimex. Fabricius, Syst. Rhyng., p. 178, 1803, Cimex. Fallén, Monog. Cimic. Suec., p. 50, 1807, Cimex. Tigny, Hist. Nat. Ins., Edn. 2, iv, p. 299, 1813, Pentatoma. Curtis, Br. Ent., i, pl. 20, 1824, Pentatoma. Fallén, Hemip. Suec., Cimic., p. 32, 1829, Cimex. Hahn, Wanz. Ins., ii, p. 65, fig. 154, 1834, Pentatoma. Herrich-Schaeffer, Nomen. Ent., i, p. 56, 1835, Pentatoma. Burmeister, Handb. d. Ent., ii, p. 378, 1835, Asopus. Spinola, Essai sur les Hémip., p. 323, 1837 (1840), Cimex. Blanchard, Hist. des Ins., Hémip., p. 154, 1840, Stiretrus. Amyot and Serville, Hémip., p. 86, 1843. Herrich-Schaeffer, Wanz. Ins., vii, p. 112, 1844, Asopus. Kolenati, Melet. Ent., iv, p. 37, 1846, Asopus. Dallas, List of Hemip., i, p. 108, 1851. Gorski, Anal. Ent., i, p. 114, 1852, Asopus. Herrich-Schaeffer, Wanz. Ins., Verz., p. 17, 1853, Arma. Flor, Rhyng., Livl., i, p. 90, 1860, Asopus. Fieber, Europ. Hemip., p. 346, 1861. Douglas and Scott, Br. Hemip., p. 88, pl. 3, fig. 3, 1865. Mulsant and Rey, Punais. de Fr., Pent., p. 360, 1866. Stål, Enum. Hemip., i, p. 36, 1870. Reuter, Rev. Synon., p. 151, No. 80, 1888. Saunders, Hemip. Heter. Br. Isds., p. 36, pl. 3, fig. 10, 1892. Distant, Fauna Br. Ind., Rhyng., i, p. 255, fig. 163, 1902. Van Duzee, Trans. Am. Ent. Soc., xxx, p. 68, 1904. Schouteden, Genera Ins., Fasc. 52, p. 74, 1907. [history.) Kershaw and Kirkaldy, Jl. Bomb. Nat. Hist. Soc., xix, p. 333, 1909 (life Schumacher, Zeit. f. Wissen. Insk., vii, p. 44, 1911(?) (life history.) concinna (Westwood), Hope Cat., i, p. 39, 1837, Pentatoma. violacea (Westwood), Hope Cat., i, p. 39, 1837, Pentatoma. illustris Amyot and Serville, Hémip., p. 87, 1843. cuprea Dallas, List of Hemip., i, p. 108, 1851. Stål, Enum. Hemip., i, p. 37, 1870. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 395, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 282, 1876. Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1323. Gillette and Baker, Hemip. Colo., p. 12, 1895. Snow, Trans. Kan. Acad. Sci., xx, pt. 1, 177, 1906. Localities: Ont., N. H., Colo., Utah, Idaho, N. Mex., Ariz., Calif., Br. Col.

Superfamily COREOIDEAE Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 78, 1910. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 38, 49, 1912. Oshanin, Kat. Palae. Hemip., p. 20, 1912.

Family COREIDAE (Leach)

Leach, Brewster's Edinbg. Encyc., ix, p. 121, 1815, Coreides.

Stephens, Cat. Br. Ins., ii, p. 340, 1829, Coreidac.

Laporte, Essai Classif. Syst. Hémip., p. 41, 1832, Coreites.

Leach, Brewster's Edinbg. Encyc., Am. Edn., viii, p. 710, 1832, Tribe Coreides.

Herrich-Schaeffer, Nom. Ent., i, p. 35, 1835, Coreides.

Burmeister, Handb. d. Ent., ii, p. 299, 1835, Coreodes.

Brullé, Hist. des Ins., ix, p. 348, 1835, Coriens.

Spinola, Essai sur les Hémip., p. 122, 1837, Coreites.

Costa, Cimic. Neap., Cent. i, p. 25, 1838, Coreini.

Blanchard, Hist. des Ins., Hémip., p. 115, 1840, Coreites.

Westwood, Intr. Mod. Classif. Ins., p. 482; Synop., p. 123, 1840, Coreidae.

Spinola, Tavola Sinot., pp. 26, 38, 1850, Coreitae (in part).

Herrich-Schaeffer, Wanz. Ins., ix, p. 232, 1853, Coreodes.

Flor, Rhyng., Livl., i, p. 164, 1860, Coreodea.

Fieber, Europ. Hemip., pp. 26, 55, 1861.

Stål, Of. Vet. Akad. Forh., xix, p. 203, 1862, Coreida.

Stål, Hemip. Afr., ii, p. 1, 1865, Coreida.

Douglas and Scott, Br. Hemip., pp. 16, 109, 1865, Section Coreina.

Stål, Of. Vet. Akad. Forh., xxiv, p. 534, 1867, Coreida.

Stål, Enum. Hemip., i, p. 125, 1870, Coreina.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 399, 1872, Coreidae.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 291, 1876, Coreidae.

Distant, Biol. Centr. Am., Heter., i, p. 103, 1881, Coreidae.

Uhler, Check List, p. 9, 1886, Coreidae.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 1, 1894, Coreidae.

Distant, Fauna Br. Ind., Rhyn., i, p. 331, 1902, Coreidae.

Oshanin, Verz. Palae. Hemip., i, p. 177, 1906, Coreidae.

Kirkaldy, Can. Ent., xlii, p. 63, 1910.

Horvath, Ann. Mus. Nat. Hung., ix, p. 8, 1911, Coreidae.

Supericornes Amyot and Serville, Hémip., pp. xxx, 183, 1843.

Dorhn, Cat. Hemip., p. 23, 1859, Supericornia.

Dallas, List of Hemip., ii, p. 369, 1851, Tribe Supericornia.

†Lygaeidae Kirkaldy, Entomol., xxxii, p. 220, 1899.

Kirkaldy, Trans. Ent. Soc. Lond. for 1905, p. 350.

Kirkaldy, Proc. Haw. Ent. Soc., i, pp. 139, 146, 1907.

Bueno and Brimley, Ent. News, xviii, p. 439, 1907.

Kirkaldy, Can. Ent., xl, p. 360, 1908.

Subfamily MEROCORINAE (Stål)

Stål, Enum. Hemip., i, p. 125, 1870, Merocorina.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 295, 1876, Merocorina.

Berg, Hemip. Argent., p. 63, 1889, Merocorina.

Distant, Biol. Centr. Am., Heter., i, p. 103, 1881, Merocorinae.

Uhler, Check List, p. 9, 1886, Merocorina.

Bergroth, Mém. Soc. Ent. Belg., xxii, p. 128, 1913, Merocorinae.

Meropachydida Stål, Of. Vet. Akad. Forh., xxiv, pp. 535, 536, 1867.

Genus Merocoris Perty

Logotype acridoides Fabr. = typhaeus Fabr.

Perty, Del. Anim. Artic., p. 170, 1830.

Brullé, Hist. Nat. des Ins., ix, p. 357, 1835 (names acridoides type; valid?).

Blanchard, Hist. des Ins., Hémip., p. 117, 1840.

Amyot and Serville, Hémip., p. 243, 1843.

Dallas, List Hemip., ii, p. 419, 1852.

Stål, Of. Vet. Akad. Forh., xxiv, p. 537, 1867.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 95, 1868.

Stål, Enum. Hemip., i, p. 129, 1870.

Berg, Hemip. Argent., p. 281, 1884.

Bergroth, Mém. Soc. Ent. Belg., xxii, p. 128, 1913.

Corynomerus Spinola, Essai sur les Hémip., p. 126, 1837 (1840). (Haplo-Spinola, Tavola Sinot., p. 40, 1850. [type elevatus Spin.)

Hebecerus Kolenati, Melet. Ent., ii, p. 65, 1845.

Herrich-Schaeffer, Wanz. Ins., ix, pp. 243, 272, 1853.

Corynocoris Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 95, 1868. (Logo-Stål, Of. Vet. Akad. Forh., xxiv, p. 537, 1867. [type typhaeus Fabr.)

Stål, Enum. Hemip., i, p. 129, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 106, 1881.

Uhler, Check List Hemip., p. 10, 1886.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 4, 1894.

Banks, Cat. Nearc. Hemip., p. 81.

Van Duzee, Check List Hemip., p. 10, 1916.

236. Merocoris typhaeus (Fabr.)

Fabricius, Ent. Syst., Suppl., p. 537, 1798, Lygaeus.

Dallas, List of Hemip., ii, p. 419, 1852, Merocoris.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 95, 1868.

Stål, Enum. Hemip., i, p. 129, 1870.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 26, 1910.

Bueno and Engelhardt, Can. Ent., xlii, p. 149, 1910.

Smith, Cat. Ins., N. J., Edn. 3, p. 145, 1910.

acridioides (Fabricius), Syst. Rhyng., p. 200, 1803, Coreus.

Wolff, Icon. Cimic., v, p. 192, fig. 186, 1811, Coreus.

rugosus (Amyot and Serville), Hémip., p. 244, 1843, Merocoris.

a. var. distinctus (Dall.)

Dallas, List of Hemip., ii, p. 419, 1852, Merocoris.

Stål, Enum. Hemip., i, p. 130, 1870.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 400, 1872, Merocoris.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 295, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 106, 1881.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 232, 1894.

Gillette and Baker, Hemip. Colo., p. 7, 1895.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 351, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 158, 1909.

Localities: Me., N. Y., N. J., Pa., Md., Va., N. C., Fla., Wisc., Ill., Mo., Kan., Okl., Colo., Utah, N. Mex., Texas, Ariz., Calif.

Subfamily COREINAE (Stål)

Stål, Of. Vet. Akad. Forh., xxiv, pp. 535, 543, 1867, Coreida. Stål, Enum. Hemip., i, p. 157, 1870, Coreina.

Coreidae 85

Stål, Of. Vet. Akad. Forh., xxix, No. 6, pp. 49, 50, 1872, Coreina. Stål, Enum. Hemip., iii, pp. 33, 34, 1873, Coreina.

Distant, Biol. Centr. Am., Heter., i, p. 121, 1881, Coreinae.

Uhler, Check List, p. 11, 1886, Coreinae.

Oshanin, Kat. Palae. Hemip., p. 20, 1912, Coreinae (in part).

Bergroth, Mem. Soc. Ent. Belg., xxii, p. 126, 1913, Coreinae.

TRIBE ACANTHOCEPHALINI (Stål)

Stål, Enum. Hemip., i, p. 149, 1870, Acanthocephalina.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 297, 1876, Acanthocephalina.

Distant, Biol. Centr. Am., Heter., i, p. 117, 1881, Acanthocephalinae.

Uhler, Check List, p. 10, 1886, Acanthocephalina.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 30, 1894, Acanthocephalidae.

Smith, Cat. Ins. N. J., Edn. 3, p. 146, 1910, Acanthocephalinae.

Bergroth, Mem. Soc. Ent. Belg., xxii, p. 128, 1913, Div. Acanthocephalaria. Placoscelidida Stål, Of. Vet. Akad. Forh., xxiv, p. 535, 1867.

Genus Acanthocephala Lap.

Orthotype compressipes (Fabr.) = latipes (Drury)

Laporte, Essai Classif. Syst. Hémip., p. 29, 1832.

Stål, Enum. Hemip., i, p. 149, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 117, 1881.

Uhler, Check List, p. 10, 1886.

|| Diactor Burmeister, Handb. d. Ent., ii, p. 233, 1835 (to replace Acantho-[cephala Lap.)

Metapodius Westwood, Hope Cat., ii, p. 4, 1842 (to replace Acanthocephala [Lap. and Diactor Burm.)

Stål, Of. Vet. Akad. Forh., xxiv, p. 541, 1867.

Walker, Cat. Heter., iv, p. 48, 1871.

*Metapodus Amyot and Serville, Hémip., p. 192, 1843.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 126, 1853.

Subgenus Acanthocephala Lap.

Stål, Enum. Hemip., i, p. 149, 1871.

237. Acanthocephala declivis (Say)

Say, Ins. La., p. 10, 1832; Compl. Writ., i, p. 305, Rhinuchus.

Say, Heter. N. Harm., p. 12, 1832; Fitch reprint, p. 772, Compl. Writ., i, p. Stål, Enum. Hemip., i, p. 150, 1870. [327, Anisoscelis.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 297, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 118, pl. 11, fig. 19, 1881.

Barber, Brookl. Inst. Sci. Bul., i, p. 265, 1906.

?alatus (Burmeister), Handb. d. Ent., ii, p. 334, 1835, Diactor.

Stål, Enum. Hemip., i, p. 150, 1870.

?thoracicus (Dallas), List of Hemip., ii, p. 428, 1852, Metapodius.

Stål, Stet. Ent. Zeit., xxiii, p. 294, 1862, Metapodius.

Localities: Ga., Fla., La., Texas, N. Mex., Ariz. (Neotropical.)

Subgenus Metapodiessa Kirk.

Logotype femorata (Fabr.)

Kirkaldy, Entomol., xxxv, p. 137, 1902 (n.n. for Metapodius Stål). †Metapodius Stål, Enum. Hemip., i, p. 150, 1870.

238. Acanthocephala femorata (Fabr.)

Fabricius, Syst. Ent., p. 708, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 240, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 351, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 288, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2142, 1788, Cimex.

Fabricius, Syst. Ent., iv, p. 137, 1794, Lygaeus.

Fabricius, Syst. Rhyng., p. 205, 1803, Lygaeus.

Wolff, Icon. Cimic., v, p. 195, fig. 189, 1811, Lygaeus.

Dallas, List of Hemip., ii, p. 430, 1852, Metapodius.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 126, 1853, Metapodius.

Stål, Enum. Hemip., i, p. 150, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 297, 1876, Metapodius.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 381, 1878, Metapodius.

Saunders, Ins. Inj. to Fruits, p. 220, fig. 225, 1883, Metapodius.

Distant, Proc. Zool. Soc. Lond. for 1901, p. 329.

Bueno and Brimley, Ent. News, xviii, p. 439, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 159, 1909.

nasulus (Say), Ins. La., p. 10, 1832; Compl. Writ., i, p. 305, Rhinuchus. Say, Heter. N. Harm., p. 12, 1832; Fitch reprint, p. 772; Compl. Writ., Kirkaldy, Can. Ent., xli, p. 30, 1909. [i, p. 327, Anisoscelis. bispinus (Westwood), Hope Cat., ii, p. 15, 1842, Metapodius.

checumus (Westwood), Hope Cat., 11, p. 15, 1842, Metapodius.

obscurus (Westwood), Hope Cat., ii, p. 15, 1842, Metapodius.

Localities: N. C., S. C., Ga., Fla., La., Okl., Texas.

239. Acanthocephala granulosa (Dall.) Dallas, List of Hemip., ii, p. 430, 1852, Metapodius.

Stål, Stet. Ent. Zeit., xxiii, p. 294, 1862, Metapodius.

Stål, Enum. Hemip., i, p. 151, 1870.

Uhler, Wheeler's Surv. 100th Mer., v, p. 831, 1875, Metapodius.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 298, 1876, Metapodius.

Distant, Biol. Centr. Am., Heter., i, p. 120, pl. 11, fig. 18, pl. 12, fig. 9, 1881.

Distant, Biol. Centr. Am., Heter., i, p. 359, 1892.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 233, 1894, Metapodius.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907.

†alatus (Herrich-Schaeffer), Wanz. Ins., vi, p. 53, fig. 613, 1842, Diactor. thomasii (Uhler), Hayden's Surv. Terr., Rept. for 1871, p. 399, 1872, [Metapodius.

Localities: Texas, Ariz., Calif.

240. Acanthocephala confraterna (Uhl.)

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 99, 1871, Metapodius.
Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 382, 1878, Metapodius.
Localities: Ga., Fla.

241. Acanthocephala instabilis (Uhl.)

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 98, 1871; xix, p. 381, 1878,
[Metapodius.

Localities: Pa., N. C., Ga.

242. Acanthocephala terminalis (Dall.)

Dallas, List of Hemip., ii, p. 431, 1852, Metapodius. Stål, Enum. Hemip., i, p. 151, 1870.

Uhler, Hayden's Surv. for 1871, p. 400, 1872, Metapodius.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 298, 1876, Metapodius.
Bueno and Brimley, Ent. News, xviii, p. 439, 1907.
Bueno, Jl. N. Y. Ent. Soc., xvi, p. 227, 1908.
Smith, Cat. Ins. N. J., Edn. 3, p. 146, 1910.
†femoratus (Smith), Cat. Ins. N. J., Edn. 2, p. 122, 1900, Metapodius.
Localities: Mass., Conn., N. Y., N. J., Pa., N. C., Fla., Ill., Mo., La., Okl., Texas, Colo.

TRIBE ANISOSCELINI (A. & S.)

Amyot and Serville, Hémip., pp. xxxiv, 217, 1843, Anisoscelides.

Dallas, List of Hemip., ii, p. 449, 1852, Fam. Anisoscelidae (part).

Stål, Stet. Ent. Zeit., xxiii, p. 294, 1862, Anisoscelidae.

Stål, Of. Vet. Akad. Forh., xxiv, p. 543, 1867, Div. Anisoscelidida.

Stål, Enum. Hemip., i, p. 157, 1870, Anisoscelidina.

Stål, Enum. Hemip., iii, p. 35, 1873, Div. Anisoscelaria.

Distant, Biol. Centr. Am., Heter., i, p. 121, 1881, Div. Anisoscelaria.

Uhler, Check List, p. 11, 1886, Anisoscelaria.

[Anisoscelidae.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 44, 1894, Subfam.

Distant, Fauna Br. Ind., Rhyn., i, p. 381, 1902, Div. Anisoscelaria.

Smith, Cat. Ins. N. J., Edn. 3, p. 146, 1910, Subfam. Anisoscelinae.

Banks, Cat. Nearc. Hemip., p. 77, 1912, Anisoscelini. [division.)

Holymeniaria Bergroth, Mém. Soc. Ent. Belg., xxii, p. 142, 1913 (as

Genus Chondrocera Lap. Orthotype laticornis Lap.

Laporte, Essai Classif. Syst. Hémip., p. 44, 1832.
Blanchard, Hist. des Ins., Hémip., p. 119, 1840 (as subgenus of Coreus).
Stål, Of. Vet. Akad. Forh., xxiv, p. 544, 1867.
Stål, Enum. Hemip., i, p. 158, 1870.
Petalotoma Guerin in Sagra Hist. de Cuba, Ins., p. 388, 1857.

243. Chondrocera laticornis Lap.

Laport, Essai Classif. Syst. Hémip., p. 45, pl. 53, fig. 7, 1832.

Blanchard, Hist. des. Ins., Hemip., p. 119, 1840, Coreus.

Stål, Enum. Hemip., i, p. 158, 1870.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 12, 1907.

Banks, Cat. Nearc. Hemip., p. 77, 1910. [1857, Petalotoma. unicolor (Guerin) in Sagra, Hist. de Cuba, Ins., p. 389, pl. 13, fig. 8,

Localities: Fla. (West Indies.)

Genus Leptoglossus Guer. Haplotype dilaticollis Guer.

Guerin, Voy. Coquil., Zool., ii, pt. 2, p. 174, 1838. Stål, Enum. Hemip., i, p. 160, 1870. Distant, Biol. Centr. Am., Heter., i, p. 123, 1881. Distant, Fauna Br. Ind., Rhyn., i, p. 382, 1902 (names dilaticollis type). Kirkaldy, Entomol., xxxix, p. 257, 1906 (names dilaticollis type). Heidemann, Proc. Ent. Soc. Wash., xii, p. 191, 1910.

† Anisoscelis Spinola, Essai sur les Hemip., p. 200, 1837 (1840).

Dallas, List of Hemip., ii, p. 452, 1852.

Theognis Stål, Stet. Ent. Zeit., xxiii, p. 294, 1862. (Logotype scripta Stål, Hemip. Afr., ii, pp. 8, 85, 1865.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 101, 1868.

Stål, Of. Vet. Akad. Forh., xxiv, p. 544, 1867.

244. Leptoglossus phyllopus (Linn.)

Linnaeus, Syst. Nat., Edn. 12, i, pt. 2, p. 731, 1767, Cimex.

Linnaeus, Syst. Nat., Edn. 12, i, pt. 2, p. 731, 1767, Cimex. Fabricius, Syst. Ent., p. 708, 1775, Cimex. Goeze, Ent. Beytr., ii, p. 224, 1778, Cimex. Fabricius, Spec. Ins., ii, p. 351, 1781, Cimex. Fabricius, Mantissa Ins., ii, p. 289, 1787, Cimex. Fabricius, Ent. Syst., iv, p. 139, 1794, Lygaeus. Fabricius, Syst. Rhyng., p. 210, 1803, Lygaeus. Wolff, Icon. Cimic., v, p. 196, fig. 190, 1811, Lygaeus. Burmeister, Handb. d. Ent., ii, p. 332, 1835, Anisoscelis. Blanchard, Hist. des Ins., Hémip., p. 123, 1840, Anisoscelis. Westwood, Hope Cat., ii, p. 16, 1842, Anisoscelis. Amyot and Serville, Hémip., p. 218, 1843, Anisoscelis. Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 103, 1868, Theognis. Stål, Enum. Hemip., i, p. 161, 1870. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 400, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 298, 1876. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 383, 1878. Distant, Biol. Centr. Am., Heter., i, p. 124, 1881. Distant, Proc. Zool. Soc. Lond. for 1901, p. 330. Barber, Brookl. Inst. Sci. Bul., i, p. 265, 1906. Girault, Ent. News, xvii, p. 382, 1906 (feeding habits). - Stoll, Punaise, p. 30, fig. 54, 1792 (without name). albicinctus (Say), Heter. N. Harm., p. 12, 1832; Fitch reprint, p. 771; [Compl. Writ., i, p. 326, Anisoscelis. Stål, Hemip. Fabr., i, p. 52, 1868. fraterna (Westwood), Hope Cat., ii, p. 16, 1842, Anisoscelis. confusa (Dallas), List of Hemip., ii, p. 453, 1852, Anisoscelis. Localities: N. Y., Va., N. C., Fla., Mo., Okl., La., Texas, Ariz., (Neotropical.)

245. Leptoglossus zonatus (Dall.)

Dallas, List of Hemip., ii, p. 452, 1852, Anisoscelis.

Stål, Stet. Ent. Zeit., xxiii, p. 295, 1862, Theognis.

Stål, Enum. Hemip., i, p. 162, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 298, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 125, pl. 12, fig. 16, 1881.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 233, 1894.

Cockerell, Ent. News, xvi, p. 18, 1905.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907.

Localities: Ariz., Calif.

246. Leptoglossus corculus (Say)

Say, Heter. N. Harm., p. 12, 1832; Fitch reprint, p. 770; Compl. Writ., i, p. Stål, Enum. Hemip., i, p. 165, 1870. [326, Anisoscelis.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 298, 1876.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1325.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 383, 1878.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 233, 1894.

Gillette and Baker, Hemip. Colo., p. 17, 1895.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 352, 1904.

Bueno and Brimley, Ent. News, xviii, p. 440, 1907.

Smith, Cat. Ins. N. J., Edn. 3, p. 146, 1910.

excellens (Mayr), Verh. Zool.-Bot. Ges. Wien, xv, p. 434, 1865, Theognis. Localities: N. Y., N. J., Md., D. C., N. C., Ga., Fla., Tenn., Colo., N. Mex., Ariz., Calif.

247. Leptoglossus occidentalis Heid.

Heidemann, Proc. Ent. Soc. Wash., xii, p. 196, pl. 8, fig. 2, 1910. Localities: Colo., Idaho, Calif., Vanc. Isd.

248. Leptoglossus oppositus (Say)

Say, Heter. N. Harm., p. 12, 1832; Fitch reprint, p. 771; Compl. Writ., i, p. Stål, Enum. Hemip., i, p. 163, 1870. [327, Anisoscelis.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 298, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 383, 1878.

Distant, Trans. Ent. Soc. Lond. for 1900, p. 691.

Bueno and Brimley, Ent. News, xviii, p. 440, 1907.

Smith, Cat. Ins. N. J., Edn. 3, p. 146, 1910.

tibialis (Herrich-Schaeffer), Wanz. Ins., vii, p. 12, 1844, Anisoscelis.

Walker, Cat. Heter., iv, p. 125, 1871, Anisoscelis.

Localities: N. Y., N. J., Pa., Md., N. C., Ga., Ind., Ky., Okl., Texas. (Mexico.)

249. Leptoglossus fulvicornis (Westw.)

Westwood, Hope Cat., ii, p. 17, 1842, Anisoscelis.

Stål, Enum. Hemip., i, p. 161, 1870.

Distant, Proc. Ent. Soc. Lond. for 1901, p. 330, pl. 30, fig. 4.

magnoliae Heidemann, Proc. Ent. Soc. Wash., xii, p. 191, pl. 7, 1910; xiii,

[p. 132, 1911 (egg).

Localities: Mass., N. Y., D. C., N. C., Ga., Fla.

250. Leptoglossus gonagra (Fabr.)

Fabricius, Syst. Ent., p. 708, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 241, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 352, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 289, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2143, Cimex.

Fabricius, Ent. Syst., iv, p. 140, 1794, Lygaeus.

Fabricius, Syst. Rhyng., p. 210, 1803, Lygaeus.

Burmeister, Handb. d. Ent., ii, p. 332, 1835, Anisoscelis.

Westwood, Hope Cat., ii, p. 16, 1842, Anisoscelis.

Dallas, List of Hemip., ii, p. 453, 1852, Anisoscelis.

Guerin in Sagra, Hist. de Cuba, Ins., p. 387, 1857, Anisoscelis.

Stål, Stet. Ent. Zeit., xxiii, p. 295, 1862, Theognis.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 103, 1868, Theognis gonager.

Stål, Hemip. Fabr., i, p. 51, 1868.

Stål, Enum. Hemip., i, p. 165, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 126, 1881.

Distant, Ann. Mag. Nat. Hist., Ser. 7, vii, p. 417, 1901.

Banks, Cat. Nearc. Hemip., p. 78, 1910.

grallator (Herbst), Gem. Naturges., vi, p. 259, pl. 318, fig. 2, 1784, Cimex. antica (Herrich-Schaeffer), Wanz. Ins., iii, p. 92, fig. 316, 1835, Anisoscelis. Dallas, List of Hemip., ii, p. 453, 1852, Anisoscelis.

praecipua (Walker), Cat. Heter., iv, p. 128, 1871, Anisoscelis.

Localities: Fla. (Neotropical.)

251. Leptoglossus ashmeadi Heid.

Heidemann, Bul. Buf. Soc. Nat. Sci., ix, p. 237, 1909. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 160, 1909. Locality: Fla.

252. Leptoglossus clypealis Heid.

Heidemann, Proc. Ent. Soc. Wash., xii, p. 195, pl. 8, fig. 1, 1910. Localities: Colo., Utah, N. Mex., Ariz., Calif., Oregon.

Genus Narnia Stål

Haplotype femorata Stål

Stål, Stet. Ent. Zeit., xxiii, pp. 294, 296, 1862.

Stål, Of. Vet. Akad. Forh., xxiv, p. 544, 1867.

Stål, Enum. Hemip., i, p. 166, 1871.

Distant, Biol. Cent. Am., Heter., i, p. 126, 1881.

Subgenus Narnia Stål

Van Duzee, Ent. News, xvii, p. 386, 1906.

253. Narnia femorata Stål

Stål, Stet. Ent. Zeit., xxiii, p. 296, 1862.

Stål, Enum. Hemip., i, p. 166, 1870.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1325.

Distant, Biol. Centr. Am., Heter., i, p. 127, pl. 13, fig. 4, 1881.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 234, 1894.

Van Duzee, Ent. News, xvii, p. 384, 1906.

Localities: Texas, N. Mex., Ariz. (Mexico.)

254. Narnia inornata Dist.

Distant, Biol. Centr. Am., Heter., i, p. 361, pl. 33, fig. 10, 1892.

Banks, Cat. Nearc. Hemip., p. 78, 1910.

Hunter and Pratt, U. S. Dept. Agr., Div. Ent., Bul. 113, p. 41, 1913.

Localities: Calif. (Mexico.)

255. Narnia pallidicornis Stål

Stål, Enum. Hemip., i, p. 166, 1870.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 234, 1894.

Barber, Brookl. Inst. Sci. Bul., i, p. 266, 1906.

Van Duzee, Ent. News, xvii, p. 385, 1906.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907.

Hunter and Pratt., U. S. Dept. Agr., Div. Ent., Bul. 113, p. 32, 1913. Localities: Texas, Ariz., Calif. (Mexico.)

Subgenus **Xerocoris** Van D. Logotype snowi Van D.

Van Duzee, Ent. News, xvii, p. 384, 1906.

Van Duzee, Can. Ent., xl, p. 384, 1909 (names snowi type); xli, p. 372, 1910.

256. Narnia snowi Van D.

Van Duzee, Ent. News, xvii, p. 384, 1906.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907.

Hunter and Pratt, U. S. Dept. Agr., Div. Ent., Bul. 113, p. 41, 1913. Locality: Ariz.

257. Narnia wilsoni Van D.

Van Duzee, Ent. News, xvii, p. 385, 1906.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 5, 1914.

Localities: Ariz., Calif.

TRIBE LEPTOSCELINI (Stål)

Stål, Of. Vet. Akad. Forh., xxiv, p. 545, 1867, Leptoscelidida.

Stål, Enum. Hemip., i, p. 167, 1870, Div. Leptoscelidina.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 50, 1894, Subfam. Leptoscelidae. Bergroth, Mém. Soc. Ent. Belg., xx, p. 143, 1914, Div. Leptoscelidaria.

Genus Phthia Stål

Logotype lunata (Fabr.)

Stål, Stet. Ent. Zeit., xxiii, p. 294, 1862.

Stål, Of. Vet. Akad. Forh., xxiv, p. 545, 1867.

Stål, Enum. Hemip., i, p. 169, 1870.

258. Phthia picta (Drury)

Drury, Illust. Exotic Ent., i, p. 107, pl. 45, fig. 1, 1770, Cimex.

Westwood, Hope Cat., ii, p. 17, 1842, Leptoscelis.

Dallas, List of Hemip., ii, p. 457, 1852, Leptoscelis.

Stål, Stet. Ent. Zeit., xxiii, p. 296, 1862.

Stål, Hemip. Fabr., i, p. 53, 1868.

Stål, Enum. Hemip., i, p. 170, 1870.

Walker, Cat. Heter., iv, p. 131, 1871.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 249, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 128, 1881.

Snow, Trans. Kan. Acad., Sci., xx, pt. 1, p. 151, 1906.

ciliatus (Fabricius), Syst. Ent., p. 706, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 239, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 348, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 286, 1787, Cimex.

Fabricius, Ent. Syst., iv, p. 103, 1794, Cimex.

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2140, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 103, 1794, Cimex.

Fabricius, Syst. Rhyng., p. 164, 1803, Cimex.

leprosus (Fabricius), Syst. Ent., p. 719, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 257, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 364, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 299, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2171, 1788, Cimex. Fabricius, Ent. Syst., iv, p. 154, 1794, Lygaeus.

Fabricius, Syst. Rhyng., p. 222, 1803, Lygaeus.

candelabrum (Goeze), Ent. Beytr., ii, p. 254, 1778, Cimex.

crenulatus (Fabricius), Spec. Ins., ii, p. 353, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 290, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2144, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 144, 1794, Lygaeus.

Fabricius, Syst. Rhyng., p. 250, 1803, Alydus.

dispar (Fabricius), Syst. Rhyng., p. 214, 1803, Lygaeus.

divisus (Herrich-Schaeffer), Wanz. Ins., vii, p. 9, fig. 685, 1844, Anisoscelis. pulverulentus (Herrich-Schaeffer), Wanz. Ins., vii, p. 9, 1844, Anisoscelis. obscura (Dallas), List of Hemip., ii, p. 458, 1852, Leptoscelis.

annulipes (Guerin) in Sagra, Hist. de Cuba, Ins., p. 388, 1857, Anisoscelis.

Localities: Texas, Calif. (Neotropical.)

Genus Amblyomia Stål Haplotype bifasciata Stål

Stål, Enum. Hemip., i, p. 171, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 129, 1881.

259. Amblyomia bifasciata Stål

Stål, Enum. Hemip., i, p. 172, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 129, 1881.

Banks, Cat. Nearc. Hemip., p. 77, 1910.

Localities: "West States."

TRIBE MICTINI (Stål)

Stål, Of. Vet. Akad. Forh., xxiv, pp. 535, 538, 1867, Mictida.

Stål, Enum. Hemip., i, p. 130, 1870, Mictina; iii, pp. 34, 37, 1873, Div. Mictaria.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 295, 1876, Mictina.

Distant, Biol. Centr. Am., Heter., i, p. 106, 1881, Mictinae.

Uhler, Check List, p. 10, 1886, Mictina.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 5, 1894, Mictidae.

Oshanin, Verz. Palae. Hemip., i, p. 177, 1906, Div. Mictaria.

Oshanin, Kat. Palae. Hemip., p. 20, 1912, Mictaria.

Acanthoceraria Bergroth, Mém. Soc. Ent. Belg., xxii, p. 144, 1913.

Genus Thasus Stål

Logotype gigas (Burm.)

Stål, Ann. Soc. Ent. Fr., Ser. 4, v, p. 174, 1865. Stål, Of. Vet. Akad. Forh., xxiv, p. 538, 1867.

Stål, Enum. Hemip., i, p. 132, 1870.

260. Thasus gigas (Burm.)

Burmeister, Handb. d. Ent., ii, p. 338, 1835, Pachylis.

Brullé, Hist. Nat. des Ins., ix, p. 368, 1835, Pachylis.

Blanchard, Hist. des Ins., Hémip., p. 121, 1840, Pachylis.

Dallas, List of Hemip., ii, p. 383, 1852, Pachylis.

Stål, Enum. Hemip., i, p. 132, 1870.

Uhler, Wheeler's Surv. 100th Mer., v, p. 831, 1875, Pachylis.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 295, 1876, Pachylis.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1325, Pachylis. Distant, Biol. Centr. Am., Heter., i, p. 108, pl. 10, figs. 18, 19, 1881. Uhler, Check List, p. 10, 1886, Pachylis. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 232, 1894, Pachylis.

Localities: N. Mex., Ariz. (Mexico.)

Genus Mozena Am. & Serv.

Haplotype spinicrus Am. & Serv. = brunnicornis (H. S.)

Amyot and Serville, Hémip., p. 192, 1843. Stål, Of. Vet. Akad. Forh., xxiv, p. 538, 1867. Stål, Enum. Hemip., i, p. 134, 1870. Walker, Cat. Heter., iv, p. 46, 1871.

†Archimerus Stål, Stet. Ent. Zeit., xxiii, pp. 277, 278, 1862.

Subgenus Mozena Am. & Serv.

Stål, Enum. Hemip., i, p. 134, 1870.

261. Mozena brunnicornis (H. S.)

Herrich-Schaeffer, Wanz. Ins., vi, p. 26, fig. 582, 1842, *Archimerus*. Stål, Enum. Hemip., i, p. 134, 1870. Distant, Biol. Centr. Am., Heter., i, p. 109, 1881.

Banks, Cat. Nearc. Hemip., p. 80, 1910.

spinicrus Amyot and Serville, Hémip., p. 192, 1843.

Stål, Ann. Soc. Ent. Fr., Ser. 4, v, p. 175, 1865.

Walker, Cat. Hemip., iv, p. 46, 1871.

Localities: Ariz. (Mexico.)

262. Mozena lineolata (H. S.)

Herrich-Schaeffer, Wanz. Ins., vi, p. 25, fig. 581, 1842, Archimerus. Dallas, List of Hemip., ii, p. 418, 1851, Archimerus. Stål, Enum. Hemip., i, p. 134, 1870. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 296, 1876. Distant, Biol. Centr. Am., Heter., i, p. 110, 1881. Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 158, 1907.

Localities: Ariz., Calif. (Mexico.)

263. Mozena obtusa Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 296, 1876.Townsend, Can. Ent., xxiv, p. 193, 1892.Barber, Brookl. Inst. Sci. Bul., i, p. 265, 1906.

Localities: Texas, N. Mex.

264. Mozena lurida (Dall.)

Dallas, List of Hemip., ii, p. 417, 1852, Archimerus.
Stål, Stet. Ent. Zeit., xxiii, p. 279, 1862, Archimerus.
Stål, Enum. Hemip., i, p. 135, 1870.
Distant, Biol. Centr. Am., Heter., i, p. 111, pl. 12, fig. 1, 1881.
Barber, Brookl. Inst. Sci. Bul., i, p. 264, 1906.
Localities: Texas. (Neotropical.)

265. Mozena lunata (Burm.)

Burmeister, Handb. d. Ent., ii, p. 322, 1835, Archimerus. Herrich-Schaeffer, Wanz. Ins., vi, p. 24, fig. 580, 1842, Archimerus. Dallas, List of Hemip., ii, p. 416, 1852, Archimerus. Stål, Stet. Ent. Zeit., xxiii, p. 279, 1862, Archimerus.

Stål, Enum. Hemip., i, p. 134, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 295, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 110, 1881.

Barber, Brookl. Inst. Sci. Bul., i, p. 264, 1906.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 151, 1906; pt. 2, p. 158, 1907.

Localities: Texas, N. Mex., Ariz. (Mexico.)

Subgenus Rhombogaster Dall.

Haplotype lutea H. S.

Dallas, List of Hemip., ii, pp. 379, 415, 1852.

Stål, Enum. Hemip., i, p. 135, 1870.

†Discogaster Amyot and Serville, Hémip., p. 191, 1843.

266. Mozena obesa Montd.

Montandon, Bul. Soc. Sci. Bucarest, viii, p. 190, 1899. Locality: Fla.

Genus Capaneus Stål

Logotype rubro-notatus Stål

Stål, Stet. Ent. Zeit., xxiii, pp. 277, 279, 1862.

Stål, Of. Vet. Akad. Forh., xxiv, p. 538, 1867.

Stål, Enum. Hemip., i, p. 135, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 111, 1881.

Subgenus Xuthus Stål

Haplotype auriculatus Stål

Stål, Enum. Hemip., i, p. 136, 1870.

267. Capaneus auriculatus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 289, 1862.

Stål, Enum. Hemip., i, p. 136, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 296, 1876.

Distant, Biol. Centr. Am., Heter., 1, p. 112, pl. 11, fig. 8, 1881.

Localities: Texas, N. Mex. (Neotropical.)

Subgenus **Rhyparopharus** Stål

Haplotype spurcus Stål

Stål, Enum. Hemip., i, p. 137, 1870.

268. Capaneus spurcus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 291, 1862.

Distant, Biol. Centr. Am., Heter., i, p. 113, pl. 12, fig. 3, 1881.

Banks, Cat. Nearc. Hemip., p. 80, 1910.

Localities: Ariz. (Mexico.)

269. Capaneus incubitor (Fabr.)

Fabricius, Ent. Syst., iv, p. 136, 1794 Lygaeus.

Stål, Enum. Hemip., i, p. 227, 1870, Lygaeus.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 126, 1894, Lygaeus.

Locality: "Carolina."

Genus Archimerus Burm.

Logotype squalus Burm. = alternatus Say

Burmeister, Handb. d. Ent., ii, p. 321, 1835.

Herrich-Schaeffer, Wanz. Ins., vi, p. 23, 1842; ix, p. 240, 1853.

Stål, Of. Vet. Akad. Forh., xxiv, p. 538, 1867.

Stål, Enum. Hemip., i, p. 137, 1871.

Distant, Biol. Centr. Am., Heter., i, p. 130, 1881.

Piezogaster Amyot and Serville, Hémip., p. 197, 1843.

Stål, Stet. Ent. Zeit., xxiii, pp. 277, 292, 1862.

[loricata Dist.) Ojedena Distant, Biol. Centr. Am., Heter., i, p. 356, 1892. (Haplotype

270. Archimerus calcarator (Fabr.)

Fabricius, Syst. Rhyng., p. 192, 1803, Coreus.

Stål, Hemip. Fabr., i, p. 47, 1868.

Stal, Enum. Hemip., i, p. 137, 1870 (not distinguished from next).

! TUhler, Proc. U. S. Natl. Mus., xxvii, p. 352, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 158, 1909.

Banks, Cat. Nearc. Hemip., p. 80, 1910 (part).

Localities: "Carolina," Fla.

271. Archimerus alternatus (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 317, 1825; Compl. Writ., ii, p. 243, Stål, Of. Vet. Akad. Forh., xix, p. 504, 1872. [Coreus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 159, 1909.

squalus Burmeister, Handb. d. Ent., p. 321, 1835.

?rubiginosus Herrich-Schaeffer, Wanz. Ins., xi, p. 83, 1842.

muticus Herrich-Schaeffer, Wanz. Ins., vi, p. 52, fig. 612, 1842.

Walker, Cat. Heter., iv, p. 63, 1871.

albonotatus (Amyot and Serville), Hémip., p. 197, 1843, Piezogaster.

†calcarator Stål, Hemip. Fabr., i, p. 47, 1868.

Stål, Enum. Hemip., i, p. 137, 1870 (part).

Walker, Cat. Heter., iv, p. 62, 1871.

Uhler, Hayden's Surv. Terr. for 1871, p. 399, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 297, 1876.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 233, 1894.

Gillette and Baker, Hemip. Colo., p. 17, 1895.

Banks, Cat. Nearc. Hemip., p. 80, 1910 (part).

Localities: N. J., N. C., Tenn., Ill., Mich., Wisc., Kan., Okl., Colo.

272. Archimerus indecorus Walk.

Walker, Cat. Heter., iv, p. 64, 1871.

Distant, Biol. Centr. Am., Heter., i, p. 114, pl. 12, figs. 4, 5, 1881.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 159, 1909.

Localities: Ariz. (Mexico.)

273. Archimerus ashmeadi Montd.

Montandon, Bul. Soc. Sci. Bucarest, viii, p. 194, 1899.

Locality: Fla.

Genus Mamurius Stål

Haplotype mopsus Stål

Stål, Stet. Ent. Zeit., xxiii, pp. 278, 293, 1862.

Stål, Enum. Hemip., i, p. 138, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 115, 1881.

274. Mamurius mopsus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 293, 1862.
Stål, Enum. Hemip., i, p. 138, 1870.
Distant, Biol. Centr. Am., Heter., i, p. 115, pl. 12, fig. 15, 1881.
Barber, Jl. N. Y. Ent. Soc., xviii, p. 37, 1910.
Localities: Ariz. (Mexico.)

Genus Hymeniphera Lap.

Orthotype crucifer P. B.

Laporte, Essai Classif. Syst. Hémip., p. 43, 1832.

Kirkaldy, Entomol., xxxiii, p. 240, 1900.

†Hymenophora Amyot and Serville, Hémip., p. 212, 1843.

Stål, Of. Vet. Akad. Forh., xxiv, p. 539, 1867.

Mayr, Reise Freg. Novara, Zool., ii, p. 88, 1868.

†Acanthocerus Stål, Enum. Hemip., i, p. 144, 1870.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 20, 1894.

Distant, Biol. Centr. Am., Heter., i, p. 116, 1881.

275. Hymeniphera lobata (Burm.)

Burmeister, Handb. d. Ent., ii, p. 318, 1835, Crinocerus.

Herrich-Schaeffer, Wanz. Ins., vi, p. 17, fig. 573, 1842, Crinocerus.

Guerin, Sagra, Hist. de Cuba, Ins., p. 382, 1857, Coreus (Camptischium).

Stål, Enum. Hemip., i, p. 144, 1870.

Walker, Cat. Heter., iv, p. 113, 1871, Crinocerus.

Barber, Jl. N. Y. Ent. Soc., xxii, p. 171, 1914.

Localities: N. Mex. (West Indies.)

Genus Euthochtha Mayr Haplotype galeator (Fabr.)

Mayr, Verh. Zool.-Bot. Ges. Wien, xv, p. 431, 1865.

Mayr, Reise Freg. Novara, Zool., ii, p. 88, 1868.

Stål, Of. Vet. Akad. Forh., xxiv, p. 539, 1867.

Stål, Enum. Hemip., i, p. 145, 1870 (as subgen. of *Acanthoccrus*).

276. Euthochtha galeator (Fabr.)

Fabricius, Syst. Rhyng., p. 191, 1803, Coreus.

Dallas, List of Hemip., ii, p. 408, 1852, Crinocerus.

Mayr, Verh. Zool.-Bot. Ges. Wien, xv, p. 431, 1865.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 87, 1866.

Stål, Hemip. Fabr., i, p. 49, 1868.

Stål, Enum. Hemip., i, p. 145, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 297, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 381, 1878.

Bueno, Can. Ent., xl, p. 165, 1908 (larva).

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 159, 1909.

tibialis (Herrich-Schaeffer), Wanz. Ins., vi, p. 21, fig. 576, 1842, Crinocerus.

Localities: Mass., Conn., N. Y., N. J., Pa., Va., N. C., Fla., Ohio, Ill., Mich., Wisc., Neb., Kan., Texas.

TRIBE CORECORINI Van D.

Van Duzee, Check List Hemip., p. 12, 1916 (n.n. for Spartoceridae Dall.).
Spartoceridae Dallas, List of Hemip., ii, p. 369, 1852.

Stål, Of. Vet. Akad. Forh., xxiv, p. 545, 1867, Spartocerida.

Stål, Enum. Hemip., i, p. 172, 1870, Div. Spartocerina.

Berg, Hemip. Argent., p. 75, 1879, Div. Spartoceraria.

Distant, Biol. Centr. Am., Heter., i, p. 129, 1881, Div. Spartoceraria.

Menenotaria Bergroth, Mem. Soc. Ent. Belg., xxii, p. 147, 1913 (Division).

Genus Corecoris Hahn Haplotype cinnamomeus Hahn

Hahn, Wanz. Ins., ii, p. 14, 1834.

¶Spartocera Laporte, Essai Classif. Syst. Hémip., pp. 42, 43, 1832.

‡Spartocerus Burmeister, Handb. d. Ent., ii, pp. 341, 342, 1835.

Herrich-Schaeffer, Wanz. Ins., vi, p. 11, 1842, Spartocerus.

Amyot and Serville, Hémip., p. 186, 1843, Spartocera.

Spinola, Tavola Sinot., p. 41, 1850, Spartocera.

Dallas, List of Hemip., ii, pp. 370, 373, 1852, Spartocera.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 189, 1853, Spartocera.

Stål, Of. Vet. Akad. Forh., xxiv, p. 546, 1867, Spartocera.

Stål, Enum. Hemip., i, p. 172, 1870, Spartocera.

Walker, Cat. Hemip., iv, p. 4, 1871, Spartocera.

Distant, Biol. Centr. Am., Heter., i, p. 130, 1881, Spartocera.

Coreocoris Brullé, Hist. des Ins., ix, p. 365, 1835.

Spinola Essai sur les Hémip., p. 150, 1837.

277. Corecoris fuscus (Thunb.)

Thunberg, Nova Ins., Spec. ii, p. 44, 1783, Cimex.

Dohrn, Cat. Hemip., p. 23, 1859, Spartocera.

Stål, Rio Jan. Hemip., i, p. 29, 1860, Spartocera. Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 79, 1866, Spartocera.

Stål, Hemip. Fabr., i, p. 54, 1868, Spartocera.

Stål, Enum. Hemip., i, p. 174, 1870, Spartocera.

Berg, Hemip. Argent., p. 76, 1879, Spartocera.

Distant, Biol. Centr. Am., Heter., i, p. 130, 1881, Spartocera.

Distant, Ann. Mag. Nat. Hist., Ser. 7, vii, p. 420, 1901, Spartocera.

moestus (Fabricius), Ent. Syst., iv, p. 198, 1794, Reduvius.

Fabricius, Syst. Rhyng., p. 193, 1803, Coreus.

Dallas, List of Hemip., ii, p. 374, 1852, Spartocera.

geniculatus (Burmeister), Handb. d. Ent., ii, p. 342, 1835, Spartocerus.

Herrich-Schaeffer, Wanz. Ins., vi, p. 89, fig. 660, 1842, Spartocerus.

Amyot and Serville, Hémip., p. 186, 1843, Spartocera.

Guerin in Sagra, Hist. de Cuba, Ins., p. 378, 1857, Coreus.

serrulatus (Herrich-Schaeffer), Wanz. Ins., vi, pp. 12, 90, fig. 968, 1842, lateritus (Westwood), Hope. Cat., ii, p. 7, 1842, Spartocera. [Spartocera affinis (Westwood), Hope Cat., ii, p. 7, 1842, Spartocera.

†diffusa (Uhler), Proc. Zool. Soc. Lond. for 1893, p. 705, Spartocera.

Localities: Fla. (Neotropical.)

278. Corecoris diffusus (Say)

Say, Heter. N. Harm., p. 11, 1832; Fitch reprint, p. 770; Compl. Writ., i, p. Stål, Enum. Hemip., i, p. 175, 1870, Spartocera. [325, Coreus

Uhler, Check List, p. 9, 1886, Spartocera.

†cinnamomea (Uhler), Bul. U. S. Geol. Geog. Surv., i, p. 291, 1876, Sparto-Banks, Cat. Nearc. Hemip., p. 81, 1910, Spartocera. [cera.

Localities: Ga., Fla., N. Mex., Texas.

[This species may not be distinct from fuscus.]

279. Corecoris confluentus (Say)

Say, Heter. N. Harm., p. 11, 1832; Fitch reprint, p. 769; Compl. Writ., i, p. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 297, 1876, Sagotylus. [325, Coreus Uhler, Check List, p. 10, 1886, Sagotylus.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 233, 1894, Sagotylus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 159, 1909, Spartocera.

Localities: Fla., Ariz., Calif. (Mexico.)

Genus Sephina Am. & Serv. Haplotype pustulata (Fabr.)

Amyot and Serville, Hémip., p. 185, 1843.

Stål, Of. Vet. Akad. Forh., xxiv, p. 546, 1867.

Stål, Enum. Hemip., i, p. 176, 1870.

Walker, Cat. Heter. iv, p. 3, 1871.

Distant, Biol. Centr. Am., Heter., i, p. 131, 1881.

280. Sephina gundlachii (Guer.)

Guerin in Sagra, Hist. de Cuba, Ins., p. 377, pl. 13, fig. 6, 1857, Coreus. Stål, Enum. Hemip., i, p. 177, 1870.

Banks, Cat. Nearc. Heter., p. 81, 1910.

Localities: Fla. (Banks). (West Indies.)

281. Sephina grayi Van D.

Van Duzee, Ent. News, xx, p. 232, 1909.

Locality: Fla.

282. Sephina limbata Stål

Stål, Stet. Ent. Zeit., xxiii, p. 273, 1862.

Stål, Enum. Hemip., i, p. 177, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 291, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 132, pl. 12, fig. 22, 1881.

Banks, Cat. Nearc. Hemip., p. 81, 1910.

Localities: Calif.(?) (Banks). (Neotropical.)

TRIBE CHARIESTERINI (Stål)

Stål, Of. Vet. Akad. Forh., xxiv, p. 546, 1867, Chariesterida.

Stål, Enum. Hemip., i, p. 178, 1870, Div. Chariesterina.

Distant, Biol. Centr. Am., Heter., i, p. 133, 1881, Chariesteria.

Uhler, Check List., p. 9, 1886, Chariesterina.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 62, 1894, Subfam. Chariesterida.

Genus Chariesterus Lap.

Orthotype gracilis Lap. = armatus Thunb.

Laporte, Essai Classif. Syst. Hémip., p. 44, 1832.

Burmeister, Handb. d. Ent., ii, p. 316, 1835.

Spinola, Essai sur les Hémip., p. 145, 1837 (1840).

. . . .

Blanchard, Hist. des Ins., Hémip., p. 120, 1840 (as subgen. of Coreus). Amyot and Serville, Hémip., p. 210, 1843.
Herrich-Schaeffer, Wanz. Ins., vii, p. 3, 1844.
Spinola, Tavola Sinot., p. 41, 1850.
Dallas, List of Hemip., ii, p. 510, 1852.
Herrich-Schaeffer, Wanz. Ins., ix, pp. 237, 248, 1853.
Stål, Of. Vet. Akad. Forh., xvi, p. 473, 1859; xxiv, p. 546, 1867.
Stål, Enum. Hemip., i, p. 178, 1870.
Distant, Biol. Centr. Am., Heter., i, p. 133, 1881.

283. Charlesterus antennator (Fabr.)

Fabricius, Syst. Rhyng., p. 198, 1803, Coreus. [323, Gonocerus. Say, Heter. N. Harm., p. 10, 1832; Fitch reprint, p. 768; Compl. Writ., i, p. Blanchard, Hist. des Ins. Hémip., p. 120, 1840 (excel. synon.). Dallas, List of Hemip., ii, p. 510, 1852. Stål, Enum. Hemip., i, p. 178, 1870. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 291, 1876; iii, p. 405, 1877. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 385, 1878. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 232, 1894. Barber, Brookl. Inst. Sci. Bul., i, p. 266, 1906. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 160, 1909. Smith, Cat. Ins. N. J., Edn. 3, p. 146, 1910. [Writ., i, p. 323, Gonocerus. dubius (Say), Heter. N. Harm., p. 10, 1832; Fitch reprint, p. 768; Compl. tmoestus (Herrich-Schaeffer), Wanz. Ins., vii, p. 3, fig. 681, 1844. Localities: Pa., N. J., Va., N. C., Ga., Fla., Ind., Mich., Kan., Okl., Colo., Texas.

284. Charlesterus cuspidatus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 364, pl. 33, fig. 14, 1892. Barber, Brookl. Inst. Sci. Bul., i, p. 266, 1906. Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 151, 1906.

Localities: Texas. (Panama.)

285. Chariesterus albiventris Burm.

Burmeister, Handb. d. Ent., ii, p. 317, 1835. Stål, Enum. Hemip., i, p. 178, 1870. Distant, Biol. Centr. Am., Heter., i, p. 134, pl. 13, fig. 11, 1881. Snow, Trans. Kan. Acad. Sci., xx, pl. 1, p. 151, 1906. Localities: Texas. (Mexico.)

TRIBE COREINI (Stål)

Stål, Of. Vet. Akad. Forh., xxiv, p. 547, 1867, Coreida.
Stål, Enum. Hemip., i, p. 180, 1870, Coreina.
Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 51, 1872, Corearia.
Stål, Enum. Hemip., iii, p. 37, 1873, Corearia.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 292, 1876, Coreina.
Distant, Biol. Centr. Am., Heter., i, p. 135, 1881, Div. Corearia.
Uhler, Check List, p. 11, 1886, Corearia.
Oshanin, Kat. Palae. Hemip., p. 21, 1912, Corearia.

Bergroth, Mém. Soc. Ent. Belg., xxii, p. 153, 1913 (as division).

Centroscelidae Lethierry and Severin, Cat. Génl. Hémip., ii, p. 69, 1894

[(as subfamily.)]

Oshanin, Verz. Palae. Hemip., i, p. 185, 1906, Div. Centroscelidaria. Hypselonotaria Bergroth, Mém. Soc. Ent. Belg., xxii, p. 149, 1913 (as [division.)

Genus Madura Stål

Haplotype fusco-clavata Stål

Stål, Rio Jan. Hemip., i, p. 35, 1860. Stål, Stet. Ent. Zeit., xxiii, p. 305, 1862. Stål, Of. Vet. Akad. Forh., xxiv, p. 547, 1867. Distant, Biol. Centr. Am., Heter., i, p. 135, 1881.

286. Madura perfida Stål

Stål, Stet. Ent. Zeit., xxiii, p. 304, 1862.
Stål, Enum. Hemip., i, p. 180, 1870.
Distant, Biol. Centr. Am., Heter., i, p. 135, pl. 13, fig. 16, 1881.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 179, 1894.
Barber, Brookl. Inst. Sci. Bul., i, p. 267, 1906.
Localities: Texas. (West Indies, Mexico.)

Genus Chelinidea Uhler Haplotype vittiger Uhler

Uhler, Trans. Am. Ent. Soc., ii, p. 365, 1863.

Stål, Enum. Hemip., i, p. 180, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 136, 1881.

Provancher, Pet. Faune Ent. Can., iii, p. 54, 1885.

Xiphares Stål, Of. Vet. Akad. Forh., xxiv, p. 551, 1867. (Orthotype

287. Chelinidea tabulata (Burm.)

Burmeister, Handb. d. Ent., ii, p. 311, 1835, Gonocerus.
Stål, Stet. Ent. Zeit., xxiii, p. 304, 1862, Plunentis.
Stål, Of. Vet. Akad. Forh., xxiv, p. 551, 1867, Xiphares.
Stål, Enum. Hemip., i, p. 181, 1870.
Walker, Cat. Heter., iv, p. 184, 1871, Xiphares.
Distant, Biol. Centr. Am., Heter., i, p. 136, pl. 13, fig. 17, 1881.
Barber, Brookl. Inst. Sci. Bul., i, p. 267, 1906.
Hunter and Pratt, U. S. Dept. Agr., Div. Ent., Bul. N. S. 113, p. 19, 1913.
Localities: Texas, Utah, Colo., Calif. (Mexico.)

288. Chelinidea vittiger Uhl.

Uhler, Trans. Am. Ent. Soc., ii, p. 366, 1863.
Stål, Enum. Hemip., i, p. 180, 1870.
Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 401, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 292, 1876; iii, p. 405, 1877.
Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1324.
Provancher, Pet. Faune Ent. Can., iii, p. 55, 1885.
Townsend, Can. Ent., xxiv, p. 193, 1892.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 234, 1894.
Gillette and Baker, Hemip. Colo., p. 17, 1895.
Van Duzee, Can. Ent., xliv, p. 319, 1912.

Hunter and Pratt, U. S. Dept. Agr., Div. Ent., Bul. N. S. 113, p. 15, 1913. Localities: Quebec(†), Va., Ga., La., Colo., N. Mex., Utah, Idaho, Texas, Ariz., Calif.

Genus Margus Dall. Logotype pectoralis Dall.

Dallas, List of Hemip., ii, p. 523, 1852.

Stål, Stet. Ent. Zeit., xxiii, p. 303, 1862.

Stål, Of. Vet. Akad. Forh., xxiv, p. 549, 1867.

Stål, Hemip. Fabr., i, pp. 57, 58, 1868.

Stål, Enum. Hemip., i, p. 184, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 136, 1881.

Bergroth, Ann. Soc. Ent. Belg., lvi, p. 88, 1912.

Althos Kirkaldy, Entomol., xxxvii, p. 280, 1904 (n.n. for Margus). Banks, Cat. Nearc. Hemip., p. 75, 1910.

289. Margus inconspicuus (H. S.)

Herrich-Schaeffer, Wanz. Ins., vi, p. 14, fig. 570, 1842, Syromastes.

Stål, Stet. Ent. Zeit., xxiii, p. 303, 1862.

Stål, Hemip. Fabr., i, p. 58, 1868.

Stål, Enum. Hemip., i, p. 184, 1870.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 401, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 292, 1876; iii, p. 405, 1877.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1324.

Distant, Biol. Centr. Am., Heter., i, p. 137, 1881.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 352, 1904.

Localities: Colo., N. Mex., Texas., Ariz., Calif. (Mexico.)

290. Margus obscurator (Fabr.)

Fabricius, Syst. Rhyng., p. 200, 1803, Coreus.

Stål, Hemip. Fabr., i, pp. 57, 58, 1868.

Stål, Enum. Hemip., i, p. 185, 1870.

Berg, Hemip. Argent., p. 81, 1879.

Distant, Biol. Centr. Am., Heter., i, p. 137, 1881.

Distant, Ann. Mag. Nat. Hist., Ser. 7, vii, p. 424, 1901.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 160, 1909, Althos.

impudens Stål, Rio Jan. Hemip., i, p. 37, 1860.

Stål, Stet. Ent. Zeit., xxiii, p. 303, 1862.

tinornatus Uhler, Proc. Zool. Soc. Lond. for 1894, p. 179.

Localities: Fla. (Neotropical.)

Genus Namacus Am. & Serv.

Haplotype transvirgatus A. & S.

Amyot and Serville, Hémip., p. 242, 1843.

Stål, Of. Vet. Akad. Forh., xxiv, p. 547, 1867.

Stål, Enum. Hemip., i, p. 186, 1870.

[prominulus Stål.)

Dirnalus Stål, Of. Vet. Akad. Forh., xvi, p. 454, 1859. (Haplotype

291. Namacus annulicornis Stål

Stål, Enum. Hemip., i, p. 186, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 137, pl. 14, fig. 8, 1881.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 520, 1914.

Localities: Fla. (Mexico.)

Genus Scolopocerus Uhl. Haplotype secundarius Uhl.

Uhler, Wheeler's Surv. 100th Mer., v, p. 832, 1875. Distant, Biol. Centr. Am., Heter., i, p. 164, 1881. Van Duzee, Can. Ent., xli, p. 372, 1909. Barber, Jl. N. Y. Ent. Soc., xxii, p. 167, 1914. (Key.)

292. Scolopocerus secundarius Uhl.

Uhler, Wheeler's Surv. 100th Mer., v, p. 833, 1875.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 299, 1876.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 236, 1894.
Gillette and Baker, Hemip. Colo., p. 19, 1895.
Barber, Brookl. Inst. Sci. Bul., i, p. 268, 1906.
Localities: Colo., Texas, Ariz. (Mexico.)

293. Scolopocerus granulosus Barb.

Barber, Jl. N. Y. Ent. Soc., xxii, p. 166, 1914. Locality: Texas.

294. Scolopocerus uhleri Dist.

Distant, Biol. Centr. Am., Heter., i, p. 164, pl. 16, fig. 6, 1881. Barber, Brookl. Inst. Sci. Bul., i, p. 269, 1906. Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 178, 1906. Localities: Ariz., N. Mex.

Genus Catorhintha Stål Logotype guttula Fabr.

Stål, Of. Vet. Akad. Forh., xvi, p. 470, 1859.
Stål, Stet. Ent. Zeit., xxiii, p. 303, 1862.
Stål, Of. Vet. Akad. Forh., xxiv, p. 549, 1867.
Stål, Enum. Hemip., i, p. 187, 1870.
Distant, Biol. Centr. Am., Heter., i, p. 138, 1881.

295. Catorhintha guttula (Fabr.)

Fabricius, Ent. Syst., iv, p. 162, 1794, Lygaeus.

Fabricius, Syst. Rhyng., p. 228, 1803, Lygaeus.

Stål, Of. Vet. Akad. Forh., xvi, p. 471, 1859.

Stål, Hemip. Fabr., i, p. 58, 1868.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 292, 1876.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 234, 1894.

Gillette and Baker, Hemip. Colo., p. 18, 1895.

Distant, Ann. Mag. Nat. Hist., Ser. 7, vii, p. 424, 1901.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 12, 1907; ix, p. 160, 1909.

dorstger (Westwood), Hope Cat., ii, p. 25, 1842, Gonocerus.

Dallas, List of Hemip., ii, p. 504, 1852, Anasa.

Guerin, Sagra, Hist. de Cuba, Ins., p. 380, 1857, Coreus.

†selector Uhler, Proc. Zool. Soc. Lond. for 1894, p. 179.

Localities: Fla., Okl., Texas, N. Mex., Colo., Ariz. (Neotropical.)

296. Catorhintha mendica Stål

Stål, Enum. Hemip., i, p. 187, 1870. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 401, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 292, 1876; iii, p. 405, 1877. Wheeler's Rept. Chief Eng., for 1877, p. 1324.

Distant, Biol. Centr. Am., Heter., i, p. 138, pl. 13, fig. 21, 1881.

Gillette and Baker, Hemip. Colo., p. 18, 1895.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 178, 1906.

Localities: Dak., Colo., Okl., Texas, Ariz. (Mexico.)

297. Catorhintha selector Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 471, 1859.
Stål, Enum. Hemip., i, p. 188, 1870.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 292, 1876.
Distant, Biol. Centr. Am., Heter., i, p. 138, pl. 13, fig. 19, 1881.
Localities: Texas, N. Mex., Ariz. (Mexico.)

298. Catorhintha texana Stål

Stål, Enum. Hemip., i, p. 188, 1870.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 292, 1876.
Barber, Brookl. Inst. Sci. Bul., i, p. 267, 1906.
Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 178, 1906.
Localities: Okl., N. Mex., Texas, Ariz.

Genus **Ficana** Stål Haplotype apicalis (Dall.)

Stål, Stet. Ent. Zeit., xxiii, p. 303, 1862.
Stål, Of. Vet. Akad. Forh., xxiv, p. 548, 1867.
Stål, Enum. Hemip., i, p. 188, 1870.
Distant, Biol. Centr. Am., Heter., i, p. 138, 1881.

299. Ficana apicalis (Dall.)

Dallas, List of Hemip., ii, p. 499, 1852, Gonocerus.

Stål, Stet. Ent. Zeit., xxiii, p. 303, 1862.

Stål, Enum. Hemip., i, p. 188, 1870.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 401, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 292, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 138, pl. 14, fig. 1, 1881.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 235, 1894.

†Gillette and Baker, Hemip. Colo., p. 18, 1895.

Localities: Colo.(†), Ariz., Calif. (Mexico.)

Genus Cimolus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 302, 1862. Stål, Of. Vet. Akad. Forh., xxiv, p. 548, 1867. Stål, Enum. Hemip., i, p. 188, 1870. Distant, Biol. Centr. Am., Heter, i, p. 139, 1881.

300. Cimolus obscurus Stål

Haplotype vitticeps Stål

Stål, Enum. Hemip., i, p. 189, 1870. Localities: S. C., Texas.

Genus Anasa Am. & Serv.

Haplotype cornuta Am. & Serv.

Amyot and Serville, Hémip., p. 209, 1843.

Dallas, List of Hemip., ii, p. 504, 1852.

Herrich-Schaeffer, Wanz. Ins., ix, pp. 238, 251, 1853.

Stål, Stet. Ent. Zeit., xxiii, p. 299, 1862.

Stål, Of. Vet. Akad. Forh., xxiv, p. 548, 1867.

Stål, Hemip. Fabr., i, p. 57, 1868.

Stål, Enum. Hemip., i, p. 189, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 139, 1881.

[tristis De Geer.

¶Oriterus Hahn, Wanz. Ins., i, p. 8, 1831. (Used for destructor Hahn = Stål, Hemip. Fabr., v, p. 57, 1868.

Stål, Enum. Hemip., i, p. 189, 1870 (subgen. of Anasa). †Acanthocerus Stål, Enum. Hemip., i, p. 192, 1870 (in part).

301. Anasa tristis (De Geer)

De Geer, Mémoires, iii, p. 340, pl. 34, fig. 20, 1773, Cimex.

Goeze, Ent. Beytr., ii, p. 269, 1778, Cimex.

Dallas, List of Hemip., ii, p. 499, 1852, Gonocerus.

Stål, Hemip. Fabr., i, p. 56, 1868.

Stål, Enum. Hemip., i, p. 189, 1870.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 401, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 292, 1876; iii, p. 406, 1877.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1325.

Uhler, Proc. Bost. Soc. Nat. Hist, xix, p. 385, 1878.

Distant, Biol. Centr. Am., Heter., i, p. 139, 1881.

Provancher, Pet. Faune Ent. Can., iii, p. 53, 1885.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 234, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 172, 1894.

Gillette and Baker, Hemip. Colo., p. 18, 1895.

Smith, Cat. Ins. N. J., Edn. 3, p. 146, 1910.

moestus (Gmelin), in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2168,

Tigny, Hist. des Ins., Edn. 2, iv, p. 275, 1813, Cimex. [1788, Cimex. rugator (Fabricius), Syst. Rhyng., p. 192, 1803, Coreus.

Burmeister, Handb. d'Ent., ii, p. 311, 1835, Gonocerus.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 104, 1853, Homoeocerus.

ordinatus (Say), Jl. Acad. Nat. Sci. Phila., iv, p. 318, 1825; Compl. Writ., [ii, p. 244, Coreus.

destructor (Hahn), Wanz. Ins., i, p. 8, fig. 2, 1831, Oriterus.

Localities: Quebec, Ont., Mass., Conn., N. Y., N. J., Pa., Md., Fla., N. C., Ala., Ohio, Ill., Mich., Colo., Okl., N. Mex., Texas, Ariz., Calif. (Mexico.)

302. Anasa uhleri Stål

Stål, Hemip. Fabr., i, p. 57, 1868.

Stål, Enum. Hemip., i, p. 190, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 141, pl. 13, fig. 23, 1881.

Uhler, Check List, p. 11, 1886.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 234, 1894.

Localities: "West States" (Uhler). (Mexico.)

303. Anasa andrewsi (Guerin).

Guerin in Sagra, Hist. de Cuba, Ins., p. 383, pl. 13, fig. 9, 1857, Coreus.

Stål, Ann. Soc. Ent. Fr., Ser. 4, v, p. 186, 1865.

Stål, Hemip. Fabr., i, p. 57, 1868.

Stål, Enum. Hemip., i, p. 190, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 293, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 141, 1881.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 235, 1894.

Barber, Brookl. Inst. Sci. Bul., i, p. 268, 1906.

lugens Stål, Stet. Ent. Zeit., xxiii, p. 301, 1862.

Localities: Fla., La., Texas, N. Mex. (Neotropical.)

304. Anasa repetita Heid.

Heidemann, Proc. Ent. Soc. Wash., vii, p. 11, 1905.

Localities: N. Y., D. C., Md.

305. Anasa obliquua (Uhl.)

Uhler, Proc. Am. Ent. Soc., i, p. 23, 1861, Gonocerus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 293, 1876.

Localities: Calif.

306. Anasa scorbutica (Fabr.)

Fabricius, Syst. Ent., p. 706, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 239, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 349, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 286, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2141, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 129, 1794, Coreus.

Fabricius, Syst. Rhyng., p. 185, 1803, Coreus.

Stål, Hemip. Fabr., i, pp. 56, 57, 1868.

Stål, Enum. Hemip., i, p. 192, 1870.

Walker, Cat. Heter., iv, p. 108, 1871.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 293, 1876.

Berg, Hemip. Argent., p. 82, 1879.

Distant, Biol. Centr. Am., Heter., i, p. 142, 1881.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 179.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 235, 1894.

nebulosa (Palisot-Beauvois), Ins. Rec. Afr. Am., p. 205, pl. Hémip. 12, fig. moesta Dallas, List of Hemip., ii, p. 505, 1852. [6, 1805, Acanthocerus.

Guerin in Sagra, Hist. de Cuba, Ins., p. 380, 1857, Coreus.

spiniceps Stål, Stet. Ent. Zeit., xxiii, p. 300, 1862.

Localities: Fla., Okl., Texas. (West Indies, Mexico.)

307. Anasa armigera (Say)

Say, Jl. Acad., Nat. Sci. Phila., iv, p. 319, 1825; Compl. Writ., ii, p. 244, Stål, Hemip. Fabr., i, p. 57, 1868. [Coreus.

Stål, Enum. Hemip., i, p. 192, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 293, 1876.

Bueno and Brimley, Ent. News, xviii, p. 440, 1907.

Smith, Cat. Ins. N. J., Edn. 3, p. 146, 1910.

terminalis Dallas, List of Hemip., ii, p. 506, 1852.

Localities: N. J., Pa., Md. Va., N. C., S. C., Ga., Fla., Ohio, Kan.. Okl., Texas.

Genus Zicca Am. & Serv.

Haplotype nassulata A. & S. = nigropunctata De Geer

Amyot and Serville, Hémip., p. 240, 1843.

Stål, Of. Vet. Akad. Forh., xxiv, p. 547, 1867.

Stål, Enum. Hemip., i, p. 198, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 146, 1881.

308. Zicca taeniola (Dall.)

Dallas, List of Hemip., ii, p. 514, 1852, Clavigralla.

Stål, Stet. Ent. Zeit., xxiii, p. 299, 1862.

Stål, Enum. Hemip., i, p. 199, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 147, pl. 14, fig. 13, 1881.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 12, 1907. [Gonocerus.

?obsoletus (Herrich-Schaeffer), Wanz. Ins., vi, p. 10, fig. 567, 1842, Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 119, 1866, Cletus.

Stål, Enum. Hemip., iii, p. 78, 1873, Cletus.

delicatus (Guerin), in Sagra, Hist. de Cuba, Ins., p. 384, 1857, Coreus. [Taeniola is probably identical with obsoletus, in which case it must fall as synonym.]

Localities: "N. Am." (H. S.). (Neotropical.)

Genus Hypselonotus Hahn Logotype interruptus Hahn

Hahn, Wanz. Ins., i, p. 186, 1831.

Burmeister, Handb. d. Ent., ii, p. 319, 1835.

Brullé, Hist. des Ins., ix, p. 370, 1835.

Spinola, Essai sur les Hémip., p. 200, 1837 (1840).

Blanchard, Hist. des Ins., Hemip., p. 126, 1840.

Amyot and Serville, Hémip., p. 241, 1843.

Spinola, Tavola Sinot., p. 40, 1850.

Dallas, List of Hemip., ii, p. 464, 1851.

Herrich-Schaeffer, Wanz. Ins., ix, pp. 243, 268, 1853.

Stål, Of. Vet. Akad. Forh., xxiv, p. 548, 1867.

Stål, Enum. Hemip., i, p. 201, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 150, 1881.

Horvath, Ann. Mus. Natl. Hung., xi, p. 365, 1913. (Key.)

309, Hypselonotus punctiventris Stål

Stål, Stet. Ent. Zeit., xxiii, p. 297, 1862.

Stål, Enum. Hemip., i, p. 201, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 150, pl. 14, fig. 23, 1881.

Barber, Brookl. Inst. Sci. Bul., i, p. 268, 1906.

Horvath, Ann. Mus. Natl. Hung., xi, pp. 366, 369, 1913.

Localities: Texas. (Mexico.)

310. Hypselonotus fulvus (De Geer)

De Geer, Mémoirs, iii, p. 341, pl. 34, fig. 22, 1773, Cimex.

Goeze, Ent. Beytr., ii, p. 269, 1778, Cimex.

Dallas, List of Hemip., ii, p. 464, 1852.

Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 100, 1866.

Stål, Enum. Hemip., i, p. 201, 1870.

Berg, Hemip. Argent., p. 86, 1879. Distant, Biol. Centr. Am., Heter., i, p. 151, 1881. Banks, Cat. Nearc. Hemip., p. 77, 1910. Horvath, Ann. Mus. Natl. Hung., xi, pp. 366, 369, 1913.

a. var. venosus (Fabr.)

Fabricius, Ent. Syst., iv, p. 142, 1794, Lygaeus. Fabricius, Syst. Rhyng., p. 213, 1803, Lygaeus. Brullé, Hist. des Ins., ix, p. 371, 1835. Stål, Hemip. Fabr., i, p. 56, 1868. Localities: Texas(?) (Banks). (Neotropical.)

Genus Paryphes Burm. Logotype laetus (Fabr.)

Burmeister, Handb. d. Ent., ii, p. 335, 1835. Blanchard, Hist. des Ins., Hémip., p. 123, 1840. Amyot and Serville, Hémip., p. 202, 1843. Dallas, List of Hemip., ii, pp. 438, 439, 1852. Stål, Of. Vet. Akad. Forh., xxiv, p. 548, 1867. Stål, Enum. Hemip., i, p. 204, 1870. Distant, Biol. Centr. Am., Heter., i, p. 154, 1881. [laetus type.) Horvath, Ann. Mus. Natl. Hung., xi, p. 344, 1913. (Monograph; names

311. Paryphes rufoscutellatus (Gray)

Gray, Griffith's Anim. Kingd., xv, p. 241, pl. 97, fig. 1, 1832, Nematopus. Stål, Enum. Hemip., i, p. 205, 1870. Distant, Biol. Centr. Am., Heter., i, p. 154, 1881.

Banks, Cat. Nearc. Hemip., p. 77, 1910.

Localities: "Calif." (1) (Banks). (Mexico.)

Subfamily ALYDINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xxxiv, 221, 1843, Alydides. Dallas, List of Hemip., ii, p. 467, 1852, Fam. Alydidae. Stål, Of. Vet. Akad. Forh., xxiv, pp. 535, 542, 1867, Subfam. Alydida. Stål, Enum. Hemip., i, p. 209, 1870, Subfam. Alydina. Stål, Of. Vet. Akad. Forh., xxix, No. 6, pp. 50, 53, 1872, Subfam. Alydina. Stål, Enum. Hemip., iii, pp. 34, 84, 1873, Subfam. Alydina. Distant, Biol. Centr. Am., Heter., i, p. 156, 1881. Uhler, Check List, p. 12, 1886. Lethierry and Severin, Cat. Génl. Hémip., ii, p. 105, 1894, Subfam. Alydidae. Distant, Fauna Br. Ind., Rhyng., i, p. 407, 1902. Oshanin, Kat. Palae. Hemip., p. 23, 1912. Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 6, p. 49, 1912, Alydidae.

Bergroth, Mém. Soc. Ent. Belg., xxii, p. 15, 1913.

TRIBE MICRELYTRINI (Stål)

Stål, Of. Vet. Akad. Forh., xxiv, p. 542, 1867, Micrelytrida. Stål, Enum. Hemip., i, p. 215, 1870, Div. Micrelytrina. Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 53, 1872, Div. Micrelytraria. Stål, Enum. Hemip., iii, p. 84, Div. Micrelytraria. Distant, Biol. Centr. Am., Heter., i, p. 158, 1881, Div. Micrelytraria. Distant, Fauna Br. Ind., Rhyn., i, p. 407, 1902, Div. Micrelytraria.

Oshanin, Kat. Palae. Hemip., p. 24, 1912, Tribe Micrelytraria. Bergroth, Mem. Soc. Ent. Belg., xxii, p. 158, 1913, Div. Micrelytraria.

Genus Protenor Hagl. Haplotype belfragei Hagl.

Stål, Of. Vet. Akad. Forh., xxiv, p. 543, 1867 (invalid here).

Haglund, Stet. Ent. Zeit., xxix, p. 162, 1868 (validated by describing Stål, Enum. Hemip., i, p. 217, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 160, 1881.

Tetrarhinus Prov., Nat. Can., iv, p. 75, 1872. (Haplotype quebecensis Prov.)

312. Protenor belfragei Hagl.

Haglund, Stet. Ent. Zeit., xxix, p. 162, 1868.
Stål, Enum. Hemip., i, p. 217, 1870.
Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 402, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 295, 1876.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 172, 1894.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 549, 1905.
Smith, Cat. Ins. N. J., Edn. 3, p. 147, 1910.
Van Duzee, Can. Ent., xliv, p. 319, 1910.

quebecensis (Provancher), Nat. Can., iv, p. 76, 1872, Tetrarhinus.

Provancher, Pet. Faune Ent. Can., iii, p. 57, 1885, Tetrarhinus.

Localities: Quebec, Ont., N. Y., N. J., Md., Ill., Mich., Wisc., Colo., Texas.

Genus **Darmistus** Stål Haplotype subvittatus Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 469, 1859; xxiv, p. 543, 1867. Stål, Enum. Hemip., i, p. 217, 1870. Distant, Biol. Centr. Am., Heter., i, p. 160, 1881.

313. Darmistus subvittatus Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 469, 1859.
Stål, Enum. Hemip., i, p. 217, 1870.
Distant, Biol. Centr. Am., Heter., i, p. 160, pl. 15, fig. 10, 1881.
Gillette and Baker, Hemip. Colo., p. 19, 1895.
Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 151, 1906.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 5, 1914.
Localities: Colo., Texas, Calif.

Genus **Cydamus** Stål Haplotype *adspersipes* Stål

Stål, Rio Jan. Hemip., i, p. 33, 1860.
Stål, Of. Vet. Akad. Forh., xxiv, p. 542, 1867.
Stål, Enum. Hemip., iii, p. 88, 1873.
Distant, Biol. Centr. Am., Heter., i, p. 159, 1881.

314. Cydamus borealis Dist.

Distant, Biol. Centr. Am., Heter., i, p. 159, pl. 15, fig. 11, 1881. Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 151, 1906.

Localities: Texas. (Guatemala.)

Genus Esperanza Barb. Haplotype texana Barb.

Barber, Brookl. Inst. Sci. Bul., i, p. 269, 1906.

Bergroth, Mém. Soc. Ent. Belg., xxii, p. 158, 1913. (Subgen. of Cydamus.)

315. Esperanza texana Barb.

Barber, Brookl. Inst. Sci. Bul., i, p. 270, 1906. Locality: Texas.

TRIBE LEPTOCORISIINI (Stål)

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 54, 1872, Div. Leptocorisaria.

Stål, Enum. Hemip., iii, p. 85, 1873, Div. Leptocorisaria.

Distant, Biol. Centr. Am., Heter., i, p. 161, 1881, Div. Leptocorisaria.

Uhler, Check List, p. 12, 1886. [corisidae.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 102, 1894, Subfam. Lepto-

Distant, Fauna Br. Ind., Rhyn., i, p. 409, 1902, Div. Leptocorisaria.

Oshanin, Kat. Palae. Hemip., p. 24, 1912, Tribe Leptocorisaria.

Bergroth, Mém. Soc. Ent. Belg., xxii, p. 159, 1913, Div. Leptocorizaria.

†Gerrida Stål, Of. Vet. Akad. Forh., xxiv, p. 543, 1867.

Stål, Enum. Hemip., i, p. 217, 1870, Gerrina.

†Myodochinae Kirkaldy, Jl. Bomb. Nat. Hist. Soc., xiv, p. 306, 1902.

Genus Leptocorisa Latr.

Orthotype varicornis (Fabr.)

Latreille in Cuvier, Règn. Anim., Edn. 2, v, p. 197, 1829 (n.n. for Gerris Fabr. Latreille in Cuvier, Anim. Kingd., Lond. edn., iv, p. 163, 1836. [of 1803.)

Laporte, Essai Classif. Syst. Hémip., p. 25, 1832. (Names linearis type.)

Spinola, Essai sur les Hémip., p. 194, 1837 (1840).

Blanchard, Hist. des Ins., Hémip., p. 125, 1840.

Amyot and Serville, Hémip., p. 228, 1843.

Spinola, Tavola Sinot., p. 42, 1850.

Dallas, List of Hemip., ii, p. 482, 1851.

Dohrn, Cat. Hemip., p. 29, 1859.

Fieber, Europ. Hemip., pp. 58, 224, 1861.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 112, 1868.

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 54, 1872.

Stål, Enum. Hemip., iii, pp. 86, 87, 1873.

Distant, Biol. Centr. Am., Heter., i, p. 161, 1881.

Uhler, Check List, p. 13, 1886.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 102, 1894.

Distant, Fauna Br. Ind., Rhyng., i, p. 409, 1902 (cites tipuloides as type).

Oshanin, Verz. Palae. Hemip., i, p. 212, 1906.

Oshanin, Kat. Palae. Hemip., p. 24, 1912.

†Gerris Fabricius, Syst. Rhyng., p. 260, 1803 (not of 1794). (Type vari-Stål, Hemip. Afr., ii, p. 87, 1865. [cornis Fabr.)

Stål, Hemip. Afr., ii, p. 87, 1865. Stål, Of. Vet. Akad. Forh., xxiv, p. 543, 1867.

Stål, Hemip. Fabr., i, p. 66, 1868.

Stål, Enum. Hemip., i, p. 217, 1870.

Myodocha Latreille, Genera Crust. Ins., iii, p. 126, 1807 (n.n., invalid here).

Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 496, 1816 (for tipuloides and Kirkaldy, Jl. Bomb. Nat. Hist. Soc., xiv, p. 306, 1902. [trispinosa). Kirkaldy, Trans. Ent. Soc. Lond. for 1905, p. 350.

†Myodochus Leach., Brewster's Edinbg. Encyc., ix, p. , 1815.

Leach, Brewster's Edinbg. Encyc., Am. Edn., viii, p. 711, 1832 (for

Burmeister, Handb. d. Ent., ii, p. 325, 1835.

[tipuloides De Geer).

Herrich-Schaeffer, Wanz. Ins., viii, p. 94, 1848.

Leptocorise Latreille, Fam. Nat. du Règne Anim., p. 421, 1825 (not Latin). ¶Leptocoriza Berthold, Nat. Fam. des Tierrichs, p. 418, 1827.

Kirkaldy, Entomol., xli, p. 123, 1908.

Bergroth, Ent. Mitteil., ii, p. 12, 1913.

Reuter, Ann. Soc. Ent. Belg., lvii, p. 78, 1913.

Bergroth, Mém. Soc. Ent. Belg., xxii, p. 159, 1913. [Myodochus Burm.). Stenocoris Burmeister, Handb. d. Ent., ii, pt. 2, p. 1010, 1838 (n.n. for

Herrich-Schaeffer, Wanz. Ins., ix, pp. 244, 275, 1853.

Stål, Enum. Hemip., iii, p. 87, 1873. (Subgen. of Leptocorisa.)

†Leptocoris Westwood, Intr. Mod. Classif. Ins., ii, p. 483, 1840.

Rhabdocoris Kolenati Melet. Ent., ii, p. 67, 1845.

Stål, Enum. Hemip., iii, p. 86, 1873. (Subgen. of Leptocorisa.)

Erbula Stål, Enum. Hemip., iii, p. 86, 1873. (Subgen. of Leptocorisa.)

316. Leptocorisa tipuloides (De Geer)

De Geer, Mémoires, iii, p. 354, pl. 35, fig. 18, 1773, Cimex.

Goeze, Ent. Beytr., ii, p. 273, 1778, Cimex.

Retzius, Gen. et Spec. Ins., p. 89, 1783, Cimex.

Gmelin in Linnaeus, Syst. Nat., Edn. 13, i, pt. 4, p. 2194, 1788, Cimex.

Latreille, Gen. Crust. Ins., iii, p. 126, 1807, Myodocha.

Olivier, Encyc. Meth., viii, p. 106, 1811, Myodochus.

Lamarck, Hist. Nat. Crust. Ins., iii, p. 497, 1816, Myodocha.

Laporte, Essai Classif. Syst. Hémip., p. 33, 1832, Myodocha.

Burmeister, Handb. d. Ent., ii, p. 325, 1835, Myodochus.

Brullé, Hist. Nat. des Ins., ix, p. 389, 1835.

Amyot and Serville, Hémip., p. 229, 1843.

Dallas, List of Hemip., ii, p. 484, 1851.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 113, 1866.

Stål, Enum. Hemip., i, p. 218, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 294, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 162, 1881.

Distant, Proc. Zool. Soc. Lond. for 1901, pt. 1, p. 331.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 160, 1909.

crudelis Westwood, Hope Cat., ii, p. 18, 1842.

Localities: Fla., Texas. (Neotropical.)

TRIBE ALYDINI (Stål)

Stål, Of. Vet. Akad. Forh., xxiv, p. 542, 1867, Alydida.

Stål, Hemip. Fabr., i, p. 62, 1868, Alydida.

Stål, Enum. Hemip., i, p. 209, 1870, Div. Alydina.

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 54, 1872, Div. Alydaria.

Stål, Enum. Hemip., iii, pp. 85, 89, 1873, Div. Alydaria.

Distant, Biol. Centr. Am., Heter., i, p. 156, 1881, Div. Alydaria.

Uhler, Check List, p. 12, 1886, Alydina (part).

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 105, 1894, Alydidae.

Distant, Fauna Br. Ind., Rhyn., i, p. 412, 1902, Div. Alydaria.

Oshanin, Verz. Palae., Hemip., i, p. 213, 1906, Div. Alydaria.

Oshanin, Kat. Palae., Hemip., p. 24, 1912, Tribe Alydaria. Bergroth, Mém. Soc. Ent. Belg., xxii, p. 159, 1913, Div. Alydaria.

Genus Hyalymenus Am. & Serv. Logotype dentatus (Fabr.)

Amyot and Serville, Hémip., p. 223, 1843.

Dallas, List of Hemip., ii, p. 467, 1852.

Herrich-Schaeffer, Wanz. Ins., ix, p. 243, 1853; Verz., p. 105, 1853.

Stål, Of. Vet. Akad. Forh., xxiv, p. 542, 1867.

Stål, Enum. Hemip., i, p. 210, 1870; iii, p. 90, 1873.

Distant, Biol. Centr. Am., Heter., i, p. 156, 1881.

[Fabr.)

Tivarbus Stål, Of. Vet. Akad. Forh., xvi, p. 459, 1859. (Logotype sinuatus Galeottus Distant, Biol. Centr. Am., Heter., i, p. 459, 1893 (founded on a [nymph.)

317. Hyalymenus tarsatus (Fabr.)

Fabricius, Syst. Rhyng., p. 250, 1803, Alydus.

Stål, Of. Vet. Akad. Forh., xvi, p. 460, 1859, Tivarbus.

Stål, Hemip. Fabr., i, p. 62, 1868.

Stål, Enum. Hemip., i, p. 212, 1870.

Walker, Cat. Heter., iv, p. 162, 1871, Camptopus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 294, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 156, 1881.

Barber, Brookl. Inst. Sci. Bul., i, p. 270, 1906.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907.

atratus (Fabricius), Syst. Rhyng., p. 251, 1803, Alydus. diversipes (Westwood), Hope Cat., ii, p. 19, 1842, Alydus.

Dallas, List of Hemip., ii, p. 477, 1851, Alydus.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 236, 1894, Tivarbus.

affinis (Westwood), Hope Cat., ii, p. 19, 1842, Alydus.

Dallas, List of Hemip., ii, p. 477, 1851, Alydus.

obscurus (Westwood), Hope Cat., ii, p. 19, 1842, Alydus.

sinuatus (Herrich-Schaeffer), Wanz. Ins., viii, p. 98, fig. 865, 1846, Alydus.

recurvatus (Herrich-Schaeffer), Wanz. Ins., viii, p. 98, fig. 866, 1846, [Alydus.

pallens (Dallas), List of Hemip., ii, p. 476, 1852, Alydus. pectoralis (Stål), Rio Jan. Hemip., i, p. 34, 1860, Camptopus.

formicarius (Distant), Biol. Centr. Am., Heter., i, p. 459, pl. 39, fig. 23, [1893, Galeottus.

Localities: Texas, Ariz., Calif. (Neotropical.)

Stål, Enum. Hemip., i, p. 213, 1870 (n.n. for sinuatus Guer.).

Banks, Cat. Nearc. Heter., p. 74, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 521, 1914.

tsinuatus (Guerin), Sagra Hist. de Cuba, Ins., p. 390, 1857, Alydus.

318. Hyalymenus longispinus Stål

Localities: Fla. (West Indies.)

319. Hyalymenus pulcher (Stål)

Stål, Of. Vet. Akad. Forh., xi, p. 235, 1854, Alydus.

Stål, Enum. Hemip., i, p. 211, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 156, pl. 15, fig. 8, 1881.

Banks, Cat. Heter., p. 74, 1910.

Localities: "Texas"(?) (Banks). (Neotropical.)

Genus Megalotomus Fieb.

Logotype limbatus H. S. = junceus Scop.

Fieber, Europ. Hemip., pp. 58, 226, 1861.

Stål, Enum. Hemip., i, p. 214, 1870 (subgen. of Alydus.)

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 54, 1872.

Stål, Enum. Hemip., iii, pp. 90, 92, 1873.

Puton, Cat. Hémip. Palae., Edn. 3, p. 18, 1886.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 106, 1894.

Oshanin, Verz. Palae., Hemip., i, p. 217, 1906.

Oshanin, Kat. Palae., Hemip., p. 24, 1912. (Names junceus type.)

Huphus Mulsant and Rey, Punaise de Fr., iii, p. 158, 1870. (Rye says
 [Aug., 1871, Zoolog. Record, 1871, p. 418.)

320. Megalotomus 5-spinosus (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 323, 1824; Compl. Writ., ii, p. 247, Uhler, Proc. Ent. Soc. Phila., i, p. 23, 1861, Alydus. [Lygaeus.

Stål, Enum. Hemip., i, p. 214, 1870.

Uhler, Wheeler's Surv. 100th Merid., v, p. 832, 1875, Alydus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 294, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 283, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 56, 1885, Alydus.

Montandon, Proc. U. S. Natl. Mus., xvi, p. 50, 1893, Alydus.

Van Duzee, Can. Ent., xl, p. 110, 1908.

Smith, Cat. Ins. N. J., Edn. 3, p. 147, 1910, Alydus.

cruentus (Herrich-Schaeffer), Wanz. Ins., viii, p. 100, fig. 868, 1848,

Dallas, List of Hemip., ii, p. 477, 1852, Alydus.

[Alydus.

Localities: Quebec, Ont., Mass., N. Y., N. J., Pa., N. C., Fla., Ill., Wis., Colo., Utah, Calif., Wash., Vanc. Isd.

Genus Burtinus Stål

Haplotype notatipennis Stål

Stål, Of. Vet. Akad. Forh., xvi, pp. 458, 459, 1859.

Stål, Enum. Hemip., i, p. 214, 1870 (as subgen. of Alydus).

321. Burtinus notatipennis Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 459, 1859.

Stål, Stet. Ent. Zeit., xxiii, p. 305, 1862.

Stål, Enum. Hemip., i, p. 214, 1870, Alydus.

Walker, Cat. Heter., iv, p. 160, 1871, Alydus.

Distant, Biol. Centr. Am., Heter., i, p. 373, 1893, Alydus.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 37, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 521, 1914, Alydus.

femoralis (Distant), Biol. Centr. Am., Heter., i, p. 158, pl. 15, fig. 9, 1881, Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 235, 1894. [Alydus.

Localities: Texas. (Neotropical.)

Genus Alydus Fabr.

Orthotype calcaratus Linn.

Fabricius, Syst. Rhyng., p. 248, 1803.

Le Peletier and Serville, Encyc. Méth., x, p. 61, 1825.

Latreille, in Cuvier, Regne Anim., Edn. 2, v, p. 197, 1829.

Schilling, Beit., i, p. 49, 1829.

Fallén, Hemip. Suec., Cimic., p. 39, 1829. Curtis, Br. Ent., viii, pl. 369, 1831. Hahn, Wanz. Ins., i, p. 197, 1831. Laporte, Essai Classif. Syst. Hémip., p. 27, 1832. Herrich-Schaeffer, Nom. Ent., pp. 35, 43, 1835. Burmeister, Handb. d. Ent., ii, p. 323, 1835. Latreille in Cuvier, Anim. Kingd., Lond. Edn., iv, p. 163, 1836. Spinola, Essai sur les Hémip., p. 207, 1837 (1840). Blanchard, Hist. des Ins., Hémip., p. 125, 1840. Westwood, Intro. Mod. Classif. Ins., ii, Synop., p. 123, 1840. Amyot and Serville, Hémip., p. 225, 1843. Herrich-Schaeffer, Wanz. Ins., viii, p. 96, 1848. Spinola, Tavola Sinot., p. 40, 1850. Dallas, List of Hemip., ii, pp. 470, 477, 1852. Stål, Of. Vet. Akad. Forh., xvi, p. 458, 1859. Flor, Rhyng. Livl., i, p. 181, 1860. Fieber, Europ. Hemip., pp. 58, 225, 1861. Stål, Hemip. Afr., ii, p. 7, 1865. Stål, Of. Vet. Akad. Forh., xxiv, p. 542, 1867. Stål, Enum. Hemip., i, p. 213, 1870. Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 54, 1872. Stål, Enum. Hemip., iii, p. 90, 1873. Distant, Biol. Centr. Am., Heter., i, p. 157, 1881. Provancher, Pet. Faune Ent. Can., iii, p. 55, 1885. Barber, Jl. N. Y. Ent. Soc., xix, p. 30, 1911. (Key.) Alyde Latreille, Fam. Nat. Règ. Anim., p. 421, 1825. (French form.)

322. Alydus pluto Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 294, 1876; iii, p. 406, 1877. Gillette and Baker, Hemip. Colo., p. 19, 1895. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 352, 1904. Barber, Jl. N. Y. Ent. Soc., xix, p. 30, 1911. Localities: Kan., Colo., Utah., N. Mex., Texas, La., Calif., Wash.,

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 401, 1872.

Idaho, Vanc. Isd.

323. Alydus eurinus (Say) Say, Jl. Acad. Nat. Sci. Phila., iv, p. 324, 1824; Compl. Writ., ii, p. 247, Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 40, 1872. Lygaeus. Uhler, Wheeler's Surv. 100th Merid., v, p. 832, 1875. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 293, 1876; iii, p. 406, 1877; iv, p. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 384, 1878. [504, 1878. Distant, Biol. Centr. Am., Heter., i, p. 157, 1881. Provancher, Pet. Faune Ent. Can., iii, p. 55, 1885. Van Duzee, Can. Ent., xxi, p. 2, 1889. Montandon, Proc. U. S. Natl. Mus., xvi, p. 50, 1893. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 172, 1894. Barber, Jl. N. Y. Ent. Soc., xix, p. 30, 1911. ater Dallas, List of Hemip., ii, p. 478, 1852. Stål, Enum. Hemip., i, p. 213, 1870. tcalcaratus Uhler, Proc. Ent. Soc. Phila., i, p. 23, 1861. tpluto Provancher, Pet. Faune Ent. Can., iii, p. 56, 1885.

†vicarius (Provancher), Pet. Faune Ent. Can., iii, p. 175, 1887, Coriscus. §urinus Smith, Cat. Ins. N. J., Edn. 3, p. 147, 1910.

> Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., D. C., N. C., Ga., Ohio, Mo., Neb., Kan., Dak., Colo., Utah, Texas, Calif.

324. Alydus conspersus Montd.

Montandon, Proc. U. S. Natl. Mus., xvi, p. 49, 1893. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 172, 1894. Barber, Jl. N. Y. Ent. Soc., xix, p. 30, 1911.

Localities: Quebec, Ont., Mass., N. Y., N. J., Pa., Mich., Ia., Dak., Colo.

325. Alydus scutellatus Van D.

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 108, 1903. Cockerell, Univ. Colo. Studies, vii, p. 127, 1910. Barber, Jl. N. Y. Ent. Soc., xix, p. 30, 1911. Localities: Colo., N. Mex., Mont., Br. Col.

326. Alydus rufescens Barb.

Barb., Jl. N. Y. Ent. Soc., xix, pp. 29, 30, 1911.

Locality: Ariz.

327. Alydus pilosulus H. S.

Herrich-Schaeffer, Wanz. Ins., viii, p. 101, fig. 870, 1848.

Dallas, List of Hemip., ii, p. 478, 1852.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 294, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 384, 1878.

Montandon, Proc. U. S. Natl. Mus., xvi, p. 50, 1893.

Bueno and Brimley, Ent. News, xviii, p. 440, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 160, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 147, 1910.

Barber, Jl. N. Y. Ent. Soc., xix, p. 30, 1911.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 521, 1914.

[vittinosus Harris], Cat. Ins. Mass., 1833.

†eurinus Stål, Enum. Hemip., i, p. 213, 1870.

Localities: Mass., N. Y., N. J., Pa., Del., Md., N. C., Fla., Ill., Kans., Okl., Texas, Calif.

Genus Tollius Stål Haplotype curtulus Stål

Stål, Enum. Hemip., i, p. 213, 1870; iii, p. 89, 1873. (Subgenus of Alydus.)

328. Tollius curtulus (Stål)

Stål, Freg. Eug. Resa, Ins., p. 234, 1859, Alydus.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 294, 1876.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 236, 1894.
Gillette and Baker, Hemip. Colo., p. 18, 1895.
Barber, Jl. N. Y. Ent. Soc., xix, p. 31, 1911.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 6, 1914.
Localities: N. Y., Colo., Utah, Calif.

329. Tollius setosus (Van D.)

Van Duzee, Ent. News, xvii, p. 386, 1906, Alydus.
Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907.
Barber, Jl. N. Y. Ent. Soc., xix, p. 30, 1911, Alydus.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 6, 1914.

Localities: Mont., Utah, Ariz., Calif.

Genus Stachyocnemus Stål Haplotype apicalis Dall.

Stål, Enum. Hemip., i, p. 215, 1870; iii, p. 91, 1873.

330. Stachyocnemus apicalis (Dall.)

Dallas, List of Hemip., ii, p. 479, 1852, Alydus. Stål, Enum. Hemip., i, p. 215, 1870.
Uhler, Hayden's Surv. Terr. for 1871, p. 402, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 294, 1876.
Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1325.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 160, 1909.
Smith, Cat. Ins. N. J., Edn. 3, p. 147, 1910.

Localities: N. J., Fla., Texas, Dak., Calif.

Subfamily PSEUDOPHLOEINAE (Stål)

Stål, Of. Vet. Akad. Forh., xxiv, p. 535, 1867, Pseudophloeida.

Stål, Enum. Hemip., i, p. 219, 1870, Pseudophloeina.

Stål, Of. Vet. Akad. Forh., xxix, No. 6, pp. 50, 52, 1872, Pseudophloeina.

Stål, Enum. Hemip., iii, pp. 34, 81, 1873, Pseudophloeina.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 299, 1876, Pseudophloeina.

Distant, Biol. Centr. Am., Heter., i, p. 164, 1881, Pseudophloeinae.

Puton, Cat. Hémip. Palae., Edn. 3, p. 17, 1886, Div. Pseudophloeira.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 91, 1894 (Subfam.),

Distant, Fauna Br. Ind., Rhyng., i, p. 401, 1902, Pseudophloeinae.
Oshanin, Verz. Palaė., Hemip., i, p. 197, 1906, Pseudophloeina.
Banks, Cat. Nearc. Hemip., p. 73, 1910, Pseudophloeini.
Oshanin, Kat. Palae. Hemip., p. 22, 1912, Pseudophloeinae.
Arenocorinae Bergroth, Mém. Soc. Ent. Belg., xxii, p. 155, 1913.

Genus Ceraleptus Costa Logotype gracilicornis H. S.

Costa, Cimic. Reg. Neap., Cent., ii, p. 11, 1847.
Dallas, List of Hemip., ii, p. 523, 1852.
Fieber, Europ. Hemip., pp. 57, 219, 1861.
Stål, Enum. Hemip., i, p. 219, 1870.
Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 53, 1872.
Distant, Biol. Centr. Am., Heter., i, p. 165, 1881.

331. Ceraleptus pacificus Barber

Barber, Jl. N. Y. Ent. Soc., xxii, p. 167, 1914. Localities: Calif., Ore., Wash., Vanc. Isd.

332. Ceraleptus americanus Stål

Stål, Enum. Hemip., i, p. 219, 1870. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 299, 1876.

[Fabr.)

Distant, Biol. Centr. Am., Heter., i, p. 165, 1881.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 236, 1894.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 520, 1914.

Localities: Fla., Utah, Texas, Ariz., Calif. (Mexico.)

Genus Coriomeris Westw.

Logotype denticulatus Scop.

Westwood, Hope Cat., ii, p. 6, 1842 (n.n. for Coreus Burm. and Merocoris Hahn). Kirkaldy, Entomol., xxxiii, p. 240, 1900. (Names denticulatus type.) Kirkaldy, Entomol. xxxvi, p. 216, 1903.

Oshanin, Kat. Palae. Hemip., p. 23, 1912. (Names hirticornis Fabr. type.) Bergroth, Mém. Soc. Ent. Belg., xxii, p. 157, 1913. [Oshanin)

Van Duzee, Check List Hemip., p. 14, 1916 (type scabricornis Panz., after †Coreus Laporte, Essai Classif. Syst. Hémip., p. 43, 1832 (for hirticornis

Burmeister, Handb. d. Ent., ii, p. 309, 1835.

Amyot and Serville, Hémip., p. 237, 1843.

Herrich-Schaeffer, Wanz. Ins., ix, pp. 238, 255, 1853 (part).

Flor, Rhyng. Livl., i, p. 174, 1860.

Fieber, Europ. Hemip., pp. 57, 220, 1861.

Walker, Cat. Heter., v, p. 7, 1872.

Puton, Cat. Hémip. Palae., Edn. 3, p. 17, 1886.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 95, 1894.

Oshanin, Verz. Palae. Hemip., i, p. 203, 1906. [dentator Fabr.]

"Merocoris Hahn, Wanz. Ins., ii, p. 105, 1834 (for denticulata Scop. and Blanchard, Hist. des Ins., Hémip., p. 118, 1840. (Div. of Coreus.) Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 123, 1840.

Dasycoris Dallas, List of Hemip., ii, p. 519, 1852 (n.n. for Merocoris Hahn.)

Dohrn, Cat. Hemip., p. 31, 1859.

Stål, Enum. Hemip., i, p. 219, 1870.

Uhler, Check List, p. 13, 1886.

Banks, Cat. Nearc. Hemip., p. 73, 1910.

333. Coriomeris humilis (Uhl.)

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 403, 1872, Dasycoris.

Uhler, Wheeler's Surv. 100th Merid., v, p. 834, 1875, Dasycoris.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 299, 1876; iii, p. 407, 1877, Dasycoris.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1325, Dasycoris.

Gillette and Baker, Hemip. Colo., p. 19, 1895, Dasycoris.

†pilicornis (Uhler), Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872, Banks, Cat. Nearc. Hemip., p. 73, 1910, Dasycoris. [Dasycoris.

Localities: Kan., Colo., Texas, Ariz., Calif., Vanc. Isd.

334. Coriomeris nigricornis (Stål)

Stål, Enum. Hemip., i, p. 219, 1870, Dasycoris.

Distant, Biol. Centr. Am., Heter., i, p. 164, pl. 15, fig. 12, 1881, Dasycoris.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 236, 1894, Dasycoris.

Gillette and Baker, Hemip. Colo., p. 19, 1895, Dasycoris.

Banks, Cat. Nearc. Hemip., p. 73, 1910, Dasycoris.

Localities: Colo. (Mexico.)

Subfamily CORIZINAE (Mayr)

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 121, 1866, Corizida. Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 50, 1872, Corizina.

Stål, Enum. Hemip., iii, pp. 34, 97, 1873, Corizina. Distant, Biol. Centr. Am., Heter., i, p. 165, 1881, Corizinae. Puton, Cat. Hémip. Palae., p. 18, 1886, Tribe Corizini. Lethierry and Severin, Cat. Génl. Hémip., ii, p. 114, 1894, Corizidae. Distant, Fauna Br. Ind., Rhyn., i, p. 416, 1902. Oshanin, Verz. Palae. Hemip., i, p. 218, 1906, Corizina. Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 6, pp. 49, 59, 1912, Fam. Oshanin, Cat. Palae. Hemip., p. 25, 1912, Corizina. [Corizidae. Bergroth, Mém. Soc. Ent. Belg., xxii, p. 162, 1913. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 518, 1914, Corizidae. Rhopalides Amyot and Serville, Hémip., pp. xxxvi, 243, 1843. Dallas, List of Hemip., ii, p. 520, 1852, Fam. Rhopalidae (in part). Stål, Stet. Ent. Zeit., xxiii, p. 306, 1862, Rhopalida. Stål, Hemip. Afr., ii, pp. 1, 111, 1865, Rhopalida. Stål, Enum. Hemip., i, p. 219, 1870.

. TRIBE HARMOSTINI (Stål)

Stål, Enum. Hemip., iii, p. 97, 1873, Div. Harmostaria. Distant, Biol. Centr. Am., Heter., i, p. 166, 1881, Div. Harmostaria. Bergroth, Mém. Soc. Ent. Belg., xxii, p. 162, 1913, Div. Harmostaria.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 300, 1876.

Banks, Cat. Nearc. Hemip., p. 71, 1910, Rhopalini.

Uhler, Check List, p. 13, 1886.

Genus Harmostes Burm. Haplotype dorsalis Burm.

Burmeister, Handb. d. Ent., ii, p. 307, 1835.

Dallas, List of Hemip., ii, p. 520, 1852.

Herrich-Schaeffer, Wanz. Ins., ix., p. 270, 1853: Verz., p. 101, 1853.

Stål, Stet. Ent. Zeit., xxiii, p. 306, 1862.

Stål, Enum. Hemip., i, p. 219, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 166, 1881.

335. Harmostes serratus (Fabr.)

Fabricius, Ent. Syst., iv, p. 75, 1794, Acanthia.

Fabricius, Syst. Rhyng., p. 123, 1803, Syrtis.

Stål, Hemip. Fabr., i, p. 67, 1868.

Stål, Enum. Hemip., i, p. 220, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 166, pl. 15, fig. 13, 1881.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 300, 1876; iii, p. 407, 1877.

Uhler, Proc. Zool. Soc. Lond., for 1894, p. 180.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 236, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 13, 1907.

gravidator (Fabricius), Ent. Syst., iv, p. 133, 1794, Coreus.

Fabricius, Syst. Rhyng., p. 199, 1803, Corcus.

perpunctatus Dallas, List of Hemip., ii, p. 521, 1852.

Stål, Stet. Ent. Zeit., xxiii, p. 307, 1862.

Localities: Texas, Fla.

336. Harmostes reflexulus (Say)

Say, Heter. N. Harm., p. 10, 1832; Fitch reprint, p. 768; Compl. Writ., i, p. Stål, Enum. Hemip., i, p. 220, 1870. [323, Syromastes.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 403, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 300, 1876; iii, p. 407, 1877; iv, p. Uhler, Proc. Ent. Soc. Wash., ii, p. 371, 1893. [505, 1878.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 236, 1894.

Gillette and Baker, Hemip. Colo., p. 20, 1895.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 352, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 160, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 147, 1910.

virescens Dallas, List of Hemip., ii, p. 520, 1852.

Gillette and Baker, Hemip. Colo., p. 20, 1895.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, pp. 151, 178, 1906.

costalis, Herrich-Schaeffer, Wanz. Ins., ix, p. 270, fig. 992, 1853.

bruesi Bergroth, Ent. News, xxiv, p. 266, 1913.

Localities: Me., Mass., N. Y., N. J., Pa., Md., D. C., N. C., Ga., Fla., Ind., Ill., Wisc., Minn., Dak., Neb., Kan., Colo., Utah, Texas, Ariz., Calif., Idaho.

337. Harmostes subrufus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 167, pl. 15, fig. 16, 1881.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 37, 1910.

Localities: Ariz. (Guatemala.)

338. Harmostes(?) obliquus (Say)

Say, Heter. N. Harm., p. 11, 1832; Fitch reprint, p. 769; Compl. Writ., i, p. [324, Syromastes.

Locality: "U. S."

339. Harmostes fraterculus (Say)

Say, Heter. N. Harm., p. 10, 1832; Fitch reprint, p. 768; Compl. Writ., i, p. Stål, Enum. Hemip., i, p. 221, 1870. [324, Syromastes.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 300, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 168, pl. 15, fig. 18, 1881.

Barber, Brookl. Inst. Sci. Bul., i, p. 271, 1906.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 178, 1906.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 6, 1914.

Localities: N. J., Md., Va., Ga., Ind., Ill., Okl., Texas, Ariz., Calif. (Neotropical.)

340. Harmostes affinis Dall.

Dallas, List of Hemip., ii, p. 522, 1852.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 13, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 161, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 518, 1914.

Localities: Fla., Texas. (Mexico.)

Genus Aufeius Stål

Haplotype impressicollis Stål

Stål, Enum. Hemip., i, p. 221, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 168, 1881.

341. Aufeius impressicollis Stål

Stål, Enum. Hemip., i, p. 222, 1870.

Uhler, Hayden's Survey Terr., Rept. for 1871, p. 403, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 300, 1876; iii, p. 407, 1877. †Distant, Biol. Centr. Am., Heter., i, p. 169, pl. 15, fig. 20, 1881.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 178, 1906.

propinquus Distant, Biol. Centr. Am., Heter., i, p. 168, pl. 15, fig. 19, 1881. Gillette and Baker, Hemip. Colo., p. 19, 1895.

Barber, Brookl. Inst. Sci. Bul., i, p. 271, 1906.

Localities: Dak., Kan., Colo., Texas, Calif., Ariz. (Mexico.)

Genus **Xenogenus** Berg Haplotype picturatum Berg

Berg, Hemip. Argent., Add., p. 45, 1884. Distant, Biol. Centr. Am., Heter., i, p. 461, 1893.

342. Xenogenus extensum Dist.

Distant, Biol. Cent. Am., Heter., i, p. 461, pl. 39, fig. 26, 1893. Barber, Jl. N. Y. Ent. Soc., xviii, p. 37, 1910.

Localities: Ariz. (Mexico.)

TRIBE CORIZINI (Stål)

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 54, 1872, Div. Corizaria. Stål, Enum. Hemip., iii, p. 97, 1873, Div. Corizaria. Distant, Biol. Centr. Am., Heter., i, p. 169, 1881. Distant, Fauna Br. Ind., Rhyng., i, p. 416, 1902, Div. Coryzaria. Bergroth, Mém. Soc. Ent. Belg., xxii, p. 162, 1913, Div. Coryzaria.

Genus Corizus Fall.

Logotype hyoscyami (Linn.)

Fallén, Spec. Nova Hemip. Disp., p. 8, 1814.

Fallén, Hemip. Suec., Cimic., p. 40, 1829.

Burmeister, Handb. d. Ent., ii, pp. 302, 306, 1835.

Brullé, Hist. des Ins., ix, p. 358, 1835. (Names hyoscyami type.)

Herrich-Schaeffer, Nomen. Ent., pp. 35, 42, 1835.

Spinola, Essai sur les Hémip., p. 224, 1837 (1840).

Blanchard, Hist. des Ins., Hémip., p. 116, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 123, 1840.

Herrich-Schaeffer, Wanz. Ins., vi, p. 1, 1842.

Gorski, Anal. Ent., i, p. 157, 1852.

Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 75, 1859.

Flor, Rhyng. Livl., i, p. 187, 1860.

Fieber, Europ. Hemip., pp. 60, 234, 1861.

Stål, Stet. Ent. Zeit., xxiii, p. 306, 1862.

Stål, Hemip. Afr., ii, pp. 111, 114, 1865.

Mayr, Reise Freg. Novara, Zool., ii, p. 121, 1866.

Stål, Enum. Hemip., i, p. 222, 1870.

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 55, 1872.

Berg, Hemip. Argent., p. 93, 1879.

Distant, Biol. Centr. Am., Heter., i, p. 169, 1881.

Provancher, Pet. Faune Ent. Can., iii, p. 59, 1885, Corisus.

Hambleton, Ann. Ent. Soc. Am., i, p. 133, 1908.

Baker, Can. Ent., xl, p. 241, 1908.

[type.)

Oshanin, Kat. Palae. Hemip., p. 25, 1912. (Names subrufus Gmel. pseudo-

[Kleidocerys Stephens, MS], Syst. Cat. Brit. Ins., p. 342, 1829 (part). Rhopalus Schilling, Ent. Beit., p. 50, 1829.

Westwood, Intr. Mod. Classif, Ins., ii, Synop., p. 123, 1840. (Names [capitalus Wolff. type.)

Amyot and Serville, Hémip., p. 245, 1843 (for capitatus Fabr.) Dallas, List of Hemip., ii, p. 525, 1852. Walker, Cat. Heter., v, p. 18, 1872.

Subgenus Liorhyssus Stål Logotype hyalinus (Fabr.)

Stål, Enum. Hemip., i, p. 222, 1870. Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 55, 1872.

Stål, Enum. Hemip., iii, pp. 97, 98, 1873.

Oshanin, Verz. Palae. Hemip., i, p. 220, 1906.

Baker, Can. Ent., xl, p. 243, 1908.

Oshanin, Kat. Palae. Hemip., p. 25, 1912. (Names hyalinus type.) Colobatus Mulsant and Rey, Punaise de Fr., iii, p. 137, 1870.

343. Corizus hyalinus (Fabr.)

Fabricius, Ent. Syst., iv, p. 168, 1794, Lygaeus.

Fabricius, Syst. Rhyng., p. 201, 1803, Coreus.

Stål, Hemip. Fabr., i, p. 68, 1868.

Stål, Of. Vet. Akad. Forh., xxvii, p. 659, 1870.

Stål, Enum. Hemip., i, p. 222, 1870, Liorhyssus; iii, p. 98, 1873.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 300, 1876; iii, p. 407, 1877.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1325.

Distant, Biol. Cent. Am., Heter., i, p. 169, pl. 16, fig. 7, 1882.

Reuter, Rev. Synon., p. 171, 1888, Rhopalus.

Uhler, Proc. Ent. Soc. Wash., ii, p. 369, 1893.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 180.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 236, 1894.

Gillette and Baker, Hemip. Colo., p. 20, 1895.

Uhler, Proc. U. S. Nat. Mus., xxvii, p. 352, 1904.

Oshanin, Verz. Palae. Hemip., i, p. 220, 1906, Liorhyssus.

Kirkaldy, Proc. Haw. Ent. Soc., i, pp. 139, 146, 1907, Rhopalus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 13, 1907.

Hambleton, Ann. Ent. Soc. Am., i, p. 136, 1908.

Baker, Can. Ent., xl, p. 243, 1908, Liorhyssus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 161, 1909.

gracilis Herrich-Schaeffer, in Panzer, Fauna Germ, -, p. 127, 1835.

Herrich-Schaeffer, Nomen. Ent., pp. 42, 75, 1835.

Herrich-Schaeffer, Wanz. Ins., vi, p. 1, pl. 181, fig. C, 1842.

Gorski, Anal. Ent., i, p. 163, 1852.

Dallas, List of Hemip., ii, p. 528, 1852, Rhopalus.

Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 88, 1859.

Mulsant and Rey, Punaise de Fr., iii, p. 137, 1870, Colobatus.

truncatus Rambaur, Fauna Andal., ii, p. 144, 1842.

Fieber, Europ. Hemip., p. 234, 1861, Rhopalus.

Stål, Hemip. Afr., ii, p. 117, 1865.

variegatus Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 89, 1859. spathula Rey, Echange, iii, No. 36, p. 2, 1887.

a. var. sanguineus (Costa)

Costa, Cimic. Régne Neap., iii, p. 14, pl. 6, fig. 8, 1852, Rhopalus.
Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 104, 1859.
Dohrn, Stet. Ent. Zeit., xxi, p. 107, pl. 1, fig. 7, 1860.
Mulsant and Rey, Punaise de Fr., iii, p. 140, 1870.
siculus Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 91, 1859.
victoris Mulsant and Rey, Punaise de Fr., iii, p. 123, 1870, Rhopalus.

b. var. nigrinus Puton

Puton, Synop. Heter. Fr., ii, p. 117, 1881.

c. var. marginatus Jakl.

Jakowlef, Horae. Soc. Ent. Ross., vi, p. 10, 1871.

d. var. dilatipennis Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 89, 1859.

e. var. rubricatus Reut.

Reuter, Of. Finska Vet. Soc. Forh., xlii, p. 276, 1900, Liorhyssus.

[The varieties have not been worked out in America.]

Localities: Fla., Miss., Ohio, Iowa, Dak., Neb., Colo., Utah, Texas, N. Mex., Ariz., Calif. (Europe, Asia, Africa, America.)

344. Corizus viridicatus Uhler

Uhler, Hayden's Surv. Terr., Report for 1871, p. 404, 1872.

Horvath, Ann. Mus. Natl. Hung., vi, p. 556, 1908.

Hambleton, Ann. Ent. Soc. Am., i, p. 138, 1908.

Barber, Jl. N. Y. Ent. Soc., xxii, p. 171, 1914.

†hyalinus Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 407, 1877 (as variety). Localities: D. C., Dak., Neb., Colo., Utah, Wyom., N. Mex., Calif.

Subgenus Stictopleurus Stål Logotype crassicornis (Linn.)

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 55, 1872 (as genus).

Stål, Enum. Hemip., iii, p. 98, 1873 (as genus).

Reuter, Berl. Ent. Zeit., xxix, p. 42, 1885.

Puton, Cat. Hémip. Palae., Edn. 3, p. 18, 1886.

Oshanin, Verz. Palae. Hemip., i, p. 226, 1906 (as genus).

Oshanin, Kat. Palae. Hemip., p. 25, 1912. (Names crassicornis type).

†Corizus Baker, Can. Ent., xl, p. 242, 1908.

345. Corizus crassicornis (Linn.)

Linnaeus, Syst. Nat., Edn. 10, i, p. 448, 1758, Cimex.

Linnaeus, Fauna Suec., Rev. Edn., p. 254, No. 952, 1761, Cimex.

Linnaeus, Syst. Nat., Edn. 12, ii, p. 729, 1767, Cimex.

Fabricius, Syst. Ent., p. 723, 1775, Cimex.

Goeze, Ent. Beitr., ii, p. 217, 1778, Cimex.

Wolff, Icon. Cimic., iv, p. 146, fig. 140, 1804, Lygaeus.

Panzer, Fauna Germ., pt. 92, fig. 18, 1805, Coreus.

Herrich-Schaeffer, Nomen. Ent., p. 42, 1835.

Burmeister, Handb. d. Ent., ii, p. 306, 1835.

Hahn, Wanz. Ins., iii, p. 2, fig. 227, 1835, Rhopalus.

Spinola, Essai sur les Hémip, p. 249, 1837, Rhopalus.

Blanchard, Hist. des Ins., Hémip., p. 117, 1840.

Dallas, List of Hemip., ii, p. 527, 1852, Rhopalus. Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 79, 1859. Flor, Rhyng. Livl., i, p. 190, 1860. Fieber, Europ. Hemip., p. 234, 1861, Rhopalus. Stål, Of. Vet. Akad. Forh., xix, p. 208, 1862, subgen. Ehopalus. Douglas and Scott, Brit. Hemip., p. 131, 1865. Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 55, 1872, Stictopleurus. Walker, Cat. Heter., v, p. 19, 1872, Rhopalus. Reuter, Rev. Synon., p. 170, 1888, Rhopalus. Rey, Revue d'Ent., vii, p. 96, 1888. Oshanin, Verz. Palae. Hemip., i, p. 226, 1906, Stictopleurus. Van Duzee, Can. Ent., xl, p. 110, 1908. Horvath, Ann. Mus. Natl. Hung., vi, p. 556, 1908. Hambleton, Ann. Ent. Soc. Am., i, p. 137, 1908. alatus (Muller) Zool. Danic. Prod., p. 106, 1776, Cimex. punctato-nervosus (Goeze), Ent. Beytr., ii, p. 265, 1778, Cimex. sabulosus (Fourcroy), Ent. Paris., i, p. 202, 1785, Cimex. Geoffroy, Hist. Abr. des Ins., i, p. 448, 1762 (without name). †magnicornis (Fallén), Monog. Cimic., p. 59, 1807, Coreus. cellulatus Brullé, Exp. de Moreé, iii, p. 72, 1832. panzeri Dufour, Mém. Acad. Sci., iv, p. 166, 1833 (n.n. for crassicornis punctiventris (Dallas), List of Hemip., ii, p. 526, 1852, Rhopalus. [Panz.] Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 301, 1876; iv, p. 505, 1878. Provancher, Pet. Faune Ent. Can., iii, p. 60, 1885. Van Duzee, Can. Ent., xxi, p. 2, 1889. Uhler, Proc. Ent. Soc. Wash., ii, p. 370, 1893. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 237, 1894. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 173, 1894. Gillette and Baker, Hemip. Colo., p. 21, 1895. Barber, Brookl. Inst. Sci. Bul., i, p. 272, 1906. novoeboracensis Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 97, 1859. Van Duzee, 20th Rept. N. Y. St. Ent., p. 549, 1904. Baker, Can. Ent., xl, p. 242, 1908.

a. var. maculatus (Fieb.)

Fieber, Europ. Hemip., p. 234, 1861, Rhopalus.

Rey, Revue d'Ent., vii, p. 97, 1888.

b. var. pictus Horv.

Horvath, Schn. Beitr. z. Kennt. d. Cauc. Länd., p. 76, 1879.

borealis Uhler, Proc. Acad. Nat. Sci. Phila., xii, p. 284, 1862. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 403, 1872.

c. var. maculicollis Rey.

Rey, Revue d'Ent., vii, p. 97, 1888.

d. var. umbrinus Rey

Rey, Revue d'Ent., vii, p. 98, 1888.

e. var. griseus (Fieb.)

Fieber, Europ. Hemip., p. 233, 1861, Rhopalus. Rey, Revue d'Ent., vii, p. 98, 1888.

f. var. pallidus Baker.

Baker, Can. Ent., xl, p. 243, 1908.

g. var. intermedia Baker.

Baker, Can. Ent., xl, p. 243, 1908.

h. var. occidentalis Baker.

Baker, Can. Ent., xl, p. 243, 1908.

i. var. plutonius Baker.

Baker, Can. Ent., xl, p. 243, 1908.

Localities: Quebec, N. H., Ont., N. Y., N. J., Pa., Ohio, Dak., Neb., Wyo., Colo., Utah, Mont., Texas, Ariz., Calif., Oregon, Br. Am. (Mexico, Palaearctic.)

Subgenus Niesthrea Spin. Haplotype sidae (Fabr.)

Spinola, Essai sur les Hémip., p. 245, 1837 (1840). Stål, Enum. Hemip., i, p. 223, 1870. Baker, Can. Ent., xl, p. 243, 1908.

346. Corizus sidae (Fabr.)

Fabricius, Ent. Syst., iv, p. 169, 1794, Lygaeus. Fabricius, Syst. Rhyng., p. 201, 1803, Coreus. Wolff, Icon. Cimic., v, p. 193, fig. 187, 1811, Coreus. Spinola, Essai sur les Hémip., p. 245, 1837 (1840). Dallas, List of Hemip., ii, p. 527, 1852, Rhopalus. Guerin, Sagra, Hist. de Cuba, Ins., p. 385, 1857. Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 95, 1859. Stål, Hemip. Fabr., i, p. 69, 1868. Stål, Enum. Hemip., i, p. 223, 1870. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 301, 1876. Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1325. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 181. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 237, 1894. Horvath, Ann. Mus. Natl. Hung., vi, p. 557, 1908, Corizus. Hambleton, Ann. Ent. Soc. Am., i, p. 142, 1908. Baker, Can. Ent., xl, p. 243, 1908. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 161, 1909. Heidemann, Proc. Ent. Soc. Wash., xiii, p. 132, 1911 (egg). Bergroth, Mém. Soc. Ent. Belg., p. 163, 1913.

anticus (Signoret), Ann. Soc. Ent. Fr., Ser. 3, vii, p. 99, 1859, Corisus.

a. var. pictipes (Stål)

Stål, Freg. Eugenes Resa, Ins., p. 239, 1859, Rhopalus.

Stål, Stet. Ent. Zeit., xxiii, p. 307, 1862.

Stål, Enum. Hemip., i, p. 223, 1870.

Berg, Hemip. Argent., p. 93, 1879.

Distant, Biol. Centr. Am., Heter., i, p. 171, pl. 15, fig. 24, 1882.

Barber, Brookl. Inst. Sci. Bul., i, p. 271, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 13, 1907.

Baker, Can. Ent., xl, p. 244, 1908.

ventralis Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 92, 1859. mexicanus Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 95, 1859. proximus Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 96, 1859. nebulosus Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 98, 1859. luteolus Distant, Biol. Centr. Am., Heter., i, pl. 15, fig. 25, 1881.

Localities: Md., Ga., Fla., Texas, Kan., Okl., Ariz. (Neotropical.)

Subgenus Arhyssus Stål Logotype bohemani Sign.

Stål, Enum. Hemip., i, p. 223, 1870. Baker, Can. Ent., xl, p. 244, 1908.

347. Corizus validus Uhl.

Uhler, Proc. Ent. Soc. Wash., ii, p. 370, 1893. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 237, 1894. Gillette and Baker, Hemip. Colo., p. 21, 1895. Hambleton, Ann. Ent. Soc. Am., i, p. 141, 1908. Localities: Wyom., Utah, Colo., Ariz., Calif.

348. Corizus lateralis (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 320, 1825; Compl. Writ., ii, p. 245, Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 97, 1859. [Coreus. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 404, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 301, 1876; iii, p. 407, 1877; iv, p. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 386, 1878. Distant, Biol. Centr. Am., Heter., i, p. 170, pl. 16, fig. 9, 1882. Uhler, Proc. Ent. Soc. Wash., ii, p. 369, 1893. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 237, 1894. Gillette and Baker, Hemip. Colo., p. 20, 1895. Hambleton, Ann. Ent. Soc. Am., i, p. 140, 1908. Baker, Can. Ent., xl, p. 244, 1908. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 161, 1909. Hambleton, Ann. Ent. Soc. Am., ii, p. 272, 1909. Smith, Cat. Ins. N. J., Edn. 3, p. 147, 1910. punctipennis (Dallas), List of Hemip., ii, p. 526, 1852, Rhopalus. nigristernum Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 100, 1859. a. var. roseus Baker.

Baker, Can. Ent., xl, p. 244, 1908.

Localities: N. H., Mass., N. Y., N. J., Pa., D. C., Fla., Kan., Ill., Mo., Colo., Texas, Ariz. (Mexico.)

349. Corizus bohemanii Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 86, 1859. Hambleton, Ann. Ent. Soc. Am., i, p. 143, 1908. Baker, Can. Ent., xl, p. 244, 1908. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 163, 1909.

†punctiventris Stål, Enum. Hemip., i, p. 223, 1870.

Baker, Can. Ent., xl, p. 244, 1908.

†nigristernum Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 301, 1876; iii, p. Van Duzee, Can. Ent., xxi, p. 2, 1889. [408, 1877.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 237, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 173, 1894.

Gillette and Baker, Hemip. Colo., p. 21, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 191, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 549, 1905.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 27, 1910.

†lateralis Provancher, Pet. Faune Ent. Can., iii, p. 60, 1885.

Localities: Quebec, Ont., N. H., N. Y., Pa., N. J., Md., D. C., Va., N. C., Fla., Texas, Ariz., Calif.

350. Corizus scutatus (Stål)

Stål, Freg. Eugen. Resa, Ins., p. 239, 1859, *Rhopalus*.
 Stål, Enum. Hemip., i, p. 224, 1870.
 Hambleton, Ann. Ent. Soc. Am., i, p. 139, 1908.
 Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 231, 1916. jactatus Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 81, 1859. Localities: Wyom., Utah, Calif., Ore.

351. Corizus punctatus Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 81, 1859.

Distant, Biol. Centr. Am., Heter., i, p. 170, pl. 16, fig. 8, 1882.

Hambleton, Ann. Ent. Soc. Am., i, p. 144, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 161, 1909.

Localities: Fla., Texas, Ariz. (Neotropical.)

352. Corisus indentatus Hambl.

Hambleton, Ann. Ent. Soc. Am., i, p. 139, 1908. Localities: Colo., Wyo., Calif., Wash., Ore.

353. Corizus tuberculatus Hambl.

Hambleton, Ann. Ent. Soc. Am., i, p. 140, 1908. Locality: Wash.

354. Corizus parvicornis Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 3, vii, p. 101, 1859. Hambleton, Ann. Ent. Soc. Am., i, p. 143, 1908. Localities: Texas, Calif. (Mexico.)

355. Corizus hirtus Bueno

Bueno, Ent. News, xxiii, p. 217, 1912. Locality: N. Y.

TRIBE LEPTOCORINI Van D.

Van Duzee, Can. Ent., xlvi, p. 379, 1914.

Serinetharia Stål, Enum. Hemip., iii, p. 97, 1873 (as division).

Berg, Hemip. Argent., p. 95, 1879.

Distant, Biol. Centr. Am., Heter., i, p. 172, 1882 (as division).

Distant, Fauna Br. Ind., Rhyn., i, p. 418, 1902.

Bergroth, Mém. Soc. Ent. Belg., xxii, p. 164, 1913 (as division).

Genus Leptocoris Hahn

Haplotype rufus Hahn = abdominalis Fabr.

Hahn, Wanz. Ins., i, p. 200, 1831. Burmeister, Handb. d. Ent., ii, p. 305, 1835. Stål, Enum. Hemip., i, p. 226, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 172, 1882.

Ithlan Cheek Tiet v 12 1996

Uhler, Check List, p. 13, 1886.

Kirkaldy, Trans. Ent. Soc. Lond. for 1905, p. 350.

Serinetha Spinola, Essai sur les Hemip., p. 247, 1837 (1840) (n.n. for Spinola, Tavola Sinot., p. 37, 1850. [Leptocoris Hahn.)
Dallas, List of Hemip., ii, p. 459, 1852.

Stål, Stet. Ent. Zeit., xxiii, p. 306, 1862.

Stål, Hemip. Afr., ii, p. 112, 1865.

Stål, Enum. Hemip., iii, pp. 98, 99, 1873.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 122, 1894.

Distant, Fauna Br. Ind., Rhyn., i, p. 418, 1902. (Names abdominalis Bergroth, Mém. Soc. Ent. Belg., xxii, p. 164, 1913. [Fabr. type.) Lygeomorphus Blanchard, Hist. des Ins., Hémip., p. 116, 1840 (n.n. for

Pyrrhotes Westwood, Hope Cat., ii, p. 6, 1842 (n.n. for Leptocoris Hahn.)

Tynotoma Amyot and Serville, Hémip., p. 220, 1843. (Haplotype vittata

[Am. & Serv.)

Boisea Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 123, 1910 (as subgen. of [Leptocoris Hahn; Orthotype vittata.)

356. Leptocoris trivittatus (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 322, 1825; Compl. Writ., ii, p. 246, Stål, Enum. Hemip., i, p. 226, 1870. [Lygaeus.

Uhler, Hayden's Surv. Terr. for 1871, p. 404, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 301, 1876; iii, p. 408, 1877.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1326.

Distant, Biol. Centr. Am. Heter., i, p. 172, 1882.

Uhler, Proc. Ent. Soc. Wash., ii, p. 371, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 237, 1894.

Gillette and Baker, Hemip. Colo., p. 21, 1895.

?vittata Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 123, 1910.
Localities: Mo., Kan., Colo., Utah, Ariz., Calif.

Genus Jadera Stål

Logotype coturnix Burm. = sanguinolenta Fabr.

Stål, Rio Jan. Hemip., ii, p. 59, 1862.

Stål, Stet. Ent. Zeit., xxiii, p. 306, 1862.

Stål, Enum. Hemip., i, p. 226, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 172, 1882.

†Pyrrhotes Bergroth, Wien. Ent. Zeit., xxv, p. 9, 1906.

Banks, Cat. Nearc. Hemip., p. 73, 1910.

Bergroth, Mém. Soc. Ent. Belg., xxii, p. 165, 1913.

357. Jadera haematoloma (H. S.)

Herrich-Schaeffer, Wanz. Ins., viii, p. 103, fig. 873, 1848, Leptocoris. Dallas, List of Hemip., ii, p. 463, 1852, Serinetha.

Guerin, Sagra, Hist de Cuba, Ins., p. 393, 1857, Lygaeus.

Stål, Stet. Ent. Zeit., xxiii, p. 307, 1862.

Stål, Enum. Hemip., i, p. 226, 1870.

Uhler, Hayden's Surv. Terr., for 1871, p. 404, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 302, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 173, pl. 17, fig. 5, 1882.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 237, 1894.

Distant, Ann. Mag. Nat. Hist., Ser. 7, vii, p. 540, 1901.

Barber, Brookl. Inst. Sci. Bul., i, p. 272, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 163, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 518, 1914. (Pyrrhotes.) marginalis (Walker), Cat. Heter., v, p. 45, 1872, Lygaeus.

Localities: Fla., Kan., Colo., Texas, Ariz., Calif.

358. Jadera sanguinolenta (Fabr.)

Fabricius, Syst. Ent., p. 721, 1775, Cimex. Goeze, Ent. Beytr., ii, p. 257, 1778, Cimex. Fabricius, Spec. Ins., ii, p. 365, 1781, Cimex. Fabricius, Mantissa Ins., ii, p. 300, 1787, Cimex. Fabricius, Ent. Syst., iv, p. 158, 1794, Lygaeus. Fabricius, Syst. Rhyng., p. 224, 1803, Lygaeus. Stål, Hemip. Fabr., i, p. 67, 1868, Serinetha. Stål, Enum. Hemip., i, p. 227, 1870. Distant, Ann. Mag. Nat. Hist., Ser. 7, vii, p. 429, 1901. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 13, 1907. cruentus (Fabricius), Mantissa Ins., ii, p. 301, 1787, Cimex. Fabricius, Ent. Syst., iv, p. 159, 1794, Lygaeus. Fabricius, Syst. Rhyng., p. 225, 1803. coturnix (Burmeister), Handb. d. Ent., ii, p. 305, 1835, Leptocoris. Dallas, List of Hemip., ii, p. 462, 1852, Serinetha. Guerin, Sagra, Hist. de Cuba, Ins., p. 392, 1857, Lygaeus. Stål, Rio Jan. Hemip., ii, p. 59, 1862 (misspelled Cothurnix). Stål, Stet. Ent. Zeit., xxiii, p. 306, 1862 (misspelled Cothurnix). bicolor (Westwood), Hope Cat., ii, p. 26, 1842, Pyrrhotes. cinerea (Amyot and Serville), Hémip., p. 244, 1843, Therapha. anticus (Walker), Cat. Heter., v, p. 46, 1872, Lygacus (examples c-n only). rufoculis (Kirby), Jl. Linn. Soc. Zool., xx, p. 546, 1890 Lygaeus.

359. Jadera aeola (Dall.)

Dallas, List of Hemip., ii, p. 463, 1852, Serinetha.

Stål, Enum. Hemip., i, p. 227, 1870.

Distant, Biol. Cent. Am., Heter., i, p. 173, pl. 15, fig. 22, 1882.

Distant, Ann. Mag. Nat. Hist., Ser. 7, vii, p. 429, 1901.

Barber, Brookl. Inst. Sci. Bul., i, p. 272, 1906.

conspersus (Walker), Cat. Heter., v, p. 47, 1872, Lygaeus.

Localities: Texas. (Neotropical.)

Localities: Fla. (Neotropical.)

SERIES PHLOEOBIOTICA Reut.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 32, 49, 1912. Oshanin, Kat. Palae. Hemip., p. 46, 1912.

Family ARADIDAE (Spin.)

Spinola, Essai sur les Hémip., p. 157, 1837 (1840), Aradites. Costa, Cimic. Neap., Cent., ii, p. 15, 1843, Aradin.. Herrich-Schaeffer, Wanz. Ins., viii, p. 111, 1844, Aradites. Spinola, Tavola Sinot., p. 44, 1850, Aradoideae. Fieber, Genera Hydroc., p. 9, 1851, Aradoidea. Flor, Rhyn. Livl., i, p. 375, 1860, Aradoidea. Fieber, Europ. Hemip., pp. 24, 34, 1861. Stål, Stet. Ent. Zeit., xxiii, p. 437, 1862, Aradida. Stål, Hemip. Afr., iii, p. 30, 1865, Aradida. Stål, Of. Vet. Akad. Forh., xxvii, p. 671, 1870, Aradina.

Reuter, Of. Vet. Akad. Forh., xxix, No. 5, p. 48, 1872. Stål, Enum. Hemip., iii, p. 135, 1873, Aradidae.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 321, 1876.

Berg, Hemip. Argent., p. 138, 1879.

Uhler, Stand. Nat. Hist., ii, p. 283, 1884.

Uhler, Check List, p. 22, 1886.

Puton, Cat. Hémip. Palae., Edn. 3, p. 34, 1886, Aradides.

Provancher, Pet. Faune Ent. Can., iii, p. 163, 1887.

Champion, Biol. Centr. Am., Heter., ii, p. 65, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 153, 1902.

Oshanin, Verz. Palae. Hemip., i, p. 463, 1908.

Kirkaldy, Can. Ent., xl, p. 360, 1908.

Banks, Cat. Nearc. Hemip., p. 52, 1910.

Horvath, Ann. Mus. Natl. Hung., ix, p. 15, 1911.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 32, 49, 1912,
[Aradoidea (as superfamily).

Oshanin, Kat. Palae. Hemip., p. 46, 1912, Aradoideae (as superfamily).

Corticicoles, Amyot and Serville, Hemip., p. xli, 1843.

Herrich-Schaeffer, Wanz. Ins., ix, p. 139, 1853, Corticicolae.

Dohrn, Cat. Hemip., p. 43, 1859, Corticicolae.

Stål, Rio Jan. Hemip., i, p. 66, 1860, Corticicolae.

Douglas and Scott, Br. Hemip., pp. 25, 267, 1865, Corticicolina.

Walker, Cat. Heter., vii, p. 6, 1873, Corticicolae.

Subfamily ARADINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xli, 306, 1843, Aradides.

Stål, Hemip. Afr., iii, p. 30, 1865, Aradina.

Douglas and Scott, Br. Hemip., pp. 26, 269, 1865, Aradidae (as family).

Stål, Of. Vet. Akad. Forh., xxvii, p. 672, 1870, Aradina.

Reuter, Of. Vet. Akad. Forh., xxix, p. 48, 1872, Aradina.

Stål, Enum. Hemip., iii, p. 135, 1873, Aradida.

Walker, Cat. Heter., vii, pp. 6, 7, 1873, Aradidae.

Berg, Hemip. Argent., p. 138, 1879, Aradina.

Uhler, Stand. Nat. Hist., ii, p. 283, 1884, Aradina.

Uhler, Check List, p. 22, 1886, Aradina.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 31, 1896, Aradidae (sub-

Champion, Biol. Centr. Am., Heter., ii, p. 65, 1898, Aradinae. [family.)

Distant, Fauna Br. Ind., Rhyn., ii, p. 153, 1903, Aradinae.

Oshanin, Verz. Palae. Hemip., i, p. 463, 1908, Aradina.

Banks, Cat. Nearc. Hemip., p. 52, 1910, Aradina. [Aradidae (as family).

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 32, 57, 1912,

Oshanin, Kat. Palae. Hemip., p. 46, 1912, Aradidae (as family).

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 517, 1914, Aradidae (as family).

Genus Aradus Fabr.

Orthotype betulae (Linn.)

Fabricius, Syst. Rhyng., p. 116, 1803 (names betulae type).

Latreille, Hist. Nat. Crust. Ins., xii, p. 246, 1804.

Latreille, Genera Crust. Ins., iii, p. 140, 1807.

Fallén, Monog. Cimic. Suec., p. 31, 1807.

Latreille, Consid. Génl., pp. 258, 433, 1810. (Cites betulae as type.)

ļ

Wolff, Icon. Cimic., v, p. vii, 1811. Latreille, Fam. Règ. Anim., p. 423, 1825, Arade. Le Peletier and Serville, Encyc. Méth., x, pp. 653, 654, 1825. Fallén, Hemip. Suec., Cimic., p. 134, 1829. Latreille, Cuvier, Règne Anim., Edn. 2, v, p. 201, 1829. Laporte, Essai Classif. Syst. Hémip., p. 53, 1832. (Names annulicornis Herrich-Schaeffer, Nomen. Ent., pp. 37, 59, 1835. [pseudotype.) Burmeister, Handb. d. Ent., ii, p. 255, 1835. Brullé, Hist. Nat. des Ins., ix, p. 333, 1835. Latreille, Cuvier, Anim. King., Lond. Edn., iv, p. 165, 1836. Spinola, Essai sur les Hémip., p. 159, 1837 (1840). Blanchard, Hist. Nat. des Ins., Hémip., p. 111, 1840. Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 120, 1840. Amyot and Serville, Hémip., p. 307, 1843. Spinola, Tavola Sinot., p. 44, 1850. Flor, Rhyn. Livl., i, p. 377, 1860. Fieber, Europ. Hemip., pp. 34, 110, 1861. Stål, Hemip. Afr., iii, pp. 30, 37, 1865. Douglas and Scott, Br. Hemip., p. 269, 1865. Reuter, Of. Vet. Akad. Forh., xxix, No. 5, p. 48, 1872. Stål, Enum. Hemip., iii, p. 135, 1873. Walker, Cat. Heter., vii, pp. 7, 30, 1873. Berg, Hemip. Argent., p. 138, 1879. Provancher, Pet. Faune Ent. Can., iii, p. 164, 1887. Champion, Biol. Centr. Am., Heter., ii, p. 65, 1898. Distant, Fauna Br. Ind., Rhyn., ii, p. 153, 1903. (Names versicolor H. S. Osborn, Ohio Nat., iv, p. 36, 1903. [pseudotype.) Kirkaldy, Ann. Soc. Ent. Belg., li, p. 301, 1907.

Subgenus Aradus Fabr.

Stål, Enum. Hemip., iii, p. 135, 1873. (Section a.)

360. Aradus aequalis Say

Say, Heter. N. Harm., p. 29, 1832; Fitch reprint, p. 797; Compl. Writ., i, p.
Stål, Enum. Hemip., iii, p. 136, 1873. [352.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 321, 1876.
Bergroth, Proc. Ent. Soc. Wash., ii, p. 335, 1892.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 281, 1894.
Osborn, Ohio Nat., iv, p. 36, 1903.
Bergroth, Can. Ent., xlv, p. 1, 1913.

duryi
Osborn, Ohio Nat., iv, p. 39, 1903.
Localities: "Canada," Ohio, Ind., Ill., Okl., Texas.

361. Aradus quadrilineatus Say

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 326, 1825; Compl. Writ., ii, p. 249.
Stål, Enum. Hemip., iii, p. 137, 1873.
Uhler, Proc. Bost. Soc. Nat. Hist, xix, p. 418, 1878.
Bergroth, Revue d'Ent., vi, p. 247, 1887 (note).
Bergroth, Proc. Ent. Soc. Wash., ii, p. 335, 1892.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 181, 1894.
Smith, Cat. Ins. N. J., Edn. 3, p. 139, 1910.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 549, 1905.

†robustus Provancher, Pet. Faune Ent. Can., iii, p. 165, 1887.

Localities: Quebec, Ont., N. H., Mass., N. Y., N. J., Pa., Md., N. C., Fla., Mo.

362. Aradus robustus Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 104, 1871.

Stål, Enum. Hemip., iii, p. 136, 1873.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 419, 1878.

Bergroth, Wien. Ent. Zeit., v, p. 97, 1886.

Bergroth, Revue d'Ent., vi, p. 247, 1887 (note).

Bergroth, Proc. Ent. Soc. Wash., ii, p. 335, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 181, 1894.

Osborn, Ohio Nat., iv, p. 37, 1903.

Van Duzee, Can. Ent., xliv, p. 323, 1912.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 227, 1908.

taequalis Provancher, Pet. Faune Ent. Can., iii, p. 165, 1887.

Localities: Quebec, Ont., Mass., Conn., N. Y., N. J., Md., Del., N. C., Ohio, Ill., Minn., Ia., Kan., Okl., Wis.

363. Aradus fuscomaculatus Stál

Stål, Freg. Eugen. Resa, Ins., p. 260, 1859.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 323, 1876.

fusco-annulatus Stål, Enum. Hemip., iii, p. 136, 1873.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 335, 1892.

Localities: Calif., Vanc. Isd.

364. Aradus duzeei Bergr.

Bergroth, Proc. Ent. Soc. Wash., ii, pp. 333, 335, 1892.

Osborn, Ohio Nat., iv, p. 38, 1903.

‡vanduzeei Heidemann, Proc. Ent. Soc. Wash., xii, p. 47, 1910.

Localities: Quebec, Ont., N. Y., Pa., Colo., Calif.

365. Aradus ornatus Say

Say, Heter. N. Harm., p. 29, 1832; Fitch reprint, p. 797; Compl. Writ., i, p. Bergroth, Wien. Ent. Zeit., v, p. 97, 1886. [352.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 332, 335, 1892.

Osborn, Ohio Nat., iv, pp. 22, 38, 1903.

Localities: Pa., Ohio, Ind.

366. Aradus coarctatus Heid.

Heidemann, Proc. Ent. Soc. Wash., viii, p. 69, 1907.

Localities: Calif., Br. Col.

367. Aradus behrensi Bergr.

Bergroth, Wien. Ent. Zeit., v, p. 97, 1886.

Bergroth, Proc. Ent. Soc., Wash., ii, p. 335, 1892.

Bergroth, Can. Ent., xxxviii, p. 198, 1906.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 233, 1916.

Localities: Calif., Ore.

368. Aradus curticollis Bergr.

Bergroth, Can. Ent., xlv, p. 2, 1913.

Locality: N. C.

368½. Aradus persimilis Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 232, 1916.
Locality: Calif.

369. Aradus hubbardi Heid.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 232, 1904.

Bergroth, Can. Ent., xxxviii, p. 198, 1906.

Bueno in Smith, Cat. Ins. N. J., Edn. 3, p. 139, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 232, 1916.

Localities: Colo., N. Mex., Ariz., Calif., Vanc. Isd., Br. Col., "Pt. Sidney."

370. Aradus cincticornis Bergr.

Bergroth, Can. Ent., xxxviii, p. 198, 1906.

Bergroth, Can Ent., xlv, p. 3, 1913.

Locality: Ala.

371. Aradus similis Say

Say, Het. N. Harm., p. 28, 1832; Fitch reprint, p. 796; Compl. Writ., i, p. 351. Stål, Enum. Hemip., iii, p. 136, 1873.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 417, 1878.

Bergroth, Revue d'Ent., vi, p. 247, 1887.

Bergroth, Proc. Ent. Soc. Wash., ii, pp. 332, 335, 338, 1892.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 161, 1904.

Bueno in Smith, Cat. Ins. N. J., Edn. 3, p. 139, 1910.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 26, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 517, 1914.

Localities: Me., N. Y., N. J., Pa., Md., D. C., N. C., S. C., Fla., Ala., Ill., Texas, Alaska (†).

s. var. centriguttatus Bergr.

Bergroth, Revue d'Ent., vi, p. 246, 1887.

Bergroth, Proc. Ent. Soc. Wash., ii, pp. 332, 335, 1892.

Locality: Fla.

373. Aradus debilis Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 322, 1876.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 335, 1892.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 231, 1916.

Localities: Colo., Idaho, Calif., Vanc. Isd., Br. Col.

374. Aradus montanus Bergr.

Bergroth, Can. Ent., xlv, p. 1, 1913.

Locality: Colo.

375. Aradus acutus Say

Say, Heter. N. Harm., p. 28, 1832; Fitch reprint, p. 795; Compl. Writ., i, p. Stål, Enum. Hemip., iii, p. 136, 1873.

Uhler, Wheeler's Surv. 100th Merid., v, p. 839, 1875.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 321, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 418, 1878.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 335, 1892.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 161, 1904.

Sherman, Ent. News, xvi, p. 8, 1905.

Smith, Cat. Ins. N. J., Edn. 3, p. 139, 1910.

americanus Herrich-Schaeffer, Wanz. Ins., viii, p. 115, fig. 889, 1848.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 281, 1894.

Gillette and Baker, Hemip. Colo., p. 58, 1895.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 363, 1904.

Localities: N. J., Pa., D. C., N. C., S. C., Ga., Fla., Ala., Ind., Colo., Texas, Calif.

376. Aradus borealis Heid.

Heidemann, Proc. Ent. Soc. Wash., xi, p. 190, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 233, 1916.

Localities: N. H., Mich., Calif.

377. Aradus shermani Heid.

Heidemann, Proc. Ent. Soc. Wash., viii, p. 68, 1907. Localities: Pa., N. C.

378. Aradus inornatus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 323, 1876.

Bergroth, Wien. Ent. Zeit., v, p. 97, 1886.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 335, 1892.

Bueno and Brimley, Ent. News, xviii, p. 439, 1907.

Smith, Cat. Ins. N. J., Edn. 3, p. 139, 1910.

Localities: N. J., Pa., Md., N. C., S. C., Ga., Ill., Wis., Neb., Br. Col.

379. Aradus crenatus Say.

Say, Heter. N. Harm., p. 28, 1832; Fitch reprint, p. 795; Compl. Writ., i, p. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 418, 1878. [350.

Uhler, Stand. Nat. Hist., ii, p. 383, 1884.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 335, 1892.

Bergroth, Wien. Ent. Zeit., xiv, p. 168, 1895.

Osborn, Ohio Nat., iv, p. 37, 1903.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 161, 1904.

Sherman, Ent. News, xvi, p. 8, 1905.

Horvath, Ann. Mus. Nat. Hung., vi, p. 565, 1908.

Oshanin, Verz. Palae. Hemip., i, p. 466, 1908.

conspicuus Herrich-Schaeffer, Nomen. Ent., p. 59, 1835.

†corticalis Herrich-Schaeffer, Wanz. Ins., v, p. 90, fig. 538, 1839.

dilatatus Dufour, Ann. Soc. Ent. Fr., Ser. 2, ii, p. 452, pl. 10, figs. 1-4, Fieber, Europ. Hemip., p. 113, 1861.

Reuter, Of. Vet. Akad. Forh., xxix, No. 5, p. 52, 1872.

Walker, Cat. Heter., vii, p. 32, 1873.

Reuter, Ent. Tidskr., iii, p. 77, 1882.

annulipes Boheman, Of. Vet. Akad. Forh., ix, p. 25, 1852.

Localities: Quebec, Ont., Pa., N. C., Md., D. C., Ala., Ohio. (Mexico, Palaearctic.)

380. Aradus compressus Heid.

Heidemann, Proc. Ent. Soc. Wash., viii, p. 70, 1907.

Localities: Wash., Van. Isd.

381. Aradus ampliatus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 321, 1876.Bergroth, Wien. Ent. Zeit., v, p. 97, 1886.Bergroth, Proc. Ent. Soc. Wash., ii, p. 335, 1892.

Locality: Calif.

382. Aradus tuberculifer Kirby

Kirby, in Richardson, Fauna Bor. Am., iv, p. 278, pl. 6, fig. 5, 1837.

Kirby, in Bethune's reprint, p. 136.

Stål, Enum. Hemip., iii, p. 138, 1873.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 335, 1892.

Bergroth, Can. Ent., xlv, p. 3, 1913 (redescribed).

caliginosus Walker, Cat. Heter., vii, p. 36, 1873.

Localities: Quebec, Ont.

383. Aradus funestus Bergr.

Bergroth, Can. Ent., xlv, p. 4, 1913.

†tuberculifer Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 321, 1876; iii, p. 427, Gillette and Baker, Hemip. Colo., p. 58, 1895.

Localities: Quebec. Ont., Colo., Idaho, Calif., Br. Col.

384. Aradus uniformis Heid.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 231, 1904.

Localities: Mass., Pa., Va., N. C.

385. Aradus marginatus Uhl.

Uhler, Proc. Ent. Soc. Wash., ii, p. 381, 1893.

Localities: Utah.

386. Aradus lugubris Fall.

Fallén, Hemip. Suec., Cimic., p. 139, 1829.

Herrich-Schaeffer, Wanz. Ins., viii, p. 115, fig. 888, 1848.

Flor, Rhyn. Livl., i, p. 382, 1860.

Fieber, Europ. Hemip., p. 114, 1861.

Reuter, Of. Vet. Akad. Forh., xxix, No. 5, p. 60, 1872.

Reuter, Ent. Tidskr., iii, pp. 76, 107, 1882.

Bergroth, Wien. Ent. Zeit., v, p. 97, 1886.

Bergroth, Revue d'Ent., vi, p. 247, 1887.

Reuter, Rev. Synon., p. 235, No. 196, 1888.

Bergroth, Proc. Ent. Soc., Wash., ii, p. 336, 1892.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 281, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 182, 1894.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 363, 1904.

Van Duzee, Can. Ent., xliv, p. 323, 1912.

Bergroth, Can. Ent., xlv, p. 5, 1913.

Kiritschenko, Faune Russie, Hemip., vi, pt. 1, p. 209, 1913.

rectus Say, Heter. N. Harm., p. 29, 1832; Fitch reprint, p. 796; Compl. Uhler, Hayden's Surv. Terr. 107 1871, p. 419, 1872. [Writ., i, p. 352.

Stål, Enum. Hemip., iii, p. 137, 1873.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 321, 1876; iii, p. 428, 1877.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1329.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 418, 1878.

Uhler, Check List, p. 22, 1886.

Provancher, Pet. Faune Ent. Can., iii, p. 167, 1887.

Uhler, Proc. Ent. Soc. Wash., ii, p. 381, 1893.

Gillette and Baker, Hemip. Colo., p. 58, 1895.

Sherman, Ent. News, xvi, p. 7, 1905.

affinis Kirby in Richardson, Fauna Bor. Am., iv, p. 279, 1837.

Kirby in Bethune's reprint, p. 137.

Stål, Enum. Hemip., iii, p. 138, 1873.

Uhler, Wheeler's Surv. 100th Merid., v, p. 839, 1875.

Gillette and Baker, Hemip. Colo., p. 57, 1895.

gebleri Kolenati, Melet. Ent., vi, p. 23, sp. 226, 1856.

fenestratus Walker, Cat. Heter., vii, p. 36, 1873.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., Md., N. C., Ga., Fla., Mo., Colo., N. Mex., Calif., Br. Col., Alberta.

387. Aradus abbas Bergr.

Bergroth, Bul. Soc. Ent. Belg. for 1889, p. clxxx.

Provancher, Pet. Faune Ent. Can., iii, p. 336, 1890.

Bergroth, Proc. Ent. Soc. Wash., ii, pp. 334, 336, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 182, 1894.

Smith, Cat. Ins. N. J., Edn. 3, p. 139, 1910.

Localities: Quebec, Ont., N. Y., N. J.

388. Aradus breviatus Bergr.

Bergroth, Revue d'Ent., vi, p. 245, 1887.

Bergroth, Proc. Ent. Soc. Wash., ii, pp. 334, 336, 1892.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 162, 1904.

Localities: N. J., D. C., Fla.

389. Aradus falleni Stål

Stål, Rio Jan. Hemip., i, p. 68, 1860.

Stål, Enum. Hemip., iii, p. 136, 1873.

Bergroth, Wien. Ent. Zeit., v, p. 97, 1886.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 338, 1892.

Champion, Biol. Centr. Am., Heter., ii, p. 66, pl. 5, fig. 1, 1898.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 162, 1904.

Sherman, Ent. News, xvi, p. 7, 1905.

Bergroth, Can. Ent. xxxviii, p. 200, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 175, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 517, 1914.

leucotomus Costa, Ann. Mus. Zool. Nap., ii, p. 143, pl. 2, fig. 2, 1864.

pallidicornis Stål, Enum. Hemip., iii, p. 136, 1873.

Localities: D. C., N. C., Ga., Fla., Okl., Texas, Calif. (Neotropical.)

390. Aradus gracilicornis Stål

Stål, Enum. Hemip., iii, p. 136, 1873.

Bergroth, Revue d'Ent., vi, p. 246, 1887.

Bergroth, Can Ent., xxxviii, p. 200, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 175, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 517, 1914.

Localities: Fla., Ariz. (West Indies.)

391. Aradus cinnamomeus Panz.

Panzer, Fauna Germ., Hft. 100, fig. 20, 1794. Fieber, Europ. Hemip., p. 111, 1861. Signoret, Ann. Soc. Ent. Fr., Ser. 4, v, p. 119, 1865. Reuter, Of. Vet. Akad. Forh., xxix, No. 5, p. 49, 1872. Stål, Enum. Hemip., iii, p. 76, 1873. Walker, Cat. Heter., vii, p. 31, 1873. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 321, 1876. Reuter, Ent. Tidskr., iii, p. 76, 1882. Reuter, Revue Synon., p. 232, No. 190, 1888.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 336, 1892.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 162, 1904.

Sherman, Ent. News, xvi, p. 8, 1905.

Bueno and Brimley, Ent. News., xviii, p. 439, 1907.

Kiritschenko, Faune Russie, Hemip., vi, pt. 1, p. 85, 1913.

leptopterus Germar, Fauna Europ., fasc. xvii, fig. 8, 1834.

Herrich-Schaeffer, Nomen. Ent., p. 60, 1835.

Burmeister, Handb. d. Ent., ii, p. 257, 1835.

Herrich-Schaeffer, Wanz. Ins., v, p. 91, fig. 539, 1839; viii, p. 114, 1848. Flor, Rhyn. Livl., i, p. 394, 1860.

Signoret, Ann. Soc. Ent. Fr., Ser. 4, v, p. 120, 1865.

perrisii Dufour, Ann. Soc. Ent. Fr., Ser. 2, iii, p. 225, pl. 3, fig. 3, 1845. albopunctatus Scholtz, Arb. und Verh. Schles. Ges. f. Vaterl. Kult. for [1846, p. 116.

Localities: D. C., N. C., Mo., Texas. (Palaearctic.)

3911/2. Aradus insoletus Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 233, 1916. Locality: Calif.

392. Aradus proboscideus Walk.

Walker, Cat. Heter., vii, p. 35, 1873. Locality: "Hudson's Bay."

393. Aradus fascicornis Walk.

Walker, Cat. Heter., vii, p. 36, 1873. Locality: "Nova Scotia."

393 1/2. Aradus luteolus Fyles

Fyles, Can. Ent., xxxv, p. 75, 1903, §Aratus. Locality: Quebec.

> Subgenus Piestosoma Lap. Orthotype depressus Fabr.

Laporte, Essai Classif. Syst. Hémip., p. 53, 1832. Stål, Enum. Hemip., iii, p. 135, 1873.

394. Aradus concinnus Bergr.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 337, 1892. Bergroth, Can. Ent., xxxviii, p. 198, 1906. Locality: Calif.

Subgenus Quilnus Stål Logotype parvicollis Stål

Stål, Enum. Hemip., iii, p. 137, 1873.

Horvath, Ann. Mus. Natl. Hung., ix, p. 586, 1911. (Names parvicollis type.)

395. Aradus niger Stål

Stål, Enum. Hemip., iii, p. 137, 1873.

Heidemann, Proc. Ent. Soc. Wash., iv, p. 389, 1901.

Van Duzee, Ent. News, xiii, p. 23, 1902.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 161, 1904.

Sherman, Ent. News, xvi, p. 8, 1905.

Bergroth, Can. Ent., xxxviii, p. 200, 1906.

Smith, Cat. Ins. N. J., Edn. 3, p. 139, 1910.

Horvath, Ann. Mus. Natl. Hung., ix, p. 587, 1911.

obliquus Uhler MS, Gillette and Baker, Hemip. Colo., p. 58, 1895.

Localities: N. Y., N. J., D. C., N. C., S. C., Colo., Texas.

396. Aradus heidemanni Bergr.

Bergroth, Can. Ent., xxxviii, p. 200, 1906.

Localities: Oregon, Br. Col.

Subfamily MEZIRINAE (Osh.) 1908

Oshanin, Verz. Palae. Hemip., i, p. 478, 1908, Mezirina.

Brachyrhynquides Amyot and Serville, Hémip., pp. xli, 303, 1843.

Brachyrhynchina Stål, Of. Vet. Akad. Forh., xxxvii, p. 671, 1870.

Reuter, Of. Vet. Akad. Forh., xxix, No. 5, p. 61, 1872.

Stål, Enum. Hemip., iii, pp. 135, 138, 1873.

Walker, Cat. Heter., vii, p. 6, 1873, Fam. Brachyrhynchidae.

Berg, Hemip. Argent., p. 139, 1879.

Uhler, Stand. Nat. Hist., ii, p. 283, 1884.

Uhler, Check List, p. 22, 1886.

Bergroth, Ent. Tidskr., xv, p. 118, 1894.

[rhynchidae.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 38, 1896, Brachy-

Champion, Biol. Centr Am., Heter., ii, p. 66, 1898, Brachyrhynchinae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 156, 1903, Brachyrhynchinae.

Aneuridae Douglas and Scott, Brit. Hemip., pp. 26, 267, 1865.

Dysodiidae Reuter, Of. Finska Vet. Soc. Forh., liv, pp. 33, 49, 57, 1912.

Oshanin, Kat. Palae. Hemip., p. 47, 1912.

TRIBE CALISINI (Stål)

Stål, Enum. Hemip., iii, p. 138, 1873, Div. Calisiaria.

Champion, Biol. Centr. Am., Heter., ii, p. 66, 1898, Group Calisiaria.

Genus Calisius Stål Haplotype pallipes Stål

Stål, Rio Jan. Hemip., i, p. 67, 1860.

Stål, Hemip. Afr., iii, p. 30, and note, 1865.

Stål, Enum. Hemip., iii, p. 138, 1873.

Bergroth, Ent. Tidskr., xv, p. 98, 1894 (syn. note.)

Champion, Biol. Centr. Am., Heter., ii, p. 66, 1898.

Bergroth, Can. Ent., xlv, p. 5, 1913.

Horvath, Ann. Mus. Natl. Hung., xi, p. 623, 1913 (synop. Old World Spp.).
Aradosyrtis Costa, Ann. Mus. Zool. Nap., ii, p. 132, 1864.
Stål, Enum. Hemip., iii, p. 138, 1873.

397. Calisius contubernalis Bergr.

Bergroth, Can. Ent., xlv, p. 6, 1913. Locality: Fla.

398. Calisius anaemus Bergr.

Bergroth, Can. Ent., xlv., p. 7, 1913.
†pallipes Heidemann, Proc. Ent. Soc. Wash., vi, p. 229, 1904.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 176, 1909.
Banks, Cat. Nearc. Hemip., p. 54, 1910.
Localities: Fla. (West Indies.)

TRIBE MEZIRINI Van D.

Van Duzee, Check List Hemip., p. 16, 1916.

Brachyrhyncharia Stål, Enum. Hemip., iii, p. 138, 1873 (Division).

Champion, Biol. Centr. Am., Heter., ii, p. 68, 1898 (Group).

Genus **Proxius** Stål Haplotype incrustatus Stål

Stål, Enum. Hemip., iii, pp. 139, 141, 1873. Champion, Biol. Centr. Am., Heter., ii, p. 68, 1898.

399. Proxius gypsatus Bergr.

Bergroth, Ent. Mo. Mag., xxxiv, p. 100, 1898.
Champion, Biol. Centr. Am., Heter., ii, p. 70, pl. 5, figs. 8, 9, 1898.
Bergroth, Can. Ent., xlv, p. 8, 1913.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 517, 1914.
Localities: Fla. (Neotropical.)

400. Proxius schwarzii Heid.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 230, 1904. Locality: Fla.

Genus Aphleboderrhis Stål

Haplotype pilosa Stål

Stål, Rio Jan. Hemip., i, p. 67, 1860.
Stål, Enum. Hemip., iii, pp. 140, 142, 1873.
Champion, Biol. Centr. Am., Heter., ii, p. 78, 1898.

401. Aphleboderrhis pubescens (Walk.)

Walker, Cat. Heter., vii, p. 38, 1873, Aradus.

Bergroth, Verh. Zool.-Bot. Ges. Wien, xxxvi, p. 57, 1886 (doubtful reference).

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 44, 1896, Pictinus.

Champion, Biol. Centr. Am., Heter., ii, p. 79, pl. 5, figs. 26, 27, 1898.

Barber, Jl. N. Y. Ent. Soc., xxii, p. 171, 1914.

Localities: Texas. (Neotropical.)

Genus Pictinus Stål Haplotype cinctipes Stål

Stål, Enum. Hemip., iii, pp. 140, 145, 1873. Champion, Biol. Centr. Am., Heter., ii, p. 80, 1898. Distant, Fauna Br. Ind., Rhyn., ii, p. 163, 1903. (Cites cinctipes as type.)

402. Pictinus aurivillii Bergr.

Bergroth, Revue d'Ent., vi, p. 247, 1887.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 336, 1892.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 229, 1904.

†cinctipes var. Bergroth, Verh. Zool.-Bot. Ges. Wien, xxxvi, p. 60, 1886.

Localities: Ga.

Genus Nannium Bergr. Orthotype parvum Bergr.

Bergroth, Ent. Mo. Mag., xxxiv, p. 100, 1898. Champion, Biol. Centr. Am., Heter., ii, p. 84, 1898.

403. Nannium pusio Heid.

Heidemann, Proc. Ent. Soc. Wash., xi, p. 189, 1909. Locality: Ohio.

Genus Mezira Am. & Serv.

Haplotype granulata Am. & Serv. = usurpata Bergr.

Amyot and Serville, Hémip., p. 305, 1843.

Fieber, Europ. Hemip., pp. 34, 115, 1861.

Stål, Stet. Ent. Zeit., xxiii, p. 438, 1862.

Stål, Hemip. Afr., iii, pp. 32, 35, 1865.

Walker, Cat. Heter., vii, pp. 6, 22, 1873.

Bergroth, Wien. Ent. Zeit., iv, p. 181, 1885.

Bergroth, Can. Ent., xxxviii, p. 202, 1906.

Oshanin, Verz. Palae. Hemip., i, p. 478, 1908.

Distant, Fauna Br. Ind., Rhyn., v, p. 130, 1910.

Banks, Cat. Nearc. Hemip., p. 54, 1910.

||Brachyrhynchus Laporte, Essai Classif. Syst. Hémip., p. 54, 1832. (Ortho-

Burmeister, Handb. d. Ent., ii, p. 254, 1835. [type orientalis Lap.)
Blanchard, Hist. des Ins., Hémip., p. 110, 1840.
Amyot and Serville, Hémip., p. 304, 1843.
Spinola, Tavola Sinot., p. 44, 1850.
Fieber, Europ. Hemip., pp. 34, 115, 1861.
Stål, Hemip. Afr., iii, p. 32, 1865.
Stål, Enum. Hemip., iii, p. 143, 1873.
Walker, Cat. Heter., vii, pp. 6, 9, 1873.
Uhler, Check List., p. 22, 1886.
Lethierry and Severin, Cat. Génl. Hémip., iii, p. 41, 1896.
Champion, Biol. Centr. Am., Heter., ii, p. 91, 1898.
Distant, Fauna Br. Ind., Rhyn., ii, p. 159, 1903. (Names mem[branaceus pseudotype.)

† Dysodius Spinola, Essai sur les Hémip., p. 160, 1837 (1840) (part).

Dusius Bergroth, Ent. Tidskr., xv, p. 104, 1894.

Bergroth, Wien. Ent. Zeit., xiii, p. 179, 1891.

Subgenus Arictus Stål Orthotype thoracoceras Montr.

139

Stål, Hemip. Afr., iii, p. 31, 1865. (Invalid here.) Stål, Berl. Ent. Zeit., x, p. 164, 1867. (Valid here.) Stål, Enum. Hemip., iii, p. 144, 1873.

404. Mezira lobata (Say)

Say, Heter. N. Harm., p. 30, 1832; Fitch reprint, p. 799; Compl. Writ., i, p. Stål, Enum. Hemip., iii, p. 145, 1873, Brachyrhynchus. [354, Aradus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 323, 1876, Brachyrhynchus. Bergroth, Proc. Ent. Soc. Wash., ii, p. 336, 1892, Brachyrhynchus. Champion, Biol. Cent. Am., Heter., ii, pp. 92, 96, pl. 6, fig. 28, 1898, Brachy-Osborn, Ohio Nat., iv, p. 40, 1903, Brachyrhynchus. [rhynchus. Localities: "Canada," Pa., Md., N. C., Ga., Fla., Ohio, Mich., Ind., Ill., Mo., Texas, Calif.

405. Mezira emarginata (Say)

Say, Heter. N. Harm., p. 30, 1832; Fitch reprint, p. 798; Compl. Writ., i, p. Stål, Enum. Hemip., iii, p. 147, 1873, Brachyrhynchus. [354, Aradus. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 281, 1894, Brachyrhynchus. Champion, Biol. Centr. Am., Heter., ii, pp. 93, 102, pl. 7, fig. 5, 1898, [Brachyrhynchus.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 363, 1904, Brachyrhynchus. Localities: Miss. (†), N. Mex., Nevada, Calif.

406. Mezira moesta Stål

Stål, Stet. Ent. Zeit., xxiii, p. 438, 1862. Walker, Cat. Heter., vii, p. 23, 1873. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 323, 1876, Brachyrhynchus. Champion, Biol. Centr. Am., Heter., ii, pp. 93, 102, 1898, Brachyrhynchus. Sherman, Ent. News, xvi, p. 8, 1905, Brachyrhynchus. Localities: N. C.(?), Wyom., Ariz., Calif., Vanc. Isd.

407. Mezira granulata (Say)

Say, Heter. N. Harm., p. 30, 1832; Fitch reprint, p. 798; Compl. Writ., i, p. Stål, Enum. Hemip., iii, p. 145, 1873, Brachyrhynchus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 323, 1876, Brachyrhynchus. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 420, 1878, Brachyrhynchus. Bergroth, Proc. Ent. Soc. Wash., i, p. 336, 1892, Brachyrhynchus. Heidemann, Proc. Ent. Soc. Wash., vi, p. 162, 1904. Sherman, Ent. News, xvi, p. 8, 1905, Brachyrhynchus. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 175, 1909. Van Duzee, Can. Ent., xliv, p. 323, 1912. parvulus (Herrich-Schaeffer), Wanz. Ins., ix, p. 139, fig. 956, 1853, Dysodius.

tlobatus Provancher, Pet. Faune Ent. Can., iii, p. 168, 1887.

Localities: Md., N. C., S. C., Ga., Fla., Ala., Ind., Mo., Texas.

Genus Neuroctenus Mayr

Logotype brasiliensis Mayr = punctulatus (Burm.) Fieber, Europ. Hemip., p. 34, 1860 (no species, invalid). Mayr, Verh. Zool.-Bot. Ges. Wien, xvi, p. 365, 1866 (valid here). Stål, Enum. Hemip., iii, p. 145, 1873.

Bergroth, Of. Finska Vet. Soc. Forh., xxix, p. 173, 1887. (Synopsis.) Bergroth, Proc. Ent. Soc. Wash., ii, p. 336, 1892.

Champion, Biol. Centr. Am., Heter., ii, p. 106, 1898.

[type.)

Distant, Fauna Br. Ind., Rhyn., ii, p. 164, 1903. (Names caffer Stål pseudo-

408. Neuroctenus simplex (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 323, 1876, Brachyrhynchus.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 336, 1892.

Osborn, Ohio Nat., iv, p. 40, 1903.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 162, 1904.

Sherman, Ent. News, xvi, p. 8, 1905, Brachyrhynchus.

Sherman, Ent. News, xvi, p. 9, 1905, Neuroctenus.

Smith, Cat. Ins. N. J., Edn. 3, p. 140, 1910.

Heidemann, Proc. Ent. Soc. Wash., xiii, p. 134, 1911 (egg).

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 517, 1914.

Localities: N. Y., N. J., Pa., Md., D. C., N. C., S. C., Ga., Fla., Ohio, Ind., Ill., Mo., Texas.

409. Neuroctenus pseudonymus Bergr.

Bergroth, Wien. Ent. Zeit., xvii, p. 27, 1898.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 163, 1904.

Sherman, Ent. News, xvi, p. 9, 1905.

tovatus Bergroth, Of. Finska Vet. Soc. Forh., xxix, p. 183, 1887.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 336, 1892.

Osborn, Ohio Nat., iv, p. 41, 1903.

Sherman, Ent. News., xvi, p. 8, 1905, Brachyrhynchus.

Localities: D. C., N. C., Ohio, Ind.

410. Neuroctenus elongatus Osb.

Osborn, Ohio Nat., iv, p. 41, 1903.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 163, 1904.

Sherman, Ent. News, xvi, p. 9, 1905.

Bueno and Englehardt, Can. Ent., xlii, p. 150, 1910.

Localities: Pa., N. C., Ohio.

411. Neuroctenus hopkinsi Heid.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 163, 1904. Sherman, Ent. News, xvi, p. 9, 1905.

Locality: N. C.

Genus Aneurus Curt. Haplotype laevis (Fabr.)

Curtis, Br. Ent., ii, pl. 86, 1825.

Laporte, Essai Classif. Syst. Hémip., p. 54, 1832. (Cites laevis as type.)

Herrich-Schaeffer, Nomen. Ent., pp. 37, 59, 1835.

Burmeister, Handb. d. Ent., ii, p. 253, 1835.

Spinola, Essai sur les Hémip., p. 160, 1837 (1840).

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 120, 1840. (Cites laevis as Amyot and Serville, Hémip., p. 306, 1843. [type.)

Spinola, Tavola Sinot., p. 44, 1850.

Herrich-Schaeffer, Wanz. Ins., ix, p. 141, pl. 310, figs. A-D, 1853.

Flor, Rhyn. Livl., i, p. 395, 1860.

Fieber, Europ. Hemip., pp. 35, 116, 1861.

Douglas and Scott, Br. Hemip., p. 267, 1865.

Stål, Hemip. Afr., iii, p. 32, 1865.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 106, 1871.

Reuter, Of. Vet. Akad. Forh., xxix, No. 5, p. 62, 1872.

Stål, Enum. Hemip., iii, p. 146, 1873.

Walker, Cat. Heter., vii, pp. 6, 8, 29, 1873.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 420, 1878.

Bergroth, Verh. Zool.-Bot. Ges. Wien, xxxvi, p. 56, 1886.

Provancher, Pet. Faune Ent. Can., iii, p. 168, 1887.

Champion, Biol. Centr. Am., Heter., ii, p. 113, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 166, 1903. (Cites laevis Fabr. as type.)

Bergroth, Ann. Mus. Natl. Hung., xii, p. 89, 1914. (Exotic forms.)

†Brachyrhynchus Brullé, Hist. des Ins., Hémip., ix, p. 335, 1835 (as subgen.

412. Aneurus politus Say

Say, Heter. N. Harm., p. 31, 1832; Fitch reprint, p. 799; Compl. Writ., i, p. Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 106, 1871. [354. Stål, Enum. Hemip., iii, p. 146, 1873. [354. Stål, Proc. Bost. Soc. Nat. Hist., xix, p. 421, 1878. [357]
Bergroth, Proc. Ent. Soc. Wash., ii, p. 337, 1892. [37]
Champion, Biol. Centr. Am., Heter., ii, p. 115, pl. 7, fig. 29, 1898. [38]
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 517, 1914. [38]
Localities: Fla. (Neotropical.)

413. Aneurus septentrionalis Walk.

Walker, Cat. Heter., vii, p. 30, 1873.

Bergroth, Revue d'Ent., vi, p. 247, note, 1887.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 337, 1892.

Champion, Biol. Centr. Am., Heter., ii, p. 116, 1898 (mere notice).

Van Duzee, Can. Ent., xlv, p. 323, 1912.

†politus Provancher, Pet. Faune Ent. Can., iii, p. 169, 1887.

Localities: Nova Scotia, Quebec, Ont.

414. Aneurus inconstans Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 105, 1871.
Stål, Enum. Hemip., iii, p. 146, 1873.
Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 420, 1878.
Provancher, Pet. Faune Ent. Can., iii, p. 169, 1887.
Bergroth, Proc. Ent. Soc. Wash., ii, p. 337, 1892.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 182, 1894.
Localities: Quebec, Ont., N. H., Mass., N. Y., N. J., Pa.

415. Aneurus simplex Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 106, 1871.

Stål, Enum. Hemip., iii, p. 146, 1873.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 421, 1878.

Bergroth, Proc. Ent. Soc. Wash., ii, p. 337, 1892

Champion, Biol. Centr. Am., Heter., ii, p. 116, 1898 (notice only).

Heidemann, Proc. Ent. Soc. Wash., vi, p. 164, 1904.

Localities: "New England," Wash.

416. Aneurus minutus Bergr.

Bergroth, Verh. Zool.-Bot. Ges. Wien, xxxvi, p. 58, 1886. Bergroth, Proc. Ent. Soc. Wash., ii, p. 337, 1892. Champion, Biol. Centr. Am., Heter., ii, p. 114, pl. 7, fig. 27, 1898. Heidemann, Proc. Ent. Soc. Wash., vi, p. 164, 1904. Localities: Ga., Fla., Texas, Ariz.

417. Aneurus fiskei Heid.

Heidemann, Proc. Ent. Soc. Wash., vi, p. 164, 1904.
Sherman, Ent. News, xvi, p. 9, 1905.
Bueno, Jl. N. Y. Ent. Soc., xvi, p. 227, 1908.
Localities: N. Y., Pa., Va., N. C., Ga.

418. Aneurus tenuicornis Champ.

Champion, Biol. Centr. Am. Heter., ii, p. 116, pl. 7, fig. 30, 1898. Locality: Ga.

SERIES ONYCHIOPHORA Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 75, 1910. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 27, 31, 49, 1912. Oshanin, Kat. Palae. Hemip., p. 26, 1912.

Superfamily LYGAEOIDEAE Osh.

Oshanin, Kat. Palae. Hemip., p. 26, 1912.

Neidoideae Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 76, 1910.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, p. 49, 1912.

PHALYNX LYGAEIFORMES Osh.

Oshanin, Kat. Palae. Hemip., p. 27, 1912.

Neidiformes Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 76, 1910.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 31, 49, 1912.

Family NEIDIDAE (Kirk.)

Kirkaldy, Jl. Bombay Nat. Hist. Soc., xiv, p. 302, 1902, subfam. Neiinae.
Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 77, 83, 1910.
Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 47, 49, 58, 1912.
Berytidea Fieber, Genera Hydroc., p. 9, 1851.

Costa, Cimic. Neap., Cent., iii, p. 67, 1852, Berytini (subfam. of Fieber, Wien. Ent. Monats., iii, p. 200, 1859, Berytideae. [Coreidae]. Fieber, Europ. Hemip., p. 26, 1860, Berytidae.

Stål, Hemip. Fabr., ii, p. 119, 1865, Berytida.

Douglas and Scott, Brit. Hemip., p. 18, 1865, Berytina.

Stål, Enum. Hemip., iv, p. 127, 1874, Berytina (subfam. of Lygaeidae). Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 299, 1876, Berytina (subfam. of Coreidae.)

Uhler, U. S. Geol. Geog. Surv., iii, p. 406, 1877, Berytinae (subfam. [of Coreidae.)

Distant, Biol. Centr. Am., Heter., i, p. 162, 1881, Berytinae (subfam. Uhler, Stand. Nat. Hist., ii, p. 289, 1884, Berytidae. [of Coreidae.) Berg, Hemip. Argent., Add., p. 52, 1884, Berytina (subfam. of Puton, Cat. Hemip. Palae., Edn. 3, p. 19, 1886, Berytidae. [Lygaeidae.]

Uhler, Check List, p. 13, 1886, Berytidae. Lethierry and Severin, Cat. Génl. Hémip., ii, p. 127, 1894, Berytidae. Distant, Fauna Br. Ind., Rhyn., i, p. 421, 1902, Berytidae. [Lygaeidae.] Van Duzee, Can. Ent., xli, p. 372, 1909, Berytidae (subfam. of Bergroth, Ann. Soc. Ent. Belg., liv, p. 297, 1910, Berytidae. Bueno in Smith, Cat. Ins. N. J., Edn. 3, p. 147, 1910, Berytinae (sub-Banks, Cat. Nearc. Hemip., p. 71, 1910, Berytidae. [fam. of Coreidae.) Horvath, Ann. Mus. Natl. Hung., ix, p. 13, 1911, Berytidae. Oshanin, Kat. Palae. Hemip., p. 40, 1912, Berytidae.

Subfamily NEIDINAE Van D.

Van Duzee, Check List Hemip., p. 17, 1916.

Berytidae Douglas and Scott, Brit. Hemip., pp. 19, 149, 1865.

Puton, Cat. Hemip. Palae., edn. 3, p. 19, 1886, Berytaria. [(as subfam.). Lethierry and Severin, Cat. Génl. Hémip., ii, p. 127, 1894, Berytidae Oshanin, Verz. Palae. Hemip., i, p. 236, 1906, Berytaria (Division). Oshanin, Kat. Palae. Hemip., p. 40, 1912, Berytaria (Tribe).

Genus Neides Latr. Logotype tipularius (Linn.)

Latreille, Hist. Nat. Crust. Ins., iii, p. 246, 1802; xii, p. 209, 1804.

Latreille, Genera Crust. Ins., iii, p. 120, 1807.

Latreille, Consid. Génl., pp. 255, 433, 1810. (Names tripularius type.)

Latreille, Fam. Règne Anim., p. 421, 1825 (not Latin).

Curtis, Br. Ent., iv, pl. 150, 1827.

Latreille in Cuvier, Règne Anim., Edn. 2, v, p. 198, 1829.

Laporte, Essai Classif. Syst. Hémip., p. 41, 1832. (Cites tripularius as type.)

Brullé, Hist. des Ins., ix, p. 354, 1835.

Latreille in Cuvier Anim. King., London Edn., iv, p. 163, 1836.

Spinola, Essai sur les Hémip., p. 203, 1837 (1840).

Blanchard, Hist. des Ins., Hémip., p. 115, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 123, 1840. (Cites tipularius [as type.)

Amyot and Serville, Hémip., p. 233, 1843.

Spinola, Tavola Sinot., p. 42, 1850. Dallas, List of Hemip., ii, p. 488, 1852.

Fieber, Europ. Hemip., pp. 54, 209, 1861.

Stål, Enum. Hemip., iv, pp. 127, 128, 1874.

Puton, Cat. Hémip. Palae., Edn. 3, p. 19, 1886.

Uhler, Check List., p. 13, 1886.

Distant, Biol. Centr. Am., Heter., i, p. 460, 1893.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 127, 1894.

Kirkaldy, Proc. Ent. Soc. Wash., vii, p. 28, 1905.

Oshanin, Kat. Palae. Hemip., 40, 1912.

Berytus Fabricius, Syst. Rhyng., p. 264, 1803. (Orthotype tipularius Say, Am. Ent., i, pl. xiv, 1824. [Fabr.)

Fallén, Hemip. Suec., Cimic., p. 164, 1829.

Schilling, Hemip. Silesiae, Beit. z. Ent., ii, p. 55, 1829. [tipularius Linn.) Leach in Brewster, Edinbg. Encyc., Am. Edn., viii, p. 710, 1832 (for Hahn, Wanz. Ins., i, p. 132, 1831.

Herrich-Schaeffer, Nomen. Ent., p. 36, 1835.

Burmeister, Handb. d. Ent., ii, p. 313, 1835.

Reuter, Rev. Synon., pp. 176, No. 112; p. 178, No. 113, note, 1888.

Bergroth, Wien. Ent. Zeit., xxv, p. 10, 1906.

Podicerus Dumeril, Dicty. Hist. Nat., iv, suppl. p. 81, 1816; xxx, p. 406, [1824; xlii, p. 56, 1856. (Type tipularius Linn.)

Sphalerocoris Flor, Rhyn. Livl., i, pp. 202, 205, 1860.

†Capys Provancher, Pet. Faune Ent. Can., iii, p. 58, 1885.

419. Neides muticus (Say)

Say, Heter. N. Harm., p. 13, 1832; Fitch reprint, p. 772; Compl. Writ., i, p. Stål, f Enum. Hemip., iv, p. 129, 1874. [328, Berytus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 299, 1876; iii, p. 406, 1877; iv, p.

[504, 1878. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 384, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 58, 1885, Capys.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 238, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 172, 1894.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 132, 1894, Jalysus.

Gillette and Baker, Hemip. Colo., p. 19, 1895.

Van Duzee, Can. Ent., xli, p. 372, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 148, 1910.

gracilipes Stål, Freg. Eug. Resa, Ins., p. 235, 1859.

decurvatus Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 100, 1871.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 402, 1872 (as new). Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., Ga., Ohio, Mich., Ill., Wis., Neb., Kan., Colo., Utah, Idaho, Ariz., Calif., Vanc. Isd.

Genus Hoplinus Stål

Haplotype spinosissimus (Sign.)

Stål, Enum. Hemip., iv, pp. 127, 128, 1874.

420. Hoplinus (?) multispinus Ashm.

Ashmead, Ent. Am., iii, p. 155, 1887.

Locality: Fla.

Subfamily METACANTHINAE D. & S.

Douglas and Scott, Brit. Hemip., pp. 19, 145, 1865, Metacanthidae.

Puton, Synop. Heter. Fr., ii, p. 121, 1879.

Puton, Cat. Hémip. Palae., Edn. 3, p. 20, 1886, Div. Metacantharia.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 131, 1894, Subfam. Meta-Oshanin, Verz. Palae. Hemip., i, p. 242, 1906, Div. Metacanthidae. [canthidae.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 13, 1907, Fam. Metacanthidac. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 163, 1909, Fam. Metacanthidae.

Oshanin, Kat. Palae. Hemip., p. 41, 1912, Tribe Metacantharia.

Genus Jalysus Stål Logotype macer Stal

Stål, Rio Jan. Hemip., ii, p. 59, 1862.

Stål, Enum. Hemip., iv, p. 128, 1874.

Distant, Biol. Centr. Am., Heter., i, p. 162, 1881.

Provancher, Pet. Faune Ent. Can., iii, p. 58, 1885.

Barber, Jl. N. Y. Ent. Soc., xix, p. 24, 1911. (Key.)

421. Jalysus spinosus (Say)

Say, Am. Ent., i, pl. 14, 1824; Compl. Writ., i, p. 28, pl. 14, Berytus. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 402, 1872, Neides. Stål, Enum. Hemip., iv, p. 129, 1874.

Uhler, Wheeler's Surv. 100th Merid., v, p. 832, 1875, Neides.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 299, 1876; iii, p. 406, 1877, Neides.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1325, Neides.

Provancher, Pet. Faune Ent. Can., iii, p. 58, 1885.

Uhler, Check List, p. 13, 1886.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 172, 1894.

Gillette and Baker, Hemip. Colo., p. 19, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 163, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 148, 1910.

Barber, Jl. N. Y. Ent. Soc., xix, p. 24, 1911.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 517, 1914.

Localities: Quebec, Ont., Me., N. Y., N. J., Pa., D. C., N. C., Ga., Fla., Ohio, Ill., Mich., Wis., Neb., Kan., Colo., Texas.

a. var. wickhami Van D.

Van Duzee, Ent. News, xvii, p. 387, 1906.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907.

Localities: Utah, Ariz., Calif., Oregon.

422. Jalysus elongatus Barb.

Barber, Jl. N. Y. Ent. Soc., xix, p. 23, 1911. Locality: Ariz.

423. Jalysus perclavatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 163, 1909.

†multispinus Banks, Cat. Nearc. Hemip., p. 71, 1910 (part).

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 517, 1914.

†multispinosus Barber, Jl. N. Y. Ent. Soc., xix, p. 24, 1911.

Localities: N. J., D. C., Fla., Mo., Ariz.

Genus Protacanthus Uhl. Haplotype decorus Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1893, p. 707. Bergroth, Mém. Soc. Ent. Belg., xxii, p. 179, 1913.

424. Protacanthus decorus Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1893, p. 708.

Distant, Ann. Mag. Nat. Hist., Ser. 7, vii, p. 430, 1901, Metacanthus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 14, 1907; ix, p. 164, 1909.

Bergroth, Mem. Soc. Ent. Belg., xxii, p. 179, 1913.

Van Duzee, Check List Hemip., p. 17, 1916, Mctacanthus.

capitatus Uhler, Proc. Zool. Soc. Lond. for 1894, p. 181, Metacanthus.

Localities: Fla. (West Indies.)

Genus Pronotacantha Uhl.

Haplotype annulata Uhl.

Uhler, N. Am. Fauna, vii, p. 260, 1893.

425. Pronotacantha annulata Uhl.

Uhler, N. Am. Fauna, vii, p. 260, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 238, 1894, Acantholaena.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 178, 1906, Acantholaena.

Localities: Ariz., Calif.

Genus Acanthophysa Uhl. Haplotype echinata Uhl.

Uhler, N. Am. Fauna, vii, p. 261, 1893.

426. Acanthophysa echinata Uhl.

Uhler, N. Am. Fauna, vii, p. 261, 1893.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 352, 1904.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 5, 1914.

Localities: N. Mex., Calif.

Family LYGAEIDAE (Schill.)

Schilling, Beit. z. Ent., i, p. 37, 1829, Div. Lygaeides.

Hahn, Wanz. Ins., i, p. 231, 1831, Lygaeides.

Laporte, Essai Classif. Syst. Hémip., p. 32, 1832, Lygéites.

Herrich-Schaeffer, Nomen. Ent., i, p. 36, 1835, Lygaeidae.

Burmeister, Handb. d. Ent., ii, pp. iii, 279, 1835, Lygaeodes.

Brullé, Hist. des Ins., ix, p. 372, 1835, Lygéens.

Spinola, Essai sur les Hémip., p. 224, and chart 14, 1837 (1840), Lygeites.

Costa, Cimic. Reg. Neap., Cent., i, p. 38, 1838, Lygaeini.

Blanchard, Hist. des Ins., Hémip., p. 127, 1840, Lygéens.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 122, 1840, Lygaeidae.

Spinola, Tavola Sinot., pp. 26, 27, 38, 1850, Lygeitae.

Fieber, Genera Hydroc., p. 9, 1851, Lygaeodae.

Dallas, List of Hemip., ii, p. 531, 1852, Lygaeidae.

Stål, Freg. Eug. Resa, Ins., p. 240, 1859, Lygaeides.

Costa, Cimic. Reg. Neap., Add., p. 16, 1860, Lygaeidea.

Flor, Rhyn. Livl., i, p. 213, 1860, Lygaeodea.

Stål, Rio Jan. Hemip., i, p. 37, 1860, Lygaeidae.

Fieber, Europ. Hemip., pp. 26, 163, 1861, Lygaeodae.

Stål, Of. Vet. Akad. Forh., xix, p. 210, 1862, Lygaeida.

Stål, Hemip. Afr., ii, p. 120, 1865, Lygaeida.

Stål, Hemip. Fabr., i, p. 69, 1868, Lygaeida.

Schjoedte, Nat. Tidskr., Ser. 3, vi, p. 266, 1869, Lygaei.

Stål, Of. Vet. Akad. Forh., xxvii, p. 659, 1870, Lygaeina.

Stål, Enum. Hemip., iv, p. 98, 1874, Lygaeidae.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 302, 1876, Lygaeidae.

Distant, Biol. Centr. Am., Heter., i, p. 173, 1882, Lygaeidae.

Reuter, Revue d. Ent., iv, p. 199, 1885, Lygaeidae.

Puton, Cat. Hémip. Palae., Edn. 3, p. 20, 1886, Lygaeides.

Uhler, Check List, p. 13, 1886, Lygaeidae.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 135, 1894, Lygaeidae.

Oshanin, Verz. Palae. Hemip., i, p. 245, 1906, Lygaeidae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 1, 1903; v, p. 1, 1910, Lygaeidae.

Horvath, Ann. Mus. Natl. Hung., ix, p. 10, 1911, Lygaeidae.

Oshanin, Kat. Palae. Hemip., p. 27, 1912, Lygaeidae.

Infericornes Amyot and Serville, Hémip., pp. xxxvi, 248, 1843.

Myodochidae Kirkaldy, Entomol., xxxii, p. 220, 1899.

Kirkaldy, Can. Ent., xxxix, p. 244, 1907; xl, p. 360, 1908.

Kirkaldy, Trans. N. Zeal. Inst., xli, p. 25, 1908.

Horvath, Ann. Mus. Natl. Hung., vi, p. 558, 1908.

Bergroth, Ann. Soc. Ent. Belg., liii, p. 189, 1909.

Kirkaldy, Can. Ent., xlii, p. 63, 1910.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 76, 1910.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 49, 58, 1912.

Geocoridae Kirkaldy, Jl. Bombay Nat. Hist. Soc., xiv, p. 306, 1902.

Kirkaldy, Proc. Haw. Ent. Soc., i, pp. 139, 149, 1907.

Pyrrhocoridae Kirkaldy, Entomol., xxxvii, p. 280, 1904.

Kirkaldy, Trans. Ent. Soc. Lond. for 1905, p. 343 (part).

Subfamily LYGAEINAE Stål

Stål, Of. Vet. Akad. Forh., xix, p. 210, 1862, Lygaeida.

Stål, Hemip. Afr., ii, p. 121, 1865, Lygaeida.

Stål, Of. Vet. Akad. Forh., xxvii, No. 7, p. 37, 1872, Lygaeina.

Stål, Enum. Hemip., iv, p. 98, 1874.

Berg, Hemip. Argent., p. 98, 1879, Lygaeina.

Distant, Biol. Centr. Am., Heter., i, p. 173, 1882, Lygaeinae.

Puton, Cat. Hémip. Palae., Edn. 3, p. 20, 1886, Tribe Lygaeini.

Uhler, Check List, p. 15, 1886.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 135, 1894, Subfam. Lygaeidae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 2, 1903, Lygaeinae.

Oshanin, Verz. Palae. Hemip., i, p. 245, 1906, Lygaeina.

Banks, Cat. Nearc. Hemip., p. 60, 1910, Lygaeini.

Oshanin, Kat. Palae. Hemip., p. 27, 1912, Lygaeinae.

TRIBE LYGAEINI (Stål)

Stål, Of. Vet. Akad. Forh., xxvii, No. 7, p. 40, 1872, Div. Lygaearia.

Stål, Enum. Hemip., iv, p. 98, 1874, Div. Lygaearia.

Berg, Hemip. Argent., p. 98, 1879, Div. Lygaearia.

Distant, Biol. Centr. Am., Heter., i, p. 173, 1882, Div. Lygaearia.

Reuter, Revue d'Ent., iv, p. 199, 1885, Div. Lygaearia.

Distant, Fauna Br. Ind., Rhyn., ii, p. 2, 1903, Div. Lygaearia.

Oshanin, Verz. Palae. Hemip., i, p. 245, 1906, Div. Lygaearia.

Oshanin, Kat. Palae. Hemip., p. 27, 1912, Tribe Lygaearia.

Astacopinae Kirkaldy, Can. Ent., xxxix, p. 244, 1907.

Genus Oncopeltus Stål

Logotype famelicus (Fabr.)

Stål, Hemip. Fabr., i, pp. 70, 75, 1868.

Walker, Cat. Heter., v, p. 37, 1872.

Stål, Enum. Hemip., iv, pp. 98, 101, 1874.

Berg, Hemip. Argent., p. 98, 1879.

Distant, Biol. Centr. Am., Heter., i, p. 174, 1882.

Distant, Fauna Br. Ind., Rhyn., ii, p. 4, 1903.

Subgenus Oncopeltus Stål

Stål, Enum. Hemip., iv, p. 101, 1874.

427. Oncopeltus gutta (H. S.)

Herrich-Schaeffer, Wanz. Ins., vii, p. 20, fig. 703, 1844, Lygaeus.
Dallas, List of Hemip., ii, p. 539, 1852, Lygaeus.
Herrich-Schaeffer, Wanz. Ins., ix, p. 200, 1853, Lygaeus.
Stål, Stet. Ent. Zeit., xxiii, p. 308, 1862, Lygaeus.
Stål, Hemip. Fabr., i, p. 75, 1868.
Walker, Cat. Heter., v, p. 42, 1872.
Stål, Enum. Hemip., iv, p. 101, 1874.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 302, 1876 (guttas).
Distant, Biol. Centr. Am., Heter., i, p. 174, pl. 16, fig. 22, 1882.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 247, 1894.
Barber, Brookl. Inst. Sci. Bul., i, p. 273, 1906.
Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 15, 1907.
Localities: Ariz., Calif. (Neotropical.)

428. Oncopeltus varicolor (Fabr.)

Fabricius, Ent. Syst., iv, p. 149, 1794, Lygaeus.
Fabricius, Syst. Rhyng., p. 219, 1803, Lygaeus.
Dallas, List of Hemip., ii, p. 538, 1852, Lygaeus.
Stål, Hemip. Fabr., i, p. 70, 1868.
Stål, Enum. Hemip., iv, p. 102, 1874.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 303, 1876.
Distant, Biol. Centr. Am., Heter., i, p. 174, pl. 16, fig. 21, 1882.
Uhler, Proc. Zool. Soc. Lond. for 1894, p. 189.
alternans (Herrich-Schaeffer), Wanz. Ins., vii, p. 20, fig. 704, 1844, Lygaeus
Herrich-Schaeffer, Wanz. Ins., ix, p. 200, 1850, Lygaeus.
Dallas, List of Hemip., ii, p. 539, 1852, Lygaeus.
Locality: Calif.

429. Oncopeltus sanguinolentus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 6, 1914. Locality: Calif.

Subgenus Erythrischius Stål Logotype fasciatus (Dall.)

Stål, Enum. Hemip., iv, p. 102, 1874.

431. Oncopeltus sandarachatus (Say)

Say, Heter. N. Harm., p. 13, 1832; Fitch reprint, p. 772; Compl. Writ., i, p. Stål, Enum. Hemip., iv, p. 103, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 303, 1876, Erythrischius.

Distant, Biol. Centr. Am., Heter., i, p. 176, 1882.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 16, 1907.

†unifasciatus var. Herrich-Schaeffer, Wanz. Ins., viii, p. 105, fig. 876, 1848,

[Lygaeus.

Localities: Calif. (Neotropical.)

432. Oncopeltus fasciatus (Dall.)

Dallas, List of Hemip., ii, p. 538, 1852, Lygaeus (n.n. for aulicus H. S.). Guerin, Sagra, Hist. de Cuba, Ins., p. 394, 1857, Lygaeus. Stål, Stet. Ent. Zeit., xxiii, p. 308, 1862, Lygaeus. Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 125, 1868, Lygaeus.

Unler, Hayden's Surv. Terr., Rept. for 1871, p. 405, 1872, Lygaeus. Stål, Enum. Hemip., iv, p. 103, 1874. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 303, 1876, Erythrischius. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1326, Lygaeus. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 386, 1878, Erythrischius. Distant, Biol. Centr. Am., Heter., i, p. 176, pl. 16, fig. 23, 1882. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 189. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 247, 1894. Wirtner, Ann. Carn. Mus., iii, p. 191, 1904. Barber, Brookl. Inst. Sci. Bul., i, p. 273, 1906. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 164, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 140, 1910. Heidemann, Proc. Ent. Soc. Wash., xiii, p. 133, 1911 (egg). Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 6, 1914. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 509, 1914. Essig, Inj. Ben. Ins., Calif., edn. 2, p. 206, 1915. †aulicus (Herrich-Schaeffer), Wanz. Ins., vi, p. 76, fig. 646, 1842, Lygaeus. Herrich-Schaeffer, Wanz. Ins., ix, p. 196, 1853, Lygaeus. Localities: Mass., N. J., Md., Pa., N. C., Fla., La., Ind., Wis., Texas, Ariz., Calif. (Neotropical.) 433. Oncopeltus sex-maculatus Stål

Stål, Enum. Hemip., iv, p. 102, 1874. Distant, Biol. Centr. Am., Heter., i, p. 174, pl. 17, fig. 1, 1882. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 509, 1914. †gutta (Glover), Illust. Ins., Ord. Hemip., p. 45, pl. 7, fig. 15, 1876, Lygaeus. Localities: Fla. (Mexico, Centr. Am.)

Genus Lygaeus Fabr.

Logotype equestris (Linn.) Fabricius, Ent. Syst., iv, p. 133, 1794. (Indicates valgus as typical). Latreille, Precis, p. 84, 1796, (no species mentioned). Lamarck, Syst. Anim. s. Verteb., p. 294, 1801 (as subgen. of Cimex; names [equestris Linn. type). Latreille, Hist. Nat. Crust. Ins., iii, p. 243, 1802. (Names Cimex apterus [Linn. and equestris Linn. as examples.) Walckenaer, Faune Paris., ii, p. 345, 1802, Ligeus (includes Coreids and [Lygaeids.) Fabricius, Syst. Rhyng., p. 203, 1803 (indicates tenebrosus as type). Latreille, Hist. Nat. Crust. Ins., xii, p. 210, 1804 (gives equestris as first

[species). Latreille, Genera Crust. Ins., iii, p. 121, 1807 (includes Coreids and Lygaeids).

Fallén, Monog. Cimic. Suec., p. 62, 1807 (I, Lygaeids; II, Capsids). Latreille, Consid. Génl., pp. 255, 433, 1810 (names apterus as type). Wolff, Icon. Cimic., v, p. viii, 1811 (after Fabricius).

Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 495, 1816 (equestris first species). Latreille, Fam. Règ. Anim., p. 421, 1825.

LePelitier and Serville, Encyc. Méthod., x, p. 322, 1825 (mentions Salda atra, [albipennis and grylloides Fabr.)

Latreille, Cuvier, Règne Animal, edn. 2, v, p. 198, 1829 (first correctly re-[stricts genus).

Fallén, Hemip. Suec., Cimic., p. 47, 1829 (gives equestris as first species).

```
Schilling, Beitr. z. Ent., i, pp. 37, 58, 1829 (equestris first species).
Laporte, Essai Classif. Syst. Hémip., p. 33, 1832 (names familiaris pseudotype).
Herrich-Schaeffer, Nomen. Ent., i, pp. 36, 43, 1835 (for equestris and others).
Burmeister, Handb. d. Ent., ii, p. 297, 1835 (for equestris and others).
Brullé, Hist. des Ins., ix, p. 384, 1835 (names militaris type).
Latreille, Cuvier Anim. Kingd., Lond. Edn., iv, p. 163, 1836.
Spinola, Essai sur les Hémip., p. 258, 1837 (1840) (includes equestris).
Blanchard, Hist. des Ins., Hémip., p. 129, 1840 (includes equestris).
Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 122, 1840 (names equestris
Guerin, Icon. Reg. Anim., p. 346, 1842.
                                                                    [as type).
Amyot and Serville, Hémip., p. 249, 1843 (for equestris and others).
Spinola, Tavola Sinot., p. 38, 1850.
Dallas, List of Hemip., ii, p. 533, 1852 (includes equestris).
Flor, Rhyn. Livl., i, p. 219, 1860 (for familiaris and equestris).
Fieber, Europ. Hemip., pp. 44, 164, 1861 (includes equestris and others).
Stål, Of. Vet. Akad. Forh., xix, pp. 210, 212, 1862 (describes equestris).
Stål, Stet. Ent. Zeit., xxiii, p. 308, 1862.
Stål, Hemip. Afr., ii, p. 125, 1865 (includes familiaris).
Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 123, 1868.
Stål, Hemip. Fabr., i, p. 71, 1868.
Thompson, Opusc. Ent., fasc. ii, p. 181, 1870 (equestris only species).
Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 41, 1872.
Walker, Cat. Heter., v, pp. 37, 38, 1872.
Stål, Enum. Hemip., iv, p. 104, 1874.
Distant, Biol. Centr. Am., Heter., i, p. 177, 1882.
Reuter, Revue d'Ent., iv, pp. 199, 201, 1885.
Provancher, Pet. Faune Ent. Can., iii, p. 69, 1886.
Reuter, Rev. Synon., p. 179, No. 115, note 4, 1888 (follows Laporte in fixing
Distant, Fauna Br. Ind., Rhyn., ii, p. 5, 1903.
                                                         [familiaris as type.)
  †Eulygaeus Berg, Nova Hemip., p. 68, 1892.
  †Stalagmostethus Kirkaldy, Trans. N. Zeal. Inst., xli, p. 25, 1909.
  $Lygus Smith, Cat. Ins. N. J., Edn. 3, p. 140, 1910.
  †Spilostethus Bergroth, Rev. Zool. Afr., iii, p. 457, 1914.
```

Subgenus Lygaeus Fabr. Logotype equestris (Linn.)

Van Duzee, Can. Ent., xlvi, p. 381, 1914.

Graptolomus Stål, Hemip. Fabr., i, pp. 73, 75, 1868.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 41, 1872.

Stål, Enum. Hemip., iv, p. 106, 1874.

Eulygaeus Reuter, Rev. Synon., p. 180, No. 116, 1888 (type equestris).

434. Lygaeus turcicus Fabr.

Fabricius, Syst. Rhyng., p. 218, 1803.

Dallas, List of Hemip., ii, p. 540, 1852.

Herrich-Schaeffer, Wanz. Ins., ix, p. 195, 1853.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 124, 1868.

Stål, Hemip. Fabr., i, p. 73, 1868.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 405, 1872.

Walker, Cat. Heter., v, p. 42, 1872.

Stål, Enum. Hemip., iv, p. 107, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 302, 1876.

Chler, Proc. Bost. Soc. Nat. Hist., xix, p. 386, 1878.
Townsend, Ent. Am., iii, p. 53, 1887 (life history).
Montandon, Ann. Soc. Ent. Belg., xxxvii, p. 400, 1893.
Cockerell, Trans. Am. Ent. Soc., xx, p. 362, 1893.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 246, 1894.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 175, 1894.
Van Duzee, Trans. Am. Ent. Soc., xxix, p. 109, 1903.
Wirtner, Ann. Carn. Mus., iii, p. 191, 1904.
Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907.
Kirkaldy, Proc. Haw. Ent. Soc., i, p. 149, 1907, Stalagmostethus.
Parshley, Psyche, xxi, p. 146, 1914.
Bueno, Psyche, xxii, p. 16, 1915.

Localities: Me., Mass., Conn., N. Y., Pa., Va., Mich., Ill., Mo., Okl., Colo., N. Mex., Ariz.

435. Lygaeus costalis H. S.

Herrich-Schaeffer, Wanz. Ins., vii, p. 22, fig. 706, 1844; ix, p. 195, 1853. Dallas, List of Hemip., ii, p. 541, 1852. Stål, Stet. Ent. Zeit., xxiii, p. 308, 1862. Stål, Enum. Hemip., iv, p. 107, 1874. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 302, 1876. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1326. Distant, Biol. Centr. Am., Heter., i, p. 178, 1882. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 246, 1894. †trux Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 178, 1906. Localities: Texas, Ariz., Calif.

436. Lygaeus reclivatus Say

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 321, 1825; Compl. Writ., ii, p. 245. Dallas, List of Hemip., ii, p. 541, 1852. Stål, Enum. Hemip., iv, p. 107, 1874. Uhler, Wheeler's Surv. 100th Merid., v, p. 834, 1875. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 302, 1876; iii, p. 408, 1877. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1326. Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 505, 1878. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 386, 1878. Distant, Biol. Centr. Am., Heter., i, p. 178, 1882. Cockerell, Trans. Am. Ent. Soc., xx, p. 362, 1893. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 246, 1894. Gillette and Baker, Hemip. Colo., p. 27, 1895. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 354, 1904. Barber, Brookl. Inst. Sci. Bul., i, p. 273, 1906. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 7, 1914. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 234, 1916. ?bipunctulus Herrich-Schaeffer, Wanz. Ins., ix, p. 195, 1853. Stål, Enum. Hemip., iv, p. 108, 1874. a. var. enotus Say

. Var. enous Bay

Say, Heter. N. Harm., p. 14, 1832; Fitch reprint, p. 774; Compl. Writ., i, [p. 329.

Localities: Mo., Dak., Kan., Colo., N. Mex., Texas, Ariz., Nev., Calif., Ore., Wash.

437. Lygaeus kalmii Stål

Stål, Enum. Hemip., iv, p. 107, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 302, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 178, pl. 17, fig. 2, 1882.

Cockerell, Trans. Am. Ent. Soc., xx, p. 362, 1893.

Montandon, Ann. Soc. Ent. Belg., xxxvii, p. 399, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 175, 1894.

Barber, Brookl. Inst. Sci. Bul., i, p. 273, 1906.

Smith, Cat. Ins. N. J., Edn. 3, p. 141, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 509, 1914.

†turcicus Prov., Pet. Faune Ent. Can., iii, p. 70, 1886.

var. melanodermus Montd.
 Montandon, Ann. Soc. Ent. Belg., xxxvii, p. 400, 1893.

Localities: Quebec, Ont., N. H., Mass., N. Y., N. J., Pa., Md., N. C., Mich., Wis., Ill., Mo., Minn., Kan., Colo., Utah, Texas, Calif. (Mexico.)

438. Lygaeus truculentus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 308, 1862.
Stål, Enum. Hemip., iv, p. 108, 1874.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 302, 1876.
Distant, Biol. Centr. Am., Heter., i, p. 179, pl. 17, fig. 4, 1882.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 234, 1916.
Localities: Calif. (Mexico.)

439. Lygaeus formosus Blanch.

Blanchard, Hist. des Ins., Hémip., p. 130, 1840.
d'Orbigny, Dict. u. Atl., Zool., ii, Hemip., pl. 4, fig. 1, 1849.
Stål, Enum. Hemip., iv, p. 108, 1874.
Distant, Biol. Centr. Am., Heter., i, p. 180, 1882.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 509, 1914.
elatus Stål, Stet. Ent. Zeit., xxiii, p. 308, 1862.
Localities: Fla. (Neotropical.)

Subgenus Melanopleurus Stål Logotype bicolor H. S.

Stål, Enum. Hemip., iv, pp. 105, 109, 1874. Distant, Biol. Centr. Am., Heter., i, p. 180, 1882.

440. Lygaeus belfragei Stål

Stål, Enum. Hemip., iv, p. 109, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 303, 1876, *Melanopleurus*.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 7, 1914.

†bicolor Snow, Trans. Kan. Acad. Sci., xx, pt. 1, pp. 152, 178, 1906; pt. 2,

†Bueno, Ent. News, xxiv, p. 22, 1913. [p. 159, 1907.

Localities: Texas, N. Mex., Ariz., Calif.

441. Lygaeus bistriangularis Say

Say, Heter. N. Harm., p. 14, 1832; Fitch reprint, p. 773; Compl. Writ., i, p. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 405, 1872. [329. Stål, Enum. Hemip., iv, p. 109, 1874. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 303, 1876, Melanopleurus.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1326, Melanopleurus.

Distant, Biol. Centr. Am., Heter., i, p. 180, 1882.

Provancher, Pet. Faune Ent. Can., iii, p. 69, 1886.

Uhler, Proc. Ent. Soc. Wash., ii, p. 372, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 246, 1894.

Van Duzee, Can. Ent., xliv, p. 319, 1912.

vicinus Dallas, List of Hemip., ii, p. 549, 1852.

a. var. marginellus Dall.

Dallas, List of Hemip., ii, p. 548, 1852.

Stål, Enum. Hemip., iv, p. 109, 1874.

Localities: Texas, Colo., Ariz., Calif. (Neotropical.) (Quebec in error.)

442. Lygaeus albulus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 380, pl. 34, fig. 2, 1893 (January).

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 165, 1909.

Hunter and Pratt, U. S. Dept. Agr., Div. Ent., Bul. N. S. 113, p. 51, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 509, 1914.

solida (Uhler), N. Am. Fauna, vii, p. 262, 1893 (May), Lygaesoma.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907.

Localities: Fla., Texas, Colo., Utah, Calif.

Subgenus Craspeduchus Stål Logotype xanthostaurus H. S.

Stål, Enum. Hemip., iv, pp. 105, 109, 1874.

Distant, Biol. Centr. Am., Heter., i, p. 181, 1882.

443. Lygaeus uhleri Stål

Stål, Enum. Hemip., iv, p. 109, 1874.

Distant, Biol. Centr. Am., Heter., i, p. 181, pl. 16, fig. 12, 1882.

Barber, Brookl. Inst. Sci. Bul., i, p. 274, 1906.

Localities: Texas. (Neotropical.)

Subgenus Ochrostomus Stål Logotype pulchellus Fabr.

Stål, Enum. Hemip., iv, pp. 105, 110, 1874.

Distant, Biol. Centr. Am., Heter., i, p. 181, 1882.

†Lygaeus Stål, Hemip. Fabr., i, p. 71, 1868.

444. Lygaeus pyrrhopterus Stål

Stål, Enum. Hemip., iv, p. 110, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 303, 1876, Ochrostomus.

Distant, Biol. Centr. Am., Heter., i, p. 182, pl. 17, fig. 6, 1882.

Localities: Texas, Calif. (Mexico.)

445. Lygaeus melanopleurus Uhl.

Uhler, N. Am. Fauna, vii, p. 262, 1893.

Gillette and Baker, Hemip. Colo., p. 27, 1895.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 179, 1906.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 7, 1914.

Localities: Colo., Ariz., Calif.

446. Lygaeus lineola Dall.

Dallas, List of Hemip., ii, p. 549, 1852.
Stål, Enum. Hemip., iv, p. 110, 1874.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 303, 1876.
Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 152, 1906.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 164, 1909.
Bueno and Engelhardt, Can. Ent., xlii, p. 150, 1910.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 509, 1914.
Localities: Va., Ga., Fla., Texas, N. Mex.

447. Lygaeus tripligatus Barber

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 510, 1914. Locality: Fla.

448. Lygaeus carnosulus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 7, 1914. Locality: Calif.

Subgenus Melanocoryphus Stål

Logotype apuans Rossi = albomaculatus Goeze

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 41, 1872.
Stål, Enum. Hemip., iv, p. 111, 1874.
Distant, Biol. Centr. Am., Heter., i, p. 185, 1882.
Reuter, Revue d'Ent., iv, p. 199, 1885.
Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, p. 19, 1912.
Ochrimnus Stål, Enum. Hemip., iv, p. 113, 1874.

449. Lygaeus pusio (Stål)

Stål, Enum. Hemip., iv, p. 112, 1874, Melanocoryphus.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 303, 1876, Melanocoryphus.
Locality: Texas.

450. Lygaeus obscuripennis (Stål)

Stål, Enum. Hemip., iv, p. 112, 1874, Melanocoryphus.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 303, 1876, Melanocoryphus.
Locality: Texas.

451. Lygaeus nigrinervis (Stål)

Stål, Enum. Hemip., iv, p. 112, 1874, Melanocoryphus.
Distant, Biol. Centr. Am., Heter., i, p. 185, pl. 18, fig. 7, 1882.
Localities: Colo. (Neotropical.)

452. Lygaeus bicrucis Say

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 322, 1825; Compl. Writ., ii, p. 246, 1859. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 406, 1872. Stål, Enum. Hemip., iv, p. 113, 1874, Melanocoryphus. Uhler, Wheeler's Surv. 100th Merid., v, p. 835, 1875. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 304, 1876, Melanocoryphus. Distant, Biol. Centr. Am., Heter., i, p. 185, pl. 16, figs. 14, 15, 1882. Uhler, Proc. Ent. Soc. Wash., ii, p. 372, 1893. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 189, Melanocoryphus. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 244, 1894, Melanocoryphus. Gillette and Baker, Hemip., Colo., p. 27, 1895.

Barber, Brookl. Inst. Sci. Bul., i, p. 274, 1906.

Smith, Cat. Ins. N. J., Edn. 3, p. 140, 1910, Lygus.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 7, 1914.

Van Duzee, Univ. Calif. Publ., Ent. Tech. Bul., i, p. 234, 1916.

flavo-marginellus Stål, Freg. Eng. Resa, Ins., p. 241, 1859.

Stål, Stet. Ent. Zeit., xxiii, p. 310, 1862.

rubescens Stål, Rio Jan. Hemip., i, p. 37, 1860.

bitransversus Signoret, Ann. Soc. Ent. Fr., Ser. 3, viii, p. 947, 1861.

Localities: N. J., Pa., Md., N. C., Ga., Fla., La., Mo., Kan., Colo., Texas, N. Mex., Ariz., Nev., Calif.

453. Lygaeus facetus Say

Say, Heter. N. Harm., p. 13, 1832; Fitch reprint, p. 773; Compl. Writ., i, p. 328. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 405, 1872.

Stål, Enum. Hemip., iv, p. 113, 1874, Melanocoryphus.

Uhler, Wheeler's Surv. 100th Merid., v, p. 835, 1875.

[coryphus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 304, 1876; iii, p. 408, 1877, Melano-Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1326, Melanocoryphus.

Gillette and Baker, Hemip. Colo., p. 27, 1895, Melanocoryphus.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 354, 1904.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 178, 1906; pt. 2, p. 159, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 164, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p 509, 1914.

Localities: N. J., Md., Ga., Fla., La., Colo., Texas, N. Mex., Ariz., Calif.

454. Lygaeus (?) circumlitus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 309, 1862.

Stål, Enum. Hemip., iv, p. 113, 1874, Melanocoryphus.

Distant, Biol. Centr. Am., Heter., i, p. 186, pl. 16, fig. 13, 1882.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 178, 1906.

Banks, Cat. Nearc. Hemip., p. 61, 1910.

§circumcinctus Gillette and Baker, Hemip. Colo., p. 27, 1895.

Localities: Colo.(?), Ariz.(?). (Neotropical.)

[Probably an erroneous determination of lateralis Dall.]

455. Lygaeus rubriger Stål

Stål, Stet. Ent. Zeit., xxiii, p. 309, 1862.

Stål, Enum. Hemip., iv, p. 113, 1874, Melanocoryphus.

Distant, Biol. Centr. Am., Heter., i, p. 187, pl. 17, fig. 12, 1882.

Locality: "Carolina" (Stål).

456. Lygaeus lateralis Dall.

Dallas, List of Hemip., ii, p. 550, 1852.

Stål, Enum. Hemip., iv, p. 113, 1874, Melanocoryphus.

Distant, Biol. Centr. Am., Heter., i, p. 187, pl. 18, fig. 1, 1882.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 7, 1914.

Localities: Colo., Texas, Ariz., Calif.

457. Lygaeus(?) rubicollis (Uhl.)

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 244, 1894, Melanocoryphus. §rubricollis Banks, Cat. Nearc. Hemip., p. 62, 1910.

Localities: "Calif." (Banks). (Lower Calif.)

458. Lygaeus mimulus (Stål)

Stål, Enum. Hemip., iv, p. 113, 1874, Melanocoryphus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 304, 1876, Melanocoryphus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 164, 1909.

Barber, Brookl. Inst. Sci. Bul., i, p. 274, 1906.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 510, 1914.

Localities: Fla., Texas.

459. Lygaeus admirabilis Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 405, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 304, 1876, Melanocoryphus.

Gillette and Baker, Hemip. Colo., p. 27, 1895, Melanocoryphus and Lygaeus Uhler, Proc. U. S. Natl. Mus., xxvii, p. 354, 1904. [(entered twice).

Localities: Colo., N. Mex.

460. Lygaeus californicus Walk.

Walker, Cat. Heter., v, p. 42, 1872.

Distant, Ann. Mag. Nat. Hist., Ser. 7, vii, p. 540, 1901.

Locality: Calif.

Genus Lygaeosoma Spin.

Haplotype sardea Spin. Spinola, Essai sur les Hémip., p. 254, 1837 (1840).

Spinola, Tavola Sinot., p. 38, 1850.

Fieber, Europ. Hemip., pp. 45, 167, 1861.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, pp. 41, 42, 1872.

Walker, Cat. Heter., v, p. 37, 1872.

Stål, Enum. Hemip., iv, pp. 99, 118, 1874.

Reuter, Revue d'Ent., iv, pp. 200, 205, 1885.

Horvath, Ann. Mus. Natl. Hung., ix, p. 337, 1911.

Epibomius Distant, Ann. Mag. Nat. Hist., Ser. 8, iii, p. 328, 1909. (Hap-Distant, Fauna Br. Ind., Rhyn., v, p. 35, 1910. [lotype pusa Dist.)

460½. Lygaeosoma tripunctata (Dall.)

Dallas, List of Hemip., ii, p. 559, 1852, Aphanus.

Distant, Ann. Mag. Nat. Hist., Ser. 7, viii, p. 464, 1901.

Banks, Cat. Nearc. Hemip., p. 68, 1910, Rhyparochromus.

Van Duzee, Check List Hemip., p. 22, No. 583, 1916, Rhyparochromus? Locality: Fla.

[Lygaeosoma adducta Uhler MS]

Barber, Brookl. Inst. Sci. Bul., i, p. 274, 1906.

Locality: Texas.

TRIBE ORSILLINI (Stål)

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 43, 1872, Div. Orsillaria.

Stål, Enum. Hémip., iv, pp. 98, 119, 1874, Div. Orsillaria.

Distant, Biol. Centr. Am., Heter., i, p. 189, 1882, Div. Orsillaria.

Distant, Fauna Br. Ind., Rhyn., ii, p. 17, 1903, Div. Orsillaria.

Oshanin, Verz. Palae. Hemip., i, p. 259, 1906, Div. Orsillaria.

Oshanin, Kat. Palae. Hemip., p. 28, 1912, Tribe Orsillaria.

Nysiina Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 304, 1876 (as subfamily). Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 409, 1877, Subfam. Nysiinae. Uhler, Check List, p. 13, 1886.

Genus Ortholomus Stål

Haplotype punctipennis (H. S.)

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 43, 1872 (as subgenus).

Stål, Enum. Hemip., iv, p. 120, 1874 (as subgenus).

Baker, Invert. Pacifica, i, pp. 134, 138, 1906.

Oshanin, Kat. Palae. Hemip., p. 29, 1912 (as subgenus).

Orsillacis Uhler, Check List, p. 14, 1886 (as MS name).

461. Ortholomus longiceps (Stål)

Stål, Enum. Hemip., iv, p. 120, 1874, Nysius.

Baker, Invert. Pacifica, i, p. 139, 1906.

Van Duzee, Can. Ent., xl, p. 110, 1908; xliv, p. 319, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 7, 1914.

tscolopax (Uhler), Bul. U. S. Geol. Geog. Surv., i, p. 305, 1876, Orsillus.

†fraterculus (Provancher), Pet. Faune Ent. Can., iii, p. 61, 1885, Harmostes. ¶producta Uhler, Check List, p. 14, 1886, Orsillacis.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 173, 1894, Orsillacis.

†providus (Uhler), Proc. Zool. Soc. Lond. for 1894, p. 182, Nysius (in part).

Wirtner, Ann. Carn. Mus., iii, p. 192, 1904, Nysius.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 28, 1910, Nysius.

Smith, Cat. Ins. N. J., edn. 3, p. 141, 1910, Nysius.

† jamaicensis (Distant), Ann. Mag. Nat. Hist., Ser. 7, vii, p. 539, 1901, Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 16, 1907. [Nysius. Bueno, Jl. N. Y. Ent. Soc., xvii, p. 229, 1908, Nysius.

a. var. cooki Bak.

Baker, Invert. Pacifica, i, p. 139, 1906.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., Md., S. C., Fla., Wis., Ill., Mo., Neb., Kan., Texas, Calif.

462. Ortholomus scolopax (Say)

Say, Heter. N. Harm., p. 15, 1832; Fitch reprint, p. 775; Compl. Writ., i, p. Stål, Enum. Hemip., iv, p. 122, 1874, Belanochilus? [330, Lygaeus.

Uhler, Check List, p. 14, 1886, Orsillus.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 182, Nysius.

Gillette and Baker, Hemip. Colo., p. 22, 1895, Orsillus.

Distant, Ann. Mag. Nat. Hist., Ser. 7, vii, p. 539, 1901, Nysius.

Banks, Cat. Nearc. Hemip., p. 63, 1910, Orsillus.

Localities: Ind., Ia., ! Colo., Calif.

463. Ortholomus nevadensis Bak.

Baker, Invert. Pacifica, i, p. 139, 1906.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 8, 1914.

Localities: Nevada, Calif.

464. Ortholomus arphnoides Bak.

Baker, Invert. Pacifica, i, p. 140, 1906.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 8, 1914.

Locality: Calif.

465. Ortholomus uhleri Bak.

Baker, Invert. Pacifica, i, p. 139, 1906.

Locality: Wis.

Genus Nysius Dall. Logotype thymi (Wolff)

Dallas, List of Hemip., ii, pp. 531, 551, 1852.

Stål, Freg. Eug. Resa, Ins., p. 242, 1859.

Fieber, Europ. Hemip., pp. 45, 168, 1861.

Stål, Of. Vet. Akad. Forh., xix, pp. 210, 212, 1862.

Thomson, Opusc. Ent., Fasc. ii, p. 182, 1870.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 43, 1872.

Stål, Enum. Hemip., iv, p. 119, 1874 (sec. cc and aa).

Distant, Biol. Centr. Am., Heter., i, p. 190, 1882.

Horvath, Revue d'Ent., ix, p. 185, 1890. (Key to European species.)

Baker, Invert. Pacifica, i, p. 134, 1906.

[pseudotype.)

Distant, Fauna Br. Ind., Rhyn., ii, p. 17, 1903. (Names zelandicus Dall.

Horvath, Ann. Mus. Natl. Hung., vii, p. 11, 1910.

Oshanin, Kat. Palae. Hemip., p. 28, 1912. (Names thymi type.)

†Heterogaster Spinola, Tavola Sinot., p. 38, 1850.

†Artheneis Flor, Rhyn. Livl., i, p. 287, 1860 (as subgen. of Cymus).

Kirkaldy, Can. Ent., xli, p. 31, 1909. (Names cymoides pseudotype.)

Macroparius Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 43, 1872 (as sub[genus.)

466. Nysius californicus Stål

Stål, Freg. Eug. Resa, Ins., p. 242, 1859.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 406, 1872.

Stål, Enum. Hemip., iv, p. 120, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 304, 1876; iii, p. 409, 1877.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1326.

Uhler, Proc. Ent. Soc. Wash., ii, p. 371, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 238, 1894.

Baker, Invert. Pacifica, i, pp. 134, 135, 1906.

Barber, Brookl. Inst. Sci. Bul., i, p. 274, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 165, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 8, 1914.

Van Duzee, Univ. Calif. Publ., Ent. Tech. Bul., i, p. 234, 1916.

tprovidus Baker, Invert. Pacifica, i, p. 135, 1906 (as variety).

a. var. alabamensis Bak.

Baker, Invert. Pacifica, i, p. 135, 1906.

Localities: Md., N. C., S. C., Ga., Fla., Ala., Miss., Kan., Colo., Dak., Utah, Texas, N. Mex., Ariz., Nevada, Calif., Oregon, Wash. (Mexico.)

467. Nysius inaequalis Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 183.

Baker, Invert. Pacifica, i, p. 139, 1906.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914.

Localities: Fla. (West Indies.)

468. Nysius thymi (Wolff)

Wolff, Icon. Cimic., iv, p. 149, fig. 143, 1804, Lygaeus.

Fallén, Monog. Cimic., p. 63, 1807, Lygaeus.

Zetterstedt, Fauna Lapp., p. 469, 1828, Lygaeus.

Fallén, Hemip. Suec., Cimic., p. 49, 1829, Lygaeus. Schilling, Beitr. z. Ent., i, p. 85, pl. 3, fig. 9, 1829, Heterogaster. Herrich-Schaeffer, Nomen. Ent., p. 46, 1835, Heterogaster. Curtis, Br. Ent., xiii, pl. 597, 1836, Heterogaster. Zetterstedt, Ins. Lapp., Column 262, 1838 (1840), Lygaeus. Dallas, List of Hemip., ii, p. 552, 1852. Stål, Stet. Ent. Zeit., xix, p. 179, 1858. Fieber, Europ. Hemip., p. 169, 1861. Stål, Of. Vet. Akad. Forh., xix, p. 213, 1862. Douglas and Scott, Br. Hemip., p. 226, 1865. Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 43, 1872. Horvath, Monog. Lygaeidae, p. 22, 1875. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 395, 1878. Mulsant and Rey, Punaise de Fr., v, p. 48, 1879. Reuter, Revue Synon., p. 186, No. 124, 1888. Horvath, Revue d'Ent., ix, pp. 186, 188, 1890. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 173, 1894. Gillette and Baker, Hemip. Colo., p. 22, 1895. Horvath, Ann. Mus. Natl. Hung., vi, p. 558, 1908. Van Duzee, Can. Ent., xl, p. 110, 1908. tericae (Flor), Rhyn. Livl., i, p. 292, 1860, Cymus. †punctipennis Thomson, Opusc. Ent., ii, p. 182, 1870. †maculatus Douglas and Scott, Ent. Mo. Mag., viii, p. 27, 1870. saint Cyri Provancher, Nat. Can., iv, p. 77, 1872. †groenlandicus Provancher, Pet. Faune Ent. Can., iii, p. 70, 1886. Van Duzee, Can. Ent., xxi, p. 3, 1889. †angustatus Van Duzee, 20th Rept. N. Y. St. Ent., p. 549, 1905. Localities: Quebec, Ont., Me., Mass., N. Y., Md. (?), Colo., Manitoba, Br. Col., Alaska.

469. Nysius groenlandicus (Zett.)

Zetterstedt, Ins. Lapp., column 262, 1838 (1840), Lygaeus.

Stål, Enum. Hemip., iv, p. 121, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 304; 1876.

Horvath, Revue d'Ent., ix, p. 186, 1890.

Heidemann, Proc. Ent. Soc. Wash., ii, p. 505, 1900.

Horvath, Ann. Mus. Natl. Hung., viii, p. 14, 1910.

Localities: Greenland, Labrador, Hudson's Bay Terr., Br. Am.,

Alaska. (Iceland.)

470. Nysius ericae (Schill.)

Schilling, Beitr. z. Ent., i, p. 86, pl. 7, fig. 10, 1829, Heterogaster.

Herrich-Schaeffer, Nomen. Ent., i, p. 46, 1835, Heterogaster.

Horvath, Revue d'Ent., ix, p. 186, 1890.

Oshanin, Verz. Palae. Hemip., i, p. 262, 1906.

Horvath, Ann. Mus. Natl. Hung., vi, p. 558, 1908.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 78, 1910.

Smith, Cat. Ins. N. J., Edn. 3, p. 141, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914.

Essig, Inj. Ben. Ins Calif., Edn. 2, p. 207, 1915.

angustatus Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 406, 1872.

Uhler, Wheeler's Surv. 100th Merid., v, p. 835, 1875.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 304, 1876; iii, p. 409, 1877. Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1326. Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 505, 1878. Reuter, Berl. Ent. Zeit., xxix, p. 43, 1885. Uhler, Proc. Ent. Soc. Wash., ii, p. 371, 1893. Uhler, Proc. Calif. Acad. Sci., Ser. 2. iv, p. 238, 1894. Gillette and Baker, Hemip. Colo., p. 21, 1895. Wirtner, Ann. Carn. Mus., iii, p. 192, 1904. Baker, Invert. Pacifica, i, p. 135, 1906. maculatus Fieber, Europ. Hemip., p. 168, 1861. albidus Jakowlef, Horae Soc. Ent. Ross., iv, p. 152, 1867. gracilis Scott, Stet. Ent. Zeit., xxxi, p. 98, 1870. Traphanus Howard, Phillips Southern Planter for 1872. Kirkaldy, Entomol., p. 165, 1902.

a. var. minutus Uhler

Uhler, Hemip. Colo., p. 22, 1895. Baker, Invert. Pacifica, i, p. 136, 1906. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 8, 1914. Essig, Inj. Ben. Ins. Calif., Edn. 2, p. 207, 1915.

destructor Riley, 5th Rept. Ins. Mo., p. 113, 1873.

b. var. niger Bak.

Baker, Invert. Pacifica, i, p. 135, 1906.

Localities: Ont., Me., N. H., Mass., N. Y., N. J., Pa., Ohio, Dak., Kan., Colo., Texas, Nev., Calif., Wash.

471. Nysius coloradensis Bak.

Baker, Invert. Pacifica, i, pp. 135, 136, 1906.

a. var. grandis Bak.

Baker, Invert. Pacifica, i, p. 136, 1906. Locality: Colo.

472. Nysius strigosus Uhl.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 238, 1894. Horvath, Ann. Mus. Natl. Hung., vi, p. 558, 1908. Van Duzee, Trans. San Diego. Soc. Nat. Hist., ii, p. 8, 1914. †senecionis Baker, Invert. Pacifica, i, pp. 135, 136, 1906. Localities: Colo., N. Mex., Ariz., Nev., Calif., Oregon.

> Genus Belonochilus Uhl. Haplotype numenius Say

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 104, 1871. Stål, Enum. Hemip., iv, p. 122, 1874. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 393, 1878. Distant, Biol. Centr. Am., Heter., i, p. 386, 1893.

473. Belonochilus numenius (Say)

Say, Heter. N. Harm., p. 15, 1832; Fitch reprint, p. 775; Compl. Writ., i, Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 104, 1871. [p. 331, Lygaeus. Stål, Enum. Hemip., iv, p. 122, 1874. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 305, 1876. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 394, 1878.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 173, 1894.

Heidemann, Proc. Ent. Soc. Wash., v, p. 11, 1902.

Wirtner, Ann. Carn. Mus., iii, p. 192, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 166, 1909.

Smith, Cat. Ins. N. J., Edn., 3, p. 141, 1910.

Heidemann, Proc. Ent. Soc. Wash., xiii, p. 133, 1911 (egg).

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 7, 1914.

Localities: N. Y., N. J., Pa., Md., D. C., Ohio, Ill., Ariz., Calif.

474. Belonochilus koreshanus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 165, 1909.
 Van Duzee, Can. Ent., xli, p. 372, 1909.
 Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914.
 Locality: Fla.

Genus Orsillacis Barb. Haplotype producta Barb.

Barber, Jl. N. Y. Ent. Soc., xxii, p. 169, 1914.

475. Orsillacis producta Barb.

Barber, Jl. N. Y. Ent. Soc., xxii, p. 169, 1914.

[Not Orsillacis producta of Uhler, Check List., p. 14, 1886.]

Locality: Ariz.

Subfamily CYMINAE Stål

Stål, Of. Vet. Akad. Forh., xix, p. 211, 1862, Cymida.

Stål, Hemip. Afr., ii, pp. 121, 149, 1865, Cymida.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 37, 1872, Cymina.

Stål, Enum. Hemip., iv, p. 123, 1874, Cymina.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 409, 1877, Cyminae.

Berg, Hemip. Argent., p. 106, 1879, Cymina.

Distant, Biol. Cent. Am., Heter., i, p. 190, 1882, Cyminae.

Puton, Cat. Hémip. Palae., Edn. 3, p. 22, 1886, Tribe Cymini.

Uhler, Check List, p. 14, 1886, Cymina.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 158, 1894, Cymidae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 19, 1903.

Oshanin, Verz. Palae. Hemip., i, p. 266, 1906, Cymina.

Banks, Cat. Nearc. Hemip., p. 58, 1910, Cymini.

Oshanin, Kat. Palae. Hemip., p. 29, 1912, Cyminae.

TRIBE ISCHNORRHYNCHINI (Stål)

Stål, Of. Vet. Akad. Forh., xxix, p. 44, 1872, Div. Ischnorrhyncharia. Stål, Enum. Hemip., iv, p. 123, 1874, Div. Ischnorrhyncharia. Distant, Biol. Centr. Am., Heter., i, p. 191, 1882, Div. Ischnorrhyncharia. Oshanin, Kat. Palae. Hemip., p. 29, 1912, Tribe Ischnorrhyncharia.

Genus Ischnorrhynchus Fieb.

Logotype didymus Zett. = resedae Panz.

Fieber, Europ. Hemip., pp. 51, 199, 1861. Stål, Of. Vet. Akad. Forh., xix, p. 210, 1862. Thomson, Opusc. Ent., Fasc. ii, p. 183, 1870. Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 44, 1872. Stål, Enum. Hemip., iv, pp. 123, 124, 1874. Distant, Biol. Centr. Am., Heter., i, p. 192, 1882. Provancher, Pet. Faune Ent. Can., iii, p. 74, 1886. †Cymus Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 123, 1840. (Gives [Kleidocerus Westw., a nom. nud., as a synonym.) Blanchard, Hist. des Ins., Hémip., p. 131, 1840 (follows Westwood). †¶Kleydocerus (Westw., 1841), Sign. Ann. Soc. Ent. Fr., Ser. 6, v, p. 67, [1885 (nom. nud.). || Lyctus Flor, Rhyn. Livl., i, pp. 287, 294, 1860 (as subgen. of Cymus). 476. Ischnorrhynchus resedae (Panz.) Panzer, Fauna Germ., xl, fig. 20, 1797, Lygaeus. Schilling, Beitr. z. Ent., p. 89, pl. 8, fig. 5, 1829, Heterogaster. Herrich-Schaeffer, Nomen. Ent., i, p. 46, 1835, Heterogaster. Burmeister, Handb. d. Ent., ii, p. 292, 1835, Cymus. Brullé, Hist. des Ins., ix, p. 386, 1835, Lygaeus. Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 123, 1840, Cymus. Blanchard, Hist. des Ins., Hémip., p. 131, 1840, Cymus. Costa, Cimic. Reg. Neap., Cent., ii, p. 31, 1843, Cymus. Kolenati, Melet. Ent., ii, p. 92, 1845, Cymus. Dallas, List of Hemip., ii, p. 586, 1852, Cymus. Herrich-Schaeffer, Wanz. Ins., Verz., p. 78, 1853, Cymus. Flor, Rhyn. Livl., i, p. 296, 1860, Cymus. Stål, Of. Vet. Akad. Forh., xix, p. 213, 1862. Douglas and Scott, Br. Hemip., p. 233, 1865. Douglas and Scott, Ent. Mo. Mag., ii, p. 217, 1866. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 394, 1878. Distant, Biol. Centr. Am., Heter., i, p. 193, 1882. Reuter, Revue Synon., p. 187, No. 125, 1888. Wirtner, Ann. Carn. Mus., iii, p. 192, 1904. Van Duzee, 20th Rept. N. Y. St. Ent., p. 549, 1905.

Horvath, Ann. Mus. Natl. Hung., vi, p. 560, 1908.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 229, 1908.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 234, 1916.

didymus (Zetterstedt), Vet. Akad. Handl. for 1819, p. 71, Lygaeus.

Fallén, Hemip. Suec., Cimic., p. 50, 1829, Lygaeus.

Fieber, Europ. Hemip., p. 199, 1861.

Stål, Enum. Hemip., iv, p. 124, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 305, 1876; iii, p. 409, 1877.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1326.

Provancher, Pet. Faune Ent. Can., iii, p. 74, 1886.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 240, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 173, 1894.

Gillette and Baker, Hemip. Colo., p. 22, 1895.

puncticollis (Fallén), Hemip. Suec. Cimic., p. 95, 1829, Phytocoris.

†geminatus Bueno, Jl. N. Y. Ent. Soc., xviii, p. 28, 1910.

Smith, Cat. Ins. N. J., Edn. 3, p. 141, 1910.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., Md., D. C., Ga., Mich., Ill., Kan., Colo., Utah, Texas, Calif., Wash., Manitoba. (Palaearctic.)

477. Ischnorrhynchus geminatus (Say)

Say, Heter. N. Harm., p. 14, 1832; Fitch reprint, p. 774; Compl. Writ., i, p. Horvath, Ann. Mus. Natl. Hung., vi, p. 560, 1908. [330, Lygaeus. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914. †resedae (Uhler), Proc. Ent. Soc. Phila., i, p. 23, 1861, Cymus.

Localities: Quebec, Mass., N. Y., D. C., Fla., Ind., Mo.

478. Ischnorrhynchus franciscanus (Stål)

Stål, Freg. Eugen. Resa, Ins., p. 252, 1859, Cymus. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 8, 1914. Locality: Calif.

479. Ischnorrhynchus salvini Dist.

Distant, Biol. Centr. Am., Heter., i, p. 194, pl. 19, fig. 2, 1882. Banks, Cat. Nearc. Hemip., p. 59, 1910. Localities: Texas. (Guatemala.)

480. Ischnorrhynchus championi Dist.

Distant, Biol. Centr. Am., Heter., i, p. 193, pl. 19, fig. 3, 1882. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 184. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 240, 1894. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 16, 1907. Banks, Cat. Nearc. Hemip., p. 59, 1910.

Localities: Texas, Calif. (Neotropical.)

Genus Cymoninus Bredd. Haplotype subunicolor Bredd.

Breddin, Deut. Ent. Zeit., -, p. 38, 1907.
†Ninus Distant, Biol. Centr. Am., Heter., i, p. 191, 1882.
Distant, Fauna Brit. Ind., Rhyn., ii, p. 19, 1903.
Van Duzee, Check List Hemip., p. 19, 1916.

481. Cymoninus notabilis (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 191, pl. 19, fig. 4, 1882, *Ninus*.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 184, *Ninus*.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 16, 1907; ix, p. 166, 1909,

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914, *Ninus*.

[*Ninus*.

Localities: Fla. (Neotropical.)

TRIBE CYMINI (Stål)

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 44, 1872, Div. Cymaria. Stål, Enum. Hemip., iv, pp. 123, 125, 1874, Div. Cymaria. Distant, Biol. Cent. Am., Heter., i, p. 390, 1893, Div. Cymaria. Oshanin, Kat. Palae. Hemip., p. 29, 1912, Tribe Cymaria.

Genus Arphnus Stål Haplotype coriacipennis Stål

Stål, Enum. Hemip., iv, pp. 125, 126, 1876.

482. Arphnus coriacipennis (Stål)

Stål, Freg. Eugen. Resa, Ins., p. 247, 1859, Oxycarenus.
Stål, Enum. Hemip., iv, p. 126, 1874.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 8, 1914.
Localities: Idaho, Utah, Calif.

Genus Cymus Hahn. Logotype claviculus Fall.

Hahn, Wanz. Ins., i, p. 76, 1831. Burmeister, Handb. d. Ent., ii, p. 292, 1835 (part). Brullé, Hist. Nat. des Ins., ix, p. 386, 1835. Spinola, Essai sur les Hémip., p. 258, 1837 (1840). Blanchard, Hist. Nat. des Ins., Hémip., p. 131, 1840. Amyot and Serville, Hémip., p. 259, 1843. Spinola, Tavola Sinot., p. 38, 1850. Dallas, List of Hemip., ii, p. 586, 1851 (part). Flor, Rhyn. Livl., i, p. 297, 1860 (as subgenus). Fieber, Europ. Hemip., pp. 52, 203, 1861. Stål, Of. Vet. Akad. Forh., xix, pp. 211, 223, 1862. Thomson, Opusc. Ent., Fasc. ii, p. 183, 1870. Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 44, 1872. Stål, Enum. Hemip., iv, pp. 125, 126, 1874. Provancher, Pet. Faune Ent. Can., iii, p. 72, 1886. Distant, Biol. Centr. Am., Heter., i, p. 390, 1893. Oshanin, Kat. Palae. Hemip., p. 29, 1912. (Names claviculus type.) [Kleidocerys Westw., MS] Intr. Mod. Classif. Ins., ii, Synop., p. 123, 1840. [(Synonym).

483. Cymus luridus Stål

Stål, Enum. Hemip., iv, p. 126, 1874.
Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 409, 1877.
Van Duzee, Can. Ent., xxi, p. 3, 1889.
Uhler, Proc. Ent. Soc. Wash., ii, p. 371, 1893.
Cockerell, Trans. Am. Ent. Soc., xx, p. 362, 1893.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 240, 1894.
Wirtner, Ann. Carn. Mus., iii, p. 192, 1904.
Bueno in Smith, Cat. Ins. N. J., Edn. 3, p. 141, 1910.
Cymus sp., Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 173, 1894.
Localities: Ont., Me., Mass., N. Y., N. J., Pa., Colo., Calif.

484. Cymus angustatus Stål

Stål, Enum. Hemip., iv, p. 126, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 305, 1876.

Van Duzee, Psyche, v, p. 27, 1888.

Van Duzee, Can. Ent., xxi, p. 3, 1889.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 173, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 192, 1904.

Smith, Cat. Ins. N. J., Edn. 3, p. 141, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914.

†tabida Bueno, Jl. N. Y. Ent. Soc., xvi, p. 229, 1908, Cymodema.

Localities: Ont., Me., N. Y., N. J., Pa., D. C., N. C., Ga., Fla.,

Kan., Colo., Texas.

485. Cymus discors Horv.

Horvath, Ann. Mus. Natl. Hung., vi, p. 559, 1908.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 28, 1910.

Smith, Cat. Ins. N. J., Edn. 3, p. 141, 1910.

Van Duzee, Can. Ent., xliv, p. 319, 1912.

†clariculus Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 395, 1878 (spelled Van Duzee, Can. Ent., xxi, p. 3, 1889. [clavulus.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 173, 1894.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 549, 1905.

Van Duzee, Can. Ent., xl, p. 110, 1908.

†tabidus Provancher, Pet. Faune Ent. Can., iii, p. 72, 1886.

†luridus Bueno, Jl. N. Y. Ent. Soc., xvi, p. 229, 1908.

Localities: Quebec, Ont., Me., N. H., Vt., N. Y., N. J., Pa.

486. Cymus bellus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 167, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914. Locality: Fla.

487. Cymus breviceps Stål

Stål, Enum. Hemip., iv, p. 127, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 305, 1876.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 166, 1909.

Van Duzee, Can. Ent., xli, p. 372, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 141, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914.

†tabida (Uhler), Bul. U. S. Geol. Geog. Surv., i, p. 305, 1876, Cymodema.

Uhler, Proc. Ent. Soc. Wash., ii, p. 371, 1893, Cymodema.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 240, 1894, Cymodema.

fGillette and Baker, Hemip. Colo., p, 23. 1895.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 229, 1908, Cymodema.

eriguum (Horvath), Ann. Mus. Natl. Hung., vi, p. 559, 1908, Cymodema.

Bueno in Smith, Cat. Ins. N. J., Edn. 3, p. 142, 1910, Cymodema.

Localities: N. J., Md., D. C., N. C., Fla., Colo., Utah., Calif.

(Mexico.)

488. Cymus guatemalanus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 390, pl. 34, fig. 19, 1893.

Localities: Ariz. (Guatemala.)

Subfamily BLISSINAE (Stål)

Stål, Of. Vet. Akad. Forh., xix, p. 210, 1862, Blissida.

Stål, Hemip. Afr., ii, pp. 120, 121, 1865, Blissida.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, pp. 37, 44, 1872, Blissina.

Stål, Enum. Hemip., iv, p. 129, 1874, Blissina.

Berg, Hemip. Argent., p. 103, 1879, Blissina.

Distant, Biol. Centr. Am., Heter., i, p. 195, 1882, Blissinae.

Puton, Cat. Hémip. Palae., Edn. 3, p. 22, 1886, Tribe Blissini.

Uhler, Check List., p. 14, 1886, Blissina.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 162, 1894, Blissidae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 21, 1902, Blissinae. Oshanin, Verz. Palae. Hemip., i, p. 270, 1906, Blissina. Banks, Cat. Nearc. Hemip., p. 58, 1910, Blissini. Oshanin, Kat. Palae. Hemip., p. 29, 1912, Blissinae.

Genus Ischnodemus Fieb. Type sabuleti Fall.

Fieber, Weit. Beit. z. Nat. u. Heilk., i, p. 337, 1836. Fieber, Europ. Hemip., pp. 44, 163, 1861. Stål, Of. Vet. Akad. Forh., xix, p. 210, 1862. Thomson, Opusc. Ent., Fasc. ii, p. 182, 1870. Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 44, 1872. Walker, Cat. Heter., v, p. 126, 1872. Stål, Enum. Hemip., iv, pp. 129, 130, 1874. Distant, Biol. Centr. Am., Heter., i, p. 195, 1882. Reuter, Revue d'Ent., iv, p. 207, 1885. Berg, Ann. Mus. Natl. Buen. Aires, vii, p. 87, 1900. Distant, Fauna Br. Ind., Rhyn., ii, p. 27, 1902. Van Duzee, Can. Ent., xli, p. 374, 1909. (Key.) Horvath, Ann. Mus. Natl. Hung., x, p. 608, 1912. Micropus Spinola, Essai sur les Hémip., p. 218, 1837 (1840) (haplotype Dallas, List of Hemip., ii, p. 582, 1852. [genei Spin.) Signoret, Ann. Soc. Ent. Fr., Ser. 3, v, p. 24, 1857 (monograph). †Blissus Stål, Hemip. Afr., ii, p. 122, 1865 (section a only).

489. Ischnodemus falicus (Say)

Say, Heter. N. Harm., p. 15, 1832; Fitch reprint, p. 776; Compl. Writ., i, p. [331, Lygaeus. Signoret, Ann. Soc. Ent. Fr., Ser. 3, v, p. 27, pl. 2, fig. 5, 1857, Micropus. Stål, Enum. Hemip., iv, p. 131, 1874. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 305, 1876. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 240, 1894. Van Duzee, Can. Ent., xli, p. 374, 1909. Smith, Cat. Ins. N. J., Edn. 3, p. 142, 1910. punctatus Provancher, Nat. Can., iv, p. 76, 1872, Rhyparochromus. Localities: N. Y., N. J., Pa., Md., Wis., Dak., Kan. (?), La. (?), Texas.

490. Ischnodemus rufipes Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 167, 1909. Van Duzee, Can. Ent., xli, p. 375, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914. Localities: Fla.

Thops Gistel, Naturges. d. Thierr., p. x, 1848. Kirkaldy, Entomol., xxxix, p. 248, 1906. Romicpus Reed, Rev. Chil. Hist. Nat., iv, p. 121, 1900.

491. Ischnodemus praecultus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 196, pl. 19, fig. 7, 1882. Van Duzee, Can. Ent., xli, p. 375, 1909. Localities: Ariz. (Centr. Am.)

492. Ischnodemus lobatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 169, 1909. Van Duzee, Can. Ent., xli, p. 375, 1909. Locality: Fla.

493. Ischnodemus slossoni Van D.

Van Duzee, Ent. News, xx, p. 233, 1909. Van Duzee, Can. Ent., xli, p. 375, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914. Localities: N. C., Fla.

494. Ischnodemus conicus Van D.

Van Duzee, Ent. News, xx, p. 234, 1909. Van Duzee, Can. Ent., xli, p. 375, 1909. Localities: Texas.

495. Ischnodemus badius Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 168, 1909. Van Duzee, Can. Ent., xli, p. 375, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914. Locality: Fla.

Genus Blissus Burm. Haplotype hirtulus Burm.

Klug, Symb. Phys. Dec. v, pl. 43, fig. 10, 1830 (apparently a nomen nudum). Burmeister, Handb. d. Ent., ii, p. 290, 1835 (auct. Klug). Dallas, List of Hemip., ii, p. 583, 1852 (auct. Klug). Stål, Hemip. Afr., ii, p. 122, 1865 (auct. Klug and Burm.). Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 45, 1872 (auct. Klug). Stål, Enum. Hemip., iv, pp. 130 (auct. Klug), 132 (auct. Burm.), 1874. Distant, Biol. Centr. Am., Heter., i, p. 196, 1882 (auct. Burm.). Provancher, Pet. Faune Ent. Can., iii, p. 76, 1886 (auct. Burm.). Kirkaldy, Entomol., xxxiv, p. 176, 1901 (auct. Klug). Distant, Fauna Br. Ind., Rhyn., ii, p. 28, 1903. Horvath, Ann. Mus. Natl. Hung., ix, p. 337, 1911 (auct. Burm.).

496. Blissus leucopterus (Say)

Say, Heter. N. Harm., p. 14, 1832; Fitch reprint, p. 774; Compl. Writ., i, p. [329, Lygaeus. Fitch, 2d Rept., Trans. N. Y. St. Agr. Soc., xv (for 1855), p. 509, 1856, [Micropus. Signoret, Ann. Soc. Ent. Fr., Ser. 3, v, p. 31, pl. 2, fig. 11, 1857, Micropus. Riley, 2d Rept. Nox. Ins. Mo., p. 15, 1870, Micropus. Walker, Cat. Heter., v, p. 127, 1872, Ischnodemus. Stål, Enum. Hemip., iv, p. 133, 1874. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 306, 1876. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 392, 1878. Distant, Biol. Centr. Am., Heter., i, p. 196, 1882. Provancher, Pet. Faune Ent. Can., iii, p. 76, 1886. Van Duzee, Can. Ent., xviii, p. 209, 1886; xxi, p. 3, 1889. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 185.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 240, 1894. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 173, 1894. Webster, U. S. Dept. Agr., Bur. Ent., Bul. 69, 1907. Morrill, U. S. Dept. Agr., Bur. Ent., Circ. 113, 1909. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 17, 1907; ix, p. 169, 1909. Kelly and Parks, U. S. Dept. Agr., Bur. Ent., Bul. 95, pt. 3, 1911. Smith, Cat. Ins. N. J., Edn. 3, p. 142, 1910. Headlee and McColloch, Kans. Agr. Exp. Sta., Bul. 191, 1913. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914. McCulloch, Ent. News, xxvi, p. 147, 1915 (egg parasite). Webster, U. S. Dept. Agr., Farmers' Bul. 657, 1915. Essig, Inj. Ben. Ins. Calif., Edn. 2, p. 208, 1915. immarginatus Fitch, 2d Rept., Trans. N. Y. St. Agr. Soc., xv, p. 522, 1856 [(as var.). dimidiatus Fitch, 2d Rept., Trans. N. Y. St. Agr. Soc., xv, p. 523, 1856 [(as var.). fulvivenosus Fitch, 2d Rept., Trans. N. Y. St. Agr. Soc., xv, p. 523, 1856 [(as var.). albivenosus Fitch, 2d Rept., Trans. N. Y. St. Agr. Soc., xv, p. 523, 1856 [(as var.). apterus Fitch, 2d Rept., Trans. N. Y. St. Agr. Soc., xv, p. 523, 1856 (as var.). basalis Fitch, 2d Rept., Trans. N. Y. St. Agr. Soc., xv, p. 523, 1856 (as var.). nigricornis Fitch, 2d Rept., Trans. N. Y. St. Agr. Soc., xv, p. 523, 1856 [(as var.). femoratus Fitch, 2d Rept., Trans. N. Y. St. Agr. Soc., xv, p. 523, 1856 [(as var.). rufipedis Fitch, 2d Rept., Trans. N. Y. St. Agr. Soc., xv, p. 523, 1856 [(as var.). Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., Md., Va., N. C., Fla., Ohio, Ind., Mich., Ill., Wis., Mo., Neb., Kan., Minn., Colo., Texas, Calif.

497. Blissus hirtus Montd.

Montandon, Ann. Soc. Ent. Belg., xxxvii, p. 405, 1893. Parshley, Psyche, xxi, p. 145, 1914. Localities: Me., Pa.

Subfamily Geocorinae (Stål)

Stål, Of. Vet. Akad. Forh., xix, p. 212, 1862. Geocorida.
Stål, Hemip. Afr., ii, pp. 121, 142, 1865, Geocorida.
Stål, Of. Vet. Akad. Forh., xxix, No. 7, pp. 38, 45, 1872, Geocorina.
Stål, Enum. Hemip., iv, p. 133, 1874, Geocorina.
Berg, Hemip. Argent., p. 105, 1879, Geocorina.
Distant, Biol. Centr. Am., Heter., i, p. 197, 1882, Geocorinae.
Puton, Cat. Hémip. Palae., Edn. 3, p. 22, 1886, Tribe Geocorini.
Uhler, Check List, p. 14, 1886, Geocorina.
Distant, Fauna Br. Ind., Rhyn., ii, p. 29, 1903, Geocorinae.
Oshanin, Verz. Palae. Hemip., i, p. 276, 1906, Geocorina.
Banks, Cat. Nearc., Hemip., p. 68, 1910, Geocorina.
Oshanin, Kat. Palae. Hemip., p. 30, 1912, Geocorinae.

Genus Geocoris Fall. Logotype grylloides Linn.

Fallén, Spec. Nov. Hemip. Disp., p. 10, 1814. Fallén, Hemip. Suec., Cimic., p. 69, 1829.

Herrich-Schaeffer, Nomen. Ent., pp. 36, 47, 1835.

Stål, Of. Vet. Akad. Forh., xix, p. 224, 1862.

Stål, Hemip. Afr., ii, p. 143, 1865.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 46, 1872.

Stål, Enum. Hemip., iv, p. 134, 1874.

Distant, Biol. Centr. Am., Heter., i, p. 197, 1882.

Provancher, Pet. Faune Ent. Can., iii, p. 85, 1886.

Distant, Fauna Br. Ind., Rhyn., ii, p. 29, 1903. (Names megacephalus pseudo-Oshanin, Kat. Palae. Hemip., p. 30, 1912. (Names grylloides type.) [type.) McAtee, Proc. Biol. Soc. Wash., xxvii, p. 127, 1914.

†Salda Latreille, Fam. Nat. Règ. Anim., p. 422, 1825.

Latreille in Cuvier, Règ. Anim., Edn. 2, v, p. 198, 1829.

Laporte, Essai Classif. Syst. Hémip., p. 35, 1832.

Brullé, Hist. des Ins., ix, p. 386, 1835.

Latreille in Cuvier, Anim. Kingd., Lond. edn., iv, p. 163, 1836.

Spinola, Essai sur les Hémip., p. 227, 1837 (1840).

Guerin, Icon. Règn. Anim., p. 347, 1842.

Spinola, Tavola Sinot., p. 38, 1850.

Ophthalmicus Schilling, Beit. z. Ent., i, p. 62, 1829.

Hahn, Wanz. Ins., i, p. 85, 1831.

Burmeister, Handb. d. Ent., ii, p. 291, 1835.

Herrich-Schaeffer, Wanz. Ins., iv, p. 21, 1839.

Blanchard, Hist. des Ins., Hémip., p. 234, 1840.

Amyot and Serville, Hémip., p. 260, 1843.

Fieber, Ent. Monog., p. 112, 1844.

Dallas, List of Hemip., ii, p. 583, 1852.

Flor, Rhyn. Livl., i, p. 304, 1860.

Fieber, Europ. Hemip., pp. 46, 174, 1861.

498. Geocoris punctipes (Say)

Say, Heter. N. Harm., p. 19, 1832; Fitch reprint, p. 781; Compl. Writ., i, p. Stål, Enum. Hemip., iv, p. 135, 1874. [336, Salda.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 306, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 198, pl. 18, fig. 14, 1882.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 240, 1894.

Montandon, Bul. Soc. Sci. Bucarest, xvi, p. 224, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 169, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 142, 1910.

Van Duzee, Trans. San Diego. Soc. Nat. Hist., ii, p. 8, 1914.

McAtee, Proc. Biol. Soc. Wash, xvii, p. 130, 1914.

luniger (Fieber), Wien. Ent. Monat., v, p. 269, 1861, Ophthalmicus.

tpictipes Montandon, Bul. Soc. Sci. Bucarest, xvi, p. 222, 1908 (error for

[punctipes.)

Localities: N. J., Md., D. C., S. C., Fla., Ala., La., Colo., Okl., Texas, Ariz., Calif. (Mexico.)

a. var. paulus McAtee.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 130, 1914. Locality: Calif.

499. Geocoris bullatus (Say)

Say, Heter. N. Harm., p. 18, 1832; Fitch reprint, p. 780; Compl. Writ., i, Stål, Enum. Hemip., iv, p. 136, 1874. [p. 336, Salda.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 306, 1876; iii, p. 409, 1877.

Uhler, Wheeler's Rept. Chief Eng., for 1877, p. 1327.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 505, 1878.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 393, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 85, 1886.

Montandon, Bul. Soc. Sci. Bucarest, xvi, p. 218, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 169, 1909.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 131, 1914.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914.

griseus (Dallas), List of Hemip., ii, p. 585, 1852, Ophthalmicus.

Stål, Enum. Hemip., iv, p. 137, 1874.

Gillette and Baker, Hemip. Colo., p. 23, 1895.

Montandon, Bul. Soc. Sci. Bucarest, xvi, p. 220, 1908.

a. var. borealis (Dall.)

Dallas, List of Hemip., ii, p. 385, 1852, Ophthalmicus.

Stål, Enum. Hemip., iv, p. 137, 1874.

Distant, Biol. Centr. Am., Heter., i, p. 199, pl. 18, fig. 17, 1882.

Van Duzee, Can. Ent., xxi, p. 3, 1889.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 174, 1894.

Gillette and Baker, Hemip. Colo., p. 23, 1895.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 132, 1914.

b. var. obscuratus Montd.

Montandon, Bul. Soc. Sci. Bucarest, xvi, p. 220, 1908.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 132, 1914.

c. var. discopterus Stål

Stål, Enum. Hemip., iv, p. 136, 1874.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 131, 1914.

Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Md., Ala., Fla., Ill., Colo., Manitoba, Dak., Utah, Calif.

500. Geocoris pallens Stål

Stål, Of. Vet. Akad. Forh., xi, p. 236, 1854.

Stål, Freg. Eug. Resa, Ins., p. 250, 1859.

Stål, Enum. Hemip., iv, p. 136, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 306, 1876.

Wheeler's Rept. Chief Eng. for 1877, p. 1326.

*Gillette and Baker, Hemip. Colo., p. 23, 1895 (and as Ninyas pallens on p. 23).

McAtee, Proc. Biol. Soc. Wash., xvii, p. 133, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 8, 1914.

a. var. decoratus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 410, 1877.

Uhler, Proc. Ent. Soc. Wash., ii, p. 371, 1893.

Gillette and Baker, Hemip. Colo., p. 23, 1895.

Montandon, Bul. Soc. Sci. Bucarest, xvi, p. 221, 1908.

Van Duzee, Univ. Calif. Publ., Ent. Tech. Bul., i, p. 234, 1916.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 133, 1914.

thowardi Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 8, 1914.

b. var. solutus Montd.

Montandon, Bul. Soc. Sci. Bucarest, xvi, p. 223, 1908.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 8, 1914.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 133, 1914.

Localities: Kan., Colo., Utah, N. Mex., Texas, Ariz., Calif.

171

501. Geocoris scudderi Stål

Stål, Enum. Hemip., iv, p. 135, 1874.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 134, 1914.

Locality: Texas.

502. Geocoris uliginosus (Say)

Say, Heter. N. Harm., p. 19, 1832; Fitch reprint, p. 781; Compl. Writ., i, p. Stål, Enum. Hemip., iv, p. 136, 1874. [337, Salda.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 307, 1876; iii, p. 410, 1877.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 240, 1894.

Montandon, Bul. Soc. Sci. Bucarest, xvi, p. 226, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 170, 1909.

Smith, Cat. Ins. N. J., Edn. 3, p. 142, 1910.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 135, 1914.

tniger (Dallas), List of Hemip., ii, p. 586, 1852, Ophthalmicus.

fuliginosus Gillette and Baker, Hemip. Colo., p. 23, 1895.

†ater Wirtner, Ann. Carn. Mus., iii, p. 192, 1904.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 230, 1908.

a. var. howardi Montd.

Montandon, Bul. Soc. Sci. Bucarest, xvi, p. 229, 1908.

b. var. speculator Montd.

Montandon, Bul. Soc. Sci. Bucarest, xvi, p. 227, 1908.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 135, 1914.

c. var. lateralis (Fieb.)

Fieber, Wien. Ent. Monats., v, p. 271, 1861, Ophthalmicus. McAtee, Proc. Biol. Soc. Wash., xvii, p. 135, 1914.

d. var. limbatus Stål

Stål, Enum. Hemip., iv, p. 136, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 307, 1876.

Gillette and Baker, Hemip. Colo., p. 23, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 174, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 192, 1904.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 136, 1914.

Localities: Quebec, Ont., N. H., Mass., N. Y., N. J., Pa., Md., D. C., S. C., Ga., Fla., Miss., Ohio, Mich., Ill., Mo., Dak., Manitoba, Kan., Colo., Texas, Wash., Br. Col.

503. Geocoris duzeei Montd.

Montandon, Bul. Soc. Sci. Bucarest, xvi, p. 231, 1908. Locality: Colo.

504. Geocoris atricolor Montd.

Montandon, Bul. Soc. Sci. Bucarest, xvi, p. 228, 1908. McAtee, Proc. Biol. Soc. Wash., xvi, p. 228, 1908.

Localities: Wyom., Colo., Utah, Texas, Calif.

505. Geocoris carinatus McAtee

McAtee, Proc. Biol. Soc. Wash., xvii, p. 134, 1914. Locality: Calif.

506. Geocoris lividipennis Stål

Stål, Stet. Ent. Zeit., xxiii, p. 311, 1862.

Stål, Enum. Hemip., iv, p. 137, 1874.

Distant, Biol. Centr. Am., Heter., i, p. 198, pl. 17, fig. 27, 1882.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 133, 1914.

Localities: N. Mex., Br. Col. (†). (Mexico.)

Genus Isthmocoris McAtee

Orthotype picea Say

McAtee, Proc. Biol. Soc. Wash., xvii, p. 127, 1914.

507. Isthmocoris piceus (Say)

Say, Heter. N. Harm., p. 18, 1832; Fitch reprint, p. 780; Compl. Writ., i, p. [336. Salda.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 407, 1872, Ophthalmicus.

Stål, Enum. Hemip., iv, p. 136, 1874, Geocoris.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 307, 1876, Geocoris.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 393, 1878, Geocoris.

Uhler, Proc. Ent. Soc. Wash., ii, p. 372, 1893, Geocoris.

Montandon, Ann. Mus. Natl. Hung., v, p. 90, 1907, Germalus?

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 230, 1908; xviii, p. 29, 1910, Geocoris.

Smith, Cat. Ins. N. J., Edn. 3, p. 142, 1910, Geocoris.

McAtee, Proc. Biol. Soc. Wash., xvii, p. 129, 1914.

Localities: Mass., Conn., N. Y., N. J., Pa., Md., Ill., Wis., Colo.

508. Isthmocoris tristis (Stål)

Stål, Of. Vet. Akad. Forh., xi, p. 236, 1854, Geocoris.

Stål, Freg. Eugen. Resa, Ins., p. 249, 1859. Geocoris.

Stål, Enum. Hemip., iv, p. 136, 1874, Geororis.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 306, 1876, Geocoris.

Montandon, Ann. Mus. Natl. Hung., v, p. 90, 1907, Germalus?

McAtee, Proc. Biol. Soc. Wash., xvii, p. 129, 1914.

Localities: Calif.

509. Isthmocoris imperialis (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 197, pl. 18, fig. 18, 1882, *Geocoris*. Barber, Brookl. Inst. Sci. Bul., i, p. 275, 1906.

Localities: Texas. (Centr. Am.)

Subfamily HETEROGASTRINAE (Stål)

Stål, Of. Vet. Akad. Forh., xxix, No. 7, pp. 40, 62, 1872, Heterogastrina. Stål, Enum. Hemip., iv, p. 168, 1874, Heterogastrina. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 312, 1876, Heterogastrina. Uhler, Check List, p. 15, 1886, Heterogastrina. Distant, Biol. Centr. Am., Heter., i, p. 411, 1893, Heterogastrinae. Lethierry and Severin, Cat. Génl. Hémip., ii, p. 176, 1894, Heterogastridae. Distant. Fauna Br. Ind., Rhyn., ii, p. 35, 1902, Heterogastrinae.

Oshanin, Verz. Palae. Hemip., i, p. 289, 1906, Heterogastrina.

Banks, Cat. Nearc. Hemip., p. 60, 1910, Heterogastrini.
Oshanin, Kat. Palae. Hemip., p. 31, 1912, Heterogastrinae.
Phygadicida Stål, Of. Vet. Akad. Forh., xix, p. 211, 1862.

Genus Heterogaster Schill. Logotype urticae Fabr.

Schilling, Beit. z. Ent., i, p. 84, 1829. Hahn, Wanz. Ins., i, p. 72, 1831. Herrich-Schaeffer, Nomen, Ent., i, pp. 36, 46, 1835. Burmeister, Handb. d. Ent., ii, p. 293, 1835. Curtis, Br. Ent., xiii, pl. 597, 1836. Blanchard, Hist. des Ins., Hémip., p. 131, 1840. Westwood, Intr. Mod. Classif. Ins., ii, Suppl., p. 122, 1840. Spinola, Tavola Sinot., p. 38, 1850. Dallas, List of Hemip., ii, p. 556, 1852. Herrich-Schaeffer, Wanz. Ins., ix, pp. 190, 200, 1853. Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 62, 1872. Stål, Enum. Hemip., iv, p. 168, 1874. Oshanin, Kat. Palae. Hemip., p. 31, 1912 (names urticae type). Phygas Fieber, Weit. Beit. Nat. u. Heilk., i, p. 348, 1836. Phygadicus Fieber, Europ. Hemip., p. 52, 1860 (unnecessary n.n. for Flor, Rhyn. Livl., i, p. 301, 1860. [Heterogaster Schill.). Fieber, Europ. Hemip., p. 201, 1861. Stål, Of. Vet. Akad. Forh., xix, p. 211, 1862. Douglas and Scott, Br. Hemip., p. 221, 1865.

510. Heterogaster behrensii (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 312, 1876, Phygadicus.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 244, 1894, Phygadicus.
Localities: Utah, Calif.

Subfamily PACHYGRONTHINAE (Stål)

Stål, Hemip. Afr., ii, pp. 121, 145, 1865, Pachygronthida.
Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 39, note, 1872, Pachygronthina.
Stål, Enum. Hemip., iv, p. 138, 1874, Pachygronthina.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 307, 1876, Pachygronthina.
Distant, Biol. Centr. Am., Heter., i, p. 199, 1882, Pachygronthinae.
Puton, Cat. Hémip. Palae., p. 24, 1886, Tribe Pachygronthini.
Lethierry and Severin, Cat. Génl. Hémip., ii, p. 179, 1894, Pachygronthidae.
Distant, Fauna Br. Ind., Rhyn., ii, p. 39, 1903 Pachygronthinae.
Oshanin, Verz. Palae. Hemip., i, p. 292, 1906, Pachygronthina.
Banks, Cat. Nearc. Heter., p. 59, 1910, Pachygronthina.
Oshanin, Kat. Palae. Hemip., p. 31, 1912, Pachygronthinae.
Teracriina Stål, Of. Vet. Akad. Forh., xxix, No. 7, pp. 39, 47, 1872.

Genus Phlegyas Stål Haplotype annulicrus Stål

Stål, Hemip. Afr., ii, p. 145, 1865.
Stål, Berl. Ent. Zeit., xiii, p. 230, 1869.
Stål, Enum. Hemip., iv, p. 138, 1874.
Berg, Nova Hemip., p. 73, 1892.

Distant, Fauna Br. Ind., Rhyn., ii, p. 39, 1903.

#Helonotus Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 312, 1876 (haplotype Provancher, Pet. Faune Ent. Can., iii, p. 71, 1886. [abbreviatus Uhl.). Peliopelta Uhler, Check List, p. 15, 1886 (n.n. for Helonotus Uhl.).

Distant, Biol. Centr. Am., Heter., i, p. 411, 1893. [p. 463, 1888. Helonotocoris Lethierry, Ann. Mus. Civ. Hist. Nat. Genova, Ser. 2, vi,

511. Phlegyas annulicrus Stål

Stål, Berl. Ent. Zeit., xiii, p. 230, 1869.

Stål, Enum. Hemip., iv, p. 138, 1874 (as new).

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 307, 1876.

Snow, Trans. Kan. Acad. Sci., xx, pt. i, p. 178, 1906.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 8, 1914.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914 (mention).

§annulicornis Banks, Cat. Nearc. Hemip., p. 60, 1910 (part).

Localities: N. J., "Carolina," Fla., Kan., Utah, Texas, Ariz., Calif.

512. Phlegyas tropicalis (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 411, pl. 36, fig. 5, 1893, *Peliopelta*. Banks, Cat. Nearc. Hemip., p. 60, 1910.

Localities: "Texas" (Banks). (Mexico.)

513. Phlegyas abbreviatus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 313, 1876; iii, p. 412, 1877, Helonotus. Provancher, Pet. Faune Ent. Can., iii, p. 71, 1886, Helonotus.

Van Duzee, Can. Ent., xxi, p. 3, 1889, Peliopelta.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 244, 1894, Peliopelta.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 175, 1894, Peliopelta.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 549, 1905.

Bueno, Jl. N. Y., Ent. Soc., xviii, p. 29, 1910.

Smith, Cat. Ins. N. J., Edn. 3, p. 142, 1910.

†annulicrus Berg, Nova Hemip., p. 73, 1892.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 179, 1894 (part).

Wirtner, Ann. Carn. Mus., iii, p. 193, 1904.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 230, 1908.

§annulicornis Banks, Cat. Nearc. Hemip., p. 60, 1910 (part).

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., Md., D. C., Va., N. C., Ga., Mich., Ill., Mo., Neb., Colo.

Genus Oedancala Am. & Serv.

Haplotype dorsilinea Am. & Serv.

Amyot and Serville, Hémip., p. 258, 1843.

Stål, Hemip. Afr., ii, pp. 146, 147, 1865.

Stål, Enum. Hemip., iv, pp. 138, 139, 1874.

Provancher, Pet. Faune Ent. Can., iii, p. 72, 1886.

514. Oedancala dorsilinea Am. & Serv.

Amyot and Serville, Hémip., p. 258, pl. 12, fig. 6, 1843.

Stål, Enum. Hemip., iv, p. 139, 1874.

Berg, Hemip. Argent., p. 107, 1879.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 170, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 511, 1914.

†crassimana Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 307, 1876.

†dorsalis Berg, Nova Hemip., p. 74, 1892.

Localities: N. J., Md., Ga., Fla., Texas. (†South America.)

515. Oedancala dorsalis (Say)

Say, Heter N. Harm., p. 17, 1832; Fitch reprint, p. 779; Compl. Writ., i, p. [335, Pamera.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 307, 1876; iii, p. 411, 1877. Van Duzee, Psyche, v, p. 27, 1888.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 174, 1894.

†crassimana Stål, Enum. Hemip., iv, p. 139, 1874.

Provancher, Pet. Faune Ent. Can., iii, p. 73, 1886.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 29, 1910.

Smith, Cat. Ins. N. J., Edn. 3, p. 143, 1910.

†dorsilinea Wirtner, Ann. Carn. Mus., iii, p. 193, 1904.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., Md., D. C., S. C., Fla. (?), Ohio, Wis., Okl., Texas.

516. Oedancala crassimana Fabr.

Fabricius, Syst. Rhyng., p. 233, 1803, Lygaeus.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 147, 1853, Pachymerus.

Stål, Hemip. Fabr., ii, p. 122, 1869.

Localities: "Carolina" (Fabricius; not since recognized).

517. Oedancala cubana Stål

Stål, Enum. Hemip., iv, p. 139, 1874. [tion of dorsilinea.] Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 307, 1876 (probably a misidentifica-Localities: "Fla., Texas" (Uhler). (West Indies.)

Genus Pachygrontha Germ. Type lineata Germ.

Germar, Silberm. Revue Ent., v, p. 152, 1837.

Stål, Hemip. Afr., ii, pp. 146, 147, 1865.

Stål, Enum. Hemip., iv, pp. 138, 139, 1874.

Distant, Biol. Centr. Am., Heter., i, p. 200. 1882.

Distant, Fauna Br. Ind., Rhyn., ii, p. 40, 1903.

Oshanin, Kat. Palae. Hemip., p. 31, 1912. (Names lineata type.)

‡Pachygroncha Spinola, Generi d'Insetti Arthr., p. 140, 1852.

Atractophora Stål, Of. Vet. Akad. Forh., x, p. 260, 1853 (invalid here). Stål, Of. Vet. Akad. Forh., xii, p. 34, 1855. (Haplotype fusifemur Stål.) Peliosoma Uhler, Proc. Acad. Nat. Sci. Phila., xii, for 1860, p. 229, 1861.

[(Haplotype antennata Uhl.)

Dilophos Montrouzier, Ann. Soc. Linn. Lyons, Ser. 2, xi, p. 226, 1865.
[(Type silieri Montr.)

518. Pachygrontha bimaculata Dist.

Distant, Biol. Centr. Am., Heter., i, p. 393, pl. 34, fig. 23, 1893. Banks, Cat. Nearc. Hemip., p. 60, 1910.

Localities: Texas(?) (Banks). (Panama.)

Subfamily OXYCARENINAE (Stål)

Stål, Of. Vet. Akad. Forh., xix, p. 212, 1862, Oxycarenida. Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 39, 1872, Oxycarenina. Stål, Enum. Hemip., iv, p. 141, 1874, Oxycarenina. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 307, 1876, Oxycarenina. Berg, Hemip. Argent. Add., p. 55, 1884, Oxycarenina. Puton, Cat. Hémip. Palae., p. 24, 1886, Tribe Oxycarenini. Uhler, Check List, p. 14, 1886, Oxycarenina. Lethierry and Severin, Cat. Génl. Hémip., ii, p. 182, 1894, Oxycarenidae. Distant, Fauna Br. Ind., Rhyn., ii, p. 42, 1903, Oxycareninae. Oshanin, Verz. Palae. Hemip., i, p. 293, 1906, Oxycarenina. Banks, Cat. Nearc. Hemip., p. 59, 1910, Oxycarenini. Oshanin, Kat. Palae. Hemip., p. 31, 1912, Oxycareninae.

Aneuropharina Berg, Hemip. Argent., p. 285, 1884.

Genus Crophius Stål Logotype disconotus Say

Stål, Enum. Hemip., iv, pp. 141, 142, 1874.

Berg, Hemip. Argent. Add., p. 55, 1884.

[disconotus type.) Van Duzee, Bul. Buf. Soc. Nat. Sci, ix, p. 389, 1910. (Monograph. Names Aneuropharus Berg, Hemip. Argent., p. 285, 1879. (Haplotype leucocnemis

Berg, Ann. Soc. Cient. Argent., ix, p. 13, 1880.

[Berg.)

Subgenus Crophius Stål 519. Crophius disconotus (Say)

Say, Heter. N. Harm., p. 14, 1832; Fitch reprint, p. 774; Compl. Writ., i, p. Stål, Enum. Hemip., iv, p. 142, 1874. [330, Lygaeus.

Uhler, Proc. Ent. Soc. Wash., ii, p. 371, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 174, 1894.

Gillette and Baker, Hemip. Colo., p. 24, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 193, 1904.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 230, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 392, 1910.

Bueno, Can. Ent., xliv, p. 212, 1912.

Localities: Quebec, N. H., N. Y., N. J., Pa., D. C., Ala., Mo., Colo., Utah, Calif. (Mexico.)

520. Crophius schwarzi Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 392, fig., 1910. Locality: Ariz.

521. Crophius heidemanni Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 393, fig., 1910. Locality: Ariz.

522. Crophius bohemani (Stål)

Stål, Frega. Eugen. Resa, Ins., p. 251, 1859, Cymus.

Stål, Enum. Hemip., iv, p. 142, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 307, 1876.

Gillette and Baker, Hemip. Colo., p. 24, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 394, 1910.

Localities: Colo., Utah, Calif., Idaho, Ore., Vanc. Isd.

523. Crophius angustatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 395, fig., 1910. Localities: Utah, Calif.

524. Crophius impressus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 396, fig., 1910. Locality: Calif.

Subgenus Mayana Dist. Logotype costata Dist.

Distant, Biol. Centr. Am., Heter., i, p. 387, 1893.

525. Crophius scabrosus (Uhl.)

Uhler, Proc. U. S. Natl. Mus., xvii, p. 353, 1904, Oxycarenus.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 397, 1910, Crophius.
Banks, Cat. Nearc. Hemip., p. 59, 1910, Oxycarenus.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 8, 1914.
Localities: Neb., Colo., Utah, N. Mex., Calif.

Subfamily RHYPAROCHROMINAE (Stål)

Stål, Of. Vet. Akad. Forh., xix, p. 210, 1862, Rhyparochromida.
Stål, Hemip. Afr., ii, pp. 121, 152, 1865, Rhyparochromida.
Stål, Of. Vet. Akad. Forh., xxvii, p. 663, 1870, Rhyparochromina.
Myodochina Stål, Of. Vet. Akad. Forh., xxix, No. 7, pp. 40, 50, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 308, 1872.
Stål, Enum. Hemip., iv, p. 142, 1874.
Berg, Hemip. Argent., p. 107, 1879.
Distant, Biol. Centr. Am., Heter., i, p. 200, 1882.
Uhler, Check List., p. 14, 1886.
Banks, Cat. Nearc. Hemip., p. 63, 1910, Myodochini.
Pachymerini Puton, Cat. Hémip. Palae., edn. 3, p. 25, 1886 (as tribe).
Aphanidae Lethierry and Severin, Cat. Génl. Hémip., ii, p. 188, 1894.

Distant, Fauna Br. Ind., Rhyn., ii, p. 45, 1902, Aphaninae. Oshanin, Verz. Palae. Hemip., i, p. 303, 1906, Aphanina. Oshanin, Kat. Palae. Hemip., p. 33, 1912, Aphaninae.

TRIBE MYODOCHINI (Stål)

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 51, 1872, Div. Myodocharia.
Stål, Enum. Hemip., iv, pp. 142, 144, 1874, Div. Myodocharia.
Berg, Hemip. Argent., p. 107, 1879, Div. Myodocharia.
Distant, Biol. Centr. Am., Heter., i, p. 200, 1882, Div. Myodocharia.
Distant, Fauna Br. Ind., Rhyn., ii, p. 47, 1902, Div. Myodocharia.
Oshanin, Verz. Palae. Hemip., i, p. 303, 1906, Div. Myodocharia.
Plociomeraria Puton, Synop. Heter. Fr., i, p. 37, 1878.

Oshanin, Kat. Palae. Hemip., p. 33, 1912.

Genus Myodocha Latr. Orthotype serripes Oliv.

*Latreille, Gen. Crust. Ins., iii, p. 126, 1807.

Latreille, Consid. Génl., pp. 255, 433, 1810 (type named).

Latreille, Fam. Règne Anim., p. 422, 1825 (French Myodoque).

Latreille, in Cuvier, Règne Animal, edn. 2, v, p. 199, 1829.

Laporte, Essai Classif. Syst. Hémip., p. 32, 1832 (quotes serripes, etc.). Latreille, in Cuvier, Anim. Kingd., Lond. edn., iv, p. 164, 1836.

Spinola, Essai sur les Hémip., p. 103, 1837 (1840).

Amyot and Serville, Hémip., p. 256, 1843.

Spinola, Tavola Sinot., p. 40, 1850.

Herrich-Schaeffer, Wanz. Ins., ix, pp. 192, 212, 1853.

Walker, Cat. Heter., v, p. 145, 1872.

Stål, Enum. Hemip., iv, pp. 144, 146, 1874.

Distant, Biol. Centr. Am., Heter, i, p. 203, 1882.

Bergroth, Wien. Ent. Zeit., xxxi, p. 162, 1912.

#Myodochus Olivier, Encyc. Méth., viii, p. 105, 1811.

Brullé, Hist. Nat. des Ins., ix, p. 388, 1835.

Blanchard, Hist. des Ins., Hémip., p. 134, 1840.

Chiroleptes Kirby in Richardson, Fauna Bor. Am., iv, p. 280, 1837. (Hap-[lotype raptor Kirby = serripes Oliv.)

Kirkaldy, Jl. Bombay Nat. Hist. Soc., xiv, p. 306, 1902.

Horvath, Ann. Mus. Natl. Hung., ix, p. 13, 1911.

526. Myodocha serripes Oliv.

Latreille, Consid. Génl., p. 433, 1810 (nomen nudum here).

Olivier, Encyc. Méth., viii, p. 106, 1811, Myodochus. (Spinola says ix, p. [105.)

Laporte, Essai Classif. Syst. Hémip., p. 33, 1832.

Brullé, Hist. Nat. des Ins., ix, p. 388, 1835, Myodochus.

Spinola, Essai sur les Hémip., p. 103, 1837 (1840).

Blanchard, Hist. des Ins., Hémip., p. 134, pl. 5, fig. 4, 1840.

Amyot and Serville, Hémip., p. 258, 1843.

Spinola, Tavola Sinot., p. 40, 1850.

Herrich-Schaeffer, Wanz. Ins., ix, p. 213, fig. 966, 1853.

Stål, Stet. Ent. Zeit., xxiii, p. 314, 1862.

Walker, Cat. Heter., v, p. 145, 1872.

Stål, Enum. Hemip., iv, p. 147, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 309, 1876; iii, p. 411, 1877.

Uhler, Wheeler's Rept. Chief. Eng. for 1877, p. 1327.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 388, 1878.

Uhler, Stand. Nat. Hist., ii, p. 289, 1884.

Wirtner, Ann. Carn. Mus., iii, p. 193, 1904.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 231, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 171, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 143, 1910.

Parshley, Psyche, xxi, p. 146, 1914.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 514, 1914.

petiolata Say, Heter. N. Harm., p. 19, 1832; Fitch reprint, p. 781; Compl. [Writ., i, p. 337. (Spelled opetilata by error.)

raptor Kirby in Richardson's Fauna Bor. Am., iv, p. 281, 1837, Chiroleptes.

Kirby in Bethune's reprint, p. 137.

Localities: Me., Mass., N. Y., N. J., Pa., Md., N. C., Fla., Ohio, Ill., Mo., Neb., Kan., Okl., Colo., La., Texas, N. Mex.

Genus Heraeus Stål Orthotype triguttata Guer.

Stål, Stet. Ent. Zeit., xxiii, p. 314, 1862. Stål, Hemip. Fabr., ii, p. 153, 1865.

Stål, Enum. Hemip., iv, pp. 144, 147, 1874. Distant, Biol. Centr. Am., Heter., i, p. 204, 1882.

527. Heraeus triguttatus (Guer.)

Guerin, Sagra, Hist. de Cuba, Ins., p. 400, 1857, Lygaeus.
Stål, Stet. Ent. Zeit., xxiii, p. 315, 1862.
Stål, Enum. Hemip., iv, p. 147, 1874.
Banks, Cat. Nearc. Hemip., p. 65, 1910.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 514, 1914.
Locality: Fla. (West Indies.)

528. Heraeus plebejus Stål

Stål, Enum. Hemip., iv, p. 147, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 309, 1876.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 174, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 193, 1904.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 231, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 171, 1909.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 30, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 143, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 514, 1914.

Localities: N. Y., N. J., Pa., D. C., Fla., Kan., Texas., Ariz.

529. Heraeus coquilletti Barber

Barber, Jl. N. Y. Ent. Soc., xxii, p. 165, 1914.
nitens Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 8, 1914.
Localities: Texas, Calif.

530. Heraeus eximinus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 204, pl. 18, fig. 21, 1882. Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 178, 1906.

Locality: Ariz.

Genus Sphaerobius Uhl. Logotype gracilis Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1893, p. 710.

531. Sphaerobius insignis (Uhl.)

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 407, 1872, Heraeus.
Stål, Enum. Hemip., iv, p. 147, 1874.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 309, 1876; iii, p. 412, 1877, Heraeus.
Provancher, Pet. Faune Ent. Can., iii, p. 80, 1886, Heraeus.
Uhler, Proc. Zool. Soc. Lond. for 1893, p. 711.
Parshley, Psyche, xxi, p. 146, 1914.
Localities: Me., Minn., S. D., Neb., Colo., Utah.

532. Sphaerobius quadristriata Barb.

Barber, Jl. N. Y. Ent. Soc., xix, p. 24, 1911.
Weiss, Ent. News, xxvii, p. 164, 1916.
[?orbicollis Uhl. MS] Smith, Cat. Ins. N. J., edn. 3, p. 143, 1910, Heraeus.
Sphaerobius sp.nov., Van Duzee, Ottawa Nat., xxvi, p. 69, 1912.
Localities: Quebec, N. J.

Genus Ligyrocoris Stål Haplotype silvestris Fieb. = luchsii Baer.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 51, 1872. Stål, Enum. Hemip., iv, pp. 144, 145, 1874. Distant, Biol. Centr. Am., Heter., i, p. 201, 1882. Provancher, Pet. Faune Ent. Can., iii, p. 79, 1886. Van Duzee, Can. Ent., xlvi, p. 382, 1914.

533. Ligyrocoris pseudoheraeus Barb.

Barber, Brookl. Inst. Sci. Bul., i, p. 275, 1906.

Hunter and Pratt, U. S. Dept. Agr., Div. Ent., Bul. N. S. 11, p. 51, 1913.

[May not be distinct from Heraeus eximus Dist.]

Localities: Ariz., Texas.

534. Ligyrocoris setosus (Stål)

Stål, Enum. Hemip., iv, p. 150, 1874, Pamera.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 514, 1914. [Heraeus. percultus Distant, Biol. Centr. Am., Heter., i, p. 205, pl. 19, fig. 10, 1882, Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 9, 1914. Localities: Texas, Ariz., Calif. (Guatemala.)

535. Ligyrocoris slossoni Barb.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 513, 1914. Locality: Fla.

536. Ligyrocoris nitidulus (Uhl.)

Uhler, N. Am. Fauna, vii, p. 262, 1893, Pamera.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 242, 1894, Pamera.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 9, 1914.
Localities: Colo., N. Mex., Texas, Ariz., Calif.

537. Ligyrocoris contractus (Say)

Say, Heter. N. Harm., p. 16, 1832; Fitch reprint, p. 777; Compl. Writ., i, p. [332, Pamera.
 Stål, Enum. Hemip., iv, p. 145, 1874 (as var. b of sylvestris of Stål).
 Reuter, Berl. Ent. Zeit., xxv, p. 169, 1881.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 549, 1905.

Van Duzee, Can. Ent., xxxviii, p. 406, 1906; xl, p. 110, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 143, 1910.

†bilobata (Provancher), Pet. Faune Ent. Can., iii, p. 82, 1886, Pamera. †balteatus? Van Duzee, Trans. Am. Ent. Soc., xxix, p. 109, 1903. †sylvestris Oshanin, Verz. Palae. Hemip., i, p. 308, 1906 (part).

Reuter, Ann. Soc. Ent. Belg., lvii, p. 79, 1913.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., N. Mex.

538. Ligyrocoris diffusus (Uhl.)

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 101, 1871, *Plociomerus*. Uhler, Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872, *Cymbogaster*. Uhler, Hayden's Surv. Terr., Rept. for 1871, pp. 407, 408, 1872, *Plociomerus*. Van Duzee, Can. Ent., xl, p. 110, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 143, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 234, 1916. †sylvestris Stål, Enum. Hemip., iv, p. 145, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 308, 1876; iii, p. 411, 1877. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 388, 1878.

Van Duzee, Can. Ent., xxi, p. 3, 1889.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 240, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 174, 1894.

Gillette and Baker, Hemip. Colo., p. 24, 1895.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 353, 1904.

Wirtner, Ann. Carn. Mus., iii, p. 193, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 549, 1905.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 230, 1908.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 29, 1910.

Localities: Quebec, Ont., Me., N. H., Mass., Conn., R. I., N. Y., N. J., Pa., Md., D. C., N. C., Kan., Colo., Ariz., Calif.

539. Ligyrocoris litigiosus (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 313, 1862, Plociomera.

Distant, Biol. Cent. Am., Heter., i, p. 201, pl. 17, fig. 19, 1882.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 171, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 514, 1914.

Localities: Fla. (Neotropical.)

540. Ligyrocoris abominalis (Guer.)

Guerin in Sagra, Hist. de Cuba, Ins., p. 397, 1857, Lygaeus.

Stål, Enum. Hemip., iv, p. 146, 1874.

Distant, Biol. Centr. Am., Heter., i, p. 202, pl. 17, fig. 21, 1882.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 171, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 512, 1914.

piligera (Stål), Stet. Ent. Zeit., xxiii, p. 312, 1862, Plociomera.

tconstrictus (Uhler), Proc. Bost. Soc. Nat. Hist., xiv, p. 101, 1871, Ploci[omerus (part).

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 309, 1876 (part). Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 388, 1878 (part).

Localities: Fla., Texas. (Neotropical.)

541. Ligyrocoris multispinus (Stål)

Stål, Enum. Hemip., iv, p. 145, 1874.

Distant, Biol. Centr. Am., Heter., i, p. 201, pl. 17, fig. 18, 1882.

Berg, Nova Hemip., p. 74, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 171, 1909.

Localities: Fla. (Neotropical.)

542. Ligyrocoris confraternus Barb.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 512, 1914. Locality: Fla.

> Genus Perigenes Dist. Haplotype dispositus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 396, 1893. Van Duzee, Can. Ent., xlvi, p. 382, 1914.

543. Perigenes constrictus (Say)

Say, Heter. N. Harm., p. 15, 1832; Fitch reprint, p. 776; Compl. Writ., i, p. [332, Pamera. Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 101, 1871, Plociomerus (part).

Stål, Enum. Hemip., iv, p. 146, 1874, Ligyrocoris.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 309, 1876, Ligyrocoris (part).

Uhler, Wheeler's Rept. Chief. Eng. for 1877, p. 1327, Ligyrocoris.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 388, 1878, Ligyrocoris (part).

Provancher, Pet. Faune Ent. Can., iii, p. 79, 1886, Ligyrocoris.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 240, 1894, Ligyrocoris. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 174, 1894, Ligyrocoris.

Gillette and Baker Hemin Cole n 24 1905 Liquesessia

Gillette and Baker, Hemip. Colo., p. 24, 1895, Ligyrocoris.

Barber, Brookl. Inst., Sci. Bul., i, p. 275, 1906, Ligyrocoris.

Van Duzee, Can. Ent., xli, p. 372, 1909.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 29, 1910, Ligyrocoris.

Smith, Cat. Ins. N. J., edn. 3, p. 143, 1910, Ligyrocoris.

Van Duzee, Can. Ent., xlvi, p. 382, 1914.

fallax Heidemann, Proc. Ent. Soc. Wash., v, p. 156, 1903.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 230, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 143, 1910.

Localities: Ont., N. II., Mass., N. Y., N. J., D. C., Ohio, Kan., Colo.

544. Perigenes similis Barb.

Barber, Brookl. Inst. Sci. Bul., i, p. 276, 1906.

Locality: Texas.

545. Perigenes costalis Van D.

Van Duzee, Can. Ent., xli, p. 373, 1909.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 29, 1910.

Localities: N. Y., Md., Ohio, Manitoba.

Genus Paromius Fieb. Logotype leptopoides Baer

Fieber, Europ. Hemip., pp. 45, 170, 1861.

Stål, Hemip. Afr., ii, p. 157, 1865 (as subgenus).

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 51, 1872.

Stål, Enum. Hemip., iv, p. 1874 (as subgenus).

Puton, Synop. Hemip. Fr., i, p. 38, 1878.

Distant, Fauna Br. Ind., Rhyn., ii, p. 50, 1903.

Oshanin, Kat. Palae. Hemip., p. 33, 1912 (cites leptopoides as type).

|| Stenocoris Rambur, Fauna Ent. Andal., p. 139, 1842 (type gracilis Ramb.).

546. Paromius longulus (Dall.)

Dallas, List of Hemip., ii, p. 578, 1852, Rhyparochromus.

Stål, Enum. Hemip., iv, p. 148, 1874, Pamera.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 310, 1876, Pamera

Distant, Biol. Centr. Am., Heter., i, p. 206, pl. 17, fig. 26, 1882, Pamera.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 17, 1907.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 512, 1914.

Localities: N. C., S. C., Ga., Fla., Miss., La., Texas. (Neotropical.)

Genus Orthaea Dall. Logotype consuta Dall.

Dallas, List of Hemip., ii, p. 580, 1852. Kirkaldy, Entomol., xxxv, p. 137, 1902.

Van Duzee, Can. Ent., xlvi, p. 382, 1914.

¶Pachybrachius Hahn, Icon. Monog. Cimic., pl. 18, 1826 (for luridus Hahn). [(See Bergroth, Ent. Mitt., ii, p. 11, 1913.)

‡Plociomerus Amyot and Serville, Hémip., p. 255, 1843.

Baerensprung, Berl. Ent. Zeit., iii, p. 329, 1859.

Fieber, Europ. Hemip., pp. 45, 171, 1861.

Stål, Of. Vet. Akad. Forh., xix, pp. 210, 213, 1862.

Stål, Hemip. Afr., ii, pp. 154, 156, 1865.

Thompson, Opusc. Ent., ii, p. 193, 1870.

Walker, Cat. Heter., v, p. 116, 1872.

Gyndes Stål, Stet. Ent. Zeit., xxiii, p. 314, 1862 (orthotype malaya Stål). [fracticollis Stål). Stål, Hemip. Afr., ii, p. 154, 1865.

Diplonotus Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 51, 1872 (logotype †Pamera Stål, Enum. Hemip., iv, p. 147, 1874.

Berg, Hemip. Argent., p. 108, 1879.

Distant, Biol. Centr. Am., Heter., i, p. 206, 1882.

Uhler, Check List, p. 15, 1886.

Provancher, Pet. Faune Ent. Can., iii, p. 82, 1886.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 191, 1894.

Distant, Fauna Br. Ind., Rhyn., ii, p. 51, 1903 (names vincta psuedo-[type.)

Bergroth, Wien. Ent. Zeit., xxv, p. 9, 1906.

Oshanin, Verz. Palae. Hemip., i, p. 305, 1906. Banks, Cat. Nearc. Hemip., p. 66, 1910.

Oshanin, Kat. Palae. Hemip., p. 33, 1912.

547. Orthaea vincta (Say)

Say, Heter. N. Harm., p. 16, 1832; Fitch reprint, p. 777; Compl. Writ., i, p. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 186, Pamera. [333, Pamera.

Distant, Ann. Mag. Nat. Hist., Ser. 7, viii, p. 480, 1901, Pamera.

Distant, Fauna Br. Ind., Rhyn., ii, p. 52, 1903, Pamera.

Kirkaldy, Ann. Soc. Ent. Belg., li, p. 301, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 17, 1907, Pamera.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 171, 1909, Pamera.

Distant, Fauna Br. Ind., Rhyn., v, p. 50, 1910, Pamera.

Distant, Trans. Linn. Soc. Lond., xvi, p. 152, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 514, 1914.

gutta (Dallas), List of Hemip., ii, p. 573, 1852, Rhyparochromus. parvulus (Dallas), List of Hemip., ii, p. 576, 1852, Rhyparochromus.

Stål, Hemip. Afr., ii, p. 159, 1865, Plociomera.

Stål, Ann. Soc., Ent. Fr., Ser. 4, v, p. 187, 1865, Plociomera.

Walker, Cat. Heter., v, p. 117, 1872, Plociomerus.

Stål, Enum. Hemip., iv, p. 148, 1874, Pamera.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 310, 1876, Pamera.

Distant, Biol. Centr. Am., Heter., i, p. 206, pl. 19, fig. 12, 1882, Pamera. amyoti (Guerin), in Sagra, Hist. de Cuba, Ins., p. 400, 1857, Lygaeus. vinulus (Stål), Freg. Eugen. Resa, Ins., p. 246, 1859, Rhyparochromus.

Stål, Rio Jan. Hemip., i, p. 40, 1860, Rhyparochromus (as new). reductus (Walker), Cat. Heterop., v, p. 120, 1872, Plociomerus.

bipunctatus Kirby, Jl. Linn. Soc., Zool., xx, p. 547, 1894, Ligyrocoris.

periplanios Kirkaldy, Can. Ent., xxxix, p. 246, 1907.

†pacifica Kirkaldy, Proc. Linn. Soc. N. S. Wales, xxxii, p. 776, 1907.

Localities: N. C., Ga., Fla., Texas. (Neotropical, Europe, Asia,
Africa, Pacific Isds.)

548. Orthaea curvipes (Stål)

Stål, Enum. Hemip., iv, p. 148, 1874, Pamera.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 310, 1876, Pamera.
Uhler, Proc. Zool. Soc. Lond. for 1894, p. 186, Pamera.
Localities: N. C., Texas, N. Mex. (West Indies.)

549. Orthaea bilobata (Say)

Say, Heter. N. Harm., p. 17, 1832; Fitch reprint, p. 779; Compl. Writ., i, Stål, Stet. Ent. Zeit., xxiii, p. 312, 1862, Plociomerus. [p. 334, Pamera. Stål, Ann. Soc. Ent. Fr., Ser. 4, v, p. 187, 1865, Pamera. Stål, Enum. Hemip., iv, p. 150, 1874, Pamera. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 310, 1876, Pamera. Berg, Hemip. Argent., p. 108, 1879, Pamera. Distant, Biol. Centr. Am., Heter., i, p. 207, 1882, Pamera. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 186, Pamera. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 242, 1894, Pamera. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 17, 1907, Pamera. Van Duzee, Can. Ent., xli, p. 127, 1909, Pamera. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 171, 1909, Pamera. **†Smith**, Cat. Ins. N. J., edn. 3, p. 143, 1910, Pamera. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 514, 1914. maculata (Amyot and Serville), Hémip., p. 255, 1843, Plociomerus. Stål, Enum. Hemip., iv, p. 152, 1874, Pamera. ochroceras (Stål), Freg. Eugen. Resa, Ins., p. 245, 1859, Rhyparochromus. Stål, Rio Jan. Hemip., i, p. 39, 1860, Rhyparochromus (as new). Localities: N. C., S. C., Ga., Fla., Miss., La., Texas. (Neotropical.)

550. Orthaea servillei (Guer.)

Guerin, in Sagra, Hist. de Cuba, Ins., p. 399, 1857, Lygaeus.
Stål, Stet. Ent. Zeit., xxiii, p. 312, 1862, Plociomera (redescribed).
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 514, 1914.
scutellatus (Dallas), List of Hemip., ii, p. 575, 1852, Rhyparochromus.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 171, 1909, Pamera.
†bilobata (Distant), Biol. Centr. Am., Heter., i, pl. 17, fig. 25, 1882, Pamera.
Localities: Fla. (West Indies, Mexico.)

551. Orthaea vicina (Dall.)

Dallas, List of Hemip., ii, p. 576, 1852, Rhyparochromus. Stal, Enum. Hemip., iv, p. 152, 1874, Pamera.

Locality: "N. Am."

552. Orthaea nitidicollis (Stål)

Stål, Enum. Hemip., iv, p. 150, 1874, Pamera.Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 310, 1876, Pamera.Locality: Texas.

553. Orthaea setosa (Stål)

Stål, Enum. Hemip., iv, p. 150, 1874, Pamera.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 310, 1876, Pamera.
Locality: Texas.

554. Orthaea basalis (Dall.)

Dallas, List of Hemip., ii, p. 575, 1852, Rhyparochromus.

Stål, Enum. Hemip., iv, p. 152, 1874, Pamera.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 310, 1876, Pamera.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 174, 1894, Pamera.

Wirtner, Ann. Carn. Mus., iii, p. 194, 1904, Pamera.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 231, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 171, 1909, Pamera.

Bueno, Jl. N. Y. Ent. Soc., xvii, p. 30, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 143, 1910, Pamera.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 514, 1914.

Localities: N. Y., N. J., Pa., Md., D. C., N. C., Fla., Ohio, Mich.,

Localities: N. Y., N. J., Pa., Md., D. C., N. C., Fla., Ohio, Mich. Ill., Neb., Kan., Miss., Texas.

555. Orthaea dallasi (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 208, pl. 19, fig. 14, 1882, Pamera (n.n.). †lineatus (Dallas), List of Hemip., ii, p. 575, 1852, Rhyparochromus.

Banks, Cat. Nearc. Hemip., p. 66, 1910, Pamera.

Locality: "North America."

Genus Pseudopamera Dist. Haplotype aurivilliana Dist.

Distant, Biol. Centr. Am., Heter., i, p. 209, 1882.

556. Pseudopamera forreri Dist.

Distant, Biol. Centr. Am., Heter., i, p. 399, pl. 35, fig. 5, 1893. Banks, Cat. Nearc. Hemip., p. 67, 1910 (spelled ferrerei). Localities: "Ariz." (Central America.)

Genus Ptochiomera Say Haplotype nodosa Say

Say, Heter. N. Harm., p. 18, 1832; Fitch reprint, p. 780; Compl. Writ., i, p. Uhler, Check List, p. 15, 1886.

[335. Banks, Cat. Nearc. Hemip., p. 67, 1910.

Plociomerus Amyot and Serville, Hémip., p. 255, 1843.
Stål, Enum. Hemip., iv, p. 152, 1874, Plociomera.
Distant, Biol. Centr. Am., Heter., i, p. 209, 1882, Plociomera.
Lethierry and Severin, Cat. Génl. Hémip., ii, p. 194, 1894, Plociomera.

557. Ptochiomera nodosa Say

Say, Heter. N. Harm, p. 18, 1832; Fitch reprint, p. 780; Compl. Writ., i, p. 335.
Stål, Berl. Ent. Zeit., x, p. 161, 1867, Plociomerus.
Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 100, 1871.
Stål, Enum. Hemip., iv, p. 153, 1874, Plociomera.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 308, 1876.
Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 387, 1878.
Wirtner, Ann. Carn. Mus., iii, p. 194, 1904, Plociomerus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 171, 1909.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 515, 1914.
clavatus (Dallas), List of Hemip., ii, p. 560, 1852, Aphanus.
Localities: Pa., Md., N. C., Ga., Fla., La., Mo., Texas.

558. Ptochiomera clavigera Uhl.

Uhler, Hemip. Colo., p. 24, 1895. Localities: Kan., Colo.

559. Ptochiomera fuscicornis Stål

Stål, Enum. Hemip., iv, p. 152, 1874, Plociomera.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 308, 1876.
Barber, Brookl. Inst. Sci. Bul., i, p. 276, 1906, Plociomera.
Locality: Texas.

560. Ptochiomera antennata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 172, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 515, 1914.

Localities: Fla., Ariz.(?).

561. Ptochiomera minima (Guer.)

Guerin in Sagra, Hist. de Cuba, Ins., p. 398, 1857, Lygaeus. Stål, Enum. Hemip., iv, p. 153, 1874, Plociomerus.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 308, 1876.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 515, 1914.
Localities: Fla., La., Texas. (West Indies.)

562. Ptochiomera oblonga Stål

Stål, Stet. Ent. Zeit., xxiii, p. 313, 1862, Plociomera.
Stål, Enum. Hemip., iv, p. 153, 1874, Plociomera.
Distant. Biol. Centr. Am., Heter., i, p. 209, pl. 17, fig. 24, 1882, Plociomera.
Uhler, Proc. Zool. Soc. Lond. for 1894, p. 187.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 243, 1894.
Localities: Texas. (Neotropical.)

563. Ptochiomera formosa Dist.

Distant, Biol. Centr. Am., Heter., i, p. 210, pl. 19, fig. 25, 1882, *Plociomera*. Banks, Cat. Nearc. Hemip., p. 67, 1910.

Localities: Texas, Ariz. (Neotropical.)

564. Ptochiomera puberula Stål

Stål, Enum. Hemip., iv, p. 153, 1874, Plociomera.
 Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 308, 1876; iii, p. 411, 1877.
 Localities: Colo., Texas.

Genus **Dycoderus** Uhl. Haplotype picturatus Uhl.

Uhler, Proc. Ent. Soc. Wash., iv, p. 507, 1901.

565. Dycoderus picturatus Uhl.

Uhler, Proc. Ent. Soc. Wash., iv, p. 508, 1901. Localities: Colo., Ariz.

Genus Cnemodus H. S.

Haplotype brevipennis H. S. = mavortius Say

Herrich-Schaeffer, Wanz. Ins., ix, p. 184, 1853.

Stål, Hemip. Afr., ii, p. 153, 1865.

Stål, Enum. Hemip., iv, pp. 145, 153, 1874.

566. Cnemodus mavortius (Say)

Say, Heter. N. Harm., p. 19, 1832; Fitch reprint, p. 782; Compl. Writ., i, p. [337, Astemma. Stål, Berl. Ent. Zeit., x, p. 161, 1867.

Stål, Enum. Hemip., iv, p. 153, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 308, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 387, 1878.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 174, 1894.

Distant, Ann. Mag. Nat. Hist., Ser. 7, viii, p. 483, 1901.

Wirtner, Ann. Carn. Mus., iii, p. 194, 1904.

Bueno and Engelhardt, Can. Ent., xlii, p. 149, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 144, 1910.

Hunter and Pratt, U. S. Dept. Agr., Div. Ent., Bul. N. S. 113, p. 51, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 515, 1914.

Parshley, Psyche, xxi, p. 146, 1914.

brevipennis Herrich-Schaeffer, Wanz. Ins., ix, p. 184, fig. 948, 1853.

alacris (Walker), Cat. Heter., v, p. 147, 1872, Thaumastopus?

Localities: Me., Mass., N. Y., N. J., Pa., Md., N. C., Ga., Fla., Ind., Mo., Texas.

567. Cnemodus inflatus Van D.

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 109, 1915. Locality: N. C.

568. Cnemodus sobrius Uhl.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 241, 1894. Localities: Calif. (Mexico.)

Genus Pseudocnemodus Barb.

Haplotype bruneri Barb. = canadensis Prov.

Barber, Jl. N. Y. Ent. Soc., xix, p. 25, 1911.

†Pterometus Provancher, Pet. Faune Ent. Can., iii, p. 84, 1886.

569. Pseudocnemodus canadensis (Prov.)

Provancher, Pet. Faune Ent. Can., iii, p. 84, 1886, Pterometus.

Van Duzee, Can. Ent., xliv, p. 320, 1912.

Bueno, Ent. News, xxvi, p. 277, 1915.

Weiss, Ent. News, xxvii, p. 164, 1916.

bruneri Barber, Jl. N. Y. Ent. Soc., xix, p. 26, 1911.

Bueno, Can. Ent., xliv, p. 212, 1912.

Localities: Quebec, Ont., Conn., N. Y., N. J., N. C., Kan., Neb.

Genus Carpilis Stål Haplotype ferruginea Stal

Stål, Enum. Hemip., iv, pp. 145, 153, 1874.

570. Carpilis ferruginea Stål

Stål, Enum. Hemip., iv, p. 153, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 308, 1876.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 243, 1894.

Bueno, Can. Ent., xliv, p. 212, 1912.

Localities: N. Y., Texas, N. Mex.

TRIBE RHYPAROCHROMINI (Stål)

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 51, 1872, Div. Rhyparochromaria. Stål, Enum. Hemip., iv, pp. 142, 154, 1874, Div. Rhyparochromaria. Puton, Synop. Heter. Fr., i, p. 37, 1878, Rhyparochromaria. Distant, Biol. Centr. Am., Heter., i, p. 212, 1882, Div. Rhyparochromaria. Distant, Fauna Br. Ind., Rhyn., ii, p. 59, 1903, Div. Rhyparochromaria. Oshanin, Verz. Palae. Hemip., i, p. 309, 1906, Div. Rhyparochromaria. Oshanin, Kat. Palae. Hemip., p. 33, 1912, Tribe Rhyparochromaria.

Genus Ozophora Uhl. Haplotype picturata Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 102, 1871.

Stål, Enum. Hemip., iv, pp. 154, 156, 1874.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 389, 1878 (redescribed). [Dist.)
Davila Distant, Biol. Centr. Am., Heter., i, p. 394, 1893 (logotype concava Peggichisme Kirkaldy, Entomol., xxxvii, p. 280, 1904 (n.n. for Davila.).

571. Ozophora picturata Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 102, 1871. Stål, Enum. Hemip., iv, p. 156, 1874. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 310, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 390, 1878.

Wirtner, Ann. Carn. Mus., iii, p. 194, 1904.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 178, 1906.

Smith, Cat. Ins. N. J., edn. 3, p. 144, 1910.

Bueno, Can. Ent., xliv, p. 212, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 516, 1914.

consanguineus (Distant), Biol. Centr. Am., Heter., i, p. 395, pl. 35, fig. 2, Uhler, Proc. Zool. Soc. Lond. for 1894, p. 186. [1893, Davila. Localities: Mass., N. J., Pa., Md., Fla., Texas, Ariz.

572. Ozophora trinotata Barb.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 515, 1914. Locality: Fla.

573. Ozophora burmeisteri (Guer.)

Guerin, in Sagra, Hist. de Cuba, Ins., p. 397, 1857, Lygaeus. Stål, Ann. Soc. Ent. Fr., Ser. 4, v, p. 187, 1865.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 242, 1894.
Barber, Brookl. Inst., Sci. Bul., i, p. 276, 1906.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 515, 1914.
Localities: Fla., Texas. (Neotropical.)

574. Ozophora concavus (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 394, pl. 35, fig. 1, 1893, *Davila*. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 18, 1907.

Localities: Fla. (Neotropical.)

575. Ozophora unicolor Uhl.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 242, 1894. Banks, Cat. Nearc. Hemip., p. 66, 1910.

Localities: "Calif." (Banks). (Mexico.)

Genus **Tempyra** Stål Haplotype biguttula Stål

Stål, Enum. Hemip., iv, pp., 155, 157, 1874.

576. Tempyra biguttula Stål

Stål, Enum. Hemip., iv, p. 157, 1874.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 311, 1876.
Barber, Jl. N. Y. Ent. Soc., xxii, p. 170, 1914.
Localities: Md., Texas.

Genus Pamphantus Stål Haplotype elegantulus Stål

Stål, Enum. Hemip., iv, pp. 155, 157, 1874.

577. Pamphantus elegantulus Stål

Stål, Enum. Hemip., iv, p. 157, 1874.

Uhler, Check List, p. 15, 1886.

Localities: "South States" (Uhler). (West Indies.)

Genus Antillocoris Kirk. Haplotype pallidus Uhl.

Kirkaldy, Entomol. xxxvii, p. 280, 1904 (n.n. for *Pygaeus* Uhl.). Bergroth, Ann. Soc. Ent. Belg., lvii, p. 153. 1913.

|| Salacia Stål, Enum. Hemip., iv, pp. 156, 157, 1874 (Section aa only).

†Salacia Distant, Biol. Cent. Am., Heter., i, p. 406, 1893. #Pygaeus Uhler, Proc. Zool. Soc. Lond. for 1894, p. 187 (haplotype pallidus Van Duzee, Can. Ent., xli, p. 373, 1909. [Uhl.)

578. Antillocoris pilosulus (Stål)

Stål, Enum. Hemip., iv, p. 158, 1874, Salacia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 174, 1894, Salacia (part).

Bergroth, Revue d'Ent., xiv, p. 143, 1895, Cligenes.

Bueno, Can. Ent., xliv, p. 212, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 516, 1914, Salacia.

Localities: N. Y., N. J., Texas.

579. Antillocoris pallidus (Uhl.)

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 187, Pygaeus. Distant, Ann. Mag. Nat. Hist., Ser. 7, viii, p. 497, 1901, Pygaeus. Wirtner, Ann. Carn. Mus., iii, p. 194, 1904, Pygaeus. Van Duzee, Can. Ent., xli, p. 373, 1909, Pygaeus. Smith, Cat. Ins. N. J., edn. 3, p. 144, 1910, Pygaeus.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 516, 1914, Pygaeus. Parshley, Psyche, xxi, p. 146, 1914, Cligenes.

†pilosulus (Van Duzee), Bul. Buf. Soc. Nat. Sci., v, p. 174, 1894, Salacia. †picturata (Uhler), Proc. Zool. Soc. Lond. for 1894, p. 188, Salacia.

minutus (Bergroth), Revue d'Ent., xiv, p. 144, 1895, Cligenes.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 30, 1910, Cligenes.

Smith, Cat. Ins. N. J., edn. 3, p. 144, 1910, Cligenes.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Md., Fla., Texas.

580. Antillocoris punctatus (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 406, 1893, Salacia? Banks, Cat. Nearc. Hemip., p. 63, 1910.

Locality: Texas.

Genus Rhyparochromus Curt. Orthotype chiragra (Fabr.)

Curtis, Br. Ent., xiii, pl. 612, 1836 (names chiragra type).
Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 122, 1840 (part).
Amyot and Serville, Hémip., p. 253, 1843.
Dallas, List of Hemip., ii, p. 560, 1852.
Stål, Of. Vet. Akad. Forh., xix, pp. 212, 220, 1862; xxix, No. 7, p. 52, 1872.
Distant, Biol. Centr. Am., Heter., i, p. 215, 1882.
Megalonotus Fieber, Europ. Hemip., pp. 47, 181, 1861.

581. Rhyparochromus sodalicus (Uhl.)

Uhler, Wheeler's Surv. 100th Merid., v, p. 835, pl. 42, fig. 2, 1875, Megalonotus.
Uhler, Proc. Ent. Soc. Wash., ii, p. 372, 1893, Megalonotus.
Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 75, 1910.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 9, 1914.
Localities: Texas, Utah, Nev., Calif., Ore.

582. Rhyparochromus angustatus Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 74, 1910.
Van Duzee, Univ. Calif. Publ., Ent. Tech. Bul., i, p. 234, 1916.
Localities: Wash., Vanc. Isd., Calif.

583. (See No. 460½, Lygaeosoma tripunctata)

Genus Plinthisus Fieb.

Logotype brevipennis (Latr.)

Stephens, Syst. Cat. Brit. Ins., p. 343, 1829.
Fieber, Europ. Hemip., pp. 46, 177, 1861.
Stål, Of. Vet. Akad. Forh., xix, pp. 211, 217, 1862.
Douglas and Scott, Brit. Hemip., p. 211, 1865.
Thomson, Opusc. Ent., Fasc. ii, p. 186, 1870.
Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 53, 1872.
Horvath, Verh. Zool. Bot. Ges. Wien, xxvi. p. 724, 1876.
Puton, Synop. Heter. Fr., i, p. 41, 1878.
Horvath, Revue d'Ent., v, p. 215, 1886.
Oshanin, Kat. Palae. Hemip., p. 35, 1912. (Names brevipennis type.)
†Lamprodema Distant, Fauna Brit. Ind., Rhyn., ii, p. 71, 1903.

584. Plinthisus americanus Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 75, 1910. Localities: Ont., N. H.

Genus Peritrechus Fieb. Logotype angusticollis (Sahlbg.)

Fieber, Europ. Hemip., pp. 48, 183, 1861.

Stål, Of. Vet. Akad. Forh., xix, pp. 211, 218, 1862.

Douglas and Scott, Brit. Hemip., p. 187, 1865.

Thomson, Opusc. Ent., Fasc. ii, p. 191, 1870.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 54, 1872.

Puton, Synop. Heter. Fr., i, p. 43, 1878.

Distant, Fauna Br. Ind., Rhyn., ii, p. 75, 1902.

Oshanin, Kat. Palae. Hemip., p. 36, 1912 (cites angusticollis as type).

Pasatus Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 54, 1872. (Haplotype [luniger Schill.)

† Ischnodemus Provancher, Pet. Faune Ent. Can., iii, p. 75, 1886.

585. Peritrechus fraternus Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 103, 1871.

Stål, Enum. Hemip., iv, p. 167, 1872.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1327.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 391, 1878.

Cockerell, Trans. Am. Ent. Soc., xx, p. 362, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 244, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 175, 1894.

Smith, Cat. Ins. N. J., edn. 3, p. 144, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 9, 1914.

† falicus (Provancher), Pet. Faune Ent. Can., iii, p. 75, 1886, Ischnodemus. Localities: Quebec, Ont., Mass., N. Y., N. J., Kan., Colo., N. Mex., Calif., Idaho.

586. Peritrechus paludemaris Barb.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 516, 1914. Localities: N. Y., Md., Fla.

587. Peritrechus tristis Van D.

Van Duzee, Ent. News, xvii, p. 388, 1906.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 9, 1914.

Localities: Calif., Wash., Vanc. Isd.

Genus Stignocoris D. & S.

Logotype rusticus Fall.

Douglas and Scott, Brit. Hemip., p. 213, 1865 (n.n. for Stygnus Fieb.). Oshanin, Verz. Palae. Hemip., i, p. 333, 1906.

Oshanin, Kat. Palae. Hemip., p. 35, 1912.

†Aphanus Dallas, List of Hemip., ii, p. 558, 1852.

|| Stygnus Fieber, Europ. Hemip., pp. 49, 186, 1861. (Type rusticus Fall.)

Thomson, Opusc. Ent., Fasc. ii, p. 188, 1870.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 53, 1872.

Puton, Synop. Heter. Fr., i, p. 43, 1878.

Stethatropis Fieber, Verh. Zool.-Bot. Ges. Wien, xx, p. 245, 1870. (Haplo-[type incana Fieb. = rusticus Fall.)

588. Stignocoris rusticus (Fall.)

Fallén, Monog. Cimic. Suec., p. 70, 1807, Lygaeus.
Fallén, Hemip. Suec., Cimic., p. 64, 1829, Lygaeus.
Schilling, Beit. z. Ent., i, p. 81, pl. 7, fig. 5, 1829, Pachymerus.
Hahn, Wanz. Ins., i, p. 223, fig. 116, 1831, Pachymerus.
Herrich-Schaeffer, Nomen. Ent., i, pp. 46, 80, 1835, Aphanus.
Dallas, List of Hemip., ii, p. 558, 1852, Aphanus.
Flor, Rhyn. Livl., i, p. 241, 1860, Pachymerus.
Fieber, Europ. Hemip., p. 186, 1861, Stygnus.
Douglas and Scott, Brit. Hemip., p. 214, pl. 7, fig. 9, 1865.
Puton, Synop. Heter. Fr., i, p. 53, 1878, Stygnus.
Reuter, Ent. Tidskr., ii, p. 91, 1881.
Saunders, Hemip. Heter. Br. Isds., p. 93, 1892, Stygnus.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1998. [Stethotropis. incana (Fieber), Ver. Zool.-Bot. Ges. Wien, xx, p. 245, pl. 5, fig. 3, 1870,

Localities: Quebec. (Palaearctic.)

TRIBE BEOSINI (Stål)

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 54, 1872, Div. Beosaria.
Stål, Enum. Hemip., iv, p. 158, 1874, Div. Beosaria.
Puton, Synop. Heter. Fr., i, p. 37, 1878.
Reuter, Revue d'Ent., iv, p. 217, 1885.
Aphanaria Distant, Fauna Br. Ind., Rhyn., ii, p. 78, 1903 (Division).

Oshanin, Verz. Palae. Hemip., i, p. 343, 1906.
Oshanin, Kat. Palae. Hemip., p. 36, 1912.

Genus Trapezonotus Fieb.

Logotype agrestis (Fall.) = arenarius (Linn.)

Fieber, Europ. Hemip., pp. 50, 190, 1861.
Stål, Of. Vet. Akad. Forh., xix, pp. 211, 220, 1862.
Douglas and Scott, Brit. Hemip., p. 190, 1865.
Thomson, Opusc. Ent., Fasc. ii, p. 197, 1870.
Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 55, 1872.
Stål, Enum. Hemip., iv, pp. 158, 159, 1874 (section aa).
Puton, Synop. Heter. Fr., i, p. 57, 1878 (part).
Distant, Biol. Centr. Am., Heter.. i. p. 216, 1992
Reuter, Revue d'Ent., iv, p. 218, 1885.
Oshanin, Kat. Palae. Hemip., p. 36, 1912 (names arenarius type).

Gnopherus Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 55, 1872. (Haplo-[type nigripes Fieb. = anorus Flor.

589. Trapezonotus arenarius (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 448, 1758, Cimex. Linnaeus, Fauna Suec., edn. Alt., p. 254, 1761, Cimex. Houttuin, Natur. Hist., i, x, p. 368, 1765, Cimex. Muller, Linne's Natursystem, v, p. 500, 1774, Cimex. Fabricius, Syst. Ent., p. 723, 1775, Cimex. Goeze, Ent. Beytr., ii, p. 218, 1778, Cimex. Schrank, Enum. Inst. Austr., p. 286, 1781, Cimex. Fabricius, Ent. Syst., iv, p. 170, 1794, Lygaeus. Fabricius, Syst. Rhyng., p. 233, 1803, Lyageus.

193

Reuter, Rev. Synon., p. 380, No. 361, 1888, Cimex.

Oshanin, Verz. Palae. Hemip., i, p. 346, 1906.

Oshanin, Kat. Palae. Hemip., p. 37, 1912.

†sylvaticus (Panzer), Fauna Germ., xciii, fig. 16, 1805, Lygaeus.

agrestis (Fallén), Monog. Cimic. Suec., p. 66, 1807, Lygaeus.

Zetterstedt, Fauna Lapp., p. 478, 1828, Lygaeus.

Fallén, Hemip. Suec., Cimic., p. 55, 1829, Lygacus.

Schilling, Beit. z. Ent., i, p. 70, 1829, Pachymerus.

Hahn, Wanz. Ins., i, p. 25, fig. 15, 1831, Pachymerus.

Herrich-Schaeffer, Nomen. Ent., i, pp. 45, 78, 1835, Pachymerus.

Zetterstedt, Ins. Lapp., column 263, 1840, Lygaeus.

Costa, Cimic. Reg. Neap., ii, p. 34, 1843, Pachymerus.

Dallas, List of Hemip., ii, p. 564, 1852, Rhyparochromus.

Flor, Rhyn. Livl., i, p. 265, 1860, Pachymerus.

Fieber, Europ. Hemip., p. 191, 1861.

Stål, Of. Vet. Akad. Forh., xix, p. 220, 1862; xxix, No. 7, p. 56, 1872.

Puton, Synop. Heter. Fr., i, p. 59, 1878.

Reuter, Rev. Synon., p. 196, No. 139, 1888.

Horvath, Revue d'Ent., xvii, p. 276, 1898.

psammobius Garbiglietti, Bul. Soc. Ent. Ital., i, p. 117, 1869.

Localities: Quebec, Mass. (Palaearctic.)

590. Trapezonotus rufipes Stål

Stål, Enum. Hemip., iv, p. 159, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 311, 1876.

Smith, Cat. Ins. N. J., edn. 3, p. 144, 1910, Sphragisticus.

Barber, Jl. N. Y. Ent. Soc., xxii, p. 170, 1914.

Localities: N. J., Texas.

591. Trapezonotus(?) caliginosus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 216, pl. 20, fig. 3, 1882. Banks, Cat. Nearc. Hemip., p. 68, 1910.

Localities: "S. W. States" (Banks). (Cent. Am.)

Genus Sphragisticus Stål

Logotype nebulosus Fall. Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 55, 1872.

Stål, Enum. Hemip., iv, p. 158, 1874 (as subgenus).

Reuter, Revue d'Ent., iv, p. 218, 1885 (restricts to nebulosus).

Oshanin, Kat. Palae. Hemip., p. 37, 1912 (names nebulosus type).

592. Sphragisticus nebulosus (Fall.)

Fallén, Monog. Cimic. Suec., p. 65, 1807, Lygaeus.

Fallén, Hemip. Suec., Cimic., p. 54, 1829, Lygaeus.

Schilling, Beit. z. Ent., i, p. 69, pl. 6, fig. 5, 1829, Pachymerus.

Hahn, Wanz. Ins., i, p. 46, fig. 29, 1831, Pachymerus.

Herrich-Schaeffer, Nomen. Ent., i, pp. 45, 79, 1835, Pachymerus.

Zetterstedt, Ins. Lapp., column 263, 1840, Lygaeus.

Dallas, List of Hemip., ii, p. 564, 1852, Rhyparochromus.

Flor, Rhyn. Livl., i, p. 268, 1860, Pachymerus.

Fieber, Europ. Hemip., p. 190, 1861, Trapezonotus.

Stål, Of. Vet. Akad. Forh., xix, p. 220, 1862, Trapezonotus.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 55, 1872.

Stål, Enum. Hemip., iv, p. 159, 1874, Trapezonotus. [Trapezonotus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 311, 1876; iii, p. 412, 1877, Uhler, Wheeler's Rept. Chief. Eng. for 1877, Trapezonotus.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 505, 1878, Trapezonotus.

Puton, Synop. Heter. Fr., i, p. 58, 1878, Trapezonotus.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 243, 1894, Trapezonotus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 174, 1894, Trapezonotus.

Gillette and Baker, Hemip. Colo., p. 25, 1895, Trapezonotus.

Smith, Cat. Ins. N. J., edn. 3, p. 144, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 9, 1914.

Parshley, Psyche, xxi, p. 146, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 234, 1916.

fallax (Say), Heter. N. Harm., p. 17, 1832; Fitch reprint, p. 778; Compl.

[Writ., i, p. 334, Pamera. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 407, 1872, Rhyparo-Cockerell, Trans. Am. Ent. Soc., xx, p. 362, 1893, Pamera. [chromus. Localities: Ont., Me., N. Y., N. J., Pa., Ill., Dak., Colo., Mont., Utah, Texas, N. Mex., Calif., Vanc. Isd., Br. Col. (Mexico, Palaearctic.)

Genus **Petissius** Dist. Orthotype assimilandus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 407, 1893.

593. Petissius diversus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 407, pl. 35, fig. 22, 1893, *Petissius?* Banks, Cat. Nearc. Hemip., p. 67, 1910.

Localities: Fla., Texas. (Neotropical.)

Genus **Aphanus** Lap. Orthotype rolandri (Linn.)

Laporte, Essai Classif. Syst. Hemip., p. 35, 1832 (n.n. for *Pachymerus*). Brullé, Hist. Nat. des Ins., ix, p. 387, 1835. Spinola, Essai sur les Hémip., p. 238, 1837 (1840). Blanchard, Hist. des Ins., Ilémip., p. 132, 1840. Horvath, Ann. Mus. Natl. Hung., vi, p. 562, 1908.

Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 122, 1910 (names pedester pseudotype).

||Pachymerus Lepeletier and Serville, Encyc. Méth., x, p. 322, 1825 (Logo[type rolandri Linn.).

Latreille, Fam. Nat. Règne Anim., p. 422, 1825 (French Pachymere). Latreille, in Cuvier, Règne Animal, edn. 2, v, p. 198, 1829 (French Schilling, Beit. z. Ent., i, pp. 37, 64, 1829.

Hahn, Wanz. Ins., i, p. 37, 1831.

Herrich-Schaeffer, Nomen. Ent., i, pp. 36, 78, 1835.

Burmeister, Handb. d. Ent., ii, p. 293, 1835.

Latreille in Cuvier, Anim. Kingd., Lond. edn., iv, p. 163, 1836, Pachy-Spinola, Tavola Sinot., p. 37, 1850. [mera.

Flor, Rhyn. Livl., i, pp. 224, 236, 1860.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 57, 1872.

Stål, Enum. Hemip., iv, p. 160, 1874.

Puton, Synop. Heter. Fr., i, p. 58, 1878.

Pamera Say, Heter. N. Harm., p. 15, 1832; Fitch reprint, p. 776; Compl. [Writ., i, p. 332 (n.n. for Pachymerus Lep.).

Kirkaldy, Entomol., xxxix, p. 256, 1906.

Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 122, 1910 (names pedester Amyctus Gistel, Naturges. des Thierr., p. x, 1848. [pseudotype). †Calyptonotus Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 57, 1872 (sub-

Reuter, Revue d'Ent., iv, pp. 218, 221, 1885. [genus].

Oshanin, Verz. Palae. Hemip., i, p. 348, 1906.

Kirkaldy, Entomol., xxxix, p. 256, 1906 (names rolandri type).

Oshanin, Kat. Palae. Hemip., p. 37, 1912. [illuminatus Dist.). ||Dorachosa Distant, Biol. Centr. Am., Heter., i, p. 409, 1893 (Haplotype Delochilocoris Bergroth, Revue d'Ent., xii, p. 154, 1893 (n.n. for Dorachosa).

594. Aphanus umbrosus (Dist.)

Distant, Biol. Cent. Am., Heter., i, p. 409, 1893 (var. f of Dorachosa illumin-Bergroth, Revue d'Ent., xii, p. 154, 1893, Delochilocoris. [atus Dist.). Horvath, Ann. Mus. Natl. Hung., vi, p. 561, 1908 (a species distinct).

Smith, Cat. Ins. N. J., edn. 3, p. 144, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 517, 1914.

†carbonaria (Uhler), Check List, p. 15, 1886, Microtoma.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 244, 1894, Microtoma. † atrata (Van Duzee), Bul. Buf. Soc. Nat. Sci., v, p. 175, 1894, Microtoma. † illuminatus (Gillette and Baker), Hemip. Colo., p. 26, 1895, Rhyparochromus.

Wirtner, Ann. Carn. Mus., iii, p. 194, 1904, Delochilocoris.

Localities: Ont. Mass., N. Y., N. J., Pa., D. C., Fla., Kan., Colo., Texas, Ariz., Calif.

595. Aphanus compactus (Uhl.)

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 354, 1904, Rhyparochromus. Locality: N. Mex.

Genus Uhleriola Horv.

Orthotype floralis (Uhl.)

Horvath, Ann. Mus. Natl. Hung., vi, p. 562, 1908.

596. Uhleriola floralis (Uhl.)

Uhler, Hemip. Colo., p. 26, 1895, Rhyparochromus.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, 178, 1906, Rhyparochromus.

Horvath, Ann. Mus. Natl. Hung., vi, p. 563, 1908.

Localities: Colo., Ariz.

TRIBE GONIANOTINI (Stål)

Stal, Of. Vet. Akad. Forh., xxix, No. 7, p. 58, 1872, Div. Gonianotaria. Puton, Synop. Heter. Fr., i, p. 37, 1878, Div. Gonianotaria. Oshanin, Verz. Palae. Hemip., i, p. 364, 1906, Div. Gonianotaria. Oshanin, Kat. Palae. Hemip., p. 38, 1912, Div. Gonianotaria.

Genus Emblethis Fieb.

Logotype platychilus Fieb. = verbasci (Fabr.)

Fieber, Europ. Hemip., pp. 51, 197, 1861.

Stål, Of. Vet. Akad. Forh., xix, p. 222, 1862 (as subgen. of Gonianotus Fieb.) Thompson, Opusc. Ent., ii, p. 195, 1870.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 59, 1872. Puton, Synop. Heter. Fr., i, p. 66, 1878. Provancher, Pet. Faune Ent. Can., iii, p. 77, 1886. Oshanin, Kat. Palae. Hemip., p. 38, 1912 (names verbasci type).

597. Emblethis vicarius Horv.

Horvath, Ann. Mus. Natl. Hung., vi, p. 563, 1908.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 30, 1910.

Smith, Cat. Ins N. J., edn. 3, p. 144, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 517, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 9, 1914.

Bueno, Psyche, xxii, p. 16, 1915.

†arenarius Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 407, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 311, 1876; iii, p. 412, 1877.

Uhler, Check List, p. 15, 1886.

Provancher, Pet. Faune Ent. Can., iii, p. 77, 1886.

Uhler, Proc. Ent. Soc. Wash., ii, p. 372, 1893.

Cockerell, Trans. Am. Ent. Soc., xx, p. 362, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 244, 1894.

Gillette and Baker, Hemip. Colo., p. 25, 1895. [Gonianotus. +marginepunctatus (Uhler), Proc. Bost. Soc. Nat. Hist., xix, p. 392, 1878,

Distant, Biol. Centr. Am., Heter., i, p. 218, 1882, Gonianotus. Emblethis sp., Bueno, Jl. N. Y. Ent. Soc., xvi, p. 231, 1908.

†griseus Bueno, Can. Ent., xli, p. 295, 1909.

Localities: Mass., N. Y., N. J., Ga., Fla., Ill., N. D., Wyom., Mont., Colo., Utah, Nev., Calif., Vanc. Isd. (Mexico.)

TRIBE LETHIINI (Stål)

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 59, 1872, Div. Lethaearia.
Stål, Enum. Hemip., iv, p. 163, 1874, Div. Lethaeria.
Oshanin, Verz. Palae. Hemip., i, p. 370, 1906, Div. Lethaeria.
Oshanin, Kat. Palae. Hemip., p. 39, 1912, Tribe Lethaeria.
Drymaria Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 59, 1872 (Division).
Puton, Synop. Heter. Fr., i, p. 38, 1878 (Division).

Genus Drymus Fieb. Logotype pilipes Fieb.

Fieber, Europ. Hemip., pp. 46, 178, 1861.

Stål, Of. Vet. Akad. Forh., xix, p. 211, 1862.

Douglas and Scott, Brit. Hemip., p. 196, 1865.

Thomson, Opusc. Ent., ii, p. 199, 1870.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 60, 1872.

Puton, Synop. Heter. Fr., i, p. 69, 1878.

Distant, Fauna Br. Ind., Rhyn., ii, p. 92, 1903. (Names pilipes type.)

Lampronotus Douglas and Scott, Ent. Mo. Mag., iv, p. 214, 1868.

Lamprolpax Douglas and Scott, Ent. Mo. Mag., iv, p. 265, 1868 (n.n. for Drymocoris Jakowlef, Troudy Ent. Ross., ix, p. 223, 1876. [Lampronotus).

598. Drymus unus (Say)

Say, Heter N. Harm., p. 16, 1832; Fitch reprint, p. 778; Compl. Writ., i, p. 333, Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 311, 1876, Megalonotus. [Pamera. Uhler, Check List, p. 15, 1886, Megalonotus.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 244, 1894, Megalonotus. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 175, 1894, Megalonotus. Gillette and Baker, Hemip. Colo., p. 24, 1895, Pamera. Wirtner, Ann. Carn. Mus., iii, p. 194, 1904, Rhyparochromus. Bueno, Jl. N. Y. Ent. Soc., xvi, p. 231, 1908, Rhaparochromus. Horvath, Ann. Mus. Natl. Hung., vi, p. 564, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 144, 1910. Parshley, Psyche, xxi, p. 146, 1914.

Localities: Me., N. Y., N. J., Pa., Md., N. C., Ind., Colo., Texas.

599. Drymus crassus Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 76, 1910. Localities: N. H., N. J., Pa., N. C.

Genus Eremocoris Fieb. Logotype erraticus (Fabr.)

Fieber, Europ. Hemip., pp. 49, 187, 1861. Stål, Of. Vet. Akad. Forh., xix, pp. 211, 219, 1862. Douglas and Scott, Brit. Hemip., p. 176, 1865. Thomson, Opusc. Ent., Fasc. ii, p. 200, 1870. Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 60, 1872. Stål, Enum. Hemip., iv, pp. 163, 164, 1874. Puton, Synop. Heter. Fr., i, p. 63, 1878. Distant, Biol. Centr. Am., Heter., i, p. 218, 1882. Horvath, Revue d'Ent., ii, p. 1, 1883 (monograph). Provancher, Pet. Faune Ent. Can., iii, p. 80, 1886. Distant, Fauna Br. Ind., Rhyn., v, p. 84, 1910 (names erraticus type).

600. Eremocoris ferus (Say)

Say, Heter. N. Harm., p. 16, 1832; Fitch reprint, p. 778; Compl. Writ., i, p. Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 103, 1871. [333, Pamera. Stål, Enum. Hemip., iv, p. 164, 1874. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 311, 1876. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 391, 1878. Horvath, Revue d'Ent., ii, p. 9, 1883. Provancher, Pet. Faune Ent. Can., iii, p. 81, 1886. Uhler, Proc. Ent. Soc. Wash., ii, p. 372, 1893. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 244, 1894. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 175, 1894. Gillette and Baker, Hemip. Colo., p. 26, 1895. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 354, 1904. Smith, Cat. Ins. N. J., edn. 3, p. 145, 1910. Distant, Fauna Br. Ind., Rhyn., v, p. 84, 1910. Parshley, Psyche, xxi, p. 146, 1914. borealis (Dallas), List of Hemip., ii, p. 565, 1852, Rhyparochromus. Localities: Quebec, Ont., Me., N. II., Mass., N. Y., N. J., Pa.,

Md., N. C., S. C., Ill., Colo., Mont., Utah, Texas, Calif. (?).

601. Eremocoris inquilinus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 10, 1914. Locality: Calif.

602. Eremocoris obscurus Van D.

Van Duzee, Ent. News, xvii, p. 388, 1906. Localities: Vanc. Isd., Calif.

603. Eremocoris wrighti Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 9, 1914. Locality: Calif.

Genus **Xestocoris** Van D. Haplotype nitens Van D.

Van Duzee, Ent. News, xvii, p. 389, 1906.

Van Duzee, Can. Ent., xli, p. 384, 1909 (citing nitens as type).

604. Xestocoris nitens Van D.

Van Duzee, Ent. News, xvii, p. 390, 1906.

Parshley, Psyche, xxi, p. 146, 1914.

ftcollina (Banks), Cat. Nearc. Hemip., p. 67, 1910, Rhaptus. Localities: Me., N. Y.

Genus Gastrodes Westw. Logotype abietis Linn.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 122, 1840 (n.n. for *Platy-* [gaster Schill., names abietis type.)

Douglas and Scott, Brit. Hemip., p. 165, 1865.

Puton, Synop. Heter. Fr., i, p. 69, 1878.

Oshanin, Verz. Palae. Hemip., i, p. 386, 1906.

Oshanin, Kat. Palae. Hemip., p. 40, 1912.

|| Platygaster Schilling, Beit. z. Ent., i, p. 82, 1829.

Herrich-Schaeffer, Nomen. Ent., i, pp. 36, 45, 1835.

Dallas, List of Hemip., ii, p. 581, 1852.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 62, 1872.

Stål, Enum. Hemip., iv, p. 164, 1874.

Provancher, Pet. Faune Ent. Can., iii, p. 205, 1889.

Ancylopus Flor, Rhyn. Livl., i, p. 232, 1860 (n.n. for Platygaster).

Homalodema Fieber, Europ. Hemip., pp. 49, 187, 1861 (n.n. for Platy-

Stål, Of. Vet. Akad. Forh., xix, pp. 211, 218, 1862. [gaster].

605. Gastrodes ferrugineus (Linn.)

Scopoli, Ent. Carn., p. 130, 1863, Cimex.

Linnaeus, Syst. Nat., edn. 12, p. 730, 1867, Cimex.

Muller, Linne's Natursys., v, p. 501, 1774, Cimex.

Goeze, Ent. Beytr., ii, p. 220, 1778, Cimex.

Turton edn., Linnaeus, Syst. Nat., edn. 13, ii, pt. 1, p. 671, 1806, Cimex.

Schilling, Beit. z. Ent., i, p. 82, pl. 7, fig. 7, 1829, Platygaster.

Hahn, Wanz. Ins., iii, p. 34, fig. 254, 1835, Platygaster.

Amyot and Serville, Hémip., p. 251, 1843, Platygaster.

Dallas, List of Hemip., ii, p. 581, 1852, Platygaster.

Flor, Rhyn. Livl., i, p. 235, 1860, Pachymerus subg. Ancylopus.

Fieber, Europ. Hemip., p. 187, 1861, Homalodema.

Stål, Of. Vet. Akad. Forh., xix, p. 219, 1862, Homalodema.

Douglas and Scott, Brit. Hemip., p. 168, 1865.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 62, 1872, Platygaster.

Puton, Synop. Heter. Fr., i, p. 80, 1878.

Saunders, Hemip. Heter. Br. Isds., p. 118, pl. 10, fig. 10, 1892. Oshanin, Verz. Palae. Hemip., i, p. 387, 1906.

Banks, Cat. Nearc. Hemip., p. 64, 1910.

grossipes (De Geer), Memoirs, iii, p. 308, pl. 15, figs. 20, 21, 1773, Cimex. Reuter, Rev. Synon., p. 213, No. 163, 1888.

†abietis (Retzius), Genera Spec. Ins., p. 88, 1783, Cimex.

Schrank, Fauna Boic., p. 84, 1801, Cimex.

Latreille, Hist. Nat. Crust. Ins., xii, p. 218, 1804, Lygaeus.

Fallén, Monog. Cimic. Suec., p. 68, 1807, Lygaeus.

Fallén, Hemip. Suec., Cimic., p. 61, 1829, Lygaeus.

Burmeister, Handb. d. Ent., ii, p. 295, 1835, Pachymerus.

Zetterstedt, Ins. Lapp., column 264, 1840, Lygaeus.

Localities: "N. States" (Banks).

606. Gastrodes pacificus (Prov.)

Provancher, Pet. Faune Ent. Can., iii, p. 205, 1889, Platygaster. Locality: Vanc. Isd.

Genus Cistalia Stål

Logotype signoreti Guer.

Stål, Enum. Hemip., iv, pp. 164, 165, 1874.

607. Cistalia signoreti (Guer.)

Guerin, in Sagra, Hist. de Cuba, Ins., p. 296, 1857, Lygaeus. Stål, Enum. Hemip., iv, p. 165, 1874. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 311, 1876.

Localities: Texas, Nev., Calif. (West Indies.)

Genus Cryphula Stål

Haplotype parallelogramma Stål

Stål, Enum. Hemip., iv, pp. 164, 165, 1874.

608. Cryphula parallelogramma Stål

Stål, Enum. Hemip., iv, p. 165, 1874.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 311, 1876.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 354, 1904.

Smith, Cat. Ins. N. J., edn. 3, p. 145, 1910.

Localities: N. Y., N. J., Kan., Texas, N. Mex.

Genus Esuris Stål

Haplotype tigrina Stål

Stål, Enum. Hemip., iv, pp. 164, 166, 1874. Distant, Biol. Centr. Am., Heter., i, p. 410, 1893.

Barber, Jl. N. Y. Ent. Soc., xix, p. 27, 1911.

609. Esuris castanea Barb.

Barber, Jl. N. Y. Ent. Soc., xix, p. 27, 1911. Locality: Ariz.

Genus Scolopostethus Fieb. Logotype cognatus Fieb.

Fieber, Europ. Hemip., pp. 49, 188, 1861. Stål, Of. Vet. Akad. Forh., xix, pp. 211, 219, 1862.

Douglas and Scott, Brit. Hemip., p. 181, 1865.

Thomson, Opusc. Ent., Fasc. ii, p. 200, 1870.

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 60, 1872.

Puton, Synop. Heter. Fr., i, p. 69, 1878.

Horvath, Ent. Mo. Mag., xxvii, p. 116, 1891.

Horvath, Revue d'Ent., xi, p. 253, 1892; xii, p. 238, 1893.

Distant, Fauna Br. Ind., Rhyn., ii, p. 92, 1903 (names cognatus Fieb. type).

Horvath, Ann. Mus. Natl. Hung., ix, p. 337, 1911.

Oshanin, Kat. Palae. Hemip., p. 39, 1912 (names pictus Schill. type).

Bueno, Ent. News, xxviii, p. 65, 1917.

?Tritomacera Costa, Ann. Soc. Ent. Fr., Ser. 1, x, p. 296, 1841. (Type [aphanoides Costa.)

Manatanus Distant, Ann. Mag. Nat. Hist., Ser. 8, iii, p. 494, 1909. (Hap-Distant, Fauna Br. Ind., Rhyn., v, p. 86, 1910. [lotype montanus Dist.)

610. Scolopostethus thomsoni Reut.

Reuter, Ann. Soc. Ent. Fr., Ser. 5, iv, p. 562, 1874.

Horvath, Ent. Mo. Mag., xxvii, p. 118, 1891.

Horvath, Revue d. Ent., xi, p. 254, 1892.

Van Duzee, Ent. News, v, p. 108, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 175, 1894.

Heidemann, Proc. Ent. Soc. Wash., ii, p. 505, 1900.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 178, 1906.

Smith, Cat. Ins. N. J., edn. 3, p. 145, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 234, 1916.

†decoratus (Thomson), Opusc. Ent., Fasc. ii, p. 201, 1870, Lygaeus.

adjunctus Horvath, Monog. Lygaeid., p. 87, 1875.

Puton, Synop. Heter. Fr., i, p. 75, 1878.

Reuter, Ent. Tidskr., ii, p. 82, 1881.

neglectus Edwards, Ent. Mo. Mag., xxv, p. 279, 1889 (as var.).

Saunders, Hemip. Heter. Br. Isds., p. 112, 1892.

†affinis Van Duzee, Psyche, v, p. 240, 1889.

Localities: N. Y., N. J., Colo., Ariz., Calif., Alaska.

611. Scolopostethus atlanticus Horv.

Horvath, Revue d'Ent., xii, p. 239, 1893.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 30, 1910.

Localities: N. H., Mass., N. Y., N. J., Wash., Vanc. Isd.

612. Scolopostethus diffidens Horv.

Horvath, Revue d'Ent., xii, p. 240, 1893.

Smith, Cat. Ins. N. J., edn. 3, p. 145, 1910.

Parshley, Psyche, xxi, p. 146, 1914.

†nodosus (Provancher), Pet. Faune Ent. Can., iii, p. 77, 1886, Plociomerus. Localities: Quebec, Me., Mass., N. J., Idaho, Calif.

613. Scolopostethus tropicus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 218, pl. 20, fig. 7, 1882, Eremocoris. fGillette and Baker, Hemip. Colo., p. 26, 1895, Eremocoris (probably is thom-Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 10, 1914. [soni). Localities: Calif. (Guatemala).

Rhyparochromus armatipes Walker = Dieuches armipes Fabr. (Not American.)

PHALYNX PYRRHOCORIFORMES Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 76, 1910.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 31, 49, 1912.

Family PYRRHOCORIDAE Fieb.

Fieber, Europ. Hemip., pp. 25, 43, 1860; p. 162, 1861.

Stål, Of. Vet. Akad. Forh., xviii, p. 195, 1861.

Stål, Stet. Ent. Zeit., xxiii, p. 315, 1862, Pyrrhocorida.

Stål, Berl. Ent. Zeit., vii, p. 390, 1863, Pyrrhocorida.

Stål, Hemip. Afr., iii, p. 1, 1865, Pyrrhocorida.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 130, 1868, Pyrrhocorida.

Stål, Of. Vet. Akad. Forh., xxvii, p. 665, 1870, Pyrrhocorina.

Stål, Enum. Hemip., i, p. 90, 1870, Pyrrhocorina. [the Lygaeidae].

Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 62, 1872, Pyrrhocorina (subfam. of Stål, Enum. Hemip., iv, p. 167, 1874, Pyrrhocorina (subfam. of the Lygaeidae).

Distant, Biol. Centr. Am., Heter., i, p. 220, 1882, Pyrrhocoridae.

Uhler, Stand. Nat. Hist., ii, p. 287, 1884, Pyrrhocoridae.

Puton, Cat. Hémip. Palae., edn. 3, p. 31, 1886, Tribe Pyrrhocorini.

Uhler, Check List, p. 16, 1886, Pyrrhocoridae.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 237, 1894, Pyrrhocoridae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 94, 1903, Pyrrhocoridae.

Oshanin, Verz. Palae. Hemip., i, p. 387, 1906, Pyrrhocorina (subfam. of the Kirkaldy, Can. Ent., xl, p. 360, 1908, Pyrrhocoridae. [Lygaeidae).

Reuter. Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 83, 1910, Pyrrhocoridae.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 49, 58, 1912,

Oshanin, Kat. Palae. Hemip., p. 26, 1912, Pyrrhocoridae. [Pyrrhocoridae. Cecigenes Amyot and Serville, Hémip., pp. xxxviii, 265, 1843.

Dohrn, Cat. Hemip., p. 36, 1859, Cecigenae.

Flor, Rhyn. Livl., i, p. 209, 1860, Coecigena.

Douglas and Scott, Brit. Hemip., pp. 19, 163, 1865, Coecigenina.

Astemmoideae Spinola, Tavola Sinot., p. 38, 1850.

Subfamily EURYOPHTHALMINAE Van D.

Van Duzee, Check List Hemip., p. 24, 1916.

Largides Amyot and Serville, Hémip., pp. xxxviii, 273, 1843.

Dohrn, Cat. Hemip., p. 37, 1859, Largidae.

Stål, Hemip. Afr., iii, p. 1, 1865, Largida.

Stål, Enum. Hemip., i, p. 90, 1870, Largina.

Walker, Cat. Heter., v, pp. 163, 165, 1872, Largidae.

Berg, Hemip. Argent., p. 112, 1879, Largina.

Distant, Biol. Centr. Am., Heter., i, p. 220, 1882, Larginae.

Lethierry and Severin, Cat. Génl. Hémip., ii, p. 237, 1894, Largidae.

Distant, Fauna Brit. Ind., Rhyn., ii, p. 94, 1903, Larginae.

Oshanin, Verz. Palae. Hemip., i, p. 392, 1906, Div. Largaria.

Banks, Cat. Nearc. Hemip., p. 69, 1910, Larginae.

Oshanin, Kat. Palae. Hemip., p. 26, 1912, Larginae.

Genus Euryophthalmus Lap.

Orthotype puncticollis Lap. = lunaris (Gmel.)

Laporte, Essai Classif. Syst. Hémip., p. 38, 1832.

Kirkaldy, Entomol. xxxiv, pp. 176, 219, 1801.

Van Duzee, Check List Hemip., p. 24, 1916.

¶Largus Hahn, Wanz. Ins., i, p. 13, 1831.

Largus Burmeister, Handb. d. Ent., ii, p. 281, 1835.

Spinola, Essai sur les Hémip., p. 179, 1837 (1840). Blanchard, Hist. des Ins., Hémip., iv, p. 127, 1840.

Amyot and Serville, Hémip., p. 273, 1843.

Herrich-Schaeffer, Wanz. Ins., vii, p. 6, 1844.

Spinola, Tavola Sinot., p. 39, 1850.

Herrich-Schaeffer, Wanz. Ins., ix, pp. 174, 180, 1853.

Stål, Of. Vet. Akad. Forh., xviii, p. 195, 1861.

Stål, Hemip. Afr., iii, p. 1, 1865.

Stål, Enum. Hemip., i, pp. 90, 91, 1870.

Walker, Cat. Heter., v, pp. 164, 165, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 220, 1882.

Acinocoris Hahn, Wanz. Ins., ii, p. 113, 1834. (Haplotype calidus Fabr.

[=lunaris Gmel.)

Brullé, Hist. des Ins., ix, p. 384, 1835 (cites calidus as type).

Blanchard, Hist. des Ins., Hemip., p. 123, 1840.

Astemma Brullé, Hist. des Ins., ix, p. 383, 1835, part. [abdominalis Sign.). Lecadra Signoret, Ann. Soc. Ent. Fr., Ser. 4, ii, p. 582, 1862 (type

614. Euryophthalmus lunaris Gmel.

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2178, 1788, Cimex. | |lunatus Fabricius, Mantissa Ins., ii, p. 302, 1787, Cimex.

Fabricius, Ent. Syst., iv, p. 167, 1794, Lygaeus.

Fabricius, Syst. Rhyng., p. 232, 1803, Lygaeus.

Stål, Hemip. Fabr., i, p. 81, 1868, Acinocoris.

Stål, Enum. Hemip., i, p. 92, 1870, Largus.

Walker, Cat. Heter., vi, p. 37, 1873, Acinocoris.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 315, 1876, Acinocoris.

Berg, Hemip. Argent., p. 112, 1879, Lurgus.

Distant, Biol. Centr. Am., Heter., i, p. 221, 1882, Largus.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 247, 1894, Acinocoris.

calidus Fabricius, Syst. Rhyng., p. 230, 1803, Lygaeus.

Hahn, Wanz. Ins., ii, p. 114, fig. 194, 1834, Acinocoris.

Blanchard, Hist. des Ins., Hemip., p. 128, 1840, Acinocoris.

lunulatus Fabricius, Syst. Rhyng., emend, at end of vol., 1803, Lygaeus.

Burmeister, Handb. d. Ent., ii, p. 282, 1835, Largus.

Blanchard, Hist. des Ins., Hemip., p. 127, 1840, Largus.

interruptus Herrich-Schaeffer, Wanz. Ins., ix, p. 181, fig. 978, 1853, Largus.

Localities: Calif. (Neotropical.)

1 ,

615. Euryophthalmus cinctus (H. S.)

Herrich-Schaeffer, Wanz. Ins., vii, p. 6, fig. 683, 1844, Largus.

Uhler, Proc. Acad. Nat. Sci. Phila., xii, p. 230, 1861, Largus.

Stål, Stet. Ent. Zeit., xxiii, p. 315, 1862, Largus.

Stål, Enum. Hemip., i, p. 94, 1870, Largus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 315, 1876, Largus.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1327, Largus.

Distant, Biol. Centr. Am., Heter., i, pp. 223, 1882, and 412, 1893, pl. 20, figs.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 248, 1894, Largus. [16-19, Largus.

Gillette and Baker, Hemip. Colo., p. 28, 1895, Largus.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 355, 1904, Largus.

Barber, Brookl. Inst., Sci. Bul., p. 277, 1906, Largus.

Heidemann, Proc. Ent. Soc. Wash., xiii, p. 134, 1911 (egg), Largus. succinctus var. a (Say), Heter. N. Harm., p. 20, 1832; Fitch reprint, p. Say, Compl. Writ., i, p. 338, Capsus. [p. 783, Capsus. varians Stål, Enum. Hemip., i, p. 94, 1870, Largus. Localities: Colo., Texas, N. Mex., Ariz., Nev., Calif., Ore. (Neotropical.)

616. Euryophthalmus convivus (Stål)

Stål, Of. Vet. Akad. Forh., xviii, p. 196, 1861, Largus.

Stål, Enum. Hemip., i, p. 94, 1870, Largus.

Distant, Biol. Centr. Am., Heter., i, p. 222, pl. 20, figs. 13, 14, 1882, Largus.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 247, 1894, Largus.

Distant, Ann. Mag. Nat. Hist., Ser. 7, ix, p. 45, 1902, Largus.

Barber, Brookl. Inst., Sci. Bul., i, p. 277, 1906, Largus.

Bueno, Ent. News, xxiv, p. 22, 1913, Largus.

obtusus (Walker), Cat. Heter., vi, p. 33, 1873, Largus.

†succinctus Osborn, Trans. Ia. Acad. Sci., i, p. 120, 1893, Largus.

†anchorago Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 124, 1910, Stiretrus (young).

†cinctus Van D., Trans. San Diego Soc. Nat. Hist., ii, p. 11, 1914, Largus.

Localities: Texas, Calif. (Mexico.)

617. Euryophthalmus succinctus (Linn.)

Linnaeus, Cent. Ins. Rar., p. 17, 1763, Cimex.

Linnaeus, Syst. Nat., edn. 12, 1, pt. 2, p. 727, 1767, Cimex.

Fabricius, Syst. Ent., p. 723, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 214, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 369, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 303, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2175, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 170, 1794, Lygaeus.

Fabricius, Syst. Rhyng., p. 233, 1803, Lygaeus.

Burmeister, Handb. d. Ent., ii, p. 283, 1835, Largus.

Herrich-Schaeffer, Wanz. Ins., vi, p. 78, fig. 648, 1842, Largus.

Stål, Hemip. Fabr., i, p. 80, 1868, Largus.

Stål, Enum. Hemip., i, p. 94, 1870, Largus. .

Uhler, Hayden's Surv. Terr. for 1871, p. 408, 1872, Largus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 315, 1876, Largus.

Uhler, Stand. Nat. Hist., ii, p. 288, 1884, Largus.

Lintner, 2d Rept. N. Y. St. Ent., p. 164, Largus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 172, 1909, Largus.

Morrill, U. S. Dept. Agr., Bur. Ent. Bul., 86, p. 94, 1910, Largus.

Smith, Cat. Ins. N. J., edn. 3, p. 140, 1910, Largus.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 509, 1914, Largus.

rubrocinctus (De Geer), Mémoires, iii, p. 339, pl. 34, fig. 19, 1773, Cimex. Localities: N. J., Pa., Md., "Carolina," Va., Ga., Fla., Texas, Colo., Ariz.

618. Euryophthalmus davisi (Barb.)

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914, Largus. Locality: Fla.

619. Euryophthalmus bipustulatus (Stål)

Stål, Of. Vet. Akad. Forh., xviii, p. 196, 1861, Largus.

Stål, Stet. Ent. Zeit., xxiii, p. 315, 1862, Largus.

Stål, Enum. Hemip., i, p. 95, 1870, Largus.

Distant, Biol. Centr. Am., Heter., i, p. 223, pl. 20, figs. 20, 21, 1882, Largus. socius (Stål), Of. Vet. Akad. Forh., xviii, p. 197, 1861, Largus.

Stål, Stet. Ent. Zeit., xxiii, p. 315, 1862, Largus.

Stål, Enum. Hemip., i, p. 95, 1870, Largus.

pulverulentus (Walker), Cat. Heter., vi. p. 33, 1873, Largus.

Localities: Texas. (Mexico.)

620. Euryophthalmus sellatus (Guer.)

Guerin, in Sagra, Hist. de Cuba, Ins., p. 401, 1857, Lygaeus.

Stål, Enum. Hemip., i, p. 95, 1870, Largus.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 509, 1914, Largus.

Localities: Fla. (West Indies.)

Genus Stenomacra Stål

Logotype marginella H. S.

Stål, Enum. Hemip., i, pp. 90, 97, 1870.

Walker, Cat. Heter., v, p. 165, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 226, 1883.

621. Stenomacra marginella (H. S.)

Herrich-Schaeffer, Wanz. Ins., ix, p. 182, 1853, Largus.

Stål, Of. Vet. Akad. Forh., xviii, p. 195, 1861, Theraneis.

Stål, Stet. Ent. Zeit., xxiii, p. 315, 1862, Theraneis.

Stål, Enum. Hemip., i, p. 98, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 226, pl. 20, fig. 23, 1883.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 248, 1894.

parallelus Herrich-Schaeffer, Wanz. Ins., ix, pl. 217, fig. 982, 1853, Largus.

Localities: Ariz., Calif. (Neotropical.)

622. Stenomacra cliens (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 315, 1862, Theraneis.

Stål, Enum. Hemip., i, p. 98, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 226, pl. 20, fig. 22, 1883.

Bergroth, Revue d'Ent., xi, p. 262, 1892.

Barber, Jl. N. Y. Ent. Soc., xxii, p. 170, 1914.

sallei Fallou, Revue d'Ent., x, p. 8, 1891.

†marginella Barber, Jl. N. Y. Ent. Soc., xviii, p. 37, 1910.

Localities: N. Mex., Ariz.

Genus Arhaphe H. S.

Haplotype carolina H. S.

Herrich-Schaeffer, Wanz. Ins., ix, pp. 175, 183, 1853.

Stål, Of. Vet. Akad. Forh., xviii, p. 195, 1861.

Stål, Hemip. Afr., iii, p. 2, 1865.

Stål, Enum. Hemip., i, pp. 90, 98, 1870.

Walker, Cat. Heter., v, pp. 164, 165, 1872.

Distant, Biol. Centr. Am., Heter., i, p. 226, 1883.

§Araphe Uhler, Hayden's Surv. Terr. for 1870, p. 471, 1872.

Barber, Jl. N. Y. Ent. Soc., xix, p. 28, 1911.

[Dist.).

Japetus Distant, Biol. Centr. Am., Heter., i, p. 227, 1883 (type sphaeroides

623. Arhaphe carolina H. S.

Herrich-Schaeffer, Wanz. Ins., ix, p. 183, fig. 968, 1853. Stål, Enum. Hemip., i, p. 98, 1870. Uhler, Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872. Distant, Biol. Centr. Am., Heter., i, p. 227, 1883. Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907. Barber, Jl. N. Y. Ent. Soc., xix, p. 28, 1911 (Araphe). Localities: "Carolina," Ga., Ariz.

624. Arhaphe cicindeloides Walk.

Walker, Cat. Heter., vi, p. 36, 1873. Distant, Biol. Centr. Am., Heter., i, p. 227, pl. 21, fig. 2, 1883. Barber, Jl. N. Y. Ent. Soc., xviii, p. 38, 1910; xix, p. 28, 1911. Localities: Ariz. (Mexico.)

625. Arhaphe mimetica Barb.

Barber, Jl. N. Y. Ent. Soc., xix, p. 28, 1911. Locality: Ariz.

Subfamily PYRRHOCORINAE (A. & S.)

Amyot and Serville, Hémip., pp. xxxviii, 265, 1843, Groupe Pyrrhocorides. Dohrn, Cat. Hemip., p. 36, 1859, Pyrrhocorida. Stål, Hemip. Afr., iii, pp. 1, 3, 1865, Pyrrhocorida. (Key.) Douglas and Scott, Brit. Hemip., pp. 20, 163, 1865, Pyrrhocoridae. Stål, Enum. Hemip., i, p. 101, 1870, Pyrrhocorina. (Key.) Walker, Cat. Heter., v, p. 163, 1872, Pyrrhocoridae. (Key.) Berg, Hemip. Argent., p. 114, 1879, Pyrrhocorina. Distant, Biol. Centr. Am., Heter., i, p. 227, 1883, Pyrrhocorinae. Lethierry and Severin, Cat. Génl. Hémip., ii, p. 243, 1894, Pyrrhocoridae. Distant, Fauna Br. Ind., Rhyn., ii, p. 99, 1903, Pyrrhocorinae. Oshanin, Verz. Palae. Hemip., i, p. 388, 1906, Div. Pyrrhocoraria. Banks, Cat. Nearc. Hemip., p. 70, 1910, Pyrrhocorinae. Oshanin, Kat. Palae. Hemip., p. 26, 1912, Pyrrhocorinae.

Genus Pyrrhocoris Fall. Orthotype apterus Linn.

Fallén, Nova Meth. Hemip., p. 9, 1814. Latreille, Fam. Nat. Reg. Anim., p. 421, 1825. Fallén, Hemip. Suec., Cimic., p. 45, 1829. Curtis, Brit. Ent., x, pl. 465, 1833. Herrich-Schaeffer, Nomen. Ent., i, pp. 36, 43, 1835. Burmeister, Handb. d. Ent., ii, p. 283, 1835 (part). Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 122, 1840. Amyot and Serville, Hemip., p. 267, 1843. Flor, Rhyn. Livl., i, p. 210, 1860. Fieber, Europ. Hemip., pp. 43, 162, 1861 (part). Stål, Of. Vet. Akad. Forh., xviii, p. 196, 1861. Stål, Hemip. Afr., iii, p. 4, 1865. Douglas and Scott, Brit. Hemip., p. 163, 1865. Stål, Enum. Hemip., i, pp. 103, 115, 1870. Stål, Of. Vet. Akad. Forh., xxix, No. 7, p. 62, 1872.

Walker, Cat. Heter., v, pp. 165, 167, 1872 (part).

Distant, Biol. Centr. Am., Heter., i, p. 228, 1883.

Distant, Fauna Br. Ind., Rhyn., ii, p. 116, 1903.

[Linn.)

||Platynotus Schilling, Beit. z. Ent., i, pp. 37, 57, 1829. (Haplotype apterus Hahn, Wanz. Ins., ii, p. 9, 1834. [Platynotus Schill.).

Meganotus Laporte, Essai Classif. Syst. Hémip., p. 38, 1832 (n.n. for †Phytocorisa Laporte, Essai Classif. Syst. Hémip., p. 83, 1832 (for apterus). †Lygaeus Leach, Brewster's Edinby. Encyc., Am. edn., viii, p. 711, 1832, †Astemma Spinola, Essai sur les Hémip., p. 178, 1837 (1840). [(for apterus). Spinola, Tavola Sinot., p. 39, 1850.

Kirkaldy, Can. Ent., xli, p. 31, 1909 (names apterus pseudotype). ||Platycoris Gistel, Naturges. des Tierr., p. 149, 1848 (type apterus).

626. Pyrrhocoris apterus (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 447, 1758, Cimex.

Poda, Ins. Graec., p. 58, 1861, Cimex.

Geoffroy, Hist. Abreg. des Ins., i, p. 440, 1762, Cimex (No. 11).

Scopoli, Ent. Carn., p. 127, 1763, Cimex.

Linnaeus, Syst. Nat., edn. 12, i, p. 727, 1767, Cimex.

De Geer, Mémoires, iii, p. 276, 1773, Cimex.

Fabricius, Syst. Ent., p. 721, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 213, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 366, 1781, Cimex.

Schrank, Ins. Austr., p. 281, 1781, Cimex.

Retzius, Genera Spec. Ins., p. 86, 1783, Cimex.

Fourcroy, Ent. Paris., p. 198, 1785, Cimex.

Fabricius, Mantissa Ins., ii, p. 301, 1787, Cimex.

Gmelin in Linnaeus, Syst. Nat., edn. i, pt. 4, p. 2172, 1788, Cimer.

Fabricius, Ent. Syst., iv, p. 161, 1794, Lygaeus.

Schrank, Fauna Boic., ii, p. 81, 1801, Cimex.

Latreille, Hist. Nat. Crust. Ins., iii, p. 244, 1801, Lygaeus.

Wolff, Icon. Cimic., iii, p. 108, fig. 102, 1802, Lygaeus.

Walckenaer, Fauna Paris., ii, p. 346, 1802, Ligaeus.

Fabricius, Syst. Rhyng., p. 227, 1803, Lygaeus.

Latreille, Genera Crust. Ins., iii, p. 122, 1807, Lygaeus.

Latreille, Consid. Génl., p. 433, 1810 (as type of Lygaeus).

Fallén, Spec. Nova Hemip., Disp., p. 4, 1814 (as type of Lygaeus).

Lamarck, Hist. Nat. Anim. s. Verteb., iii, p. 496, 1816, Lygaeus.

Latreille, Fam. Nat. Règ. Anim., p. 421, 1825.

Fallén, Suppl. Cimic. Suec., p. 6, 1826.

Schilling, Beit. z. Ent., i, p. 57, 1829, Platynotus.

Latreille in Cuvier, Règne Animal, edn. 2, v, p. 198, 1829, Lygaeus.

Hahn, Wanz. Ins., i, p. 19, fig. 11, 1831, Platynotus.

Laporte, Essai Classif. Syst. Hémip., p. 38, 1832, Meganotus.

Dufour, Rech. des Hémip., p. 170, 1833.

Curtis, Brit. Ent., x, pl. 465, 1833.

Herrich-Schaeffer, Nomen. Ent., p. 43, 1835.

Burmeister, Handb. d. Ent., ii, p. 286, 1835.

Brullé, Hist. Nat. des Ins., ix, p. 383, 1835, Astemma.

Latreille in Cuvier, Anim. Kingd., Lond. edn., iv, p. 163, 1836, Lygaeus.

Spinola, Essai sur les Hémip., p. 178, 1837 (1840), Astemma.

Costa, Cimic. Neap., Cent. i, p. 48, 1838, Astemma.

[Linn.).

[ruber Sign.).

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 122, 1840. Blanchard, Hist. des Ins., Hémip., p. 129, pl. 5, fig. 1, 1840, Astemma. Amyot and Serville, Hémip., p. 269, 1843. Kolenati, Melet. Ent., ii, p. 69, 1845, Platynotus. Flor, Rhyn. Livl., i, p. 212, 1860. Fieber, Europ. Hemip., p. 163, 1861. Douglas and Scott, Brit. Hemip., p. 164, 1865. Stål, Enum. Hemip., i, p. 115, 1870. Distant, Biol. Centr. Am., Heter., i, p. 228, pl. 21, fig. 25, 1883. Reuter, Revue d'Ent., iv, p. 231, 1885. Reuter, Rev. Synon., p. 214, No. 164, 1888. Kirkaldy, Can. Ent., xli, p. 31, 1909 (as type of Astemma Lep. & Serv.). Barber, Jl. N. Y. Ent. Soc., xix, p. 111, 1911. [Linn.). gregarius (Goeze), Ent. Beytr., ii, p. 213, 1778, Cimex (n.n. for apterus calmariensis Fallén, Hemip. Suec., Cimic, p. 45, 1829 (n.n. for apterus

Localities: N. J. (Costa Rica, Europe, Asia, Africa.)

Genus Dysdercus Am. & Serv.

Haplotype koenigii Fabr. =cingulatus Fabr.

Amyot and Serville, Hémip., p. 272, 1843.

Stål, Of. Vet. Akad. Forh., xviii, p. 196, 1861.

Stål, Hemip. Afr., iii, pp. 4, 13, 1865.

Stål, Enum. Hemip., i, p. 117, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 229, 1883.

Distant, Fauna Br. Ind., Rhyn., ii, p. 118, 1903 (names cingulatus Fabr. type).

Kirkaldy, Entomol., xxxix, p. 256, 1906 (names decussatus type).

†Astemma Laporte, Essai Classif. Syst. Hémip., p. 37, 1832 (names Koenigii

[Fabr. as type).

Blanchard, Hist. Nat. des Ins., Hémip., p. 128, 1840, part.

Piczodera Signoret, Ann. Soc. Ent. Fr., Ser. 3, viii, p. 953, 1861 (type

627. Dysdercus mimus (Say)

Say, Heter. N. Harm., p. 20, 1832; Fitch reprint, p. 783; Compl. Writ., i, Stål, Stet. Ent. Zeit., xxiii, p. 316, 1862. [p. 338, Capsus. Stål, Enum. Hemip., i, p. 120, 1870.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 314, 1876.
Distant, Biol. Centr. Am., Heter., i, p. 229, pl. 21, fig. 4, 1883.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 248, 1894.
Barber, Brookl. Inst., Sci. Bul., i, p. 278, 1906.
Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, N., 5, p. 18, 1907.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 509, 1914.

Localities: Fla., Texas, Ariz., Calif.

628. Dysdercus albidiventris Stål

Stål, Of. Vet. Akad. Forh., xi, p. 236, 1854. (Dysderus by error.)
Stål, Stet. Ent. Zeit., xxiii, p. 315, 1862 (excl. synon.).
Stål, Enum. Hemip., i, p. 127, 1870 (excl. synon.).
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 314, 1876.
Distant, Biol. Centr. Am., Heter., i, p. 229, pl. 21, figs. 5, 10, 1883.
lunulatus Uhler, Proc. Ent. Soc. Phila., i, p. 24, 1861.
Localities: Texas, Calif. (Neotropical.)

629. Dysdercus concinnus Stål

Stål, Of. Vet. Akad. Forh., xviii, p. 198, 1861.

Stål, Enum. Hemip., i, p. 121, 1870.

Distant, Biol. Centr. Am., Heter., i, p. 231, pl. 21, figs. 11, 12, 15, 1883.

Barber, Brookl. Inst., Sci. Bul., i, p. 277, 1906.

mundus Walker Cat. Heter., v, p. 181, 1872.

Localities: Texas. (Neotropical.)

630. Dysdercus obliquus II. S.

Herrich-Schaeffer, Wanz. Ins., vii, p. 19, fig. 701, 1844, Pyrrhocoris.

Stål, Stet. Ent. Zeit., xxiii, p. 316, 1862.

Stål, Enum. Hemip., i, p. 121, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 314, 1876.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 248, 1894.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907.

bimaculatus Stål, Of. Vet. Akad. Forh., xi, p. 236, 1854. (§Dysderus.)

Stål, Freg. Eugen. Resa, Ins., p. 253, 1859.

Localities: Ariz., Calif. (Neotropical.)

631. Dysdercus peruvianus (Guer.)

Guerin, Voy. Coquil. Zool., ii, pt. 2, p. 178, 1838, Lygaeus.

Guerin, Voy. Coquil., Zool., Atlas, pl. 12, fig. 16, 1838, Dysdercus.

Stål, Enum. Hemip., i, p. 121, 1870.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 314, 1876.

Localities: "Calif." (Neotropical, Haw. Isds.)

[Stål's record of Calif. may be erroneous.]

632. Dysdercus andreae (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 448, 1758; edn. 12, i, pt. 2, p. 727, 1767, Goeze, Ent. Beytr., ii, p. 214, 1778, Cimex. [Cimex.

Herrich-Schaeffer Wanz. Ins., Verz., p. 192, 1853, Stiretrus?

Stål, Berl. Ent. Zeit., x, p. 382, 1866.

Stål, Hemip. Fabr., i, p. 85, 1868.

Stål, Enum. Hemip., i, p. 122, 1870.

Walker, Cat. Heter., v, p. 181, 1878.

Hunter, U. S. Dept. Agr., Div. Ent., Bul. 38, n.s., p. 106, 1902.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 18, 1907.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 509, 1914.

suturalis (Fabricius), Syst. Ent., p. 721, 1775, Cimex.

Goeze, Ent. Beytr., ii, p. 257, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 365, 1781, Cimex.

Fabricius, Mantissa Ins., ii, p. 301, 1787, Cimcx.

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2174, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 159, Lygaeus.

Wolff, Icones Cimic., i, p. 29, fig. 29, 1800, Lygaeus.

Fabricius, Syst. Rhyng., p. 225, 1803, Lygaeus.

Laporte, Essai Classif. Syst. Hémip., p. 37, 1832, Astemma.

Burmeister, Handb. d. Ent., ii, p. 285, 1835, Pyrrhocoris.

Spinola, Essai sur les Hémip., p. 177, 1837 (1840), Astemma.

Herrich-Schaeffer, Wanz. Ins., vii, p. 17, fig. 698, 1844, Pyrrhocoris.

Localities: Fla. (West Indies.)

633. Dysdercus suturellus (H. S.)

Herrich-Schaeffer, Wanz. Ins., vi, p. 76, fig. 645, 1842, Pyrrhocoris. Stål, Enum. Hemip., i, p. 123, 1870.

Saunders, Ins. Inj. to Fruits, p. 387, fig. 397, 1883.

Riley and Howard, Insect Life, i, p. 234, 1889 (life history).

Morrill, U. S. Dept. Agr., Bur. Ent., Bul. 86, p. 95, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 509, 1914.

Hunter, U. S. Dept. Agr., Bur. Ent., Circular 149, 1912.

Localities: Fla. (Neotropical.)

634. Dysdercus ocreatus (Say)

Say, Heter. N. Harm., p. 19, 1832; Fitch reprint, p. 782; Compl. Writ., i, p. Uhler, Check List, p. 17, 1886 (spelled acreatus).

[338, Capsus. Locality: Ga.

635. Dysdercus obscuratus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 230, pl. 21, figs. 8 and 9, 1883.

Locality: "S. St."

(Reference for this record lost.)

SERIES ANONYCHIA Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 68, 1910. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, p. 18, 1912.

Family TINGIDIDAE (Lap.)

Laporte, Essai Classif. Syst. Hémip., p. 47, 1832, Tingidites.

Spinola, Essai sur les Hémip., p. 161, 1837, Tingidites.

Fieber, Ent. Monog., p. 27, 1844, Tingideae.

Spinola, Tavola Sinot., pp. 27, 43, 1850, Tingiditae.

Fieber, Genera Hydroc., p. 9, 1851, Tingididea.

Herrich-Schaeffer, Wanz. Ins., ix, p. 143, 1853, Tingideae.

Fieber, Europ. Hemip., pp. 24, 35, 116, 1860, Tingididae.

Stål, Hemip. Afr., iii, p. 25, 1865, Tingidida.

Stål, Enum. Hemip., iii, p. 115, 1873, Tingitidae.

Stål, Of. Vet. Akad. Forh., xxxi, No. 3, p. 43, 1874, Tingitidae.

Uhler, Check List, p. 21, 1886, Tingitidae.

Puton, Cat. Hemip. Palae., edn. 3, p. 31, 1886, Tingidides.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 1, 1896, Tingidae.

Champion, Biol. Centr. Am., Heter., ii, p. 1, 1897, Tingitidae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 122, 1903, Tingididae.

Horvath, Ann. Mus. Natl. Hung., iv, p. 1, 1906, Tingitidae (monograph

Oshanin, Verz. Palae., Hemip., i, p. 395, 1908, Tingididae. [European forms).

Kirkaldy, Can. Ent., xl, p. 360, 1908, Tingidae. [Tingidoidae.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, p. 27, 1912, Superfam.

Oshanin, Kat. Palae. Hemip., p. 41, 1912, Superfam. Tingitoideae.

Osborn and Drake, Ohio St. Univ. Bul. xx, p. 217, 1916, Superfam. Tingitoida.

Membranaceae Latreille, Fam. Nat. Règne Anim., p. 422, 1825 (part).

Amyot and Serville, Hemip., pp. xl, 295, 1843, Membranacei. Dohrn, Cat. Hemip., p. 41, 1859, Membranacei.

Subfamily PIESMINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xl, 300, 1843, Groupe Piesmides. Spinola, Tavola Sinot., p. 44, 1850, Piesmoeideae. Stål, Enum. Hemip., iii, p. 115, 1873, Piesmina. Stål, Of. Vet. Akad. Forh., xxxi, No. 3, p. 44, 1874, Piesmina. Uhler, Check List, p. 21, 1886, Piesmina. Puton, Cat. Hémip., Palae., edn. 3, p. 31, 1886, Tribe Piesmini. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 1, 1896, Piesmidae. Champion, Biol. Centr. Am., Heter., ii, p. 2, 1897, Piesminae. Horvath, Ann. Mus. Natl. Hung., iv, p. 2, 1906, Piesminae. Oshanin, Verz. Palae. Hemip., i, p. 395, 1908, Piesmina. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 77, 1910, Fam. Piesmidae. Banks, Cat. Nearc. Heter., p. 57, 1910, Tribe Piesmini. Horvath, Ann. Mus. Natl. Hung., ix, p. 14, 1911, Piesmidae. [Piesmidae. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 49, 56, 1912, Fam. Oshanin, Kat. Palae. Hemip., p. 41, 1912, Fam. Piesmidae. Osborn and Drake, Ohio St. Univ. Bul. xx, p. 218, 1916, Fam. Piesmidae. Zosmenidae Dohrn, Cat. Hemip., p. 41, 1859. Douglas and Scott, Brit. Hemip., pp. 22, 237, 1865, Zosmeridae.

Genus Piesma Lep. & Serv. Logotype capitata (Wolff)

Le Peletier and Serville, Encyc. Méth., x, p. 652, 1825 (as subgen. of Tingis). Brullé, Hist. Nat. des Ins., ix, p. 342, 1835. (Names capitata type.)

Spinola, Essai sur les Hémip., p. 231, 1837.

Blanchard, Hist. des Ins., Hémip., p. 113, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 120, 1840.

Amyot and Serville, Hémip., p. 301, 1843.

Spinola, Tavola Sinot., p. 44, 1850.

Stål, Enum. Hemip., iii, p. 115, 1873.

Stål, Of. Vet. Akad. Forh., xxxi, No. 3, p. 44, 1874.

Champion, Biol. Centr. Am., Heter., ii, p. 2, 1897.

Hořvath, Ann. Mus. Natl. Hung., iv, p. 2, 1906.

Zosmenus Laporte, Essai Classif. Syst. Hémip., p. 49, 1832 (Zosnanus [on p. 47; Type maculatus Lap.).

Burmeister, Handb. d. Ent., ii, p. 262, 1835, Zosmerus.

Burmeister, Handb. d. Ent., ii, p. 262, 1835, Zosmerus.
Fieber, Ent. Monog., p. 30, 1844.
Flor, Rhyn. Livl., i, p. 310, 1860.
Fieber, Europ. Hemip., pp. 35, 116, 1861.
Stål, Hemip. Afr., iii, p. 25, 1865.
Osborn and Drake, Ohio St. Univ. Bul., xx, p. 218, 1916.
Aspidotoma Curtis, Ent. Mo. Mag., i, p. 196, 1833 (only species capitata).

636. Piesma cinerea (Say)

Say, Heter N. Harm., p. 27, 1832; Fitch reprint, p. 793; Compl. Writ., i, p. Stål, Enum. Hemip., iii, p. 116, 1873.

Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 278, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 180, 1894.

Gillette and Baker, Hemip. Colo., p. 56, 1895.

Champion, Biol. Centr. Am., Heter., ii, p. 2, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 202, 1904.

Smith, Cat. Ins. N. J., edn. 3, p. 148, 1910.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 11, 1914.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.
Osborn and Drake, Ohio St. Univ. Bul., xx, p. 218, 1916.

Localities: Ont., N. Y., Pa., N. C., Fla., Ohio, Ill., Kan., Colo., Calif.

Subfamily TINGIDINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xl, 295, 1843, Groupe Tingides. Dohrn, Cat. Hemip., p. 42, 1859, Tingidae. Douglas and Scott., Brit. Hemip., pp. 23, 242, 1865, Section Tingidina. Stål, Enum. Hemip., iii, pp. 115, 116, 1873, Tingitina. Stål, Of. Vet. Akad. Forh., xxxi, No. 3, pp. 44, 45, 1874, Tingitina. Uhler, Check List, p. 22, 1886, Tingitina. Puton, Cat. Hémip. Palae., edn. 3, p. 31, 1886, Tribe Tingidini. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 4, 1894, Tingidae. Champion, Biol. Centr. Am., Heter., ii, p. 2, 1897, Tingitinae. Horvath, Ann. Mus. Natl. Hung., iv, pp. 2, 10, 1906, Tingitinae. Oshanin, Verz. Palae. Hemip., i, p. 400, 1908, Tingidina. Banks, Cat. Nearc. Hemip., p. 55, 1910, Tingitini. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 77, 1910, Fam. Tingididae. Horvath, Ann. Mus. Natl. Hung., ix, p. 14, 1911, Tingitidae. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 49, 57, 1912, Fam. Oshanin, Kat. Palae. Hemip., p. 42, 1912, Fam. Tingitidae. [Tingididae. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914, Tingididae. Osborn and Drake, Ohio St. Univ. Bul., xx, p. 219, 1916, Tingitidae.

TRIBE TINGIDINI (Stål)

Stål, Enum. Hemip., iii, pp. 116, 118, 1873, Div. Tingitaria.
Stål, Of. Vet. Akad. Forh., xxxi, No. 3, pp. 46, 47, 1874, Div. Tingitaria.
Champion, Biol. Centr. Am., Heter., ii, p. 5, 1897, Group Tingitini.
Distant, Fauna Br. Ind., Rhyn., ii, p. 130, 1903, Div. Tingitaria.
Horvath, Ann. Mus. Natl. Hung., iv, pp. 10, 13, 1906, Div. Tingitaria.
Oshanin, Verz. Palae. Hemip., i, p. 401, 1908, Div. Tingitaria.
Oshanin, Kat. Palae. Hemip., p. 42, 1912, Tribe Tingitaria.

Genus Acalypta Westw. Orthotype carinata Panz.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 121, 1840 (names carinata Stål, Enum..Hemip., iii, pp. 118, 122, 1873. [type). Stål, Of. Vet. Akad. Forh., xxxi, No. 3, p. 51, 1874.

Horvath, Ann. Mus. Natl. Hung., iv, pp. 13, 24, 1906.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 220, 1916.

Orthosteira Fieber, Ent. Monog., pp. 29, 46, 1844.

Flor, Rhyn. Livl., i, pp. 330, 331, 1860 (as subgen. of Monanthia).

†Orthostira Fieber, Europ. Hemip., pp. 36, 130, 1861.

Douglas and Scott, Brit. Hemip., p. 260, 1865.

637. Acalypta thomsonii Stål

Stål, Enum. Hemip., iii, p. 122, 1873.
Bueno, Bul. Brookl. Ent. Soc., xi, p. 39, 1916.
Osborn and Drake, Ohio St. Univ. Bul., xx, p. 220, 1916.
Localities: S. C., Va.

6371/4. Acalypta lillianis Bueno

Bueno, Bul. Brookl. Ent. Soc., xi, p. 39, 1916.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 221, figs. 1, 2, 1916.

Localities: Ont., Me., N. H., N. Y., N. J., Mich.

6371/2. Acalypta ovata O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 9, 1916.

Localities: Ont., N. H.

Genus Fenestrella O. & D.

Orthotype ovata O. & D.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 222, 1916.

637%. Fenestrella ovata O. & D.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 223, fig. 3, 1916.

Locality: Ohio.

Genus Corythucha Stål Logotype fuscigera Stål

Stål, Enum. Hemip., iii, pp. 119, 122, 1873.

Uhler, Check List., p. 22, 1886, Corythuca.

Provancher, Pet. Faune Ent. Can., iii, p. 157, 1887, Corythuca.

Champion, Biol. Centr. Am., Heter., ii, p. 6, 1897.

Champion, Trans. Ent. Soc. Lond. for 1898, p. 57.

[species.)

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 224, 1916. (Key to Ohio

638. Corythucha ciliata (Say)

Say, Heter. N. Harm., p. 26, 1832; Fitch reprint, p. 793; Compl. Writ., i, p. Stål, Enum. Hemip., iii, p. 123, 1873. [348, Tingis.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 414, 1878, Tingis.

Lintner, 4th Rept. N. Y. St. Ent., p. 107, 1888, Corythuca.

Cockerell, Trans. Am. Ent. Soc., xx, p. 364, 1893, Corythuca.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 181, 1894, Corythuca.

Gillette and Baker, Hemip. Colo., p. 57, 1895, Corythuca.

Morill, Psyche, x, 133, 1903, Corythuca.

Wirtner, Ann. Carn. Mus., iii, p. 202, 1904. Corythuca.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 232, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 148, 1910, Corythuca.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 225, pl. 10, fig. h, 1916.

hyalina Herrich-Schaeffer, Wanz. Ins., v, p. 84, fig. 532, 1839, Tingis.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., Md., D. C., Ala., Ohio, Ill., Colo.

63814. Corythucha pallida O. & D.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 230, 1916.
a. var. ulmi, Osborn and Drake, Ohio St. Univ. Bul., xx, p. 231, 1916.
Locality: Ohio.

639. Corythucha arcuata (Say)

Say, Heter. N. Harm., p. 27, 1832; Fitch reprint, p. 794; Compl. Writ., i, p. Stål, Enum. Hemip., iii, p. 123, 1873. [350, Tingis.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 415, 1878, Tingis.

Uhler, Stand. Nat. Hist., ii, p. 284, fig. 327, 1884, Corythuca.

Lintner, 4th Rept. N. Y. St. Ent., p. 108, 1888, Corythuca.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 181, 1894, Corythuca.

Gillette and Baker, Hemip. Colo., p. 57, 1895, Corythuca.

Morill, Psyche, x, p. 127, 1903, Corythuca.

Wirtner, Ann. Carn. Mus., iii, p. 202, 1904, Corythuca.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 232, 1908; xviii, p. 31, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 148, 1910, Corythuca.

Van Duzee, Can. Ent., xliv, p. 323, 1912, Corythuca.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 227, pl. 9, 1916.

†juglandis Provancher, Pet. Faune Ent. Can., iii, p. 158, 1887, Corythuca.

†ciliata Provancher, Pet. Faune Ent. Can., iii, p. 158, 1887, Corythuca.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Md.,

D. C., N. C., Ala., Ohio, Ill., Texas, Colo.

6391/4. Corythucha crataegi O. & D.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 229, pl. 10, fig. f, 1916.

¶arcuata var. crataegi Morrill, Psyche, x, p. 132, 1903 (egg only).

Bueno, Can. Ent., xliv, p. 212, 1912 (as species).

Localities: N. Y., Mass., Ohio.

640. Corythucha pergandei Heid.

Heidemann, Proc. Ent. Wash., viii, p. 10, fig. 2, 1906, Corythuca.
Bueno, Jl. N. Y. Ent. Soc., xvi, p. 232, 1908; xviii, p. 31, 1910.
Smith, Cat. Ins. N. J., edn. 3, p. 148, 1910, Corythuca.
Osborn and Drake, Ohio St. Univ. Bul., xx, p. 228, figs. 4, 5, 1916.
†incurva Van Duzee, Can. Ent., xl, p. 111, 1908, Corythuca.
Localities: Ont., Mass., N. Y., N. J., Pa., Md., Va., Ohio, Ill., Kan.

6401/4. Corythucha pruni O. & D.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 231, 1916. Locality: D. C.

641. Corythucha incurvata Uhl.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 280, 1894, Corythuca. Localities: Ariz., Calif., Oregon. (Mexico.)

642. Corythucha caelata Uhl.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 279, 1894, Corythuca. Localities: Calif. (Mexico.)

643. Corythucha fuscigera (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 323, 1862, Tingis.
Stål, Enum. Hemip., iii, p. 122, 1873.
Uhler, Proc. Ent. Soc. Wash., ii, p. 381, 1893, Corythuca.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 278, 1894, Corythuca.
Gillette and Baker, Hemip. Colo., p. 57, 1895, Corythuca.
Champion, Biol. Centr. Am., Heter., ii, p. 7, pl. 1, fig. 6, 1897.
Champion, Trans. Ent. Soc. Lond. for 1898, p. 57.
lucida Walker, Cat. Heter., vi, p. 191, 1873, Monanthia.
obliqua Osborn and Drake, Ohio Jl. Sci., xvii, p. 11, 1916.
Localities: Colo., Utah, Calif. Ore. (Mexico.)

644. Corythucha decens (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 324, 1862, Tingis.

Stål, Enum. Hemip., iii, p. 123, 1873.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 204, Corythuca.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 279, 1894, Corythuca.

Champion, Biol. Centr. Am., Heter., ii, p. 7, pl. 1, fig. 7, 1897.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 362, 1904.

Localities: Pa., D. C., Texas, Calif.

645. Corythucha marmorata (Uhl.)

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 415, 1878, Tingis.

Van Duzee, Can. Ent., xxi, p. 5, 1889, Corythuca.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 181, 1894, Corythuca.

Howard, U. S. Dept. Agr., Div. Ent., Bul. n.s. 44, p. 89, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 19, 1907; ix, p. 173, 1909, Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 11, 1914. [Corythuca.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.

Osborn and Drake, Ohio St. Univ. Bul. xx, p. 226, 1916. [p. 99, 1898.

[irrorata Riley MS] Howard, U. S. Dept. Agr., Div. Ent., Bul. n.s. No. 10, Localities: Ont., Me., Mass., N. Y., N. J., D. C., N. C., Fla., Ala., Ohio, Colo., N. Mex., Calif.

6451/4. Corythucha contracta O. & D.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 230, 1916. Locality: Ohio.

646. Corythucha floridana Heid.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 173, 1909, Corythuca (name only). Heidemann, Bul. Buf. Soc. Nat. Sci., ix, p. 236, figure, 1909, Corythuca. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914, Corythuca.

Locality: Fla.

647. Corythucha gossypii (Fabr.)

Fabricius, Ent. Syst., iv, p. 78, 1794, Acanthia.

Fabricius, Syst. Rhyng., p. 126, 1803, Tingis.

Latreille, Genera Crust. Ins., iii, p. 140, 1807, Tingis.

Burmeister, Handb. d. Ent., ii, p. 259, 1835, Tingis.

Herrich-Schaeffer, Wanz. Ins., v, p. 85, fig. 534, 1839, Tingis.

Fieber, Ent. Monog., p. 104, pl. 9, fig. 5, 1844, Tingis.

Stål, Hemip. Fabr., i, p. 93, 1868, Galeatus.

Stål, Enum. Hemip., iii, p. 123, 1873.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 18, 1907, Corythuca.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 232, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 148, 1910, Corythuca.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914, Corythuca.

Localities: N. Y., N. J., Fla. (West Indies.)

648. Corythucha hispida Uhl.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 279, 1894, Corythuca.
Localities: Ariz., Calif. (Mexico.)

64814. Corythucha spinosa Dug.

Duges, La Nat., Ser. 2, i, p. 207, pl. 18, figs. 1-3, 1889, Tingis.
 Champion, Biol. Centr. Am., Heter., ii, p. 8, pl. 1, fig. 9, 1897.
 Localities: Calif. (Mexico.)

6481/2. Corythucha setosa Champ.

Champion, Biol. Centr. Am., Heter., i, p. 8, pl. 1, fig. 10, 1897. Localities: Calif. (Guatemala.)

Corythucha cydoniae Fitch

Fitch, Country Gentleman, xiv, p. 25, Febr., 1861, Tingis (invalid).

Lintner, 1st Rept., N. Y. St. Ent., p. 311, 1885 (notice only).

Locality: N. Y.

649. Corythucha juglandis Fitch

Fitch, 3d Rept., Trans. N. Y. St. Agr. Soc., xvi, p. 466, No. 193, 1856, *Tingis*. Stål, Enum. Hemip., iii, p. 123, 1873.

Van Duzee, 20th Rept., N. Y. St. Ent., for 1904, p. 549, 1905, Corythuca. [polygrapha Uhl. MS], Lintner, 4th Rept., N. Y. St. Ent., p. 109, 1888. Localities: Me., N. Y., N. J., Ill., Idaho, Br. Col.

6491/16. Corythucha immaculata O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 11, 1916.

Locality: Calif.

6491/8. Corythucha mollicula O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 12, 1916.

Locality: Mich.

6493/16. Corythucha distincta O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 13, 1916.

Locality: Colo.

6491/4. Corythucha celtidis O. & D.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 227, 1916.

Locality: Ohio.

6491/2. Corythucha aesculi O. & D.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 232, pl. 10, fig. g, 1916.

Locality: Ohio.

649%. Corythucha bulbosa O. & D.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 232, pl. 10, fig. e, 1916. carbonata Uhler, MS.

Localities: Md., Ohio.

649 %. Corythucha associata O. & D.

Osborn and Drake, Ohio. Jl. Sci., xvii, p. 14, 1916.

Locality: Tenn.

Genus Dolichocysta Champ.

Haplotype venusta Champ.

Champion, Trans. Ent. Soc. Lond. for 1898, p. 56.

650. Dolichocysta venusta Champ.

Champion, Trans. Ent. Soc. Lond. for 1898, p. 57, pl. 2, fig. 1.

Locality: Colo. (Mexico.)

Genus Galeatus Curt.

Haplotype spinifrons Fall.

Curtis, Newman's Ent. Mag., i, p. 196, 1833 (for spinifrons Fall.).

Spinola, Essai sur les Hémip., p. 164, 1837.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 121, 1840.
Fieber, Ent. Monog., p. 22, 1844 (as synon. of Tingis).
Stål, Enum. Hemip., iii, p. 118, 1873.
Stål, Of. Vet. Akad. Forh., xxxi, No. 3, p. 48, 1874.
Distant, Fauna Br. Ind., Rhyn., ii, p. 131, 1903.
Horvath, Ann. Mus. Natl. Hung., iii, p. 566, 1905; iv, pp. 13, 49, 1906; ix, p.
Osborn and Drake, Ohio St. Univ. Bul. xx, p. 236, 1916. [337, 1911.
Cadmilos Distant, Ann. Soc. Ent. Belg., liii, p. 113, 1909. [Haplotype Distant, Fauna Br. Ind., Rhyn., v, p. 107, 1910. [retiarius Dist.)

651. Galeatus peckhami (Ashm.)

Ashmead, Ent. Am., iii, p. 156, 1887, Sphaerocysta.

Van Duzee, Can. Ent., xxi, p. 5, 1889.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 362, 1904.

Parshley, Ent. News, xxvii, p. 105, 1916.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 236, 1916.

Localities: Ont., N. H., Mass., Wisc., Manitoba, N. Mex.

Genus Stephanitis Stål

Logotype pyri Fabr. Stål, Enum. Hemip., iii, pp. 119, 123, 1873. Stål, Of. Vet. Akad. Forh., xxxi, No. 3, p. 53, 1874. Horvath, Ann. Mus. Natl. Hung., iv, pp. 14, 54, 1906; x, p. 319, 1912. Oshanin, Kat. Palae. Hemip., pp. 43, 130, 1912 (names pyri type). †Tingis Laporte, Essai Classif. Syst. Hémip., p. 48, 1832 (names pyri Burmeister, Handb. d. Ent., ii, p. 259, 1835 (part). [pseudotype). Spinola, Essai sur les Hémip., p. 166, 1837. Blanchard, Hist. des Ins., Hémip., p. 112, 1840. Amyot and Serville, Hémip., p. 296, 1843. Fieber, Ent. Monog., p. 101, 1844 (part). Flor, Rhyng. Livl., i, pp. 359, 365, 1860. Fieber, Europ. Hemip., pp. 36, 128, 1861 (part). Lethierry and Severin, Cat. Génl. Hémip., iii, p. 12, 1894. Leptobyrsa Stål, Enum. Hemip., iii, pp. 119, 123, 1873. (Haplotype steinii Champion, Biol. Cent. Am., Heter., ii, p. 25, 1897. [Stål). Champion, Trans. Ent. Soc. Lond. for 1898, p. 58. Osborn and Drake, Ohio St. Univ. Bul., xx, p. 240, 1916. †Leptostyla Provancher, Pet. Faune Ent. Can., iii, p. 158, 1887. Cadamustus Distant, Ann. Soc. Ent. Belg., xlvii, p. 47, 1903 (type typicus). Maecenas Kirkaldy, Entomol., xxxvii, p. 280, 1904 (n.n. for Tingis Mokanna Distant, Fauna Br. Ind., Rhyn., v, p. 111, 1910. [L. & S.).

652. Stephanitis pyrioides Scott

Scott, Ann. Mag. Nat. Hist., Ser. 4, xiv, p. 440, 1874.
Oshanin, Kat. Palae. Hemip., p. 44, 1912.
Weiss, Ent. News, xxvii, p. 163, 1916. [pyrioides Scott).
azaleae Horvath, Ann. Mus. Natl. Hung., iii, p. 568, 1905 (n.n. for Horvath, Ann. Mus. Natl. Hung., iv, pp. 55, 56, 1906, x, p. 333, 1912.
Oshanin, Kat. Palae. Hemip., p. 130, 1912.
Localities: N. J., D. C. (Japan.)

653. Stephanitis rhododendri Horv.

Horvath, Ann. Mus. Natl. Hung., iii, p. 567, 1905. Horvath, Synop. Tingit. Reg. Palae., p. 55, 1906.

†oblonga (Provancher), Pet. Faune Ent. Can., iii, p. 159, 1887, Leptostyla. Leptobyrsa sp. nov., Wirtner, Ann. Carn. Mus., iii, p. 202, 1904.

explanata Heidemann, Proc. Ent. Soc. Wash., x, p. 105, pl. 4, figs. d and e, [1908, Leptobyrsa.

Smith, Cat. Ins. N. J., edn. 3, p. 148, 1910, Leptobyrsa.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 31, 1910, Leptobyrsa. [history].

Crosby and Hadley, Jl. Econ. Ent., viii, p. 409, 1915, Leptobyrsa (life Osborn and Drake, Ohio St. Univ. Bul., xx, p. 240, figure, 1916, Leptobyrsa

Localities: Me., Mass., N. Y., N. J., Pa., Md., D. C., W. Va., N. C., Fla., Ohio. (Europe.)

Gargaphia Stål

Logotype patricia Stål

Stål, Stet. Ent. Zeit., xxiii, p. 324, 1862 (as subgen. of Monanthia). Stål, Enum. Hemip., iii, pp. 119, 124, 1873.
Uhler, Stand. Nat. Hist., ii, p. 285, 1884.
Provancher, Pet. Faune Ent. Can., iii, p. 159, 1887.
Champion, Biol. Centr. Am., Heter., ii, p. 9, 1897.
Champion, Proc. Ent. Soc. Lond. for 1898, p. 58.
Osborn and Drake, Ohio St. Univ., Bul. xx, p. 233, 1916.

654. Gargaphia tiliae (Walsh)

Walsh, Proc. Ent. Soc. Phila., iii, p. 408, 1864, Tingis.
Uhler, Check List., p. 22, 1886.
Provancher, Pet. Faune Ent. Can., iii, p. 159, 1887.
Bergroth, Revue d'Ent., xi, p. 264, 1892.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 181, 1894.
Gillette and Baker, Hemip. Colo., p. 57, 1895.
Bueno, Jl. N. Y. Ent. Soc., xviii, p. 31, 1910.
Smith, Cat. Ins. N. J., edn. 3, p. 149, 1910.
Osborn and Drake, Ohio St. Univ. Bul., xx, p. 234, 1916.
fasciata Stål, Enum. Hemip., iii, p. 125, 1873.
Wirtner, Ann. Carn. Mus., iii, p. 202, 1904.
Smith, Cat. Ins. N. J., edn. 3, p. 149, 1910.

a. var. amorphae (Walsh)

Walsh, Proc. Ent. Soc. Phila., iii, p. 409, 1864, Tingis.
Uhler, Check List, p. 22, 1886.
Bergroth, Revue d'Ent., xi, p. 264, 1892.
Wirtner, Ann. Carn. Mus., iii, p. 202, 1904.
Smith, Cat. Ins. N. J., edn. 3, p. 149, 1910.
Osborn and Drake, Ohio St. Univ. Bul., xx, p. 235, 1916.
Localities: N. Y., N. J., Pa., Va., Ohio, Ill., Kan., Colo.

655. Gargaphia iridescens Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 10, pl. 2, fig. 1, 1897. Localities: Colo., Texas. (Mexico.)

656. Gargaphia opacula Uhl.

Uhler, N. Am. Fauna, vii, p. 263, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 278, 1894.

Van Duzee, Trans. San Diego, Soc. Nat. Hist., ii, p. 11, 1914.

Localities: N. Mex., Calif.

657. Gargaphia angulata Heid.

Heidemann, Can. Ent., xxxi, p. 301, 1899.

Chittenden, U. S. Dept. Agr., Div. Ent., Bul. n.s. xxiii, p. 32, fig. 8, 1900.

Smith, Cat. Ins. N. J., edn. 3, fig. 43, on p. 149, 1910.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 233, fig. 6, 1916.

Localities: Mass., Pa., D. C., N. C., Tenn., Ala., Ohio.

[Gargaphia undulata Heid MS]

Heidemann, Proc. Ent. Soc. Wash., iv, p. 493, 1900. Locality: D. C.

658. Gargaphia solani Heid.

Heidemann, Proc. Ent. Soc. Wash., xvi, p. 136, 1914.

Fink, U. S. Dept. Agr., Bul. 239, 1915.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 235, fig. 7, 1916.

Localities: Va., Ohio, Mo., Okl., Texas.

Genus Leptostyla Stål

Logotype oblonga Say

Stål, Enum. Hemip., iii, pp. 120, 125, 1873.

Champion, Biol. Centr. Am., Heter., ii, p. 11, 1897.

Champion, Trans. Ent. Soc. Lond. for 1898, p. 60.

(Stål).

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 237, 1916. Gelchossa Kirkaldy, Entomol., xxxvii, p. 280, 1904 (n.n. for Leptostyla

659. Leptostyla oblonga (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 325, 1825; Compl. Writ., ii, p. 248, Stål, Enum. Hemip., iii, p. 126, 1873.

Smith, Cat. Ins. N. J., edn. 3, p. 149, 1910.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 238, 1916.

Localities: N. J., Md., Mo.

660. Leptostyla constricta Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 20, pl. 2, fig. 6, 1897.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 19, 1907.

costofasciata Drake, Ohio Jl. Sci., xvi, p. 326, 1916.

†ditoriae Osborn and Drake, Ohio St. Univ. Bul., xx, p. 239, fig. 8, 1916.

Localities: Pa., D. C., S. C., Ind., Tenn.

661. Leptostyla clitoriae Heid.

Heidemann, Proc. Ent. Soc. Wash., xiii, p. 137, pl. 10, fig. 6, egg; p. 180, fig. 4, 1911, description.

heidemanni Osborn and Drake, Ohio St. Univ. Bul., xx, p. 238, 1916.

Localities: Mass., N. Y., Pa., D. C., Md., Ark.

Genus Leptodictya Stål Logotype ochropa Stål

Stål, Enum. Hemip., iii, p. 127, 1873.

Champion, Biol. Centr. Am., Heter., ii, p. 23, 1897.

Champion, Trans. Ent. Soc. Lond. for 1898, p. 60. Van Duzee, Check List. Hemip., p. 26, 1916, Leptodicta by error.

662. Leptodictya plana Heid.

Heidemann, Proc. Ent. Soc. Wash., xv, p. 1, fig. 1, 1913. †tabida Banks, Cat. Nearc. Hemip., p. 57, 1910, Monanthia. Locality: Okl.

663. Leptodictya simulans Heid.

Heidemann, Proc. Ent. Soc. Wash., xv, p. 3, fig. 2, 1913. Localities: Va., S. C., Ala.

Genus Acanthocheila Stål

Logotype armigera Stål

Stål, Rio Jan. Hemip., i, p. 61, 1860 (subgen. of Monanthia). Stål, Enum. Hemip., iii, pp. 119, 127, 1873 (spelled Acanthochila on p. 127). Champion, Biol. Centr. Am., Heter., ii, p. 28, 1897, Acanthochila. Champion, Trans. Ent. Soc. Lond. for 1898, p. 60, Acanthochila (names [armigera type).

664. Acanthocheila exquisita Uhl.

Uhler, Proc. Ent. Soc. Wash., i, p. 143, 1889. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914. Locality: Fla.

Genus Physatocheila Fieb.

Logotype quadrimaculata Wolff

Fieber, Ent. Monog., p. 80, 1844 (subgen. of Monanthia).

Herrich-Schaeffer, Wanz. Ins., ix, p. 152, 1853 (subgen. of Monanthia).

Flor, Rhyn. Livl., i, p. 349, 1860 (subgen. of Monanthia).

Fieber, Europ. Hemip., p. 120, 1861 (subgen. of Monanthia).

Stål, Hemip. Afr., iii, p. 28, 1865, Physatochila (subgenus).

Stål, Enum. Hemip., iii, pp. 120, 129, 1873, Physatochila.

Walker, Cat. Heter., vi, p. 185, 1873 (Monanthia subdiv. Physatochilae).

Stål, Of. Vet. Akad. Forh., xxxi, No. 3, p. 56, 1874, Physatochila.

Provancher, Pet. Faune Ent. Can., iii, p. 160, 1887.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 21, 1894, Physatochila.

Horvath, Ann. Mus. Natl. Hung., iv, p. 94, 1906.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 242, 1916. [tochüa L. & S.). Phyllochisme Kirkaldy, Entomol., xxxvii, p. 280, 1904 (n.n. for Physa-

665. Physatocheila plexa (Say)

Say, Heter. N. Harm., p. 27, 1832; Fitch reprint, p. 794; Compl. Writ., i, p. Stål, Enum. Hemip., iii, p. 129, 1873. [349, Tingis.

Provancher, Pet. Faune Ent. Can., iii, p. 160, 1887.

Wirtner, Ann. Carn. Mus., iii, p. 202, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent. for 1904, p. 549, 1905.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 242, 1916.

Localities: Quebec, Ont., Me., N. Y., Pa., D. C., Ind., Ill., W. Va., Mich.

6651/4. Physatocheila brevirostris O. & D.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 243, 1916.

Localities: N. Y., Ohio.

6651/2. Physatocheila variegata Parsh.

Parshley, Psyche, xxiii, p. 166, 1917.

Localities: Mass., Conn., N. Y.

Genus Leptoypha Stål Haplotype mutica Say

Stål, Enum. Hemip., iii, pp. 121, 129, 1873.

Provancher, Pet. Faune Ent. Can., iii, p. 160, 1887.

Champion, Trans. Ent. Soc. Lond. for 1898, p. 61.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 241, 1916.

666. Leptoypha mutica (Say)

Say, Heter. N. Harm., p. 27, 1832; Fitch reprint, p. 794; Compl. Writ., i, p. Stål, Enum. Hemip., iii, p. 129, 1873. [349, Tingis. Provancher, Pet. Faune Ent. Can., iii, p. 160, 1887.
Uhler, N. Am. Fauna, vii, p. 264, 1893.
Wirtner, Ann. Carn. Mus., iii, p. 203, 1904.
Smith, Cat. Ins. N. J., edn. 3, p. 149, 1910.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.
Dickerson and Weiss, Ent. News, xxvii, p. 308, 1916 (life history).
Osborn and Drake, Ohio St. Univ. Bul., xx, p. 241, 1916.
Localities: Quebec, N. Y., N. J., Ind., Texas.

6661/2. Leptoypha brevicornis Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 32, pl. 2, fig. 28, 1897. Barber, Jl. N. Y. Ent. Soc., xviii, p. 38, 1910. Localities: Ariz. (Mexico.)

Genus **Melanorhopala** Stål Logotype clavata Stål

Stål, Enum. Hemip., iii, p. 130, 1873 (subgen. of *Tingis*).

Horvath, Ann. Mus. Natl. Hung., vi, p. 565, 1908.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 243, 1916.

†Cantacader Ashmead, Can. Ent., xviii, p. 20, 1886.

†Lasiacantha Lethierry and Severin, Cat. Génl. Hémip., iii, p. 18, 1894

†Tingis Banks, Cat. Nearc. Hemip., p. 57, 1910. [(part).

667. Melanorhopala clavata Stål

Stål, Enum. Hemip., iii, p. 130, 1873.
Horvath, Ånn. Mus. Natl. Hung., vi, p. 564, 1908.
Bueno, Jl. N. Y. Ent. Soc., xvi, p. 231, 1908.
Bueno, Can. Ent., xl, p. 166, 1908.
Smith, Cat. Ins. N. J., edn. 3, p. 149, 1910.
Osborn and Drake, Ohio St. Univ. Bul., xx, p. 244, pl. 10, fig. d, 1916.
henshawi Ashmead, Can. Ent., xviii, p. 20, 1886, Cantacader.
Localities: Me., Mass., N. Y., N. J., Wis., Manitoba.

668. Melanorhopala lurida Stål

Stål, Enum. Hemip., iii, p. 131, 1873.
Osborn and Drake, Ohio St. Univ. Bul., xx, p. 244, 1916.
Localities: N. Y., Ohio, Ill., Kan.

669. Melanorhopala uniformis Stål

Stål, Enum. Hemip., iii, p. 131, 1873.
Osborn and Drake, Ohio St. Univ. Bul., xx, p. 245, 1916.
Localities: Ill., S. Dak.

669 1/2. Melanorhopala duryi O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 15, 1916. Locality: Texas.

> Genus Dichocysta Champ. Haplotype pictipes Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 33, 1898.

670. Dichocysta pictipes Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 34, pl. 3, figs. 1, 2, 1898. Heidemann, Proc. Ent. Soc. Wash., iv, p. 339, 1898. Barber, Jl. N. Y. Ent. Soc., xviii, p. 38, 1910.

Localities: Ariz. (Neotropical.)

Genus Alveotingis O. & D. Orthotype grossocerata O. & D.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 245, 1916.

6701/2. Alveotingis grossocerata O. & D.

Osborn and Drake, Ohio St. Univ. Bul., xx, p. 245, fig. 9, 1916.

Localities: Me., Pa.

Genus **Teleonemia** Costa Type funera Costa

Costa, Ann. Mus. Zool., ii, p. 144, 1864. Stål, Enum. Hemip., iii, pp. 122, 131, 1873. Champion, Biol. Centr. Am., Heter., ii, p. 34, 1898.

Champion, Trans. Ent. Soc. Lond. for 1898, p. 61.

Distant, Fauna Br. Ind., Rhyn., ii, p. 142, 1903 (names funera Costa type).

Americia Stål, Enum. Hemip., iii, p. 131, 1873 (subgen. of Tingis; type [albilatera Stål).

Amaurosterphus Stål, Enum. Hemip., iii, p. 131, 1873 (subgen. of Tele-[onemia; Haplotype morio Stål).

†Lasiacantha Lethierry and Severin, Cat. Génl. Hémip., iii, p. 18, 1894 [(part).

671. Teleonemia nigrina Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 41, pl. 3, fig. 13, 1898. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 362, 1904. Barber, Brookl. Inst. Sci. Bul., i, p. 281, 1906. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 11, 1914. Localities: Texas, N. Mex., Calif. (Neotropical.)

672. Teleonemia variegata Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 42, pl. 3, fig. 15, 1898. Barber, Jl. N. Y. Ent. Soc., xviii, p. 38, 1910.

Localities: Ariz. (Mexico.)

673. Teleonemia sacchari (Fabr.)

Fabricius, Ent. Syst., iv, p. 77, 1794, Acanthia.
Fabricius, Syst. Rhyng., p. 126, 1803, Tingis.
Herrich-Schaeffer, Wanz. Ins., v, p. 85, fig. 533, 1839, Monanthia.
Fieber, Ent. Monog., p. 76, pl. 6, figs. 22-25, 1844, Monanthia.

Stål, Europ. Hemip., iii, p. 132, 1873.
Walker, Cat. Heter., vi, p. 191, 1873, Monanthia.
Uhler, Proc. Zool. Soc. Lond. for 1894, p. 202 (part).
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 278, 1894.
Champion, Biol. Centr. Am., Heter., ii, p. 40, 1898 (note).
Champion, Trans. Ent. Soc. Lond. for 1898, p. 62 (note).
Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 22, 1907.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.
Localities: Fla. (Neotropical.)

674. Teleonemia scrupulosa Stål

Stål, Enum. Hemip., iii, p. 132, 1873.
Champion, Biol. Centr. Am., Heter., ii, p. 40, pl. 3, fig. 12, 1898.
Stål, Hemip. Fabr., i, p. 92, 1868.
Barber, Brookl. Inst., Sci. Bul., i, p. 281, 1906.
Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 22, 1907.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.
Localities: Texas, Fla. (West Indies, Mexico.)

675. Teleonemia belfragei Stål

Stål, Enum. Hemip., iii, p. 132, 1873.
Champion, Trans. Ent. Soc. Lond. for 1898, pl. 3, fig. 8.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 173, 1909.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.
Localities: Fla., Texas.

Teleonemia [elongata Uhl. MS]

Uhler, Check List, p. 22, 1886.Smith, Cat. Ins. N. J., edn. 3, p. 149, 1910.Locality: N. J.

[Probably is one of the preceding species.]

Genus Atheas Champ. Logotype nigricornis Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 44, 1898. Heidemann, Bul. Buf. Soc. Nat. Sci., ix, p. 231, 1909.

676. Atheas insignis Heid.

Heidemann, Bul. Buf. Soc. Nat. Sci., ix, p. 232, figure, 1909. Localities: Md., D. C.

677. Atheas exiguus Heid.

Heidemann, Bul. Buf. Soc. Nat. Sci., ix, p. 233, figure, 1909.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 174, 1909.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.
Locality: Fla.

678. Atheas mimeticus Heid.

Heidemann, Bul. Buf. Soc. Nat. Sci., ix, p. 234, figure, 1909. Localities: Wis., Minn., Kan.

679. Atheas austroriparius Heid.

Heidemann, Bul. Buf. Soc. Nat. Sci., ix, p. 235, figure, 1909.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.
Localities: Fla., Texas.

Genus Acysta Champ. Logotype integra Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 46, 1898.

680. Acysta perseae Heid.

Heidemann, Proc. Ent. Soc. Wash., x, p. 103, pl. 4, figs. a, b, c, 1908. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.

Localities: Fla., La.

Genus Monanthia Lep. & Serv. Logotype (echii) Fabr. = rotundata H. S.

Le Peletier and Serville, Encyc. Méth., x, p. 653, 1825.

Laporte, Essai Classif. Syst. Hémip., p. 48, 1832 (subgen. of *Tingis*; names Burmeister, Handb. d. Ent., ii, p. 260, 1835 (part). [echii type).

Spinola, Essai sur les Hémip., p. 167, 1837 (1840), (sect. 2 only).

Herrich-Schaeffer, Wanz. Ins., iv, p. 49, 1839 (part).

Fieber, Ent. Monog., p. 58, 1844 (Sect. b of subgen. Physatocheila).

Flor, Rhyn. Livl., i, pp. 328, 349, 1860.

Fieber, Europ. Hemip., pp. 36, 119, 1861 (part).

Stål, Hemip. Afr., iii, p. 26, 1865 (part).

Douglas and Scott, Brit. Hemip., p. 243, 1865 (part).

Stål, Enum. Hemip., iii, pp. 122, 133, 1873.

Stål, Of. Vet. Akad. Forh., xxxi, No. 3, p. 58, 1874.

Champion, Biol. Centr. Am., Heter., ii, p. 47, 1898.

Champion, Trans. Ent. Soc. Lond. for 1898, p. 64.

Distant, Fauna Br. Ind., Rhyn., ii, p. 144, 1907 (gives echii Schr. as type).

Horvath, Ann. Mus. Natl. Hung., iv, p. 97, 1906.

Dictyla Stål, Of. Vet. Akad. Forh., xxxi, p. 57, 1874. (Haplotype [platyomia Fieb.)

681. Monanthia labeculata Uhl.

Uhler, N. Am. Fauna, vii, p. 264, 1893. Locality: Calif.

TRIBE SERENTHIINI (Stål)

Stål, Enum. Hemip., iii, pp. 116, 117, 1873, Div. Serenthiaria.

Stål, Of. Vet. Akad. Forh., xxxi, No. 3, p. 46, 1874, Div. Serenthiaria.

Distant, Fauna Br. Ind., Rhyn., ii, p. 126, 1903, Div. Serenthiaria.

Horvath, Ann. Mus. Natl. Hung., iv, p. 107, 1906, Div. Serenthiaria.

Oshanin, Verz. Palae. Hemip., i, p. 457, 1908, Div. Serenthiaria.

Oshanin, Kat. Palae. Hemip., p. 46, 1912, Tribe Serenthiaria.

†Piesmidae Dohrn, Cat. Hemip., p. 42, 1859.

[=Serenthia).

Agrammidae Douglas and Scott, Brit. Hemip., pp. 24, 242, 1865 (Agramma

Genus Agrammodes Uhl. Haplotype costatus Uhl.

Uhler, Hemip. Colo., p. 56, 1895.

682. Agrammodes costatus Uhl.

Uhler, Hemip. Colo., p. 56, 1895. Locality: Colo.

Superfamily REDUVIOIDEAE Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 72, 1910. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 19, 48, 1912. Oshanin, Kat. Palae. Hemip., p. 48, 1912.

PHALANX ENICOCEPHALIFORMES Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 74, 1910, Henicocephaliformes. Reuter, Of. Fenska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 25, 49, 1912, Heni-[cocephaliformes.]

Oshanin, Kat. Palae. Hemip., p. 48, 1912, Henicocephaliformes.

Family ENICOCEPHALIDAE Stål

Stål, Rio Jan. Hemip., i, p. 81, 1860.

Ashmead, Ent. News, iii, p. 191, 1892, Enicocephalinae.

Kirkaldy, Can. Ent., xl, p. 360, 1908.

#Henicocephalida Stål, Hemip. Afr., iii, p. 165, 1865.

Berg, Hemip. Argent., p. 180, 1879, Henicocephalidae.

Karsch, Berl. Ent. Zeit., xxxvii, p. 485, 1892, Henicocephalidae.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 67, 1894, Henico-

[cephalidae.

Champion, Biol. Centr. Am., Heter., ii, p. 158, 1898, Henicocephalidae. Distant, Fauna Br. Ind., Rhyn., ii, p. 193, 1903, Henicocephalidae.

Enderlein, Zool. Anzeig., xxvii, p. 783, 1904, Henicocephalidae.

Oshanin, Verz. Palae. Hemip., i, p. 504, 1908, Henicocephalidae.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 74, 1910, Henico-

[cepnamaae

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 49, 55, [1912, Henicocephalidae.

Oshanin, Kat. Palae. Hemip., p. 48, 1912, Henicocephalidae.

Genus **Enicocephalus** Westw. Orthotype flavicollis Westw.

Westwood, Trans. Ent. Soc. Lond., ii, p. 22, 1837.

Stål, Rio Jan. Hemip., i, p. 81, 1860.

Walker, Cat. Heter., viii, p. 22, 1873.

Ashmead, Proc. Ent. Soc. Wash., ii, p. 328, 1892.

Bergroth, Revue d'Ent., viii, p. 319, 1889.

Karsch, Berl. Ent. Zeit., xxxvii, p. 485, 1892.

Bergroth, Revue d'Ent., xii, p. 155, 1893.

Champion, Biol. Centr. Am., Heter., ii, p. 158, 1898.

Distant, Ann. Mag. Nat. Hist., Ser. 7, x, p. 174, 1902.

Distant, Fauna Br. Ind., Rhyn., ii, p. 193, 1903.

Bergroth, Wien. Ent. Zeit., xxv, p. 6, 1906.

Johannsen, Psyche, xvi, p. 2, 1909. (Key.)

Bergroth, Wien. Ent. Zeit., xxxiv, p. 292, 1915. [nasutus Stål.) Oncylocotis Stål, Of. Vet. Akad. Forh., xii, p. 44, 1855. (Haplotype Stenopirates Walker, Cat. Heter., vii, p. 139, 1873. (Logotype collaris

[Walk.)

Dicephalus Kirby, Jl. Linn. Soc. Lond., Zool., xxiv, p. 115, 1891. (Type [tellescopicus Kirby.)

Hymenocoris: Uhler, Trans. Md. Acad. Sci., i, p. 181, 1892. (Haplotype [formicina Uhl.)

Phthirocoris Enderlein, Zool. Anzeig., xxvii, pp. 785, 786, 1904. (Type [antarcticus Enderl., not of Berg.)

Sphigmocephalus Enderlein, Zool. Anzeig., xxvii, p. 785, 1904. (Type [curculio Karsch.)

683. Enicocephalus formicina (Uhl.)

Uhler, Trans. Md. Acad. Sci., i, p. 182, 1892, Hymenocoris. Johannsen, Psyche, xvi, p. 4, 1909. Locality: Calif.

Genus Systelloderus Blanch. Haplotype moschatus Blanch.

Blanchard in Gay, Hist. de Chili, vii, p. 224, 1852.

Bergroth, Wien. Ent. Zeit., xxxiv, p. 292, 1915. [lucida Horv.)

Henschiella Horvath, Revue d'Ent., vii, p. 169, 1888. (Haplotype pelHymenodectes Uhler, Trans. Md. Acad. Sci., i, p. 180, 1892. (Haplotype
Johannsen, Psyche, xvi, p. 2, 1909. (Key.) [culicis Uhl.)

684. Systelloderus biceps (Say)

Say, Heter. N. Harm., p. 32, 1832; Fitch reprint, p. 801; Compl. Writ., i, Bergroth, Ent. News, xxiv, p. 265, 1913. [p. 356, Reduvius. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.

culicis Uhler, Trans. Md. Acad. Sci., i, p. 181, 1892, Hymenodectes.

Ashmead, Proc. Ent. Soc. Wash., ii, p. 329, 1892, Enicocephalus.

Uhler, Proc. Ent. Soc. Wash., ii, p. 382, 1893, Hymenodectes.

Champion, Biol. Centr. Am., Heter., ii, p. 162, pl. 10, fig. 6, 1898,

Johannsen, Psyche, xvi, p. 3, 1909, Henicocephalus. [Henicocephalus.

[schwarzii Ashmead MS], Ent. News, iii, p. 191, 1892, Enicocephalus.

Karsch, Berl. Ent. Zeit., xxxvii, p. 486, 1892.

Localities: Pa., Va., Utah.

PHALYNX REDUVIIFORMES (Reut.)

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 73, 1910. Reuter, Of. Finska. Vet. Soc. Forh., liv, Afd. A, No. 6, p. 49, 1912. Oshanin, Cat. Palae. Hemip., p. 48, 1912.

Family PHYMATIDAE (Lap.)

Laporte, Essai, Classif. Syst. Hémip., p. 14, 1832, Phymatites. Spinola, Essai sur les Hémip., p. 152, 1837 (1840), Phymatites. Costa, Cimic. Neap., Cent., i, p. 19, 1838, Phymatini. Spinola, Tavola Sinot., pp. 27, 44, 1850, Phymatitae. Fieber, Genera Hydroc., p. 9, 1851, Phymatodea. Costa, Cimic. Neap., Cent., iii, p. 67, 1852. Fieber, Europ. Hemip., pp. 24, 33, 186, 1861. Stål, Stet. Ent. Zeit., xxiii, p. 439, 1862, Phymatida.

Stål, Enum. Hemip., v, p. 131, 1876.

Uhler, Stand. Nat. Hist., ii, p. 284, 1884.

Uhler, Check List, p. 23, 1886.

Puton, Cat. Hémip. Palae., edn. 3, p. 34, 1886, Phymatides.

Provancher, Pet. Faune Ent. Can., iii, p. 161, 1887.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 127, 1897.

Champion, Biol. Centr. Am., Heter., ii, p. 49, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 146, 1903.

Banks, Cat. Nearc. Hemip., p. 51, 1910.

Horvath, Ann. Mus. Natl. Hung., ix, p. 15, 1911.

Oshanin, Kat. Palae. Hemip., p. 48, 1912.

Syrtides Rambur, Faune de Andul., ii, p. 167, 1842.

Spissipèdes Amyot and Serville, Hémip., pp. xxxix, 228, 1843.

Dohrn, Cat. Hemip., p. 41, 1859.

Flor, Rhyn. Livl., i, p. 398, 1860, Fam. Spissipeda.

Walker, Cat. Heter., vi, p. 169, 1873.

Macrocephalidae Kirkaldy, Entomol., xxxii, p. 221, 1899.

Bueno, Ent. News, xviii, p. 439, 1907.

Kirkaldy, Can. Ent., xl, p. 360, 1908.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 73, 1910.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 49, 56, 1912.

Subfamily PHYMATINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xxxix, 288, 1843, Phymatides.

Dohrn, Cat. Hemip., p. 41, 1859, Phymatidae.

Walker, Cat. Heter., vi, p. 170, 1873, Fam. Phymatidae.

Stål, Enum. Hemip., v, p. 131, 1876, Phymatina.

Berg, Hemip. Argent., p. 141, 1879, Phymatina.

Uhler, Check List, p. 23, 1886, Phymatina.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 142, 1897.

Banks, Cat. Nearc. Hemip., p. 52, 1910, Phymatini.

Genus Phymata Latr.

Haplotype crassipes (Fabr.)

Latreille, Hist. Nat. Crust. Ins., iii, p. 247, 1802 (names crassipes example).

Latreille, Hist. Nat. Crust. Ins., xii, p. 244, 1804.

Latreille, Genera Crust. Ins., iii, p. 138, 1807.

Latreille, Consid. Génl., p. 433, 1810 (names crassipes type).

Lamarck, Hist. Nat. Anim. s. verteb., iii, p. 505, 1816 (part).

Le Peletier and Serville, Encyc. Méth., x, p. 119, 1825.

Leach in Brewster's Edinb. Encyc., Am. edn., viii, p. 711, 1832 (for crassipes).

Laporte, Essai Classif. Syst. Hémip., p. 14, 1832 (names crassipes type).

Brullé, Hist. Nat. des Ins., ix, p. 346, 1835.

Spinola, Essai sur les Hémip., p. 156, 1837.

Costa, Cimic. Neap., Cent., i, p. 19, 1838.

Blanchard, Hist. Nat. des Ins., Hémip., p. 114, 1840.

Westwood, Trans. Ent. Soc. Lond., iii, p. 21, 1843.

Amyot and Serville, Hémip., p. 288, 1843.

Spinola, Tavola Sinot., p. 44, 1850.

Flor, Rhyn. Livl., i, p. 399, 1860.

Fieber, Europ. Hemip., pp. 33, 109, 1861.

Walker, Cat. Heter., vi, p. 170, 1873.

Stål, Enum. Hemip., v, p. 131, 1876.

Provancher, Pet. Faune Ent. Can., iii, p. 162, 1887.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, pp. 143, 144, 1897.

Champion, Biol. Centr. Am., Heter., ii, p. 49, 1898.

Syrtis Fabricius, Syst. Rhyn., p. 121, 1803. (Orthotype erosa Linn.)

Latreille in Cuvier, Règne Anim., edn. 2, v, p. 200, 1829.

Hahn, Wanz. Ins., iii, p. 55, 1835.

Herrich-Schaeffer, Nomen. Ent., i, pp. 37, 57, 1835.

Burmeister, Handb. d. Ent., ii, p. 251, 1835.

Latreille in Cuvier, Anim. Kingd., Lond. edn., iv, p. 165, 1836.

Westwood, Intr. Mod. Classif. Ins., ii, p. 477, 1840.

Rambur, Faune d. Andul., ii, p. 167, 1842.

Gorski, Anal. Ent., i, p. 28, 1852.

[type)

Discomerus Laporte, Essai Classif. Syst. Hémip., p. 14, 1832 (names erosa Anthylla Stål, Enum. Hemip., v, pp. 131, 134, 1876 (nerverso-punctata logo-

685. Phymata vicina Handl.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 150, pl. 8, fig. 27; pl. 9, figs. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 174, 1909. [6, 7, 1897. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.

Localities: R. I., Fla.

686. Phymata albopicta Handl.

Handlirsch, Ann. k. k. Nat. Hofm. Wein, xii, p. 151, pl. 4, fig. 2; pl. 8, fig. [37; pl. 9, fig. 3, 1897.

Champion, Biol. Centr. Am., Heter., ii, p. 54, pl. 4, fig. 9, 1898.

Localities: Ga. (Neotropical.)

687. Phymata annulipes Stål

Stål, Stet. Ent. Zeit., xxiii, p. 439, 1862.

Stål, Enum. Hemip., v, p. 132, 1876.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, p. 151, pl. 8, fig. 1; pl. 9, fig. 8, Champion, Biol. Centr. Am., Heter., ii, p. 53, 1898.

Banks, Cat. Nearc. Hemip., p. 52, 1910.

Localities: Calif. (Mexico.)

688. Phymata noualhieri Handl.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 153, pl. 4, fig. 3; pl. 8, fig. 4; [pl. 9, fig. 9, 1897.

Champion, Biol. Centr. Am., Heter., ii, p. 54, pl. 4, fig. 8, 1898.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.

Localities: Pa., Ga., Fla. (Mexico.)

689. Phymata erosa (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 443, 1758; edn. 12, i, pt. 2, p. 718, 1767, Sulzer, Kennz. d. Ins., p. 102, pl. 11, fig. 71, 1761, Cimex. [Cimex.

Muller, Linne's Natursyst., v, pt. 1, p. 483, 1774, Cimex.

Goeze, Ent. Beytr., ii, p. 189, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 337, 1781, Acanthia.

Fabricius, Mantissa Ins., ii, p. 279, 1787, Acanthia.

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2126, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 74, 1794, Acanthia.

Fabricius, Syst. Rhyng., p. 121, 1803, Syrtis.

Latreille, Hist. Nat. Crust. Ins., xii, p. 245, 1804. Latreille, Genera Crust. Ins., iii, p. 139, 1807. Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 507, 1816. Le Peletier and Serville, Encyc. Méth., x, p. 119, 1825 (1827). Laporte, Essai Classif. Syst. Hémip., p. 14, pl. 51, fig. 4, 1832, Discomerus. Westwood, Intr. Mod. Classif. Ins., ii, p. 478, 1840 (note). Westwood, Trans. Ent. Soc. Lond., iii, p. 21, pl. 2, fig. 3, 1843. Amyot and Serville, Hémip., p. 290, 1843. Herrich-Schaeffer, Wanz. Ins., vii, p. 15, fig. 694, 1844, Syrtis. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 419, 1872. Walker, Cat. Heter., vi, p. 170, 1873. Stål, Enum. Hemip., v, p. 133, Nos. 8, 9, 1876. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 324, 1876; iii, p. 428, 1877; iv, p. 507, Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 421, 1878. [1878. Cook, Can. Ent., xi, p. 18, 1879. Uhler, Stand. Nat. Hist., ii, p. 284, 1884. Lintner, 3d Rept. N. Y. St. Ent., p. 107, 1885. Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 159, 1897. Smith, Cat. Ins. N. J., edn. 3, p. 157, 1910. scorpio (De Geer), Mémoirs, iii, p. 350, pl. 35, fig. 13, 1773, Cimex. Retzius, Genera et Spec. Ins., p. 89, 1783, Cimex. carinata (Fabricius), Syst. Rhyng., p. 122, 1803, Syrtis. a. subsp. fasciata (Gray) Gray in Griffith's Anim. Kingd., xv, p. 242, pl. 93, fig. 2, 1832, Syrtis. Bergroth, Revue d'Ent., xi, p. 264, 1892. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 282, 1894 (part). Gillette and Baker, Hemip. Colo., p. 58, 1895. Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 161, pl. 5, fig. 8, etc., 1897. Champion, Biol. Centr. Am., Heter., ii, p. 50, pl. 4, figs. 1, 2, 1898. Barber, Brookl. Inst., Sci. Bul., i, p. 281, 1906 (under erosa). Bueno and Brimley, Ent. News, xviii, p. 439, 1907. Heidemann, Proc. Ent. Soc. Wash., xiii, p. 136, pl. 10, fig. 5, 1911 (egg). Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914. terosa Guerin, Icon. Reg. Anim., pl. 56, fig. 12, 1843. Localities: N. J., Md., Va., N. C., S. C., Ga., Fla., Miss., La., Ind., Wis., Minn., Ia., Kan., Mo., Colo., Utah, Texas, N. Mex., Ariz., Nev., Calif. (Neotropical.) Stål, Enum. Hemip., v, p. 133, 1876. Provancher, Pet. Faune Ent. Can., iii, p. 162, 1887. terosa (Wolff), Icon. Cimic., iii, p. 89, fig. 83, 1802, Acanthia. †fasciata Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 182, 1894.

b. subsp. wolffii Stål

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 282, 1894 (part).

pensylvanica Handlirsch, Ann. k. k. Nat. Hofm., Wien, xii, p. 163, pl. 8, [fig. 10, pl. 9, figs. 19, 20, 1897.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.

Localities: Quebec, Ont., Conn., N. Y., N. J., Pa., D. C. (1), Fla., Ohio, Ind., Ill., Mo.

c. subsp. arctostaphylae Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 11, 1914. Locality: Calif.

d. subsp. guerini Leth. & Sevr.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 28, 1896 (n.n. for erosa Guer.). Handlirsch, Ann. k. k. Nat. Hofm., Wien, xii, p. 164, pl. 8, figs. 12, 28, 1897. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 174, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914.

†erosa Guerin in Sagra, Hist. de Cuba, Ins., p. 406, 1857 (excl. vars.). Stål, Enum. Hemip., v, p. 133, No. 12, 1876.

†acutangula Stål, Enum. Hemip., v, p. 133, 1876.

Localities: Fla. (West Indies.)

subsp. carneipes Mayr.

Mayr, Verh. Zool.-Bot. Ges. Wien, xv, p. 442, 1865.

[Handlirsch thinks this species erroneously credited to "Ga." by Mayr.] e. subsp. severini Handl.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 164, pl. 8, figs. 13, 31, 1897. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 11, 1914.

Localities: Calif. (Mexico, Centr. Am.)

f. subsp. parva Handl.

Handlirsch, Ann. k. k. Nat. Hofm., Wien, xii, p. 165, 1897.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 11, 1914.
Localities: Calif. (Neotropical.)

g. subsp. salicis Ckl.

Cockerell, Entomol., xxxiii, p. 66, 1900.

Localities: Ariz., Utah.

690. Phymata acutangula (Guer.)

Guerin in Sagra, Hist. de Cuba, Ins., p. 408, 1857, Syrtis. Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 175, pl. 4, fig. 6, etc., 1897. Champion, Biol. Centr. Am., Heter., ii, p. 53, pl. 4, fig. 7, 1898.

Barber, Jl. N. Y. Ent. Soc., xxii, p. 170, 1914.

?longiceps Stål, Rio Jan. Hemip., i, p. 59, 1860.

Stål, Enum. Hemip., v, p. 133, 1876.

?simulans Stål, Rio. Jan. Hemip., i, p. 59, 1860.

Stål, Enum. Hemip., v, p. 133, 1876.

?acuta Stål, Rio Jan. Hemip., i, p. 60, 1860.

Stål, Enum. Hemip., v, p. 133, 1876.

Localities: Texas. (Neotropical.)

Subfamily MACROCEPHALINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xxxix, 291, 1843, Groupe Macrocephalides. Dohrn, Cat. Hemip., p. 41, 1859, Macrocephalidae. Walker, Cat. Heter., vi, pp. 169, 172, 1873, Fam. Macrocephalidae.

Stål, Enum. Hemip., v, p. 131, 1876, Subfam. Macrocephalina.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 143, 1897, Macrocephalinae.

Genus Macrocephalus Swed. Haplotype cimicoides Swed.

Swederus, Vet. Akad. Nya Handl., viii, p. 183, 1787. Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2201, 1788. Meyer in Thunberg, Charac. Genera Ins., edn. 2, p. 34, 1791. Latreille, Genera Crust. Ins., iii, p. 137, 1807. Latreille, Consid. Génl., p. 433, 1810 (names manicata pseudotype).

Le Peletier and Serville, Encyc. Méth., x, p. 120, 1825.

Latreille in Cuvier, Règne Anim., edn. 2, v, p. 200, note, 1829.

Leach in Brewster, Edinbg. Encyc., Am. edn., viii, p. 711, 1832 (for cimi-

Laporte, Essai, Classif. Syst. Ins., p. 15, 1832. [coides).

Burmeister, Handb. d. Ent., ii, p. 252, 1835.

Brullé, Hist. Nat. des Ins., ix, p. 347, 1835.

Spinola, Essai sur les Hémip., p. 157, 1837 (1840).

Blanchard, Hist. des Ins., Hémip., p. 114, 1840 (names cimicoides type).

Westwood, Trans. Ent. Soc. Lond., iii, p. 22, 1843 (part).

Amyot and Serville, Hémip., p. 292, 1843.

Herrich-Schaeffer, Wanz. Ins., viii, p. 106, 1848.

Spinola, Tavola Sinot., p. 44, 1850 (excl. synon.).

Fieber, Europ. Hemip., p. 34, 1860.

Walker, Cat. Heter., vi, pp. 172, 173, 1873.

Stål, Enum. Hemip., v, pp. 132, 134, 1876.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, pp. 143, 181, 1897 (monograph). Champion, Biol. Centr. Am., Heter., ii, p. 55, 1898.

Macrothyreus Westwood, Trans. Ent. Soc. Lond., iii, p. 30, 1843 (as sub-[gen. orthotype cimicioides).

691. Macrocephalus cimicoides Swed.

Swederus, Vet. Akad. Nya Handl., viii, p. 185, 1787.

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2201, 1788.

Latreille, Genera Crust. Ins., iii, p. 138, 1807.

Brullé, Hist. Nat. des Ins., ix, p. 348, 1835.

Blanchard, Hist. Nat. des Ins., Hémip., p. 114, 1840.

Westwood, Trans. Ent. Soc. Lond., iii, p. 23, pl. 2, fig. 5, 1843.

Walker, Cat. Heter., vi, p. 173, 1873.

Stål, Hemip. Fabr., i, p. 94, 1868.

Stål, Enum. Hemip., v, p. 135, 1876.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 324, 1876.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 186, pl. 9, fig. 26, 1897.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 175, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 12, 1914.

macrocephalus Lamarck, Hist. Anim. s. Vert., iii, p. 307, 1816, Phymata. †manicatus Burmeister, Handb. d. Ent., ii, p. 252, 1835.

Localities: "Canada," "Carolina," Ga., Fla., Texas, Calif.

692. Macrocephalus manicatus (Fabr.)

Fabricius, Syst. Rhyng., p. 123, 1803, Syrtis.

Wolff, Icon. Cimic., v. p. 169, fig. 163, 1811, Syrtis.

Le Peletier and Serville, Encyc. Méthod., x, p. 120, 1825.

Laporte, Essai Classif. Syst. Hémip., p. 15, 1832.

Spinola, Essai sur les Hémip., p. 157, 1837 (1840).

Herrich-Schaeffer, Wanz. Ins., viii, p. 107. fig. 878, 1848.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 187, pl. 9, fig. 25, 1897.
Localities: "Carolina," Texas.

693. Macrocephalus notatus Westw.

Westwood, Trans. Ent. Soc. Lond., iii, p. 24, 1843 (excl. vars.). Stål, Enum. Hemip., v, p. 135, 1876.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 188, pl. 9, figs. 27, 28, 1897. Champion, Biol. Centr. Am., Heter., ii, p. 56, pl. 4, fig. 10, 1898. Barber, Brookl. Inst., Sci. Bul., i, p. 282, 1906.

incione Stal Stat Ent Zait vviii n 440 1869

incisus Stål, Stet. Ent. Zeit., xxiii, p. 440, 1862.

Stål, Enum. Hemip., v, p. 135, 1876.

cliens Stål, Stet. Ent. Zeit., xxiii, p. 440, 1862.

Localities: Texas. (Neotropical.)

694. Macrocephalus gracilis Handl.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 193, 1897. Locality: "N. Am."

695. Macrocephalus prehensilis (Fabr.)

Fabricius, Syst. Rhyng., p. 123, 1803, Syrtis.

Wolff, Icon. Cimic., v, p. 170, fig. 164, 1811, Syrtis.

Le Peletier and Serville, Encyc. Méth., x, p. 120, 1825.

Westwood, Trans. Ent. Soc. Lond., iii, p. 26, 1843.

Amyot and Serville, Hémip., p. 293, 1843.

Herrich-Schaeffer, Wanz. Ins., viii, p. 108, fig. 879, 1848.

Stål, Hemip. Fabr., i, p. 94, 1868.

Stål, Enum. Hemip., v, p. 135, 1876.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 324, 1876.

Handlirsch, Ann. k. k. Nat. Hofm. Wien, xii, p. 194, 1897.

Champion, Biol. Centr. Am., Heter., ii, p. 63, 1898.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 175, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 507, 1914.

pallidus Westwood, Trans. Ent. Soc. Lond., iii, p. 27, 1843.

Localities: "Carolina," Ga., Fla., Ky., Tenn., Kan., N. Mex.,

696. Macrocephalus uhleri Handl.

Handlirsch, Verh. Zool.-Bot. Ges. Wien, xlviii, p. 383, 1898.
Banks, Cat. Nearc. Hemip., p. 52, 1910.
arizonicus Cockerell, Entomol., xxxiii, p. 66, 1900.
Locality: Ariz.

Family REDUVIIDAE (Latr.)

Latreille, Genera Crust. Ins., iii, p. 126, 1807, Reduvini.
Stephens, Cat. Brit. Ins., ii, p. 350, 1829, Reduviidae.
Laporte, Essai Classif. Syst. Hémip., p. 5, 1832, Reduvites.
Burmeister, Handb. d. Ent., ii, p. 218, 1835, Reduvini.
Brullé, Hist. Nat. des Ins., ix, p. 305, 1835, Reduviens.
Spinola, Essai sur les Hémip., p. 69, 1837 (1840), Reduvites.
Blanchard, Hist. Nat. des Ins., Hémip., p. 99, 1840, Reduviens.
Westwood, Intr. Mod. Classif. Ins., ii, p. 471, Synop., p. 120, 1840, Reduvidae.
Spinola, Tavola Sinot., pp. 27, 44, 1850, Reduvidae.
Fieber, Genera Hydroc., p. 9, 1851, Reduvidea.
Herrich-Schaeffer, Wanz. Ins., ix, p. 85, 1853, Reduvini.
Flor, Rhyn. Livl., i, pp. 66, 675, 1860, Reduvidae.
Fieber, Europ. Ilemip., pp. 25, 40, 149, 1861, Reduvidae.

Stål, Hemip. Afr., iii, p. 43, 1865, Reduviida.

Stål, Enum. Hemip., ii, p. 66, 1872, Reduviina.

Stål, Enum. Hemip., iv, p. 3, 1874, Reduviidae.

Uhler, Check List, p. 23, 1886, Reduvioidea.

Puton, Cat. Hemip. Palae., p. 37, 1886, Reduvides.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 69, 1896, Reduvidae. (Like [those preceding this includes the Nabidae.)

Champion, Biol. Centr. Am., Heter., ii, p. 162, 1898, Reduviidae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 196, 1903, Reduviidae.

Oshanin, Verz. Palae. Hemip., i, p. 505, 1908, Reduviidae.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 73, 1910, Reduviidae.

Horvath, Ann. Mus. Natl. Hung., ix, p. 16, 1911, Reduviidae.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 49, 56, 1912, Reduviidae.

Oshanin, Kat. Palae. Hemip., p. 48, 1912, Reduviidae.

Nudicolles Latreille, Fam. Nat. Règne Anim., p. 423, 1825. Nudirostri Amyot and Serville, Hémip., pp. xli, 314, 1843.

Dohrn, Cat. Hemip., p. 44, 1859.

Walker, Cat. Heter., vii, p. 45, 1873, Nudirostra.

Subfamily EMESINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xlviii, 393, 1843, Longicoxi Groupe Emesides. Spinola, Tavola Sinot., p. 45, 1850, Emesoideae.

Dohrn, Cat. Hemip., p. 52, 1859, Emesina.

Stål, Berl. Ent. Zeit., iii, p. 328, 1859, Emesida.

Dohrn, Linnaea Ent., xiv, p. 206, 1860, Emesina.

Stål, Of. Vet. Akad. Forh., xix, p. 504, 1862, Emesida.

Dohrn, Linnaea Ent., xv, p. 42, 1863, Emesina.

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 44, 1872, Emesina.

Stål, Enum. Hemip., ii, pp. 67, 125, 1872, Emesina.

Walker, Cat. Heter., vii, pp. 51, 53, 86, 1873; viii, p. 144, 1873, Emesidae.

Stål, Enum. Hemip., iv, pp. 67, 92, 1874, Emesina.

Uhler, Stand. Nat. Hist., ii, p. 276, 1884, Emesidae.

Uhler, Check List, p. 26, 1886, Emesidae.

Puton, Cat. Hémip. Palae., p. 37, 1886, Tribe Emesini.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 69, 1896, Emesidae.

Champion, Biol. Centr. Am., Heter., ii, p. 162, 1898, Emesinae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 200, 1903, Emesinae.

Oshanin, Verz. Palae. Hemip., i, p. 505, 1908, Emesina.

Banks, Psyche, xvi, p. 43, 1909, Emesidae.

Banks, Cat. Nearc. Hemip., p. 20, 1910, Emesidae.

Baker, Pomona Jl. Ent., ii, p. 225, 1910.

Oshanin, Kat. Palae. Hemip., p. 48, 1912, Emesinae.

Ploiarini Costa, Cimic. Regn. Neap., Cent., iv, p. 66, 1852.

Kirkaldy, Fauna Hawien., iii, p. 151, 1902, Ploiiariinae.

TRIBE PLOIARIOLIINAE Van D.

Van Duzec, Check List Hemip., p. 27, 1916.

Ploiariida Stål, Berl. Ent. Zeit., iii, p. 328, 1859.

Stål, Of. Vet. Akad. Forh., xix, p. 504, 1862, Plocariida.

Dohrn, Linnaea Ent., xv, p. 43, 1863, Ploiaridae.

Stål, Hemip. Afr., iii, p. 45, 1865.

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 44, 1872, Plocariina.
Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 65, 1872, Plocariina.
Stål, Enum. Hemip., ii, p. 67, 125, 1872, Plocariina.
Stål, Enum. Hemip., iv, pp. 92, 94, 1874, Div. Ploiariaria.
Uhler, Check List, p. 26, 1886, Plocarina.
Stenolemaria Kirkaldy, Fauna Hawai., iii, p. 125, 1902 (Division).
Distant, Fauna Br. Ind., Rhyn., ii, p. 201, 1903 (Division).
Oshanin, Verz. Palae. Hemip., i, p. 505, 1908 (Division).
Oshanin, Kat. Palae. Hemip., p. 48, 1912 (Tribe).

Genus Ploiariola Reut. Logotype vagabunda Linn.

Reuter, Rev. Synon., p. 357, No. 330, 1888 (n.n. for †*Ploiaria* Latr.). Lethierry and Severin, Cat. Génl. Hémip., iii, p. 69, 1896. Distant, Fauna Br. Ind., Rhyn., ii, p. 201, 1903. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, p. 20, 1912. Oshanin, Kat. Palae. Hemip., p. 48, 1912.

†Gerris Schellenberg, Land u. Wasserwanzen, p. 24, 1800.

Burmeister, Handb. d. Ent., ii, p. 223, 1835.

Flor, Rhyn. Livl., i, p. 686, 1860.

†Ploiaria Latreille, Hist. Nat. Crust. Ins., iii, p. 249, 1802.

Latreille, Genera Crust. Ins., iii, p. 130, 1807.

Latreille, Consid. Génl., p. 433, 1810 (names vagabundus Fabr. type). Leach in Brewster's Edinbg. Encyc., ix, p. , 1815. [species). Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 500, 1816 (vagabunda only Laporte, Essai Classif. Syst. Hémip., p. 13, 1832 (names vagabundus Herrich—Schaeffer, Nomen. Ent., i, pp. 38, 62, 1835. [type).

Brullé, Hist. Nat. des Ins., ix, p. 310, 1835.

Latreille in Cuvier Anim. Kingd., Lond. edn., iv, p. 167, 1836.

Spinola, Essai sur les Hémip., p. 84, 1837.

Blanchard, Hist. Nat. des Ins., Hémip., p. 100, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 120, 1840.

Amyot and Serville, Hémip., p. 396, 1843.

Dohrn, Linnaea Ent., xiv, p. 214, 1860.

Fieber, Europ. Hemip., pp. 41, 149, 1861, Plocaria.

Dohrn, Linnaea Ent., xv, p. 55, 1863.

Douglas and Scott, Brit. Hemip., p. 534, 1865.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 65, 1872, Plocaria.

Stål, Enum. Hemip., iv, p. 94, 1874.

Bergroth, Verh. Zool.-Bot. Ges. Wien, lvi, p. 305, 1906.

† Emesa Provancher, Pet. Faune Ent. Can., iii, 185, 1888.

†Ploiariodes Champion, Biol. Centr. Am., Heter., ii, pp. 163, 165, 1898.

Oshanin, Verz. Palae. Hemip., i, p. 505, 1908.

Banks, Psyche, xvi, p. 45, 1909.

697. Ploiariola errabunda (Say)

Say, Heter. N. Harm., p. 34, 1832; Fitch reprint, p. 803; Compl. Writ., i, p. Dohrn, Linnaea Ent., xv, p. 62, 1863 (copies Say's desc.). [359, Ploiaria. Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 107, 1871, Ploearia. Stål, Enum. Hemip., ii, p. 128, 1872 (genus?). Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 431, 1878, Ploearia. Uhler, Stand. Nat. Hist., ii, p. 277, 1884, Ploiaria.

Uhler, Check List, p. 26, 1886, Cerascopus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 24, 1907; ix, p. 176, 1909, Banks, Psyche, xvi, p. 46, 1909, Ploiariodes. [Ploiariodes.

Smith, Cat. Ins. N. J., edn. 3, p. 153, 1910.

Van Duzee, Can. Ent., xliv, p. 324, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914.

maculata Haldemann, Proc. Acad. Nat. Sci., Phila., iii, p. 151, 1847, [Ploiaria.

†longipes Provancher, Pet. Faune Ent. Can., iii, p. 186, 1888, Emesa. Localities: Quebec, N. H., Pa., Md., Va.

698. Ploiariola tuberculata Banks

Banks, Psyche, xvi, p. 46, 1909, *Ploiariodes*. Parshley, Psyche, xxi, p. 144, 1914, *Ploiariodes*. Localities: Me., N. Y., Va.

699. Ploiariola californica Banks.

Banks, Psyche, xvi, p. 46, 1909, Ploiariodes.
Baker, Pomona Jl. Ent., ii, p. 227, 1910, Ploiariodes.
Locality: Calif.

700. Ploiariola hirtipes Banks

Banks, Psyche, xix, p. 97, 1912, Ploiariodes. Locality: Vt.

> Genus Stenolemus Sign. Haplotype spinicollis Sign.

Haplotype spinicollis Sign.
Signoret, Ann. Soc. Ent. Fr., Ser. 3, vi, p. 251, 1858.
Dohrn, Linnaea Ent., xiv, p. 250, 1860.

Stål, Enum. Hemip., ii, p. 125, 1872; iv, pp. 92, 94, 1874.

Champion, Biol. Centr. Am., Heter., ii, pp. 163, 164, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 203, 1903.

Bergroth, Psyche, xviii, p. 17, 1911.

Bergroth, Ann. Am. Mus. Nat. Hist., xxxi, p. 348, 1912.

Phantasmatophanes Kirkaldy, Proc. Linn. Soc. N. S. Wales, xxxiii, p. 369, [1908 (orthotype muiri Kirk.).

701. Stenolemus spiniventris Sign.

Signoret, Ann. Soc. Ent. Fr., Ser. 3, vi, p. 253, pl. 6, figs. 1-3, 1858. Dohrn, Linnaea Ent., xiv, p. 250, 1860. Stål, Enum. Hemip., ii, p. 125, 1872. Uhler, Stand. Nat. Hist., ii, p. 277, 1884. Champion, Biol. Centr. Am., Heter., ii, p. 164, 1898. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914. Localities: Ariz., Fla. (Mexico.)

TRIBE LEISTARCHINI (Stål)

Stål, Of. Vet. Akad. Forh., xix, p. 504, 1862, Leistarchida. Stål, Enum. Hemip., iv, p. 92, 1874, Div. Leistarcharia. Distant, Fauna Br. Ind., Rhyn., ii, p. 207, 1903, Div. Leistarcharia. Oshanin, Verz. Palae. Hemip., i, p. 509, 1908, Div. Leistarcharia. Oshanin, Kat. Palae. Hemip., p. 49, 1912, Div. Leistarcharia.

Genus Ploiaria Scop. Haplotype domestica Scop.

Scopoli Del. Flora Fauna Insubr., i, p. 60, 1786. Reuter, Rev. Synon., p. 359, No. 332, 1888. Noualhier, Revue d'Ent., xiv, p. 166, 1895. Champion, Biol. Centr. Am., Heter., ii, p. 174, 1898. Distant, Fauna Br. Ind., Rhyn., ii, p. 209, 1906. Banks, Psyche, xvi, p. 44, 1909.

Cerascopus Heineken, Zool. Jl., v, p. 36, 1830.

Stål, Hemip. Afr., iii, p. 163, 1865.

Stål, Enum. Hemip., ii, pp. 126, 127, 1872; iv, pp. 93, 95, 1874.

Emesodema Spinola, Essai sur les Hémip., p. 87, 1837 (1840).

Spinola, Tavola Sinot., p. 45, 1850.

Herrich-Schaeffer, Wanz. Ins., ix, p. 115, 1853.

Dohrn, Linnaea Ent., xiv, pp. 213, 246, 1860.

702. Ploiaria simplicipes Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 430, 1878, Emesodema.

Uhler, Check List, p. 26, 1886, Barce.

Bueno, Jl. N. E. Ent. Soc., xvi, p. 234, 1908, Barce.

Smith, Cat. Ins. N. J., edn. 3, p. 153, 1910, Barce.

Localities: Mass., N. Y.

703. Ploiaria texana Banks

Banks, Psyche, xvi, p. 44, 1909.

Locality: Texas.

704. Ploiaria arizonensis (Banks)

Banks, Psyche, xvi, p. 45, 1909, Luteva.

Locality: Calif.

705. Ploiaria californiensis Bak.

Baker, Pomona Jl. Ent., ii, p. 226, 1910.

Locality: Calif.

Genus Ploiariopsis Champ.

Logotype megalops Champ.

Champion, Biol. Centr. Am., Heter., ii, pp. 163, 173, 1898. Banks, Psyche, xvi, pp. 43, 44, 1909.

706. Ploiariopsis hirticornis Banks

Banks, Psyche, xvi, p. 44, 1909.

Locality: N. C.

707. Ploiariopsis reticulata Bak.

Baker, Pomona Jl. Ent., ii, p. 225, 1910.

Locality: Calif.

Genus Luteva Dohrn Logotype concolor Dohrn

Dohrn, Linnaea Ent., xiv, pp. 213, 242, 1860.

Stål, Enum. Hemip., ii, pp. 126, 127, 1872; iv, pp. 93, 95, 1874.

Champion, Biol. Centr. Am., Heter., ii, p. 163, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 208, 1903.

Banks, Psyche, xvi, pp. 43, 45, 1909.

708. Luteva carolina H. S.

Herrich-Schaeffer, Wanz. Ins., ix, p. 115, fig. 936, 1853, Emosodema.

Dohrn, Linnaea Ent., xiv, p. 250, 1860, Emesodema.

Stål, Enum. Hemip., ii, p. 127, 1872.

Bergroth, Psyche, xviii, p. 19, 1911.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914, Ploiaria.

Locality: "Carolina," Fla.

TRIBE EMESINI (Dohrn)

Dohrn, Linnaea Ent., xiv, p. 253, 1860, Emesida.

Stål, Of. Vet. Akad. Forh., xix, p. 504, 1862, Emesida.

Dohrn, Linnaea Ent., xv, p. 43, 1863, Emesidae.

Stål, Hemip. Afr., iii, pp. 45, 162, 1865.

Stål, Enum. Hemip., iv, p. 93, 1874.

Distant, Fauna Br. Ind., Rhyn., ii, p. 210, 1903.

Genus Emesa Fabr. Orthotype precatoria Fabr.

Fabricius, Syst. Rhyng., p. 263, 1803.

[type).

Laporte, Essai Classif. Syst. Hémip., p. 84, 1832 (names mantis Fabr. pseudo-

Burmeister, Handb. d. Ent., ii, p. 223, 1835. Spinola, Essai sur les Hémip., p. 90, 1837 (1840).

Blanchard, Hist. Nat. des Ins., Hémip., p. 99, 1840.

Amyot and Serville, Hémip., p. 393, 1843.

Spinola, Tavola Sinot., p. 45, 1850.

Herrich-Schaeffer, Wanz. Ins., ix, p. 113, 1853.

Dohrn, Linnaea Ent., xiv, p. 215, 1860.

Stål, Of. Vet. Akad. Forh., xix, p. 504, 1862.

Stål, Hemip. Afr., iii, p. 162, 1865.

Stål, Of. Vet. Akad. Forh., xxvii, p. 704, 1870.

Stål, Enum. Hemip., ii, pp. 125, 126, 1872.

Walker, Cat. Heter., vii, pp. 51, 86, 1873; viii, pp. 144, 145, 1873.

Champion, Biol. Centr. Am., Heter., ii, pp. 163, 168, 1898.

†Ploiaria Say, Am. Entomol., iii, pl. 47, 1828; Compl. Writ., i, p. 105.

709. Emesa brevipennis (Say)

Say, Am. Entomol., iii, pl. 47, 1828; Compl. Writ., i, p. 106, Ploiaria.

Dohrn, Linnaea Ent., xiv, p. 220, 1860.

Walker, Cat. Heter., viii, p. 145, 1873.

||longipes De Geer, Mémoirs, iii, p. 352, pl. 35, figs. 16, 17, 1773, Cimex.

Goeze, Ent. Beytr., ii, p. 273, No. 10, 1778, Cimex.

Retzius, Genera Spec. Ins., p. 89, 1783, Cimex.

Burmeister, Handb. d. Ent., ii, p. 223, 1835.

Dohrn, Linnaea Ent., xiv, p. 221, 1860.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 107, 1871.

Stål, Enum. Hemip., ii, p. 126, 1872.

Walker, Cat. Heter., viii, p. 146, 1873 (part).

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 332, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 429, 1878.

Uhler, Stand. Nat. Hist., ii, p. 276, 1884.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 287, 1894.

Champion, Biol. Centr. Am., Heter., ii, p. 168, pl. 10, figs. 13, 14, 1898.

Barber, Brookl. Inst. Sci. Bul., vi, p. 283, 1906. Bueno, Jl. N. Y. Ent. Soc., p. 234, 1908. Wickham, Ottawa Nat., xxii, p. 255, 1909. Banks, Psyche, xvi, p. 48, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 153, 1910. Wickham, Ent. News, xxi, p. 27, 1910 (habits). Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914. †filum Gray in Griffiths' Anim. Kingd., xv, p. 244, pl. 97, fig. 3, 1832. pia Amyot and Serville, Hémip., p. 394, 1843. Herrich-Schaeffer, Wanz. Ins., ix, p. 114, 1853.

Dohrn, Linnaea Ent., xiv, p. 231, 1860.

affinis Dohrn, Linnaea Ent., xiv, p. 222, 1860. [Dohrn).

choctawana Kirkaldy, Can. Ent., xli, p. 388, 1909 (n.n. for brevipennis Localities: Mass., Conn., N. Y., N. J., Pa., Md., N. C., Fla., Ind., Ill., Ia., Texas.

710. Emesa brevicoxa Banks

Banks, Psyche, xvi, p. 48, 1909.

Locality: Calif.

Genus Ghilianella Spin. Haplotype filiventris Spin.

Spinola, Generi Ins. Arthr., p. 142, 1852. Dohrn, Linnaea Ent., xiv, p. 236, 1860. Stål, Of. Vet. Akad. Forh., xix, p. 504, 1862; xxvii, p. 704, 1870. Stål, Hemip. Afr., iii, p. 162, 1865. Stål, Enum. Hemip., ii, p. 126, 1872. Walker, Cat. Heter., vii, p. 86, 1873; viii, pp. 144, 147, 1873. Champion, Biol. Centr. Am., Heter., ii, pp. 163, 169, 1898.

711. Ghilianella productilis Barb.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914. Locality: Fla.

Genus Gardena Dohrn Haplotype melinarthrum Dohrn

Dohrn, Linnaea Ent., xiv, p. 214, 1860. Stål, Of. Vet. Akad. Forh., xxvii, p. 704, 1870. Stål, Enum. Hemip., iv, p. 93, 1874. Champion, Biol. Centr. Am., Heter., ii, p. 167, 1898. Distant, Fauna Br. Ind., Rhyn., ii, p. 214, 1903.

712. Gardena americana Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 167, pl. 10, fig. 12, 1898. Banks, Cat. Nearc. Hemip., p. 21, 1910.

Localities: Texas(?) (Banks). (Neotropical.)

Genus Barce Stål Haplotype annulipes Stål

Stål, Hemip. Afr., iii, p. 163, 1865 (invalid here). Stål, Berl. Ent. Zeit., x, p. 168, 1867 (valid here). Stål, Enum. Hemip., ii, pp. 125, 127, 1872. Banks, Psyche, pp. 43, 46, 1909.

713. Barce annulipes Stål

Stål, Berl. Ent. Zeit., x, p. 168, 1867.

Stål, Enum. Hemip., ii, p. 127, 1872.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 183, 1894.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 234, 1908.

Banks, Psyche, xvi, p. 47, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 153, 1910.

†errabundus Provancher, Pet. Faune Ent. Can., iii, p. 186, 1888, Cerascopus. Barce sp., Van Duzee, Can. Ent., xliv, p. 324, 1912.

Localities: Quebec, Ont., N. Y., N. J., Va., La., Wis.

714. Barce uhleri Banks

Banks, Psyche, xvi, p. 47, 1909.

a. var. brunnea Banks

Banks, Psyche, xvi, p. 47, 1909 (as var. of uhleri).

Localities: N. Y., N. J., Va., N. C.

715. Barce fraterna (Say)

Say, Heter. N. Harm., p. 33, 1832; Fitch reprint, p. 803; Compl. Writ., i, p. Banks, Psyche, xvi, p. 47, 1909. [358, *Ploiaria*.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914.

Localities: Mass., N. Y., Md., Va., N. C., Kan., La.

716. Barce banski Bak.

Baker, Pomona Jl. Ent., ii, p. 227, 1910.

Locality: Calif.

Subfamily SAICINAE (Stål)

Stål, Berl. Ent. Zeit., iii, p. 328, 1859, Saicida.

Dohrn, Linnaea Ent., xiv, pp. 253, 254, 1860, Saicidae.

Stål, Hemip. Afr., iii, pp. 44, 161, 1865, Saicida.

Stål, Hemip. Fabr., i, p. 129, 1868, Saicida.

Stål, Of. Vet. Akad. Forh., xxix, No. 6, pp. 44, 47, 1872, Saicina.

Stål, Enum. Hemip., ii, pp. 44, 124, 1872; iv, pp. 4, 90, 1874, Saicina.

Uhler, Check List, p. 26, 1886, Saicina.

Puton, Cat. Hemip. Palae., edn. 3, p. 37, 1886, Div. Saicaria.

Lethierry and Severin, Cat. Génl. Hémip.. iii, p. 78, 1896, Saicidae.

Champion, Biol. Centr. Am., Heter., ii, p. 176, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 217, 1903.

Oshanin, Verz. Palae. Hemip., i, p. 512, 1908, Saicina.

Oshanin, Kat. Palae. Hemip., p. 49, 1912, Saicinae.

Fracker, Proc. Ia. Acad. Sci., xix, p. 219, 1913, Saicinae.

Genus Oncerotrachelus Stål Orthotype acuminatus Say

Stål, Hemip. Fabr., i, p. 130, 1868.

Stål, Enum. Hemip., ii, p. 124, 1872; iv, p. 91, 1874.

Champion, Biol. Centr. Am., Heter., ii, p. 180, 1898.

Fracker, Proc. Ia. Acad. Sci., xix, p. 226, 1913.

717. Oncerotrachelus acuminatus (Say)

Say, Heter. N. Harm., p. 32, 1832; Fitch reprint, p. 800; Compl. Writ., i, Stål, Hemip. Fabr., i, p. 130, 1868. [p. 356, Reduvius.

Stål, Enum. Hemip., ii, p. 124, 1872.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 425, 1878.

Uhler, Stand. Nat. Hist., ii, p. 279, 1884.

Barber, Brookl. Inst. Sci. Bul., i, p. 283, 1906.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 234, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 153, 1910.

Fracker, Proc. Ia. Acad. Sci., xix, p. 226, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.

Localities: Mass., N. Y., N. J., Pa., Md., D. C., N. C., S. C., Fla., Ind., Minn., Texas.

Genus Saica Am. & Serv.

Haplotype rubella Am. & Serv.

Amyot and Serville, Hémip., p. 371, 1843.

Stål, Hemip. Afr., iii, p. 161, 1865.

Stål, Hemip. Fabr., i, p. 129, 1868.

Walker, Cat. Heter., viii, p. 127, 1873.

Stål, Enum. Hemip., ii, p. 124, 1873; iv, p. 91, 1873.

Champion, Biol. Centr. Am., Heter., ii, p. 176, 1898.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 504, 1914.

718. Saica fusco-vittata Barb.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 504, 1914. Locality: Fla.

Subfamily STENOPODINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xlviii, 386, 1843, Stenopodides.

Stål, Berl. Ent. Zeit., iii, p. 328, 1859, Stenopodida.

Stål, Of. Vet. Akad. Forh., xvi, p. 383, 1859, Stenopodida.

Dohrn, Cat. Hemip., p. 47, 1859, Stenopodidae.

Stål, Hemip. Afr., iii, pp. 44, 148, 1865, Stenopodida.

Stål, Hemip. Fabr., i, p. 126, 1868, Stenopodida.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 144, 1868, Stenopodida.

Stål, Enum. Hemip., ii, p. 120, 1872, Stenopodina.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 64, 1872, Stenopodina.

Stål, Enum. Hemip., iv, pp. 4, 83, 1874, Stenopodina.

Uhler, Stand. Nat. Hist., ii, p. 278, 1884, Stenopodina.

Uhler, Check List, p. 25, 1886, Stenopodina.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 81, 1896, Stenopodidae.

Champion, Biol. Centr. Am., Heter., ii, p. 181, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 222, 1903.

Oshanin, Verz. Palae Hemip., i, p. 513, 1908, Stenopodina.

Oshanin, Kat. Palae. Hemip., p. 49, 1912.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 221, 226, 1913.

Genus Pnirontis Stål

Logotype scutellaris Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 381, 1859.

Stål, Hemip. Afr., iii, p. 149, 1865.

Stål, Hemip. Fabr., i, p. 126, 1868.

Stål, Enum. Hemip., ii, p. 120, 1872.

Walker, Cat. Heter., viii, p. 34, 1873.

Champion, Biol. Centr. Am., Heter., ii, p. 181, 1898.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 222, 226, 1913.

Subgenus Centromelus Fieb. Haplotype spinosissimus Kol.

Fieber, Europ. Hemip., pp. 42, 151, 1861 (as genus).

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 147, 1868 (as genus).

Berg, Hemip. Argent., p. 173, 1879 (as genus).

Stål, Hemip. Fabr., i, p. 128, 1868.

Oshanin, Verz. Palae. Hemip., i, p. 515, 1908.

719. Pnirontis languida Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 381, 1859.
Stål, Hemip. Fabr., i, p. 129, 1868.
Stål, Enum. Hemip., ii, p. 120, 1872.
Walker, Cat. Heter., viii, p. 34, 1873.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 331, 1876, Centromelus.
Champion, Biol. Centr. Am., Heter., ii, p. 183, pl. 16, fig. 13, 1898.
Barber, Brookl. Inst., Sci. Bul., i, p. 283, 1906.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.
Localities: Ga., S. C., Fla., Texas.

720. Pnirontis infirma Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 382, 1859.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 147, 1868, Centromelus.

Stål, Hemip. Fabr., i, p. 129, 1868.

Stål, Enum. Hemip., ii, p. 120, 1872.

Walker, Cat. Heter., viii, p. 34, 1873.

Champion, Biol. Centr. Am., Heter., ii, p. 183, pl. 11, figs. 11, 12, 1898.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 153, 1906.

Barber, Brookl. Inst., Sci. Bul., i, p. 283, 1906.

Smith, Cat. Ins. N. J., edn. 3, p. 154, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 504, 1914.

spinosissima Kolenati, Melet, Ent., Fasc. iv, p. 51, 1857, Pygolampis.

Fieber, Europ. Hemip., p. 151, 1861, Centromelas.

Localities: N. J., "Carolina," Ga., Fla., Texas. (Europe by error.)

721. Pnirontis modesta Banks

Banks, Ent. News, xxi, p. 324, 1910.Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.Localities: Va., Fla., Ind.

Genus Pygolampis Germ.

Type denticulatus Germ. = bidentata (Goeze)

Germar, Fauna Europ., viii, p. 22, 1824.

Herrich-Schaeffer, Nomen. Ent., i, pp. 38, 62, 1835.

Burmeister, Handb. d. Ent., ii, p. 243, 1835. [denticulatus type). Brullé, Hist. Nat. des Ins., ix, p. 324, 1835 (as subgen. of Stenopoda; names Blanchard, Hist. Nat. des Ins., Hémip., p. 107, 1840 (as subgen. of Stenopoda). Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 120, 1840 (names denticu-Amyot and Serville, Hémip., p. 391, 1843. [latus type).

Stål, Of. Vet. Akad. Forh., xvi, p. 378, 1859.

Fieber, Europ. Hemip., pp. 41, 150, 1861.

Stål, Hemip. Afr., iii, p. 149, 1865.

Douglas and Scott, Brit. Hemip., p. 538, 1865.

Stål, Hemip. Fabr., i, p. 126, 1868.

Stål, Enum. Hemip., ii, p. 121, 1872.

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 47, 1872.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 64, 1872.

Walker, Cat. Heter., viii, p. 33, 1873.

Stål, Enum. Hemip., iv, pp. 84, 85, 1874.

Champion, Biol. Centr. Am., Heter., ii, p. 183, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 222, 1903.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 222, 227, 1913.

Ochetopus Hahn, Wanz. Ins., i, p. 176, 1831. (Haplotype spinicollis Hahn.) Spinola, Essai sur les Hémip., p. 71, 1837.

Spinola, Tavola Sinot., p. 46, 1850.

722. Pygolampis spurca Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 379, 1859.

Stål, Enum. Hemip., ii, p. 121, 1872.

Champion, Biol. Centr. Am., Heter., ii, p. 183, pl. 11, figs. 14, 15, 1898.

Localities: "S. St." (Neotropical.)

723. Pygolampis sericea Stål

Stål, Of. Vet. Akad. Forh., xvi, pp. 378, 380, 1859.

Stål, Enum. Hemip., ii, p. 121, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 332, 1876.

Bueno and Brimley, Ent. News, xviii, p. 436, 1907.

Localities: Mass., N. Y., Pa., Md., N. C., S. C., Texas.

724. Pygolampis pectoralis (Say)

Say, Ins. of La., p. 11, 1832; Heter. N. Harm., p. 33, 1832; Fitch reprint, p. Say in Compl. Writ., i, pp. 306, 357, Reduvius. [802, Reduvius.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 106, 1871.

Stål, Enum. Hemip., ii, p. 121, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 332, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 429, 1878.

Gillette and Baker, Hemip. Colo., p. 60, 1895.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906.

Smith, Cat. Ins. N. J., edn. 3, p. 154, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.

Parshley, Psyche, xxi, p. 144, 1914.

fuscipennis Stål, Of. Vet. Akad. Forh., xvi, p. 379, 1859.

Localities: Me., Mass., N. Y., N. J., Del., Md., S. C., Fla., Ill., Colo., La., Texas, Ariz., Calif.

Genus Gnathobleda Stål

Haplotype fraudulenta Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 380, 1859.

Stål, Hemip. Fabr., i, p. 126, 1868.

Stål, Enum. Hemip., ii, p. 121, 1872.

Champion, Biol. Centr. Am., Heter., ii, p. 184, 1898.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 222, 227, 1913.

725. Gnathobleda tumidula Stål

Stål, Enum. Hemip., ii, p. 121, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 332, 1876.

Fracker, Proc. Ia. Acad. Sci., xix, p. 227, 1913.

Localities: Ga., Texas.

Genus Schumannia Champ. Haplotype mexicana Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 185, 1898.

726. Schumannia mexicana Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 185, pl. 11, fig. 18, 1898. Bueno and Brimley, Ent. News, xviii, p. 436, 1907.

Localities: N. C. (Mexico.)

Genus Stenopoda Lap.

Orthotype cinerea Lap. = culiciformis Fabr.

Laporte, Essai Classif. Syst. Hémip., p. 26, 1832.

Burmeister, Handb. d. Ent., ii, p. 243, 1835.

Brullé, Hist. Nat. des Ins., ix, p. 323, 1835.

Blanchard, Hist. Nat. des Ins., Hémip., p. 107, 1840.

Amyot and Serville, Hémip., p. 390, 1843.

Herrich-Schaeffer, Wanz. Ins., viii, p. 90, 1848.

Spinola, Tavola Sinot., p. 46, 1850.

Stål, Of. Vet. Akad. Forh., xvi, p. 383, 1859.

Stål, Hemip. Afr., iii, p. 149, 1865.

Stål, Hemip. Fabr., i, p. 127, 1868.

Stål, Enum. Hemip., ii, p. 122, 1872.

Walker, Cat. Heter., viii, p. 30, 1873.

Champion, Biol. Centr. Am., Heter., ii, p. 187, 1898.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 222, 227, 1913.

727. Stenopoda culiciformis (Fabr.)

Fabricius, Syst. Ent., p. 728, 1775, Cimex. Goeze, Ent. Beytr., ii, p. 272, 1778, Cimex. Fabricius, Spec. Ins., ii, p. 376, 1781, Cimex. Fabricius, Mantissa Ins., ii, p. 308, 1787, Cimex. Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2193, 1788, Cimex. Fabricius, Ent. Syst., iv, p. 189, 1794, Gerris. Fabricius, Syst. Rhyng., p. 262, 1803, Gerris. Stål, Hemip. Fabr., i, p. 129, 1868. Stål, Enum. Hemip., ii, p. 122, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 332, 1876. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1330. Uhler, Stand. Nat. Hist., ii, p. 278, 1884. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 210. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 287, 1894. Champion, Biol. Centr. Am., Heter., ii, p. 187, 1898. Smith, Cat. Ins. N. J., edn. 3, p. 154, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914. cinerea, Laporte, Essai Classif. Syst. Hémip., p. 26, pl. 52, fig. 2, 1832. Burmeister, Handb. d. Ent., ii, p. 244, 1835. Brullé, Hist. Nat. des Ins., ix, p. 323, 1835. Blanchard, Hist. Nat. des Ins., Hémip., p. 107, 1840. Uhler, Hayden's Surv. Terr. for 1871, p. 421, 1872. subinermis Stål, Of. Vet. Akad. Forh., xvi, p. 384, 1859. Stål, Enum. Hemip., ii, p. 122, 1872.

viidae 243

†cana Uhler, Proc. Zool. Soc. Lond. for 1894, p. 210. §culicis Bueno, Jl. N. Y. Ent. Soc., xvi, p. 235, 1908.

Localities: N. J., N. C., Ga., Fla., Ala., Ark., Texas, Okl.

Genus Oncocephalus Klug Type notatus Klug

Klug, Symb. Physicae, Ins., ii, p. , 1830 (as subgen. of Reduvius).

Burmeister, Handb. d. Ent., ii, p. 242, 1835.

Spinola, Essai sur les Hémip., p. 101, 1837 (1840).

Blanchard, Hist. Nat. des Ins., Hémip., p. 107, 1840 (subgen. of Stenopoda).

Amyot and Serville, Hémip., p. 386, 1843.

Spinola, Tavola Sinot., p. 46, 1850.

Fieber, Europ. Hemip., pp. 42, 151, 1861.

Stål, Hemip. Afr., iii, pp. 150, 155, 1865.

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 47, 1872.

Walker, Cat. Heter., vii, pp. 50, 78; viii, p. 23, 1873.

Stål, Enum. Hemip., iv, pp. 84, 87, 1874.

Reuter, Monog. Oncoceph., p. 3, 1882 (in Acta Soc. Sci. Fenn., xii).

Distant, Fauna Br. Ind., Rhyn., ii, p. 227, 1903.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 222, 228, 1913.

Baebius Stål, Hemip. Afr., iii, pp. 150, 154, 1865.

¶Spilolonius Stal, Hemip. Fabr., i, p. 128, 1868.

Stål, Enum. Hemip., ii, p. 123, 1872.

728. Oncocephalus geniculatus (Stål)

Stål, Enum. Hemip., ii, p. 123, 1872, Spilolonius.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 332, 1876, Spilolonius.

Reuter, Monog. Oncoceph., p. 55, 1872.

Gillette and Baker, Hemip. Colo., p. 60, 1895, Spilolonius.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 152, 1906.

Barber, Brookl. Inst., Sci. Bul., i, p. 284, 1906.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.

Localities: Fla., Texas, Colo.

729. Oncocephalus apiculatus Reut.

Reuter, Monog. Oncoceph., p. 56, 1882.

Locality: Mo.

730. Oncocephalus nubilus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 12, 1914. Localities: Ariz., Calif.

Genus Narvesus Stål

Haplotype carolinensis Stål

Stål, Of. Vet. Akad. Forh., xvi, pp. 383, 384, 1859.

Stål, Hemip. Fabr., i, p. 128, 1868.

Stål, Enum. Hemip., ii, p. 124, 1872.

Walker, Cat. Heter., viii, pp. 30, 31, 1873.

Reuter, Monog. Oncoceph., p. 76, 1882 (Acta Soc. Sci. Fenn., xii, p. 675).

Champion, Biol. Centr. Am., Heter., ii, p. 188, 1898.

Fracker, Proc. Ia. Acad. Sci., xix, p. 222, 1913.

731. Narvesus carolinensis Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 385, 1859.

Stål, Enum. Hemip., ii, p. 124, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 332, 1876.

Reuter, Monog. Oncoceph., p. 76, 1882.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 210.

Champion, Biol. Centr. Am., Heter., ii, p. 188, pl. 11, fig. 19, 1898.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906.

Smith, Cat. Ins. N. J., edn. 3, p. 154, 1910.

Fracker, Proc. Ia. Acad. Sci., xix, p. 228, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.

Localities: N. J., S. C., Fla., Mo., Texas, Ariz.

Genus Diaditus Stål Haplotype semicolon Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 383, 1859. Stål, Hemip. Fabr., i, p. 128, 1868. Stål, Enum. Hemip., ii, p. 125, 1872. Champion, Biol. Centr. Am., Heter., ii, p. 188, 1898. Distant, Fauna Br. Ind., Rhyn., ii, p. 226, 1903. Fracker, Proc. Ia. Acad. Sci., xix, p. 222, 1913.

732. Diaditus pictipes Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 189, pl. 11, fig. 21, 1898. Barber, Brookl. Inst. Sci. Bul., i, p. 284, 1906. Fracker, Proc. Ia. Acad. Sci., xix, p. 228, 1913. Localities: Texas. (Mexico.)

Subfamily REDUVIINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xliii, 333, 1843, Groupe Reduvides. Spinola, Tavola Sinot., p. 145, 1850, Subfam. Reduvioideae. Puton, Synop. Heter. Fr., i, p. 168, 1879, Div. Reduviaria. Reuter, Revue d'Ent., vi, p. 157, 1887, Rediviina. Distant, Fauna Br. Ind., Rhyn., ii, p. 248, 1904, Reduviinae. Oshanin, Verz. Palae. Hemip., i, p. 522, 1908, Reduviina. Oshanin, Kat. Palae. Hemip., p. 50, 1912, Reduviinae.

Acanthaspidida Stål, Hemip. Afr., iii, p. 44, 1865.

Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 46, 1872, Acanthaspidina. Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 63, 1872, Acanthaspidida. Stål, Enum. Hemip., ii, p. 108, 1872; iv, pp. 4, 63, 1876, Acanthaspidina. Uhler, Check List, p. 25, 1886, Acanthaspidina. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 95, 1896, Acanthaspidae. Champion, Biol. Centr. Am., Heter., ii, p. 190, 1898, Acanthaspidinae. Conorhinini Banks, Cat. Nearc. Hemip., p. 17, 1910.

Genus **Reduvius** Fabr. Logotype personatus Linn.

Fabricius, Syst. Ent., p. 729, 1775. Fabricius, Ent. Syst., iv, p. 193, 1794. Latreille, Précis, p. 84, 1796. Lamarck, Syst. Anim. s. Vert., p. 294, 1801 (names personatus type).

```
Latreille, Hist. Nat. Crust. Ins., iii, p. 249, 1802 (names personatus example).
Walckenaer, Faune Paris., Ins., ii, p. 351, 1802.
Stål, Syst. Rhyng., p. 266, 1803 (names fuscipes pseudotype).
Latreille, Hist. Nat. Crust. Ins., xii, p. 257, 1804.
Latreille, Genera Crust. Ins., iii, p. 128, 1807.
Fallén, Monog. Cimic., p. 119, 1807.
Latreille, Consid. Génl., pp. 256, 433, 1810 (names personatus type).
Leach, Brewster's Edinbg. Encyc., ix, p. , 1815.
Fallén, Hemip. Suec., Cimic., p. 155, 1829.
Latreille, Cuvier, Règne Animal, edn. 2, v, p. 202, 1829.
Laporte, Essai Classif. Syst. Hémip., p. 7, 1832 (names personatus type).
Leach, Brewster's Edinbg. Encyc., Am. edn., viii, p. 711, 1832 (for per-
Hahn, Wanz. Ins., ii, p. 16, 1834.
                                                                    [sonatus).
Herrich-Schaeffer, Nomen. Ent., 1, pp. 38, 61, 1835.
Burmeister, Handb. d. Ent., ii, p. 234, 1835.
Brullé, Hist. Nat. des Ins., ix, p. 318, 1835.
Latreille in Cuvier, Anim. Kingd., Lond. edn., iv, p. 166, 1836.
Spinola, Essai sur les Hémip., p. 120, 1837 (1840).
Blanchard, Hist. Nat. des Ins., Hémip., p. 103, 1840.
Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 120, 1840.
Amyot and Serville, Hémip., p. 337, 1843.
Herrich-Schaeffer, Wanz. Ins., viii, p. 40, 1848.
Spinola, Tavola Sinot., p. 46, 1850.
Flor, Rhyn. Livl., i, p. 677, 1860.
Fieber, Europ. Hemip., pp. 42, 155, 1861.
Puton, Synop. Heter. Fr., i, p. 173, 1879.
Provancher, Pet. Faune Ent. Can., iii, p. 183, 1887.
Reuter, Rev. Synon., p. 354, No. 326, 1888.
Reuter, Monog. Reduvius, p. 3, 1892 (Acta Soc. Sci. Fenn., xix, No. 15).
Lethierry and Severin, Cat. Génl. Hémip., iii, p. 97, 1896.
Distant, Fauna Br. Ind., Rhyn., ii, p. 250, 1904.
Oshanin, Verz. Palae. Hemip., i, p. 528, 1908.
Oshanin, Kat. Palae. Hemip., p. 51, 1912.
Fracker, Proc. Ia. Acad. Sci., xix, pp. 221, 229, 1913.
   Opsicoetus Klug, Symb. Physicae, Ins., ii, p.
      Stål, Of. Vet. Akad. Forh., xvi, p. 191, 1859.
      Stål, Hemip. Afr., iii, pp. 122, 138, 1865.
      Stål, Hemip. Fabr., i, p. 124, 1868.
      Stål, Enum. Hemip., ii, pp. 109, 119, 1872.
      Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 46, 1872.
      Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 63, 1872.
      Stål, Enum. Hemip., iv, pp. 66, 77, 1874.
      Uhler, Check List, p. 25, 1886.
   Oplistopus Jakowlef, Horae Soc. Ent. Ross., viii, p. 78, 1874.
```

733. Reduvius personatus (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 446, 1758, Cimex.
Sulzer, Kennz. der Ins., pl. 11, fig. 74, 1761, Cimex.
Linnaeus, Fauna Suec., 2nd. edn., p. 252, No. 941, 1761, Cimex.
Geoffroy, Hist. Abreg. des Ins., i, p. 436, No. 4, 1762 (La Punaise mouche).
Scopoli, Ent. Carn., p. 130, 1763, Cimex.

```
Fabricius, Syst. Ent., p. 730, 1775.
Fourcroy, Ent. Paris., i, p. 195, 1785, Cimex.
Fabricius, Ent. Syst., iv, p. 194, 1794.
Lamarck, Syst. Anim. s. Vert., p. 294, 1801.
Wolff, Icon. Cimic., ii, p. 79, fig. 76, 1801.
Schrank, Fauna Boic., p. 100, 1801.
Walckenaer, Fauna Paris., ii, p. 352, 1802.
Latreille, Hist. Nat. Crust. Ins., iii, p. 249, 1802.
Fabricius, Syst. Rhyng., p. 267, 1803.
Panzer, Fauna Germ., Fasc. 88, fig. 22, 1804.
Latreille, Hist. Nat. Crust. Ins., xii, p. 258, 1804.
Latreille, Genera Crust. Ins., iii, p. 129, 1807.
Fallén, Monog. Cimic. Suec., p. 120, 1807.
Fallén Hemip. Suec., Cimic., p. 156, 1829.
Laporte, Essai Classif. Syst. Hémip., p. 8, 1832.
Hahn, Wanz. Ins., ii, p. 17, fig. 125, 1834.
Herrich-Schaeffer, Nomen. Ent., i, p. 61, 1835.
Burmeister, Handb. d. Ent., ii, p. 235, 1835.
Brullé, Hist. Nat. des Ins., ix, p. 319, 1835.
Latreille in Cuvier, Anim. Kingd., Lond. edn., iv, p. 166, 1836.
Spinola, Essai sur les Hémip., p. 120, 1837 (1840).
Blanchard, Hist. Nat. des Ins., Hémip., p. 104, 1840.
Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 120, 1840.
Amyot and Serville, Hémip., p. 337, 1843.
Stål, Of. Vet. Akad. Forh., xvi, p. 191, 1859, Opsicoetus.
Flor, Rhyn. Livl., i, p. 679, 1860.
Fieber, Europ. Hemip., p. 155, 1861.
Douglas and Scott, Brit. Hemip., p. 344, 1865.
Stål, Hemip, Fabr., i, p. 125, 1868, Opsicoetus.
Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 46, 1872, Opsicoetus.
Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 63, 1872, Opsicoetus.
Walker, Cat. Heter., vii, p. 180, 1873.
Stål, Enum. Hemip., iv, p. 77, 1874, Opsicoetus.
Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 425, 1878.
Uhler, Stand. Nat. Hist., ii, p. 280, 1884, Opsicoetus.
Provancher, Pet. Faune Ent. Can., iii, p. 184, 1887, Opsicoetus.
Reuter, Revue Synon., p. 354, No. 326, 1888.
Reuter, Monog. Reduvius, p. 7, 1892 (Acta Soc. Sci. Fenn., xix, No. 15).
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 183, 1894 Opsicoetus.
Smith, Cat. Ins. N. J., edn. 3, p. 154, 1910.
Van Duzee, Can. Ent., xliv, p. 324, 1912.
Fracker, Proc. Ia. Acad. Sci., xix, p. 229, 1913.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.
  †ater (Poda), Ins. Graec., p. 67, 1761, Cimex.
   quisquilius (De Geer), Memoirs, iii, p. 282, pl. 15, figs. 1-9, 1773, Cimex.
       Retzius, Genera et Spec. Ins., p. 86, 1783, Cimex.
   annulata (Harris), Expos. Eng. Ins., p. 89, pl. 26, fig. 5, 1781, Cimex.
   villosus Thunbg. Diss. Ent. Nova Ins., ii, p. 35, 1783, Cimex.
  †pungens (Stål), Enum. Hemip., ii, p. 119, 1872, Opsicoetus.
   albosignatus Provancher, Nat. Can., iv, p. 105, 1872.
          Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., Md., Ga.,
```

Fla., Kan. (Palaearctic.)

734. Reduvius senilis Van D.

Van Duzee, Ent. News, xvii, p. 390, 1906. Fracker, Proc. Ia. Acad. Sci., xix, p. 229, 1913. Locality: Ariz.

Genus Meccus Stål Logotype phyllosoma Burm.

Stål, Berl. Ent. Zeit., iii, p. 105, 1859.
Stål, Hemip. Fabr., i, p. 123, 1868.
Stål, Enum. Hemip., ii, pp. 108, 110, 1872.
Champion, Biol. Centr. Am., Heter., ii, p. 209, 1899.
Fracker, Proc. Ia. Acad. Sci., xix, p. 220, 1913.

735. Meccus phyllosomus (Burm.)

Burmeister, Handb. d. Ent., ii, p. 246, 1835, Conorhinus.
Stål, Berl. Ent. Zeit., iii, p. 105, 1859.
Stål, Enum. Hemip., ii, p. 110, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 330, 1876.
Champion, Biol. Centr. Am., Heter., ii, p. 209, pl. 12, figs. 25, 26, 1899.
Fracker, Proc. Ia. Acad. Sci., xix, p. 232, 1913.
Localities: Calif. (Mexico.)

Genus Triatoma Lap.

Orthotype gigas Fabr. = rubrofasciatus (De Geer)

Laporte, Essai Classif. Syst. Hémip., p. 11, 1832.

†Nabis Leach, Brewster's Edinbg. Encyc., ix, p. , 1815 (for gigas Wolff).

Leach, Brewster's Edinbg. Encyc., Am. edn., viii, p. 711, 1832 (for [gigas]).

Conorhinus Laporte, Essai Classif. Syst. Hémip., p. 77, 1832 (n.n. for Burmeister, Handb. d. Ent., ii, p. 245, 1835. [Triatoma Lap.). Brullé, Hist. Nat. des Ins., ix, p. 324, 1835. Spinola, Essai sur les Hémip., p. 108, 1837 (1840). Amyot and Serville, Hémip., p. 383, 1843. Herrich-Schaeffer, Wanz. Ins., viii, p. 69, 1848. Spinola, Tavola Sinot., p. 46, 1850. Stål, Berl. Ent. Zeit., iii, p. 106, 1859. Stål, Hemip. Afr., iii, p. 120, 1865. Stål, Hemip. Fabr., i, p. 123, 1868. Stål, Enum. Hemip., ii, pp. 108, 111, 1872. Walker, Cat. Heter., vii, pp. 50, 81, 1873; viii, p. 12, 1873. Stål, Enum. Hemip., iv, p. 64, 1874. Champion, Biol. Centr. Am., Heter., ii, p. 206, 1899. Distant, Fauna Br. Ind., Rhyn., ii, p. 285, 1904.

736. Triatoma variegata (Drury)

Drury, Illust. Exot. Ent., i, p. 109, pl. 45, fig. 5, 1770, Cimex. Stål, Enum. Hemip., ii, p. 111, 1872, Conorhinus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 331, 1876, Conorhinus. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 428, 1878, Conorhinus.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, 160, 1907, Conorhinus.

claviger (Gmelin) in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2179, 1788,
lecticularius Stål, Berl. Ent. Zeit., iii, p. 107, 1859, Conorhinus. [Cimex. †lenticularius Stål, Hemip. Fabr., i, p. 124, 1868, Conorhinus.

Localities: Md., N. C., S. C., Ga., Fla., La., Ill., Okl., Texas, Ariz., Calif.

737. Triatoma maxima (Uhler)

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 286, 1894, Conorhinus. Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 160, 1907, Conorhinus. Localities: Calif., Ariz. (†). (Mexico.)

738. Triatoma sanguisuga (Lec.)

Leconte, Proc. Acad. Nat. Sci. Phila., vii, p. 404, 1855, Conorhinus. Stål, Enum. Hemip., ii, p. 111, 1872, Conorhinus.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 331, 1876, Conorhinus.
Marlatt, U. S. Dept. Agr., Div. Ent., Bul. iv, p. 38, 1896, Conorhinus.
Champion, Biol. Centr. Am., Heter., ii, p. 207, 1899, Conorhinus.
Bueno and Brimley, Ent. News, xviii, p. 436, 1907, Conorhinus.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 176, 1909, Conorhinus.
Bueno and Englehardt, Can. Ent., xlii, p. 151, 1910, Conorhinus.
Smith, Cat. Ins. N. J., edn. 3, p. 154, 1910, Conorhinus.
Heidemann, Proc. Ent. Soc. Wash., xiii, p. 134, 1911 (egg), Conorhinus.
Fracker, Proc. Ia. Acad. Sci., xix, p. 231, 1913, Conorhinus.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914, Conorhinus.
lateralis (Stål), Berl. Ent. Zeit., iii, p. 107, 1859, Conorhinus.
Stål, Hemip. Fabr., i, p. 124, 1868, Conorhinus.
Localities: N. J., Md., Va., N. C., Fla., Ill., Texas.

739. Triatoma rubida (Uhl.)

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 285, 1894, Conorhinus. Fracker, Proc. Ia. Acad. Sci., xix, p. 231, 1913, Conorhinus.

Localities: Ariz. (Mexico.)

740. Triatoma protracta (Uhl.)

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 284, 1894, Conorhinus. Fracker, Proc. Ia. Acad. Sci., xix, p. 231, 1913, Conorhinus. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 13, 1914, Conorhinus. Localities: Calif. (Mexico.)

741. Triatoma gerstaeckeri (Stål)

Stål, Berl. Ent. Zeit., iii, p. 111, 1859, Conorhinus.
Stål, Hemip. Fabr., i, p. 124, 1868, Conorhinus.
Stål, Enum. Hemip., ii, p. 111, 1872, Conorhinus.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 331, 1876, Conorhinus.
Barber, Brookl. Inst., Sci. Bul., i, p. 284, 1906, Conorhinus.
Fracker, Proc. Ia. Acad. Sci., xix, p. 231, 1913, Conorhinus.
Locality: Texas.

742. Triatoma rufofasciata (De Geer)

De Geer, Mémoires, iii, p. 349, pl. 35, fig. 12, 1773, Cimex. Goeze, Ent. Beytr., ii, p. 270, 1778, Cimex. Retzius, Genera et Spec. Ins., p. 87, 1783, Cimex.

Amyot and Serville, Hémip., p. 384, 1843, Conorhinus. Stål, Berl. Ent. Zeit., iii, p. 106, 1859, Conorhinus. Stål, Hemip. Afr., iii, p. 142, 1865, Conorhinus. Stål, Hemip. Fabr., i, p. 123, 1868, Conorhinus. Stål, Enum. Hemip., ii, p. 111, 1872, Conorhinus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 331, 1876, Conorhinus. Uhler, Wheeler's Rept. Chief. Eng. for 1877, p. 1330, Conorhinus. Champion, Biol. Centr. Am., Heter., ii, p. 208, pl. 12, fig. 22, 1899, Conorhinus. Kirkaldy, Hawai. Forester and Agricul., i, p. 185, 1904 (distribution). gigas (Fabricius), Syst. Ent., p. 729, 1775, Reduvius. Fabricius, Spec. Ins., ii, p. 371, 1781, Reduvius. Fabricius, Mantissa Ins., ii, p. 309, 1787, Reduvius. Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2195, 1788, Cimex. Fabricius, Ent. Syst., iv, p. 193, 1794, Reduvius. Wolff, Icon. Cimic., iii, p. 119, fig. 113, 1802, Reduvius. Fabricius, Syst. Rhyng., p. 267, 1803, Reduvius. Laporte, Essai Classif. Syst. Hémip., p. 11, 1832. Burmeister, Handb. d. Ent., ii, p. 246, 1835, Conorhinus. Brullé, Hist. Nat. des Ins., ix, p. 324, 1835, Conorhinus. Spinola, Essai sur les Hémip., p. 108, 1837 (1840), Conorhinus. Blanchard, Hist. Nat. des Ins., Hémip., p. 108, 1840, Conorhinus. [hinus. Herrich-Schaeffer, Wanz. Ins., viii, p. 72, figs. 841, 842, 1848, Conorerythrozonias (Gmelin) in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, 1788, [Cimex.

stalii Signoret, Ann. Soc. Ent. Fr., Ser. 3, viii, p. 967, 1861, Conorhinus. Localities: Kan., Texas, Calif. (Neotropical, Africa, Asia.)

Genus **Spiniger** Burm. Logotype ater Lep. & Serv.

Burmeister, Handb. d. Ent., ii, p. 234, 1835. Hahn, Wanz. Ins., iii, p. 22, 1835. Amyot and Serville, Hémip., p. 334, 1843. Herrich-Schaeffer, Wanz. Ins., viii, p. 64, 1848. Stål, Stet. Ent. Zeit., xx, p. 395, 1859. Stål, Hemip. Afr., iii, p. 122, 1865. Stål, Berl. Ent. Zeit., xiii, p. 231, 1869. Stål, Enum. Hemip., ii, pp. 109, 113, 1872. Champion, Biol. Centr. Am., Heter., ii, p. 202, 1899. Fracker, Proc. Ia. Acad. Sci., xix, pp. 221, 230, 1913. ¶Zelurus Hahn, Icon. Monog. Cimic., pl. 6, 1826 (for ocellatus Hahn = See Bergroth, Ent. Mitt., ii, p. 11, 1913. [eburneus L. & S.). Acrocoris Hahn, Wanz. Ins., iii, pl. 80, 1835 (Spiniger on p. 22). Stål, Enum. Hemip., ii, p. 114, 1872 (as subgenus). Acidoparius Stål, Enum. Hemip., ii, p. 113, 1872 (as subgenus). Micracidius Stal, Enum. Hemip., ii, p. 114, 1872 (as subgenus). Opisthacidius Berg, Hemip. Argent., p. 172, 1879 (as subgenus). Pantopsilus Berg, Hemip. Argent., p. 172, 1879 (as subgenus).

743. Spiniger bicolor Stål

Stål, Stet. Ent. Zeit., xx, p. 396, 1859.
Stål, Berl. Ent. Zeit., xiii, p. 234, 1869.
Stål, Enum. Hemip., ii, p. 117, 1872.

Banks, Cat. Nearc. Hemip., p. 18, 1910.

Localities: Texas(?), Ariz.(?) (Banks). (Brazil.)

744. Spiniger arizonica Banks

Banks, Ent. News, xxi, p. 324, 1910.

Locality: Ariz.

Subfamily PIRATINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xlii, 321, 1843, Groupe Piratides.

Stål, Berl. Ent. Zeit., iii, p. 328, 1859, Peiratida.

Dohrn, Cat. Hemip., p. 50, 1859, Piratidae.

Stål, Hemip. Afr., iii, pp. 44, 112, 1865, Piratida.

Stål, Of. Vet. Akad. Forh., xxiii, p. 250, 1866, Piratida.

Stål, Hemip. Fabr., i, p. 120, 1868, Piratida.

Stål, Of. Vet. Akad. Forh., xxix, No. 6, pp. 43, 46, 1872, Piratina.

Stål, Enum. Hemip., ii, pp. 66, 104, 1872; iv, pp. 4, 56, 1874, Piratina.

Uhler, Check List, p. 25, 1886, Piratina.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 120, 1896, Piratidae.

Champion, Biol. Centr. Am., Heter., ii, p. 211, 1899, Piratinae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 290, 1904.

Oshanin, Verz. Palae. Hemip., i, p. 534, 1908, Piratina.

Banks, Cat. Nearc. Hemip., p. 18, 1910, Piratini.

Oshanin, Kat. Palae. Hemip., p. 51, 1912, Piratinac.

Fracker, Proc. Ia. Acad. Sci., xix, p. 220, 1913, Piratinae.

Genus Melanolestes Stål

Logotype picipes H. S.

Stål, Of. Vet. Akad. Forh., xxiii, pp. 251, 259, 1866.

Stål, Enum. Hemip., ii, pp. 105, 107, 1872; iv, p. 60, 1874 (as subgen. of

Provancher, Pet. Faune Ent. Can., iii, p. 183, 1887.

[Pirates).

Champion, Biol. Centr. Am., Heter., ii, p. 213, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, p. 220, 1913.

745. Melanolestes picipes (H. S.)

Herrich-Schaeffer, Wanz. Ins., viii, p. 62, 1848, Pirates.

Stål, Of. Vet. Akad. Forh., xxiii, p. 259, 1866.

Stål, Enum. Hemip., ii, p. 107, 1872.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 421, 1872.

Walker, Cat. Heter., vii, p. 97, 1873, Pirates.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 330, 1876.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1330.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 424, 1878.

Uhler, Stand. Nat. Hist., ii, p. 281, 1884.

Provancher, Pet. Faune Ent. Can., iii, p. 183, 1887.

Lintner, 4th Rept. N. Y. St. Ent., p. 109, 1888.

Uhler, Proc. Cal. Acad. Sci., Ser. 2, iv, p. 284, 1894.

Bueno and Brimley, Ent. News, xvii, p. 437, 1907.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 235, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 154, 1910.

Fracker, Proc. Ia. Acad. Sci., xix, p. 233, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.

pungens Leconte, Proc. Acad. Nat. Sci. Phila., vii, p. 404, 1856, Reduvius. Localities: Quebec, Me., Mass., N. Y., N. J., Pa., Del., Va., N. C., Ga., Ala., Fla., La., Ill., Texas, N. Mex., Okl., Calif.

746. Melanolestes abdominalis (H. S.)

Herrich-Schaeffer, Wanz. Ins., viii, p. 63, fig. 832, 1848, Pirates. Stål, Enum. Hemip., ii, p. 107, 1872 (as var. of picipes). Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 421, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 330, 1876. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1330. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 424, 1878. Uhler, Stand. Nat. Hist., ii, p. 281, 1884. Provancher, Pet. Faune Ent. Can., iii, p. 183, 1887. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 284, 1894. Champion, Biol. Centr. Am., Heter., ii, p. 214, 1899. Barber, Brookl. Inst., Sci. Bul., i, p. 284, 1906. Bueno, Jl. N. Y. Ent. Soc., xvi, p. 235, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 155, 1910. Fracker, Proc. Ia. Acad. Sci., xix, p. 233, 1913.

Localities: N. Y., N. J., Pa., Md., N. C., Okl., Texas, N. Mex., Calif.

Genus Rasahus Am. & Serv. Logotype sulcicollis Serv.

Amyot and Serville, Hémip., p. 325, 1843. Stål, Enum. Hemip., ii, p. 105, 1872. Walker, Cat. Heter., vii, p. 47, 1873.

Champion, Biol. Centr. Am., Heter., ii, p. 214, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, p. 220, 1913.

Macrosandalus Stål, Of. Vet. Akad. Forh., xxiii, pp. 251, 259, 1866 (type Walker, Cat. Heter., vii, pp. 85, 98, 1873. [albomaculatus Goeze). Sphodrocoris Stål, Of. Vet. Akad. Forh., xxiii, pp. 251, 261, 1866 (type Walker, Cat. Heter., vii, pp. 85, 98, 1873. [maculipennis Lep. & Serv.).

747. Rasahus biguttatus (Say)

Say, Ins. La., p. 13, 1832; Compl. Writ., i, p. 307, Petalocheirus.

Say, Heter. N. Harm., p. 33, 1832; Fitch reprint, p. 803; Compl. Writ., i, p.

Stål, Stet. Ent. Zeit., xxiii, p. 457, 1862, Pirates. [358, Petalocheirus.

Stål, Of. Vet. Akad. Forh., xxiii, p. 258, 1866, Callisphodrus.

Stål, Enum. Hemip., ii, p. 106, 1872.

Walker, Cat. Heter., vii, p. 98, 1873, Pirates.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 330, 1876.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1330.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 284, 1894.

Champion, Biol. Centr. Am., Heter., ii, p. 216, pl. 13, fig. 7, 1899.

Barber, Brookl. Inst., Sci., Bul., i, p. 284, 1906.

Bueno and Brimley, Ent. News, xviii, p. 437, 1907.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.

†mutillarius (Guerin), in Sagra, Hist. de Cuba, Ins., p. 410, 1857, Reduvius. Uhler in Say's Compl. Writ., i, p. 307, 1859.

Localities: N. C., Fla., La., Texas. (West Indies.)

[Has been confused with next. Uncertain localities omitted.]

748. Rasahus thoracicus Stål

Stål, Enum. Hemip., ii, p. 106, 1872. Bueno, Ent. News, xxiv, p. 22, 1913.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 13, 1914. Essig, Inj. Ben. Ins. Calif., edn. 2, p. 210, 1915. Localities: Ariz., Calif. (Mexico.)

749. Rasahus hamatus (Fabr.)

Fabricius, Spec. Ins., ii, p. 381, 1781, Reduvius. Fabricius, Mantissa Ins., ii, p. 312, 1787, Reduvius. Fabricius, Ent. Syst., iv, p. 203, 1794, Reduvius. Fabricius, Syst. Rhyng., p. 278, 1803, Reduvius. Stål, Hemip. Fabr., i, p. 121, 1868, Calliphodrus. Stål, Enum. Hemip., ii, p. 106, 1872. Bergroth, Revue d'Ent., xi, p. 262, 1892. (Synon. note.) Uhler, Proc. Zool. Soc. Lond. for 1894, p. 209. Champion, Biol. Centr. Am., Heter., ii, p. 217, pl. 13, fig. 8, 1899. Barber, Brookl. Inst., Sci. Bul., i, p. 285, 1906. [Cimex. uncinatus (Gmelin) in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2200, 1788, - Stoll, Abdl. u. Gesch. Wanz., p. 71, fig. 163, 1792 (Reduvius in mutillarius (Fabricius), Syst. Rhyng., p. 280, 1803, Reduvius. Herrich-Schaeffer, Wanz. Ins., viii, p. 61, fig. 829, 1848, Pirates. Stål, Of. Vet. Akad. Forh., xxiii, p. 258, 1866, Callisphodrus. Walker, Cat. Heter., vii, p. 98, 1873, Pirates. †maculipennis (Walker), Cat. Heter., vii, p. 101, 1873, Pirates. concisus (Walker), Cat. Heter., vii, p. 101, 1873, Pirates. Bergroth, Revue d'Ent., xi, p. 263, 1892, Pirates. indecisus (Walker), Cat. Heter., vii, p. 104, 1873, Pirates. contiguus (Walker), Cat. Heter., vii, p. 130, 1873, Pirates. sipolisii (Fallou), Le Naturaliste for 1887, p. 68. varipes (Fallou), Revue d'Ent., x, p. 10, 1891, Lestomerus. Localities: Texas. (Neotropical.)

Genus Sirthenea Spin. Haplotype carinata Fabr.

Spinola, Essai sur les Hémip., p. 100, 1837 (1840).
Spinola, Tavola Sinot., p. 45, 1850.
Stål, Hemip. Afr., iii, pp. 112, 113, 1865.
Stål, Of. Vet. Akad. Forh., xxiii, pp. 250, 252, 1866.
Stål, Enum. Hemip., ii, pp. 104, 105, 1872.
Walker, Cat. Heter., vii, p. 84, 1873.
Champion, Biol. Centr. Am., Heter., ii, p. 220, 1899.
Distant, Fauna Br. Ind., Rhyn., ii, p. 303, 1904.
Horvath, Ann. Mus. Natl. Hung., vii, p. 356, 1909 (monograph).
Fracker, Proc. Ia. Acad. Sci., xix, p. 220, 1913.

750. Sirthenea carinata (Fabr.)

Fabricius, Ent. Syst., Suppl., p. 545, 1798, Reduvius.
Coquebert, Illust. Icon. Ins., p. 42, pl. 10, fig. 15, 1799, Reduvius.
Fabricius, Syst. Rhyng., p. 278, 1803, Reduvius.
Le Peletier and Serville, Encyc Méth., x, p. 278, 1825, Reduvius.
Serville, Ann. Sci. Nat., xxiii, p. 221, 1831, Pirates.
Spinola, Essai sur les Hémip., p. 100, 1837 (1840).
Amyot and Serville, Hémip., p. 326, 1843, Rasahus.
Stål, Stet. Ent. Zeit., xxiii, p. 458, 1862, Rasahus.

Stål, Of. Vet. Akad. Forh., xxiii, p. 252, 1866.

Stål, Hemip. Fabr., i, p. 120, 1868.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 156, 1868, Pirates.

Stål, Enum. Hemip., ii, p. 105, 1872.

Walker, Cat. Hemip., vii, p. 97, 1873, Pirates.

Uhler, Proc. U. S. Geol. Geog. Surv., i, p. 329, 1876.

Champion, Biol. Centr. Am., Heter., ii, p. 220, 1899 (as syn. of stria Fabr.).

Bueno and Brimley, Ent. News, xviii, p. 437, 1907.

Horvath, Ann. Mus. Natl. Hung., vii, p. 361, 1909.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 176, 1909.

†stria Smith, Cat. Ins. N. J., edn. 3, p. 155, 1910. Fracker, Proc. Ia. Acad. Sci., xix, p. 233, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.

Localities: N. J., N. C., S. C., Ga., Fla., La., Texas, Calif.

(Mexico.)

Subfamily ECTRICHODIINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xliv, 342, 1843, Groupe Ectichodides.

Spinola, Tavola Sinot., pp. 44, 45, 1850, Ectrichodioideae.

Stål, Of. Vet. Akad. Forh., xvi, p. 175, 1859, Ectrichodides.

Stål, Berl. Ent. Zeit., iii, p. 328, 1859, Ectrichodiida.

Dohrn, Cat. Hemip., p. 49, 1859, Ectrichodidae.

Stål, Hemip. Afr., iii, pp. 44, 101, 1865, Ectrichodiida.

Stål, Enum. Hemip., ii, pp. 66, 101, 1872, Ectrichodiina.

Walker, Cat. Heter., vii, pp. 45, 47, 52, 79, 1873, Ectrichodida.

Stål, Enum. Hemip., iv, pp. 4, 45, 1874, Ectrichodiina.

Uhler, Check List., p. 25, 1886.

Champion, Biol. Centr. Am., Heter., ii, p. 221, 1899, Ectrichodiinae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 304, 1904, Ectrichodiinae.

Oshanin, Verz. Palae. Hemip., i, p. 540, 1908, Ectrichodina.

Banks, Cat. Nearc. Hemip., p. 17, 1910, Ectrichodini.

Oshanin, Kat. Palae. Hemip., p. 52, 1912, Ectrichodiinae.

Genus Rhiginia Stål

Haplotype lateralis Lep. & Serv.

Stål, Of. Vet. Akad. Forh., xvi, pp. 176, 181, 1859.

Stål, Hemip. Afr., iii, p. 102, 1865.

Walker, Cat. Heter., viii, p. 61, 1873 (as division 3 of Ectrichodia).

Kirkaldy, Entomol., xxxiii, p. 239, 1900.

Bergroth, Wien. Ent. Zeit., xxv, p. 5, 1906.

†Ectrichodia Stål, Enum. Hemip., ii, pp. 101, 102, 1872.

Walker, Cat. Heter., viii, p. 61, 1873.

Stål, Enum. Hemip., iv, p. 48, 1874.

Champion, Biol. Centr. Am., Heter., ii, p. 224, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 221, 234, 1913.

751. Rhiginia cruciata (Say)

Say, Heter. N. Harm., p. 33, 1832; Fitch reprint, p. 802; Compl. Writ., i, p. Stål, Enum. Hemip., ii, p. 103, 1872, Ectrichodia. [358, Petalocheirus.

Walker, Cat. Heter., viii, p. 56, 1873, Ectrichodia.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 329, 1876, Ectrichodia.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 425, 1878, Ectrichodia.
Champion, Biol. Centr. Am., Heter., ii, p. 226, 1899, Ectrichodia.
Distant, Ann. Mag. Nat. Hist., Ser. 7, x, p. 294, 1902, Ectrichodia.
Bueno and Brimley, Ent. News, xviii, p. 437, 1907, Ectrichodia.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 176, 1909, Ectrichodia.
Smith, Cat. Ins. N. J., edn. 3, p. 155, 1910, Ectrichodia.
Fracker, Proc. Ia. Acad. Sci., xix, p. 234, 1913, Ectrichodia.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914, Ectrichodia.
bicolor (Herrich-Schaeffer), Wanz. Ins., viii, p. 53, fig. 822, 1848, media (Walker), Cat. Heter., viii, p. 62, 1873, Ectrichodia. [Ectrychotes. Localities: N. J., Pa., Md., Ga., Fla., Ind., La., Texas, N. Mex.

752. Rhiginia cinctiventris Stål

Stål, Enum. Hemip., ii, p. 103, 1872, Ectrichodia.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 329, 1876, Ectrichodia.
Champion, Biol. Centr. Am., Heter., ii, p. 225, pl. 13, fig. 20, 1899, Ectrichodia.
Fracker, Proc. Ia. Acad. Sci., xix, p. 234, 1913, Ectrichodia.
Localities: Texas, N. Mex. (Mexico.)

Genus Pothea Am. & Serv. Logotype ventralis Lep. & Serv.

Amyot and Serville, Hémip., p. 344, 1843. Spinola, Tavola Sinot., p. 45, 1850. Stål, Of. Vet. Akad. Forh., xvi, pp. 176, 184, 1859. Stål, Hemip. Afr., iii, p. 102, 1865. Stål, Enum. Hemip., ii, pp. 101, 103, 1872; iv, p. 48, 1874. Champion, Biol. Centr. Am., Heter., ii, p. 221, 1899.

753. Pothea(?) aeneo-nitens Stål

Stål, Ann. Soc. Ent. Fr., Ser. 4, iv, p. 59, 1864.
Stål, Enum. Hemip., ii, p. 104, 1872.
Fracker, Proc. Ia. Acad. Sci., xix, p. 234, 1913.
Localities: "Am. Borealis" (probably in error).

Subfamily HAMMACERINAE (Stål)

Stål, Berl. Ent. Zeit., iii, p. 328, 1859, Hammacerida.
Stål, Stet. Ent. Zeit., xxiii, p. 455, 1862, Hammatoceridae.
Stål, Enum. Hemip., ii, pp. 66, 100, 1872; iv, p. 4, 1874, Hammatocerina.
Champion, Biol. Centr. Am., Heter., ii, p. 226, 1899, Hammatocerinae.
Banks, Cat. Nearc. Hemip., p. 17, 1910, Hammatocerini.
Fracker, Proc. Ia. Acad. Sci., xix, p. 221, 1913, Hammatocerinae.

Genus **Hammacerus** Lap. Orthotype conspicillaris Drury

Laporte, Essai Classif. Syst. Hémip., p. 79, 1832. Spinola, Essai sur les Hémip., p. 81, 1837 (1840). Spinola, Tavola Sinot., p. 45, 1850.

#Hammatocerus Burmeister, Handb. d. Ent., ii, p. 235, 1835.
Blanchard, Hist. Nat. des Ins., Hémip., p. 105, 1840.
Amyot and Serville, Hémip., p. 345, 1843.
Herrich-Schaeffer, Wanz. Ins., viii, p. 49, 1848.
Stål, Hemip. Afr., iii, p. 102, 1865.

Stål, Enum. Hemip., ii, p. 100, 1872. Walker, Cat. Heter., vii, pp. 47, 80, 1873. Fracker, Proc. Ia. Acad. Sci., xix, p. 221, 1913.

754. Hammacerus purcis (Drury)

[358, Nabis. Drury, Illust. Exot. Ent., iii, p. 63, pl. 45, fig. 4, 1782, Cimex. Say, Heter. N. Harm., p. 33, 1832; Fitch reprint, p. 803; Compl. Writ., i, p. Laporte, Essai Classif. Syst. Hémip., p. 79, 1832 (spelled furcis). Blanchard, Hist. Nat. de Ins. Hémip., p. 105, 1840 (furcis). Amyot and Serville, Hémip., p. 346, 1843 (furcis). Emmons, Nat. Hist. N. Y., Agr. v, p. 168, pl. 30, fig. 6, 1854. Stål, Enum. Hemip., ii, p. 100, 1872. Walker, Cat. Heter., viii, p. 65, 1873, Hammatocerus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 329, 1876, Hammatocerus. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 426, 1878 (Hammatocerus furcis). Bueno and Brimley, Ent. News, xvii, p. 437, 1907, Hammatocerus. Fracker, Proc. Ia. Acad. Sci., xix, p. 234, 1913, Hammatocerus. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914, Hammatocerus. nychthemerus Burmeister, Handb. d'Ent., ii, p. 236, 1835, Hammatocerus. Herrich-Schaeffer, Wanz. Ins., vi, p. 104, fig. 675, 1842, Hammatocerus. Localities: Va., N. C., S. C., Ga., Fla., Ala., Okl., Texas.

755. Hammacerus luctuosus Stål

Stål, Of. Vet. Akad. Forh., xi, p. 237, 1854, Hammatocerus.
Stål, Stet. Ent. Zeit., xxiii, p. 455, 1862, Hammatocerus.
Stål, Enum. Hemip., ii, p. 100, 1872, Hammatocerus.
Champion, Biol. Centr. Am., Heter., ii, p. 227, pl. 13, fig. 24, 1899, Hammato-Barber, Brookl. Inst., Sci. Bul., i, p. 285, 1906, Hammatocerus.

Fracker, Proc. Ia. Acad. Sci., xix, p, 234, 1913, Hammatocerus.

Localities: Texas. (Neotropical.)

Genus Homalocoris Perty Type varius Perty!

Perty, Delec. Anim. Artic., p. 216, 1834.

Stål, Hemip. Afr., iii, p. 102, 1865.

Stål, Enum. Hemip., ii, p. 100, 1872.

Champion, Biol. Centr. Am., Heter., ii, p. 227, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 221, 234, 1913.

||Platycoris Perty, Delec. Anim. Artic., p. 175, 1834 (not of Guerin).

756. Homalocoris minutus (Mayr)

Mayr, Ver. Zool.-Bot. Ges. Wien, xv, p. 439, 1866, Hammatocerus.
Stål, Enum. Hemip., ii, p. 101, 1872.
Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 170, 1906; pt. 2, p. 160, 1907.
Locality: Ariz.

757. Homalocoris maculicollis Stål

Stål, Enum. Hemip., ii, p. 101, 1872.
Champion, Biol. Centr. Am., Heter., ii, p. 228, pl. 13, fig. 22, 1899.
Banks, Cat. Nearc. Hemip., p. 17, 1910.
Fracker, Proc. Ia. Acad. Sci., xix, p. 235, 1913.
Localities: Ariz.(†). (Neotropical.)

758. Homalocoris guttatus (Walk.)

Walker, Cat. Heter., vii, p. 181, 1873, Reduvius.

Champion, Biol. Centr. Am., Heter., ii, p. 229, pl. 13, fig. 26, 1899.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 38, 1910.

Localities: Ariz. (Mexico.)

Subfamily APIOMERINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xliv, 350, 1843, Groupe Apiomerides.

Stål, Berl. Ent. Zeit., iii, p. 328, 1859, Apiomerida.

Dohrn, Cat. Hemip., p. 50, 1859, Apiomeridae.

Stål, Hemip. Afr., iii, p. 44, 1865, Apiomerida.

Stål, Of. Vet. Akad. Forh., xxiii, p. 247, 1866, Apiomerida.

Stål, Enum. Hemip., ii, pp. 66, 92, 1872, Apiomerina.

Walker, Cat. Heter., vii, pp. 45, 48, 70, 1873; viii, p. 66, 1873, Apiomeridae.

Stål, Enum. Hemip., iv, pp. 3, 44, 1874, Apiomerina.

Uhler, Check List, p. 24, 1886, Apiomerina.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 144, 1896, Apiomeridae.

Champion, Biol. Centr. Am., Heter., ii, p. 229, 1899.

Distant, Fauna Br. Ind., Rhyn., ii, p. 326, 1904.

Banks, Cat. Nearc. Hemip., p. 16, 1910, Apiomerini.

Fracker, Proc. Ia. Acad. Sci., xix, p. 222, 1913.

Ectinoderida Stål, Berl. Ent. Zeit., iii, p. 328, 1859.

Stål, Hemip. Afr., iii, pp. 44, 99, 1865.

Genus Apiomerus Lap. Orthotype hirtipes Fabr.

Hahn, Wanz. Ins., i, p. 29, 1831 (invalid here).

Laporte, Essai Classif. Syst. Hémip., p. 82, 1832.

Burmeister, Handb. d. Ent., ii, p. 230, 1835.

Brullé, Hist. Nat. des Ins., ix, p. 318, 1835.

Spinola, Essai sur les Hémip., p. 108, 1837 (1840).

Blanchard, Hist. Nat. des. Ins., Hémip., p. 102, 1840.

Amyot and Serville, Hémip., p. 351, 1843.

Spinola, Tavola Sinot., p. 46, 1850.

Stål, Of. Vet. Akad. Forh., xxiii, pp. 247, 249, 1866.

Stål, Hemip. Fabr., i, p. 116, 1868.

Stål, Enum. Hemip., ii, pp. 94, 95, 1872.

Walker, Cat. Heter., vii, pp. 48, 72, 1873; viii, p. 66, 1873.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1330 (Apiomerina by error).

Champion, Biol. Centr. Am., Heter., ii, p. 230, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, p. 235, 1913.

Subgenus Apiomerus Lap.

Stål, Enum. Hemip., ii, p. 96, 1872.

759. Apiomerus subpiceus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 454, 1862.

Stål, Enum. Hemip., ii, p. 97, 1872.

Champion, Biol. Centr. Am., Heter., ii, p. 237, pl. 14, fig. 12, 1889.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906; pt. 2, p. 160, 1907.

Banks, Cat. Nearc. Hemip., p. 16, 1910.

Fracker, Proc. Ia. Acad. Sci., xix, p. 235, 1913.

Localities: Ariz. (Neotropical.)

760. Apiomerus moestus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 455, 1862.

Stål, Enum. Hemip., ii, p. 97, 1872.

Champion, Biol. Centr. Am., Heter., ii, p. 239, pl. 14, figs. 19, 20, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, p. 236, 1913.

Localities: Ariz. (Mexico.)

761. Apiomerus longispinis Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 239, pl. 14, fig. 18, 1899.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 160, 1907.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 38, 1910, longispinus.

Fracker, Proc. Ia. Acad. Sci., xix, p. 236, 1913.

Localities: Ariz. (Mexico.)

762. Apiomerus immundus Bergr.

Bergroth, Bul. Soc. Ent. Fr. for 1898, p. 307.

Champion, Biol. Centr. Am., Heter., ii, p. 238, pl. 14, fig. 17, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, p. 236, 1913.

Localities: Calif. (Mexico.)

763. Apiomerus repletus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 329, 1876.

Fracker, Proc. Ia. Acad. Sci., xix, p. 236, 1913.

Locality: Calif.

Subgenus Herega Am. & Serv.

Haplotype rubrolimbata Am. & Serv. = crassipes Fabr.

Amyot and Serville, Hémip., p. 354, 1843.

Stål, Enum. Hemip., ii, p. 98, 1872.

764. Apiomerus crassipes (Fabr.)

Fabricius, Syst. Rhyng., p. 273, 1803, Reduvius.

Say, Am. Ent., ii, pl. 31, 1825; Compl. Writ., i, p. 72, pl. 31, fig. 4, Reducius.

Stål, Hemip. Fabr., i, p. 117, 1868.

Stål, Enum. Hemip., ii, p. 98, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 328, 1876.

Uhler, Stand. Nat. Hist., ii, p. 281, 1884.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 284, 1894.

Champion, Biol. Centr. Am., Heter., ii, p. 242, 1899.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 176, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 155, 1910.

Heidemann, Proc. Ent. Soc. Wash., xiii, p. 135, 1911 (egg).

Fracker, Proc. Ia. Acad. Sci., xix, p. 236, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 13, 1914.

linitaris (Say), Heter. N. Harm., p. 31, 1832; Fitch reprint, p. 800; Compl.

[Writ., i, p. 355, Reduvius.

rubrolimbata Amyot and Serville, Hémip., p. 354, 1843, Herega.

Localities: N. J., N. C., Fla., Ind., Neb., Kan., Colo., Utah, La., Texas, Ariz., Calif., Vanc. Isd.

765. Apiomerus spissipes (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 328, 1825; Compl. Writ., ii, p. 250, [Reduvius.

Say, Am. Ent., ii, pl. 31, 1825; Compl. Writ., i, p. 72, pl. 31, fig. 3, Reduvius. Stål, Enum. Hemip., ii, p. 98, 1872.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 420, 1872, Herega.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 328, 1876; iii, p. 429, 1877.

Champion, Biol. Centr. Am., Heter., ii, p. 241, pl. 14, fig. 25, 1899.

Barber, Brookl. Inst. Sci. Bul., i, p. 285, 1906.

Morrill, U. S. Dept. Agr., Bur. Ent., Bul. 63, pt. 4, p. 49, 1907.

Fracker, Proc. Ia. Acad. Sci., xix, p. 236, 1913.

Localities: Colo., Ariz., Texas. (Mexico.)

766. Apiomerus flaviventris H. S.

Herrich-Schaeffer, Wanz. Ins., viii, p. 77, fig. 847, 1853.

Stål, Enum. Hemip., ii, p. 98, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 328, 1876; iii, p. 429, 1877.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1330.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 284, 1894.

Fracker, Proc. Ia. Acad. Sci., xix, p. 236, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.

Localities: Fla., Colo., N. Mex., Texas, Ariz., Calif. (Mexico.)

767. Apiomerus pictipes H. S.

Herrich-Schaeffer, Wanz. Ins., viii, p. 75, fig. 843, 1853.

Stål, Enum. Hemip., ii, p. 98, 1872.

Gillette and Baker, Hemip. Colo., p. 60, 1895.

Champion, Biol. Centr. Am., Heter., ii, p. 243, pl. 14, figs. 28, 29, 30, 31, 1899.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 364, 1904.

Fracker, Proc. Ia. Acad. Sci., xix, p. 236, 1913.

Localities: Colo., N. Mex. (Neotropical.)

Subfamily HARPACTORINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xlv, 355, 1843, Groupe Harpactorides.

Spinola, Tavola Sinot., p. 45, 1850, Harpactoroideae.

Dohrn, Cat. Hemip., p. 44, 1859, Harpactorina.

Walker, Cat. Heter., viii, p. 75, 1873, Harpactoridae.

Puton, Cat. Hémip. Palae., p. 39, 1886, Div. Harpactoraria.

Reuter, Revue d'Ent., vi, p. 149, 1887, Harpactorina.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 150, 1896, Harpactoridae.

Champion, Biol. Centr. Am., Heter., ii, p. 244, 1899, Harpactorinae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 329, 1904, Harpactorinae.

Oshanin, Verz. Palae. Hemip., i, p. 544, 1908, Harpactorina.

Oshanin, Kat. Palae. Hemip., p. 52, 1912, Harpactorinae.

†Reduvides Stål, Of. Vet. Akad. Forh., xvi, p. 195, 1859. Stål, Hemip. Afr., iii, pp. 43, 46, 1865, Reduviida.

[tables).

Stål, Of. Vet. Akad. Forh., xxiii, pp. 263, 283, 292, 1866 (synoptic

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 60, 1872, Reduviina.

Stål, Enum. Hemip., ii, pp. 66, 67, 1872, Reduviina.

Walker, Cat. Heter., vii, pp. 51, 52, 53, 1873.

Stål, Enum. Hemip., iv, pp. 3, 6, 1874, Reduviina.

Uhler, Check List, p. 23, 1886, Reduviina.

TRIBE ZELINI (Am. & Serv.)

Amyot and Serville, Hémip., pp. xlvi, 367, 1843, Zelides. Stål, Of. Vet. Akad. Forh., xvi, pp. 196, 366, 1859 (without name, gives key). Banks, Cat. Nearc. Hemip., p. 15, 1910.

Fracker, Proc. Ia. Acad. Sci., xix, p. 237, 1913, Zelinae.

†Reduviida Stål, Berl. Ent. Zeit., iii, p. 328, 1859.

Stål, Stet. Ent. Zeit., xxiii, p. 446, 1862.

[key to genera).

Stål, Of. Vet. Akad. Forh., xxiii, p. 292, 1866 (without name, with Harpactoraria Distant, Fauna Br. Ind., Rhyn., ii, p. 331, 1904.

Genus Zelus Fabr.

Orthotype longipes Linn.

Fabricius, Syst. Rhyng., p. 281, 1803.

Latreille, Hist. Nat. Crust. Ins., xii, p. 260, 1804 (for longipes Linn.).

Latreille, Genera Crust. Ins., iii, p. 129, 1807.

Latreille, Consid. Génl., p. 433, 1810 (names longipes type).

Leach, Brewster's Edinbg. Encyc., ix, p. , 1815.

Le Peletier and Serville, Encyc. Méth., p. 815, 1825.

Laporte, Essai Classif. Syst. Hémip., p. 9, 1832 (names festinans Fabr. pseudo-

Brullé, Hist. Nat. des Ins., ix, p. 316, 1835. [type

Burmeister, Handb. d. Ent., ii, p. 225, 1835 (incorrect as to species).

Blanchard, Hist. Nat. des Ins., Hémip., p. 100, 1840.

Stål, Stet. Ent. Zeit., xxii, p. 148, 1861.

Stål, Stet. Ent. Zeit., xxiii, p. 449, 1862.

Stål, Hemip. Fabr., i, p. 107, 1868.

Stål, Enum. Hemip., ii, p. 88, 1872.

Champion, Biol. Centr. Am., Heter., ii, p. 251, 1898.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 223, 238, 1913.

†Euagoras Herrich-Schaeffer, Wanz. Ins., viii, p. 43, 1853.

[Stål, 1866, restricts Euagorus Burm. to stolli and allies.]

‡ Evagoras Amyot and Serville, Hémip., p. 368, 1843.

[See Hemip. Afr., iii, p. 51, 1865.]

Provancher, Pet. Faune Ent. Can., iii, p. 182, 1887.

†Arilus Spinola, Tavola Sinot., p. 48, 1850 (part).

Subgenus Zelus Fabr.

Stål, Stet. Ent. Zeit., xxiii, p. 449, 1862.

Stål, Of. Vet. Akad. Forh., xxiii, p. 296, 1866 (as genus).

Stål, Enum. Hemip., ii, p. 88, 1872.

768. Zelus bilobus Say

Say, Ins. La., p. 12, 1832; Compl. Writ., i, p. 306.

Stål, Stet. Ent. Zeit., xxiii, p. 449, 1862 (as var. of longipes Linn.).

Stål, Enum. Hemip., ii, p. 88, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 327, 1876.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 176, 1909.

Bueno and Englehardt, Can. Ent., xlii, p. 150, 1910.

Fracker, Proc. Ia. Acad. Sci., xix, p. 239, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 505, 1914.

Localities: N. C., S. C., Ga., Fla., La., Texas.

769. Zelus pictipes Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 255, pl. 15, fig. 14, 1899.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906.

Localities: Ariz. (Mexico, Guatamala.)

770. Zelus cervicalis Stål

Stål, Enum. Hemip., ii, p. 90, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 327, 1876.

Champion, Biol. Centr. Am., Heter., ii, p. 255, 1899.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 177, 1909.

Bueno and Engelhardt, Can. Ent., xlii, p. 150, 1910.

Fracker, Proc. Ia. Acad. Sci., xix, p. 239, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914.

marginata (Provancher), Pet. Faune Ent. Can., iii, p. 182, 1887, Evagoras. Fracker, Proc. Ia. Acad. Sci., xix, p. 240, 1913.

Localities: Ont. (accidental?), Va., N. C., S. C., Fla., La., Texas, Ariz., Calif. (Mexico.)

Subgenus Diplocodus Kirk.

Logotype armillatus Lep. & Serv.

Kirkaldy, Entomologist, xxxiii, p. 242, 1900 (n.n. for Diplodus Am. & Serv.). ||Diplodus Amyot and Serville, Hémip., p. 370, 1843 (as distinct genus). Stål, Stet. Ent. Zeit., xxiii, p. 450, 1862.

Stål, Of. Vet. Akad. Forh., xxiii, p. 296, 1866 (as distinct genus).

Stål, Enum. Hemip., ii, p. 90, 1872.

Walker, Cat. Heter., vii, p. 66, 1873; viii, p. 123, 1873.

Fracker, Proc. Ia. Acad. Sci., xix, p. 239, 1913.

\$Diploda Walker, Cat. Heter., vii, p. 49, 1873 (error for Diplodus).

†Darbanus Provancher, Pet. Faune Ent. Can., iii, p. 181, 1887.

Fracker, Proc. Ia. Acad. Sci., xix, p. 241, 1913.

771. Zelus exsanguis (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 452, 1862, Diplodus.

Stål, Enum. Hemip., ii, p. 91, 1872, Diplodus.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 283, 1894, Diplodus.

Champion, Biol. Centr. Am., Heter., ii, p. 259, pl. 15, fig. 23, 1899, Zelus Barber, Brookl. Inst., Sci. Bul., i, p. 285, 1906. [(excl. synon.).

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907.

Parshley, Psyche, xxi, p. 144, 1914.

Reduvius sp., Emmons, Nat. Hist. N. Y., Agr., v, p. 168, pl. 7, fig. 3, 1854. luridus Stål, Stet. Ent. Zeit., xxiii, p. 452, 1862, Diplodus.

Stål, Enum. Hemip., ii, p. 91, 1872, Diplodus.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 420, 1872, Diplodus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 327, 1876; iii, p. 429, 1877,

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 427, 1878, Diplodus. [Diplodus.

Provancher, Pet. Faune Ent. Can., iii, p. 181, 1887, Diplodus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 183, 1894, Diplodus.

Gillette and Baker, Hemip. Colo., p. 60, 1895, Diplodus.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 364, 1904, Zelus.

Smith, Cat. Ins. N. J., edn. 3, p. 155, 1910, Zelus.

Bueno and Engelhardt, Can. Ent., xlii, p. 150, 1910, Zelus.

Van Duzee, Can. Ent., xliv, p. 324, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914.

georgiae (Provancher), Nat. Can., iv, p. 106, 1872, Darbanus.

Provancher, Pet. Faune Ent. Can., iii, p. 181, 1887, Darbanus. palliatus (Provancher), Pet. Faune Ent. Can., iii, p. 182, 1887, Darbanus.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., N. C., S. C., Fla., Colo., Texas, Ariz., Calif.

772. Zelus laevicollis Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 260, pl. 15, fig. 24, 1899, Zelus. Banks, Cat. Nearc. Heter., p. 16, 1910, Zelus.

Localities: Texas. (Mexico.)

773. Zelus renardii Kolen.

Kolenati, Melet. Ent., vi, p. 42, pl. 3, fig. 2, 1857, Zelus.

Stål, Enum. Hemip., ii, p. 91, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 328, 1876, Diplodus.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 283, 1894, Diplodus.

?peregrinus Kirkaldy, Fauna Hawaii, iii, p. 149, 1902, Zelus.

Kirkaldy, Can. Ent., xxxxix, p. 247, 1907, Zelus. [Diplocodus.

†exsanguis Van Duzee, Trans. San. Diego Soc. Nat. Hist., ii, p. 13, 1914,

Localities: Calif. (Mexico, Hawai. Isds.?)

Subgenus **Pindus** Stål Haplotype tetracanthus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 454, 1862.

Stål, Of. Vet. Akad. Forh., xxiii, p. 296, 1866 (as distinct genus).

Stål, Enum. Hemip., ii, p. 92, 1872.

Walker, Cat. Heter., vii, p. 66, 1873.

Fracker, Proc. Ia. Acad. Sci., xix, p. 240, 1913.

774. Zelus socius Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 420, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 328, 1876.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1329.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 284, 1894.

Gillette and Baker, Hemip. Colo., p. 60, 1895, Diplodus.

Barber, Brookl. Inst., Sci. Bul., i, p. 286, 1906, Zelus.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 235, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 177, 1909.

Fracker, Proc. Ia. Acad. Sci., xix, p. 240, 1913, Zelus.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 13, 1914.

Localities: Fla., Ill., Kan. Dak., Colo., Utah, N. Mex., Ariz., Calif., Idaho.

775. Zelus audax Banks

Banks, Ent. News, xxi, p. 325, 1910, Zelus.

Fracker, Proc. Ia. Acad. Sci., xix, p. 240, 1913.

Localities: Ont., Me., N. Y., Va.

776. Zelus occiduus Bueno

Bueno, Ent. News, xxiv, p. 22, 1913.

Localities: Calif.

Genus Rhynocoris Hahn

Logotype crucntus Fabr. = iracundus Poda

Hahn, Wanz. Ins., ii, p. 20, 1834.

Kolenati, Melet. Ent., vi, p. 42, 1857, Rhinocoris.

Stål, Of. Vet. Akad. Forh., xxiii, p. 284, 1866, Rhinocoris.

```
Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 46, 1872 (as subgenus).
Stål, Enum. Hemip., iv, p. 40, 1874 (as subgenus).
Kirkaldy, Entomologist, xxxiii, p. 242, 1900.
Reuter, Of. Finska, Vet. Soc. Forh., liv, Afd. A, No. 7, p. 20, 1912.
Oshanin, Kat. Palae. Hemip., p. 53, 1912, Rhinocoris.
  †Harpactor Burmeister, Handb. d. Ent., ii, p. 229, 1835 (part).
      Spinola, Essai sur les Hémip., p. 117, 1837 (1840).
      Blanchard, Hist. Nat. des Ins., Hemip., p. 102, 1840 (as subgen.).
      Amyot and Serville, Hémip., p. 364, 1843.
      Dohrn, Cat. Hemip., p. 45, 1859.
      Flor, Rhyn. Livl., i, p. 681, 1860.
      Fieber, Europ. Hemip., pp. 42, 152, 1861.
      Walker, Cat. Heter., viii, p. 94, 1873.
      Puton, Synop. Hemip. Fr., i, p. 176, 1879.
      Puton, Cat. Hémip. Palae., edn. 3, p. 39, 1886.
                                                               [pseudotype).
      Reuter, Rev. Synon., p. 350, No. 318, 1888 (names annulatus Linn.
      Lethierry and Severin, Cat. Génl. Hémip., iii, p. 157, 1896.
      Bergroth, Ent. News., viii, p. 96, 1897.
      Distant, Fauna Br. Ind., Rhyn., ii, p. 332, 1904.
      Oshanin, Verz. Palae. Hemip., i, p. 546, 1908.
      Banks, Cat. Nearc. Hemip., p. 17, 1912.
  †Reduvius Stål, Hemip. Afr., iii, pp. 54, 75, 1865.
      Stål, Of. Vet. Akad. Forh., xxiii, pp. 283, 284, 1866.
      Stål, Hemip. Fabr., i, p. 110, 1868.
      Stål, Of. Vet. Akad. Forh., xxix, No. 6, p. 45, 1872.
      Stål, Enum. Hemip., iv, p. 37, 1874.
   Oncauchenius Stal, Of. Vet. Akad. Forh., xxix, No. 6, p. 46, 1872 (as sub-
      Stål, Enum. Hemip., iv, p. 39, 1874 (as subgenus).
                                                                    [genus).
   Hypertolmus Stål, Enum. Hemip., iv, p. 37, 1874 (subgen., type nitidulus
   Diphymus Stål, Enum. Hemip., iv, p. 37, 1874 (as subgenus).
   Chirillus Stål, Enum. Hemip., iv, p. 38, 1874 (as subgenus).
   Lamphrius Stål, Enum. Hemip., iv, p. 39, 1874 (as subgenus).
   Harpiscus Stål, Enum. Hemip., iv, p. 39, 1874 (as subgenus).
   Taeniorphus Stal, Enum. Hemip., iv, p. 40, 1874 (as subgenus).
   Charontus Stål, Enum. Hemip., iv, p. 41, 1874 (as subgenus).
   Coranideus Reuter, Acta Soc. Sci. Fenn., xii, p. , 1881 (reprint, p. 28).
      [Subgenera Zostus Stål, Dinocleptes Stål, Agricolopius Stål, and Apre-
```

777. Rhynocoris ventralis (Say)

America.]

polestes Stål, Enum. Hemip., iv, pp. 37-41, are not found in

Say, Heter. N. Harm., p. 31, 1832; Fitch reprint, p. 800; Compl. Writ., i, p. Stål, Enum. Hemip., ii, p. 128, 1872. (Genus?) [355, Reduvius. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 328, 1876, Apiomerus. Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 508, 1877, Apiomerus. Uhler, Proc. Ent. Soc. Wash., ii, p. 382, 1893, Apiomerus. Gillette and Baker, Hemip. Colo., p. 60, 1895, Apiomerus. Parshley, Psyche, xxi, p. 144, 1914, Apiomerus.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 13, 1914. Parshley, Ent. News, xxxvii, p. 105, 1916, Apiomerus.

Localities: Me., Mass., Mo., Neb., N. D., Sask., Colo., Utah, Calif.

a. var. americanus Bergr.

Bergroth, Ent. News, viii, p. 96, 1897, Harpactor. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 13, 1914. Locality: Calif.

b. var. annulipes Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 13, 1914. Locality: Calif.

c. var. femoralis Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 13, 1914. Locality: Calif.

778. Rhynocoris leucospilus (Stål)

Stål, Of. Vet. Akad. Forh., xvi, p. 203, 1859, Reduvius.

Stål, Enum. Hemip., iv, p. 43, 1874. (Genus?)

Reuter, Acta Soc. Sci. Fenn., xii, p. , 1881 (separata, p. 27), Reduvius.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 160, 1876, Harpactor.

Bergroth, Ent. News, viii, p. 96, 1897.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908, Harpactor.

dybowskyi (Jakowlef), Bul. Soc. Imp. Nat. Mosc., iii, p. 123, 1876, fieberi Nowicki, Nowe Owady, p. 1 (unknown to Oshanin). [Harpactor.

Localities: Sitka. (Palaearctic.)

Genus Pselliopus Bergr.

Haplotype ornaticeps Stål

Bergroth, Revue d'Ent., xxiv, p. 112, 1905 (n.n. for Milyas Stål).

Fracker, Proc. Ia. Acad. Sci., xix, pp. 223, 237, 1913.

|| Milyas Stål, Rio Jan. Hemip., ii, p. 61, 1862.

Stål, Of. Vet. Akad. Forh., xxiii, p. 295, 1866.

Stål, Enum. Hemip., ii, p. 86, 1872.

Champion, Biol. Centr. Am., Heter., ii, p. 244, 1899.

779. Pselliopus cinctus (Fabr.)

Fabricius, Genera Ins., p. 302, 1776, Reduvius.

Fabricius, Spec. Ins., ii, p. 379, 1778, Reduvius.

Fabricius, Mantissa Ins., ii, p. 310, 1787, Reduvius.

Fabricius, Ent. Syst., iv, p. 199, 1794, Reduvius.

Fabricius, Syst. Rhyng., p. 272, 1803, Reduvius.

Herrich-Schaeffer, Wanz. Ins., viii, p. 83, fig. 853, 1848, Harpactor.

Stål, Stet. Ent. Zeit., xxiii, p. 448, 1862, Milyas.

Stål, Hemip. Fabr., i, p. 106, 1868, Milyas.

Stål, Enum. Hemip., ii, p. 87, 1872, Milyas.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 420, 1872, Milyas.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 328, 1876, Milyas.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 427, 1878, Milyas.

Uhler, Stand. Nat. Hist., ii, p. 282, 1884, Milyas.

Gillette and Baker, Hemip. Colo., p. 59, 1895, Milyas.

Bueno and Brimley, Ent. News, xviii, p. 437, 1907, Milyas.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 177, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 155, 1910.

Fracker, Proc. Ia. Acad. Sci., xix, p. 237, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914. [1788, Cimex. praecinctus (Gmelin) in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2198,

Localities: Mass., Conn., N. Y., N. J., Pa., Va., N. C., Ga., Fla., Ohio, Ill., Colo., Wyom., Okl., Texas.

780. Pselliopus barberi Davis

Davis, Psyche, xix, p. 21, 1912.

Localities: Md., Va., Ohio, Mo., Kan., Texas.

781. Pselliopus zebra (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 448, 1862, Milyas.

Stål, Enum. Hemip., ii, p. 87, 1872, Milyas.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 328, 1876, Milyas.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 283, 1894, Milyas.

Champion, Biol. Centr. Am., Heter., ii, p. 247, pl. 15, figs. 5, 6, 1899, Milyas.

Fracker, Proc. Ia. Acad. Sci., xix, p. 237, 1913.

Localities: Ariz., Calif. (Mexico.)

782. Pselliopus spinicollis (Champ.)

Champion, Biol. Centr. Am., Heter., ii, p. 245, pl. 15, fig. 2, 1899, Milyas.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 39, 1910, Milyas.

Fracker, Proc. Ia. Acad. Sci., xix, p. 237, 1913.

Localities: Idaho, Ariz., Calif. (Mexico.)

783. Pselliopus inermis (Champ.)

Champion, Biol. Centr. Am., Heter., ii, p. 246, pl. 15, fig. 4, 1899, Milyas.

Barber, Jl. N. Y. Ent. Soc., xviii, p. 39, 1910, Milyas.

Fracker, Proc. Ia. Acad. Sci., xix, p. 237, 1913.

Localities: Ariz. (Mexico.)

Genus Castolus Stål

Haplotype plagiaticollis Stål

Stål, Of. Vet. Akad. Forh., xv, p. 447, 1858; xxiii, p. 294, 1866. Stål, Enum. Hemip., ii, p. 80, 1872.

Champion, Biol. Centr. Am., Heter., ii, p. 278, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 224, 243, 1913.

784. Castolus subinermis (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 447, 1862, Repipta.

Stål, Enum. Hemip., ii, p. 80, 1872.

Champion, Biol. Centr. Am., Heter., ii, p. 280, pl. 17, fig. 6, 1899.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906.

Localities: Ariz. (Mexico.)

785. Castolus ferox (Banks)

Banks, Ent. News, xxi, p. 325, 1910, Zelus.

Bergroth, Ent. News, xxiv, p. 265, 1913.

Fracker, Proc. Ia. Acad. Sci., xix, p. 243, 1913.

Locality: Ariz.

Genus Repipta Stål

Logotype lineatus Am. & Serv. = taurus Fabr.

Stål, Of. Vet. Akad. Forh., xvi, pp. 366, 369, 1859.

Stål, Stet. Ent. Zeit., xxiii, p. 446, 1862.

Stål, Of. Vet. Akad. Forh., xxiii, p. 293, 1866.

Stål, Enum. Hemip., ii, pp. 69, 80, 1872.

Champion, Biol. Centr. Am., Heter., ii, p. 267, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 224, 241, 1913. [cornis Stål.]

Spinda Stål, Of. Vet. Akad. Forh., xvi, p. 371, 1859. (Haplotype spissi-

786. Repipta taurus (Fabr.)

Fabricius, Syst. Rhyng., p. 291, 1803, Zelus. Stål, Stet. Ent. Zeit., xxiii, p. 446, 1862.

Stål, Enum. Hemip., ii, p. 80, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 327, 1876.

Gillette and Baker, Hemip. Colo., p. 59, 1895.

Champion, Biol. Centr. Am., Heter., ii, p. 269, pl. 16, fig. 13, 1899.

Barber, Brookl. Inst., Sci. Bul., i, p. 286, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 177, 1909.

Fracker, Proc. Ia. Acad. Sci., xix, p. 242, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914.

lineatus (Amyot and Serville), Hémip., p. 373, 1843, Zelus.

Stål, Of. Vet. Akad. Forh., xvi, p. 369, 1859.

Localities: Pa., "Carolina," Fla., Colo., Texas. (Mexico.)

787. Repipta mucosa Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 271, pl. 16, fig. 17, 1899. Localities: Texas. (Central America.)

788. Repipta flavicans (A. & S.)

Amyot and Serville, Hémip., p. 374, 1843, Zelus.

Stål, Of. Vet. Akad. Forh., xvi, p. 369, 1859.

Stål, Stet. Ent. Zeit., xxiii, p. 447, 1862, Zelus.

Stål, Enum. Hemip., ii, p. 80, 1872.

Walker, Cat. Heter., viii, p. 132, 1873, Zelus.

Berg, Hemip. Argent., p. 147, 1879.

Champion, Biol. Centr. Am., Heter., ii, p. 269, pl. 16, fig. 14, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, p. 242, 1913.

lateralis (Herrich-Schaeffer), Wanz. Ins., ix, p. 120, 1853, Zelus. ochraceus (Herrich-Schaeffer), Wanz. Ins., ix, p. 121, 1853, Zelus.

varipes (Herrich-Schaeffer), Wanz. Ins., ix, p. 121, 1853, Zelus.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 139, 1868.

Stål, Enum. Hemip., ii, p. 80, 1872.

Localities: Texas (not Ill. as per Fracker). (Neotropical.)

Genus Fitchia Stål Haplotype aptera Stål

Stål, Of. Vet. Akad. Forh., xvi, pp. 367, 370, 1859; xxiii, p. 293, 1866.

Stål, Enum. Hemip., ii, pp. 69, 79, 1872.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 223, 242, 1913.

789. Fitchia aptera Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 371, 1859.

Heidemann, Proc. Ent. Soc. Wash., iv, p. 123, 1897.

Fracker, Proc. Ia. Acad. Sci., xix, p. 243, 1913.

Parshley, Psyche, xxi, p. 144, 1914.

nigro-vittata Stål, Of. Vet. Akad. Forh., xxiii, p. 296, 1866 (n.n. for aptera).

Stål, Enum. Hemip., ii, p. 79, 1872.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 419, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 327, 1876.

Uhler, Proc. Ent. Soc. Wash., ii, p. 382, 1893.

Gillette and Baker, Hemip. Colo., p. 59, 1895.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 32, 1910.
Smith, Cat. Ins. N. J., edn. 3, p. 155, 1910.
Localities: Me., Mass., N. Y., N. J., Pa., S. C., Ill., Kan.

Localities: Me., Mass., N. Y., N. J., Pa., S. C., Ill., Kan., Colo., Utah, Okl., Texas.

790. Fitchia spinosula Stål

Stål, Enum. Hemip., ii, p. 79, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 327, 1876.
Gillette and Baker, Hemip. Colo., p. 59, 1895.
Fracker, Proc. Ia. Acad. Sci., xix, p. 242, 1913.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914.
Localities: Ga., Fla., Texas, Colo.

Genus Rocconota Stål Logotype sextuberculata Stål

Stål, Of. Vet. Akad. Forh., xvi, pp. 366, 370, 1859; xxiii, p. 293, 1866.
Stål, Enum. Hemip., ii, pp. 69, 79, 1872.
Champion, Biol. Centr. Am., Heter., ii, p. 272, 1899.
Fracker, Proc. Ia. Acad. Sci., xix, pp. 223, 242, 1913.

791. Rocconota annulicornis (Stål)

Stål, Enum. Hemip., ii, p. 77, 1872, Heza.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 283, 1894, Heza.

Champion, Biol. Centr. Am., Heter., ii, p. 273, pl. 16, fig. 21, 1899.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 153, 1906.

Barber, Brookl. Inst., Sci. Bul., i, p. 286, 1906.

Smith, Cat. Ins. N. J., edn. 3, p. 156, 1910.

Fracker, Proc. Ia. Acad. Sci., xix, p. 242, 1913.

Localities: N. J., Texas. (Mexico.)

Genus Atrachelus Am. & Serv.

Haplotype heterogeneus Am. & Serv. = cinereus (Fabr.)

Amyot and Serville, Hémip., p. 374, 1843. Stål, Of. Vet. Akad. Forh., xxiii, p. 293, 1866. Stål, Enum. Hemip., ii, pp. 66, 78, 1872. Champion, Biol. Centr. Am., Heter., ii, p. 283, 1899. Fracker, Proc. Ia. Acad. Sci., xix, pp. 224, 244, 1913.

792. Atrachelus cinereus (Fabr.)

Fabricius, Ent. Syst., Suppl., p. 545, 1796, Reduvius.
Fabricius, Syst. Rhyng., p. 287, 1803, Zelus.
Stål, Enum. Hemip., ii, p. 78, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 327, 1876.
Champion, Biol. Centr. Am., Heter., ii, p. 284, pl. 17, fig. 16, 1899.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 177, 1909.
Fracker, Proc. Ia. Acad. Sci., xix, p. 244, 1913.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914.
heterogeneus Amyot and Serville, Hémip., p. 374, pl. 7, fig. 4, 1843.
Localities: Pa., N. C., S. C., Fla., Texas. (Mexico.)

Genus **Doldina** Stål Haplotype carinulata Stål

Stål, Of. Vet. Akad. Forh., xvi, pp. 366, 368, 1859; xxiii, p. 292, 1866.

Stål, Enum. Hemip., ii, p. 78, 1872 (as synon. of Hygromystes).

Bergroth, Ent. News, xxiv, p. 263, 1913.

Hygromystes Stål, Rio Jan. Hemip., i, p. 75, 1860 (type lautus Stål).

Stål, Of. Vet. Akad. Forh., xxiii, p. 292, 1866.

Stål, Enum. Hemip., ii, pp. 68, 78, 1872.

793. Doldina praetermissa Bergr.

Bergroth, Ent. News, xxiv, p. 264, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914.

Localities: Fla. (Central America.)

794. Doldina interjungens Bergr.

Bergroth, Ent. News, xxiv, p. 263, 1913.

Barber, Jl. N. Y. Ent. Soc., xxii, p. 170, 1914.

Hygromystes sp. Bueno and Engelhardt, Can. Ent., xlii, p. 150, 1910. Localities: Md., N. C.

TRIBE HARPACTORINI (Stål)

Stål, Of. Vet. Akad. Forh., xvi, p. 196, 1859.

Van Duzee, Can. Ent., xlvi, p. 384, 1914, Harpactocorinae.

Hezida Stål, Berl. Ent., Zeit., iii, p. 328, 1859.

Genus **Heza A**m. & Serv. Haplotype binotata Lep. & Serv.

Amyot and Serville, Hémip., p. 374, 1843.

Stål, Of. Vet. Akad. Forh., xvi, p. 196, 1859.

Stål, Hemip. Afr., iii, p. 48, 1865.

Stål, Hemip. Fabr., i, p. 100, 1868.

Stål, Enum. Hemip., ii, pp. 68, 75, 1872.

Champion, Biol. Centr. Am., Heter., ii, p. 284, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 225, 244, 1913.

795. Heza similis Stål

Stål, Of. Vet. Akad. Forh., xvi, p. 199, 1859.

Stål, Hemip. Fabr., i, p. 100, 1868.

Stål, Enum. Hemip., ii, p. 76, 1872.

Champion, Biol. Centr. Am., Heter., ii, p. 285, pl. 17, figs. 17, 18, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, p. 244, 1913.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 13, 1914.

Localities: Calif. (Neotropical.)

[Heza clavata Guerin. See Ashmead, Insect Life, vii, p. 321, 1895. Probably a wrong determination of Atrachelus cinereus or an allied form.]

Genus Arilus Burm.

Logotype serratus Fabr. = carinatus (Forst.)

Hahn, Wanz. Ins., i, p. 33, 1831 (nomen nudum, for serratus Fabr.).

Burmeister, Handb. d. Ent., ii, p. 227, 1835.

Herrich-Schaeffer, Wanz. Ins., viii, p. 33, 1848.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 196, 1896.

Champion, Biol. Centr. Am., Heter., ii, p. 287, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 224, 245, 1913. [Harpactor). || Prionotus Laporte, Essai Classif. Syst. Hémip., p. 8, 1832 (subgen. of Spinola, Essai sur les Hémip., p. 117, 1837 (names serratus Fabr. as Amyot and Serville, Hémip., p. 356, 1843. [example). Spinola, Tavola Sinot., p. 47, 1850. Stål, Of. Vet. Akad. Forh., xvi, p. 196, 1859. Stål, Hemip. Afr., iii, p. 47, 1865. Stål, Enum. Hemip., ii, p. 72, 1872. †Zelus, Div. 5, Blanchard, Hist. Nat. des Ins., Hémip., p. 102, 1840. Prionidus Uhler, Check List, p. 23, 1886 (n.n. for Prionotus Lap.).

796. Arilus cristatus (Linn.) Linnaeus, Cent. Ins. Rar., p. 16, 1763, Cimex. Linnaeus, Syst. Nat., edn. 12, i, pt. 2, p. 723, 1767, Cimex. Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2195, 1788, Cimex. Stål, Enum. Hemip., ii, p. 72, 1872, Prionotus. Uhler, Proc. U. S. Geol. Geog. Surv., i, p. 327, 1876, Prionotus. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1329, Prionotus. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 426, 1878, Prionotus. Uhler, Stand. Nat. Hist., ii, p. 282, 1884, Prionotus. Lintner, 6th Rept. N. Y. St. Ent., p. 138, 1890, Prionidus. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 283, 1894, Prionidus. Champion, Biol. Centr. Am., Heter., ii, p. 288, 1899. Smith, Cat. Ins. N. J., edn. 3, p. 156, 1910. Fracker, Proc. Ia. Acad. Sci., xix, p. 245, 1913. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914.

[fig. 2, Reduvius. novenarius (Say), Am. Ent., ii, pl. 31, 1825; Compl. Writ., i, p. 71, pl. 31, Say, Heter. N. Harm., p. 33, 1832; Fitch reprint, p. 803; Compl. Writ., Stål, Of. Vet. Akad. Forh., xvi, p. 196, 1859, Prionotus. [i, p. 358, Nabis. Walker, Cat. Heter., viii, p. 76, 1873, Prionotus.

denticulatus Westwood in Drury, Illust. Exot. Ent., edn. 2, p. 73, 1837. patulus (Walker), Cat. Heter., viii, p. 76, 1873, Prionotus.

Localities: N. J., Pa., Del., Md., D. C., N. C., S. C., Fla., Okl., Texas, N. Mex.

Genus Acholla Stål

Haplotype sex-spinosa Wolff = multispinosa (De Geer)

Stål, Stet. Ent. Zeit., xxiii, p. 445, 1862.

Stål, Hemip. Afr., iii, p. 47, 1865.

Stål, Enum. Hemip., ii, pp. 67, 72, 1872.

Provancher, Pet. Faune Ent. Can., iii, p. 178, 1887.

Champion, Biol. Centr. Am., Heter., ii, p. 289, 1899.

Fracker, Proc. Ia. Acad. Sci., xix, pp. 224, 245, 1913.

|| Ascra Stål, Stet. Ent. Zeit., xxiii, p. 445, 1862 (type tabida Stål).

797. Acholla multispinosa (De Geer)

De Geer, Mémoires, iii, p. 348, pl. 35, fig. 10, 1773, Cimex (part). Goeze, Ent. Beytr., ii, p. 271, 1778, Cimex. Retzius, Genera et Spec. Ins., p. 87, 1783, Cimex. Stål, Enum. Hemip., ii, p. 72, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 326, 1876. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 428, 1878.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 183, 1894.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906.

Smith, Cat. Ins. N. J., edn. 3, p. 156, 1910.

Fracker, Proc. Ia. Acad. Sci., xix, p. 245, 1913.

sexspinosa (Wolff), Icon. Cimic., iii, p. 124, fig. 118, 1802, Reduvius.

Stål, Stet. Ent. Zeit., xxiii, p. 445, 1862. [Harpactor. subarmatus (Herrich-Schaeffer), Wanz. Ins., viii, p. 83, fig. 852, 1848, Reduvius sp. Emmons, Nat. Hist. N. Y., Agr., v, p. 168, 1854.

stimulatrix (Emmons), Nat. Hist. N. Y., Agr., v, pl. 29, fig. 8, 1854, Sinea.

Localities: Ont., Me., Mass., N. Y., N. J., Pa., N. C., Ill., Wis., Ia., Neb., Kan., Colo., Ariz.

798. Acholla ampliata Stål

Stål, Enum. Hemip., ii, p. 72, 1872.
Champion, Biol. Centr. Am., Heter., ii, p. 290, pl. 18, fig. 1, 1899.
Uhler, Proc. U. S. Natl. Mus., xxvii, p. 364, 1904.
Fracker, Proc. Ia. Acad. Sci., xix, p. 245, 1913.
Localities: N. Mex., Ariz. (Mexico.)

799. Acholla tabida (Stål)

Stål, Stet. Ent. Zeit., xxiii, pp 446, 1862, Ascra.
Stål, Enum. Hemip., ii, p. 72, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 326, 1876.
Champion, Biol. Centr. Am., Heter., ii, p. 290, 1899.
Fracker, Proc. Ia. Acad. Sci., xix, p. 245, 1913.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 14, 1914.
Localities: Calif. (Mexico.)

Genus Sinea Am. & Serv.

Logotype multispinosa Am. & Serv. = diadema (Fabr.)

Amyot and Serville, Hémip., p. 375, 1843.
Stål, Stet. Ent. Zeit., xxii, p. 137, 1861; xxiii, p. 443, 1862.
Stål, Hemip. Afr., iii, p. 47, 1865.
Stål, Enum. Hemip., ii, p. 70, 1872.
Walker, Cat. Heter., vii, pp. 49, 54, 1873.
Provancher, Pet. Faune Ent. Can., iii, p. 180, 1887.
Champion, Biol. Centr. Am., Heter., ii, p. 291, 1899.
Caudell, Jl. N. Y. Ent. Soc., ix, p. 2, 1901 (monograph).
Fracker, Proc. Ia. Acad. Sci., xix, pp. 224, 246, 1913.

800. Sinea diadema (Fabr.)

Fabricius, Genera Ins., p. 302, 1776, Reduvius.

Goeze, Ent. Beytr., ii, p. 252, 1778, Cimex.

Fabricius, Spec. Ins., ii, p. 382, 1781, Reduvius.

Fabricius, Mantissa Ins., ii, p. 313, 1787, Reduvius.

Gmelin, in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2196, 1788, Cimex.

Fabricius, Ent. Syst., iv, p. 206, 1794, Reduvius.

Fabricius, Syst. Rhyng., p. 286, 1803, Zelus.

Stål, Enum. Hemip., ii, p. 70, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 326, 1876; iii, p. 429, 1877; iv, p. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 360, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 180, 1887.

Van Duzee, Can. Ent., xxi, p. 5, 1889. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 183, 1894. Gillette and Baker, Hemip. Colo., p. 59, 1895. Caudell, Jl. N. Y. Ent. Soc., ix, p. 3, 1901. Smith, Cat. Ins. N. J., edn. 3, p. 157, 1910. Heidemann, Proc. Ent. Soc. Wash., xiii, p. 135, 1911 (egg). Fracker, Proc. Ia. Acad. Sci., xix, p. 246, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 14, 1914.

Parker, Ent. News, xxvii, p. 280, 1916 (habits).

multispinosus (De Geer), Mémoires, iii, p. 348, pl. 35, fig. 11, 1773, Cimex [(part, fig. 11 only refers to this species).

hispidus (Thunberg), Nova Ins. Spec., ii, p. 33, 1783, Cimex.

Stål, Of. Vet. Akad. Forh., xxiii, p. 264, 1866, Irantia. setosus (Gmelin) in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2144, 1788, raptatorius (Say), Jl. Acad. Nat. Sci. Phila., iv, p. 327, 1825; Compl. [Writ., ii, p. 249, Reduvius.

Say, Am. Ent., ii, pl. 31, 1825; Compl. Writ., i, p. 72, pl. 31, fig. 1, †multispinosa Amyot and Serville, Hémip., p. 375, 1843. [Reduvius.

Stål, Stet. Ent. Zeit., xxii, p. 139, 1861; xxiii, p. 443, 1862.

Stål, Hemip. Fabr., i, p. 97, 1868.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 419, 1872.

Walker, Cat. Heter., viii, p. 139, 1873.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., D. C., Va., N. C., S. C., Ga., Fla., Wis., Neb., Dak., Kan., Colo., Utah, Okl., Idaho, Calif.

801. Sinea undulata Uhl.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 282, 1894. Caudell, Jl. N. Y. Ent. Soc., ix, p. 6, 1901. Fracker, Proc. Ia. Acad. Sci., xix, p. 246, 1913. Localities: Calif. (Mexico.)

802. Sinea confusa Caud.

Caudell, Jl. N. Y. Ent. Soc., ix, p. 6, 1901. Barber, Brookl. Inst., Sci. Bul., i, p. 286, 1906. Fracker, Proc. Ia. Acad. Sci., xix, p. 246, 1913. tintegra Uhler, Check List, p. 23, 1886. †undulata Champion, Biol. Centr. Am., Heter., ii, p. 292, pl. 18, fig. 5, 1899. Localities: Texas, Ariz., Calif. (Mexico.)

803. Sinea coronata Stål

Stål, Stet. Ent. Zeit., xxiii, p. 444, 1862. Stål, Enum. Hemip., ii, p. 71, 1872. Walker, Cat. Heter., viii, p. 138, 1873. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 326, 1876. Champion, Biol. Centr. Am., Heter., ii, p. 292, pl. 18, figs. 6, 7, 1899. Caudell, Jl. N. Y., Ent. Soc., ix, p. 7, pl. 1, fig. 2, 1901. Barber, Brookl. Inst., Sci. Bul., i, p. 286, 1908. Fracker, Proc. Ia. Acad. Sci., xix, p. 246, 1913. Localities: Texas, Calif. (Mexico.)

804. Sinea complexa Caud.

Caudell, Jl. N. Y. Ent. Soc., ix, p. 7, pl. 1, fig. 3, 1901. Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907. Fracker, Proc. Ia. Acad. Sci., xix, p. 246, 1913. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 14, 1914. Localities: Colo., Utah, Ariz., Calif.

805. Sinea raptoria Stål

Stål, Stet. Ent. Zeit., xxiii, p. 444, 1862.

Stål, Enum. Hemip., ii, p. 71, 1872.

Walker, Cat. Heter., viii, p. 139, 1873.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 326, 1876.

Champion, Biol. Centr. Am., Heter., ii, p. 293, pl. 18, fig. 10, 1899.

Caudell, Jl., N. Y. Ent. Soc., ix, p. 9, pl. 1, fig. 6, 1901.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906.

Fracker, Proc. Ia. Acad. Sci., xix, p. 246, 1913.

denticulosa Stål, Enum. Hemip., ii, p. 71, 1872.

Localities: Ariz., Calif. (Neotropical.)

806. Sinea sanguisuga Stål

Stål, Stet. Ent. Zeit., xxiii, p. 444, 1862.
Stål, Enum. Hemip., ii, p. 71, 1872.
Walker, Cat. Heter., viii, p. 139, 1873.
Champion, Biol. Centr. Am., Heter., ii, p. 294, pl. 18, fig. 12, 1899.
Caudell, Jl. N. Y. Ent. Soc., ix, p. 9, pl. 1, figs. 7, 8, 1901.
Bergroth, Revue d'Ent., xxiv, p. 108, 1905.
Fracker, Proc. Ia. Acad. Sci., xix, p. 246, 1913.
Localities: Texas. (Neotropical.)

807. Sinea spinipes (H. S.)

Herrich-Schaeffer, Wanz. Ins., viii, p. 82, fig. 851, 1848, Harpactor.
Stål, Enum. Hemip., ii, p. 71, 1872.
Caudell, Jl. N. Y. Ent. Soc., ix, p. 10, 1901.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 177, 1909.
Bueno, Can. Ent., xliv, p. 213, 1912.
Fracker, Proc. Ia. Acad. Sci., xix, p. 247, 1913.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914.
Localities: N. Y., Ga., Fla., Kan., Colo.

808. Sinea rileyi Montd.

Montandon, Proc. U. S. Natl. Mus., xvi, p. 51, 1893.
Caudell, Jl. N. Y. Ent. Soc., ix, p. 10, 1901.
Barber, Brookl. Inst., Sci. Bul., i, p. 287, 1906.
Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 159, 1907.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 177, 1909.
Fracker, Proc. Ia. Acad. Sci., xix, p. 247, 1913.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 506, 1914.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 14, 1914.
Localities: N. C., Fla., Texas, Utah, Ariz., Calif.

809. Sinea defecta Stål

Stål, Stet. Ent. Zeit., xxiii, p. 445, 1862. Stål, Enum. Hemip., ii, p. 71, 1872. Walker, Cat. Heter., viii, pp. 139, 140, 1873. Champion, Biol. Centr. Am., Heter., ii, p. 295, 1899. Caudell, Jl. N. Y. Ent. Soc., ix, p. 11, 1901. Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906. Fracker, Proc. Ia. Acad. Sci., xix, p. 246, 1913. Localities: Ariz. (Mexico.)

PHALANX HEBRIFORMES Oshanin*

Oshanin, Kat. Palae. Hemip., p. 56, 1912.

[family). Ripicolae Amyot and Serville, Hémip., pp. xl, 293, 1843. Hebroideae Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 78, 1910 (super-Mesoveliiformes Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 61, 1910 (Phalynx).

Naeogeiformes Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, [pp. 23, 49, 1912 (Phalynx).

Family HEBRIDAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xl, 293, 1843, Hebrides. Fieber, Genera Hydroc., p. 9, 1851, Hebroidea. Dohrn, Cat. Hemip., p. 41, 1859, Hebridae. Flor, Rhyn. Livl., i, p. 371, 1860, Hebroidea. Fieber, Europ. Hemip., pp. 23, 32, 104, 1861, Hebridae. Douglas and Scott, Brit. Hemip., p. 25, 1865, Hebridae. Walker, Cat. Heter., viii, p. 159, 1873. Berg, Hemip. Argent., p. 116, 1884. Puton, Cat. Hémip. Palae., p. 36, 1896, Hebrides. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 51, 1896. Champion, Biol. Centr. Am., Heter., ii, p. 117, 1898. Distant, Fauna Br. Ind., Rhyn., ii, p. 167, 1903. Horvath, Ann. Mus. Natl. Hung., ix, p. 21, 1908. Oshanin, Verz. Palae. Hemip., i, p. 482, 1908. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 78, 1910. Oshanin, Kat. Palae. Hemip., p. 56, 1912. Naeogeidae Kirkaldy, Fauna Hawai., iii, p. 168, 1902. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 156, 1906. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 214, 1908.

Bueno in Smith, Cat. Ins. N. J., edn. 3, p. 152, 1910. [1912. Reuter, Of. Finska Vet. Akad. Forh., liv, Afd. A, No. 6, pp. 23, 49, 55,

Genus Hebrus Curt. Haplotype pusillus (Fall.)

Curtis, Ent. Mag., i, p. 198, 1833. Westwood, Ann. Soc. Ent. Fr., Ser. 1, iii, p. 652, 1834. Burmeister, Handb. d. Ent., ii, p. 214, 1835. Brullé, Hist. Nat. des Ins., ix, p. 296, 1835. Blanchard, Hist. Nat. des Ins., Hémip., p. 97, 1840. Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 119, 1840. Amyot and Serville, Hémip., p. 293, 1843. Spinola, Tavola Sinot., p. 44, 1850. Flor, Rhyn. Livl., i, p. 372, 1860.

^{*} Dr. Bergroth writes me that Horvath now finds this phalanx pertains to the Hydrobiotica. It may follow the Veliidae.

Fieber, Europ. Hemip., pp. 32, 104, 1861.

Douglas and Scott, Brit. Hemip., p. 263, 1865.

Walker, Cat. Heter., viii, p. 159, 1873.

Champion, Biol. Centr. Am., Heter., ii, p. 117, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 167, 1903.

Oshanin, Verz. Palae. Hemip., i, p. 482, 1908.

Horvath, Ann. Mus. Natl. Hung., ix, p. 22, 1911.

Oshanin, Kat. Palae. Hemip., p. 56, 1912.

†Naeogaeus Kirkaldy, Entomologist, p. 241, 1900.

Bergroth, Wien. Ent. Zeit., xxxi, p. 164, 1912.

810. Hebrus burmeisteri L. & S.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 51, 1896. Kirkaldy, Proc. Ent. Soc. Wash., x, p. 214, 1908, *Naeogaeus*. Parshley, Ent. News, xxvii, p. 105.

†pusillus Burmeister, Handb. d. Ent., ii, p. 214, 1835. Van Duzee, Psyche, v, p. 240, 1889. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 184, 1894. Localities: N. H., Mass., N. Y., Pa., Ill.

811. Hebrus sobrinus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 452, 1877.
Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1330 (as new).
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 288, 1894.
Gillette and Baker, Hemip. Colo., p. 61, 1895.
Localities: Colo., Ariz., Calif.

812. Hebrus concinnus Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 221.

Gillette and Baker, Hemip. Colo., p. 61, 1895.

Champion, Biol. Centr. Am., Heter., ii, p. 121, 1898.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 234, 1908, Naeogaeus.

Bueno in Smith, Cat. Ins. N. J., edn. 3, p. 152, 1910, Naeogaeus.

Bueno, Can. Ent., xliv, p. 212, 1912, Naeogaeus.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914, Naeogaeus.

Localities: Quebec, Ont., N. Y., N. J., Pa., Md., Fla., Ill., Colo.,

Calif., Wash. (Neotropical.)

813. Hebrus consolidus Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 222. Champion, Biol. Centr. Am., Heter., ii, p. 119, pl. 8, fig. 4, 1898. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914. Localities: Fla. (Neotropical.)

Family MESOVELIIDAE D. & S.

Douglas and Scott, Ent. Mo. Mag., iv, p. 3, 1867, Tribe.

Puton, Synop. Heter. Fr., i, p. 145, 1879, Tribe Mesovelini.

Reuter, Ent. Tidskr., iii, p. 165, 1882, Subfam. Mesovelina.

Puton, Cat. Hémip. Palae., edn. 3, p. 36, 1886, Tribe Mesovelini.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 53, 1896, Subfamily.

Distant, Fauna Br. Ind., Rhyn., ii, p. 168, 1903, Subfam. Mesovelinae.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 156, 1906, Subfam. Mesoveliinae. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 67, 1910, Mesoveliadae. Horvath, Ann. Mus. Natl. Hung., ix, p. 22, 1911. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, p. 23, 1912, Meso-Oshanin, Kat. Palae. Hemip., p. 56, 1912. [veliadae.]

Genus Mesovelia M. & R. Type furcata Muls. & Rey

Mulsant and Rey, Ann. Soc. Linn. Lyons, 1852, p. 138. Fieber, Europ. Hemip., pp. 33, 105, 1861.

Douglas and Scott, Ent. Mo. Mag., iv, p. 4, 1867.

Puton, Synop. Heter. Fr., i, p. 146, 1879.

Champion, Biol. Centr. Am., Heter., ii, p. 123, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 168, 1903.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 156, 1906.

Oshanin, Verz. Palae. Hemip., i, p. 484, 1908.

Ficheria, Jakawlef, Trudy, Russk, Ent., vii, p. 39.

[Jak.)

Fieberia Jakowlef, Trudy Russk. Ent., vii, p. 32, 1874. (Type lacustris

814. Mesovelia mulsanti White White, Trans. Ent. Soc. Lond. for 1879, p. 268. Champion, Biol. Centr. Am., Heter., ii, p. 123, pl. 8, figs. 10, 11, 1898. Distant, Fauna Br. Ind., Rhyn., ii, p. 168, 1903. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 213, 1908. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914. bisignata Uhler, Stand. Nat. Hist., ii, p. 274, fig. 324, 1884. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 217. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 289, 1894. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 184, 1894. Kirkaldy, Ann. Soc. Ent. Belg., xliii, p. 505, 1899. Bueno, Jl. N. Y. Ent. Soc., xvi, p. 232, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 152, 1910. ?orientalis Kirkaldy, Ann. Mus. Civ. Genoa, xl, p. 808, 1901. Localities: Mass., N. Y., N. J., Md., N. C., Fla., Ohio, Ill., Kan., Texas.

PHALANX NABIFORMES Reut.

Reuter, Acta Soc. Sci. Fenn., xxxiii, No. 3, p. 72, 1910. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, p. 49, 1912. Oshanin, Kat. Palae. Hemip., p. 54, 1912.

Family NABIDAE (Costa)

Costa, Cimic. Neap., Cent., iii, p. 66, 1852, Subfam. Nabini. Stål, Of. Vet. Akad. Forh., xv, p. 247, 1858, Subfam. Nabides. Dohrn, Cat. Hemip., p. 51, 1859. Fieber, Europ. Hemip., pp. 25, 57, 1861. Stål, Stet. Ent. Zeit., xxiii, p. 458, 1862, Nabida. Stål, Hemip. Afr., iii, p. 37, 1865, Nabida. Stål. Of. Vet. Akad. Forh., xxvii, p. 674, 1870, Nabina. Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 68, 1872.

Stål, Enum. Hemip., iii, p. 106, 1873.

Uhler, Check List., p. 23, 1886.

Puton, Cat. Hémip. Palae., edn. 3, p. 40, 1886, Tribe Nabini.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 202, 1896 (as subfamily).

Champion, Biol. Centr. Am., Heter., ii, p. 297, 1899.

Kirkaldy, Wien. Ent. Zeit., xx, p. 219, 1901.

Kirkaldy, Fauna Hawai., iii, p. 153, 1902, Subfam. Nabinae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 389, 1904, Subfam. Nabinae.

Kirkaldy, Proc. Hawai. Ent. Soc., i, p. 155, 1907.

Kirkaldy, Can. Ent., xl, p. 360, 1908.

Reuter, Mém. Soc. Ent. Belg., xv, p. 87, 1908.

Oshanin, Verz. Palae. Hemip., i, p. 563, 1908.

Reuter and Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 2, p. 3, 1909.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 73, 1910.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 49, 56, 1912.

Banks, Cat. Nearc. Hemip., p. 21, 1910.

Oshanin, Kat. Palae. Hemip., p. 54, 1912.

Subfamily PROSTEMMINAE (Reut.)

Reuter, Revue d'Ent., ix, p. 289, 1890, Prostemmina.

Distant, Fauna Br. Ind., Rhyn., ii, p. 391, 1904.

Oshanin, Verz. Palae. Hemip., i, p. 564, 1908.

Oshanin, Kat. Palae. Hemip., p. 54, 1912.

Nabina Stål, Enum. Hemip., iii, pp. 106, 107, 1873.

Uhler, Check List, p. 23, 1886.

Reuter and Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 2, p. 3, 1909.

Genus Pagasa Stål Haplotype pallidiceps Stål

map.o.jpc pa...a.

Stål, Rio Jan. Hemip., ii, p. 60, 1862.

Stål, Hemip. Afr., iii, p. 38, 1865.

Stål, Enum. Hemip., iii, pp. 107, 108, 1873.

Champion, Biol. Centr. Am., Heter., ii, p. 297, 1899.

Reuter, Mém. Soc. Ent. Belg., xv, p. 88, 1908.

Reuter and Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 2, p. 25, 1909.

Subgenus Pagasa Stål

Reuter and Poppius, Act Soc. Sci. Fenn., xxxvii, No. 2, p. 25, 1909.

815. Pagasa pallipes Stål

Stål, Enum. Hemip., iii, p. 108, 1873.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 325, 1876.

Uhler, Proc. Ent. Soc. Wash., ii, p. 382, 1893.

Champion, Biol. Centr. Am., Heter., ii, p. 299, pl. 18, fig. 18, 1899.

Reuter and Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 2, p. 29, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914.

Localities: Fla., Kan., Texas, Utah.

Subgenus Lampropagasa R. & P.

Orthotype fusca Stein

Reuter and Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 2, p. 30, 1909.

816. Pagasa fusca (Stein)

Stein, Berl. Ent. Zeit., i, p. 90, 1857, Prostemma.

Reuter, Revue d' Ent., ix, p. 291, 1890.

Champion, Biol. Centr. Am., Heter., ii, p. 299, pl. 18, fig. 17, 1899.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 232, 1908.

Reuter and Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 2, p. 31, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 149, 1910.

Parshley, Psyche, xxi, p. 143, 1914.

nitida Stål, Enum. Hemip., iii, p. 108, 1873.

Berg, Hemip. Argent., Add., p. 105, 1884.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 182, 1894.

Localities: Me., N. Y., N. J., Pa., Wis., Colo., Manitoba, Br. Col.

Genus Phorticus Stål Logotype viduus Stål

Stål, Rio Jan. Hemip., i, p. 69, 1860.

Stål, Enum. Hemip., iii, pp. 107, 109, 1873.

Reuter, Revue d'Ent., ix, p. 290, 1890.

Reuter, Wien. Ent. Zeit., xii, p. 317, 1893.

Champion, Biol. Centr. Am., Heter., ii, p. 300, 1899.

Distant, Fauna Br. Ind., Rhyn., ii, p. 395, 1904 (names viduus type).

Reuter and Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 2, p. 49, 1909.

817. Phorticus collaris Stål

Stål, Enum. Hemip., iii, p. 109, 1873.

Champion, Biol. Centr. Am., Heter., ii, p. 301, pl. 18, fig. 21, 1899.

Reuter and Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 2, p. 54, 1909.

Localities: Texas. (Mexico.)

Subfamily NABINAE (Reut.)

Reuter, Revue d'Ent., ix, p. 293, 1890, Nabina.

Distant, Fauna Br. Ind., Rhyn., ii, p. 397, 1904, Div. Nabidinaria.

Oshanin, Verz. Palae. Hemip., i, p. 568, 1908.

Oshanin, Kat. Palae., Hemip., p. 55, 1912.

Coriscina Stål, Enum. Hemip., iii, pp. 106, 110, 1873.

Uhler, Check List, p. 23, 1886.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 363, 1904, Coriscidae.

Arachnocorina Reuter, Revue d'Ent., ix, p. 292, 1890.

Reduviolina Reuter, Mém. Soc. Ent. Belg., xv, p. 129, 1908.

Reuter and Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 2, p. 3, 1909.

TRIBE NABINI Van D.

Van Duzee, Check List Hemip., p. 32, 1916.

Reduviolaria Reuter (Division).

[I cannot find that this division was ever established, but it is inferred in the following: Reuter, Ann. Soc. Ent. Belg., liii, p. 423, 1909.]

Genus Nabis Latr.

Logotype vagans Fabr. = ferus (Linn.)

Latreille, Hist. Nat. Crust. Ins., iii, p. 248, 1802 (for guttula and vagans). Latreille, Hist. Nat. Crust. Ins., xii, p. 255, 1804 (gives apterus and guttula Latreille, Genera Crust. Ins., iii, p. 127, 1807.

[as examples].

Latreille, Consid. Génl., pp. 256, 433, 1810 (names apterus type; invalid). Laporte, Essai Classif. Syst. Hémip., p. 11, 1832 (cites apterus as type). Hahn, Wanz. Ins., iii, p. 30, 1835.

Herrich-Schaeffer, Nomen. Ent., i, pp. 38, 62, 99, 1835.

Burmeister, Handb. d. Ent., ii, pp. 241, 399, 1835.

Brullé, Hist. Nat. des Ins., ix, p. 322, pl. 25, fig. 1, 1835 (subgen. of *Reduvius*).

Spinola, Essai sur les Hémip., p. 105, 1837 (1840).

Blanchard, Hist. Nat. des Ins., Hémip., p. 107, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 120, 1840 (names vagans Amyot and Serville, Hémip., p. 330, 1843. [Fabr. type, valid).

Herrich-Schaeffer, Wanz. Ins., viii, p. 95, 1853.

Flor, Rhyn. Livl., i, p. 690, 1860; ii, p. 618, 1861.

Fieber, Europ. Hemip., pp. 43, 159, 1861.

Stål, Hemip. Afr., iii, pp. 38, 41, 1865.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, pp. 60, 80, 1872 (European forms).

Walker, Cat. Heter., vii, p. 139, 1873.

Reuter, Revue d'Ent., ix, p. 293, 1890 (Monograph).

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 207, 1896.

Champion, Biol. Centr. Am., Heter., ii, p. 301, 1899.

Distant, Fauna Br. Ind., Rhyn., ii, p. 399, 1904 (gives apterus Fabr. as type). Oshanin, Verz. Palae. Hemip., i, p. 568, 1908.

Oshanin, Kat. Palae. Hemip., p. 55, 1912.

Van Duzee, Can Ent., xlvi, p. 385, 1914.

†Miris Leach, Brewster's Edinbg. Encyc., ix, p. , 1815; Am. edn., viii, [p. 711, 1832 (for vagans Wolff).

¶Aptus Hahn, Wanz. Ins., i, p. 35, 1831.

Reduviolus Kirby, Richardson's Fauna Bor. Am., iv, p. 279, 1837. (Haplo-Kirkaldy, Entomologist, xxxii, p. 242, 1900. [type inscriptus.)

Reuter, Mém. Soc. Ent. Belg., xv, p. 93, 1908 (Systematic).

Banks, Cat. Nearc. Hemip., p. 22, 1910.

†Coriscus Stål, Enum. Hemip., iii, p. 112, 1873.

Berg, Hemip. Argent., p. 143, 1879.

Uhler, Check List., p. 23, 1886.

Subgenus Nabicula Kirby Haplotype subcoleoptratus Kirby

Haplotype subcoleoptratus Kirby Kirby, Richardson's Fauna Bor. Am., iv, p. 281, 1837.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 80, 1872.

Stål, Enum. Hemip., iii, p. 112, 1873.

Reuter, Revue d'Ent., ix, p. 295, 1890.

818. Nabis subcoleoptratus Kirby

Kirby, Richardson's Fauna Bor. Am., iv, p. 282, 1837; Bethune's reprint, p. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 419, 1872. [138, Nabicula. Reuter, Of. Vet. Akad. Forh., xxix, No. 6, pp. 80, 81, 1872.

Stål, Enum. Hemip., iii, p. 112, 1873, Coriscus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 325, 1876; iv, p. 508, 1878, Coriscus.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 423, 1878, Coriscus.

Uhler, Stand. Nat. Hist., ii, p. 282, 1884, Nabicula.

Provancher, Pet. Faune Ent. Can., iii, p. 175, 1887, Coriscus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 182, 1894, Coriscus.

Kirkaldy, Wien. Ent. Zeit., xx, p. 222, 1901, Reduviolus.

Distant, Ann. Mag. Nat. Hist., Ser. 7, xi, p. 367, 1903. Reuter, Mém. Soc. Ent. Belg., xv, p. 98, 1908, Reduviolus. Smith, Cat. Ins. N. J., edn. 3, p. 149, 1910, Reduviolus. Van Duzee, Can. Ent., xliv, p. 323, 1912, Reduviolus.

canadensis Prov. Nat. Can., i, p. 211, 1869.

[marginatus Uhl. M8] Riley, 2d Rept. Nox. Ins. Mo., p. 32, 1870. [tion). [xanthopus M88] Walker, Cat. Heter., vii, p. 143, 1873 (without descriptpropinguus Provancher, Pet. Faune Ent. Can., iii, p. 175, 1887, Coriscus. Localities: No. Sco., Quebec, Ont., Me., N. H., N. Y., N. J., Pa., Ill., Wis., Dak., Neb., Kan., Colo., Texas.

Subgenus Hoplistoscelis Reut. Logotype sericans Reut. = nigriventris Stål

Reuter, Revue d'Ent., ix, pp. 294, 295, 1890. Kirkaldy, Wien. Ent. Zeit., xx, p. 223, 1901. Reuter, Mém. Soc. Ent. Belg., xv, p. 99, 1908.

819. Nabis nigriventris Stål

Stål, Stet. Ent. Zeit., xxiii, p. 458, 1862. Stål, Enum. Hemip., iii, p. 114, 1873, *Coriscus*.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 326, 1876, Coriscus.

Champion, Biol. Centr. Am., Heter., ii, p. 302, pl. 18, fig. 25, 1899.

Reuter, Mém. Soc. Ent. Belg., xv, p. 99, 1908, Reduviolus.

sericans Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 83, 1872.

Stål, Enum. Hemip., iii, p. 112, 1873, Coriscus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 325, 1876, Coriscus.

Reuter, Revue d'Ent., ix, p. 296, 1890.

Gillette and Baker, Hemip. Colo., p. 59, 1895, Coriscus.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 363, 1904, Coriscus.

troripes Uhler, Proc. Zool. Soc. Lond. for 1893, p. 706, Coriscus.
Localities: Texas, N. Mex., Colo.. (Neotropical.)

820. Nabis sordidus Reut.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 85, 1872.

Stål, Enum. Hemip., iii, p. 112, 1873, Coriscus.

Reuter, Revue d'Ent., ix, p. 299, 1890.

Champion, Biol. Centr. Am., Heter., ii, p. 203, pl. 18, figs. 26, 27, 28, 1899.

Barber, Brookl. Inst., Sci. Bul., i, p. 287, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 25, 1907.

Reuter, Mém. Soc. Ent. Belg., xv, p. 100, 1908, Reduviolus.

Bueno, Can. Ent., xliv, p. 212, 1912, Reduviolus.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914.

pallescens Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 85, 1872.

Stål, Enum. Hemip., iii, p. 112, 1873, Coriscus.

Reuter, Revue d'Ent., ix, p. 298, 1890.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 282, 1894, Coriscus.

Smith, Cat. Ins. N. J., edn. 3, p. 149, 1910.

†crassipes Uhler, Proc. Zool. Soc. Lond. for 1894, p. 205, Coriscus.

tsericans Uhler, Proc. Zool. Soc. Lond. for 1894, p. 205, Coriscus.

Localities: N. J., Pa., Md., D. C., Fla., La., Texas, Wis.

821. Nabis crassipes Reut.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 83, 1872.

Stål, Enum. Hemip., iii, p. 112, 1873, Coriscus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 325, 1876, Coriscus.

Reuter, Revue d'Ent., ix, p. 297, 1890.

Champion, Biol. Centr. Am., Heter., ii, p. 302, pl. 18, figs. 22, 23, 24, 1899.

Localities: Ga. Texas, Calif.

822. Nabis heidemanni Reut.

Reuter, Mém. Soc. Ent. Belg., xv, p. 100, 1908, Reduviolus. Locality: Calif.

Subgenus Lasiomerus Reut. Orthotype annulatus Reut.

Reuter, Revue d'Ent., ix, pp. 294, 305, 1890.

Reuter, Mém. Soc. Ent. Belg., ix, p. 102, 1908.

[spinicrus Reut.) Acanthonabis Reuter, Revue d'Ent., ix, pp. 294, 305, 1890. (Haplotype

823. Nabis annulatus Reut.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 86, 1872.

Stål, Enum. Hemip., iii, p. 112, 1873, Coriscus.

Reuter, Revue d'Ent., ix, p. 305, 1890 (noted as type).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 183, 1894, Coriscus.

Smith, Cat. Ins. N. J., edn. 3, p. 150, 1910, Reduviolus.

Localities: Ont., N. Y., N. J., Pa., Ohio, Ill.

824. Nabis spinicrus Reut.

Reuter, Revue d'Ent., ix, p. 305, 1890.

Reuter, Mém. Soc. Ent. Belg., xv, p. 103, 1908, Reduviolus.

†capsiformis Uhler, Proc. Zool. Soc. Lond. for 1893, p. 706, Coriscus. signatus Uhler, Proc. Zool. Soc. Lond. for 1894, p. 205, Coriscus.

Champion, Biol. Centr. Am., Heter., ii, p. 304, pl. 18, figs. 31, 32, 33,

Localities: "S. St." (Neotropical.)

Subgenus Dolichonabis Reut.

Logotype limbatus Dahlb.

Reuter, Mém. Soc. Ent. Belg., xv, p. 104, 1908.

825. Nabis propinquus Reut.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 87, 1872.

Reuter, Revue d'Ent., ix, p. 308, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 183, 1894, Coriscus.

Van Duzee, Can. Ent., xl, p. 111, 1908, Reduviolus.

Reuter, Mém. Soc. Ent. Belg., xv, p. 105, 1908, Reduviolus.

vicarius Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 87, 1872 (male).

||elongatus Hart, Bul. Ill. St. Lab. Nat. Hist., vii, pp. 262, errata, 1907.

Localities: Quebec, Ont., N. Y., Ohio, Ill., Wis.

826. Nabis limbatus Dahlb.

Dahlbom, Kong. Vet. Akad. Handl., , p. 227, 1850.

Flor, Rhyn. Livl., i, p. 695, 1860.

Douglas and Scott, Brit. Hemip., p. 551, 1865.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, pp. 70, 87, 1872.

Reuter, Mém. Soc. Ent. Belg., xv, p. 107, 1908, Reduviolus.

†vicarius Van Duzee, 20th Rept. N. Y. St. Ent. for 1905, p. 550, 1905,

Van Duzee, Can. Ent., xxxviii, p. 407, 1906, Coriscus.

Van Duzee, Can. Ent., xl, p. 111, 1908, Reduviolus.

Localities: Quebec, Ont., N. Y., Colo. (Palaearctic.)

Subgenus Nabis Latr.

Reuter, Revue d'Ent., ix, pp. 294, 307, 1890. †Coriscus Stål, Enum. Hemip., iii, p. 113, 1873 (as subgenus). †Reduviolus Reuter, Mém. Soc. Ent. Belg., xv, p. 111, 1908 (as subgenus).

827. Nabis flavomarginatus Scholtz

Scholtz, Arb. Schles. Ges. Vat. Kultur., p. 114, 1846.
Flor, Rhyn. Livl., i, p. 696, 1860.
Fieber, Europ. Hemip., p. 161, 1861.
Reuter, Of. Vet. Akad. Forh., xxix, No. 6, pp. 71, 88, 1872.
Reuter, Mém. Soc. Ent. Belg., xv, p. 111, 1908.
dorsatus Dahlbom, Kong. Vet. Akad. Handl., , p. 227, 18
nervosus Boheman, Of. Vet. Akad. Forh., ix, p. 77, 1852.
thesigus Kolenati, Melet. Ent., iv, p. 258, 1856.

Localities: "Greenland," Canada. (Palaearctic.)

a. var. sibericus (Reut.)

Reuter, Pet. Nouv. Ent., ii, p. 545, 1875, Coriscus.
Reuter, Of. Finska Vet. Soc. Forh., xxi, p. 32, 1878, Coriscus.
Reuter, Mém. Soc. Ent. Belg., xv, p. 111, 1908, Reduviolus.
Localities: Greenland, Alaska. (Siberia.)

b. var. vanduzeei (Kirk.)

Kirkaldy, Wien. Ent. Zeit., xx, p. 223, 1901, Reduviolus. Reuter, Mém. Soc. Ent. Belg., xv, p. 111, 1908, Reduviolus. Localities: Colo., Wash.

828. Nabis capsiformis Germ.

Germar, Silberm. Revue Ent., v, p. 132, 1837. Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 88, 1872. Stål, Enum. Hemip., iii, p. 113, 1873, Coriscus. Puton, Synop. Heter. Fr., iii, p. 187, 1880. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 205, Coriscus. Kirkaldy, Wien. Ent. Zeit., xx, p. 223, 1901, Reduviolus. Distant, Fauna Br. Ind., Rhyn., ii, p. 300, fig. 256, 1904. Reuter, Mém. Soc. Ent. Belg., xv, p. 114, 1908, Reduviolus. Van Duzee, Can. Ent., xli, p. 127, 1909, Reduviolus (occurrence). Reuter, Of. Finska Vet. Soc. Forh., lv, Afd. A, No. 14, p. 77, 1913, Reduviolus. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914, Reduviolus. angusta Spinola, Essai sur les Hémip., p. 107, 1837 (1840). [p. 79, 1838. ||angustus Brullé, Anim. Art. rec. aux Canar. par Webb et Berth., Hemip., longipennis Costa, Atti Inst. Natl. for Napol. for 1948, p. 750. Fieber, Europ. Hemip., p. 161, 1861. caffra Stål, Of. Vet. Akad. Forh., xii, p. 39, 1855. Stål, Hemip. Afr., iii, p. 41, 1865. elongatus Meyer-Dur, Mitth. Schweiz. Ent. Ges., iii, p. 170, 1870. Berg, Hemip. Argent., p. 144, 1879, Coriscus. kinbergi Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 90, 1872.

sandersi White, Ent. Mo. Mag., xv, p. 159, 1878.
brullei Lethierry and Severin, Cat. Génl. Hémip., iii, p. 208, 1896.
Localities: N. C., S. C., Fla., Miss., Texas. (Bermudas, Neotropical, Europe, Asia, Africa, Australia.)

829. Nabis ferus (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 449, 1758, Cimex. Linnaeus, Fauna Suec., edn. 2, p. 256, No. 962, 1761, Cimex. Linnaeus, Syst. Nat., edn. 12, ii, p. 731, 1767, Cimex. Fabricius, Syst. Ent., p. 726, 1775, Cimex. Fabricius, Ent. Syst., iv, p. 185, 1794, Miris. Fabricius, Syst. Rhyng., p. 255, 1803, Miris. Latreille, Hist. Nat. Crust. Ins., xii, p. 228, 1804, Miris. Fallén, Monog. Cimic. Suec., p. 112, 1807, Miris. Zetterstedt, Fauna Lapp., p. 503, 1828, Miris. Fallén, Hemip. Suec., Cimic., p. 133, 1829, Miris. Hahn, Wanz. Ins., iii, p. 31, fig. 252, 1835. Herrich-Schaeffer, Nomen. Ent., i, pp. 62, 99, 1835. Zetterstedt, Ins. Lapp., column 282, 1840, Miris. Rambur, Fauna Andul., p. 170, 1842. Amyot and Serville, Hémip., p. 332, 1843. Flor, Rhyng. Livl., i, p. 698, 1860. Fieber, Europ. Hemip., p. 161, 1861. Douglas and Scott, Brit. Hemip., p. 555, 1865. Reuter, Of. Vet. Akad. Forh., xxix, No. 6, pp. 73, 90, 1872. Stål, Enum. Hemip., iii, p. 113, 1873, Coriscus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 325, 1876; iii, p. 428, 1877, Coriscus. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1329, Coriscus. Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 508, 1878, Coriscus. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 421, 1878, Coriscus. Uhler, Stand. Nat. Hist., ii, p. 282, 1884, Coriscus. Provancher, Pet. Faune Ent. Can., iii, p. 176, 1887, Coriscus. Reuter, Revue Synon., p. 343, No. 310, 1888. Uhler, Proc. Ent. Soc. Wash., ii, p. 382, 1893, Coriscus. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 282, 1894, Coriscus. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 183, 1894, Coriscus. Champion, Biol. Centr. Am., Heter., ii, p. 305, 1900. Barber, Brookl. Inst., Sci. Bul., i, p. 287, 1906. Van Duzee, Can. Ent., xl, p. 111, 1908, Reduviolus. Smith, Cat. Ins. N. J., edn. 3, p. 150, 1910, Reduviolus. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 14, 1914. [name). Cimex No. 48, Geoffroy, Hist. Abreg. des Ins., i, p. 458, 1762 (without tripunctatus (Muller), Zool. Danica, p. 107, 1776, Cimex. scutello-maculatus (Goeze), Ent. Beytr., ii, p. 271, 1778, Cimex. marginato-striatus (Goeze), Ent. Beytr., ii, p. 279, 1778, Cimex. sponsalis Geoffroy in Fourcroy, Ent. Paris., i, p. 210, 1785, Cimex. vagans (Fabricius), Mantissa Ins., ii, p. 307, 1787, Cimex.

Fabricius, Ent. Syst., iv, p. 185, 1794, Miris.
Latreille, Hist. Nat. Crust. Ins., iii, p. 249, 1802.
Fabricius, Syst. Rhyng., p. 255, 1803, Miris.
Latreille, Hist. Nat. Crust. Ins., xii, p. 228, 1804, Miris.
Burmeister, Handb. d. Ent., ii, p. 242, 1835. [of Nabis).
Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 120, 1840 (as type

triops (Gmelin) in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2179, 1788, [Cimex.

sexstriatus (Gmelin) in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2182, [1788, Cimex.

denigratus (Gmelin) in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2194, heraldicus (Schrank), Fauna Boica, p. 83, 1801, Cimex.

crassipes (Schrank), Fauna Boica, p. 99, 1801, Cimex.

pallens (Panzer) in Schaeffer, Icones Ins., p. 163, 1804, Reduvius. cinereus Olivier, Encyc. Meth., vii, p. 140, 1811.

Localities: Quebec, Ont., Me., Mass., Conn., N. Y., N. J., Pa., Md., N. C., Ga., Mich., Wis., Neb., Dak., Kan., Colo., Utah, Texas, N. Mex., Ariz., Calif. (Palaearctic, Mexico.)

a. var. punctatus Costa

Costa, Cimic. Reg. Neap., Cent., ii, p. 14, 1843.

Champion, Biol. Centr. Am., Heter., ii, p. 305, 1900, Coriscus.

Oshanin, Verz. Palae. Hemip., i, p. 576, 1908.

?agilis Spinola, Essai sur les Hemip., p. 106, 1837.

Localities: "Nearctic." (Europe, Mexico, Guatemala.)

[Nabis perennis Fitch MS]

Walker, Cat. Heter., vii, p. 143, 1873.

Locality: N. Y.

830. Nabis roseipennis Reut.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 89, 1872.

Stål, Enum. Hemip., iii, p. 113, 1873, Coriscus.

Reuter, Revue d'Ent., ix, p. 308, 1890.

Reuter, Mém. Soc. Ent. Belg., xv, p. 118, 1908, Reduviolus.

punctipes Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 89, 1872.

Stål, Enum. Hemip., iii, p. 113, 1873, Coriscus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 326, 1876, Coriscus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 183, 1894, Coriscus.

Gillette and Baker, Hemip. Colo., p. 59, 1895, Coriscus.

tinscriptus (Van Duzee), Can. Ent., xxi, p. 5, 1889, Coriscus. [olus. [rudis Uhler MS], Reuter, Mém. Soc. Ent. Belg., xv, p. 118, 1908, Reduvi-Localities: Ont., N. Y., N. J., Pa., Del., D. C., Ohio, Wis., Ia., Neb., Colo.

831. Nabis rufusculus Reut.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 92, 1872.

Stål Enum. Hemip., iii, p. 113, 1873, Coriscus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 183, 1894, Coriscus.

Gillette and Baker, Hemip. Colo., p. 59, 1895, Coriscus.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905, Coriscus.

Reuter, Mém. Soc. Ent. Belg., xv, p. 119, 1908, Reduviolus.

assimilis (Uhler), Proc. Bost. Soc. Nat. Hist., xix, p. 422, 1878, Coriscus. chewkeanus (Kirkaldy), Wien. Ent. Zeit., xx, p. 224, 1901, Reduviolus.

[(For cherokeanus.)

Localities: Ont., Me., Mass., N. Y., Md., D. C., Va., N. C., Ill., Wis., Colo.

832. Nabis inscriptus (Kirby)

Kirby in Richardson's Fauna Bor. Am., iv, p. 280, pl. 6, fig. 7, 1857, *Reduvi*-Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 419, 1872. [olus. Stål, Enum. Hemip., iii, p. 113, 1873, Coriscus.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 325, 1876, Coriscus.
Cockerell, Trans. Am. Ent. Soc., xx, p. 364, 1893, Coriscus.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905, Coriscus.
Van Duzee, Can. Ent., xxxviii, p. 407, 1906, Coriscus.
Reuter, Mém. Soc. Ent. Belg., xv, p. 120, 1908, Reduviolus.
Oshanin, Verz. Palae. Hemip., i, p. 578, 1908.
Reuter, Of. Finska Vet. Soc. Forh., lv, Afd. A, No. 14, p. 82, 1913, Reduviolus.
borecllus Reuter, Meddel. Of. Soc. p. Fauna Flora Fenn., xi, p. 165, 1884.
Localities: Ont., Me., N. Y., Br. Col.

833. Nabis kalmii Reut.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 91, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 325, 1876, Coriscus. Gillette and Baker, Hemip. Colo., p. 59, 1895, Coriscus. Kirkaldy, Wien. Ent. Zeit., xx, p. 225, 1901, Reduviolus. Reuter, Mém. Soc. Ent. Belg., xv, p. 119, 1908, Reduviolus. Localities: Wis., Mo., Colo., Neb.

Genus Metatropiphorus Haplotype belfragii Reut.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 93, 1872. Stål, Enum. Hemip., iii, pp. 110, 111, 1873.

834. Metatropiphorus belfragii Reut.

Reuter, Of. Vet. Akad. Forh., xxix, No. 6, p. 93, 1872. Stål, Enum. Hemip., iii, p. 111, 1873.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 95, 1876.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 25, 1907.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914.

Localities: Fla., Texas. (West Indies.)

TRIBE GORPINI (Reut.)

Reuter, Ann. Soc. Ent. Belg., liii, p. 423, 1909, Div. Gorparia.

Genus Carthasis Champ. Haplotype rufonotatus Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 305, 1900. Reuter, Mém. Soc. Ent. Belg., xv, p. 97, 1908. Orthometrops Uhler, Proc. Ent. Soc. Wash., iv, p. 508, 1901 (type decorata).

835. Carthasis decoratus (Uhl.)

Uhler, Proc. Ent. Soc. Wash., iv, p. 509, 1901, Orthometrops.
contrarius Reuter, Mém. Soc. Ent. Belg., xv, p. 97, 1908.
Localities: N. Y., N. J., Pa., Md.

SUPERFAMILY CIMICOIDEAE Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 68, 1910.
Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 19, 48, 1912.
Oshanin, Kat. Palae. Hemip., p. 56, 1912.
Miridae Kirkaldy, Fauna Hawai., iii, p. 125, 1902.

PHALANX CIMICIFORMES Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 70, 1910.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, p. 48, 1912.

Oshanin, Kat. Palae. Hemip., p. 56, 1912.

Acanthiidae Reuter, Of. Vet. Akad. Forh., xxviii, p. 557, 1871 (Family).

Cimicidae, Stal, Enum. Hemip., iii, p. 101, 1873 (Family). Anthocoridae Reuter, Monog. Anthroc., p. 3, 1884.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 237, 1896 (as Family).

Family CIMICIDAE (Latr.)

Latreille, Hist. Nat. Crust. Ins., xii, p. 235, 1804, Cimicides (part).

Leach, Brewster's Edinbg. Encyc., ix, p. 122, 1815, Cimicides, I, Cimicida.

Laporte, Essai Classif. Syst. Hémip., p. 51, 1832, Cimicites (part).

Spinola, Essai sur les Hémip., p. 170, 1837, Cimicites.

Westwood, Intr. Mod. Classif. Ins., ii, p. 474, Synop., p. 120, 1840, Cimicidae.

Spinola, Tavola Sinot., pp. 38, 39, 1850, Subfam. Cimicoideae.

Fieber, Genera Hydroc., p. 9, 1851, Family Cimicidea.

Stål, Enum. Hemip., iii, p. 103, 1873, Subfam. Cimicina.

Reuter, Monog. Anthroc., p. 3, 1884, Cimicidae.

Uhler, Stand. Nat. Hist., ii, p. 285, 1884.

Puton, Cat. Hémip. Palae., edn. 3, p. 42, 1886, Tribe Cimicini.

Provancher, Pet. Faune Ent. Can., iii, p. 169, 1887.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 235, 1896.

Champion, Biol. Centr. Am., Heter., ii, p. 336, 1900.

Distant, Fauna Br. Ind., Rhyn., ii, p. 410, 1904.

Oshanin, Verz. Palae. Hemip., i, p. 609, 1909.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 2, 71, 1910.

Banks, Cat. Nearc. Hemip., p. 25, 1910.

Horvath, Ann. Mus. Natl. Hung., ix, p. 17, 1911.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 48, 53, 1912.

Oshanin, Kat. Palae. Hemip., p. 56, 1912.

Reuter, Zeit. Wissens., Insek., ix, p. 251, 1913.

Acanthilles Latreille, Genera Crust. Ins., iii, p. 135, 1807 (part).

Lecticoles Amyot and Serville, Hémip., pp. xli, 309, 1843 (as tribe).

Acanthiidae Costa, Cimic. Neap., Cent., iii, p. 67, 1852.

Dohrn, Cat. Hemip., p. 44, 1859.

Fieber, Europ. Hemip., p. 24, 1860, Acanthiadae.

Stål, Hemip. Afr., iii, p. 24, 1865.

Cacodmidae Kirkaldy, Bul. Liverp. Mus., ii, p. 45, 1899.

Kirkaldy, Fauna Hawai., iii, p. 129, 1902, Cacodminae.

Clinocoridae Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 147, 1906.

Bueno, Ent. News, xviii, p. 433, 1907.

Kirkaldy, Can. Ent., xl, p. 361, 1908.

Reuter, Ent. Mo. Mag., xix, p. 27, 1908, Clinocorina.

Subfamily CIMICINAE Van D.

Van Duzee, Check List Hemip., p. 33, 1916.

Cacodminae Jordan and Rothschilds, Novit. Zool., xix, p. 352, 1912.

Reuter, Zeit. f. Wissens. Insek., ix, p. 254, 1913.

Genus Cimex Linn. Logotype lectularius Linn.

Linnaeus, Syst. Nat., edn. 10, i, p. 441, 1758 (Sec. "A," Apteri). Geoffroy, Hist. Abreg. Ins., i, p. 430, 1762 (Fam. 1, Apterus). Scopoli, Ent. Carn., p. 120, 1763 (Sec. 2, Cucullati). Brunnich, Entomologia, p. 82, 1764 (lectularius only species). Goeze, Ent. Beytr., ii, p. 177, 1778 (Sec. 1, for lectularius, full bibliography). Fourcroy, Ent. Paris., p. 194, 1785 (Family I, lectularius first species). Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2123, 1788. Thunberg, Genera Ins., edn. 2, p. 33, 1791 (no species mentioned). Olivier, Encyc. Meth., iv, p. 25, 1789. Lamarck, Syst. Anim. s. Vert., p. 293, 1801 (names lectularius as type). Latreille, Hist. Nat. Crust. Ins., iii, p. 247, 1802 (lectularius only sp.). Latreille, Hist. Nat. Crust. Ins., xii, p. 254, 1804. Latreille, Genera Crust. Ins., iii, p. 136, 1807. Latreille, Consid. Génl., pp. 257, 433, 1810 (names lectularius type). Leach, Brewster's Edinbg. Encyc., ix, p. 122, 1915 (for lectularius). Latreille in Cuvier, Règne Animal, edn. 2, v, p. 201, 1829. Laporte, Essai Classif. Syst. Hémip., p. 51, 1832 (names lectularius type). Hahn, Wanz. Ins., iii, p. 17, 1835. Herrich-Schaeffer, Nomen. Ent., i, pp. 37, 61, 97, 1835. Brullé, Hist. Nat. des Ins., ix, p. 330, 1835. Spinola, Essai sur les Hémip., p. 170, 1837. Blanchard, Hist. des Ins., Hémip., p. 109, 1840. [larius type). Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 120, 1840 (names lectu-Guerin, Icon. Règne Animal., p. 350, (lectularius only species). Spinola, Tavola Sinot., p. 39, 1850. Stål, Enum. Hemip., iii, pp. 103, 104, 1873. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 235, 1896. Blanford, Nature, lxix, p. 200, 1903; p. 464, 1904. Distant, Fauna Br. Ind., Rhyn., ii, p. 410, 1904. Horvath, Ann. Mus. Natl. Hung., x, p. 257, 258, 1912. Reuter, Zeit. Wissens. Insekt., ix, p. 305, 1913. Van Duzee, Can. Ent., xlvi, p. 385, 1914. Acanthia Fabricius, Syst. Ent., p. 693, 1775 (lectularius first species). Fabricius, Ent. Syst., iv, p. 67, No. 1, 1794. Walckenaer, Faune Paris., ii, p. 336, 1802. Fabricius, Syst. Rhyng., p. 112, 1803 (indicates lectularius as type). Fallén, Monog. Cimic. Suec., p. 27, 1807. Wolff, Icon. Cimic., v, p. vii, 1811. Fallén, Hemip. Suec., Cimic., p. 140, 1829. Burmeister, Handb. d. Ent., ii, p. 252, 1835. Amyot and Serville, Hémip., p. 310, 1843. Flor, Rhyn. Livl., i, p. 671, 1860. Fieber, Europ. Hemip., pp. 37, 135, 1861. Stål, Hemip. Afr., ii, p. 24, 1865. Douglas, Ent. Mo. Mag., xix, p. 202, 1883. Clinocoris Fallén, Hemip. Suec., Cimic., p. 141, 1829 (suggested as a Kirkaldy, Nature, lxix, p. 464, 1904. [better name). Kirkaldy, Entomologist, xxxviii, p. 77, 1905. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 147, 1906.

Reuter, Ent. Mo. Mag., xix, p. 27, 1908.

Klinophilos Kirkaldy, Entomologist, xxxii, p. 219, 1899 (type lectularius). Kirkaldy, Fauna Hawai., iii, p. 129, 1902.

836. Cimex lectularius Linn.

Linnaeus, Syst. Nat., edn. 10, p. 441, 1758.

Sulzer, Kennz. d. Ins., p. 102, Cimex No. 1, pl. 11, fig. 69, 1761 (no specific Geoffroy, Hist. Abreg. Ins., i, p. 434, No. 1, 1762 (no specific name). [name).

Scopoli, Ent. Carn., p. 121, 1763.

Brunnich, Entomologia, p. 82, 1764. De Geer, Mémoires, iii, p. 296, pl. 17, figs. 10-15, 1773.

Fabricius, Syst. Ent., p. 693, 1775, Acanthia.

Goeze, Ent. Beytr., ii, p. 180, 1778.

Schrank, Enum. Ins. Austr., p. 262, 1781.

Retzius, Gen. Spec. Ins., p. 88, 1783.

Fourcroy, Ent. Paris., p. 195, 1785.

Fabricius, Ent. Syst., iv, p. 67, 1794, Acanthia.

Lamarck, Syst. Anim. s. Vert., p. 293, 1801.

Schrank, Fauna Boica, ii, p. 62, 1801, Acanthia.

Latreille, Hist. Nat. Crust. Ins., iii, p. 247, 1802 (mentioned as example).

Walckenaer, Faune Paris., ii, p. 337, 1802, Acanthia.

Fabricius, Syst. Rhyng., p. 112, 1803, Acanthia.

Latreille, Hist. Nat. Crust. Ins., xlii, p. 255, 1804.

Wolff, Icon. Cimic., iv, p. 127, fig. 121, 1804, Acanthia.

Latreille, Genera Crust. Ins., iii, p. 137, 1807.

Fallén, Monog. Cimic. Suec., p. 27, 1807, Acanthia.

Zetterstedt, Fauna Lapp., p. 485, 1828, Acanthia.

Latreille in Cuvier, Règne Animal, edn. 2, v, p. 201, 1829.

Fallén, Hemip. Suec., Cimic., p. 141, 1829, Acanthia.

Hahn, Wanz. Ins., iii, p. 17, fig. 242, 1835.

Burmeister, Handb. d. Ent., ii, p. 253, 1835, Acanthia.

Latreille in Cuvier, Anim. Kingd., Lond. edn., iv, p. 165, 1836.

Spinola, Essai sur les Hémip., p. 170, 1837.

Blanchard, Hist. Nat. des Ins., Hémip., p. 110, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, p. 475, 1840.

Zetterstedt, Ins. Lapp., column 271, 1840, Acanthia.

Amyot and Serville, Hémip., p. 313, 1843, Acanthia.

Flor, Rhyn. Livl., i, p. 672, 1860, Acanthia.

Fieber, Europ. Hemip., p. 135, 1861, Acanthia.

Douglas and Scott, Brit. Hemip., p. 510, pl. 17, fig. 7, 1865, Acanthia.

Walker, Cat. Heter., vii, p. 43, 1873, Acanthia.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 427, 1877, Acanthia.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1329, Acanthia.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 417, 1878, Acanthia.

Berg, Hemip. Argent., p. 133, 1879.

Provancher, Pet. Faune Ent. Can., iii, p. 170, 1887.

Reuter, Rev. Synon., p. 319, No. 300, 1888.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 278, 1894, Acanthia.

Marlatt, U. S. Dept. Agr., Div. Ent., Bul. N. S., iv, p. 32, 1896.

Champion, Biol. Centr. Am., Heter., ii, p. 336, 1900.

Kirkaldy, Fauna Hawai., iii, p. 129, 1902, Klinophilos.

Girault, Psyche, xii, p. 61, 1905, Clinocoris (life history).

Bueno and Brimley, Ent. News, xviii, p. 433, 1907, Clinocoris.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 236, 1900, Clinocoris.

Horvath, Ann. Mus. Natl. Hung., viii, p. 362, 1910, Clinocoris.

Horvath, Ann. Mus. Natl. Hung., x, p. 258, 1912.

Reuter, Zeit. f. Wissens. Insekt., ix, p. 325, 1913 (full account).

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914 (noticed).

Parshley, Psyche, xxi, p. 143, 1914, Clinocoris. [linnaean).

domesticus Moufflet, Ins. Minim, Anim. Theatrum, p. 629, 1634, pre-Localities: All states.

837. Cimex pilosellus (Horv.)

Horvath, Ent. Mo. Mag., xxi, p. 12, 1910, Clinocoris.

Horvath, Ann. Mus. Natl. Hung., x, p. 259, 1912.

†pipistrelli Chittenden, U. S. Dept. Agr., Div. Ent., Bul. N. S. xviii, p. 97, Zimmer, Ent. News, xxv, p. 418, 1914. [1898.

Localities: N. Y., N. C., Neb., Colo., Ariz., Calif., Br. Col.

Genus Occiacus Stål Orthotype hirundinis (Jen.)

Stål, Enum. Hemip., iii, p. 104, 1873.

Horvath, Ann. Mus. Natl. Hung., x, pp. 257, 260, 1912.

Reuter, Zeit. f. Wissens. Insekt., ix, pp. 254, 303, 1913.

838. Occiacus vicarius Horv.

Horvath, Ann. Mus. Natl. Hung., x, p. 261, 1912.

thirundinis (Gillette and Baker), Hemip. Colo., p. 56, 1895, Acanthia.

Parshley, Psyche, xxi, p. 143, 1914, Clinocoris.

Localities: Me., N. H., N. Y., Ia., Colo., Calif. (Mexico.)

Subfamily HAEMATOSIPHONINAE J. & R.

Jordan and Rothschild, Novit. Zool., xix, p. 352, 1912. Reuter, Zeit. f. Wissens. Insekt., ix, p. 362, 1913.

Genus **Haematosiphon** Champ. Haplotype inodora (Duges)

Champion, Biol. Centr. Am., Heter., ii, p. 337, 1900.

Horvath, Ann. Mus. Natl. Hung., x, pp. 257, 261, 1912.

839. Haematosiphon inodorus (Duges)

Duges, La Naturaleza, Ser. 2, ii, p. 169, pl. 8, figs. 1-7, 1892, Acanthia.

Townsend, Proc. Ent. Soc. Wash., iii, p. 40, 1894, Acanthia.

Champion, Biol. Centr. Am., Heter., ii, p. 337, pl. 20, fig. 1, 1900.

Horvath, Ann. Mus. Natl. Hung., x, p. 262, 1912.

Localities: N. Mex., Texas. (Mexico.)

Family ANTHOCORIDAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. xxxvii, 262, 1843, Anthocorides. Fieber, Genera Hydroc., p. 9, 1851, Anthocoridea.

Dallas, List of Hemip., ii, p. 587, 1852, Anthocoridae.

Costa, Cimic. Neap. Cent., iii, p. 69, 1852, Subfam. Anthocorini.

Dohrn, Cat. Hemip., p. 36, 1859.

Flor, Rhyn. Livl., i, p. 638, 1860, Anthocoridea.

Fieber, Europ. Hemip., pp. 25, 37, 135, 1861. Stål, Hemip. Afr., iii, p. 23, 1865, Anthocorida. Douglas and Scott, Brit. Hemip., pp. 36, 490, 1865. Reuter, Of. Vet. Akad. Forh., xxxviii, p. 557, 1871, Anthocorina. Stål, Enum. Hemip., iii, p. 101, 1873, Anthocorina. Reuter, Monog. Anthoc., p. 3, 1884, Anthocorina. Uhler, Check List, p. 21, 1886, Anthocorina. Puton, Cat. Hémip. Palae., edn. 3, p. 43, 1886, Anthocorini (tribe). Lethierry and Severin, Cat. Génl. Hémip., iii, p. 237, 1896 (as subfamily). Champion, Biol. Centr. Am., Heter., ii, p. 306, 1900, Anthocorinae. Kirkaldy, Fauna Hawai., iii, p. 125, 1902, Anthocorinae. Kirkaldy, Can. Ent., xl, p. 361, 1908. Oshanin, Verz. Palae. Hemip., i, p. 613, 1909. Banks, Cat. Nearc. Hemip., p. 23, 1910. Horvath, Ann. Mus. Natl. Hung., ix, p. 18, 1911. Oshanin, Kat. Palae. Hemip., p. 56, 1912.

Subfamily LYCTOCORINAE (Reut.)

Reuter, Monog. Anthoc., p. 4, 1884, Div. Lyctocoraria. Champion, Biol. Centr. Am., Heter., ii, p. 306, 1900, Div. Lyctocoraria. Oshanin, Verz. Palae. Hemip., i, p. 613, 1909, Div. Lyctocoraria. Oshanin, Kat. Palae. Hemip., p. 58, 1912, Tribe Lyctocoraria.

Genus Lyctocoris Hahn Logotype domesticus Hahn = campestris (Fabr.)

Hahn, Wanz. Ins., iii, p. 19, 1835.

Fieber, Wien. Ent. Monat., iv, p. 264, 1860.

Flor, Rhyn. Livl., i, p. 665, 1860 (subgen. of Xylocoris).

Fieber, Europ. Hemip., pp. 38, 138, 1861.

Douglas and Scott, Brit. Hemip., p. 498, 1865.

Reuter, Of. Vet. Akad. Forh., xxvii, p. 409, 1871.

Reuter, Monog. Anthoc., pp. 5, 6, 1884.

Champion, Biol. Centr. Am., Heter., ii, p. 306, 1900. [type canadensis Prov.)

Tetraphleps Provancher, Pet. Faune Ent. Can., iii, p. 90, 1886. (Haplo-

Subgenus Lyctocoris Hahn

Reuter, Monog. Anthoc., pp. 6, 7, 1884.

840. Lyctocoris campestris (Fabr.)

Fabricius, Ent. Syst., iv, p. 75, 1794, Acanthia.
Fabricius, Syst. Rhyng., p. 116, 1803, Salda.
Stål, Hemip. Fabr., i, p. 90, 1868, Anthocoris.
Reuter, Of. Vet. Akad. Forh., xxviii, p. 409, 1871.
Reuter, Monog. Anthoc., p. 7, 1884.
Reuter, Rev. Synon., p. 312, No. 295, 1888.
Gillette and Baker, Hemip. Colo., p. 55, 1895.
Champion, Biol. Centr. Am., Heter., ii, p. 307, 1900.
pallidus (Rossi), Mant. Ins., ii, p. 55, 1794, Cimex.
arvicola (Latreille), Hist. Nat. Crust. Ins., xii, p. 220, 1804, Lygaeus.
pallens (Fallén), Hemip. Suec., Cimic., p. 103, 1829, Phytocoris.

domesticus (Schilling), Isis, p. 738, 1834, Cimex.

Fieber, Europ. Hemip., p. 139, 1861.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 106, 1871; xix, p. 416, 1878. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 180, 1894.

||domesticus Hahn, Wanz. Ins., iii, p. 20, fig. 243, 1835 (as new).

Herrich-Schaeffer, Wanz. Ins., ix, p. 228, 1853, Anthocoris.

Flor, Rhyn. Livl., i, p. 665, 1860.

bicuspis (Herrich-Schaeffer), Nomen. Ent., i, p. 60, 1835, Anthocoris.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 12, 1853, Anthocoris. dimidiata (Spinola), Essai sur les Hémip., p. 236, 1837 (1840), Xylocoris.

parisiensis (Amyot and Serville), Hémip., p. 264, 1843, Xylocoris.

Dallas, List of Hemip., ii, p. 589, 1852, Xylocoris.

americanus (Dallas), List of Hemip., ii, p. 589, 1852, Xylocoris.

Reuter, Monog. Anthoc., p. 166, 1884, Xylocoris. distinguendus Flor, Rhyn. Livl., i, p. 666, 1860 (as variety). pictus Fieber, Europ. Hemip., p. 138, 1861 (as variety).

currax (Garbiglietti), Bul. Soc. Ent. Ital., i, p. 123, 1869, Cardiastethus. fitchii Reuter, Of. Vet. Akad. Forh., xxviii, p. 557, 1871.

Parshley, Psyche, xxi, p. 143, 1914.

Localities: Quebec, Ont., Me., N. Y., Pa., N. C., Ill., Wis., Ala., Texas, Colo.

841. Lyctocoris canadensis (Prov.)

Provancher, Pet. Faune Ent. Can., iii, p. 90, 1886, Tetraphleps. Van Duzee, Can. Ent., xliv, p. 320, 1912.

Localities: Quebec, Ont.

Subgenus Dolichomerium Kirk. Logotype elongatus Reut.

Kirkaldy, Entomologist, xxxiii, p. 242, 1900 (n.n. for *Dolichomerus* Reut.). || Dolichomerus Reuter, Of. Vet. Akad. Forh., xxviii, p. 557, 1871. Reuter, Monog. Anthoc., p. 10, 1884.

842. Lyctocoris elongatus (Reut.)

Reuter, Of. Vet. Akad. Forh., xxviii, p. 558, 1871, Dolichomerus. Stål, Enum. Hemip., iii, p. 101, 1873, Dolichomerus (record only). Reuter, Monog. Anthoc., p. 11, 1884, Dolichomerus.

Localities: S. C., Idaho.

843. Lyctocoris stālii (Reut.)

Reuter, Of. Vet. Akad. Forh., xxviii, p. 558, 1871, Dolichomerus.
Stål, Enum. Hemip., iii, p. 101, 1872, Dolichomerus (record only).
Reuter, Monog. Anthoc., p. 10, 1884, Dolichomerus.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 180, 1894, Dolichomerus.
reuteri B. White, Ent. Mo. Mag., xvi, p. 146, 1879, Dolichomerus.
Localities: N. Y., N. C., S. C., Fla., Calif., Vanc. Isd.

Genus Lasiochilus Reut. Haplotype pallidulus Reut.

Reuter, Of. Vet. Akad. Forh., xxviii, p. 562, 1871. Reuter, Monog. Anthoc., p. 13, 1884. Champion, Biol. Centr. Am., Heter., ii, p. 307, 1900.

Subgenus Lasiochilus Reut.

Reuter, Monog. Anthoc., p. 15, 1884.

844. Lasiochilus pallidulus Reut.

Reuter, Of. Vet. Akad. Forh., xxviii, p. 562, 1871.
Stål, Enum. Hemip., iii, p. 102, 1873 (record only).
Reuter, Monog. Anthoc., p. 17, 1884.
Uhler, Proc. Zool. Soc. Lond. for 1894, p. 198.
Champion, Biol. Centr. Am., Heter., ii, p. 309, 1900.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914.

Subgenus Dilasia Reut. Haplotype fuscula Reut.

Localities: S. C., Fla., Texas. (West Indies, Mexico.)

Reuter, Of. Vet. Akad. Forh., xxviii, p. 563, 1871. Reuter, Monog. Anthoc., p. 20, 1884.

845. Lasiochilus fusculus Reut.

Reuter, Of. Vet. Akad. Forh., xxviii, p. 563, 1871. Stål, Enum. Hemip., iii, p. 101, 1873. Reuter, Monog. Anthoc., p. 22, 1884. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 201, Lasiochilus. Localities: N. Y., S. C., Texas.

Genus Xylocoris Duf.

Haplotype rufipennis Duf. = cursitans (Fall.)

Dufour, Ann. Sci. Nat. Paris, xxii, p. 423, 1831 (rufipennis only species). Dufour, Ann. Soc. Ent. Fr., Ser. 1. ii, p. 106, 1833 (adds ater n.sp.). Burmeister, Handb. d. Ent., ii, p. 289, 1835.

Spinola, Essai sur les Hémip., p. 235, 1837 (1840).

Amyot and Serville, Hémip., p. 263, 1843.

Herrich-Schaeffer, Wanz. Ins., ix, p. 170, 1853.

Stål, Hemip. Afr., iii, p. 23, 1865.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 119, 1906.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, p. 25, 1912.

Piezostethus Fieber, Wien. Ent. Monat., iv, p. 265, 1860.

Fieber, Europ. Hemip., pp. 38, 139, 1861.

Douglas and Scott, Brit. Hemip., p. 500, 1865.

Reuter, Of. Vet. Akad. Forh., xxviii, p. 410, 1871.

Reuter, Monog. Anthoc., p. 29, 1884.

Uhler, Check List, p. 21, 1886.

Champion, Biol. Centr. Am., Heter., ii, p. 315, 1900.

Oshanin, Verz. Palae. Hemip., i, p. 615, 1909.

Banks, Cat. Nearc. Hemip., p. 24, 1910.

‡Piestostethus Marshall, Ent. Mo. Mag., iv, p. 281, 1868.

Subgenus Xylocoris Duf.

Piezostethus Reuter, Monog. Anthoc., pp. 31, 36, 1884.

846. Xylocoris galactinus (Fieb.)

Fieber, Weit. Beitr., i, p. 107, 1836, Anthocoris. Fieber, Europ. Hemip., p. 139, 1861, Piezostethus.

Douglas and Scott, Brit. Hemip., p. 500, pl. 17, fig. 2, 1865, Piezostethus.

Reuter, Of. Vet. Akad. Forh., xxviii, p. 411, 1871, Piezostethus.

Reuter, Monog. Anthoc., p. 36, 1884, Piezostethus.

Champion, Biol. Centr. Am., Heter., ii, p. 315, 1900, Piezostethus.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914, Piesostethus.

albipennis Herrich-Schaeffer, Wanz. Ins., ix, p. 171, fig. 971, 1853 (ater Baerensprung, Berl. Ent. Zeit., ii, p. 194, 1858. [by error on the plate). Flor, Rhyn. Livl., i, p. 669, 1860.

Localities: N. Y., Ill., Ga., Fla. (Centr. Am., Europe.)

847. Xylocoris sordidus (Reut.)

Reuter, Of. Vet. Akad. Forh., xxviii, p. 560, 1871, Piezostethus.

Stål, Enum. Hemip., iii, p. 101, 1873, Piezostethus.

Reuter, Monog. Anthoc., p. 37, 1884, Piezostethus.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 201, Piezostethus.

Champion, Biol. Centr. Am., Heter., ii, p. 316, 1900, Piezostethus.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 236, 1908, Piezostethus.

Smith, Cat. Ins. N. J., edn. 3, p. 158, 1910, Piezostethus.

Localities: N. Y., Pa., Texas, N. Mex.

a. var. binotatus (Reut.)

Reuter, Of. Vet. Akad. Forh., xxviii, p. 560, 1871, *Piezostethus* (as distinct Reuter, Monog. Anthoc., p. 37, 1884, *Piezostethus* (as variety). [species). Locality: S. C.

848. Xylocoris flaccidus (Van D.)

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 14, 1914, Piesostethus. Locality: Calif.

849. Xylocoris vicarius (Reut.)

Reuter, Monog. Anthoc., p. 45, 1884, Piezostethus. Locality: "Am. Sept."

850. Xylocoris californicus (Reut.)

Reuter, Monog. Anthoc., p. 46, 1884, Piezostethus.

Uhler, Proc. Ent. Soc. Wash., ii, p. 380, 1893, Piezostethus.

Uhler, Proc. U. S. Natl. Mus., xvii, p. 363, 1904, Piezostethus.

Localities: Utah, N. Mex., Calif.

851. Xylocoris cursitans (Fall.)

Fallén, Monog. Cimic. Suec., p. 74, 1807, Lygaeus.

Fallén, Hemip. Suec. Cimic., p. 69, 1829, Anthocoris.

Sahlberg, Monog. Geoc. Fenn., p. 80, 1848.

Reuter, Of. Vet. Akad. Forh., xxviii, p. 411, 1871, Piezostethus.

Reuter, Monog. Anthoc., p. 43, 1884, Piezostethus.

rufipennis Dufour, Ann. Soc. Ent. Fr., ii, p. 106, 1831.

Flor, Rhyn. Livl., i, p. 668, 1860.

Fieber, Europ. Hemip., p. 139, 1861, Piezostethus.

Douglas and Scott, Brit. Hemip., p. 501, 1865, Piezostethus.

corticalis (Hahn), Wanz. Ins., iii, p. 21, fig. 244, 1835, Lyctocoris.

bicolor Scholz, Prod. Rhyn. Schles., p. 116, 1846.

Fieber, Europ. Hemip., p. 139, 1861, Piezostethus.

latior Mulsant and Rey, Ann. Soc. Linn. Lyons, p. 160, 1852.

Localities: N. Y., N. J. (Palaearctic).

Genus Asthenidea Reut. Logotype temnostethoides Reut.

Reuter, Monog. Anthoc., p. 48, 1884. Champion, Biol. Centr. Am., Heter., ii, p. 317, 1900. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 120, 1906 (type fixation).

852. Asthenidea temnostethoides Reut.

Reuter, Monog. Anthoc., p. 51, 1884. Locality: Ill.

Subfamily ANTHOCORINAE (Reut.)

Reuter, Monog. Anthoc., pp. 4, 55, 1884, Div. Anthocoraria. Champion, Biol. Centr. Am., Heter., ii, p. 319, 1900, Div. Anthocoraria. Oshanin, Verz. Palae. Hemip., i, p. 613, 1909, Div. Anthocoraria. Oshanin, Kat. Palae. Hemip., p. 56, 1912, Tribe Anthocoraria.

Genus Anthocoris Fall.

Type nemorum Linn. = sylvestris (Linn.)

Fallén, Spec. Nova Hemip. Disp. Meth., p. 9, 1814. Fallén, Hemip. Suec., Cimic., p. 65, 1829. Herrich-Schaeffer, Nomen. Ent., i, pp. 37, 60, 1835.

Burmeister, Handb. d. Ent., ii, p. 288, 1835.

Spinola, Essai sur les Hémip., p. 237, 1837 (1840).

Blanchard, Hist. Nat. des Ins., Hémip., p. 133, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 122, 1840 (names nemorum Amyot and Serville, Hémip., p. 262, 1843. [type).

Spinola, Tavola Sinot., p. 37, 1850.

Dallas, List of Hemip., ii, p. 588, 1852.

Herrich-Schaeffer, Wanz. Ins., ix, p. 218, 1853.

Fieber, Wien. Ent. Monat., iv, p. 263, 1860.

Flor, Rhyn. Livl., i, p. 643, 1860.

Fieber, Europ. Hemip., pp. 38, 136, 1861.

Douglas and Scott, Brit. Hemip., p. 494, 1865.

Reuter, Of. Vet. Akad. Forh., xxviii, p. 419, 1871.

Reuter, Monog. Anthoc., pp. 56, 66, 1884.

Provancher, Pet. Faune Ent. Can., iii, p. 89, 1886.

Edwards, Ent. Mo. Mag., xxvi, p. 236, 1890 (British species only).

Champion, Biol. Centr. Am., Heter., ii, p. 323, 1900.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 120, 1906.

Distant, Fauna Br. Ind., Rhyn., v, p. 298, 1910 (cites nemorum as type).

[Hylophila Kirby MS] Stephens, Syst. Cat. Brit. Ins., p. 344, 1829.

Rhynarius Hahn, Wanz. Ins., i, p. 104, 1831 (type sylvestris Linn.). [Lap.). Leptomeris Laporte, Essai Classif. Syst. Hémip., p. 10, 1832 (type picta Phyllocoris Costa, Atti R. Inst. Incorr. Sc. Nap., vii, p. 264, 1847 (type Reuter, Monog. Anthoc., p. 166, 1884. [nemorum Linn.).

853. Anthocoris nigripes Reut.

Reuter, Monog. Anthoc., p. 69, 1884. Champion, Biol. Centr. Am., Heter., ii, p. 324, 1900. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 363, 1904. Localities: N. Mex. (Mexico.)

854. Anthocoris fulvipennis Reut.

Reuter, Monog. Anthoc., p. 69, 1884. Champion, Biol. Centr. Am., Heter., ii, p. 324, 1900. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 363, 1904.

Localities: N. Mex., Calif. (Mexico.)

855. Anthocoris albiger Reut.

Reuter, Monog. Anthoc., p. 70, 1884. Champion, Biol. Centr. Am., Heter., ii, p. 323, 1900. Localities: N. Mex. (Mexico.)

856. Anthocoris bakeri Popp.

Poppius, Ann. Soc. Ent. Belg., lvii, p. 14, 1913. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 235, 1916.

a. var. ornatus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 14, 1914. Locality: Calif.

857. Anthocoris whitei Reut.

Reuter, Monog. Anthoc., p. 74, 1884. Locality: Calif.

anty. Cam.

859. Anthocoris antevolens White

White (B.), Ent. Mo. Mag., xvi, p. 146, 1879.
Reuter, Monog. Anthoc., p. 77, 1884.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 278, 1894.
Gillette and Baker, Hemip. Colo., p. 55, 1895.
Localities: Colo., Mont., Calif.

860. Anthocoris borealis Dall.

Dallas, List of Hemip., ii, p. 588, 1852.

Reuter, Monog. Anthoc., p. 165, 1884 (copies description).

†musculus Provancher, Pet. Faune Ent. Can., iii, p. 89, 1886.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 180, 1894.

Localities: Quebec, Ont., N. H., N. Y.

861. Anthocoris musculus (Say)

Say, Heter. N. Harm., p. 32, 1832; Fitch reprint, p. 802; Compl. Writ., i, p. [357, Reduvius.]

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 321, 1876; iii, p. 427, 1877.

Reuter, Monog. Anthoc., p. 164, 1884.

Gillette and Baker, Hemip. Colo., p. 55, 1895.

Parshley, Psyche, xxi, p. 143, 1914.

Localities: Me., Colo.

862. Anthocoris melanocerus Reut.

Reuter, Monog. Anthoc., p. 81, 1884. Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 235, 1916.

Localities: Colo., Utah, Br. Col., Calif.

Genus Triphleps Fieb. Type niger Wolff

Fieber, Wien. Ent. Monat., iv, p. 266, 1860. Fieber, Europ. Hemip., pp. 39, 140, 1861.

Douglas and Scott, Brit. Hemip., p. 502, 1865.
Reuter, Of. Vet. Akad. Forh., xxviii, p. 414, 1871.
Reuter, Monog. Anthoc., pp. 57, 89, 191, 1884.
Provancher, Pet. Faune Ent. Can., iii, p. 91, 1886.
Champion, Biol. Centr. Am., Heter., ii, p. 326, 1900.
Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 120, 1906.
Distant, Fauna Br. Ind., Rhyn., iii, p. 8, 1906 (names laevigatus Fieb. type).

863. Triphleps niger (Wolff)

Wolff, Icon. Cimic., v, p. 167, fig. 161, 1811, Salda.
Fieber, Europ. Hemip., p. 140, 1861.
Douglas and Scott, Brit. Hemip., p. 502, 1865.
Reuter, Of. Vet. Akad., Forh., xxviii, p. 415, 1871.
Reuter, Monog. Anthoc., p. 92, 1884.
obscurus (Hahn), Wans. Ins., i, p. 110, fig. 59, 1831, Rhynarius.
compressicornis Sahlbg., Monog. Geoc., p. 77, 1848.
crassicornis Mulsant, Ann. Soc. Linn. Lyons, p. 161, 1857.
†fruticum Flor, Rhyn. Livl., i, p. 653, 1860 (part).
neglectus Garbiglietti, Bul. Soc. Ent. Ital., i, p. 92, 1860.
ullrichi Fieber, Europ. Hemip., p. 140, 1861 (variety).
Localities: Calif. (Palaearctic).

864. Triphleps insidiosus (Say)

Say, Heter. N. Harm., p. 32, 1832; Fitch reprint, p. 801; Compl. Writ., i, p. [357, Reduvius. Stål, Enum. Hemip., iii, p. 102, 1873. Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 106, 1871. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 320, 1876; iii, p. 427, 1877. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 417, 1878. Reuter, Monog. Anthoc., p. 97, 1884. Provancher, Pet. Faune Ent. Can., iii, p. 91, 1886. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 180, 1894. Gillette and Baker, Hemip. Colo., p. 55, 1895. Champion, Biol. Centr. Am., Heter., ii, p. 327, 1900. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 26, 1907. Smith, Cat. Ins. N. J., edn. 3, p. 158, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914. Malloch, Ent. News, xxvii, p. 200, 1916 (note on biting habit). pseudo-chinche (Fitch), 2d Rept., Trans. N. Y. St. Agr. Soc., xv, p. 527, [1856 (reprinted in 1st and 2d Repts., p. 295), Anthocoris. lepidus (Stål), Rio Jan. Hemip., i, p. 43, 1860, Anthocoris. Stål, Enum. Hemip., iii, p. 102, 1873. rugicollis Reuter, Of. Vet. Akad. Forh., xxviii, p. 565, 1871. †perpunctatus Uhler, Proc. Zool. Soc. Lond. for 1894, p. 201.

a. var latulus Reut. Reuter, Of. Vet. Akad. Forh., xxviii, p. 565, 1871.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 180, 1894.

Localities: Quebec, Ont., Me., N. H., Mass., Conn., N. Y., N. J., Fla., Mich., Ill., Mo., Neb., Kan., Colo., Texas. (Neotropical.)

865. Triphleps tristicolor White.

White, Ent. Mo. Mag., xvi, p. 145, 1879. Reuter, Monog. Anthoc., p. 98, 1884. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 278, 1894.
Champion, Biol. Centr. Am., Heter., ii, p. 327, 1900.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 15, 1914.
Essig, Inj. Ben. Ins. Calif., edn. 2, p. 209, 1915.

Localities: Me., N. Y., Colo., Utah, N. Mex., Ariz., Calif., Idaho.

Subfamily DUFOURIELLINAE Van D.

Van Duzee, Check List Hemip., p. 35, 1916 (n.n. for Xylocoraria Reut.).
Xylocoraria Reuter, Monog. Anthoc., pp. 4, 113, 1884 (as division).
Champion, Biol. Centr. Am., Heter., ii, p. 330, 1900 (as division).
Oshanin, Verz. Palae. Hemip., i, p. 633, 1909 (as division).

Genus Brachysteles Muls. & Rey Type pilicornis Muls. = parvicornis Costa

Mulsant and Rey, Ann. Soc. Linn. Lyons, iii, p. 104, 1852. Fieber, Wien. Ent. Monat., iv, p. 266, 1860. Fieber, Europ. Hemip., pp. 39, 141, 1861. Douglas and Scott, Brit. Hemip., p. 505, 1865. Reuter, Monog. Anthoc., pp. 113, 115, 1892, 1884.

866. Brachysteles pallidus Reut.

Reuter, Monog. Anthoc., p. 118, 1884.
Uhler, Check List, p. 21, 1886.
Uhler, Proc. Zool. Soc. Lond. for 1894, p. 201.
Localities: "Southern States." (West Indies.)

Genus Cardiastethus Fieb. Type luridellus Fieb.

Fieber, Wien. Ent. Monat., iv, p. 266, 1860.

Fieber, Europ. Hemip., pp. 39, 141, 1860.

Douglas and Scott, Brit. Hemip., p. 506, 1865.

Reuter, Monog. Anthoc., pp. 114, 130, 192, 1884.

Champion, Biol. Centr. Am., Heter., ii, p. 330, 1900.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 121, 1906 (type fixation only).

Dasypterus Reuter, Of. Vet. Akad. Forh., xxviii, p. 564, 1871 (type
Banks, Cat. Nearc. Hemip., p. 23, 1910. [limbatellus Stål).

Amphiareus Distant, Ann. Mag. Nat. Hist., Ser. 7, xiv, p. 220, 1904 (type
[fulvescens Walk.).

Lippomanus Distant, Ann. Mag. Nat. Hist., Ser. 7, xiv, p. 221, 1904 (type
[hirsutus Dist.).

Subgenus Cardiastethus Fieb.

Reuter, Monog. Anthoc., pp. 113, 135, 1884.

867. Cardiastethus assimilis (Reut.)

Reuter, Of. Vet. Akad. Forh., xxviii, p. 564, 1871, Dasypterus. Reuter, Monog. Anthoc., p. 139, 1884.
Uhler, Proc. Zool. Soc. Lond. for 1894, p. 201.
Champion, Biol. Centr. Am., Heter., ii, p. 332, 1900.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 502, 1914.
Localities: S. C., Fla., Texas. (Central America.)

868. Cardiastethus pergandii Reut.

Reuter, Monog. Anthoc., p. 141, 1884 (spelled pergaudei by error). Locality: D. C.

869. Cardiastethus luridellus Fieb.

Fieber, Wien. Ent. Monat., iv, p. 271, 1860. Stål, Enum. Hemip., iii, p. 103, 1873. Reuter, Monog. Anthoc., p. 142, 1884.

Locality: Pa.

Genus Solenonotus Reut. Haplotype sulcifer Stål

Reuter, Of. Vet. Akad. Forh., xxviii, p. 599, 1871. Reuter, Monog. Anthoc., pp. 114, 149, 1884. Stål, Enum. Hemip., iii, p. 101, 1873. Champion, Biol. Centr. Am., Heter., ii, p. 334, 1900.

870. Solenonotus angustatus Popp.

Poppius, Ann. Soc. Ent. Belg., lvii, p. 13, 1913. Locality: Calif.

Genus **Dufouriellus** Kirk. Orthotype ater Duf.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 121, 1906 (n.n. for Xylocoris Westw.).
†Xylocoris Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 123, 1840
Fieber, Wien. Ent. Monat., iv, p. 267, 1860. [names ater Duf. type).
Fieber, Europ. Hemip., pp. 39, 142, 1861.
Douglas and Scott, Brit. Hemip., p. 507, 1865.
Reuter, Of. Vet. Akad. Forh., xxvii, p. 412, 1871.
Reuter, Monog. Anthoc., pp. 114, 150, 1884.

871. Dufouriellus ater (Duf.)

Dufour, Ann. Soc. Ent. Fr., Ser. 1, ii, p. 106, pl. 6, fig. 3, 1833, Xylocoris. Burmeister, Handb. d. Ent., ii, p. 290, 1835, Xylocoris.
Blanchard, Hist. Nat. des Ins., Hémip., p. 234, 1840, Anthocoris.
Herrich-Schaeffer, Wanz. Ins., ix, p. 170, 1853, Xylocoris.
Baerensprung, Berl. Ent. Zeit., ii, p. 196, 1858.
Fieber, Europ. Hemip., i, p. 142, 1861.
Douglas and Scott, Brit. Hemip., p. 508, pl. 17, fig. 6, 1865.
Reuter, Of. Vet. Akad. Forh., xxviii, p. 413, 1871.
Reuter, Monog. Anthoc., p. 151, 1884.
Oshanin, Verz. Palae. Hemip., i, p. 637, 1909.

tardus (Herrich-Schaeffer), Nomen. Ent., i, p. 60, 1835, Anthocoris.
elongatus (Fieber), Weit. Beit., i, p. 109, pl. 2, fig. 8, 1836, Anthocoris.
Localities: N. Y. (Palaearctic.)

Genus Scoloposcelis Fieb.

Type crassipes Flor = pulchellus Zett.

Fieber, Wien. Ent. Monat., vii, p. 61, 1864. Reuter, Of. Vet. Akad. Forh., xxviii, p. 413, 1871. Ferrari, Ann. Mus. Civ. Stor. Nat. Genova. xii, p. 90, 1878. Reuter, Monog. Anthoc., pp. 114, 151, 1884. Champion, Biol. Centr. Am., Heter., ii, p. 335, 1900. Oshanin, Kat. Palae. Hemip., p. 59, 1912. [(type contubernalis Dist.).

Ostorodias Distant, Ann. Mag. Nat. Hist., Ser. 7, xiv, p. 219, 1904

Sesellius Distant, Ann. Mag. Nat. Hist., Ser. 7, xiv, p. 221, 1904 (type

[parallelus Mots.).

872. Scoloposcelis flavicornis Reut.

Reuter, Of. Vet. Akad. Forh., xxviii, p. 561, 1871.

Reuter, Monog. Anthoc., p. 154, 1884.

Champion, Biol. Centr. Am., Heter., ii, p. 335, pl. 19, fig. 32, 1900. Localities: Pa., Fla., Texas. (Mexico.)

873. Scoloposcelis discalis Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 15, 1914. Locality: Calif.

Family TERMATOPHYLIDAE (Reut.)

Reuter, Wien. Ent. Zeit., iii, p. 218, 1884, Subfam. Termatophylina.
Reuter, Monog. Anthoc., p. 167, 1884, Subfam. Termatophylina, [phylidae. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 253, 1896, Subfam. Termato-Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 122, 1906, Subfam. Termatophylinae. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 70, 1910, Termatophylidae. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 1, p. 2, 1912; No. 6, Oshanin, Kat. Palae. Hemip., p. 59, 1912. [pp. 19, 48, 52, 1912.

Genus Hesperophylum Reut. Haplotype heidemanni Reut.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 1, p. 16, 1912.

874. Hesperophylum heidemanni Reut.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 1, p. 17, 1912. Barber, Jl. N. Y. Ent. Soc., xxii, p. 170, 1914.

Localities: N. H., Ariz.

PHALANX MIRIFORMES Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 68, 1910.

Reuter, Of. Finska Vet. Akad. Forh., Afd. A, No. 6, p. 48, 1912. Van Duzee, Check List Hemip., p. 35, 1916.

Capsidae, Reuter, Hemip. Gymn. Eur., i, p. 13, 1878 (Family).

Distant, Biol. Centr. Am., Heter., i, p. 234, 1883.

Puton, Cat. Hémip. Palae., edn. 3, p. 45, 1886, Capsides.

Ashmead, Ent. Am., iv, p. 69, 1888. Atkinson, Cat. Capsidae, p. 25, 1889.

Miridae Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 122, 1906 (Family).

Kirkaldy, Can. Ent., xl, p. 361, 1908.

Capsiformes Oshanin, Kat. Palae. Hemip., p. 59, 1912.

Family MIRIDAE (Hahn)

Hahn, Wanz. Ins., i, p. 234, 1831, Mirides. Brullé, Hist. Nat. des Ins., ix, p. 405, 1835, Miriens. Blanchard, Hist. Nat. des Ins., Hémip., p. 135, 1840, Miriens.

Kirkaldy, Entomologist, xxxii, p. 221, 1899. Kirkaldy, Fauna Hawai., iii, p. 129, 1902, Subfam. Mirinae. Bergroth, Wien. Ent. Zeit., xxii, p. 255, 1903. Horvath, Ann. Mus. Natl. Hung., ii, p. 577, 1904. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 122, 1906, Subfam. Mirinae. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 69, 84, 1910 (Systematic). Reuter, Of. Finska Vet. Soc. Forh., Afd. A, No. 6, pp. 48, 52, 1912. Van Duzee, Univ. Calif. Publ., Div. Ent., Tech. Bul., i, p. 199, 1916. (Key.) Van Duzee, Check List Hemip., p. 35, 1916.

Capsini Burmeister, Handb. d. Ent., ii, p. 263, 1835.

Herrich-Schaeffer, Wanz. Ins., iii, p. 35, 1836.

Spinola, Essai sur les Hémip., p. 182, 1837 (1840), Capsoides.

Westwood, Intr. Mod. Classif. Ins., ii, p. 479; Synop., p. 121, 1840, [Capsidae.

Spinola, Tavola Sinot., pp. 26, 43, 1850, Capsites.

Herrich-Schaeffer, Wanz. Ins., ix, p. 163, 1853.

Flor, Rhyn. Livl., i, p. 404, 1860, Capsina.

Costa, Add. Cimic. Neap., p. 20, 1860, Capsidea. Douglas and Scott, Brit. Hemip., pp. 27, 276, 1865, Sec. Capsina.

Stål, Hemip. Afr., iii, p. 17, 1865, Capsida.

Stål, Of. Vet. Akad. Forh., xxvii, p. 667, 1870, Capsina.

Thomson, Opusc. Ent., i, p. 410, 1871, Capsina.

Reuter, Rev. Crit. Caps., i, p. 65, 1875, Subfam. Capsina.

Reuter, Genera Cimic. Eur., p. 4, 1875, Subfam. Capsina.

Reuter, Hemip. Gymn. Eur., i, p. 15, 1878, Subfam. Capsina.

Distant, Biol. Centr. Am., Heter., i, p. 235, 1883, Capsinae.

Uhler, Check List, p. 17, 1886, Capsidae.

Puton, Cat. IIémip. Palae., edn. 3, p. 45, 1886, Tribe Capsini.

Distant, Fauna Brit. Ind., Rhyn., ii, p. 412, 1904, Capsidae.

Reuter, Festsch. f. Palmen, i, 1905 (systematic).

Oshanin, Verz. Palae. Hemip., i, p. 645, 1909, Capsidae.

Banks, Cat. Nearc. Hemip., p. 28, 1910.

Oshanin, Kat. Palae. Hemip., p. 59, 1912, Capsidae.

Van Duzee, Can. Ent., xlvi, p. 386, 1914, Capsidae.

Bicellules Amyot and Serville, Hémip., pp. xxxviii, 275, 1843.

Dohrn, Cat. Hemip., p. 37, 1859, Bicelluli.

Phytocoridae Fieber, Wien. Ent. Monats., ii, p. 289, 1858.

Fieber, Europ. Hemip., pp. 26, 61, 237, 1861.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 408, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 315, 1876.

Uhler, Stand. Nat. Hist., ii, p. 286, 1884.

Provancher, Pet. Faune Ent. Can., iii, p. 92, 1886.

Subfamily MIRINAE (Reut.)

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 128, 155, 1910, Mirina. Van Duzec, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 201, 203, 1916. Capsinae Amyot and Serville, Hémip., pp. xxxix, 278, 1843, Capsides. Oshanin, Kat. Palae. Hemip., p. 59, 1912.

TRIBE MIRINI (A. & S.)

Amyot and Serville, Hémip., pp. xxxviii, 277, 1843 (groupe Mirides). Dohrn, Cat. Hemip., p. 37, 1859, Miridae.

Douglas and Scott, Brit. Hemip., pp. 29, 282, 1865, Family Miridae. Reuter, Genera Cimic. Eur., p. 5, 1875, Div. Miraria. Reuter, Rev. Crit. Caps., i, p. 76; ii, p. 1, 1875, Div. Miraria. Berg, Hemip. Argent., p. 117, 1879, Subfam. Myridina. Reuter, Hemip. Gymn. Eur., iii, p. 565, 1883, Div. Miraria. Puton, Cat. Hemip. Palae., edn. 3, p. 45, 1886, Div. Miraria. Uhler, Check List, p. 17, 1886, Miraria. Provancher, Pet. Faune Ent. Can., iii, p. 95, 1886, Mirides. Atkinson, Cat. Capsidae, p. 32, 1889, Div. Miraria. Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893, \$Mininae. Reuter, Festsch. f. Palmen, i, pp. 21, 28, 1905, Div. Miraria. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 143, 1906, Tribe Mirini. Kirkaldy, Can. Ent., xxxviii, p. 372, 1906, Tribe Mirini. Oshanin, Verz. Palae. Hemip., i, p. 761, 1909, Div. Miraria. Reuter, Acta Soc. Sci. Fenn., xxxvii. No. 3, pp. 129, 130, 1910, Div. Miraria. Banks, Cat. Nearc. Hemip., p. 40, 1910, Mirini. Oshanin, Kat. Palae. Hemip., p. 68, 1912, Div. Miraria. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 204, 205, 1916. Van Duzee, Check List Hemip., p. 35, 1916.

Genus Collaria Prov. Haplotype meilleurii Prov.

Provancher, Nat. Can., iv, p. 79, 1872.

Provancher, Pet. Faune Ent. Can., iii, p. 101, 1886.

Uhler, Ent. Am., ii, p. 230, 1887.

Distant, Biol. Centr. Am., Heter., i, p. 417, 1893.

Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 64, 1909.

Reuter, Of. Finska Vet.-Soc. Forh., li, No. 13, p. 11, 1909 (description).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 205, 1916.

Trachelomiris Reuter, Caps. Am. Bor., p. 61, 1876 (type oculatus Reut.).

Distant, Biol. Centr. Am., Heter., i, p. 238, 1883. [coracina Uhl.).

Nabidea Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 397, 1878 (Type

875. Collaria meilleurii Prov.

Provancher, Nat. Can., iv, p. 79, 1872.

Provancher, Pet. Faune Ent. Can., iii, p. 102, 1886.

Uhler, Ent. Am., ii, p. 230, 1887.

Van Duzee, Can. Ent., xix, p. 70, 1887, Trachelomiris.

Van Duzee, Can. Ent., xxi, p. 3, 1889.

Harrington, Ottawa Nat., vi, p. 27, 1892, Trachelomiris.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894.

Montgomery, Ent. News, xiii, p. 13, 1902.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905.

Moore, Can. Ent., xxxix, p. 163, 1907.

Van Duzee, Can. Ent., xl, p. 112, 1908.

Parshley, Psyche, xxi, p. 142, 1914.

coracina Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 398, 1878, Nabidea.

Localities: Ont., N. Y.

876. Collaria oculata (Reut.)

Reuter, Caps. Am. Bor., p. 61, 1876, Trachelomiris. Van Duzee, Can. Ent., xix, p. 70, 1887, Trachelomiris. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892, Trachelomiris.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894.

Montgomery, Ent. News, xiii, p. 13, 1902.

Wirtner, Ann. Carn. Mus., iii, p. 195, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 181, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Parshley, Psyche, xxi, p. 142, 1914.

Localities: Quebec, Ont., N. Y., N. J., Pa., Ga., Fla., Ia., Kans., Texas.

877. Collaria explicata Uhl.

Uhler, Ent. Am., ii, p. 230, 1887.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 248, 1894.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Localities: Fla. (West Indies, Mexico.)

878. Collaria oleosa (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 238, pl. 24, fig. 2, 1883, Trachelomiris.

Distant, Biol. Centr. Am., Heter., i, p. 417, 1893.

Kirkaldy, Trans. Ent. Soc. Lond. for 1902, p. 266.

Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 64, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 30, 1907.

Localities: Calif.(?). (Mexico.)

Genus Miris Fabr.

Orthotype dolabratus (Linn.)

Fabricius, Ent. Syst., iv, p. 183, 1794 (indicates dolabratus as type).

Latreille, Precis, p. 84, 1796.

Latreille, Hist. Nat. Crust. Ins., iii, p. 246, 1802; xii, p. 221, 1804.

Fabricius, Syst. Rhyng., p. 253, 1803.

Latreille, Genera Crust. Ins., iii, p. 124, 1807.

Fallén, Monog. Cimic. Suec., p. 106, 1807.

Latreille, Consid. Genl., pp. 255, 433, 1810 (names striatus pseudotype).

Latreille, in Cuvier, Régne Anim., edn. 2, v, p. 199, 1829.

Fallén, Hemip. Suec., Cimic., p. 127, 1829.

Hahn, Wanz. Ins., ii, p. 73, 1834, \$Myris.

Burmeister, Handb. d. Ent., ii, p. 264, 1835.

Brullé, Hist. des Ins., ix, p. 409, 1835.

Herrich-Schaeffer, Wanz. Ins., iii, p. 35, 1836.

Spinola, Essai sur les Hémip., p. 186, 1837 (1840).

Blanchard, Hist. des Ins., Hémip., p. 135, 1840.

Westwood, Introd. Mod. Classif. Ins., ii, Synop., p. 122, 1840 (cites dolabratus

Amyot and Serville, Hémip., p. 277, 1843.

[as type).

Spinola, Tavola Sinot., p. 43, 1850.

Reuter, Rev. Synon., p. 243, 1888 (cites dolabratus as type).

Atkinson, Cat. Capsidae, p. 32, 1889.

Hüeber, Synop. deut. Bindw., i, pp. 33, 63, 1894.

Reuter, Of. Finska Vet.-Soc. Forh., xlvi, No. 15, p. 1, 1904 (note).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 205, 1916.

†Lopus Herrich-Schaeffer, Wanz. Ins., iii, p. 35, 1836.

Kirschbaum, Rhyng. geg. v. Wiesbd., Caps., pp. 34, 105, 1855.

Leptopterna Fieber, Wien. Ent. Monat., ii, p. 302, 1858.

Fieber, Europ. Hemip., pp. 63, 244, 1861.

Thomson, Opusc. Ent., iv, p. 415, 1871.

Reuter, Genera Cimic. Eur., p. 9, 1875.

Reuter, Rev. Crit. Caps., ii, p. 13, 1875.

Provancher, Pet. Faune Ent. Can., iii, p. 104, 1886.

Puton, Cat. Hemip. Palae., edn. 3, p. 46, 1886.

Uhler, Check List, p. 17, 1886.

Lopomorphus Douglas and Scott, Brit. Hemip., p. 293, 1865.

879. Miris dolabratus (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 449, 1758; edn. 12, i, p. 730, 1767, Cimex.

Fabricius, Syst. Ent., p. 726, 1775, Cimex.

Schrank, Enum. Ins. Austr., p. 285, 1781, Cimex.

Fabricius, Ent. Syst., iv, p. 183, 1794.

Schrank, Fauna Boic., ii, p. 96, 1801, Cimex.

Fabricius, Syst. Rhyng., p. 252, 1803.

Latreille, Hist. Nat. Crust. Ins., xii, p. 227, 1804.

Fallén, Monog. Cimic. Suec., p. 107, 1807.

Zetterstedt, Fauna Lapp., p. 501, 1828.

Fallén, Hemip. Suec., Cimic., p. 128, 1829.

Hahn, Wanz. Ins., ii, p. 75, fig. 160, 1834.

Burmeister, Handb. d. Ent., ii, p. 267, 1835, Phytocoris.

Herrich-Schaeffer, Nomen. Ent., i, p. 47, 1835, Lopus.

Herrich-Schaeffer, Wanz. Ins., iii, p. 45, figs. 261, 262, 1835, Lopus.

Zetterstedt, Ins. Lapp., col. 286, 1840.

Blanchard, Hist. des Ins., Hémip., p. 136, 1840.

Meyer-Duer, Verz. Schw. Rhyng., p. 38, 1843.

Sahlberg, Monog. Geoc. Fenn., p. 82, 1848, Lopus. (Oshanin says p. 88.)

Kirschbaum, Rhyng. Geg. v. Wiesbd., Caps., p. 196, 1855, Lopus.

Flor, Rhyng. Livl., i, p. 437, 1860.

Fieber, Europ. Hemip., p. 245, 1861 (var. b), Leptopterna.

Douglas and Scott, Brit. Hemip., p. 297, 1865, Lopomorphus.

Stål, Hemip. Fabr., i, p. 90, 1868.

Thomson, Opusc. Ent., iv, p. 415, 1871.

Reuter, Rev. Crit. Caps., ii, p. 15, 1875, Leptopterna.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 397, 1878, Lopomorphus.

Provancher, Pet. Faune Ent. Can., iii, p. 104, 1886, Leptopterna.

Van Duzee, Can. Ent., xix, p. 70, 1887, Leptopterna.

Reuter, Rev. Synon., p. 243, No. 209, 1888.

Saunders, Heter. Brit. Isds., p. 227, pl. 20, fig. 10, 1892, Leptopterna.

Harrington, Ottawa Nat., vi, p. 27, 1892, Leptopterna.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894, Leptopterna.

Slosson, Ent. News, v, p. 5, 1894, Leptopterna.

Montgomery, Ent. News, xiii, p. 13, 1902, Leptopterna.

Wirtner, Ann. Carn. Mus., iii, p. 195, 1904, Leptopterna.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905, Leptopterna.

Moore, Can Ent., xxxix, p. 163, 1907, Leptopterna.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Van Duzee, Can. Ent., xl, p. 111, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910. Parshley, Psyche, xxi, p. 141, 1914.

?frumentarius Poda, Ins. Musei Graec., p. 60, 1761, Cimex. riparius Scopoli, Ent. Carn., p. 135, 1763, Cimex.

†laevigatus De Geer, Mémoires, iii, p. 292, 1773, Cimex.

Retzius, Genera et Spec. Ins., p. 88, No. 437, 1783, Cimex. lateralis Fabricius, Genera Ins., p. 300, 1776, Cimex.

Fabricius, Ent. Syst., iv, p. 184, 1794.

Wolff, Icon. Cimic., iii, p. 115, fig. 109, 1802.

Fabricius, Syst. Rhyng., p. 254, 1803.

Latreille, Hist. Nat. Crust. Ins., xii, p. 227, 1804.

?deses Müller, Zool. Danicae Prodr., p. 108, 1776, Cimex.

antenni-rectus Goeze, Ent. Beytr., ii, p. 267, 1778, Cimex.

v-flavum Goeze, Ent. Beytr., ii, p. 279, 1778, Cimex.

porrectus Geoffroy in Fourcroy, Ent. Paris., p. 206, 1785, Cimex.

recticornis Gmelin in Linnaeus, Syst. Nat., edn. 13, p. 2185, 1788, Cimex. abbreviatus Wolff, Icon. Cimic., iii, p. 116, fig. 110, 1802.

?picticeps Curtis, Brit. Ent., xv, pl. 701, 1838.

carinatus Douglas and Scott, Brit. Hemip., p. 294, 1865, Lopomorphus. belangeri Provancher, Nat. Can., iv, p. 78, 1872.

Localities: Quebec, Ont., Me., N. H., Mass., Conn., N. Y., N. J., Pa., Md. (Europe.)

880. Miris ferrugatus Fall.

Fallén, Monog. Cimic. Suec., p. 107, 1807.

Fallén, Hemip. Suec. Cimic., p. 129, 1829.

Herrich-Schaeffer, Wanz. Ins., iii, p. 46, fig. 263, 1835, Lopus.

Meyer-Duer, Verz. Schw. Rhyn., Caps., p. 39, 1843, Lopus.

Kirschbaum, Rhyng. Geg. v. Wiesbd., Caps., p. 196, 1855, Lopus.

Flor, Rhyng. Livl., i, p. 439, 1860.

Douglas and Scott, Brit. Hemip., p. 295, pl. 10, fig. 6, 1865, Lopomorphus.

Reuter, Revue Crit. Caps., ii, p. 14, 1875, Leptopterna.

Saunders, Heter. Brit. Isds., p. 227, pl. 20, fig. 9, 1892, Leptopterna.

Hüeber, Synop. deut. Blindw., i, p. 64, 1894.

Heidemann, Proc. Wash. Acad. Sci., ii, p. 504, 1900, Leptopterna.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

discors Costa, Cimic. Reg. Neap., Cent. 3, p. 57, 1852, Lopus.

dolobratus Fieber, Europ. Hemip., p. 245, 1861, Leptopterna (var. a).

Localities: Quebec, Alaska. (Europe.)

881. Miris amoenus (Uhl.)

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 409, 1872, Leptopterna. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 316, 1876, Leptopterna. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892, Leptopterna. Gillette and Baker, Hemip. Colo., p. 29, 1895, Leptopterna. Tucker, Kans. Univ. Sci. Bul., iv, p. 61, 1907.

Localities: Ia., Dak., Colo., Idaho.

Genus Stenodema Lap. Orthotype virens (Fabr.)

Laporte, Essai Classif. Syst. Hémip., p. 40, 1832. Reuter, Rev. Syst., p. 237, 1888. Hüeber, Synop. deut. Blindw., i, pp. 33, 36, 1894. Reuter, Of. Finska Vet.-Soc. Forh., xlvi, No. 15, p. 1, 1904.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 205, 1916.

†Miris Herrich-Schaeffer, Wanz. Ins., iii, p. 37, 1836.

Kirschbaum, Rhyng. geg. v. Wiesbd., Caps., pp. 32, 105, 1855. Fieber, Wien. Ent. Monat., ii, p. 301, 1858. Fieber, Europ. Hemip., pp. 62, 239, 1861. Douglas and Scott, Brit. Hemip., p. 282, 1865. Reuter, Genera Cimic. Eur., p. 8, 1875. Reuter, Rev. Crit. Caps., ii, p. 1, 1875. Distant, Biol. Centr. Am., Heter., i, p. 236, 1883.

Puton, Cat. Hemip. Palae., edn. 3, p. 45, 1886.

Uhler, Check List, p. 17, 1886.

Provancher, Pet. Faune Ent. Can., iii, p. 103, 1886.

Subgenus Brachystira Fieb. Haplotype calcaratus (Linn.)

Fieber, Wien. Ent. Monat., ii, p. 301, 1858. Van Duzee, Check List Hemip., p. 36, 1916.

‡Brachytropis Fieber, Wien. Ent. Monat., ii, p. 343, 1858.

Fieber, Europ. Hemip., pp. 62, 241, 1861.

Thomson, Opusc. Ent., iv, p. 413, 1871.

Reuter, Genera Cimic. Eur., p. 8, 1875.

Reuter, Rev. Crit. Caps., i, p. 78; ii, p. 1, 1875 (as subgen. of Miris)

Puton, Cat. Hemip. Palae., p. 45, 1886 (subgen. of Miris).

Uhler, Check List, p. 17, 1886 (as genus).

Reuter, Of. Finska Vet.-Soc. Forh., xlvi, No. 15, p. 3, 1904 (as subgen.).

882. Stenodema trispinosum Reut.

Reuter, Of. Finska Vet. Soc. Forh., xlvi, No. 15, pp. 4, 8, 1904.

Van Duzee, Can Ent., xl, p. 111, 1908.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Reuter, Neark. Caps., p. 4, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910.

Parshley, Psyche, xxi, p. 140, 1914.

[tropis.

†calcaratus (Uhler), Bul. U. S. Geol. Geog. Surv., i, p. 316, 1876, Brachy-Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 413, 1877, Brachytropis.

Van Duzee, Can. Ent., xix, p. 70, 1887; xxi, p. 3, 1889, Brachytropis.

Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891, Brachytropis.

Gillette and Baker, Hemip. Colo., p. 28, 1895, Brachytropis.

Smith. Cat. Ins. N. J., edn. 2, p. 128, 1900, Brachytropis.

Montgomery, Ent. News, xiii, p. 13, 1902, Brachytropis.

Wirtner, Ann. Carn. Mus., iii, p. 195, 1904, Brachytropis.

Localities: Quebec, Ont., Me., Mass., N. Y., D. C., Colo., Calif., Brit. Col.

Subgenus Stenodema Lap.

Reuter, Of. Finska Vet.-Soc. Forh., xlvi, No. 15, p. 4, 1904.

Lobostethus Fieber, Wien. Ent. Monat., ii, p. 301, 1858 (haplotype virens Fieber, Europ. Hemip., pp. 62, 242, 1861. [Fabr.).

†Miris Thomson, Opusc. Ent., iv, p. 414, 1871.

Reuter, Genera Cimic. Eur., p. 8, 1875.

Reuter, Rev. Crit. Caps., i, p. 78; ii, p. 2, 1875.

883. Stenodema vicinum (Prov.)

Provancher, Nat. Can., iv, p. 77, 1872, *Miris*. Parshley, Psyche, xxi, p. 141, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 235, 1916.

†vagans Say, Hemip. N. Harm., p. 26; Fitch reprint, p. 792; Compl. Writ., i, p. 348, Miris.

instabilis (Uhler), Wheeler's Rept. Surv. 100th Mer., v, p. 836, 1875, Miris.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 361, 1876, Miris.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 413, 1877; iv, p. 506, 1878, Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1327, Miris.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 395, 1878, Miris.

Provancher, Pet. Faune Ent. Can., iii, p. 103, 1886, Miris. Van Duzee, Can. Ent., xix, p. 70, 1887, Miris.

Bergroth, Wien. Ent. Zeit., xvii, p. 33, 1898.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 355, 1904, Miris.

Wirtner, Ann. Carn. Mus., iii, p. 195, 1904, Miris.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905, Miris.

Tucker, Trans. Kans. Acad. Sci., xx, pt. 2, p. 191, 1907, Miris.

Tucker, Kans. Univ. Sci. Bul., iv, p. 61, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910.

affinis (Reuter), Caps. Am. Bor., p. 59, 1876, Miris.

Van Duzee, Can. Ent., xxi, p. 3, 1889, Miris.

Distant, Biol. Centr. Am., Heter., i, p. 236, 1883, Miris.

Atkinson, Cat. Capsidae, p. 33, 1889, Miris.

Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891, Miris.

Harrington, Ottawa Nat., vi, p. 27, 1892, Miris.

Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893, Miris.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894, Miris.

Gillette and Baker, Hemip. Colo., p. 28, 1895, Miris.

Slosson, Ent. News, ix, p. 251, 1898, Miris.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905, Miris.

Van Duzee, Can. Ent., xxxviii, p. 407, 1906, Miris.

Moore, Can. Ent., xxxix, p. 163, 1907, Miris.

Van Duzee, Can. Ent., xl, p. 111, 1908.

[Miris.

[rubellus Uhler MS], Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905, Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Miris rubillus. Localities: Quebec, Ont., Me., N. H., N. Y., Pa., Mich., Kans., Colo., N. Mex., Calif.

884. Stenodema dorsalis (Say)

Say, Heter. N. Harm., p. 26; Fitch reprint, p. 793; Compl. Writ., i, p. 348, [Miris.

Locality: "U. S."

885. Stenodema virens (Linn.)

Linnaeus, Syst. Nat., edn. 12, i, p. 730, 1767, Cimex. Schrank, Enum. Ins. Austr., p. 288, 1781, Cimex. Rossi, Fauna Etrusca, ii, p. 251, 1790, Cimex. Fabricius, Ent. Syst., iv, p. 185, 1794, Miris. Wolff, Icon. Cimic., ii, p. 78, fig. 75, 1801, Miris. Schrank, Fauna Boica, ii, p. 95, 1801, Cimex. Fabricius, Syst. Rhyng., p. 254, 1803, Miris.

Latreille, Hist. Nat. Crust. Ins., xii, p. 228, 1804, Miris. Le Peletier and Serville, Encyc. Méth., x, p. 324, 1825, Miris. Laporte, Essai Classif. Syst. Hémip., p. 40, 1832. Herrich-Schaeffer, Nom. Ent., i, p. 47, 1835, Miris. Brullé, Hist. des Ins., ix, p. 409, pl. 35, fig. 5, 1835, Miris. Herrich-Schaeffer, Wanz. Ins., iii, p. 42, fig. 257, 1836, Miris. Spinola, Essai sur les Hémip., p. 137, 1837 (1840), Miris. Blanchard, Hist. des Ins., Hémip., p. 135, 1840, Miris. Meyer-Duer, Verz. Schw. Rhyng., p. 35, 1843, Miris. Kolenati, Melet. Ent., ii, p. 99, 1845, Miris. Sahlberg, Monog. Geoc. Fenn., p. 86, 1848, Miris. Costa, Cimic. Reg. Neap., Cent. iii, p. 31, 1852, Miris. Kirschbaum, Rhyng. geg. v. Wiesbd., Caps., p. 35, 1855, Miris. Flor, Rhyng. Livl., i, p. 423, 1860, Miris. Fieber, Europ. Hemip., p. 243, 1861, Lobostethus. Thomson, Opusc. Ent., iv, p. 414, 1871, Miris. Reuter, Rev. Crit. Caps., ii, p. 2, 1875, Miris. Reuter, Revue Synon., p. 237, No. 203, 1888. Reuter, Of. Finska Vet.-Soc. Forh., xlvi, No. 15, p. 4, 1904. Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908. †laevigatus (Zetterstedt), Fauna Lapp., p. 501, 1828, Miris. Hahn, Wanz. Ins., p. 76, fig. 161, 1834, Miris. Zetterstedt, Ins. Lapp., column 286, 1840, Miris. virescens (Fallén), Hemip. Suec., Cimic., p. 131, 1829, Miris (as var.). †ruficornis (Hahn), Wanz. Ins., ii, p. 220, 1834, Miris. Localities: "N. Am." (Europe.)

Genus Megaloceroea Fieb.

Haplotype longicornis Fieb. = linearis (Fues.)

Fieber, Wien. Ent. Monat., ii, p. 301, 1858.

Fieber, Europ. Hemip., pp. 62, 243, 1861.

Walker, Cat. Heter., vi, p. 41, 1873.

Reuter, Genera Cimic. Eur., p. 9, 1875.

Reuter, Crit. Rev. Caps., i, p. 78; ii, p. 5, 1875.

Hüeber, Synop. deut. Blindw., i, pp. 33, 52, 1894. [linearis Fus. type).

Distant, Fauna Brit. Ind., Rhyn., ii, p. 424, 1904 (names recticornis Geof. = Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 205, 1916.

886. Megaloceroea debilis Uhl.

¶Uhler, Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872, Miris. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 403, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 316, 1876.
Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 122, 1892.
Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 248, 1894.
Gillette and Baker, Hemip. Colo., p. 28, 1895.
Osborn, Ohio Nat., i, p. 12, 1900.
Reuter, Neark. Caps., p. 5, 1909.
Localities: Ia., Colo., Vanc. Isd.

887. Megaloceroea rubicunda Uhl.

¶Uhler, Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872, Miris. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 409, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 316, 1876.
 Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 122, 1892.
 Localities: Ia., Colo.

888. Megaloceroea gracilis (Van D.)

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 25, 1914, Stenodema.
Van Duzee, Check List, p. 36, 1916.
Locality: Calif.

Genus Mesomiris Reut. Haplotype curtulus Reut.

Reuter, Neark. Caps., p. 4, 1909. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 205, 1916.

889. Mesomiris curtulus Reut.

Reuter, Neark. Caps., p. 5, 1909.

Localities: Mass., Conn., Md., Pa.

Genus Trigonotylus Fieb. Haplotype ruficornis (Geoff.)

Fieber, Wien. Ent. Monat., ii, p. 302, 1858.

Fieber, Europ. Hemip., pp. 66, 243, 1861.

Reuter, Genera Cimic. Eur., p. 9, 1875 (as subgenus).

Reuter, Rev. Crit. Caps., i, p. 79; ii, p. 6, 1875 (as subgenus).

Provancher, Pet. Faune Ent. Can., iii, p. 103, 1886.

Hüeber, Synop. Deut. Blindw., i, pp. 33, 54, 1894.

Reuter, Neark. Caps., p. 5, 1909.

Oshanin, Verz. Palae. Hemip., i, p. 773, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 205, 1916.

Callimiris Reuter, Caps. Am. Bor., p. 60, 1875 (type uhleri Reut.).

890. Trigonotylus ruficornis (Geoff.)

Cimex No. 45, Geoffroy, Hist. Abreg. des Ins., i, p. 47, 1762. Geoffroy in Fourcroy, Ent. Paris., p. 209, 1785, Cimex. Fallén, Monog. Cimic. Suec., p. 112, 1807, Miris (as new). Zetterstedt, Fauna Lapp., p. 502, 1828, Miris. Fallén, Hemip. Suec., Cimic., p. 133, 1829, Miris. Herrich-Schaeffer, Nom. Ent., i, p. 47, 1835, Miris. Herrich-Schaeffer, Wanz. Ins., iii, p. 40, 1836, Miris. Spinola, Essai sur les Hémip., p. 187, 1837 (1840), Miris. Zetterstedt, Ins. Lapp., column 287, 1840, Miris. Rambur, Fauna Ent. Andul., p. 158, 1842, Miris. Meyer-Duer, Verz. Schw. Rhyng., p. 37, 1843, Miris. Sahlberg, Monog. Geoc. Fenn., p. 87, 1848, Miris. Costa, Cimic. Reg. Neap., Cent., iii, p. 32, 1852, Miris. Kirschbaum, Rhyn. geg. v. Wiesbd., Caps., p. 192, 1855, Miris. Flor, Rhyng. Livl., i, p. 435, 1860, Miris. Fieber, Europ. Hemip., p. 243, 1861. Douglas and Scott, Brit. Hemip., p. 290, 1865. Thomson, Opusc. Ent., iv, p. 413, 1871, Miris. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 409, 1872. Reuter, Crit. Rev. Caps., ii, p. 7, 1875.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 316, 1876; iii, p. 413, 1877; iv, p. Provancher, Pet. Faune Ent. Can., iii, p. 104, 1886. [506, 1878.

Van Duzee, Can. Ent., xix, p. 70, 1887.

Reuter, Revue Synon., p. 242, No. 208, 1888.

Van Duzee, Can. Ent., xxi, p. 3, 1889.

Harrington, Ottawa Nat., vi, p. 27, 1892.

Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893.

Slosson, Ent. News, v, p. 5, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894.

Gillette and Baker, Hemip. Colo., p. 28, 1895.

Heidemann, Proc. Wash. Acad. Sci., ii, p. 503, 1900, Megaloceroea.

Montgomery, Ent. News, xiii, p. 13, 1902.

Wirtner, Ann. Carn. Mus., iii, p. 195, 1904, Megaloceroea.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905.

Moore, Can. Ent., xxxix, p. 163, 1907.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Van Duzee, Can. Ent., xl, p. 112, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910.

Van Duzee, Can. Ent., xliv, p. 320, 1912.

viridis (Provancher), Nat. Can., iv, p. 78, 1872, Miris.

Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Pa., Kans., Colo., Alaska. (Europe.)

891. Trigonotylus pulcher Reut.

Reuter, Caps. Am. Bor., p. 59, 1876.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 248, 1894.

Gillette and Baker, Hemip. Colo., p. 28, 1885.

Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 152, 1906.

Tucker, Kans. Univ. Sci. Bul., iv, p. 61, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 181, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Localities: Me., Mass., N. J., Fla., Kans., Colo., N. Mex., Texas.

892. Trigonotylus brevipes Jak.

Jakowlef, Horae Soc. Ent. Ross., xi, p. 63 (Oshanin says 215), 1880.

Reuter, Ann. Mus. Zool. Acad. Imp. St. Pet., ix, p. 5, 1904.

Reuter, Ent. Mo. Mag., Ser. 2, xix, p. 27, 1908.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Reuter, Neark. Caps., p. 6, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 25, 1914.

tenuis Reuter, Rev. d'Ent., xii, p. 208, 1893 (var. of ruficornis).

Reuter, Of. Finska Vet.-Soc. Forh., xlix, No. 7, p. 1, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 30, 1907.

pallidicornis Reuter, Of. Finska Vet.-Soc. Forh., xlii, p. 161, 1899.

Localities: N. J., Fla., Colo., N. Mex., Calif. (West Indies, Europe, Madagascar.)

893. Trigonotylus tarsalis (Reut.)

Reuter, Caps. Am. Bor., p. 60, 1876, Callimiris.

Tucker, Kans. Univ. Sci. Bul., iv, p. 61, 1907, Callimiris.

Tucker, Trans. Kans. Acad. Sci., xx, pt. 2, p. 191, 1907, Callimiris. Reuter, Neark. Caps., p. 6, 1909.

Localities: Kans., Wis., Texas, Manitoba.

894. Trigonotylus uhleri (Reut.)

Reuter, Caps. Am. Bor., p. 60, 1876, Callimiris. Smith, Cat. Ins. N. J., edn. 2, p. 128, 1900, Callimiris. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Callimiris. Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910. Localities: N. J., "N. Am."

895. Trigonotylus confusus Reut.

Reuter, Neark. Caps., p. 6, 1909. Locality: Md.

Genus Teratocoris Fieb. Haplotype antennatus (Boh.)

Fieber, Wien. Ent. Monat., ii, p. 302, 1858. Fieber, Europ. Hemip., pp. 63, 245, 1861. Thomson, Opusc. Ent., iv, p. 416, 1871. Walker, Cat. Heter., vi, p. 41, 1873. Reuter, Genera Cimic. Eur., p. 9, 1875. Reuter, Rev. Crit. Caps., i, p. 79; ii, p. 7, 1875. Atkinson, Cat. Capsidae, p. 37, 1889. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 144, 1906. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 205, 1916.

896. Teratocoris discolor Uhl.

Uhler, Ent. Am., iii, p. 68, 1887. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894. Gillette and Baker, Hemip. Colo., p. 29, 1895. Osborn, Proc. Ia. Acad. Sci., v, p. 233, 1898.

Localities: Quebec, Ont., Mass., N. Y., Mo., Colo.

897. Teratocoris herbaticus Uhl.

Uhler, Ent. Am., iii, p. 67, 1887. Reuter, Ent. Tidskr., xxviii, p. 81, 1907. Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908. Reuter, Neark. Caps., p. 7, 1909. Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 29, 1912. §miraria Atkinson, Cat. Capsidae, p. 38, 1889. Localities: Labrador. (Norway, Sweden.)

898. Teratocoris saundersi D. & S.

Douglas and Scott, Ent. Mo. Mag., v, p. 260, 1869. Reuter, Rev. Crit. Caps., ii, p. 11, 1875. Saunders, Heter. Brit. Isds., p. 226, pl. 20. fig. 8, 1892. Hüeber, Synop. deut. Blindw., i, p. 61, 1894. Reuter, Ent. Tidskr., xxviii, p. 81, 1907. Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908. Reuter, Neark. Caps., p. 7, 1909.

Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 29, note, 1912.

†longicornis (Sahlberg), Monog. Geoc. Fenn., p. 87, 1848, Miris.

†antennatus (Flor), Rhyng. Livl., i, p. 433, 1860, Miris.

flori J. Sahlberg, Not. Sallsk. Fauna Flora Fenn., xi, p. 290, 1871.

||longicornis Uhler, Hemip. Colo., p. 29, 1895.

caricis Kirkaldy, Can. Ent., xli, p. 390, 1909 (n.n. for longicornis Uhl.).

Localities: Colo. (Europe.)

TRIBE HORISTINI Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 204, 205, 1916. Van Duzee, Check List Hemip., p. 36, 1916.

Lopidae, Douglas and Scott, Brit. Hemip., pp. 34, 474, 1865 (as family).

Reuter, Rev. Crit. Caps., i, p. 76; ii, p. 17, 1875, Div. Loparia.

Reuter, Genera Cimic. Eur., p. 6, 1875, Div. Loparia.

Reuter, Caps. Am. Bor., p. 63, 1876, Div. Loparia.

Distant, Biol. Centr. Am., Heter., i, p. 251, 1883, Loparia.

Uhler, Check List, p. 17, 1886, Loparia.

Provancher, Pet. Faune Ent. Can., iii, p. 96, 1886, Lopariaes.

Restheniaria Reuter, Festschr. f. Palmen., i, pp. 20, 28, 1905, Division.

Kirkaldy, Can. Ent., xxxviii, p. 372, 1906, Tribe Resthenini.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 129, 232, 256, 1910,

Oshanin, Kat. Palae. Hemip., p. 68, 1912, Tribe Resthenaria. [Division.

Reuter, Of. Finska Vet.-Soc. Forh., lv, Afd. A, No. 18, p. 7, 1913 (Key).

Genus Platytylellus Reut. Orthotype nigripennis (Stål)

Reuter, Ann. k. k. Natl. Hofms. Wien, xxii, p. 71, 1907.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, p. 40, 1912. [scription).

Reuter, Of. Finska Vet. Soc. Forh., lv, Afd. A, No. 18, pp. 9, 22, 1913 (de-Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 205, 1916.

†Resthenia Reuter, Caps. Am. Bor., p. 64, 1876.

Distant Biol Centr. Am. Heter i p. 251, 1883

Distant, Biol. Centr. Am., Heter., i, p. 251, 1883. Provancher, Pet. Faune Ent. Can., iii, p. 105, 1887. [Genus *Prepops* seems to be distinct.]

899. Platytylellus insitivus (Say)

Say, Heter. N. Harm., p. 21, 1832; Fitch reprint, p. 785; Compl. Writ., 1, p. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 399, 1878, Resthenia. [340, Capsus. Uhler, Stand. Nat. Hist., ii, p. 286, 1884, Resthenia. Van Duzee, Can. Ent., xix, p. 70, 1887, Resthenia. Harrington, Ottawa Nat., vi, p. 27, 1892, Resthenia. Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893, Resthenia. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894, Resthenia. Wirtner, Ann. Carn. Mus., iii, p. 199, 1904, Resthenia. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 180, 1909, Resthenia. Gibson, Rept. Ent. Soc. Ont. for 1910, p. 125, Resthenia. Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910, Resthenia. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914, Resthenia. xanthomelas (Walker), Cat. Heter., vi, p. 92, 1873, Capsus. Slosson, Ent. News, v, p. 5, 1894, Resthenia. Distant, Ann. Mag. Nat. Hist., Ser. 7, xiii, p. 205, 1904, Resthenia. Localities: Ont., N. H., N. Y., N. J., Pa., Fla., Colo.

900. Platytylellus divisus (H. S.)

Herrich-Schaeffer, Wans. Ins., ix, p. 167, fig. 960, 1853, Capsus (description [on page 166 under name Capsus tetrastigma).

Stål, Stet. Ent. Zeit., xxiii, p. 317, 1862, Resthenia.

Walker, Cat. Heter., vi, p. 91, 1873, Capsus.

Distant, Biol. Centr. Am., Heter., i, p. 258, 1883, Resthenia.

Barber, Brookl. Inst., Sci. Bul., i, p. 278, 1906, Resthenia.

Localities: Fla., Texas. (Mexico.)

901. Platytylellus ornaticollis (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 317, 1862, Resthenia.

Reuter, Caps. Am. Bor., p. 64, 1876, Resthenia.

Distant, Biol. Centr. Am., Heter., i, p. 253, pl. 22, fig. 5, 1883, Resthenia.

Barber, Brookl. Inst., Sci. Bul., i, p. 278, 1906, Resthenia.

Reuter, Of. Finska Vet.-Soc. Forh., lv, Afd. A, No. 18, p. 26, 1913 (descripbicinctus Walker, Cat. Heter., vi, p. 100, 1873, Capsus. [tion).

Distant, Ann. Mag. Nat. Hist., Ser. 7, xiii, p. 205, 1904, Resthenia. Localities: Texas. (Mexico.)

902. Platytylellus confraternus (Uhl.)

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 411, 1872, Resthenia.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 318, 1876; iii, p. 415, 1877, Resthenia.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 399, 1878, Resthenia.

Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893, Resthenia.

Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910, Resthenia.

maculicollis (Reuter), Caps. Am. Bor., p. 65, 1876, Resthenia.

Gillette and Baker, Hemip. Colo., p. 30, 1895, Resthenia.

Wirtner, Ann. Carn. Mus., iii, p. 199, 1904, Resthenia.

Banks, Cat. Nearc. Hemip., p. 40, 1910, Resthenia.

Localities: N. Y., N. J., Pa., Ga., Fla., Mich., Colo., Texas.

903. Platytylellus robustus Reut.

Reuter, Of. Finska Vet.-Soc. Forh., lv, Afd. A, No. 18, p. 32, 1913.

Locality: Ga.

904. Platytylellus atripennis (Reut.)

Reuter, Caps. Am. Bor., p. 65, 1876, Resthenia.

Gillette and Baker, Hemip. Colo., p. 29, 1895, Resthenia.

Localities: Colo., Texas.

905. Platytylellus intercidendus (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 426, pl. 37, fig. 1, 1893, Resthenia.

Reuter, Ann. k. k. Natl. Hofms. Wien, xxii, p. 170, 1909, Resthenia (notice). Reuter, Of. Finska Vet. Soc. Forh., lv, Afd. A, No. 18, p. 26, 1913 (descrip-

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914, Resthenia.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 235, 1916. §basivittis Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 25, 1914

(error for bivittis).

Localities: Fla., Calif. (Mexico.)

906. Platytylellus nigricollis (Reut.)

Reuter, Caps. Am. Bor., p. 65, 176, Resthenia.

Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910, Resthenia.

Localities: N. Y., N. J., Ohio.

907. Platytylellus persignandus (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 357, pl. 22, fig. 21, 1883, Resthenia. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 179, 1906, Resthenia.

Localities: Arizona (perhaps nigricollis). (Mexico.)

908. Platytylellus bivittis (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 318, 1862, Resthenia. Reuter, Caps. Am. Bor., p. 64, 1876, Resthenia. Distant, Biol. Centr. Am., Heter., i, p. 256, pl. 24, fig. 21, 1883, Resthenia. Gillette and Baker, Hemip. Colo., p. 29, 1895, Resthenia.

[metopus? (description).

Reuter, Of. Finska Vet.-Soc. Forh., lv, Afd. A, No. 18, p. 49, 1913, Oncero-Localities: Colo., Utah, Idaho. (Mexico.)

909. Platytylellus insignis (Say)

Say, Heter N. Harm., p. 22, 1832; Fitch reprint, p. 787; Compl. Writ., i, p. [342, Capsus.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 411, 1872, Resthenia. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 318, 1876, Resthenia. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1328, Resthenia. Uhler, Bul. U. S. Geol. Geog. Sur., iv, p. 507, 1878, Resthenia. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 400, 1878, Resthenia. Provancher, Pet. Faune Ent. Can., iii, p. 106, 1887, Resthenia. Harrington, Ottawa Nat., vi, p. 27, 1892, Resthenia. Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893, Resthenia. Slosson, Ent. News, v, p. 5, 1894, Resthenia. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894, Resthenia. Gillette and Baker, Hemip. Colo., p. 30, 1895, Resthenia. Montgomery, Ent. News, xiii, p. 13, 1902, Resthenia. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 152, 1906, Resthenia. Barber, Brookl. Inst. Sci. Bul., i, p. 278, 1906, Resthenia. Moore, Can. Ent.. xxxix, p. 163, 1907, Resthenia. Van Duzee, Can. Ent., xl, p. 112, 1908, Resthenia. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 181, 1909, Resthenia. Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910, Resthenia. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914, Resthenia. Parshley, Psyche, xxi, p. 141, 1914, Resthenia.

Localities: Ont., Me., N. H., Mass., N. Y., N. J., Pa., Ga., Fla., Ia., Texas.

910. Platytylellus rubrovittatus (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 318, 1862, Resthenia.
Reuter, Caps. Am. Bor., p. 65, 1876, Resthenia.
Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893, Resthenia.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914, Resthenia.
Localities: Mass., Fla., Colo., Texas. (Mexico.)

911. Platytylellus circumcinctus (Say)

Say, Heter. N. Harm., p. 23, 1832; Fitch reprint, p. 787; Compl. Writ., i, p. Uhler, Proc. Ent. Soc. Wash., ii, p. 372, 1893, Lopidea. [343, Capsus. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 249, 1894, Resthenia. Wirtner, Ann. Carn. Mus., iii, p. 199, 1904, Resthenia. Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910, Resthenia. Localities: N. J., Pa., Ind., Utah. (Mexico.)

912. Platytylellus incisus (Walk.)

Walker, Cat. Heter., vi, p. 92, 1873, Capsus.

Distant, Ann. Mag. Nat. Hist., Ser. 7, xiii, p. 204, 1904, Resthenia. Locality: Fla.

[Platytylellus eremicola Uhl. MS]

Uhler, Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872, Resthenia.

Locality: Colo.

Genus Opistheuria Reut. Logotype latipennis (Stål)

Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 170, 1907.

Reuter, Of. Finska Vet.-Soc. Forh., lv, Afd. A, No. 18, pp. 10, 50, 1913 [names latipennis type).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 205, 1916.

913. Opistheuria clandestina Van D.

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 110, 1915. [1909.

Resthenia sp. (No. 143) Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 181,

Locality: Fla.

Genus Oncerometopus Reut. Logotype nigriclavus Reut.

Reuter, Caps. Am. Bor., p. 65, 1876.

[scription).

Reuter, Of. Finska Vet. Soc. Forh., lv, Afd. A, No. 18, pp. 9, 47, 1913 (de-Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 136, 1906 (names nigriclavus type). Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 205, 1916.

914. Oncerometopus nigriclavus Reut.

Reuter, Caps. Am. Bor., p. 66, 1876.

Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 249, 1894.

Gillette and Baker, Hemip. Colo., p. 30, 1895.

Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 152, 1906.

Barber, Brookl. Inst., Sci. Bul., i, p. 279, 1906.

Tucker, Kans. Univ. Sci. Bul., iv, p. 60, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910.

Hunter and Pratt, U. S. Dept. Agr., Div. Ent., Bul. n. s. 113, p. 40, 1913.

Localities: Kans., Colo., Texas, Ariz., Calif.

915. Oncerometopus ruber Reut.

Reuter, Caps. Am. Bor., p. 66, 1876.

Gillette and Baker, Hemip. Colo., p. 30, 1895.

Localities: Colo., Texas.

TRIBE CAPSINI (Reut.)

Reuter, Hemip. Gymn. Eur., iii, p. 566, 1883, Div. Capsaria. Atkinson, Cat. Capsidae, p. 52, 1889, Div. Capsaria.

Reuter, Hemip. Gymn. Eur., v, p. 5, 1896, Div. Capsaria.

Distant, Fauna Brit. Ind., Rhyn., ii, p. 454, 1904.

Reuter, Festsch. f. Palmen, i, pp. 21, 29, 1905, Div. Capsaria.

Kirkaldy, Can. Ent., xxxviii, p. 372, 1906.

Reuter, Ann. k. k. Nat. Hofm. Wien, xxii, p. 45, 1909, Div. Capsaria.

Reuter, Neark. Caps., p. 9, 1909, Div. Capsaria. (Key.)

[Capsaria.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 129, 133, 156, 1910, Div. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 204, 205, 1916. Van Duzee, Check List Hemip., p. 37, 1916.

Miridiaria Reuter, Rev. Crit. Caps., i, p. 76, 1875 (Division). Reuter, Genera Cimic. Eur., p. 5, 1875 (Division).

Uhler, Check List, p. 17, 1886.

DIVISION MYRMECORARIA Reut.

Reuter, Hemip. Gymn. Eur., iii, p. 564, 1883.
Reuter, Festsch. f. Palmen, i, pp. 22, 29, 1905.
Kirkaldy, Can. Ent., xxxviii, p. 372, 1906, Tribe Myrmecorini.
Oshanin, Verz. Palae. Hemip., i, p. 647, 1909.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 205, 1916.
Van Duzee, Check List Hemip., p. 37, 1916.

Genus Mimoceps Uhl. Logotype insignis Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 83, 1890. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 145, 1906 (names insignis type). Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 206, 1916.

916. Mimoceps insignis Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 84, 1890. Localities: N. Y., Ill.

917. Mimoceps gracilis Uhl.

TVan Duzee, Can. Ent., xxi, p. 4, 1889 (MS name).
Uhler, Trans. Md. Acad. Sci., i, p. 85, 1890.
Uhler, Proc. Ent. Soc. Wash., ii, p. 372, 1893.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894.
Osborn, Proc. Ia. Acad. Sci., v, p. 233, 1898.

Van Duzee, Can. Ent., xliv, p. 322, 1912. [Globiceps. †flavomaculatus Provancher, Pet. Faune Ent. Can., iii, p. 147, 1887,

Localities: Ont., N. Y., Ia., Utah.

DIVISION PITHANARIA (D. & S.)

Pithanidae Douglas and Scott, Brit. Hemip., pp. 28, 280, 1865 (Family).

Genus Pithanus Fieb.

Haplotype maerkelii H. S.

Fieber, Wien. Ent. Monat., ii, p. 303, 1858.

Fieber, Europ. Hemip., pp. 61, 239, 1861.

Douglas and Scott, Brit. Hemip., p. 280, 1865.

Reuter, Genera Cimic. Eur., p. 25, 1875.

Reuter, Rev. Crit. Caps., i, p. 87, ii, p. 103, 1875.

Hüeber, Synop. deut. Blindw., i, p. 26, 1894.

Reuter, Festsch. f. Palmen, i, pp. 23, 31, 1905.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 134, 1910.

918. Pithanus maerkelii (H. S.)

Herrich-Schaeffer, Wanz. Ins., iv, p. 78, fig. 406, 1839, Capsus. Kirschbaum, Rhyn. geg. v. Wiesbd., i, Capsidae, p. 44, 1855, Capsus. Flor, Rhyn. Livl., i, p. 513, 1860, Capsus. Fieber, Europ. Hemip., p. 239, 1861.

Walker, Cat. Heter., vi, p. 88, 1873, Capsus.

Douglas and Scott, Brit. Hemip., p. 281, pl. 10, fig. 3, 1865.

Reuter, Rev. Crit. Caps., ii, p. 103, 1875.

Saunders, Trans. Ent. Soc. Lond. for 1875, p. 254.

Atkinson, Cat. Capsidae, p. 30, 1889.

Saunders, Hemip. Heter., Brit. Isds., p. 219, pl. 20, fig. 1, 1892.

Hüeber, Synop. deut. Blindw., i, p. 26, 1894.

Olsen, Bul. Brookl. Ent. Soc., x, p. 34, 1915.

Parshley, Ent. News, xxvii, p. 104, 1916.

[Capsus.

flavolimbatus (Boheman), Kong. Vet. Akad. Handl. for 1849, p. 252, vittatus (Dahlbon), Kong. Vet. Akad. Handl. for 1850, p. 205, Cyllecoris. Localities: Nov. Sco., Me., N. Y. (Europe.)

DIVISION PHYTOCORARIA (Doug. & Scott)

Douglas and Scott, Brit. Hemip., pp. 29, 299, 1865, Fam. Phytocoridae (part). Reuter, Rev. Crit. Caps., i, p. 76; ii, p. 19, 1875.

Reuter, Genera Cimic. Eur., pp. 6, 10, 1875.

Reuter, Deut. Ent. Zeit., xxi, p. 25, 1877.

Uhler, Check List, p. 18, 1886 (part).

Provancher, Pet. Faune Ent. Can., iii, p. 96, 1886, Phytocorides.

Distant, Fauna Brit. Ind., Rhyn., ii, p. 448, 1904.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 206, 1916.

Van Duzee, Check List Hemip., p. 37, 1916.

Garganaria Reuter, Festschr. f. Palmen, i, pp. 18, 28, 1905 (Division).

Genus Paraxenetus Reut.

Logotype bracteatus (Dist.)

Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 46, 1909.

Reuter, Neark. Caps., pp. 9, 13, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 206, 1916.

919. Paraxenetus guttulatus (Uhl.)

Uhler, Ent. Am., iii, p. 150, 1887, Eucerocoris.

Smith, Cat. Ins. N. J., edn. 3, 132, 1900, Eucerocoris.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Eucerocoris.

Barber, Brookl. Inst., Sci. Bul., i, p. 281, 1906, Eucerocoris.

Banks, Ent. News, xviii, p. 425, 1907, Eucerocoris.

Reuter, Neark. Caps., p. 13, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910.

Localities: N. Y., N. J., Md., Ill., Texas.

Genus Neurocolpus Reut.

Haplotype nubilus (Say)

Reuter, Caps. Am. Bor., p. 69, 1876.

Reuter, Neark. Caps., p. 10, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 206, 1916.

920. Neurocolpus nubilus (Say)

Say, Heter. N. Harm., p. 22, 1832; Fitch reprint, p. 786; Compl. Writ., i, p. Reuter, Caps. Am. Bor., p. 70, 1876. [341, Capsus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 317, 1876; iii, p. 413, 1877, Phytocoris. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1327, Phytocoris.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 403, 1878, Phytocoris. Provancher, Pet. Faune Ent. Can., iii, p. 111, 1887. Van Duzee, Can. Ent., xix, p. 71, 1887; xxi, p. 3, 1889. Townsend, Can. Ent., xxiv, p. 193, 1892. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892; pt. 4, p. 123, 1893 Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 255, 1894. Gillette and Baker, Hemip. Colo., p. 33, 1895. Smith, Cat. Ins. N. J., edn. 3, p. 129, 1900. Kirkaldy, Trans. Ent. Soc. Lond. for 1902, p. 252, pl. 6, fig. 24. Needham, Psyche, x, p. 26, 1903. Distant, Ann. Mag. Nat. Hist., Ser. 7, xiii, p. 110, 1904. Wirtner, Ann. Carn. Mus., iii, p. 198, 1904. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 356, 1904. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 152, 1906. Barber, Brookl. Inst. Sci. Bul., i, p. 279, 1906. Tucker, Kans. Univ. Sci. Bul., iv, p. 61, 1907. Van Duzee, Can. Ent., xl, p. 113, 1908. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 180, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910. Parshley, Psyche, xxi, p. 141, 1914.

Distant, Ann. Mag. Nat. Hist., Ser. 7, xiii, p. 205, 1904. [Capsus affinis Distant seems to be distinct from this species.] Localities: Quebec, Ont., N. H., Mass., N. Y., N. J., Pa., Md., N. C.,

Ga., Fla., Ohio, Colo., Texas.

921. Neurocolpus mexicanus Dist.

hirsutulus (Walker), Cat. Heter., vi, p. 95, 1873, Capsus.

Distant, Biol. Centr. Am., Heter., i, p. 262, pl. 23, fig. 5, 1883; p. 427, 1893. Reuter, Neark. Caps., p. 13, 1909.

Localities: N. Mex., Ariz.

Reuter, Genera Cimic. Eur., p. 10, 1875.

Provancher, Pet. Faune Ent. Can., iii, p. 107, 1887.

Genus Phytocoris Fall.

Type populi (Linn.)

Fallén, Spec. Nova Hemip., p. 10, 1814. Fallén, Hemip. Suec., Cimic., p. 76, 1829. Herrich-Schaeffer, Nomen. Ent., i, pp. 36, 42, 1835. Burmeister, Handb. d. Ent., ii, p. 265, 1835. Spinola, Essai sur les Hémip., p. 187, 1837 (1840). Blanchard, Hist. des Ins. Hémip., p. 136, 1840. Westwood, Intr. Mod. Classif. Ins., Synop., p. 122, 1840 (names populi type). Amyot and Serville, Hémip., p. 278, 1843. Spinola, Tavola Sinot., p. 43, 1850. Kirschbaum, Rhyn. Geg. v. Wiesbd., Caps., pp. 8, 38, 1855. Flor, Rhyn. Livl., i, p. 411, 1860. Fieber, Wien. Ent. Monat., ii, p. 306, 1858. Fieber, Europ. Hemip., pp. 65, 258, 1861. Douglas and Scott, Brit. Hemip., p. 301, 1865. Thomson, Opusc. Ent., iv, p. 417, 1871. Reuter, Rev. Crit. Caps., i, p. 79; ii, p. 19, 1875.

Reuter, Hemip., Gymn. Eur., v, p. 242, 1888.

Reuter, Neark. Caps., pp. 9, 14, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 206, 1916. [Reut.). Compsocerocoris Reuter, Caps. Am. Bor., p. 70, 1876 (type annulicornis Callodemas Uhler, Hemip. Colo., p. 33, 1895 (haplotype laevis Uhl.).

922. Phytocoris lasiomerus Reut.

Reuter, Neark. Caps., p. 34, 1909.

Parshley, Psyche, xxi, p. 141, 1914.

†scrupeus Provancher, Pet. Faune Ent. Can., iii, p. 108, 1887.

†pallidicornis Van Duzee, Can. Ent., xix, p. 70, 1887; xxi, p. 3, 1889.

Harrington, Ottawa Nat., vi, p. 27, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 177, 1894.

Van Duzee, Can. Ent., xxxviii, p. 407, 1906.

Moore, Can. Ent., xxxix, p. 163, 1907.

Van Duzee, Can. Ent., xl, p. 113, 1908.

†annulicornis Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892; pt. 4, p. Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905. [123, 1893. Localities: Quebec, Ont., Me., N. Y., Ia., Colo.

923. Phytocoris pallidicornis Reut.

Reuter, Caps. Am. Bor., p. 69, 1876.

Gillette and Baker, Hemip. Colo., p. 33, 1895.

Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910.

Parshley, Psyche, xxi, p. 141, 1914.

§pallicornis Reuter, Neark. Caps., p. 33, 1909.

Localities: Me., Mass., N. Y., Wis., Colo.

924. Phytocoris laevis (Uhl.)

Uhler, Hemip. Colo., p. 33, 1895, Callodemas.

Reuter, Neark. Caps., p. 14, 1909.

Localities: Colo.

925. Phytocoris interspersus Uhl.

Uhler, Hemip. Colo., p. 32, 1895.

Tucker, Kans. Univ. Sci. Bul., iv, p. 60, 1907.

Reuter, Neark. Caps., p. 19, 1909.

a. var. signifer Reut.

Reuter, Neark. Caps., p. 19, 1909.

Localities: Colo., Utah, N. Mex., Calif.

926. Phytocoris canescens Reut.

Reuter, Neark. Caps., p. 30, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 19, 1914.

Localities: Calif., Utah?

927. Phytocoris minutulus Reut.

Reuter, Neark. Caps., p. 24, 1909.

Localities: N. Y., Md.

928. Phytocoris antennalis Reut.

Reuter, Neark. Caps., p. 32, 1909.

Localities: Mass., N. Y., D. C.

929. Phytocoris bipunctatus Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 77, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914. †antennalis Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 180, 1909. Locality: Fla.

930. Phytocoris annulicornis (Reut.)

Reuter, Caps. Am. Bor., p. 70, 1876, Compsocerocoris. Distant, Biol. Centr. Am., Heter., i, p. 261, 1883, Compsocerocoris. Riley, N. Am. Fauna, vii, p. 249, 1893, Compsocerocoris.

f Gillette and Baker, Hemip. Colo., p. 33, 1895, Compsocerocoris.

Osborn, Ohio Nat., i, p. 12, 1900, Compsocerocoris.

Montgomery, Ent. News, xiii, p. 13, 1902, Compsocerocoris.

Wirtner, Ann. Carn. Mus., iii, p. 199, 1904, Compsocerocoris.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 356, 1904, Compsocerocoris.

Reuter, Neark. Caps., p. 33, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910.

Parshley, Psyche, xxi, p. 141, 1914.

Localities: Me., Mass. (?), Pa. (?), Ohio (?), Texas, N. Mex., Colo., Calif.

931. Phytocoris angustulus Reut.

Reuter, Neark. Caps., p. 29, 1909. Locality: W. Va.

932. Phytocoris fenestratus Reut.

Reuter, Neark. Caps., p. 24, 1909. Localities: D. C., N. C., Ga.

933. Phytocoris inops Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 413, 1877. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 402, 1878. Uhler, Check List., p. 18, 1886. Provancher, Pet. Faune Ent. Can., iii, p. 110, 1887. Gillette and Baker, Hemip. Colo., p. 33, 1895, Neurocolpus. Smith, Cat. Ins. N. J., edn. 2, p. 129, 1900, Paracalocoris. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 235, 1916. Localities: Ont., Mass., N. Y., Pa., W. Va., Fla.

934. Phytocoris eximius Reut.

Reuter, Caps. Am. Bor., p. 67, 1876. Provancher, Pet. Faune Ent. Can., iii, p. 119, 1887. Van Duzee, Can. Ent., xix, p. 70, 1887; xxi, p. 3, 1889. Harrington, Ottawa Nat., vi, p. 27, 1892. Heidemann, Proc. Ent. Soc. Wash., ii, p. 225, 1892. Uhler, Proc. Ent. Soc. Wash., ii, p. 376, 1893. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 252, 1894. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 191. Montgomery, Ent. News, xiii, p. 13, 1902. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 356, 1904. Wirtner, Ann. Carn. Mus., iii, p. 199, 1904. Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905. Van Duzee, Can. Ent., xxxviii, p. 407, 1906.

Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 152, 1906.

Moore, Can. Ent., xxxix, p. 163, 1907.

Tucker, Kans. Univ. Sci. Bul., iv, p. 60, 1907.

Van Duzee, Can. Ent., xl, p. 113, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 180, 1909.

Reuter, Neark. Caps., p. 23, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914.

Parshley, Psyche, xxi, p. 141, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 17, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 235, 1916.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., Md., D. C., Fla., Texas, Calif. (West Indies.)

935. Phytocoris heidemanni Reut.

Reuter, Neark. Caps., p. 27, 1909.

Localities: N. Mex., Ariz., Nev.

936. Phytocoris subnitidulus Reut.

Reuter, Neark. Caps., p. 26, 1909.

Localities: Md., D. C.

937. Phytocoris vittatus Reut.

Reuter, Neark. Caps., p. 28, 1909.

Locality: N. Y.

938. Phytocoris fumatus Reut.

Reuter, Neark. Caps., p. 25, 1909.

Localities: D. C., Ga.

939. Phytocoris validus Reut.

Reuter, Neark. Caps., p. 31, 1909.

Locality: Colo.

940. Phytocoris lineatus Reut.

Reuter, Neark. Caps., p. 30, 1909.

Locality: Colo.

941. Phytocoris palmeri Reut.

Reuter, Neark. Caps., p. 32, 1909.

†annulicornis Van Duzee, Can. Ent., xl, p. 113, 1908, Compsocerocoris.

Locality: Quebec.

942. Phytocoris bakeri Reut.

Reuter, Neark. Caps., p. 28, 1909.

Locality: Calif.

943. Phytocoris vau Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 478, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 15, 1914.

Locality: Calif.

944. Phytocoris roseus (Uhl.)

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 253, 1894, Compsocerocoris.

Reuter, Neark. Caps., p. 27, 1909.

Van Duzee, Trans. San Diego Soc. Nat. His., ii, p. 19, 1914.

Locality: Calif.

945. Phytocoris ramosus Uhl.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 252, 1894. Localities: Ariz., Calif.

946. Phytocoris formosus Van D.

Van Duzee, Check List Hemip., p. 37, 1916 (n.n. for reuteri Van D.). ||reuteri Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 18, 1914. Locality: Calif.

947. Phytocoris jucundus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 17, 1914. Locality: Calif.

948. Phytocoris cunealis Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 16, 1914. Locality: Calif.

949. Phytocoris infuscatus Reut.

Reuter, Neark. Caps., p. 20, 1909 (as var. of puella). Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, pp. 16, 17, 1914. Localities: Ont., N. Y., D. C., N. C.

950. Phytocoris rufoscriptus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 15, 1914. Locality: Calif.

951. Phytocoris puella Reut.

Reuter, Caps. Am. Bor., p. 69, 1876. Heidemann, Proc. Ent. Soc., Wash., ii, p. 226, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894. Wirtner, Ann. Carn. Mus., iii, p. 199, 1904. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905. Moore, Can. Ent., xxxix, p. 163, 1907. Reuter, Neark. Caps., p. 20, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 129, 1910.

a. var. confluens Reut.

Reuter, Neark. Caps., p. 20, 1909.

(Neotropical.)

Localities: Ont., Mass., N. Y., N. J., Md., D. C., N. C., Fla., Kans.

952. Phytocoris tibialis Reut.

Reuter, Caps. Am. Bor., p. 68, 1876. Van Duzee, Can. Ent., xix, p. 70, 1887. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892. Harrington, Ottawa Nat., viii, p. 66, 1894. Wirtner, Ann. Carn. Mus., iii, p. 199, 1904. Reuter, Neark. Caps., p. 20, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910. Van Duzee, Can. Ent., xliv, p. 320, 1912. [Compsocerocoris. vilis Distant, Biol. Centr. Am., Heter., i, p. 260, pl. 25, fig. 13, 1883, †pallidicornis Provancher, Pet. Faune Ent. Can., iii, p. 108, 1887. Localities: Ont., N. Y., N. J., Pa., Md., Va., Wis., Texas, Ia.

953. Phytocoris conspersipes Reut.

Reuter, Neark. Caps., p. 22, 1909.

†breviusculus Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905.

Localities: Ont., Mass., N. Y., N. J., D. C.

954. Phytocoris breviusculus Reut.

Reuter, Caps. Am. Bor., p. 68, 1876.

Reuter, Neark. Caps., p. 21, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910.

Localities: Kans., Colo., Texas.

955. Phytocoris politus Reut.

Reuter, Neark. Caps., p. 21, 1909.

Localities: N. Mex., Ariz., Nevada.

956. Phytocoris vanduzei Reut.

Reuter, Of. Finska Vet. Akad. Forh., liv, Afd. A, No. 7, p. 30, 1912 (n.n. for Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 512, 1912. [marmoratus Van D. ||marmoratus (Van Duzee), Trans. Am. Ent. Soc., xxxvi, p. 78, 1910, [Dichrooscytus]

Locality: N. Mex.

957. Phytocoris rufus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 477, 1912.

Locality: Fla.

958. Phytocoris mundus Reut.

Heidemann, Proc. Ent. Soc. Wash., ii, p. 225, 1892 (MS name).

Reuter, Neark. Caps., p. 18, 1909.

Localities: Md., D. C.

Genus Ecertobia Reut.

Haplotype decora Reut.

Reuter, Neark. Caps., pp. 10, 36, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 206, 1916.

959. Ecertobia decora Reut.

Reuter, Neark. Caps., p. 36, 1909.

Localities: Colo.

Genus Creontiades Dist.

Haplotype rubrinerve (Stål)

Distant, Biol. Centr. Am., Heter., i, p. 237, 1883.

Kirkaldy, Trans. Am. Ent. Soc., xxxiii, p. 138, 1906.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 157, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 207, 1916.

Pantiliodes Noualhier, Ann. Soc. Ent. Fr., lxii, p. 15, 1893 (haplotype

Reuter, Hemip. Gymn. Eur., v, p. 237, 1896. [punctum Reut.).

Kangra Kirkaldy, Trans. Ent. Soc. Lond. for 1902, p. 257.

960. Creontiades rubrinervis (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 321, 1862, Megacoelum.

Distant, Biol. Centr. Am., Heter., i, p. 237, pl. 23, fig. 12, 1883.

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 255, 1894, Calocoris.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 191, Calocoris.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 30, 1907; ix, p. 179, 1909. Reuter, Of. Finska Vet.-Soc. Forh., lv, Afd. A, No. 18, p. 4, 1913 (descrip-Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914. [tion). Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 19, 1914.

Localities: Fla., Calif.

961. Creontiades filicornis (Walk.)

Walker, Cat. Heter., vi, p. 96, 1873, Capsus.
Uhler, Check List, p. 18, 1886, Megacoelum.
Distant, Ann. Mag. Nat. Hist., Ser. 7, xiii, p. 106, 1904.
Locality: Fla.

962. Creontiades signatus (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 269, pl. 23, fig. 11, 1884, *Megacoeulm*. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 152, 1906.

Locality: Texas.

963. Creontiades femoralis Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 19, 1914. Locality: Calif.

964. Creontiades debilis Van D.

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 111, 1915. Localities: Ga., Fla.

Genus Allorhinocoris Reut.

Haplotype flavus J. Sahlbg.

Reuter, Pet. Nouv. Ent., ii, p. 33, 1876. Reuter, Hemip. Gymn. Eur., v, pp. 322, 356, 1896. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 207, 1916.

965. Allorhinocoris flavus J. Sahlbg.

J. Sahlberg, Vet. Akad. Handl., xvi, No. 4, p. 24, 1878.Atkinson, Cat. Capsidae, p. 53, 1889.

Oshanin, Verz. Palae. Hemip., i, p. 650, 1909.

†prasinus Reuter, Pet. Nouv. Ent., ii, No. 147, p. 33, 1876.

Reuter, Hemip. Gymn. Eur., v, p. 323, 1896.

Localities: Oregon. (Palaearctic.)

Genus Adelphocoris Reut. Type seticornis Fabr.

Reuter, Of. Finska Vet. Soc. Forh., xxxviii, p. 168, 1896. Reuter, Hemip. Gymn. Eur., v, pp. 209, 354, 1896. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 138, 1906. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 207, 1916.

966. Adelphocoris rapidus (Say)

Say, Heter. N. Harm., p. 20, 1832; Fitch reprint, p. 783; Compl. Writ., i, p. Uhler, Proc. Ent. Soc. Phila., i, p. 24, 1861, Capsus. [339, Capsus. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 410, 1872, Calocoris. Walker, Cat. Heter., vi, p. 91, 1873, Capsus. Reuter, Caps. Am. Bor., p. 70, 1876, Calocoris. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 318, 1876; iii, p. 415, 1877, Calocoris. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1328, Calocoris.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 506, 1878, Calocoris. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 401, 1878, Deraeocoris. Provancher, Pet. Faune Ent. Can., iii, p. 113, 1887, Calocoris. Van Duzee, Can. Ent., xix, p. 71, 1887; xxi, p. 3, 1889, Calocoris. Harrington, Ottawa Nat., vi, p. 27, 1892, Calocoris. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892, Calocoris. Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893, Calocoris. Slosson, Ent. News, v, p. 5, 1894, Calocoris. Gillette and Baker, Hemip. Colo., p. 34, 1895, Calocoris. Montgomery, Ent. News, xiii, p. 13, 1902, Calocoris. Wirtner, Ann. Carn. Mus., iii, p. 198, 1904, Calocoris. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905, Calocoris. Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905, Calocoris. Barber, Brookl. Inst., Sci. Bul., i, p. 279, 1906, Calocoris. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, pp. 152, 179, 1906; pt. 2, p. 159, Tucker, Kans. Univ. Sci. Bul., iv, p. 60, 1907, Calocoris. [1907, Calocoris. Moore, Can. Ent., xxxix, p. 163, 1907, Calocoris. Van Duzee, Can. Ent., xl, p. 113, 1908. Reuter, Neark. Caps., p. 36, 1909. Bueno, Can. Ent., xlii, p. 29, 1910. Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910. Webster and Stoner, Jl. N. Y. Ent. Soc., xxii, p. 229, 1914.

Parshley, Ent. News, xxvi, p. 208, 1915 (Anatomy).

multicolor Herrich-Schaeffer, Wanz. Ins., viii, p. 19, fig. 795, 1848, Capsus. Reuter, Caps. Am. Bor., p. 70, 1876, Calocoris.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., Miss., Wis., Kans., Ia., Colo., Texas, N. Mex., Ariz., Calif.

967. Adelphocoris superbus (Uhl.)

Uhler, Wheeler's Rept. 100th Merid., v, p. 838, pl. 42, fig. 3, 1875, Calocoris. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1328, Calocoris. Townsend, Can. Ent., xxiv, p. 193, 1892, Calocoris. Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893, Calocoris. Osborn, Proc. Ia. Acad. Sci., i, pt. 4, 123, 1893, Calocoris. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 255, 1894, Calocoris. Gillette and Baker, Hemip. Colo., p. 34, 1895, Calocoris. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Calocoris. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 179, 1906; pt. 2, p. 159, 1907, Tucker, Kans. Univ. Sci. Bul., iv, p. 60, 1907. [Calocoris. Reuter, Neark. Caps., p. 36, 1909.

Localities: Ia., Kans., Colo., Utah, N. Mex., Ariz.

968. Adelphocoris palmeri (Uhl.)

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 410, 1872, Calocoris. Uhler, Wheeler's Surv. 100th Merid., v, p. 838, pl. 42, fig. 4, 1875, Calocoris. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 318, 1876, Calocoris.

Localities: Colo., Ariz.

Genus Stenotus Jak.

Type sarcptanus Jak. = binotatus Fabr.

Jakowleff, Bul. Soc. Nat. Mosc., lii, pt. 2, p. 288, 1877. Reuter, Hemip. Gymn. Eur., v, pp. 122, 351, 1896. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 139, 1906 (names sareptanus type). Reuter, Of. Finska Vet. Soc. Forh., xlix, No. 7, p. 10, 1907. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 206, 1916.

||Oncognathus Fieber, Wien. Ent. Monat., ii, p. 303, 1858.

Fieber, Europ. Hemip., pp. 63, 246, 1861.

Reuter, Rev. Crit. Caps., i, p. 81; ii, p. 40, 1875.

Reuter, Genera Cimic. Eur., p. 15, 1875.

Koraciocapsus Kirkaldy, Trans. Ent. Soc. Lond. for 1903, pt. 2, p. 280.

969. Stenotus binotatus (Fabr.)

Fabricius, Ent. Syst., iv, p. 172, 1794, Lygaeus.

Fabricius, Syst. Rhyng., p. 235, 1803, Lygaeus.

Fallén, Monog. Cimic. Suec., p. 75, 1807, Lygaeus.

Fallén, Hemip. Suec. Cimic., p. 78, 1829, Phytocoris.

Herrich-Schaeffer, Nomen. Ent., i, p. 50, 1835, Capsus.

Herrich-Schaeffer, Wanz. Ins., iii, p. 77, fig. 296, 1835, Capsus.

Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 59, 1855, Capsus (Deraeocoris).

Fieber, Wien. Ent. Monats., ii, p. 303, 1859, Oncognathus.

Flor, Rhyn. Livl., i, p. 499, 1860, Capsus.

Fieber, Europ. Hemip., p. 246, 1861, Oncognathus.

Douglas and Scott, Brit. Hemip., p. 323, 1865, Deraeocoris.

Thomson, Opusc. Ent., iv, p. 422, 1871, Capsus (Phytocoris).

Reuter, Rev. Crit. Caps., ii, p. 41, 1875, Oncognathus.

Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891, Oncognathus.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892, Oncognathus.

Howard, Insect Life, v, p. 90, 1892, Oncognathus.

Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893, Oncognathus.

Reuter, Hemip. Gymn. Eur., v, p. 123, pl. 5, fig. 5, 1896.

Wirtner, Ann. Carn. Mus., iii, p. 198, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905, Oncognathus.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Oncognathus.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910.

Van Duzee, Ottawa Nat., xxvi, p. 69, 1912. [ii, p. 609, 1806, Cimex. paykulli (Turton), in Linnaeus, Syst. Nat., Gmelin's edn. 13, Eng. Trans., sareptanus Jakowleff, Bul. Soc. Nat. Mosc., lii, p. 289, 1877.

Localities: Quebec, Ont., N. H., N. Y., N. J., Pa., Mich., Br. Col. (Palaearctic.)

Genus Ganocapsus Van D. Orthotype filiformis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 481, 1912. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 206, 1916.

970. Ganocapsus filiformis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 481, 1912. Locality: Ariz.

Genus Garganus Stål Logotype albidivittis Stål

Stål, Stet. Ent. Zeit., xxiii, p. 321, 1862.

Distant, Biol. Centr. Am., Heter., i, p. 266, 1884.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 137, 1906 (names albidivittis type).

Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 49, 1909.

Reuter, Neark. Caps., pp. 10, 37, 1909.

Reuter, Of. Finska Vet.-Soc. Forh., lv, Afd. A, No. 18, p. 6, 1913 (description). Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 206, 1916.

971. Garganus fusiformis (Say)

Say, Heter. N. Harm., p. 24, 1832; Fitch reprint, p. 789; Compl. Writ., i, p. Stål, Stet. Ent. Zeit., xxiii, p. 322, 1862. [344, Capsus.

Walker, Cat. Heter., vi, p. 66, 1873, Cyllocoris.

Van Duzee, Can. Ent., xix, p. 72, 1887.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894.

Seiss, Ent. News, viii, p. 67, 1897.

Osborn, Ohio Nat., i, p. 12, 1900.

Wirtner, Ann. Carn. Mus., iii, p. 197, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 61, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 181, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914.

croceipes Herrich-Schaeffer, Wanz. Ins., viii, p. 16, fig. 792, 1848, Capsus. Walker, Cat. Heter., vi, p. 92, 1873, Capsus.

Localities: Ont., Mass., N. Y., N. J., Pa., Fla., Kans.

972. Garganus albidivittis Stål

Stål, Stet. Ent. Zeit., xxiii, p. 322, 1862.

Walker, Cat. Heter., vi, p. 66, 1873, Cyllocoris.

Distant, Biol. Centr. Am., Heter., i, p. 266, pl. 25, fig. 23, 1884.

Uhler, Check List, p. 20, 1886.

Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 166, 1909.

Banks, Cat. Hemip., p. 44, 1910.

[tion).

Reuter, Of. Finska Vet.-Soc. Forh., lv, Afd. A, No. 18, p. 6, 1913 (descrip-Locality: Texas (Banks).

Genus Ectopiocerus Uhl. Haplotype anthracinus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 73, 1890.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, p. 33, 1912.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 207, 1916.

973. Ectopiocerus anthracinus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 73, 1890.

Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910 (probably erroneous).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 235, 1916.

Localities: Calif. (N. J. doubtful.)

Genus Irbisia Reut. Haplotype sericans Stål

Reuter, Of. Finska Vet.-Soc. Forh., xxi, p. 57, 1879.

Reuter, Zool. Jahrb. for 1879, p. 509.

Reuter, Rev. d'Ent., ix, p. 253, 1890.

Reuter, Hemip. Gymn. Eur., v, pp. 11, 348, 1896.

Reuter, Neark. Caps., p. 13, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 207, 1916.

974. Irbisia sericans (Stål)

Stål, Stet. Ent. Zeit., xix, p. 188, 1858, Leptomerocoris.

Reuter, Of. Finska Vet.-Soc. Forh., xxi, p. 58, 1879.

Bergroth, Ent. Nachr., xi, p. 270, 1885.

Reuter, Hemip. Gymn. Eur., v, p. 12, 1896.

Heidemann, Proc. Wash. Acad. Sci., ii, p. 504, 1900.

Essig, Inj. Ben. Ins. Calif., edn. 2, p. 213, 1915.

Localities: Alaska, Oregon, Calif.

975. Irbisia brachycerus (Uhl.)

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 416, 1872, Rhopalotomus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 319, 1876, Rhopalotomus.

Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893, Capsus (spelled brachycorus).

Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 267, 1894, Thyrillus.

Gillette and Baker, Hemip. Colo., p. 39, 1895, Thyrillus.

Cockerell, Can. Ent., xlii, p. 370, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 24, 1914.

Essig, Inj. Ben. Ins. Calif., edn. 2, p. 213, 1915.

a. var. solani Heid.

Heidemann, Proc. Ent. Soc. Wash., xli, p. 200, 1910.

Localities: Idaho, Utah, N. Mex., Calif., Wash.

Genus Thyrillus Uhl.

Logotype pacificus Uhl.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 266, 1894.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 207, 1916.

976. Thyrillus pacificus (Uhl.)

Uhler, Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872, Rhopalotomus [(name only).

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 415, 1872, Rhopalotomus de-Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 319, 1876, Rhopalotomus. [scription).

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 267, 1894.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 24, 1914, Irbisia.

Essig, Inj. Ben. Ins. Calif., edn. 2, p. 215, 1915.

Localities: Mont. Idaho, Nevada, Calif., Wash., Vanc. Isd.

DIVISION DICHROOSCYTARIA (D. & S.)

Douglas and Scott, Brit. Hemip., pp. 34, 477, 1865, Dichrooscytidae. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 206, 207, 1916.

Genus **Pycnocoris** Van D. Orthotype ursinus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 23, 1914. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 207, 1916.

977. Pycnocoris ursinus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 24, 1914.

Locality: Calif.

Genus Lampethusa Dist.

Haplotype anatina Dist.

Distant, Biol. Centr. Am., Heter., i, p. 303, 1884.

Reuter, Of. Finn. Vet. Akad. Forh., li, No. 25, p. 1, 1909 (description).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 207, 1916.

978. Lampethusa anatina Dist.

Distant, Biol. Centr. Am., Heter., i, p. 303, pl. 29, fig. 13, 1884; p. 451, 1893. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 179, 1906. Barber, Brookl. Inst., Sci. Bul., i, p. 279, 1906.

Localities: Texas, Ariz. (Guatemala.)

Genus Paracalocoris Dist. Logotype jurgiosus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 263, 1883. Distant, Fauna Brit. Ind., Rhyn., ii, p. 449, 1904. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 137, 1906 (names jurgiosus type). Reuter, Neark. Caps., p. 38, 1909. Reuter, Ann. k. k. Nat. Hofm. Wien, xxii, p. 51, 1907 (redescribed). Reuter, Ann. Soc. Ent. Belg., liv, p. 49, 1910. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 207, 1916. McAtee, Ann. Ent. Soc. Am., ix, p. 366, 1917 (monograph).

979. Paracalacoris scrupeus (Say)

Say, Heter. N. Harm., p. 23, 1832; Fitch reprint, p. 791; Compl. Writ., i, p. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 317, 1876, Phytocoris. [342, Capsus. Distant, Biol. Centr. Am., Heter., i, p. 271, 1884, Capsus. Van Duzee, Can. Ent., xix, p. 70, 1887, Phytocoris (§scrupens). Atkinson, Cat. Capsidae, p. 66, 1889, Phytocoris. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 177, 1894, Phytocoris. Wirtner, Ann. Carn. Mus., iii, p. 199, 1904, Phytocoris. Reuter, Neark. Caps., p. 39, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910. McAtee, Ann. Ent. Soc. Am., ix, p. 368, 1916 (with 15 new varieties). tetrastigma Herrich-Schaeffer, Wanz. Ins., ix, p. 166, fig. 959, 1853, Capsus. (The description of this species will be found under the name divisus on page 167 of the work cited.)

a. var. externus (H. S.)

Herrich-Schaeffer, Wanz. Ins., viii, p. 16, fig. 791, 1848, Capsus. Walker, Cat. Heter., vi, p. 91, 1873, Capsus. Localities: Ont., Conn., N. Y., N. J., Pa., Ga., Colo.

980. Paracalocoris colon (Say)

Say, Heter. N. Harm., p. 25, 1832; Fitch reprint, p. 791; Compl. Writ., i, p. Uhler, Check List, p. 18, 1886, Phytocoris. [346, Capsus. Provancher, Pet. Faune Ent. Can., iii, p. 108, 1887, Phytocoris. Van Duzee, Can. Ent., xix, p. 70, 1887; xxi, p. 3, 1889, Phytocoris. Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893, Phytocoris. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 177, 1894, Phytocoris. Gillette and Baker, Hemip. Colo., p. 32, 1895, Phytocoris. Wirtner, Ann. Carn. Mus., iii, p. 199, 1904, Phytocoris. Reuter, Neark. Caps., p. 39, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910. Knight, Jl. Econ. Ent., viii, p. 297, 1915. (Oviposition.) McAtee, Ann. Ent. Soc. Am., ix, p. 381, 1917 (with 3 new varieties). Localities: Ont., Mass., N. Y., Pa., Kans., Colo.

981. Paracalocoris deleticus Reut.

Reuter, Neark. Caps., p. 39, 1909.

McAtee, Ann. Ent. Soc. Am., ix, p. 389, 1917.

Locality: Colo.

982. Paracalocoris heidemanni Reut.

Reuter, Neark. Caps., p. 40, 1909.

McAtee, Ann. Ent. Soc. Am., ix, p. 385, 1917 (and 1 variety).

Localities: Md., W. Va.

983. Paracalocoris multisignatus Reut.

Reuter, Neark. Caps., p. 40, 1909.

McAtee, Ann. Ent. Soc. Am., ix, p. 387, 1917.

Locality: D. C.

984. Paracalocoris jurgiosus (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 320, 1862, Calocoris.

Distant, Biol. Centr. Am., Heter., i, p. 263, pl. 25, fig. 17, 1883.

Banks, Cat. Nearc. Hemip., p. 47, 1910.

McAtee, Ann. Ent. Soc. Am., ix, p. 387, 1917.

Localities: Texas. (Mexico.)

9841/2. Paracalocoris adustus McAtee

McAtee, Ann. Ent. Soc. Am., ix, p. 377, 1917.

Locality: N. J.

9841/4. Paracalocoris hawleyi Knight

Knight, Ann. Ent. Soc. Am., ix, p. 377, 1917 (and 3 varieties). Localities: Mass., N. Y., Md.

9841/2. Paracalocoris limbus McAtee

McAtee, Ann. Ent. Soc. Am., ix, p. 380, 1917.

Locality: Ga.

984%. Paracalocoris acceptus McAtee

McAtee, Ann. Ent. Soc. Am., ix, p. 389, 1917.

Locality: N. Mex.

[Paracalocoris instabilis Uhl. MS]

Smith, Cat. Ins. N. J., edn. 2, p. 129, 1900.

Locality: N. J.

Genus Calocoris Fieb.

Logotype affinis H. S.

Fieber, Wien. Ent. Zeit., ii, p. 305, 1858.

Fieber, Europ. Hemip., pp. 65, 251, 1861.

Thomson, Opusc. Ent., iv, p. 419, 1871 (as subgenus of Capsus).

Reuter, Rev. Crit. Caps., i, p. 80; ii, p. 29, 1875.

Reuter, Genera Cimic. Eur., p. 11, 1875.

Distant, Biol. Centr. Am., Heter., i, p. 266, 1884.

Reuter, Hemip. Gymn. Eur., v, pp. 160, 354, 1896.

[pseudotype).

Distant, Fauna Brit. Ind., Rhyn., ii, p. 451, 1904 (names lineolatus Goeze

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 137, 1906 (names affinis Fieb. type). Reuter, Neark. Caps., p. 11, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 207, 1916.

||Lophyrus Kolenati, Melet. Ent., ii, p. 106, 1845 (type sexguttatus Fabr.).

Closterotomus Fieber, Wien. Ent. Monats., ii, p. 306, 1858 (type bifasciatus

[Fieb. = biolavatus H. S.).

985. Calocoris norvegicus (Gmel.)

Gmelin, in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2176, 1788, Cimex.

Reuter, Rev. Synon., p. 259, No. 232, 1888.

Reuter, Hemip. Gymn. Eur., v, pp. 204, 377, pl. 7, fig. 4, 1896.

Atkinson, Cat. Capsidae, p. 74, 1889.

Oshanin, Verz. Palae. Hemip., i, p. 698, 1909.

Oshanin, Kat. Palae. Hemip., p. 63, 1912.

Parshley, Psyche, xxi, p. 141, 1914.

†pabulinus (Scopoli), Ent. Carn., p. 132, 1763 (vars. 1 and 2), Cimex.

Rossi, Fauna Etrus., ii, p. 251, 1790, Cimex.

||bipunctatus Fabricius Reise Norweg., p. 346, 1779, Cimex.

Fabricius, Spec. Ins., ii, p. 358, 1781, Cimex.

Fabricius, Syst. Rhyng., p. 235, 1803, Lygaeus.

Latreille, Hist. Nat. Crust. Ins., xii, p. 221, 1804, Miris.

Fallén, Monog. Cimic. Suec., p. 75, 1807, Lygaeus.

Zetterstedt, Fauna Lapp., p. 486, 1828, Phytocoris.

Fallén, Monog. Cimic. Suec., p. 75, 1807, Lygaeus.

Herrich-Schaeffer, Nom. Ent., i, p. 50, 1835, Capsus.

Herrich-Schaeffer, Wanz. Ins., iii, p. 79, fig. 298, 1835, Capsus.

Zetterstedt, Ins. Lapp., column 271, 1840, Phytocoris.

Rambur, Fauna And., p. 161, 1842, Phytocoris.

Meyer, Verz. Rhyn. Schw., p. 51, 1843, Capsus.

Herrich-Schaeffer, Wanz. Ins., Verz., p. 33, 1853, Capsus.

Kirschbaum, Rhyn. Wiesb., Caps., p. 60, 1855, Capsus (Deraeocoris).

Baerensprung, Cat. Hemip. Europ., p. 14, 1860.

Flor, Rhyn. Livl., i, p. 498, 1860, Capsus.

Fieber, Europ. Hemip., p. 254, 1861.

Douglas and Scott, Brit. Hemip., p. 319, 1865, Deraeocoris.

Thomson, Opusc. Ent., iv, p. 419, 1871.

Reuter, Rev. Crit. Caps., ii, p. 37, 1875.

Reuter, Genera Cimic. Eur., p. 13, 1875.

Reuter, Caps. Am. Bor., p. 71, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 400, 1878, Deraeocoris.

Provancher, Pet. Faune Ent. Can., iii, p. 114, 1887.

Bergroth, Ann. Soc. Ent. Fr. for 1891, Bul., p. 66.

Saunders, Hemip. Heter. Br. Isds., pp. 239, 244, 1892.

Distant, Ann. Mag. Nat. Hist., ser. 7, xiii, p. 110, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910.

biguttatus (Schrank), Fauna Boic., p. 94, 1801, Cimex.

contiguus (Walker), Cat. Heter., vi, p. 95, 1873, Capsus.

stramineus (Walker), Cat. Heter., vi, p. 96, 1873, Capsus.

Localities: Quebec, Me., Mass., N. Y., N. J., Texas. (Palaearctic.)

986. Calocoris fulvomaculatus (De Geer)

De Geer, Mémoires, iii, p. 294, 1773, Cimex. Fallén, Monog. Cimic. Suec., p. 81, 1807, Lygaeus. Zetterstedt, Fauna Lapp., p. 489, 1828, Phytocoris. Fallén, Hemip. Suec., Cimic., p. 88, 1829, Phytocoris. Herrich-Schaeffer, Nomen. Ent., i, p. 48, 1835, Capsus. Herrich-Schaeffer, Wanz. Ins., iii, p. 50, fig. 267, 1836, Capsus. Zetterstedt, Ins. Lapp., column 273, 1840, Phytocoris. Meyer, Verz. Schw. Rhyn., p. 96, 1843, Capsus. Kolenati, Melet. Ent., ii, p. 109, 1845, Phytocoris. Kirschbaum, Rhyn. v. Wiesbd. Caps., p. 49, 1855, Capsus (Deraeocoris). Baerensprung, Cat. Hemip. Eur., p. 14, 1860. Flor, Rhyn. Livl., i, p. 505, 1860, Capsus. Fieber, Europ. Hemip., p. 253, 1861. Douglas and Scott, Brit. Hemip., p. 316, 1865, Deraeocoris. Stål, Hemip. Fabr., i, p. 85, 1868. Thomson, Opusc. Ent., iv, p. 419, 1871, Phytocoris. Reuter, Rev. Crit. Caps., ii, p. 33, 1875. Reuter, Genera Cimic. Europ., p. 12, 1875. Uhler, Check List, p. 18, 1886. Reuter, Rev. Synon., p. 255, No. 227, 1888. Reuter, Hemip. Gymn. Eur., v, pp. 184, 374, 1896. Snow, Trans. Kans. Acad. Sci., xx, pt. 2, p. 159, 1907. ?bimaculatus (Linnaeus), Syst. Nat., edn. 10, p. 449, 1758, Cimex. †rolandri (Retzius), Genera Sp. Ins., p. 88, 1783, Cimex. †genistae (Schrank), Fauna Boic., p. 87, 1801, Cimex. †seticornis (Schrank), Fauna Boic., p. 89, 1801, Cimex. saltatorius (Fabricius), Syst. Rhyng., p. 239, 1803, Lygaeus. femoralis (Lucas), Expl. Alger., Hemip., p. 82, pl. 3, fig. 4, 1849, Phytocoris. distinguendus Garbiglietti, Cat. Hemip., Ital. Indig., p. 184, 1869. isabellinus Westhoff, Jahrsb. Westf. Prov. Samm. Wiss. u. Kunst, ix, p. [80, 1880.

simplicicornis Strob, Mitth. Naturw. Ver. Steirm., xxxvi, p. 189, 1900, [(var. of variegatus).

Localities: Br. Am., Ariz. (Palaearctic.)

987. Calocoris uhleri Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 490, 1912 (n.n. for tinctus Uhl.).

||tinctus Uhler, Hemip. Colo., p. 34, 1895.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 356, 1904.

?Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905. pinicola Kirkaldy, Can. Ent., xl, p. 390, 1909 (n.n. for pinus Uhl., a species

Localities: N.Y. (?), Colo., N. Mex. [never published).

Genus Poeciloscytus Fieb. Logotype unifasciatus Fabr.

Fieber, Wien. Ent. Monats., ii, p. 311, 1858. Fieber, Europ. Hemip., pp. 68, 276, 1861. Douglas and Scott, Brit. Hemip., p. 466, 1865. Thomson, Opusc. Ent., iv, p. 428, 1871 (subgen. of *Capsus*). Reuter, Rev. Crit. Caps., i, p. 83; ii, p. 64, 1875. Provancher, Pet. Faune Ent. Can., iii, p. 127, 1887. Reuter, Hemip. Gymn. Eur., v, pp. 52, 349, 1896. Distant, Fauna Br. Ind., Rhyn., ii, p. 458, 1904 (names unifasciatus type). Reuter, Neark. Caps., p. 12, 1909. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 207, 1916.

988. Poeciloscytus unifasciatus (Fabr.)

Fabricius, Ent. Syst., iv, p. 178, 1794, Lygaeus. Fabricius, Syst. Rhyng., p. 243, 1803, Capsus. Latreille, Hist. Nat. Crust. Ins., xii, p. 230, 1804, Capsus. Herrich-Schaeffer, Nomen. Ent., i, p. 51, 1835, Capsus. Meyer, Verz. Schw. Rhyn., p. 104, 1843, Capsus. Kolenati, Melet. Ent., ii, p. 123, 1845, Phytocoris. Kirschbaum, Rhyn. v. Wiesbd., Caps., pp. 61, 112, 1855, Capsus. Fieber, Wien. Ent. Monats., ii, p. 311, 1858. Flor, Rhyn. Livl., i, p. 544, 1860, Capsus. Fieber, Europ. Hemip., p. 276, 1861. Douglas and Scott, Brit. Hemip., p. 467, pl. 15, fig. 6, 1865. Stål, Hemip. Fabr., i, p. 88, 1868. Thomson, Opusc. Ent., iv, p. 428, 1871, Capsus. Reuter, Rev. Crit. Caps., ii, p. 66, 1875. Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 507, 1878. Reuter, Rev. Synon., p. 274, No. 248, 1888. Van Duzee, Can. Ent., xxi, p. 3, 1889. Saunders, Heter. Brit. Isds., p. 258, pl. 23, fig. 10, 1892. Uhler, Proc. Ent. Soc. Wash., ii, p. 374, 1893. Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893. Gillette and Baker, Hemip. Colo., p. 38, 1895. Reuter, Hemip. Gymn. Eur., v, pp. 54, 361, 1896. Heidemann, Proc. Wash. Acad. Sci., ii, p. 505, 1900. Reuter, Festschr. f. Palmen, ii, p. 18, 1905. Van Duzee, 20th Rept., N. Y. St. Ent., p. 551, 1905. Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908. Schumacher, Zeit. f. Wissen., Insek., v, p. 342, 1909 (life history). ?tomentosus (Villers), Ent. Faunae Suec. Descr., p. 528, 1789, Cimex. semiflavus (Wolff), Icon. Cimic., iv, p. 154, fig. 148, 1804, Miris. Fallén, Monog. Cimic. Suec., p. 80, 1807, Lygaeus. Fallén, Hemip. Suec., Cimic., p. 86, 1829, Phytocoris. Hahn, Wanz. Ins., i, p. 208, fig. 107, 1831, Phytocoris.

a. var. lateralis Hahn, Wanz. Ins., ii, p. 85, fig. 169, 1834 (as var. of scmiflarus).

b. var. marginatus Hahn, Wanz. Ins., ii, p. 85, fig. 170, 1834 (as var. of semi-

[flavus).

Localities: Quebec, Utah. (Palaearctic.)

989. Poeciloscytus diffusus Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 415, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 318, 1876.
Gillette and Baker, Hemip. Colo., p. 38, 1895.
divergens Reuter MS, Parshley, Psyche, xxi, p. 141, 1914.
Localities: Utah, Colo.

990. Poeciloscytus uhleri Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 23, 1914 (n.n. for inter-[medius Uhl.).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 235, 1916. ||intermedius Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 261, 1894. Gillette and Baker, Hemip. Colo., p. 38, 1895. Localities: Colo., Ariz., Calif.

991. Poeciloscytus basalis Reut.

Reuter, Caps. Am. Bor., p. 73, 1876. Popenoe, Trans. Kans. Acad. Sci., ix, p. 63, 1885. Provancher, Pet. Faune Ent. Can., iii, p. 127, 1887. Van Duzee, Can. Ent., xix, p. 71, 1887. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892; pt. 4, p. 123, 1893. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 177, 1894. Uhler, Proc. Calif. Acad. Sci., Ser. 2, iv, p. 261, 1894. Gillette and Baker, Hemip. Colo., p. 38, 1895. Osborn, Ohio Nat., i, p. 12, 1900. Smith, Cat. Ins. N. J., edn. 2, p. 130, 1900. Wirtner, Ann. Carn. Mus., iii, p. 196, 1904. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905. Barber, Brookl. Inst., Sci. Bul., i, p. 280, 1906. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, pp. 152, 179, 1906. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 178, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910. Barber, Ann. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914. Parshley, Psyche, xxi, p. 141, 1914. sericeus Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 422, 1877. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905. Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., D. C., Ga.,

992. Poeciloscytus cuneatus (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 435, 1893, Lygus. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 192. Distant, Ann. Mag. Nat. Hist., ser. 7, xiv, p. 62, 1904. Osborn, Ohio Nat., v, p. 202, 1904, Lygus. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 31, 1907. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914. obscurus Uhler, Proc. Zool. Soc. Lond. for 1893, p. 715. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914. Localities: Fla., Texas. (Mexico, West Indies.)

993. Poeciloscytus elegans Reut.

Reuter, Neark. Caps., p. 60, 1909. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 23, 1914. Locality: Calif.

994. Poeciloscytus basivittis Reut.

Reuter, Neark. Caps., p. 61, 1909. Locality: Colo.

Fla., Kans.

995. Poeciloscytus venaticus Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872, Charagochilus [(name only). Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 414, 1872 (description).

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 318, 1876, Systratiotus.

Uhler, Check List, p. 19, 1886, Systratiotus.

Provancher, Pet. Faune Ent. Can., iii, p. 125, 1887, Systratiotus.

Van Duzee, Can. Ent., xix, p. 71, 1887, Systratiotus.

Uhler, Proc. Ent. Soc. Wash., ii, p. 374, 1893, Systratiotus.

Gillette and Baker, Hemip. Colo., p. 38, 1895, Systratiotus.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905, Systratiotus.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Systratiotus.

Tucker, Kans. Univ. Sci. Bul., iv, p. 60, 1907, Polymerus.

Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 235, 1916.
rubronotatus (Provancher), Nat. Can., iv, p. 105, 1872, Rhopalotomus.
americanus (Reuter), Caps. Am. Bor., p. 73, 1876, Systratiotus.

Van Duzee, Can. Ent., xix, p. 71, 1887, Systratiotus.

Harrington, Ottawa Nat., vi, p. 28, 1892, Systratiotus. [Systratiotus. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892; pt. 4, p. 123, 1893, Uhler, Proc. Ent. Soc. Wash., ii, p. 374, 1893, Systratiotus. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894, Systratiotus.

Gillette and Baker, Hemip. Colo., p. 38, 1895, Systratiotus.

Smith, Cat. Ins. N. J., edn. 2, p. 130, 1900, Systratiotus.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 357, 1904, Systratiotus.

Wirtner, Ann. Carn. Mus., iii, p. 196, 1904, Systratiotus.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905, Systratiotus.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Systratiotus.

Tucker, Kans. Univ. Sci. Bul., iv, p. 60, 1907, Polymerus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 178, 1909, Polymerus.

Reuter, Neark. Caps., p. 61, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914.

Localities: Quebec, Ont., Me., N. Y., N. J., Pa., D. C., Fla., Ia., Kans., Colo., Utah, Texas, N. Mex., Calif., Br. Col., Manitoba.

[Poeciloscytus pusillus Reut. MS]

Popenoe, Trans. Kans. Acad. Sci., ix, p. 63, 1885. Localities: Kans. (Popenoe.)

Genus Dichrooscytus Fieb. Logotype rufipennis Fall.

Fieber, Wien. Ent. Monats., ii, p. 309, 1858. Fieber, Europ. Hemip., pp. 67, 269, 1861.

Douglas and Scott, Brit. Hemip., p. 477, 1865.

Thomson, Opusc. Ent., iv, p. 422, 1871.

Reuter, Rev. Crit. Caps., i, p. 81; ii, p. 42, 1875.

Reuter, Hemip. Gymn. Eur., v, pp. 318, 350, 1896.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 139, 1906 (names rufipennis type). Reuter, Neark. Caps., p. 11, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 207, 1916.

9951/2. Dichrooscytus speciosus Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 236, 1916.
Locality: Calif.

996. Dichrooscytus suspectus Reut.

Reuter, Neark. Caps., p. 37, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 236, 1916.

†rufipennis Uhler, Check List, p. 18, 1886.

Van Duzee, Can. Ent., xix, p. 71, 1887.

Localities: N. Y., N. J., D. C., Colo.

997. Dichrooscytus elegans Uhl.

Heidemann, Proc. Ent. Soc. Wash., ii, p. 225, 1892 (name only).

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 356, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 49, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.

Reuter, Neark. Caps., p. 38, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 237, 1916. Localities: Ont., N. Y., D. C., N. C., Mich., N. Mex., Calif.

998. Dichrooscytus irroratus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 482, 1912. Locality: Colo.

999. Dichrooscytus maculatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 483, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914.

Localities: Ga., Fla.

Genus Horcias Dist.

Logotype variegatus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 277, 1884.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 141, 1906 (names variegatus type).

Reuter, Ann. k. k. Nat. Hofm. Wien, xxii, p. 57, 1907 (redescribed).

Reuter, Neark. Caps., pp. 11, 41, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 208, 1916.

|| Metriorrhynchus Reuter, Caps. Am. Bor., p. 74, 1876 (as subgenus).

Metriorrhynchomiris Kirkaldy, Entomologist xxxvii, p. 280, 1904 (n.n. for Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 140, 1908. [Metriorrhynchus.

1000. Horcias dislocatus (Say)

Say, Heter. N. Harm., p. 21, 1832; Fitch reprint, p. 784; Compl. Writ., i, p. Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 506, 1878, Lygus. [339, Capsus.

Uhler, Proc. Bost. Soc. Nat. Hist, xix, p. 406, 1878, Lygus.

Uhler, Check List, p. 19, 1886, Poecilocapsus.

Van Duzee, Can. Ent., xix, p. 71, 1887, Poecilocapsus.

Atkinson, Cat. Capsidae, p. 86, 1889, Lygus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894, Poecilocapsus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 483, 1912.

melaxanthus (Herrich-Schaeffer), Wanz. Ins., viii, p. 18, fig. 794, 1848, Walker, Cat. Heter., vi, p. 91, 1873, Capsus. [Capsus.

a. var. coccineus (Emmons)

Emmons, Nat. Hist. N. Y., Agric., v, pl. 30, fig. 2, 1854, Phytocoris.

||scutellatus Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 484, 1912 (as var.).

b. var. goniphorus (Say)

Say, Heter. N. Harm., p. 21, 1832; Fitch reprint, p. 785; Compl. Writ., i, p, Reuter, Caps. Am. Bor., p. 74, 1876, Poecilocapsus. [341, Capsus.

Uhler, Stand. Nat. Hist., ii, p. 287, 1884, Poecilocapsus.

Uhler, Check List, p. 19, 1886, Poecilocapsus.

Provancher, Pet. Faune Ent. Can., iii, p. 123, 1887, Poecilocapsus.

Van Duzee, Can. Ent., xix, p. 71, 1887, Poecilocapsus.

Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891, Poecilocapsus.

Harrington, Ottawa Nat., vi, p. 28, 1892, Poecilocapsus.

Osborn, Proc. Ia. Acad. Sci., i, pt. 1, 123, 1892, Poecilocapsus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894, Poecilocapsus.

Gillette and Baker, Hemip. Colo., p. 58, 1895, Poecilocapsus.

Slosson, Ent. News, ix, p. 251, 1898, Poecilocapsus.

Wirtner, Ann. Carn. Mus., iii, p. 197, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905, Poecilocapsus.

Moore, Can. Ent., xxix, p. 163, 1907, Poecilocapsus.

Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 484, 1912.

Parshley, Psyche, xxi, p. 142, 1914, Poecilocapsus.

limbatellus (Walker), Cat. Heter., vi, p. 93, 1873, Capsus (yellow form).

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, p. 33, 1912 (as
Parshley, Psyche, xxi, p. 141, 1914. [var. of affinis).

marginatus (Walker), Cat. Heter., vi, p. 96, 1873, Capsus (red form).

Distant, Ann. Mag. Nat. Hist., ser. 7, xiii, p. 111, 1904, Poecilocapsus.

c. var. affinis (Reut.)

Reuter, Caps. Am. Bor., p. 74, 1876, Poecilocapsus.

Provancher, Pet. Faune Ent. Can., iii, p. 123, 1887, Poecilocapsus.

Van Duzee, Can. Ent., xix, p. 71, 1887, Poecilocapsus.

Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891, Poecilocapsus.

Harrington, Ottawa Nat., vi, p. 28, 1892, Poecilocapsus.

Osborn, Proc. Ia. Acad. Sci., i, pt. 1, p. 123, 1892, Poecilocapsus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894, Poecilocapsus.

Wirtner, Ann. Carn. Mus., iii, p. 197, 1904, Poecilocapsus.

Reuter, Neark. Caps., p. 41, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 484, 1912.

d. var. marginalis (Reut.)

Reuter, Caps. Am. Bor., p. 75, 1876, Poecilocapsus.

Provancher, Pet. Faune Ent. Can., iii, p. 123, 1887, Poecilocapsus.

Van Duzee, Can. Ent., xix, p. 71, 1887, Poecilocapsus.

Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891, Poecilocapsus.

Harrington, Ottawa Nat., vi, p. 28, 1892, Poecilocapsus.

Osborn, Proc. Ia. Acad. Sci., i, pt. 1, p. 123, 1892, Poecilocapsus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894, Poecilocapsus.

Wirtner, Ann. Carn. Mus., iii, p. 197, 1904, Poecilocapsus.

Moore, Can. Ent., xxxix, p. 163, 1907, Poecilocapsus (spelled marginatus).

Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 484, 1912.

e. var. nigrita Reut.

Reuter, Neark. Caps., p. 41, 1909.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 484, 1912.

f. var. pallipes Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 484, 1912.

g. var. residuus Van D.

Van Duzee, Check List, p. 39, 1916 (n.n. for thoracicus Van D.).

||thoracicus Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 484, 1912.

Localities: Quebec, Ont., Me., Conn., N. Y., N. J., Mich., Ind., Ia., Wis.

1001. Horcias sexmaculatus (Barb.)

Barber, Brookl. Inst., Sci. Bul., i, p. 280, 1906, Poecilocapsus.

Reuter, Neark. Caps., p. 41, 1909.

Locality: Texas.

1002. Horcias fallax Reut.

Reuter, Neark. Caps., p. 42, 1909.

Locality: Pa.

1003. Horcias marmoratus (Uhl.)

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 263, 1894, Poecilocapsus.

Localities: Md., Texas.

Genus Poecilocapsus Reut.

Logotype lineatus Fabr.

Reuter, Caps. Am. Bor., p. 73, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 274, 1884.

Reuter, Neark. Caps., p. 11, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 208, 1916.

1004. Poecilocapsus lineatus (Fabr.)

Fabricius, Ent. Syst. Suppl., p. 541, 1798, Lygaeus.

Fabricius, Syst. Rhyng., p. 234, 1803, Lygaeus.

Stål, Hemip. Fabr., i, p. 86, 1868, Calocoris.

Fitch, 13th Rept. N. Y. St. Ent. for 1869, p. 513, 1870, Phytocoris.

Reuter, Caps. Am. Bor., p. 74, 1876.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1328, Lygus.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 506, 1878, Lygus.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 406, 1878, Lygus.

Lintner, 1st Rept. N. Y. St. Ent., p. 271, 1882.

Provancher, Pet. Faune Ent. Can., iii, p. 122, 1887.

Van Duzee, Can. Ent., xix, p. 71, 1887; xxi, p. 3, 1889.

Townsend, Trans. Ent. Soc. Wash., ii, p. 54, 1891.

Harrington, Ottawa Nat., vi, p. 28, 1892.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892; pt. 4, p. 123, 1893.

Slingerland, Cornell Univ. Agr. Exp. St., Ent. Div. Bul. 58, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 177, 1894.

Slosson, Ent. News, ix, p. 251, 1898.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 357, 1904.

Wirtner, Ann. Carn. Mus., iii, p. 197, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905.

Van Duzee, Can. Ent., xxxviii, p. 407, 1906.

Moore, Can Ent., xxxix, p. 163, 1907.

Van Duzee, Can. Ent., xl, p. 113, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910.

Barber, Ann. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914.

Parshley, Psyche, xxi, p. 142, 1914. [Compl. Writ., i, p. 339, Capsus. quadrivitatus (Say), Heter. N. Harm., p. 20, 1832; Fitch reprint, p. 784;

Le Baron, 1st Rept. Nox. Ins. Illinois, p. 61, 1871, Capsus.

Lintner, 1st Rept. N. Y. St. Ent., p. 271, fig. 78, 1882.

§vittatus Uhler, Stand. Nat. Hist., ii, p. 286, 1884.

bellus (Emmons), Nat. Hist. N. Y. Agric., v, pl. 30, fig. 1, 1854, Phytocoris.

Localities: Quebec, Ont., Me., N. H., Mass., Conn., N. Y., N. J.,

Pa., Texas, N. Mex.

1005. Poecilocapsus nigriger (Stål)

Stål, Stet. Ent. Zeit., xxiii, p. 319, 1862, Brachycoleus.

Walker, Cat. Heter., vi, p. 99, 1873, Capsus.

Reuter, Caps. Am. Bor., p. 64, 1875.

Uhler, Stand. Nat. Hist., ii, p. 287, 1884.

Distant, Biol. Centr. Am., Heter., i, p. 275, pl. 22, figs. 12, 13, 1884.

Reuter, Ann. k. k. Nat. Hofm. Wien, xxii, p. 166, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 178, 1909.

Van Duzee, Trans. San Diego, Soc. Nat. Hist., ii, p. 19, 1914.

Localities: Fla., Calif. (Mexico.)

Genus Neocapsus Dist.

Haplotype mexicanus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 277, 1884.

1006. Neocapsus cuneatus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 438, pl. 38, fig. 6, 1893.

Banks, Cat. Nearc. Hemip., p. 46, 1910.

Localities: Texas. (Mexico.)

Genus Pallacocoris Reut. Haplotype suavis Reut.

Reuter. Caps. Am. Bor., p. 62, 1876.

1007. Pallacocoris suavis Reut.

Reuter, Caps. Am. Bor., p. 62, 1876.

Osborn, Proc. Ia. Acad. Sci., v, p. 233, 1898.

Localities: Texas, Ia.

DIVISION CAPSARIA (D. & S.)

Douglas and Scott, Brit. Hemip., pp. 32, 423, 1865, Family Capsidae. Reuter, Rev. Crit. Caps., i, p. 76; ii, p. 44, 1875 (Division).

Reuter, Genera Cimic. Europ., pp. 6, 15, 1875 (Division).

Provancher, Pet. Faune Ent. Can., iii, p. 97, 1886, Capsides (part).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 206, 208, 1916.

Lygidae Douglas and Scott, Brit. Hemip., pp. 33, 445, 1865.

Genus Capsus Fabr. Orthotype ater Fabr.

Fabricius, Syst. Rhyng., p. 241, 1803.

Latreille, Hist. Nat. Crust. Ins., xii, p. 299, 1804.

Latreille, Genera Crust. Ins., iii, p. 123, 1807.

Fallén, Monog. Cimic. Suec., p. 96, 1807.

Latreille, Consid. Gén., pp. 225, 433, 1810 (names spissicornis pseudotype).

Fallén, Hemip. Suec., Cimic., p. 114, 1829.

Hahn, Wanz. Ins., i, p. 125, 1831.

Laporte, Essai Classif. Syst. Hémip., p. 39, 1832.

Leach, Brewster's Edinbg. Encyc., Am. edn., viii, p. 711, 1832.

Westwood, Intr. Mod. Classif, Ins., ii, Synop., p. 121, 1840.

Blanchard, Hist. des Ins., Hémip., p. 139, 1840 (subgen. of Phytocoris).

Amyot and Serville, Hémip., p. 280, 1843.

Stål, Hemip. Fabr., i, p. 87, 1868.

Reuter, Rev. Crit. Caps., i, p. 84; ii, p. 77, 1875.

Reuter, Genera Cimic. Eur., p. 21, 1875.

Uhler, Check List, p. 19, 1886.

Provancher, Pet. Faune Ent. Can., iii, p. 128, 1887.

Atkinson, Cat. Capsidae, p. 105, 1889.

Reuter, Hemip. Gymn. Eur., v, pp. 13, 348, 1896.

Distant, Fauna Brit. Ind., Rhyn., ii, p. 468, 1904.

Reuter, Neark. Caps., p. 12, 1909.

Oshanin, Verz. Palae. Hemip., i, p. 758, 1909.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 157, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 208, 1916.

Rhopalotomus Fieber, Wien. Ent. Monat., ii, p. 307, 1858 (Haplotype ater Fieber, Europ. Hemip., pp. 66, 263, 1861. [Linn.).

Douglas and Scott, Brit. Hemip., p. 439, 1865.

Thomson, Opusc. Ent., iv, p. 430, 1871.

Puton, Cat. Hemip. Palae., p. 52, 1886.

1008. Capsus ater (Linn.)

Linnaeus, Syst. Nat., edn. 10, p. 447, 1758; edn. 12, i, p. 725, 1767, Cimex.

Fabricius, Ent. Syst., iv, p. 177, 1794, Lygaeus.

Fabricius, Syst. Rhyng., p. 241, 1803, Capsus.

Fallén, Hemip. Suec., Cimic., p. 116, 1829.

Hahn, Wanz. Ins., i, p. 126, 1831.

Flor, Rhyng. Livl., i, p. 486, 1860.

Fieber, Europ. Hemip., p. 264, 1861, Rhopalotomus.

Douglas and Scott, Brit. Hemip., p. 440, 1865, Rhopalotomus.

Stål, Hemip. Fabr., i, p. 87, 1868.

Walker, Cat. Heter., vi, p. 77, 1873.

Reuter, Rev. Crit. Caps., ii, p. 78, 1875.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 411, 1878, Rhopalotomus.

Provancher, Pet. Faune Ent. Can., iii, p. 129, 1887.

Van Duzee, Can. Ent., xix, p. 72, 1887.

Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891.

Harrington, Ottawa Nat., vi, p. 28, 1892.

Saunders, Heter. Brit. Isds., p. 262, pl. 24, fig. 5, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894.

Slosson, Ent. News, v, p. 5, 1895.

Reuter, Hemip. Gymn. Eur., v, pp. 14, 357, 1896.

Heidemann, Proc. Wash. Acad. Sci., ii, p. 504, 1900.

Wirtner, Ann. Carn. Mus., iii, p. 198, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905.

Moore, Can. Ent., xxxix, p. 163, 1907.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910.

Bueno, Can. Ent., xlii, p. 29, 1910.

Parshley, Psyche, xxi, p. 142, 1914.

?sordens (Gmelin) in Linnaeus, Syst. Nat., edn. 13, p. 2166, 1788, Cimex. nigricornis Hahn, Icon. Monog. Cimic., fig. 20, 1826.

a. var. tyrannus (Fabr.)

Fabricius, Ent. Syst., iv, p. 177, 1794, Lygaeus.

Fabricius, Syst. Rhyng., p. 242, 1803.

Wolff, Icon. Cimic., iii, p. 152, fig. 146, 1804, Lygaeus.

Reuter, Hemip. Gymn. Eur., v, p. 15, 1896.

flavipes Provancher, Nat. Can., iv, p. 104, 1872.

b. var. semiflavus (Linn.)

Linnaeus, Syst. Nat., edn. 12, i, p. 725, 1867, Cimex.

Reuter, Hemip. Gymn. Eur., v, p. 15, 1896.

flavicollis (Fabricius), Syst. Ent., p. 725, 1775, Cimex.

Fabricius, Syst. Rhyng., p. 243, 1803.

Wolff, Icon. Cimic., i, p. 32, fig. 32, 1800, Lygaeus.

Localities: Ont., Me., N. H., N. Y., N. J., Pa., D. C. (Europe.)

Genus Coccobaphes Uhl.

Haplotype sanguinarius Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 401, 1878.

Provancher, Pet. Faune Ent. Can., ii, p. 117, 1887.

Reuter, Neark. Caps., p. 11, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 208, 1916.

1009. Coccobaphes sanguinarius Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 401, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 117, 1887.

Van Duzee, Can. Ent., xix, p. 71, 1887; xxi, p. 3, 1889.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892.

Harrington, Ottawa Nat., vi, p. 28, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 177, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 198, 1904.

Reuter, Neark. Caps., p. 37, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910.

Parshley, Psyche, xxi, p. 141, 1914.

Localities: Ont., Me., N. Y., N. J., Pa., Ia.

Genus Lygidea Reut.

Haplotype illota (Stål)

Reuter, Pet. Nouv. Ent., i, p. 547, 1875.

Reuter, Of. Finska Vet. Soc. Forh., xxi, p. 54, 1879.

Reuter, Hemip. Gymn. Europ., v, pp. 68, 349, 1896.

Reuter, Neark. Caps., p. 12, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 208, 1916.

1010. Lygidea rubecula (Uhl.)

Uhler, Hemip. Colo., p. 37, 1895, Neoborus.

Reuter, Neark. Cap., pp. 45, 46, 1909.

Parshley, Psyche, xxi, p. 141, 1914.

a. var. infuscata Reut.

Reuter, Neark. Caps., p. 46, 1909.

b. var. rosacea Reut.

Reuter, Neark. Caps., p. 46, 1909.

c. var. obscura Reut.

Reuter, Neark. Caps., p. 46, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 237, 1916. Localities: Ont., Me., N. H., N. Y., Colo., Calif., Manitoba.

1011. Lygidea mendax Reut.

Reuter, Neark. Caps., p. 47, 1909.

Crosby, Can. Ent., xliii, p. 17, 1911.

Crosby, 26th Rept. N. Y. St. Ent., p. 44, 1911.

Parshley, Psyche, xxi, p. 141, 1914.

Knight, Jl. Econ. Ent., viii, p. 295, 1915. (Oviposition.)

Localities: Me., N. Y.

1012. Lygidea morio Reut.

Reuter, Neark. Caps., p. 47, 1909.

Locality: Calif.

Genus Platylygus Van D. Orthotype luridus (Reut.)

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 111, 1915.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 208, 1916.

1013. Platylygus luridus (Reut.)

Reuter, Neark. Caps., p. 46, 1909, Lygidea (as var. of rubecula Uhl.)
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 237, 1916.
Localities: N. Y., Calif.

Genus Lygus Hahn Logotype limbatus (Fall.)

Hahn, Wanz. Ins., i, p. 147, 1831.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 122, 1840 (names coryli

Fieber, Wien. Ent. Monats., ii, p. 311, 1858.

[Linn. pseudotype).

Fieber, Europ. Hemip., pp. 68, 272, 1861.

Douglas and Scott, Brit. Hemip., p. 456, 1865.

Thomson, Opuse. Ent., iv, p. 423, 1871.

Reuter, Crit. Rev. Caps., i, p. 81; ii, p. 45, 1875.

Reuter, Genera Cimic. Europ., p. 15, 1875.

Distant, Biol. Centr. Am., Heter., i, p. 272, 1884.

Provancher, Pet. Faune Ent. Can., iii, p. 118, 1887.

Reuter, Hemip. Gymn. Eur., v, pp. 71, 350, 1896. [pseudotype).

Distant, Fauna Brit. Ind., Rhyn., ii, p. 454, 1904 (names pabulinus Linn.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 139, 1906 (names limbatus Fall.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 208, 1916. [type). Poecilosoma Stephens (MS), Syst. Cat. Brit. Ins., p. 346, 1829.

(A revision of genus Lygus by Mr. H. H. Knight, including a number of new species, will soon be published by Cornell University; if out in time the new species will be listed at end of this volume.)

Subgenus Lygocoris Reut. Logotype pabulinus (Linn.)

Reuter, Rev. Crit. Caps., i, p. 81; ii, p. 45, 1875. Reuter, Genera Cimic. Europ., p. 16, 1875. Reuter, Hemip. Gymn. Eur., v, p. 367, 1896. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 139, 1906 (names pabulinus type).

1014. Lygus pabulinus (Linn.)

Linnaeus, Fauna Suec., p. 253, No. 947, 1761, Cimex. Linnaeus, Syst. Nat., edn. 12, i, p. 727, 1767, Cimex. Fabricius, Genera Ins., p. 301, 1776, Cimex. Fabricius, Ent. Syst., iv, p. 184, 1794, Miris. Walckenaer, Fauna Paris., ii, p. 349, 1802, Miris. Fabricius, Syst. Rhyng., p. 254, 1803, Miris. Latreille, Hist. Nat. Crust. Ins., xii, p. 227, 1804, Miris. Fallén, Monog. Cimic. Suec., p. 75, 1807, Lygaeus. Zetterstedt, Fauna Lapp., p. 468, 1828, Phytocoris. Fallén, Hemip. Suec., Cimic., p. 79, 1829, Phytocoris. Hahn, Wanz. Ins., i, p. 143, fig. 74, 1831. Burmeister, Handb. d. Ent., ii, p. 270, 1835, Phytocoris. Zetterstedt, Ins. Lapp., column 272, 1840, Phytocoris. Blanchard, Hist. des Ins., Hemip., p. 137, 1840, Phytocoris. Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 57, 1855, Capsus (Deraeocoris). Baerensprung, Cat. Hemip. Eur., p. 15, 1860. Flor, Rhyn. Livl., i, p. 507, 1860, Capsus. Fieber, Europ. Hemip., p. 276, 1861. Douglas and Scott, Brit. Hemip., p. 457, 1865. Thomson, Opusc. Ent., iv, p. 424, 1871, Capsus. Reuter, Rev. Crit. Caps., i, p. 81; ii, p. 45, 1875. Uhler, Check List, p. 18, 1886. Van Duzee, Can. Ent., xix, p. 71, 1887. Reuter, Rev. Synon., p. 267, No. 242, 1888. Van Duzee, Can. Ent., xxi, p. 3, 1889. Saunders, Hemip. Brit. Isds., p. 249, pl. 23, fig. 5, 1892. Reuter, Hemip. Gymn. Europ., v, pp. 114, 367, 1896. Heidemann, Proc. Wash. Acad. Sci., ii, p. 504, 1900. Slosson, Ent. News, xiii, p. 8, 1902. Wirtner, Ann. Carn. Mus., iii, p. 196, 1904. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905. Van Duzee, Can. Ent., xxxviii, p. 407, 1906. Moore, Can. Ent., xxxix, p. 163, 1907. Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908. Van Duzee, Can. Ent., xl, p. 113, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910. Horvath, Ann. Mus. Natl. Hung., xi, p. 337, 1911. Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 512, 1912. Parshley, Psyche, xxi, p. 141, 1914. nigrophthalmus (Retzius), Genera et Spec. Ins., p. 88, 1783, Cimex. ?aerugineus (Fourcroy), Ent. Paris., p. 208, 1785, Cimex. hortuorum (Tigny), Hist. Nat. des Ins., iv, p. 287, 1813, Cimex.

†affinis (Meyer), Verz. Rhyn. Schw. Caps., p. 48, pl. 1, fig. 5, 1843, Capsus. solani Curtis, Farm Ins., p. 434, fig. 59, No. 20, and pl. 0, figs. 20, 21, 1860. †contaminatus Provancher, Pet. Faune Ent. Can., iii, p. 121, 1887. chagnoni Stevenson, Can. Ent., xxxv, p. 214, 1903.

a. var. signifer Reut.

Reuter, Neark. Caps., p. 42, 1909.

Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Pa., Brit. Col., Alaska.

Subgenus Lygus Hahn Logotype limbatus (Fall.)

Reuter, Rev. Crit. Caps., i, p. 82; ii, p. 47, 1875. Reuter, Hemip. Gymn. Eur., v, p. 364, 1896.

1015. Lygus contaminatus (Fall.)

Fallén, Hemip. Suec., Cimic., p. 79, 1829, Phytocoris.
Hahn, Wanz. Ins., i, p. 151, fig. 76, 1831.
Zetterstedt, Ins. Lapp., column 272, 1840, Phytocoris.
Fieber, Europ. Hemip., p. 274, 1861.
Reuter, Rev. Crit. Caps., ii, p. 49, 1875.
Reuter, Genera Cimic. Eur., p. 17, 1875.
Uhler, Check List, p. 18, 1886.
Saunders, Heter. Brit. Isds., pp. 249, 250, 1892.
Reuter, Hemip. Gymn. Eur., v, pp. 112, 367, 1896.
Oshanin, Verz. Palae. Hemip., i, p. 716, 1909.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 20, 1914.
†viridis (Flor), Rhyn. Livl., i, p. 531, 1860, Capsus (part).
†sulcifrons Douglas and Scott, Brit. Hemip., p. 459, 1865.
Localities: Calif., Br. Am. (Palaearctic.)

1016. Lygus lucorum (Meyer)

Meyer, Verz. Schw. Rhyn., Caps., p. 46, pl. 6, fig. 2, 1843, Capsus.
Fieber, Europ. Hemip., p. 275, 1861.
Douglas and Scott, Brit. Hemip., p. 458, 1865.
Reuter, Rev. Crit. Caps., ii, p. 52, 1875.
Uhler, Check List, p. 18, 1886.
Saunders, Heter. Brit. Isds., pp. 249, 251, 1892.
Reuter, Hemip. Gymn. Eur., v, pp. 107, 366, pl. 5, fig. 3, 1896.
Oshanin, Verz. Palae. Hemip., i, p. 717, 1909.
†contaminatus (Kirschbaum), Rhyn. v. Wiesbd., Caps., p. 65, 1855, Capsus.
Flor, Rhyn. Livl., ii, p. 612, 1861, Capsus.
Thomson, Opusc. Ent., iv, p. 425, 1871, Capsus.
bipunctatus (Sahlberg), Monog. Geoc. Fenn., p. 101, 1848, Capsus.
Locality: "U. S." (Uhler).

1017. Lygus viridis (Fall.)

Fallén, Monog. Cimic. Suec., p. 85, 1807, Lygaeus. Fallén, Hemip. Suec., Cimic., p. 93, 1829, Phytocoris. Sahlberg, Monog. Cimic. Fenn., p. 106, 1848, Capsus. Baerensprung, Cat. Hemip. Europ., p. 15, 1860. Flor, Rhyn. Livl., i, p. 531, 1861, Capsus. Reuter, Rev. Crit. Caps., ii, p. 50, 1875.

Reuter, Genera Cimic. Eur., p. 17, 1875.
Reuter, Rev. Synon., p. 268, No. 243, 1888.
Saunders, Heter. Brit. Isds., pp. 249, 250, pl. 23, fig. 2, 1892.
Reuter, Hemip. Gymn. Eur., v, pp. 113, 367, 1896.
Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.
Reuter, Neark. Caps., p. 42, 1909.

?fusco-maculatus (Goeze), Ent. Beytr., ii, p. 267, 1778, Cimex. ?viridescens Geoffroy in Fourcroy, Ent. Paris., p. 207, 1785, Cimex. ?obfuscatus (Gmelin), in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2185, commutatus Fieber, Wien. Ent. Monats., ii, p. 231, 1858. [1788, Cimex. Fieber, Europ. Hemip., p. 274, 1861.

†contaminatus Douglas and Scott, Brit. Hemip., p. 461, 1865. †sulcifrons (Thomson), Opusc. Ent., iv, p. 425, 1871, Capsus. Localities: N. H., Mass. (Palaearctic.)

1018. Lygus belfragii Reut.

Reuter, Caps. Am. Bor., p. 71, 1876.
 Slosson, Ent. News, xvii, p. 326, 1906.
 Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 485, 1912.
 Localities: Quebec, Ont., N. H., Mass., N. Y.

1019. Lygus hirticulus Van D.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2; p. 123, 1892 (MS name).

Slosson, Ent. News, xi, p. 323, 1900 (MS name, spelled hirticoelus).
Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905 (MS name).
Van Duzee, Check List, p. 41, 1916 (n.n. for tenellus Van D.).
#tenellus Uhler, Check List, p. 18, 1886 (MS name).
Atkinson, Cat. Caps., p. 91, 1888 (MS name).
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 179, 1909 (MS name).
Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 484, 1912 (description).
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914.
Localities: Me., Mass., N. Y.

1020. Lygus invitus (Say)

Say, Heter. N. Harm., p. 24, 1832; Fitch reprint, p. 790; Comp. Writ., i, p. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1328. [345, Capsus. Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 506, 1878. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 407, 1878. Provancher, Pet. Faune Ent. Can., iii, p. 121, 1887. Van Duzee, Can. Ent., xix, p. 71, 1887; xxi, p. 3, 1889. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892. Riley, N. Am. Fauna, vii, p. 250, 1893. Gillette and Baker, Hemip. Colo., p. 35, 1895. Slosson, Ent. News, xiii, p. 8, 1902. Wirtner, Ann. Carn. Mus., iii, p. 196, 1904. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905. Van Duzee, 20th Rept. N. Y. Ent., p. 551, 1905. Van Duzee, Can. Ent., xxxviii, p. 407, 1906. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 179, 1906. Moore, Can. Ent., xxxix, p. 163, 1907. Tucker, Trans. Kans. Acad. Sci., xx, pt. 2, p. 191, 1907. Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907.

Van Duzee, Can. Ent., xl, p. 113, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 485, 1912.

Parshley, Psyche, xxi, p. 141, 1914.

Knight, Jl. Econ. Ent., viii, p. 296, 1915.

Knight, Can. Ent., xlviii, p. 345, 1916.

†lineolatus (Emmons), Nat. Hist. N. Y. Ins., pl. 30, fig. 7, 1854, Phytocoris.
Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Ia.,
Kans., Ariz.

10201/2. Lygus communis Kngt.

Knight, Can. Ent., xlviii, p. 346, 1916.

Localities: Me., N. H., Vt., N. Y., Colo.

1021. Lygus vitticollis Reut.

Reuter, Caps. Am. Bor., p. 71, 1876.

Reuter, Neark. Caps., p. 43, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910.

monachus Uhler, Can. Ent., xviii, p. 208, 1886.

Van Duzee, Can. Ent., xix, p. 71, 1887.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 177, 1894.

Slosson, Ent. News, xi, p. 323, 1900.

Wirtner, Ann. Carn. Mus., iii, p. 196, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905.

Tucker, Trans. Kans. Acad. Sci., xx, pt. 2, p. 191, 1907.

Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907.

Van Duzee, Can. Ent., xl, p. 113, 1908.

Localities: Ont., Mass., N. H., N. Y., N. J., Pa., Ia., Texas.

1022. Lygus carolinae Reut.

Reuter, Caps. Am. Bor., p. 71, 1876.

Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 152, 1906.

Localities: Carolina, Texas.

1023. Lygus fasciatus Reut.

Reuter, Caps. Am. Bor., p. 72, 1876.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 485, 1912.

Localities: Me., N. Y., S. C.

1024. Lygus apicalis Fieb.

Fieber, Eur. Hemip., p. 275, 1861.

Reuter, Hemip. Gymn. Eur., v, p. 110, pl. 5, fig. 1, 1896.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 31, 1907.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Reuter, Neark. Caps., p. 43, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914.

a. var. prasinus Reut.

Reuter, Caps. Am. Bor., p. 72, 1876.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 179, 1909.

Van Duzee, Can. Ent., xli, p. 127, 1909.

١

Reuter, Neark. Caps., p. 43, 1909.

inops Horvath, Rev. d'Ent., xiii, p. 190, 1894 (as var. of apicalis). Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 31, 1907.

Localities: Ga., Fla., Texas. (West Indies, Europe.)

1025. Lygus guttatipes Uhl.

Uhler, Hemip. Colo., p. 35, 1895.

Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907.

Locality: Colo.

1026. Lygus olivaceus Reut.

Reuter, Of. Finska Vet.-Soc. Forh., xlix, No. 5, p. 6, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 31, 1907; ix, p. 179, 1909.

Van Duzee, Can. Ent., xli, p. 127, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914.

Localities: Fla. (West Indies.)

1027. Lygus salléi Stål

Stål, Stet. Ent. Zeit., xxiii, p. 321, 1862.

Uhler, Check List, p. 18, 1886.

Distant, Biol. Centr. Am., Heter., i, p. 273, pl. 23, figs. 2, 3, 1884; p. 433, 1893.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 259, 1894.

Gillette and Baker, Hemip. Colo., p. 36, 1895.

Reuter, Ann. k. k. Nat. Hofm. Wien, xxii, p. 170, 1909 (redescription).

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 20, 1914.

Localities: Colo., Texas, N. Mex., Ariz., Calif. (Mexico.)

1028. Lygus vividus Uhl.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 260, 1894.

Localities: Calif. (Mexico.)

1029. Lygus approximatus (Stål)

Stål, Stet. Ent. Zeit., xix, p. 185, 1858, Deraeocoris.

Reuter, Hemip. Gymn. Eur., v, p. 91, 1896.

Reuter, Neark. Caps., p. 43, 1909.

Localities: Ont., W. Va., Wyo., Alaska.

1030. Lygus convexicollis Reut.

Reuter, Caps. Am. Bor., p. 72, 1876.

Reuter, Neark. Caps., p. 43, 1909.

Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 37, 1912.

Locality: Calif.

1031. Lygus pratensis (Linn.)

Linnaeus, Syst. Nat., edn. 10, p. 448, 1758, Cimex.

Linnaeus, Fauna Suec., n. edn., p. 253, No. 949, 1761, Cimex.

Linnaeus, Syst. Nat., edn. 12, p. 728, 1767, Cimex.

Fabricius, Syst. Ent., p. 724, 1775, Cimex.

Foureroy, Ent. Paris., p. 205, 1785, Cimex.

Fabricius, Ent. Syst., iv, p. 171, 1794, Lygaeus.

Walckenaer, Fauna Paris., ii, p. 347, 1802, Lygaeus.

Fabricius, Syst. Rhyng., p. 234, 1803, Lygaeus.

Latreille, Hist. Nat. Crust. Ins., xii, p. 222, 1804, Miris.

Fallén, Monog. Cimic. Suec., p. 83, 1807, Lygaeus. Zetterstedt, Fauna Lapp., p. 489, 1828, Phytocoris. Fallén, Hemip. Suec., Cimic., p. 90, 1829, Phytocoris. Hahn, Wanz. Ins., i, p. 217, fig. 112, 1831, Phytocoris. Herrich-Schaeffer, Nomen. Ent., i, p. 51, 1835, Capsus. Burmeister, Handb. d. Ent., ii, p. 272, 1835, Phytocoris. Zetterstedt, Ins. Lapp., column 273, 1840, Phytocoris. Blanchard, Hist. Nat. des Ins., Hémip., p. 138, 1840, Phytocoris. Meyer, Verz. Schw. Rhyn., p. 99, 1843, Capsus. Kolenati, Melet. Ent., ii, p. 119, 1845, Phytocoris. Sahlberg, Geoc. Fenn., p. 111, 1848, Capsus. Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 64, 1855, Capsus. Baerensprung, Cat. Hemip. Eur., p. 15, 1860. Flor, Rhyng. Livl., i, p. 517, 1860, Capsus. Fieber, Europ. Hemip., p. 273, 1861. Douglas and Scott, Brit. Hemip., p. 464, pl. 15, fig. 2, 1865. Thomson, Opusc. Ent., iv, p. 424, 1871, Capsus. Reuter, Rev. Crit. Caps., ii, p. 54, 1875. Reuter, Genera Cimic. Eur., p. 18, 1875. Reuter, Caps. Am. Bor., p. 72, 1876. Saunders, Ins. Inj. to Fruits, p. 147, fig. 153, 1883. Distant, Biol. Centr. Am., Heter., i, p. 272, pl. 23, figs. 4, 6, 7, 16, 1884. Uhler, Check List, p. 18, 1886. Provancher, Pet. Faune Ent. Can., iii, p. 119, 1887. Van Duzee, Can. Ent., xix, p. 71, 1887. Reuter, Rev. Synon., p. 269, No. 244, 1888. Van Duzee, Can. Ent., xxi, p. 3, 1889. Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891. Townsend, Can. Ent., xxiv, p. 193, 1892. Harrington, Ottawa Nat., vi, p. 27, 1892. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892. Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893. Uhler, Proc. Ent. Soc. Wash., ii, p. 374, 1893. Riley, N. Am. Fauna, vii, p. 250, 1893. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 259, 1894. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 177, 1894. Gillette and Baker, Hemip. Colo., p. 36, 1895. Blatchley, Psyche, vii, p. 279, 1895. Heidemann, Proc. Wash. Acad. Sci., ii, p. 505, 1900. Wirtner, Ann. Carn. Mus., iii, p. 196, 1904. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905. Van Duzee, Can. Ent., xxxviii, p. 407, 1908. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, pp. 152, 179, 1906. Moore, Can. Ent., xxxix, p. 163, 1907. Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908. Van Duzee, Can. Ent., xl, p. 113, 1908; xli, p. 127, 1909. Reuter, Ann. k. k. Nat. Hofm. Wien, xxii, p. 169, 1907. Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914. Crosby and Leonard, Can. Ent., xlvi, p. 181, 1914 (egg parasite).

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 20, 1914.

```
Essig, Inj. Ben. Ins. Calif., edn. 2, p. 211, 1915.
   Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 237, 1916.
      unbellatarum Scopoli, Ent. Carn., p. 133, 1763, Cimex.
         Panzer, Fauna Germ., xciii, fig. 19, 1805, Lygaeus.
     ?rubecula Goeze, Ent. Beytr., ii, p. 279, 1778, Cimex.
     ?viridulus Panzer, Schaef. Icon., p. 120, 1804, Lygaeus.
      lineolaris Palisot-Beauvois, Ins. Rec. Af. Am., p. 187, 1805, Capsus.
         Harris, Rept. Inj. Ins. Mass., p. 161, 1841, Phytocoris.
         Harris, Treat. Ins. Inj. Veget., new edn., p. 200, 1862, Phytocoris.
         Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 413, 1872.
         Walker, Cat. Heter., vi, p. 91, 1873, Capsus.
         Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 318, 1876; iii, p. 415, 1877.
         Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1328.
         Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 506, 1878.
         Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 407, 1878.
         Popenoe, Trans. Kan. Acad. Sci., ix, p. 63, 1885.
                                                                   [1805, Capsus.
      linearis (Palisot-Beauvois), Ins. Rec. Af. Am., pl. Hemip., No. 11, fig. 7,
         Uhler, in Harris Rept. Inj. Ins. Mass., p. 161, note, 1841, Phytocoris.
         Uhler in Harris, Treat. Ins. Inj. Veget., new edn., p. 200, note, 1862,
                                                                     [Phytocoris.
         Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 313, 1864, Phytocoris.
      oblineatus (Say), Heter. N. Harm., p. 21, 1832; Fitch reprint, p. 784;
                                               [Compl. Writ., i, p. 340, Capsus.
         Smith, Cat. Ins. N. J., edn. 2, p. 124, 1900.
     [diffusus Uhler, MS], Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872.
         Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893.
     [redimitus Uhler, MS], Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872.
      flavonotatus (Provancher), Nat. Can., iv, p. 103, 1872, Capsus.
         Uhler, Check List, p. 19, 1886, Deraeocoris?
         Provancher, Pet. Faune Ent. Can., iii, p. 120, 1887.
         Van Duzee, Can. Ent., xxi, p. 3, 1889.
         Harrington, Ottawa Nat., vi, p. 28, 1892.
         Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905.
         Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910.
         Parshley, Psyche, xxi, p. 141, 1914.
     †malinus (Provancher), Pet. Faune Ent. Can., iii, p. 134, 1887, Sthenarops.
     tbelfragei Provancher, Pet. Faune Ent. Can., iii, p. 120, 1887.
     $flavomaculatus Van Duzee, Can. Ent., xix, p. 71, 1887 (error for flavo-
         Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 177, 1894.
                                                                       [notatus].
var. pubescens Reut.
   Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 37, 1912 (n.n. for
                                                              [campestris Fall.)
     ||campestris Fallén, Monog. Cimic. Suec., p. 83, 1807, Lygaeus.
         Zetterstedt, Fauna Lapp., p. 489, 1828, Phytocoris.
         Fallén, Hemip. Suec., Cimic., p. 91, 1829, Phytocoris.
         Hahn, Wanz. Ins., i, p. 218, fig. 113, 1831, Phytocoris.
         Herrich-Schaeffer, Nom. Ent., i, p. 51, 1835, Capsus.
         Zetterstedt, Ins. Lapp., column 273, 1840, Phytocoris.
         Blanchard, Hist. des Ins., Hémip., p. 138, 1840, Phytocoris.
         Kolenati, Melet. Ent., ii, p. 118, 1845, Phytocoris.
         Sahlberg (F.), Geoc. Fenn., p. 111, 1848, Capsus.
         Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 65, 1855, Capsus (Deraeocoris).
```

Baerensprung, Cat. Hemip. Eur., p. 15, 1860. Fieber, Eur. Hemip., p. 273, 1861. Douglas and Scott, Brit. Hemip., p. 463, 1865. Thomson, Opusc. Ent., iv, p. 424, 1871, Capsus.

var. gemellatus (H. S.)

Herrich-Schaeffer, Nom. Ent., i, p. 51, 1835, Capsus.

Herrich-Schaeffer, Wanz. Ins., iii, p. 84, 1835, Capsus.

Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 64, 1855, Capsus (Deraecoris).

Baerensprung, Cat. Hemip. Eur., p. 15, 1860.

Reuter, Rev. Crit. Caps., ii, p. 55, 1875.

Reuter, Hemip. Gymn. Eur., v, p. 99, 1896.

Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 35, 1912. artemisiae (Schilling), Ber. Vat. Ges. Schles., p. 83, 1836, Capsus. adspersus (Schilling), Ber. Vat. Ges. Schles., p. 83, 1836, Capsus.

var. punctatus Zett.

Zetterstedt, Ins. Lapp., column 273, 1840, Phytocoris.

Kolenati, Melet. Ent., ii, p. 118, 1845, Phytocoris.

Sahlberg (F.), Geoc. Fenn., p. 110, 1848, Capsus.

Thomson, Opusc. Ent., iv, p. 423, 1871, Capsus.

Reuter, Hemip. Gymn. Eur., v, p. 98, 1896.

Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 35, 1912. alpina (Kolenati), Melet. Ent., ii, p. 120, 1845, Phytocoris.

var. rutilans Horv.

Horvath, Rev. d'Ent., vii, p. 181, 1888.

Reuter, Hemip. Gymn. Eur., v, p. 99, 1906.

fuscorubra Strobl, Mitth. Naturw. Ver. Steierm. xxvi, p. 193, 1900. Localities: All the United States, Canada. (Palaearctic, Mex.)

1032. Lygus elisus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 20, 1914 (as var. of [pratensis.

Locality: Calif.

1033. Lygus annexus Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 413, 1872.

Uhler, Wheeler's Surv. 100th Mer., v, p. 839, pl. 42, fig. 10, 1875.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 318, 1876; iii, p. 415, 1877.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1328.

Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893.

Gillette and Baker, Hemip. Colo., p. 35, 1895.

Locality: Colo.

1034. Lygus(?) distanti Atk.

Atkinson, Cat. Capsidae, p. 91, 1889 (n.n. for scutellatus Dist.).

Distant, Biol. Centr. Am., Heter., i, p. 434, 1893.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 152, 1906.

Tucker, Kans. Univ. Sci. Bul., iv, p. 60, 1907.

Tucker, Trans. Kans. Acad. Sci., xx, pt. 2, p. 191, 1907.

#scutellatus Distant, Biol. Centr. Am., Heter., i, p. 274, pl. 23, figs. 9, 18, √
1884.

Barber, Brookl. Inst., Sci. Bul., i, p. 279, 1906.

Snow, Trans. Kans. Acad. Sci., xx, pt. 2, p. 159, 1907.

Reuter, Ann. k. k. Nat. Hofm. Wien, xxii, p. 169, 1907.

Localities: Kans., Ariz., Texas. (Mexico.)

[Lygus repletus Uhler MS]

Heidemann, Proc. Ent. Soc. Wash., ii, p. 225, 1892.

[Lygus intersectus Uhler MS]

Van Duzee, Can. Ent., xxi, p. 3, 1889.

1035. Lygus plagiatus Uhl.

Uhler, Hemip. Colo., p. 35, 1895.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892.

Osborn, Ohio Nat., i, p. 12, 1900.

Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907.

Tucker, Trans. Kans. Acad. Sci., xx, pt. 2, p. 191, 1907.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 237, 1916.

Localities: Mass., N. Y., D. C., Ohio, Kans., Colo., Calif.

[Lygus ustulatus Uhler MS]

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892.

Subgenus Orthops Fieb. Logotype kalmi (Linn.)

Fieber, Wien. Ent. Monat., ii, p. 311, 1858.

Fieber, Europ. Hemip., pp. 68, 278, 1861.

Douglas and Scott, Brit. Hemip., p. 451, 1865.

Thomson, Opusc. Ent., i, p. 426, 1871.

Reuter, Genera Cimic. Eur., p. 18, 1875.

Reuter, Rev. Crit. Caps., i, p. 82; ii, p. 57, 1875.

Reuter, Hemip. Gymn. Eur., v, p. 362, 1896.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 139, 1906 (names kalmi type).

1036. Lygus campestris (Linn.)

Linnaeus, Syst. Nat., edn. 10, p. 1758, Cimcx.

Linnaeus, Fauna Suec., edn. 2, p. 254, 1761, Cimex.

Linnaeus, Syst. Nat., edn. 12, i, p. 728, 1767, Cimex.

Fabricius, Ent. Syst., iv, p. 171, 1794, Lygaeus.

Reuter, Rev. Synon., p. 271, No. 245, 1888.

Reuter, Hemip. Gymn. Eur., v, p. 79, 1896.

Reuter, Neark. Caps., p. 44, 1909.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, p. 37, 1912.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 237, 1916.

transversalis (Fabricius), Mantissa Ins., p. 304, 1787, Cimex.

Fabricius, Ent. Syst., iv, p. 175, 1794, Lygaeus.

Fabricius, Syst. Rhyng., p. 238, 1803, Lygaeus.

Reuter, Rev. Crit. Caps., ii, p. 59, 1875, Orthops.

Reuter, Genera Cimic Eur., p. 18, 1875.

pastinacae (Fallén), Monog. Cimic. Suec., p. 86, 1807, Lygaeus.

Fallén, Hemip. Suec., Cimic., p. 94, 1829, Phytocoris.

Stål, Stet. Ent. Zeit., xix, p. 186, 1858, Deracocoris.

Flor, Rhyng. Livl., i, p. 523, 1860, Capsus.

Fieber, Europ. Hemip., p. 279, 1861, Orthops.

Douglas and Scott, Brit. Hemip., p. 455, pl. 15, fig. 8, 1865, Orthops.

Van Duzee, Can. Ent., xix, p. 71, 1887, Orthops.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894, Orthops.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Oshanin, Verz. Palae. Hemip., i, p. 727, 1909.

lucidus (Kirschbaum), Rhyng. v. Wiesbd., Caps., p. 131, 1855, Capsus.
\$transversus (Thomson), Opusc. Ent., iv, p. 427, 1871, Capsus.
scutellatus (Uhler), Bul. U. S. Geol. Geog. Surv., iii, p. 420, 1877, Orthops.
Van Duzee, Can. Ent., xix, p. 71, 1887, Orthops.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894, Orthops.
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 261, 1894, Orthops.
Gillette and Baker, Hemip. Colo., p. 39, 1895, Orthops.
Smith, Cat. Ins. N. J., edn. 2, p. 130, 1900, Orthops.
Heidemann, Proc. Wash. Acad. Sci., ii, p. 505, 1900.
Slosson, Ent. News, xiii, p. 8, 1902, Orthops.
Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Orthops.
Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 49, 1905, Orthops.
Moore, Can. Ent., xxxix, p. 163, 1907, Orthops.
Localities: Quebec, Ont., N. H., N. Y., N. J., Colo., Wyo., Texas,

Ariz., Calif., Alaska. (Europe.)

Subgenus Agnocoris Reut. Haplotype rubicundus (Fall.)

Reuter, Genera Cimic. Eur., p. 19, 1875.

Reuter, Rev. Crit. Caps., i, p. 82, 1875 (as subgen. of *Cyphodema*).

Reuter, Rev. Crit. Caps., ii, p. 63, 1875 (as subgen. of *Cyphodema*).

Reuter, Hemip. Gymn. Eur., v, p. 362, 1896.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 139, 1906.

1037. Lygus rubicundus (Fall.)

Fallén, Hemip. Suec. Cimic., p. 92, 1829, Phytocoris.
Flor, Rhyng. Livl., i, p. 534, 1860, Capsus.
Fieber, Europ. Hemip., p. 278, 1861, Hadrodema.
Reuter, Rev. Crit. Caps., ii, p. 63, 1875, Cyphodema (Agnocoris).
Reuter, Hemip. Gymn. Eur., v, pp. 72, 362, pl. 4, fig. 8, 1896.
Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.
Reuter, Neark. Caps., p. 45, 1909.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 20, 1916.
†rubricatus Hahn, Wanz. Ins., i, p. 156, 1831.

pulverulenta (Uhler), Trans. Md. Acad. Sci., i, p. 183, 1892, Hadrodema. Van Duzee, Can. Ent., xxi, p. 3, 1889, Hadrodema (a MS name). Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893, Hadrodema. Uhler, Proc. Ent. Soc. Wash., ii, p. 374, 1893, Hadrodema. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894, Hadrodema. Gillette and Baker, Hemip. Colo., p. 32, 1895, Hadrodema. Osborn, Proc. Ia. Acad. Sci., v, p. 233, 1898, Hadrodema. Smith, Cat. Ins. N. J., edn. 2, p. 130, 1900, Hadrodema. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 357, 1904, Hadrodema. Crevecoeur, Trans. Kans. Acad. Sci., xx, pt. 1, p. 152, 1906, Hadrodema. Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907.

Localities: Ont., Mass., Conn., N. Y., N. J., Pa., Md., D. C., Va., Ga., N. C., Wis., Ind., Ill., Ia., Kans., Colo., Utah, N. Mex., Texas, Manitoba, Calif. (Europe.)

1038. Lygus distinguendus Reut.

Reuter, Pet. Nouv. Ent., i, p. 541, 1875. Reuter, Hemip. Gymn. Eur., v, p. 74, 1896. Reuter, Ann. Mus. Zool. Acad. Sci. St. Pet., x, p. 47, 1906. Reuter, Neark. Caps., p. 45, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 20, 1914. guttulosus Uhler MS, Reuter, Neark. Caps., p. 45, 1909.

Localities: Brit. Col., N. Mex., Calif. (Siberia.)

1038¼. Lygus nubilus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 20, 1914 (as var. of [distinguendus).

Locality: Calif.

Genus Tropidosteptes Uhl. Haplotype cardinalis Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 404, 1878. Reuter, Neark. Caps., pp. 12, 48, 1909. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 208, 1916.

1039. Tropidosteptes cardinalis Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 404, 1878.

Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 177, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 196, 1904.

Reuter, Neark. Caps., p. 50, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914.

Leonard, Psyche, xxiii, p. 1, 1916 (life history).

Localities: Mass., Conn., N. Y., N. J., Pa., Ill., Fla.

1040. Tropidosteptes imperialis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 487, 1912. Locality: Texas.

Genus **Neoborus** Dist. Logotype saxeus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 276, 1884. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 208, 1916.

1041. Neoborus amoenus (Reut.)

Reuter, Neark. Caps., p. 48, 1909, Tropidosteptes.

Dickerson and Weiss, Jl. N. Y. Ent. Soc., xxiv, p. 302, 1916.

†sareus Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 264, 1894.

Slosson, Ent. News, xi, p. 323, 1900.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 359, 1904.

Wirtner, Ann. Carn. Mus., iii, p. 197, 1904.

Moore, Can. Ent., xxxix, p. 163, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910, Tropidosteptes.

var. amoenus (Reut.)

Reuter, Neark. Caps., p. 49, 1909, Tropidosteptes.

a. var. palmeri Reut.

Reuter, Can. Ent., xl, p. 112, 1908.
Reuter, Neark. Caps., p. 49, 1909, Tropidosteptes.
Van Duzee, Ottawa Nat., xxvi, p. 70, 1912, Tropidosteptes.
†scutellatus Provancher, Pet. Faune Ent. Can., iii, p. 124, 1887, Orthops.

b. var. plagiata (Reut.)

Reuter, Neark. Caps., p. 49, 1909, Tropidosteptes.

c. var. signata (Reut.)

Reuter, Neark. Caps., p. 49, 1909, Tropidosteptes.

d. var. scutellaris (Reut.)

Reuter, Neark. Caps., p. 49, 1909, Tropidosteptes.

Localities: Quebec, Ont., N. Y., N. J., Pa., Md., D. C., Kans., Ohio.

1042. Neoborus geminus (Say)

Say, Heter. N. Harm., p. 24, 1832; Fitch reprint, p. 788; Compl. Writ., i, p.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 487, 1912, Tropidosteptes. Localities: N. Y., Ind.

1043. Neoborus tricolor (Van D.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 487, 1912, Tropidosteptes. Locality: N. J.

1044. Neoborus pettiti (Reut.)

Reuter, Neark. Caps., p. 50, 1909, Tropidosteptes.

Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910, Tropidosteptes.

Parshley, Psyche, xxi, p. 141, 1914.

†punctulata (Provancher), Pet. Faune Ent. Can., iii, p. 133, 1887, Trichia. [pettiti Uhl. MS], Van Duzee, Can. Ent., xxi, p. 4, 1889.

Heidemann, Proc. Ent. Soc. Wash., ii, p. 226, 1892.

Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905.

Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Pa., D. C., Ia., Kans.

1045. Neoborus canadensis (Van D.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, 486, 1912, Tropidosteptes Van Duzee, Ottawa Nat., xxvi, p. 68, 1912, Tropidosteptes. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 237, 1916. Localities: Quebec, Ont., Calif.

Genus **Xenoborus** Reut. Haplotype commissuralis Reut.

Reuter, Can. Ent., xl, p. 112, 1908 (as subgenus of *Neoborus*). Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 208, 1916.

1046. Xenoborus commissuralis Reut.

Reuter, Can. Ent., xl, p. 112, 1908.

Reuter, Neark. Caps., p. 51, 1909, Tropidosteptes.

†chloris Provancher, Pet. Faune Ent. Can., iii, p. 134, 1887, Sthenarops. [laetus Uhl. MS], Osborn, Ohio Nat., i, p. 12, 1900, Neoborus.

Localities: Quebec, Ont., N. Y.

1047. Xenoborus plagifer (Reut.)

Reuter, Neark. Caps., p. 51, 1909, Tropidosteptes, Locality: Ont.

Genus Neoborops Uhl. Haplotype vigilax Uhl.

Uhler, Hemip. Colo., p. 36, 1895.

1048. Neoborops vigilax Uhl.

Uhler, Hemip. Colo., p. 36, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 197, 1904.

Localities: Colo., Ariz. (1), Pa. (Wirtner).

DIVISION DERAEOCORARIA (D. & S.)

Douglas and Scott, Brit. Hemip., pp. 29, 445, 1865, family Deraeocoridae. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 206, 208, 1916.

Genus Cimatlan Dist.

Haplotype delicatum Dist.

Distant, Biol. Centr. Am., Heter., i, p. 281, 1884. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 209, 1916. Eustictus Reuter, Neark. Caps., p. 35, 1909.

1049. Cimatlan delicatum Dist.

Distant, Biol. Centr. Am., Heter., i, p. 281, pl. 27, fig. 15, 1884. Localities: Ariz. (Guatemala.)

1050. Cimatlan venatorium (Van D.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 479, 1912, Eustictus. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914, Eustictus. Localities: N. Y., Fla.

1051. Cimatlan catulum (Uhl.)

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 257, 1894, Megacoelum. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Megacoelum. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, 152, 1906, Megacoelum. Reuter, Neark. Caps., p. 86, 1909, Eustictus.

Localities: N. Y., Kans., Texas.

1052. Cimatlan mundum (Uhl.)

Uhler, Ent. Am., iii, p. 71, 1887, Megacoelum. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 179, 1909, Eustictus. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914, Eustictus. Localities: Fla., Ga.

1053. Cimatlan pusillum (Uhl.)

Uhler, Ent. Am., iii, p. 71, 1887, Megacoelum. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 152, 1906, Megacoelum. Reuter, Neark. Caps., p. 86, 1909, Eustictus.

Localities: Colo., Texas.

1054. Cimatlan grossum (Uhl.)

Uhler, Check List, p. 18, 1886, Megacoelum (a MS name). Uhler, Ent. Am., iii, p. 70, 1887, Megacoelum. Heidemann, Proc. Ent. Soc. Wash., ii, p. 225, 1892, Megacoelum. Reuter, Neark. Caps., p. 35, 1909, Eustictus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 179, 1909, Eustictus. Smith, Cat. Ins. N. J., edn. 3, p. 163, 1910, Eustictus. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 501, 1914, Eustictus. Localities: Mass., N. Y., N. J., Pa., Md., D. C., Fla.

Genus **Diplozona** Van D. Orthotype collaris Van D.

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 112, 1915. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 209, 1916.

1055. Diplozona collaris Van D.

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 114, 1915. Locality: Fla.

> Genus Eurychilopterella Reut. Haplotype luridula Reut.

Reuter, Neark. Caps., p. 59, 1909. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 209, 1915.

1056. Eurychilopterella luridula Reut.

Reuter, Neark. Caps., p. 60, 1909. Heidemann, Proc. Ent. Soc. Wash., xii, p. 46, 1910. Localities: N. Y., D. C.

Genus Klopicoris Van D.
Orthotype phorodendronae (Van D.)

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 115, 1915. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 209, 1916.

1057. Klopicoris phorodendronae (Van D.)

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 22, 1914, Camptobrochis. Locality: Calif.

Genus Camptobrochys Fieb. Logotype punctulatus (Fall.)

Fieber, Wien. Ent. Monat., ii, p. 304, 1858.

Fieber, Europ. Hemip., p. 64, 1860.

Walker, Cat. Heter., vi, p. 42, 1873.

; Camptobrochis Fieber, Europ. Hemip., p. 248, 1861.

Douglas and Scott, Brit. Hemip., p. 447, 1865.

Thomson, Opusc. Ent., iv, p. 427, 1871.

Reuter, Genera Cimic. Eur., p. 20, 1875.

Reuter, Rev. Crit. Caps., i, p. 83; ii, p. 68, 1875.

Provancher, Pet. Faune Ent. Can., iii, p. 115, 1887.

Reuter, Hemip. Gymn. Eur., v, pp. 37, 348, 1896.

Distant, Fauna Brit. Ind., Rhyn., ii, p. 460, 1904 (names punctulatus

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 140, 1906. [Fall. type).

Reuter, Neark. Caps., p. 52, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 209, 1916.

Subgenus Camptobrochys Fieb.

Reuter, Neark. Caps., p. 54, 1909 (No. 16 in key; no name used).

1058. Camptobrochys nebulosus Uhl.

Uhler, Hayden's Surv. Terr. for 1871, p. 417, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 319, 1876.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1328.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 408, 1878.

Popenoe, Trans. Kans. Acad. Sci., ix, p. 63, 1885.

Provancher, Pet. Faune Ent. Can., iii, p. 116, 1887.

Van Duzee, Can. Ent., xix, p. 71, 1887.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892; pt. 4, p. 123, 1893.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 265, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894.

Slosson, Ent. News, vi, p. 321, 1895.

Gillette and Baker, Hemip. Colo., p. 38, 1895.

Osborn, Ohio Nat., i, p. 12, 1900.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 359, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905.

Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 179, 1906.

Moore, Can. Ent., xxxix, p. 163, 1907.

Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907.

Reuter, Neark. Caps., p. 59, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910.

Localities: Quebec, Ont., N. H., Mass., N. Y., N. J., Pa., D. C., Fla., Ohio, Kans., Ia., Colo., N. Mex., Ariz., Calif., Wash., B. C.

1059. Camptobrochys strigulatus (Walk.)

Walker, Cat. Heter., vi, p. 94, 1873, Capsus.

Distant, Ann. Mag. Nat. Hist., ser. 7, xiii, p. 111, 1904.

Locality: Canada.

1060. Camptobrochys validus Reut.

Reuter, Neark. Caps., p. 58, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 22, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 237, 1916.

a. var. cunealis Reut.

Reuter, Neark. Caps., p. 59, 1909.

Localities: Mass., Pa., D. C., Ia., Colo., Nev., N. Mex., Calif.

1061. Camptobrochys brevis Uhl.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 359, 1904.

Reuter, Neark. Caps., p. 59, 1909.

Localities: N. Mex., Utah, Nev.

1062. Camptobrochys robustus Uhl.

Uhler, Hemip. Colo., p. 39, 1895.

Locality: Colo.

Subgenus Callicapsus Reut. Haplotype histrio Reut.

Reuter, Caps. Am. Bor., p. 75, 1876.

Reuter, Neark. Caps., p. 54, 1909. (No. 15 in key; no name used.)

1063. Camptobrochys histrio Reut.

Reuter, Caps. Am. Bor., p. 75, 1876, Callicapsus. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892, Callicapsus. Blatchley, Psyche, vii, p. 279, 1895, Callicapsus.

Wirtner, Ann. Carn. Mus., iii, p. 197, 1904, Callicapsus.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1909, Callicapsus.

Reuter, Neark. Caps., p. 58, 1909.

Localities: Pa., "Carolina," Ind., Ia., Kans., Texas, Calif.

Subgenus Mycterocoris Uhl. Haplotype cerachates (Uhl.)

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 358, 1904 (as genus). Reuter, Neark. Caps., p. 53, 1909. (No. 12 in key; no name used.)

1064. Camptobrochys cerachates (Uhl.)

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 265, 1894, *Deraeocoris*. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 358, 1904, *Mycterocoris*. Reuter, Neark. Caps., p. 57, 1909.

Localities: Colo., N. Mex., Calif.

1065. Camptobrochys schwarzii Uhl.

Uhler, Proc. Ent. Soc. Wash., ii, p. 375, 1893.

Reuter, Neark. Caps., p. 58, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 21, 1914.

Localities: N. Mex., Utah, Calif., Wash., B. C.

1066. Camptobrochys fulgidus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 21, 1914. Locality: Calif.

Subgenus Euarmosus Reut. Haplotype sayi Reut.

Reuter, Caps. Am. Bor., p. 76, 1876 (as genus). Reuter, Neark. Caps., p. 52, 1909.

1067. Camptobrochys sayi Reut.

Reuter, Caps. Am. Bor., p. 76, 1876, Euarmosus.

Wirtner, Ann. Carn. Mus., iii, p. 198, 1904, Euarmosus.

Reuter, Neark. Caps., p. 55, 1909.

Localities: Pa., Texas, Colo., Calif.

1068. Camptobrochys nigritus Reut.

Reuter, Neark. Caps., p. 55, 1909.

Localities: D. C., Md., Ga.

1069. Camptobrochys fulvescens Reut.

Reuter, Neark. Caps., p. 56, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 21, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 237, 1916.

Localities: Colo., Calif.

1070.-Camptobrochys grandis Uhl.

Uhler, Ent. Am., ii, p. 230, 1887.

Provancher, Pet. Faune Ent. Can., iii, p. 116, 1887.

Van Duzee, Can. Ent., xxi, p. 4, 1889. Harrington, Ottawa Nat., vi, p. 28, 1892. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892. Heidemann, Proc. Ent. Soc. Wash., ii, p. 226, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 359, 1904. Wirtner, Ann. Carn. Mus., iii, p. 194, 1904. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905. Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907. Van Duzee, Can. Ent., xl, p. 113, 1908. Reuter, Neark. Caps., p. 56, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 164, 1910.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Ohio, Md., Mo., Kans., Ia., Colo., N. Mex., B. C.

a. var. nitens Reut.

Reuter, Neark. Caps., p. 56, 1909.

Parshley, Psyche, xxi, p. 142, 1914.

Van Duzee, Check List Hemip., p. 41, 1916 (as variety).

Localities: Ont., Mass., N. Y., D. C., Colo.

Genus Deraeocoris Kirschb. Logotype olivaceus (Fabr.)

Kirschbaum, Rhyng. v. Wiesbd., Caps., pp. 31, 48, 1855.

Stål, Hemip. Afr., iii, p. 20, 1865.

Stål, Hemip. Fabr., i, p. 87, 1868.

Reuter, Genera Cimic. Eur., p. 21, 1875.

Reuter, Rev. Crit. Caps., i, p. 84; ii, p. 71, 1875.

Atkinson, Cat. Capsidae, p. 98, 1889.

Hüeber, Synop. deut. Blindw., i, pp. 80, 378, 1894.

Reuter, Hemip. Gymn. Eur., v, pp. 18, 348, 1896.

Distant, Fauna Brit. Ind., ii, p. 465, 1904 (names olivaceus Fabr. type).

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 141, 1906 (names medius Kirschb. Oshanin, Verz. Palae. Hemip., i, p. 748, 1909.

Oshanin, Kat. Palae. Hemip., p. 67, 1912 (names ruber Linn. pseudotype).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 209, 1916.

†Capsus Fieber, Wien. Ent. Monat., ii, p. 307, 1858.

Fieber, Europ. Hemip., p. 264, 1861.

Douglas and Scott, Brit. Hemip., p. 441, 1865. [brachialis Stal). Macrocapsus Reuter, Of. Finska Vet.-Soc. Forh., xxi, p. 55, 1879 (type

1071. Deraeocoris ruber (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 446, 1758; edn. 12, i, p. 723, 1767, Cimex. Goeze, Ent. Beytr., ii, p. 204, 1778, Cimex.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Oshanin, Verz. Palae. Hemip., i, p. 755, 1910.

Oshanin, Kat. Palae. Hemip., p. 67, 1912.

Cimer No. 17, Geoffroy, Hist. Abrég. des Ins., i, p. 444, 1762.

Cimex No. 50, Geoffroy, Hist. Abrég. des Ins., i, p. 459, 1762.

||gothicus Scopoli, Ent. Carn., p. 131, 1763, Cimex.

Schrank, Enum. Ins. Austr., p. 283, 1781, Cimex.

Rossi, Fauna Etrusc., ii, p. 249, 1790, Cimex.

```
laniarius Linneaus, Syst. Nat., edn. 12, p. 726, 1767, Cimex.
    Reuter, Rev. Crit. Caps., ii, p. 72, 1875.
   Saunders, Heter. Brit. Isds., p. 260, 1892, Capsus.
    Puton, Cat. Hémip. Palae., edn. 3, p. 51, 1886, Capsus.
capillaris Fabricius, Syst. Ent., p. 725, 1775, Cimex.
    Fabricius, Mantissa Ins., ii, p. 305, 1787, Cimex.
    Fabricius, Ent. Syst., iv, p. 180, 1794, Lygaeus.
    Fabricius, Syst. Rhyng., p. 244, 1803, Capsus.
    Latreille, Hist. Nat. Crust. Ins., xii, p. 232, 1804, Capsus.
    Burmeister, Handb. d. Ent., ii, p. 274, 1835, Capsus.
    Blanchard, Hist. des Ins., Hémip., p. 139, 1840, Phytocoris.
    Amyot and Serville, Hémip., p. 281, 1843, Capsus.
    Costa, Cimic. Reg. Neap., Cent., iii, p. 44, 1852, Capsus.
    Fieber, Europ. Hemip., p. 266, 1861, Capsus.
    Douglas and Scott, Brit. Hemip., p. 442, pl. 14, fig. 8, 1865, Capsus.
    Stål, Hemip. Fabr., i, p. 87, 1863.
    Thomson, Opusc. Ent., iv, p. 430, 1871.
    Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 408, 1878, Capsus.
    Uhler, Check List, p. 19, 1886, Capsus.
    Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905.
cimbricus Muller, Zool. Danicae Prodr., p. 106, 1776, Cimex.
    Goeze, Ent. Beytr., ii, p. 252, 1778, Cimex.
croceus Goeze, Ent. Beytr., ii, p. 265, 1778, Cimex.
    Geoffroy in Fourcroy, Ent. Paris., p. 200, 1785, Cimex.
rubro-acuminatus Goeze, Ent. Beytr., ii, p. 268, 1778, Cimex.
?luteus Goeze, Ent. Beytr., ii, p. 278, 1778, Cimex.
biguttatus Goeze, Ent. Beytr., ii, p. 278, 1778, Cimex.
rubens Harris, Expos. Eng. Ins., p. 90, pl. 26, fig. 10, 1781, Cimex.
melinus Harris, Expos. Eng. Ins., p. 90, pl. 26, fig. 11, 1781, Cimex.
flammeus Geoffroy in Fourcroy, Ent. Paris., p. 210, 1785, Cimex.
rufescens Gmelin in Linnaeus, Syst. Nat., edn. 13, iv, p. 2160, 1788, Cimex.
?fuliginosus Gmelin in Linnaeus, Syst. Nat., edn. 13, iv, p. 2164, 1788, Cimex.
?chrysocephalus Gmelin in Linnaeus, Syst. Nat., edn. 13, iv, p. 2164, 1788,
                                                                    [Cimex.
haematocephalus Gmelin in Linnaeus, Syst. Nat., edn. 13, iv, p. 2166, 1788,
haematostictos Gmelin in Linnaeus, Syst. Nat., edn. 13, iv, p. 2181, 1788,
                                                                    [Cimex.
adustus Gmelin in Linnaeus, Syst. Nat., edn. 13, iv, p. 2185, 1788, Cimex.
bimaculatus Schrank, Fauna Boica, p. 88, 1801, Cimex.
 olivaceus Schrank, Fauna Boica, p. 89, 1801, Cimex. [p. 674, 1806, Cimex.
tantae Turton in Linnaeus, Syst. Nat., Eng. transl. of Gmelin edn., ii,
geniculatus Turton in Linnaeus, Syst. Nat., Eng. transl. of Gmelin edn.,
                                                   [ii, p. 687, 1806, Cimex.
†segusinus Reuter, Rev. Synon., p. 279, No. 254, 1888.
    Reuter, Hemip. Gymn. Eur., v, pp. 32, 352, 1896.
```

a. var. danicus Fabr.

Fabricius, Ent. Syst., iv, p. 181, 1794, Lygaeus. Wolff, Icon. Cimic., i, p. 34, 1800, Lygaeus. Fabricius, Syst. Rhyng., p. 245, 1803, Capsus. Fallén, Monog. Cimic. Suec., p. 93, 1807, Lygaeus. Fallén, Hemip. Suec. Cimic., p. 109, 1829, Phytocoris. Hahn, Wanz. Ins., i, p. 17, fig. 9, 1831, Capsus.

b. var. segusinus Muller

Muller, Manip. Ins. Taur., p. 191, 1766, Cimex.

tricolor Fabricius, Mantissa Ins., p. 306, 1787, Cimex.

Fabricius, Ent. Syst., iv, p. 181, 1794, Lygaeus.

Wolff, Icon. Cimic., i, p. 35, fig. 35, 1800, Lygaeus.

Fabricius, Syst. Rhyng., p. 245, 1803, Capsus.

Panzer, Fauna Germ., fasic. xciii, fig. 20, 1804, Capsus.

Latreille, Hist. Nat. Crust. Ins., xii, p. 233, 1804, Capsus.

Dufour, Recher. Anat. Hémip., p. 176, 1833, Capsus.

Herrich-Schaeffer, Nomen. Ent., i, p. 51, 1835, Capsus.

Spinola, Essai sur les Hémip., p. 190, 1837 (1840), Capsus.

Meyer-Duer, Verz. Schw. Rhyn., p. 108, 1843, Capsus.

Kirschbaum, Rhyng. v. Wiesbd., Caps., p. 52, 1855, Capsus (Deraeo-Flor, Rhyng. Livl., i, p. 509, 1860, Capsus.

c. var. concolor Reut.

Reuter, Hemip. Gymn. Eur., v, p. 34, 1896. Localities: N. Y., Pa. (Europe, S. Am.)

10714. Deraeocoris ingens Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 237, 1916. Locality: Calif.

1071½. Deraeocoris fraternus Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 238, 1916. Locality: Calif.

Subfamily BRYOCORINAE (D. & S.)

Douglas and Scott, Brit. Hemip., pp. 28, 276, 1865, Fam. Bryocorinae. Reuter, Rev. Crit. Caps., i, p. 76; ii, p. 79, 1875, Div. Bryocoraria. Reuter, Genera Cimic. Eur., p. 6, 1875, Div. Bryocoraria. Distant, Biol. Centr. Am., Heter., i, p. 283, 1884, Div. Bryocoraria. Puton, Cat. Hemip. Palae., edn. 3, p. 46, 1886, Bryocoraria. Uhler, Check List, p. 19, 1886, Bryocoraria. Provancher, Pet. Faune Ent. Can., iii, pp. 98, 129, 1887, Bryocorides. Atkinson, Cat. Capsidae, p. 40, 1889, Div. Bryocoraria. Reuter, Ann. Soc. Ent. Fr., lxi, p. 393, 1892, Div. Bryocoraria. Hüeber, Synop. deut. Blindw., i, pp. 17, 72, 1894, Bryocoraria. Distant, Fauna Brit. Ind., Rhyn., ii, p. 471, 1904, Div. Bryocoraria. Reuter, Festsch. f. Palmen, i, pp. 24, 29, 1905, Div. Bryocoraria. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 135, 1906, Tribe Bryocorini. Kirkaldy, Can. Ent., xxxviii, p. 372, 1906, Tribe Bryocorini. Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 33, 1907, Div. Bryocoraria. Oshanin, Verz. Palae. Hemip., i, p. 645, 1909, Div. Bryocoraria. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 121, 152, 1910. Oshanin, Kat. Palae. Hemip., p. 70, 1912 (Tribe). [Tribe Bryocorini. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 203, 209, 1916,

TRIBE PYCNODERINI (Reut.)

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 123, 1910, Div. Pycnoderaria.

Genus Cyrtocapsus Reut. Haplotype caligineus Stål

Reuter, Caps. Am. Bor., p. 78, 1876.

Reuter, Ann. Soc. Ent. Fr., lxi, p. 393, 1892.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916. [Dist.).

Pirithous Distant, Biol. Centr. Am., Heter., i, p. 302, 1884 (type pallipes

1072. Cyrtocapsus caligineus (Stål)

Stål, Freg. Eug. Resa, Ins., p. 258, 1859, Capsus.

Reuter, Caps. Am. Bor., p. 79, 1876.

Distant, Biol. Centr. Am., Heter., i, p. 450, 1893.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 267, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 32, 1907; ix, p. 178, 1909.

pallipes (Distant), Biol. Centr. Am., Heter., i, p. 302, pl. 29, fig. 11, 1884,

Localities: Fla., Calif. (West Indies, Mexico.) [Perithous.

Genus Halticotoma Reut. Haplotype valida Reut.

Reuter, Ann. Soc. Ent. Belg., lvii, p. 278, 1913. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916.

1073. Halticotoma valida Reut.

Townsend, Can. Ent., xxiv, p. 194, 1892 (a MS name).
Reuter, Ann. Soc. Ent. Belg., lvii, p. 279, 1913 (described).
luteiceps (Hunter and Pratt), U. S. Dept. Agr., Div. Ent., Bul. n.s. 113,

[p. 36, 1912, Sixeonotus.

Localities: N. Mex., Ariz., Texas.

Genus Sixeonotus Reut. Haplotype insignis Reut.

Reuter, Caps. Am. Bor., p. 77, 1875.

Uhler, Ent. Am., iii, p. 149, 1887.

Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 157, 1907 (description).

Reuter, Neark. Caps., p. 3, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 209, 1916.

1074. Sixeonotus insignis Reut.

Reuter, Caps. Am. Bor., p. 78, 1876.

Gillette and Baker, Hemip. Colo., p. 40, 1895, Pycnoderes.

Smith, Cat. Ins. N. J., edn. 2, p. 131, 1900, Eccritotarsus.

Wirtner, Ann. Carn. Mus., iii, p. 196, 1904, Pycnoderes.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905, Pycnoderes.

Slosson, Ent. News, xvii, p. 326, 1906, Pycnoderes.

Snow, Trans. Kans. Acad. Sci., i, pt. 1, pp. 152, 179, 1906, Pycnoderes.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 178, 1909, Pycnoderes.

Reuter, Neark. Caps., p. 3, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Localities: N. H., N. Y., N. J., Md., Pa., Fla., Texas.

1075. Sixeonotus tenebrosus (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 441, 1893, Eccritotarsus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 178, 1909.

Reuter, Neark. Caps., p. 3, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Localities: Md., Kans., Fla. (Central America.)

1076. Sixeonotus luteiceps Reut.

Reuter, Neark. Caps., p. 4, 1909.

Reuter, Ann. Soc. Ent. Belg., lvii, p. 278, 1913 (notice).

1077. Sixeonotus scabrosus (Uhl.)

Uhler, Hemip. Colo., p. 40, 1895, Eccritotarsus.

Van Duzee, Check List Hemip., p. 41, 1916, Eccritotarsus. Locality: Colo.

[This cannot be an Eccritotarsus.]

Genus Pycnoderes Guer.

Haplotype quadrimaculatus Guer.

Guerin in La Sagra, Hist. de Cuba, vii, p. 168, 1857.

Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 41, 1907 (description).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 209, 1916. [Dist.).

Physetonotus Reuter, Ann. Soc. Ent. Fr., lxi, p. 394, 1892 (type atratus

Orinonotus Reuter, Ann. Soc. Ent. Fr., lxi, p. 395, 1892 (type incurvus Dist.).

Arsinotus Berg, Ann. Soc. Sci. Arg., xxxiv, p. 198, 1892 (type albipes

[Berg).

1078. Pycnoderes quadrimaculatus Guer.

Guerin in La Sagra, Hist. de Cuba, vii, p. 169, pl. 13, fig. 12, 1857.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 267, 1894.

Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 149, 1907.

Reuter, Neark. Caps., p. 2, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Localities: N. H., Mass., Fla., Texas, Ariz., Calif. (Mexico, West Indies.)

1079. Pynoderes dilatatus Reut.

Reuter, Neark. Caps., p. 3, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910.

Localities: N. J., Md., D. C.

1080. Pycnoderes atratus (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 285, pl. 26, fig. 20, 1884, Eccritotarsus.

Distant, Biol. Centr. Am., Heter., i, p. 441, 1893, Eccritotarsus.

Reuter, Ann. Soc. Ent. Fr., lxi, p. 395, 1892, Physetonotus.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 193, Eccritotarsus.

Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 160, 1907.

Localities: Texas, Calif. (Central America.)

1081. Pycnoderes incurvus (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 285, pl. 26, fig. 19, 1884, Eccritotarsus.

Distant, Biol. Centr. Am., Heter., i, p. 440, 1893, Eccritotarsus.

Reuter, Ann. Soc. Ent. Fr., lxi, p. 396, 1892, Orinonotus.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 193, Eccritotarsus.

Reuter, Ann. k. k. Hofms. Wien, xxii, p. 160, 1907.

Localities: "S. St." (Guatemala.)

TRIBE BRYOCORINI (Reut.)

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 123, 1910, Div. Bryocoraria.

Genus Monalocoris Dahlb. Haplotype filicis Linn.

Dahlbom, Kongl. Vet. Akad. Handl. for 1850, p. 209, 1851.

Kirschbaum, Rhyng. v. Wiesbd., Caps., p. 31, 1855.

Fieber, Wien. Ent. Monat., ii, p. 300, 1858.

Fieber, Europ. Hemip., pp. 61, 237, 1861.

Douglas and Scott, Brit. Hemip., p. 278, 1865.

Walker, Cat. Heter., vi, pp. 40, 159, 1873.

Reuter, Genera Cimic. Eur., p. 22, 1875.

Reuter, Rev. Crit. Caps., i, p. 84; ii, p. 79, 1875.

Provancher, Pet. Faune Ent. Can., iii, p. 129, 1887.

Hüeber, Synop. deut. Blindw., i, pp. 17, 72, 1894.

Reuter, Ann. k. k. Nat. Hofm. Wien, xxii, p. 161, 1907 (description).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 209, 1916.

1082. Monalocoris filicis (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 443, 1758; edn. 12, i, p. 718, 1767, Cimex. Wolff, Icon. Cimic., ii, p. 46, fig. 43, 1801, Acanthia. Fallén, Monog. Cimic. Suec., p. 92, 1807, Lygaeus. Fallén, Hemip. Suec., Cimic., p. 108, 1829, Phytocoris. Hahn, Wanz. Ins., ii, p. 86, fig. 172, 1834, Phytocoris. Herrich-Schaeffer, Nomen. Ent., i, p. 51, 1835, Capsus. Meyer-Duer, Verz. Schw. Rhyng., p. 71, 1843, Capsus. Kolenati, Melet. Ent., ii, p. 129, 1845, Bryocoris. Sahlberg, Monog. Geoc. Fenn., p. 113, 1848, Capsus. Dahlbom, Kongl. Vet. Akad. Handl. for 1850, p. 209, 1851. Kirschbaum, Rhyng. v. Weisbd., Caps., p. 70, 1855, Capsus. Flor, Rhyng. Livl., i, p. 539, 1850, Capsus. Fieber, Europ. Hemip., p. 238, 1861. Douglas and Scott, Brit. Hemip., p. 279, pl. 10, fig. 2, 1865. Thomson, Opusc. Ent., iv, p. 433, 1871, Bryocoris. Reuter, Rev. Crit. Caps., ii, p. 79, 1875. Reuter, Caps. Am. Bor., p. 76, 1876. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 315, 1876; iii, p. 413, 1877. Provancher, Pet. Faune Ent. Can., iii, p. 130, 1887. Uhler, Ent. Am., iii, p. 150, 1887. Van Duzee, Can. Ent., xix, p. 72, 1887. Reuter, Rev. Synon., p. 284, No. 256, 1888. Van Duzee, Can. Ent., xxi, p. 4, 1889. Saunders, Heter. Brit. Isds., p. 130, 1892. Harrington, Ottawa Nat., vi, p. 28, 1892. Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893. Hüeber, Synop. deut. Blindw., i, p. 73, 1894. Slosson, Ent. News, v, p. 5, 1895. Wirtner, Ann. Carn. Mus., iii, p. 195, 1904. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905. Van Duzee, Can. Ent., xxxviii, p. 407, 1908.

Moore, Can. Ent., xxxix, p. 163, 1907.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Van Duzee, Can. Ent., xl, p. 112, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 177, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910.

Parshley, Psyche, xxi, p. 142, 1914.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., Fla., Wis., B. A. (Europe, Mexico.)

TRIBE ECCRITOTARSINI (Berg)

Berg, Hemip. Arg., Add., p. 81, 1884, Div. *Eccritotasaria* Reut. in litt. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 123, 1910, Div. *Eccritotarsaria*.

Genus Sysinas Dist. Logotype audens Dist.

Distant, Biol. Centr. Am., Heter., i, p. 248, 1883. Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 36, 1907 (redescribed). Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 209, 1916.

1083. Sysinas linearis Dist.

Distant, Biol. Centr. Am., Heter., i, p. 248, pl. 23, fig. 21, 1883. Banks, Cat. Nearc. Hemip., p. 38, 1910.

Localities: "N. Y." (Banks). (Mexico.)

Genus Dacota Uhl. Haplotype hesperia Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 413, 1872. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 135, 1906. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 162, 1910. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 209, 1916.

1084. Dacota hesperia Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 414, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 318, 1876. Localities: Dak., Colo.

Genus Caulotops Bergr. Haplotype puncticollis Bergr.

Bergroth, Wien. Ent. Zeit., xvii, p. 33, 1898. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 135, 1906. Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 154, 1907 (description). Reuter, Neark. Caps., p. 2, 1909 (correction). Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 209, 1916.

1085. Caulotops agavis Reut.

Reuter, Neark. Caps., p. 1, 1909.

Locality: Ariz.

(Tenthecoris bicolor Scott, see additions at end of volume.)

Genus Hesperolabops Kirk. Haplotype gelastops Kirk.

Kirkaldy, Trans. Ent. Soc. Lond. for 1902, p. 249. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 131, 1906. Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 151, 1907 (redescribed).

1086. Hesperolabops gelastops Kirk.

Kirkaldy, Trans. Ent. Soc. Lond. for 1902, p. 250, pl. 5, fig. 2.Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 152, 1907 (redescribed).[picta Uhl. MS] in lit.

Localities: Texas. (Mexico.)

Subfamily CLIVINEMINAE (Reut.)

Reuter, Caps. Am. Bor., p. 62, 1875, Div. Clivinemaria.

Reuter, Festsch. f. Palmen, i, p. 23, 1905, Div. Clivinemaria.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 135, 1906, Tribe Clivinemini.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 203, 210, 1916.

Bothriomirini Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 145, 1906, Tribe.

Ambraciini Kirkaldy, Can. Ent., xxxviii, p. 372, 1906, Tribe.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 124, 154, 1910,

[Subfam. Ambraciina and Div. Ambraciaria.

Genus Clivinema Reut. Haplotype villosa Reut.

Reuter, Caps. Am. Bor., p. 63, 1876. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916.

1087. Clivinema villosa Reut.

Reuter, Caps. Am. Bor., p. 63, 1876.

Uhler, Proc. Ent. Soc. Wash., ii, p. 372, 1893.

Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 179, 1906.

Barber, Brookl. Ins. Sci. Bul., i, p. 278, 1906.

Localities: Colo., Utah, Texas, Ariz.

10871/2. Clivinema regalis Kngt.

Knight, Ent. News, xxviii, p. 5, 1917.

Locality: Texas.

Genus Largidea Van D. Orthotype marginata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 480, 1912. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916.

1088. Largidea rubida (Uhl.)

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 355, 1904, Clivinema. Van Duzee, Check List Hemip., p. 42, 1916.

Locality: N. Mex.

1089. Largidea marginata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 481, 1912. Locality: Colo.

[Not rubida Uhler.]

10891/2. Largidea grossa Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 238, 1916. Locality: Calif.

1089 34. Largidea davisi Kngt.

Knight, Ent. News, xxviii, p. 7, 1917.

Locality: N. Y.

Subfamily CYLAPINAE (Popp.)

Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 4, p. 1, 1909, Cylapina. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 125, 1910, Cylapina.

TRIBE CYLAPINI (Kirk.)

Kirkaldy, Wien. Ent. Zeit., xxii, p. 13, 1903, Div. Cylaparia (part).
Distant, Fauna Brit. Ind., Rhyn., ii, p. 433, 1904, Div. Cylaparia.
Reuter, Festsch. f. Palmen, i, pp. 19, 28, 1905, Div. Cylaparia.
Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 134, 1906.
Kirkaldy, Can. Ent., xxxviii, p. 371, 1906, Tribe Cylapini.
Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 4, p. 1, 1909, Div. Cylaparia.
Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 76, 1907, Div. Cylaparia.
Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 127, 1910, Div. Cylaparia.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 202, 1916.
Valdasaria Distant, Biol. Centr. Am., Heter., i, p. 242, 1883 (division).

Genus Cylapus Say Logotype tenuicornis Say

Say, Heter. N. Harm., p. 26, 1832; Fitch reprint, p. 791; Compl. Writ., i, Distant, Biol. Centr. Am., Heter., i, p. 419, 1893. [p. 347. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 134, 1906.
Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 76, 1907 (description).
Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 4, pp. 3, 9, 10, 1909.
Reuter, Of. Finska Vet.-Soc. Forh., lv, Afd. A, No. 18, p. 56, 1913 (description).
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916. [tion).
Valdasus Stål, Rio Jan. Hemip., i, p. 56, 1858.
Distant, Biol. Centr. Am., Heter., i, p. 243, 1883.

1090. Cylapus tenuicornis Say

Say, Heter N. Harm., p. 26, 1832; Fitch reprint, p. 792; Compl. Writ., i, Uhler, Check List, p. 20, 1886. [p. 347. Heidemann, Proc. Ent. Soc. Wash., ii, p. 68, 1891. Uhler, Proc. Ent. Soc. Wash., ii, p. 123, 1891. Banks, Ent. News, iv, p. 268, 1893. Wirtner, Ann. Carn. Mus., iii, p. 196, 1904. Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 4, p. 10, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910. Localities: Ont., N. Y., Pa., Md., Ind.

TRIBE FULVIINI (Uhl.)

Uhler, Check List, p. 19, 1886, Fulvaria.

Reuter, Ent. Tidskr., xvi, p. 133, 1895, Div. Fulvaria.

Reuter, Festsch. f. Palmen, i, pp. 17, 27, 1905, Div. Fulvaria.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 143, 1906.

Kirkaldy, Can. Ent., xxxviii, p. 371, 1906.

Reuter, Neark. Caps., p. 65, 1909, Div. Fulvaria.

Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 4, p. 18, 1909, Div. Fulvaria. (Key.)

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 126, 1910, Div. Fulvaria.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 204, 1916.

Teratodellaria Reuter, Rev. Crit. Caps., i, p. 75, 1875. (Division.)

Reuter, Genera Cimic. Eur., p. 5, 1875. (Division.)

Reuter, Hemip. Gymn. Eur., iii, p. 564, 1884. (Division.) Distant, Fauna Brit. Ind., Rhyn., ii, p. 470, 1904. Peritropini Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 145, 1906.

Genus Fulvius Stål Haplotype anthocoroides Stål

Stål, Stet. Ent. Zeit., xxiii, p. 322, 1862. Distant, Biol. Centr. Am., Heter., i, p. 281, 1884. Reuter, Ent. Tidskr., xvi, p. 129, 1895. (Monograph.) Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 143, 1906. Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 4, p. 29, 1909. (Key.) Teratodella Reuter, Genera Cimic. Eur., p. 7, 1875. (Type anthocoroides Reuter, Rev. Crit. Caps., i, p. 77, 1875. | Reut.) Bergroth, Ent. Nachr., v, p. 108, 1879. [anthocoroides Uhl.) Pamerocoris Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 424, 1877. (Type Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 412, 1878. Provancher, Pet. Faune Ent. Can., iii, p. 126, 1887. Camelocapsus Reuter, Bul. Soc. Ent. Fr., ser. 5, viii, p. cv, 1878. (Type [oxycarenoides Reut.)

1091. Fulvius brunneus (Prov.)

Provancher, Nat. Can., iv, p. 104, 1872, Lygus. Provancher, Pet. Faune Ent. Can., iii, p. 127, 1887, Pamerocoris. Reuter, Ent. Tidskr., xvi, p. 140, 1895. Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 4, p. 31, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910. [Pamerocoris. ||anthocoroides Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 425, 1877, Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 425, 1878, Pamerocoris. Van Duzee, Can. Ent., xxi, p. 4, 1889. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 274, 1894, Pamerocoris. Osborn, Proc. Ia. Acad. Sci., v, p. 233, 1898. Smith, Cat. Ins. N. J., edn. 2, p. 130, 1900. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Pamerocoris. Localities: Ont., Mass., N. Y., N. J., Md., D. C., Wis., Ia., Kans., Colo., Calif.

1092. Fulvius imbecilis (Say)

Say, Hemip. N. Harm., p. 25, 1832; Fitch reprint, p. 790; Compl. Writ., i, p. Uhler, Check List, p. 19, 1886, Poeciloscytus imbecillus. [345, Capsus. Van Duzee, Check List Hemip., p. 42, 1916. heidemanni Reuter, Ent. Tidskr., xvi, p. 142, 1895 (heinemanni).

Wirtner, Ann. Carn. Mus., iii, p. 195, 1904. Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 4, p. 31, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910. Localities: Pa., Md., Del., Va., Ind.

1093. Fulvius atratus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 282, pl. 27, fig. 18, 1884. Reuter, Ann. Soc. Ent. Fr., lxi, p. 391, 1892. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 192. Reuter, Ent. Tidskr., xvi, p. 148, 1895.

Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 4, p. 32, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914. Localities: "U. S.," Fla. (Neotropical.)

Genus **Peritropis** Uhl. Haplotype saldaeformis Uhl.

Uhler, Proc. Ent. Soc. Wash., ii, p. 121, 1891.

Reuter, Neark. Caps., p. 66, 1909.

Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 4, p. 24, 1909.

Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 42, 1912.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916. [Dist.)

Mevius Distant, Hemip. Brit. Ind., Rhyn., ii, p. 453, 1904. (Type lewisi

1094. Peritropis saldaeformis Uhl.

Uhler, Proc. Ent. Soc. Wash., ii, p. 122, 1891.
Reuter, Neark. Caps., p. 66, 1909.
Poppius, Acta Soc. Sci. Fenn., xxxvii, No. 4, p. 24, 1909.
Localities: Pa., D. C., Ill., Texas. (Neotropical.)

Subfamily DICYPHINAE Osh.

Oshanin, Kat. Palae. Hemip., p. 70, 1912.

Van Duzee, Check List. Hemip., p. 42, 1916.

Macrolophina Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 118, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 202, 1916.

TRIBE HALLODAPINI Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 203, 204, 210,
¶Myrmicocoridae Douglas and Scott, Brit. Hemip., pp. 34, 628, 1865. [1916.
Eroticoridae Douglas and Scott, Brit. Hemip., pp. 471, 628, 1865.
Cremnocephalaria Reuter, Neark. Caps., p. 64, 1909. (Division.)

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 119, 120, 150, 1910.

Oshanin, Kat. Palae. Hemip., p. 71, 1912. (Tribe.) [(Division.)
Systellonotaria Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p.
[46, 1912. (Division.)

Genus **Dacerla** Bergr. Haplotype inflatus Uhl.

Signoret, Bul. Soc. Soc. Ent. Fr. for 1881, p. clvii.

Bergroth, Ent. News, viii, p. 95, 1897.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 132, 1906.

Reuter, Neark. Caps., p. 8, 1909.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 150, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916.

#Myrmecopsis Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 276, 1894 (type [inflatus Uhl.).

1095. Dacerla inflata (Uhl.)

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 277, 1894, Myrmecopsis. Reuter, Neark. Caps., p. 8, 1909 (description).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 239, 1916.

¶mediospinosa Signoret, Bul. Soc. Ent. Fr. for 1881, p. clvii.

Locality: Calif.

Genus Cyrtopeltocoris Reut. Haplotype albo-fasciatus Reut.

Reuter, Caps. Am. Bor., p. 81, 1876.

Reuter, Neark. Caps., p. 65, 1909, Syrtopeltocoris.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916.

1096. Cyrtopeltocoris albo-fasciatus Reut.

Reuter, Caps. Am. Bor., p. 81, 1876.

Barber, Brookl. Inst., Sci. Bul., i, p. 281, 1906.

Localities: Colo., Texas.

Genus Sericophanes Reut. Haplotype ocellatus Reut.

Reuter, Caps. Am. Bor., p. 79, 1876.

Reuter, Neark. Caps., p. 65, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916.

Myrmecopeplus Berg, Hemip. Arg. Add., p. 84, 1884 (type ornatus Berg).

1097. Sericophanes ocellatus Reut.

Reuter, Caps. Am. Bor., p. 79, 1876.

Popenoe, Trans. Kans. Acad. Sci., ix, pp. 63, 233, 1885.

Van Duzee, Can. Ent., xix, p. 72, 1887.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894.

Osborn, Proc. Ia. Acad. Sci., v, p. 238, fig. 16, 1898.

Montgomery, Ent. News, xiii, p. 13, 1902.

Localities: Mass., N. Y., Ia., Kans., Texas.

1097½. Sericophanes noctuans Kngt.

Knight, Ent. News, xxviii, p. 4, 1917.

Locality: N. Y.

Sericophanes sp.

Heidemann, Proc. Ent. Soc. Wash., xii, p. 46, 1910.

Genus Teleorhinus Uhl. Haplotype cyaneus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 74, 1890.

1098. Teleorhinus cyaneus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 75, 1890.

Locality: Calif.

Genus Closterocoris Uhl.

Haplotype ornata Uhl. = amoenus Prov.

Uhler, Trans. Md. Acad. Sci., i, p. 76, 1890.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916. †Pycnopterna Provancher, Pet. Faune Ent. Can., iii, p. 114, 1887.

1099. Closterocoris amoenus (Prov.)

Provancher, Pet. Faune Ent. Can., iii, p. 114, 1887, Pycnopterna.

Harrington, Ottawa Nat., vi, p. 27, 1892, Pycnopterna.

Van Duzee, Can. Ent., xliv, p. 321, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 26, 1914.
ornata Uhler, Trans. Md. Acad. Sci., i, p. 77, 1890.
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 274, 1894.
Localities: Calif., "Ottawa" (accidental) Prov.

Genus Cyphopelta Van D. Orthotype modesta Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 81, 1910. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916.

1100. Cyphopelta modesta Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 81, 1910.Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 26, 1914.Locality: Calif.

Genus Orectoderus Uhl. Haplotype obliquus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 319, 1876. Reuter, Neark. Caps., p. 65, 1909. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 151, 1910. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916.

1101. Orectoderus obliquus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 320, 1876.
Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1328.
Gillette and Baker, Hemip. Colo., p. 47, 1895.
Kirkaldy, Trans. Ent. Soc. Lond. for 1902, p. 249, figs. 1, 2, 5, 23.
Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910.
Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 47, 1912.
Parshley, Psyche, xxi, p. 142, 1914.
Localities: Ont., Me., N. Y., N. J., Colo., Manitoba.

1102. Orectoderus longicollis Uhl.

Uhler, Hemip. Colo., p. 47, 1895. Locality: Colo.

> Genus Coquillettia Uhl. Haplotype insignis Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 78, 1890.Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916.

1103. Coquillettia insignis Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 79, 1890.
Gillette and Baker, Hemip. Colo., p. 48, 1895.
Snow, Univ. Kans. Sci. Bul., ii, p. 348, 1904.
Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 179, 1906.
Van Duzee, San Diego Soc. Nat. Hist., ii, p. 26, 1914.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 240, 1916.
Localities: Kans., Colo., Ariz., Calif.

1104. Coquillettia mimetica Osb.

Osborn, Proc. Ia. Acad. Sci., v, p. 236, 1898. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 179, 1906. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 181, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914. Localities: Fla., Ia., Ariz.

1105. Coquillettia amoenus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 426, 1877, Orectoderus. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1328, Orectoderus. Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893, Orectoderus. Gillette and Baker, Hemip. Colo., p. 47, 1895, Orectoderus. Van Duzee, Check List Hemip., p. 42, 1916.

Localities: Kans., Colo.

TRIBE DICYPHINI (Reut.)

Reuter, Hemip. Gymn. Eur., iii, pp. 408, 559, 566, 1883, Div. Dicypharia.
Reuter, Festschr. f. Palmen, i, p. 18, 1905, Div. Dicypharia.
Reuter, Ann. k. k. Nat. Hofms. Wien, xx, p. 77, 1907, Div. Dicypharia.
Reuter, Neark. Caps., p. 61, 1909, Div. Dicypharia.
Oshanin, Kat. Palae. Hemip., p. 70, 1912, Tribe Dicypharia.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 203, 204, 210, 1916.
Idolocoridae Douglas and Scott, Brit. Hemip., pp. 31, 367, 1865. (Family.)
Campyloneuraria Kirkaldy, Fauna Hawai., iii, p. 138, 1902. (Division.)
Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 129, 1906, Tribe Campy-

Macrolopharia Kirkaldy, Can. Ent., xxxviii, p. 371, 1906, Tribe Macro[lophin

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 121, 1910. (Division.)
Poppius, Of. Finska Vet.-Soc. Forh., liii, Afd. A, No. 2, p. 29, 1911.

[(Division.)

Genus Hyaliodes Reut. Haplotype vitripennis Say

Reuter, Caps. Am. Bor., p. 83, 1876.
Provancher, Pet. Faune Ent. Can., iii, p. 142, 1887.
Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 78, 1907 (description).
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 210, 1916.
Necocarnus Distant, Biol. Centr. Am., Heter., i, p. 289, 1884.
Reuter, Neark. Caps., p. 62, 1909.

1106. Hyaliodes vitripennis (Say)

Say, Heter. N. Harm., p. 24, 1832; Fitch reprint, p. 789; Compl. Writ., i, Reuter, Caps. Am. Bor., p. 84, 1876. [p. 345, Capsus. Saunders, Ins. Inj. to Fruits, p. 228, 1883, Campyloneura. Uhler, Stand. Nat. Hist., ii, p. 287, 1884.

Provancher, Pet. Faune Ent. Can., iii, p. 143, 1887.

Van Duzee, Can. Ent., xxi, p. 4, 1889.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894.

Seiss, Ent. News, viii, p. 67, 1897.

Osborn, Ohio Nat., i, p. 12, 1900.

Montgomery, Ent. News, xiii, p. 13, 1902.

Wirtner, Ann. Carn. Mus., iii, p. 200, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 49, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905. Tucker, Univ. Kans. Sci. Bul., iv, p. 59, 1907. Moore, Can. Ent., xxxix, p. 162, 1907. Van Duzee, Can. Ent., xl, p. 113, 1908. Reuter, Neark. Caps., p. 61, 1909. Smith, Cat. Ins. N. J., edn. 3, 161, 1910. Parshley, Psyche, xxi, p. 142, 1914.

a. var. discoidalis Reut.

Reuter, Neark. Caps., p. 61, 1909.

Localities: Quebec, Ont., Mass., N. Y., N. J., Pa., N. C., Ohio, Ia,

Genus Dicyphus Fieb.

Logotype pallidus H. S. Fieber, Wien. Ent. Monat., ii, p. 327, 1858. Fieber, Europ. Hemip., pp. 77, 325, 1861. Thomson, Opusc. Ent., iv, p. 435, 1871. Reuter, Genera Cimic. Eur., p. 27, 1875. Reuter, Rev. Crit. Caps., i, p. 89; ii, p. 110, 1875. Reuter, Ent. Mo. Mag., xx, p. 49, 1883. Reuter, Hemip. Gymn. Eur., iii, pp. 411, 559, 1883. Provancher, Pet. Faune Ent. Can., iii, p. 139, 1887. Oshanin, Verz. Palae. Hemip., i, p. 812, 1909. Reuter, Of. Finska. Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 60, 1912. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 211, 1916. Brachyceraea Fieber, Wien. Ent. Monat., ii, p. 327, 1858 (Haplotype Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 129, 1906. [geniculata Fieb.). Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 151, 1910. Idolocoris Douglas and Scott, Brit. Hemip., p. 574, 1865. (Type palli-Provancher, Pet. Faune Ent. Can., iii, p. 140, 1887. [cornis D. & S.)

1107. Dicyphus californicus (Stål)

Stål, Freg. Eug. Resa, Ins., p. 259, 1859, Capsus. Walker, Cat. Heter., vi, p. 66, 1873, Cyllocoris. Reuter, Caps. Am. Bor., p. 82, 1876. Provancher, Pet. Faune Ent. Can., iii, p. 140, 1887. Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 274, 1894. Gillette and Baker, Hemip. Colo., p. 46, 1895. Wirtner, Ann. Carn. Mus., iii, p. 200, 1904. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 49, 1905. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905. Slosson, Ent. News, xvii, p. 326, 1906. Tucker, Univ. Kans. Sci. Bul., iv, p. 59, 1907. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 25, 1914. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 240, 1916. Localities: Ont., N. H., N. Y., Pa., Kans., Colo., Calif. (Eastern references uncertain.)

1108. Dicyphus agilis (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 425, 1877, Idolocoris. Provancher, Pet. Faune Ent. Can., iii, p. 141, 1887, Idolocoris.

Van Duzee, Can. Ent., xix, p. 72, 1887, Idolocoris.

Van Duzee, Can. Ent., xxi, p. 4, 1889, Idolocoris.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892, Idolocoris.

Harrington, Ottawa Nat., vi, p. 28, 1892, Idolocoris.

Gillette and Baker, Hemip. Colo., p. 46, 1895 (as var. of californicus).

Slosson, Ent. News, ix, p. 251, 1889.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905.

Moore, Can. Ent., xxxix, p. 162, 1907.

Van Duzee, Can. Ent., xl, p. 113, 1908.

Van Duzee, Can. Ent., xliv, p. 322, 1912.

Parshley, Psyche, xxi, p. 142, 1914, Idolocoris.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 240, 1916.

fluctuosus Prov., Pet. Faune Ent. Can., iii, p. 137, 1887, Chlamydatus.

Localities: Quebec, Ont., N. Y., N. H., Ia., Colo., Utah, Calif., Wash., B. C.

11081/2. Dicyphus crudus Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 240, 1916. Locality: Calif.

1109. Dicyphus famelicus (Uhl.)

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 413, 1878, Idolocoris.

Van Duzee, Can. Ent., xix, p. 72, 1887, Idolocoris.

Harrington, Ottawa Nat., vi, p. 28, 1892, Idolocoris.

Slosson, Ent. News, vi, p. 321, 1895.

Macgillivray and Houghton, Ent. News, xiv, p. 263, 1903.

Wirtner, Ann. Carn. Mus., iii, p. 200, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905.

Moore, Can. Ent., xxxix, p. 162, 1907.

Smith, Cat. Ins. N. J., edn. 3, 161, 1910.

Localities: Ont., N. H., N. Y., N. J., Pa.

1110. Dicyphus vestitus Uhl.

Uhler, Hemip. Colo., p. 46, 1895.

Slosson, Ent. News, xvii, p. 326, 1906.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 25, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 240, 1916.

Localities: N. H., N. Y., Dak., Colo., N. Mex., Calif.

1111. Dicyphus minimus Uhl.

Uhler, Ent. News, x, p. 59, 1899.

§minutus Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 25, 1914.

Localities: D. C., Fla., N. Mex., Colo., Calif.

Genus Engytatus Reut.

Haplotype geniculatus Reut.

Reuter, Caps. Am. Bor., p. 82, 1876.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 151, note, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 211, 1916.

†Cyrtopeltis Reuter, Neark. Caps., p. 62, 1909.

1112. Engytatus geniculatus Reut.

Reuter, Caps. Am. Bor., p. 83, 1876.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 274, 1894.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 193.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 152, note, 1910.

varians Distant, Biol. Centr. Am., Heter., i, p. 271, pl. 26, fig. 7, 1884, Reuter, Neark. Caps., p. 62, 1909, Cyrtopeltis. [Neoproba.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Localities: Fla., Texas.

1113. Engytatus simplex (Reut.)

Reuter, Neark. Caps., p. 63, 1909, Cyrtopeltis. Locality: Calif.

1114. Engytatus melanocephalus (Reut.)

Reuter, Neark. Caps., p. 63, 1909, Cyrtopeltis. Locality: Texas.

1115. Engytatus tenuis (Reut.)

Reuter, Revue d'Ent., xiv, p. 139, 1895, Cyrtopeltis.

Reuter, Of. Finska Vet.-Soc. Forh., xlv, No. 16, p. 21, 1903, Cyrtopeltis.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 182, 1909, Cyrtopeltis.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 151, note, 1910.

Localities: Fla. (Palaearctic.)

Genus Macrolophus Fieb. Logotype nubilus Fieb.

Fieber, Wien. Ent. Monat., ii, p. 326, 1858.

Fieber, Europ. Hemip., pp. 76, 321, 1861.

Douglas and Scott, Brit. Hemip., p. 381, 1865.

Reuter, Genera Cimic. Eur., p. 27, 1875.

Reuter, Rev. Crit. Caps., i, p. 89; ii, p. 109, 1875.

Reuter, Hemip. Gymn. Eur., iii, pp. 435, 559, 1883.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 211, 1916.

1116. Macrolophus separatus (Uhl.)

Uhler, Check List, p. 20, 1886 (nomen nudum).

Van Duzee, Can. Ent., xxi, p. 4, 1889 (nomen nudum).

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 194, Dicyphus (described).

Osborn, Proc. Ia. Acad. Sci., v, p. 233, 1898.

Van Duzee, Can. Ent., xxxviii, p. 407, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 30, 1907, Dicyphus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 182, 1909, Dicyphus.

Reuter, Neark. Caps., p. 62, 1909.

Van Duzee, Can. Ent., xliv, p. 322, 1912.

†famelicus Provancher, Pet. Faune Ent. Can., iii, p. 141, 1887, Idolocoris.
Localities: Ont., Mass., N. Y., Pa., Md., Fla., Ohio, Ia., Colo.,
Texas, N. Mex., Calif.

Subfamily ORTHOTYLINAE Van. D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 203, 1916. Van Duzee, Check List Hemip., p. 43, 1916.

Heterotominae Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 114, 1910. Cyllocorinae Oshanin, Kat. Palae. Hemip., p. 72, 1912.

TRIBE ORTHOTYLINI Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 204, 211, 1916. Van Duzee, Check List Hemip., p. 43, 1916.

Cyllocoraria Reuter, Genera Cimic. Eur., pp. 6, 22, 1875.

Reuter, Rev. Crit. Caps., i, p. 77; ii, p. 81, 1875. (Division.)

Reuter, Hemip. Gymn. Eur., iii, pp. 319, 567, 1883. (Division.)

Reuter, Festschr. f. Palmen, i, pp. 16, 27, 1905. (Division.)

Oshanin, Verz. Palae. Hemip., p. 826, 1909. (Division.)

Reuter, Neark. Caps., p. 66, 1909. (Division.)

Oshanin, Kat. Palae. Hemip., p. 72, 1912, Tribe Cyllocoraria.

Callecoraria Uhler, Check List, p. 19, 1886.

Provancher, Pet. Faune Ent. Can., iii, p. 99, 1886, Callicorides.

Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893, Callecorinae.

Heterotomaria Kirkaldy, Fauna Hawai., iii, p. 132, 1902. (Division.)

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 127, 1906, Tribe Heterotomini.

Kirkaldy, Can. Ent., xxxviii, p. 371, 1906, Tribe Heterotomini.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 117, 148, 1910.

[(Division.)

Poppius, Of. Finska Vet.-Soc. Forh., lii, Afd. A, No. 2, p. 31, 1911.

[(Division.)

DIVISION LABOPARIA Reut.

Reuter, Hemip. Gymn. Eur., iii, p. 567, 1883 (part).

Puton, Cat. Hémip. Palae., edn. 3, p. 53, 1886 (part).

Atkinson, Cat. Capsidae, p. 117, 1889 (part).

Reuter, Hemip. Gymn. Eur., iv, p. 17, 1891 (part).

Distant, Fauna Brit. Ind., Rhyn., ii, p. 479, 1904 (part).

Reuter, Festschr. f. Palmen, i, pp. 19, 28, 1905 (part).

Banks, Cat. Neark. Hemip., p. 38, 1910, Labopini (part).

Oshanin, Kat. Palae. Hemip., p. 74, 1912. (Tribe.)

[stricted).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 211, 1916 (re-

Genus Labops Burm.

Haplotype diopsis Burm.

Burmeister, Handb. d. Ent., ii, p. 279, 1835.

Fieber, Wien. Ent. Monat., ii, p. 316, 1858.

Fieber, Europ. Hemip., pp. 71, 294, 1861.

Thomson, Opusc. Ent., iv, p. 432, 1871.

Walker, Cat. Heter., vi, p. 44, 1873.

Reuter, Genera Cimic. Eur., p. 24, 1875.

Reuter, Rev. Crit. Caps., i, p. 86; ii, p. 97, 1875.

Provancher, Pet. Faune Ent. Can., iii, p. 135, 1887.

Reuter, Hemip. Gymn. Eur., iv, pp. 80, 160, 1891.

Hüeber, Synop. deut. Blindw., ii, p. 5, 1894?

Oshanin, Verz. Palae. Hemip., i, p. 786, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 211, 1916.
Ophthalmocoris Zetterstedt, Ins. Lapp., column 280, 1840.

1117. Labops hesperius Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 416, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 319, 1876; iii, p. 417, 1877.

Provancher, Pet. Faune Ent. Can., iii, p. 135, 1887.

Van Duzee, Can. Ent., xxi, p. 4, 1889.

Harrington, Ottawa Nat., vi, p. 28, 1892.
Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893.
Gillette and Baker, Hemip. Colo., p. 46, 1895.
Slosson, Ent. News, vi, p. 321, 1895.

Macgillivray and Houghton, Ent. News, xiv, p. 263, 1903.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905.
Van Duzee, Ottawa Nat., xxvi p. 68, 1912.
Van Duzee, Can. Ent., xliv, p. 322, 1912.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 240, 1916.

Localities: Quebec, Ont., N. H., N. Y., Colo., N. Mex., Calif.

1118. Labops burmeisteri Stål

Stål, Stet. Ent. Zeit., xix, p. 189, 1858.
Reuter, Of. Finska Vet.-Soc. Forh., xxi, p. 59, 1878.
Reuter, Hemip. Gymn. Eur., iv, pp. 83, 169, 1891.
Oshanin, Verz. Palae. Hemip., i, p. 786, 1909.
Gibson, Rept. Ent. Soc. Ont. for 1910, p. 125.
Localities: Ont., N. Y., Alaska. (Siberia.)

DIVISION HALTICARIA Kirk.

Kirkaldy, Fauna Hawai., iii, p. 139, 1902.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 130, 1906, Tribe Halticini.

Kirkaldy, Can. Ent., xxxviii, p. 371, 1906, Tribe Halticini.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 115, 1910.

Poppius, Of. Finska Vet.-Soc. Forh., liii, Afd. A, No. 2, p. 33, 1911.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 211, 1916.

Van Duzee, Check List Hemip., p. 43, 1916. [(Family.)

Halticocoridae Douglas and Scott, Brit. Hemip., pp. 35, 478, 1865.

Stiphrosomidae Douglas and Scott, Brit. Hemip., pp. 35, 481, 1865.

[(Family.)

[Divisions Diplacaria, Myrmecophyaria and Hypseloecaria Reut. are not found in our territory.]

Genus **Halticus** Hahn Haplotype pallicornis (Fabr.) = apterus (Linn.)

Hahn, Wanz. Ins., i, p. 113, 1831. Burmeister, Handb. d. Ent., ii, p. 277, 1835. Fieber, Wien. Ent. Monat., ii, p. 312, 1858. Fieber, Europ. Hemip., pp. 69, 281, 1861. Thomson, Opusc. Ent., iv, p. 441, 1871. Reuter, Genera Cimic. Eur., p. 23, 1875. Reuter, Rev. Crit. Caps., i, p. 86, ii, p. 89, 1875. Reuter, Hemip. Gymn. Eur., iv, pp. 17, 157, 1891. Hüeber, Synop. deut. Blindw., ii, pp. 2, 42, 1894? Distant, Fauna Brit. Ind., Rhyn., ii, p. 479, 1904. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 130, 1906. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 211, 1916. [Orthonotus Westw. MS], Stephens, Syst. Cat. Brit Ins., p. 344, 1829. Astemma, Latreille in Cuvier, Règne Anim., edn. 2, v, p. 199, 1829 (type Amyot and Serville, Hémip., p. 284, 1843. [pallicornis Fabr.) Eurycephala Laporte, Essai Classif. Syst. Hémip., p. 36, 1832 (type Brullé, Hist. des Ins., ix, p. 410, 1835. [luteicollis L. & S.). Spinola, Essai sur les Hémip., p. 191, 1837 (1840).

Blanchard, Hist. des Ins., Hémip., p. 140, 1840. [Panz. type).

†Miris Laporte, Essai Classif. Syst. Hémip., p. 39, 1832 (names luteicollis Halticocoris Douglas and Scott, Brit. Hemip., p. 478, 1865 (type palliformis Fabr.).

1119. Halticus apterus (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 438, 1758, Cicada. Linnaeus, Fauna Suec., new edn., No. 894, 1861, Cicada. Brullé, Hist. des Ins., ix, p. 410, pl. 33, fig. 6, 1835, Eurycephala. Blanchard, Hist. des Ins., Hémip., p. 140, 1840, Eurycephala. Amyot and Serville, Hémip., p. 284, 1843, Astemma. Reuter, Rev. Crit. Caps., ii, p. 90, 1875. Uhler, Check List, p. 20, 1886. Van Duzee, Can. Ent., xix, p. 72, 1887. Reuter, Rev. Synon., p. 286, No. 259, 1888. Reuter, Hemip. Gymn. Eur., iv, pp. 18, 161, pl. 1, fig. 5, 1891. Saunders, Heter. Brit. Isds., p. 268, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894. Hüeber, Synop. deut. Blindw., ii, p. 44, 1894? Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905. pallicornis Fabricius, Ent. Syst., iv, p. 69, 1794, Acanthia. Fabricius, Syst. Rhyng., p. 115, 1803, Salda. Wolff, Icon. Cimic., iv, p. 122, fig. 122, 1804, Acanthia. Fallén, Monog. Cimic. Suec., p. 95, 1807, Lygaeus. Fallén, Hemip. Suec., Cimic., p. 113, 1829, Phytocoris. Latreille in Cuvier, Règne Anim., edn. 2, v, p. 199, 1829, Astemma. Hahn, Wanz. Ins., i, p. 114, fig. 61, 1831. Herrich-Schaeffer, Nomen. Ent., i, p. 53, 1835, Capsus. Burmeister, Handb. d. Ent., ii, p. 278, 1835. Spinola, Essai sur les Hémip., p. 191, 1837 (1840), Eurycephala. Blanchard, Hist. des Ins., Hémip., p. 140, 1840, Eurycephala. Meyer-Duer, Verz. Schw. Rhyng., p. 110, 1843, Capsus. Kirschbaum, Rhyn. v. Wiesbd., Caps., pp. 102, 1855, Capsus (Eury-Kolenati, Melet. Ent., ii, p. 130, 1845, Eurycephala. [merocoris). Sahlberg, Monog. Geoc. Fenn., p. 118, 1848, Capsus. Costa, Cimic. Reg. Neap., Cent. iii, p. 53, 1852. Fieber, Europ. Hemip., p. 282, 1861. Fieber, Wien. Ent. Monat., viii, p. 221, 1864. Douglas and Scott, Brit. Hemip., p. 479, 1865, Halticocoris. Thomson, Opusc. Ent., iv, p. 441, 1871, Capsus. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 411, 1878, Halticocoris. §pallidicornis Herrich-Schaeffer, Nomen. Ent., i, p. 53, 1835, Capsus. Flor, Rhyn. Livl., i, p. 583, 1860, Capsus. Localities: N. H., Mass., N. Y., Pa., Md., Ill., Colo.

1120. Halticus intermedius Uhl.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 360, 1904. Wirtner, Ann. Carn. Mus., iii, p. 200, 1904.

1121. Halticus bracteatus (Say)

Say, Heter. N. Harm., p. 26, 1832; Fitch reprint, p. 792; Compl. Writ., i, p. Uhler, Check List, p. 20, 1886. [348, Cylapus. Van Duzee, Can. Ent., xix, p. 72, 1887.
Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894.
Gillette and Baker, Hemip. Colo., p. 46, 1895.
Webster, 27th Rept. Ent. Soc. Ont., p. 83, 1896.
Webster, Ent. News, viii, p. 209, with figs., 1897.
Moore, Can. Ent., xxxix, p. 163, 1907.
Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907.

Localities: Ont., N. Y., Ohio, Ind., Kans., Colo.

1122. Halticus citri (Ashm.)

Ashmead, Ent. Am., iii, p. 155, 1887, Rhinocloa. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914. Parshley, Psyche, xxi, p. 142, 1914. [10, 11, 1889. [minutus Uhler MS] Popenoe, 2d Rept. Kans. Exp. Sta., p. 212, pl. 9, figs. uhleri Giard, Compt. Rend. Soc. Biol., ser. 9, iv, p. 81, 1892. Uhler, Proc. Ent. Soc. Wash., ii, p. 378, 1893. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 195. Osborn, Ohio Nat., i, p. 12, 1900. Wirtner, Ann. Carn. Mus., iii, p. 199, 1904. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 49, 1905. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 30, 1907. Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907. Reuter, Wien. Ent. Zeit., xxvii, p. 53, 1908. Reuter, Neark. Caps., p. 71, 1909. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 181, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910. canus (Distant), Biol. Centr. Am., Heter., i, p. 430, pl. 37, figs. 11, 12, [1893, Calocoris. Kirkaldy, Entomol., xxxvii, p. 179, 1904. Localities: Ont., N. Y., N. J., Pa., Md., D. C., Va., N. C., Fla.,

[Halticus nitidus Uhl. MS]

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 361, 1904.

Ohio, Ill., Kans., Mo., Utah.

Genus Strongylocoris Blanch. Haplotype leucocephalus Linn.

Blanchard, Hist. des Ins., Hémip., p. 140, 1840.
Costa, Cimic. Reg. Neap., Cent., iii, p. 48, 1852.
Puton, Cat. Hémip. Palae., edn. 3, p. 53, 1886.
Atkinson, Cat. Capsidae, p. 119, 1889.
Reuter, Hemip. Gymn. Eur., iv, pp. 26, 157, pl. 1, fig. 6, 1891.
Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 130, 1906.
Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 148, 1910.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 211, 1916.

Stiphrosomus Fieber, Wien. Ent. Monat., ii, p. 312, 1858 (Logotype leuco‡Stiphrosoma Fieber, Europ. Hemip., pp. 69, 280, 1861. [cephalus Lnn.]

Douglas and Scott, Brit. Hemip., p. 481, 1865.

Walker, Cat. Heter., vi, p. 43, 1873.

Reuter, Genera Cimic. Eur., p. 23, 1875.

Reuter, Crit. Rev. Caps., i, p. 85; ii, p. 87, 1875.

Uhler, Check List, p. 20, 1886.

Provancher, Pet. Faune Ent. Can., iii, p. 131, 1887.

1123. Strongylocoris stygicus (Say)

Say, Heter. N. Harm., p. 24, 1832; Fitch reprint, p. 789; Compl. Writ., i, p. [344, Capsus.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1328, Stiphrosoma.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 507, 1878, Stiphrosoma.

Provancher, Pet. Faune Ent. Can., iii, p. 132, 1887, Stiphrosoma.

Van Duzee, Can. Ent., xix, p. 72, 1887; xxi, p. 4, 1889, Stiphrosoma.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892, Stiphrosoma.

Harrington, Ottawa Nat., vi, p. 28, 1892, Stiphrosoma.

Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893, Stiphrosoma.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894, Stiphrosoma.

Gillette and Baker, Hemip. Colo., p. 49, 1895, Stiphrosoma.

Osborn, Ohio Nat., i, p. 12, 1900, Stiphrosoma.

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 110, 1903, Stiphrosoma.

Wirtner, Ann. Carn. Mus., iii, p. 200, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 49, 1905, Stiphrosoma.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905, Stiphrosoma.

Moore, Can. Ent., xxxix, p. 163, 1907, Stiphrosoma.

Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907.

Van Duzee, Can. Ent., xl, p. 113, 1908, Stiphrosoma.

Van Duzee, Can. Ent., xliv, p. 322, 1912, Stiphrosoma.

Parshley, Psyche, xxi, p. 142, 1914, Stiphrosoma.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 28, 1914.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., Md., N. C., Ohio, Ia., Colo., N. Mex., Calif.

1124. Strongylocoris atratus (Uhl.)

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 268, 1894, Stiphrosoma.

Gillette and Baker, Hemip. Colo., p. 45, 1895, Stiphrosoma.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 361, 1904, Stiphrosoma.

Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910.

Localities: Colo., N. Mex., Calif.

1125. Strongylocoris croceipes (Uhl.)

Uhler, Proc. Ent. Soc. Wash., ii, p. 373, 1893, Stiphrosoma.

Gillette and Baker, Hemip. Colo., p. 45, 1895, Stiphrosoma. Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905, Stiphrosoma.

Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 28, 1914.

Localities: Colo., Utah, Calif.

1126. Strongylocoris robustus (Uhl.)

Uhler, Hemip. Colo., p. 45, 1895, Stiphrosoma.

Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907.

Localities: Texas, Colo., N. Mex.

DIVISION PILOPHORARIA Reut.

Reuter, Hemip. Gymn. Eur., iii, p. 566, 1883; iv, p. 110, 1891.

Reuter, Festschr. f. Palmen, i, pp. 17, 27, 1905.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 132, 1906, Tribe Pilophorini.

Kirkaldy, Can. Ent., xxxviii, p. 371, 1906, Tribe Pilophorini.

Reuter, Neark. Caps., p. 73, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 211, 212, 1916. Camaronotidae Douglas and Scott, Brit. Hemip., pp. 30, 358, 1865.

(Family.)

Genus Heterocordylus Fieb. Logotype tumidicornis Kirschb.

Fieber, Wien. Ent. Monat., ii, p. 316, 1858.

Fieber, Europ. Hemip., pp. 71, 290, 1861.

Douglas and Scott, Brit. Hemip., p. 432, 1865.

Thomson, Opusc. Ent., iv, p. 440, 1871.

Reuter, Genera Cimic. Eur., p. 22, 1875.

Reuter, Rev. Crit. Caps., i, p. 85; ii, p. 81, 1875.

Reuter, Hemip. Gymn. Eur., iii, pp. 327, 544, pl. 1, fig. 5, 1884.

Hüeber, Synop. deut. Blindw., ii, pp. 105, 220, 1894?

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 212, 1916.

Bothrocranum Reuter, Pet. Nouv. Ent., ii, p. 54, 1876 (type freyii Reut.).

1127. Heterocordylus malinus Reut.

Reuter, Neark. Caps., p. 71, 1909.

Crosby, Can. Ent., xliii, p. 17, 1911 (life history).

Knight, Jl. Econ. Ent., viii, p. 293, 1915 (oviposition).

Parshley, Ent. News, xxvii, p. 104, 1916.

Localities: N. H., N. Y., Ill.

Genus Pilophorus Hahn

Haplotype bifasciatus (Fabr.) = clavatus (Linn.)

Hahn, Icones Cimic., i, p. 23, 1826.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 121, 1840.

Reuter, Genera Cimic. Eur., p. 22, 1875.

Reuter, Rev. Crit. Caps., i, p. 85; ii, p. 84, 1875.

Uhler, Ent. Am., iii, p. 29, 1887.

Provancher, Pet. Faune Ent. Can., iii, p. 131, 1887.

Atkinson, Cat. Capsidae, p. 112, 1889.

Reuter, Hemip. Gymn. Eur., iv, pp. 112, 173, 1891.

Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 49, 1912.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 212, 1916.

Camaronotus Fieber, Wien. Ent. Monat., ii, p. 322, 1858 (type clavatus [Linn.).

Fieber, Europ. Hemip., pp. 74, 313, 1861.

Douglas and Scott, Brit. Hemip., p. 358, 1865.

Thomson, Opusc. Ent., iv, p. 441, 1871.

1128. Pilophorus clavatus (Linn.)

Linnaeus, Syst. Nat., edn. 12, i, p. 729, 1767, Cimex.

Herrich-Schaeffer, Nomen. Ent., i, p. 48, 1835, Capsus.

Zetterstedt, Ins. Lapp., column 278, 1840, Capsus.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 121, 1840.

Meyer-Duer, Synop. Schw. Rhyn., p. 87, 1843, Capsus.

Sahlberg, Monog. Geoc. Fenn., p. 91, 1848, Capsus.

```
Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 297, 1855, Capsus (Leptomerocoris).
Fieber, Wien. Ent. Monat., ii, p. 322, 1858, Camaronotus.
Fitch, Trans. N. Y. St. Agr. Soc., xvii, p. 742, 1858, Capsus.
Flor, Rhyn. Livl., i, p. 569, 1860, Capsus.
Fieber, Europ. Hemip., p. 314, 1861, Camaronotus.
Douglas and Scott, Brit. Hemip., p. 360, 1865, Camaronotus.
Thomson, Opusc. Ent., iv, p. 442, 1871, Capsus.
Reuter, Rev. Crit. Caps., ii, p. 86, 1875.
Reuter, Rev. Synon., p. 290, No. 266, 1888.
Reuter, Hemip. Gymn. Eur., iv, p. 114, pl. 6, fig. 3, 1891.
Saunders, Heter. Brit. Isds., p. 264, pl. 24, fig. 7, 1892.
Horvath, Ann. Mus., Natl. Hung., vi, p. 5, 1908.
Reuter, Neark. Caps., p. 74, 1909.
Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 50, 1912.
Van Duzee, Can. Ent., xliv, p. 322, 1912.
  †bifasciatus Schrank, Fauna Boica, p. 86, 1801, Cimex.
      Fallén, Monog. Cimic. Suec., p. 99, 1807, Capsus.
      Hahn, Icon. Cimic., i, fig. 22, 1826.
      Zetterstedt, Fauna Lapp., p. 498, 1828, Capsus.
      Fallén, Hemip. Suec., Cimic., p. 118, 1829, Capsus.
      Provancher, Pet. Faune Ent. Can., iii, p. 131, 1887.
      Van Duzee, Can. Ent., xix, p. 72, 1887.
      Harrington, Ottawa Nat., vi, p. 28, 1892.
      Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894.
          Localities: Ont., Mass., N. Y., Minn.
               1129. Pilophorus cinnamopterus (Kirsch.)
Kirschbaum, Rhyn. v. Wiesbd., Caps., pp. 72, 116, 135, 1855, Capsus.
Flor, Rhyn. Livl., i, p. 572, 1860, Capsus.
Fieber, Europ. Hemip., p. 314, 1861, Camaronotus.
Douglas and Scott, Brit. Hemip., p. 359, pl. 11, fig. 8, 1865, Camaronotus.
Reuter, Rev. Synon., p. 290, No. 265, 1888.
Reuter, Hemip. Gymn. Eur., iv, pp. 113, 175, pl. 6, fig. 2, 1891.
Saunders, Heter. Brit. Isds., p. 264, pl. 24, fig. 7, 1892.
Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 50, 1912.
  ||bifasciatus Fabricius, Syst. Ent., p. 725, 1775, Cimex.
      Fabricius, Ent. Syst., iv, p. 177, 1794, Lygaeus.
      Fabricius, Syst. Rhyng., p. 242, 1803, Capsus.
      Latreille, Hist. Nat. Crust. Ins., xii, p. 230, 1804, Capsus.
      Zetterstedt, Fauna Lapp., p. 497, 1828, Capsus.
      Zetterstedt, Ins. Lapp., column 277, 1840, Capsus.
      Reuter, Rev. Crit. Caps., ii, p. 85, 1875.
      Reuter, Berl. Ent. Zeit., xxv, p. 177, 1881.
      Uhler, Check List, p. 20, 1886.
      Uhler, Ent. Am., iii, p. 30, 1887.
```

1130. Pilophorus schwarzi Reut.

†confusus Thomson, Opusc. Ent., iv, p. 442, 1871, part, Capsus (Camaronotus).

Reuter, Neark. Caps., p. 74, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910.

Osborn, Ohio Nat., i, p. 12, 1900.

Localities: Ohio. (Europe.)

†confusus Uhler, Check List, p. 20, 1886.

Uhler, Ent. Am., iii, p. 29, 1887.

Heidemann, Proc. Ent. Soc. Wash., ii, p. 225, 1892.

Oshanin, Verz. Palae. Hemip., i, p. 809, note, 1909.

Localities: N. Y., D. C., Colo., Calif.

1131. Pilophorus amoenus Uhl.

Uhler, Ent. Am., iii, p. 30, 1887.

Van Duzee, Can. Ent., xxi, p. 4, 1889.

Heidemann, Proc. Ent. Soc. Wash., ii, p. 225, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894.

Slosson, Ent. News, viii, p. 240, 1897.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 360, 1904.

Wirtner, Ann. Carn. Mus., iii, p. 199, 1904.

Moore, Can. Ent., xxxix, p. 163, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910.

Parshley, Psyche, xxi, p. 142, 1914.

†confusus Van Duzee, Can. Ent., xix, p. 72, 1887.

Localities: Ont., Me., N. H., N. Y., Pa., N. J., D. C., Colo., N. Mex.

1132. Pilophorus walshi Uhl.

Uhler, Ent. Am., iii, p. 30, 1887.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 199, 1904.

Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910.

Localities: N. Y., N. J., Pa., Ohio, Ill., Colo.

[Pilophorus laetus Uhl. MS]

Heidemann, Proc. Ent. Soc. Wash., ii, p. 225, 1892.

Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910.

Localities: N. J., D. C.

[Pilophorus crassipes Uhl. MS]

Heidemann, Proc. Ent. Soc. Wash., ii, p. 225, 1892.

Moore, Can. Ent., xxxix, p. 163, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910.

Localities: N. J., Md., D. C., Ohio, Colo., Calif.

[Pilophorus clavipes Uhl. MS]

Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905.

Locality: N. Y.

[Pilophorus fraternus Uhl. MS]

Lintner, 2d Rept. N. Y. St. Ent., p. 186, 1885, Camaronotus.

Locality: N. Y.

Genus Alepidia Reut.

Orthotype gracilis Uhl.

Reuter, Neark. Caps., p. 75, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 212, 1916

1133. Alepidia gracilis (Uhl.)

Uhler, Hemip. Colo., p. 42, 1895, Pilophorus.

Reuter, Neark. Caps., p. 75, 1909 (as type).

Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910.

Localities: N. J., W. Va., Colo.

DIVISION CERATOCAPSARIA Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 211, 212, 1916.

Genus Pamillia Uhl. Haplotype behrensii Uhl.

Uhler, Ent. Am., iii, p. 31, 1887.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 150, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 212, 1916.

1134. Pamillia behrensii Uhl.

Uhler, Ent. Am., iii, p. 31, 1887.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 27, 1914. Locality: Calif.

Genus Tiryus Kirk.

Haplotype punctulatus (Reut.)

Kirkaldy, Wien. Ent. Zeit., xxii, p. 14, 1903 (n.n. for Trichia Reut.). Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 133, 1906.

Reuter, Neark. Caps., p. 71, 1909.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 150, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 212, 1916.

||Trichia Reuter, Caps. Am. Bor., p. 81, 1876 (type punctulatus).

1135. Tiryus punctulatus (Reut.)

Reuter, Caps. Am. Bor., p. 82, 1876, Trichia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 30, 1907.

Reuter, Neark. Caps., p. 71, 1909.

Reuter, Ann. k. k. Natl. Hofms. Wien, xxii, p. 174, 1907, Ceratocapsus.

Bergroth, Ann. Soc. Ent. Belg., liv, p. 68, 1910, Ceratocapsus.

Localities: Texas. (Mexico, West Indies.)

1136. Tiryus elongatus (Uhl.)

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 257, 1894, Melinna.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 27, 1914, Ccratocapsus.

Localities: Fla., Colo., Texas, Ariz., Calif.

Genus Ceratocapsus Reut. Logotype lutescens Reut.

Reuter, Caps. Am. Bor., p. 87, 1876.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 212, 1916.

|| Melinna Uhler, Ent. Am., iii, p. 68, 1887 (type modestus Uhl.). [Uhl.). Hypereides Kirkaldy, Wien. Ent. Zeit., xxii, p. 14, 1903 (n.n. for Melinna

1137. Ceratocapsus lutescens Reut.

Reuter, Caps. Am. Bor., p. 87, 1876.

Tucker, Univ. Kans. Sci. Bul., iv, p. 59, 1907.

Tucker, Trans. Kans. Acad. Sci., xx, pt. 2, p. 191, 1907.

Ceratocapsus sp. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 182, 1909.

Localities: Fla., Kans., Texas.

1138. Ceratocapsus modestus (Uhl.)

Uhler, Ent. Am., iii, p. 69, 1887, Melinna.

Van Duzee, Can. Ent., xxi, p. 3, 1889, Melinna.

Heidemann, Proc. Ent. Soc. Wash., ii, p. 225, 1892, Melinna. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 177, 1894, Mclinna. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 191, Melinna. Osborn, Proc. Ia. Acad. Sci., v, p. 233, 1898, Melinna. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 356, 1904, Melinna. Wirtner, Ann. Carn. Mus., iii, p. 198, 1904, Melinna. Wan Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905, Melinna. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 234, 1905, Melinna. Moore, Can. Ent., xxxix, p. 163, 1907, Melinna. Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910.

[carbonarius Fitch MS] Uhler, Ent. Am., iii, p. 69, 1887, Phytocoris.
Localities: Ont., Mass., N. Y., N. J., Pa., Md., D. C., N. C., Ill.,
Kans., Ia., Colo., N. Mex.

1139. Ceratocapsus pumilus (Uhl.)

Heidemann, Proc. Ent. Soc. Wash., ii, p. 226, 1892, Melinna.
Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 234, 1905, Melinna.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 182, 1909.
Smith, Cat. Ins. N. J., edn., 3, p. 161, 1910.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.
Localities: Ont., Mass., N. Y., Ohio, Md., D. C., Fla., Ill., Kans., Colo., Texas.

1140. Ceratocapsus setosus Reut.

Reuter, Neark. Caps., p. 70, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 28, 1914.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

#pteridis Uhler, Check List, p. 19, 1886, Bryocoris.

Smith, Cat. Ins. N. J., edn. 2, p. 131, 1900, Bryocoris.

Localities: N. J., Pa., D. C., Fla., Calif.

Uhler, Ent. Am., iii, p. 69, 1887, Melinna.

1141. Ceratocapsus minutus (Uhl.)

Uhler, Proc. Zool. Soc. Lond. for 1893, p. 713, Melinna. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 234, 1905, Melinna. Localities: Fla., Kans. (West Indies.)

1142. Ceratocapsus fasciatus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 421, 1877, Megacoelum. Van Duzee, Can. Ent., xix, p. 71, 1887, Megacoelum. Uhler, Ent. Am., iii, p. 69, 1887, Melinna.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 177, 1894, Melinna.

Gillette and Baker, Hemip. Colo., p. 35, 1895, Megacoelum.

Osborn, Proc. Ia. Acad. Sci., v, p. 233, 1898, Melinna.

Tucker, Univ. Kans. Sci. Bul., iv, p. 59, 1907.

Tucker, Trans. Kans. Acad. Sci., xx, pt. 2, p. 191, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910.

Localities: Ont., Mass., N. Y., N. J., Ia., Kans., Colo.

DIVISION LOPIDEARIA Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 211, 212, 1916. **Loparinae Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893.

Genus Lomatopleura Reut. Haplotype caesar Reut.

Reuter, Caps. Am. Bor., p. 67, 1876. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 148, 1910. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 212, 1916.

1143. Lomatopleura caesar Reut.

Reuter, Caps. Am. Bor., p. 67, 1876.
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 250, 1894.
Gillette and Baker, Hemip. Colo., p. 31, 1895.
Osborn, Proc. Ia. Acad. Sci., v. p. 233, 1898.
Van Duzee, Trans. Am. Ent. Soc., xxix, p. 109, 1903.
Reuter, Neark. Caps., p. 72, 1909.
Smith, Cat. Ins. N. J., edn. 3, p. 162, 1910.

Localities: N. Y., N. J., Pa., N. C., Ia., Colo.

1144. Lomatopleura hesperia Kirk.

Kirkaldy, Trans. Ent. Soc. Lond. for 1902, p. 252, pl. 5, fig. 1.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

||coccineus Walker, Cat. Heter., vi, p. 93, 1873, Capsus.

Distant, Ann. Mag. Nat. Hist., ser. 7, xiii, p. 109, 1904.

Locality: Fla.

1145. Lomatopleura instabile Reut.

Reuter, Neark. Caps., p. 72, 1909.

a. var. marginalis Reut.

Reuter, Neark. Caps., p. 72, 1909.

Localities: N. Y., Md., D. C., Fla.

Genus Lopidea Uhl. Haplotype media Say

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 411, 1872. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 405, 1878. Distant, Biol. Centr. Am., Heter., i, p. 258, 1883. Provancher, Pet. Faune Ent. Can., iii, p. 106, 1887. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 212, 1916.

1146. Lopidea media (Say)

Say, Heter. N. Harm., p. 22, 1832; Fitch reprint, p. 786; Compl. Writ., i, p. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 412, 1872. [341, Capsus. Uhler, Wheeler's Rept. 100th Mer., v, p. 838, 1875.
Reuter, Caps. Am. Bor., p. 66, 1876.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 317, 1876; iii, p. 414, 1877.
Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1327.
Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 406, 1878.
Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 506, 1878.
Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 506, 1878.
Van Duzee, Can. Ent., xix, p. 70, 1887.
Harrington, Ottawa Nat., vi, p. 27, 1892.
Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893.
Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893.
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 249, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894. Gillette and Baker, Hemip. Colo., p. 30, 1895.

Montgomery, Ent. News, xiii, p. 13, 1902.
Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905.
Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 48, 1905.
Moore, Can. Ent., xxxix, p. 163, 1907.
Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910.
Parshley, Psyche, xxi, p. 141, 1914.

†marginata Slosson, Ent. News, xiii, p. 8, 1902.

Van Duzee, Can. Ent., xl, p. 113, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Kans., Colo.

1147. Lopidea confluenta (Say)

Say, Heter. N. Harm., p. 23, 1832; Fitch reprint, p. 788; Compl. Writ., i, p. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894. [343, Capsus.

‡confluens Reuter, Caps. Am. Bor., p. 66, 1876.

Uhler, Check List, p. 18, 1886.

Provancher, Pet. Faune Ent. Can., iii, p. 106, 1887.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892.

Slosson, Ent. News, v, p. 5, 1894.

Gillette and Baker, Hemip. Colo., p. 30, 1895.

Tucker, Univ. Kans. Sci. Bul., iv, p. 59, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910.

Van Duzee, Can. Ent., xliv, p. 320, 1912.

Parshley, Psyche, xxi, p. 141, 1914.

Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Ia., Kans., Colo., Mont., Texas.

1148. Lopidea floridana (Walk.)

Walker, Cat. Heter., vi, p. 97, 1873, Capsus.

Distant, Ann. Mag. Nat. Hist., ser. 7, xiii, p. 108, 1904.

Locality: Fla.

1149. Lopidea robiniae (Uhl.)

Uhler, Proc. Ent. Soc. Phila., i, p. 24, 1861, Capsus.

Van Duzee, Can. Ent., xix, p. 70, 1887 (as var.).

Wirtner, Ann. Carn. Mus., iii, p. 199, 1904 (as var.).

Leonard, Ent. News, xxvii, p. 51, 1916 (young).

Localities: Ont., N. Y., Pa., D. C., N. C., Ohio.

1150. Lopidea marginata Uhl.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 249, 1894.

Gillette and Baker, Hemip. Colo., p. 30, 1895.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 28, 1914.

[obscura Uhl. MS], Gillette and Baker, Hemip. Colo., p. 31, 1895.

Localities: Colo., Ariz., Calif.

1151. Lopidea nigridea Uhl.

Uhler, Hemip. Colo., p. 30, 1895.

Osborn, Proc. Ia. Acad. Sci., v, p. 233, 1898.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 28, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 241, 1916. Localities: Ia. f, Colo., Calif.

1152. Lopidea cuneata Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 79, 1910. Hunter and Pratt, U. S. Dept. Agr., Div. Ent., Bul. n.s. 113, p. 40, 1913. (Probably a misidentification of nigridea Uhl.) Locality: N. Y.

[Lopidea strigata Uhl. MS]

Osborn, Proc. Ia. Acad. Sci., v, p. 233, 1898. Locality: Ia.

[Lopidea fuscicornis Uhl. MS]

Osborn, Proc. Ia. Acad. Sci., v, p. 233, 1898. Smith, Cat. Ins. N. J., edn. 2, p. 128, 1900. Localities: N. J., Ia.

Genus **Hadronema** Uhl. Haplotype militaris Uhl

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 412, 1872. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 212, 1916.

1153. Hadronema militaris Uhl.

¶Uhler, Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872, Oncotylus. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 412, 1872. Uhler, Wheeler's Surv. 100th Mer., v, p. 838, pl. 42, fig. 12, 1875. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 317, 1876; iii, p. 415, 1877. Distant, Biol. Centr. Am., Heter., i, p. 259, 1883. Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891. Townsend, Can. Ent., xxiv, p. 193, 1892. Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893. Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 251, 1894. Gillette and Baker, Hemip. Colo., p. 31, 1895. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 355, 1904. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905. Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907. Reuter, Ann. k. k. Natl. Hofms. Wien., xxii, p. 172, 1907. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 241, 1916. Localities: Mich., Ia., Kans., Colo., N. Mex., Calif.

1154. Hadronema robusta Uhl.

Riley, N. Am. Fauna, vii, p. 249, 1893 (a MS name).
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 250, 1894.
Gillette and Baker, Hemip. Colo., p. 32, 1895.
Van Duzee, Trans. San Diego Soc. Nat. Hist., iii, p. 28, 1914.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 241, 1916.
Localities: Colo., Calif.

1155. Hadronema princeps Uhl.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 251, 1894. Gillette and Baker, Hemip. Colo., p. 32, 1895.

Localities: Colo., Calif., Ore., Wash.

1156. Hadronema picta Uhl.

Uhler, Hemip. Colo., p. 31, 1895.

Tucker, Univ. Kans. Sci. Bul., iv, p. 60, 1907.

Localities: Dak., Colo., Nevada.

1157. Hadronema festiva Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 80, 1910. Locality: N. Mex.

DIVISION ORTHOTYLARIA Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 211, 212, 1916.

Litosomidae Douglas and Scott, Brit. Hemip., pp. 30, 334, 1865. (Family.)

Globicepidae Douglas and Scott, Brit. Hemip., pp. 31, 362, 1865. (Family.)

Genus Cyllecoris Hahn

Logotype histrionicus (Linn.)

Hahn, Wanz. Ins., ii, p. 97, 1834 (Cylleocoris in index).

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 122, 1840.

Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 41, 1855 (subgenus of Capsus).

Dohrn, Cat. Hemip., p. 38, 1859.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 128, 1906.

Van Duzee, Check List Hemip., p. 44, 1916.

‡Cyllocoris Spinola, Essai sur les Hémip., p. 188, 1837 (1840).

Fieber, Wien. Ent. Monat., ii, p. 312, 1858.

Fieber, Europ. Hemip., pp. 69, 282, 1861.

Douglas and Scott, Brit. Hemip., p. 367, 1865.

Thomson, Opusc. Ent., iv, p. 436, 1871.

Walker, Cat. Heter., vi, p. 43, 1873.

Reuter, Genera Cimic. Eur., p. 28, 1875.

Reuter, Crit. Rev. Caps., i, p. 89; ii, p. 114, 1875.

Reuter, Ent. Mo. Mag., xv, p. 115, 1878.

Reuter, Hemip. Gymn. Eur., iii, pp. 401, 546, pl. 1, figs. 13, 14, 1883.

Puton, Cat. Hémip. Palae., edn. 3, p. 55, 1886.

Atkinson, Cat. Capsidae, p. 130, 1889.

Hüeber, Synop. deut. Blindw., ii, p. 107, 1894?

Oshanin, Verz. Palae. Hemip., i, p. 826, 1909.

Oshanin, Kat. Palae. Hemip., p. 72, 1912.

Kelidocoris Kolenati, Melet. Ent., ii, p. 102, 1845 (type histrionicus).

||Perideris Fieber, Verh. Zool.-Bot. Ges. Wien, xx, p. 249, 1870 (type mar-[ginatus Fieb.).

Dryophilocoris Reuter, Genera Cimic. Eur., p. 30, 1875 (type flavoquadri-[maculatus DeGeer).

Camarocyphus Reuter, Of. Finska Soc. Forh., xxii, p. 21, 1880 (type nigro-Reuter in Zool. Jahrsb. for 1880, p. 140. [gularis Reut.).

Mimoperideris Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 129, 1906 (n.n. [for Perideris Fieb.).

1158. Cyllecoris histrionicus (Linn.)

Linnaeus, Syst. Nat., edn. 12, i, p. 728, 1767, Cimex.

Herrich-Schaeffer, Nomen. Ent., i, p. 48, 1835.

Burmeister, Handb. d. Ent., ii, p. 267, 1835, Phytocoris.

Blanchard, Hist. des Ins., Hémip., p. 138, 1840, Phytocoris.

Meyer-Duer, Verz. Schw. Rhyn., p. 90, 1843, Capsus. Kolenati, Melet. Ent., ii, p. 103, 1845, Polymerus (Kelidocoris). Sahlberg, Monog. Geoc. Fenn., p. 96, 1848, Capsus. Herrich-Schaeffer, Wanz. Ins., Index, p. 36, 1853, Capsus. Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 43, 1855, Capsus. Flor, Rhyn. Livl., i, p. 475, 1860, Capsus. Fieber, Europ. Hemip., p. 282, 1861. Douglas and Scott, Brit. Hemip., p. 368, pl. 12, fig. 3, 1865. Thomson, Opusc. Ent., iv, p. 436, 1871, Capsus (Orthotylus). Reuter, Rev. Crit. Caps., ii, p. 115, 1875. Reuter, Hemip. Gymn. Eur., iii, pp. 406, 558, pl. 5, fig. 25, 1883. Reuter, Rev. Synon., p. 299, No. 279, 1888. Saunders, Heter. Brit. Isds., p. 277, pl. 25, fig. 8, 1892. Hüeber, Synop. deut. Blindw., ii, p. 109, 1894? Banks, Cat. Neark. Hemip., p. 33, 1910. cantharinus (Muller), Zool. Danic. Prodr., p. 108, 1776, Cimex. cordiger (Goeze), Ent. Beytr., ii, p. 266, 1778, Cimex. agilis (Fabricius), Spec. Ins., p. 374, 1781, Cimex. Fabricius, Ent. Syst., iv, p. 182, 1794, Lygaeus. Fabricius, Syst. Rhyng., p. 247, 1803, Capsus. Wolff, Icon. Cimic., iv, p. 153, fig. 147, 1804, Lygaeus. Latreille, Hist. Nat. Crust. Ins., xii, p. 233, 1804, Capsus. Fallén, Monog. Cimic. Suec., p. 100, 1807, Capsus. Fallén, Hemip. Suec., Cimic., p. 120, 1829, Capsus. Hahn, Wanz. Ins., ii, p. 98, 1834. Costa, Cimic. Neap., Cent., i, p. 50, 1838, Phytocoris. Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 122, 1840. cordatus (Geoffroy) in Fourcroy, Ent. Paris., p. 206, 1785, Cimex. [Cimex. leucozonias (Gmelin) in Linnaeus, Syst. Nat., edn. 13, i, p. 2162, 1788, vittatus (Gmelin) in Linnaeus, Syst. Nat., edn. 13, i, p. 2166, 1788, Cimex. Donovan, Nat. Hist. Brit. Ins., vii, p. 252, 1798, Cimex. †fulvipes (Schrank), Fauna Boica, ii, p. 93, 1801, Cimex. Localities: "E. St.," Banks. (Europe.)

Genus Pseudoxenetus Reut.

Logotype regalis (Uhl.)

Reuter, Neark. Caps., p. 66, 1909. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 212, 1916.

1159. Pseudoxenetus regalis (Uhl.)

Uhler, Trans. Md. Acad. Sci., i, p. 80, 1890, Xenetus.
Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891, Stenidea.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.
Localities: Md., Pa., Ga., Fla., Mich., Ill.

1160. Pseudoxenetus scutellatus (Uhl.)

Riley, 5th Rept. Nox. Ins. Mo., p. 154, 1873, Cyllocoris (a MS name by Uhler).
Uhler, Trans. Md. Acad. Sci., i, p. 81, 1890, Xenetus.
Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891, Sthenidea.
Wirtner, Ann. Carn. Mus., iii, p. 201, 1904, Xenetus.
Smith, Cat. Ins. N. J., edn. 3, p. 165, 1910, Xenetus.
Localities: Ont., N. H., Mass., Conn., N. Y., Pa., Md., N. C., Va., Ill.

Genus Globiceps Lep. & Serv. Haplotype capito L. & S. = sphegiformis Rossi

Le Peletier and Serville, Encyc. Meth., x, p. 326, 1825.

Amyot and Serville, Hémip., p. 282, 1843.

Fieber, Wien. Ent. Monat., ii, p. 313, 1858.

Fieber, Europ. Hemip., pp. 69, 282, 1861.

Douglas and Scott, Brit. Hemip., p. 362, 1865.

Thomson, Opusc. Ent., iv, p. 436, 1871.

Walker, Cat. Heter., vi, p. 43, 1873.

Reuter, Genera Cimic. Eur., p. 28, 1875.

Reuter, Crit. Rev. Caps., i, p. 89; ii, p. 116, 1875.

Reuter, Ent. Mo. Mag., xv, p. 115, 1878.

Reuter, Hemip. Gymn. Eur., iii, pp. 386, 545, 1883.

Hüeber, Synop. deut. Bildw., ii, pp. 106, 124, 1894?

Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 51, 1912.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 212, 1916. [genus). †Kelidocoris Reuter, Rev. Crit. Caps., i, p. 90; ii, p. 117, 1875 (as sub-

1161. Globiceps flavomaculatus (Fabr.)

Fabricius, Ent. Syst., iv, p. 182, 1794, Lygaeus.

Fabricius, Syst. Rhyn., p. 247, 1803, Capsus.

Fallén, Monog. Cimic. Suec., p. 100, 1807, Capsus.

Fallén, Hemip. Suec. Cimic., p. 120, 1829, Capsus.

Costa, Cimic. Reg. Neap., Cent., i, p. 50, 1838, Phytocoris.

Zetterstedt, Ins. Lapp., column 278, 1840, Capsus.

Blanchard, Hist. des Ins., Hémip., p. 138, 1840, Capsus.

Meyer-Duer, Verz. Schw. Rhyn., p. 91, 1843.

Kolenati, Melet. Ent., ii, p. 103, 1845, Polymerus (Kelidocoris).

Sahlberg, Monog. Geoc. Fenn., p. 96, 1848, Capsus.

Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 46, 1855, Capsus (Cyllocoris).

Flor, Rhyn. Livl., i, p. 469, 1860, Capsus.

Thomson, Opusc. Ent., iv, p. 436, 1871, Capsus (Orthotylus).

Reuter, Rev. Crit. Caps., ii, p. 117, 1875 (subgenus Kelidocoris).

Reuter, Hemip. Gymn. Eur., iii, pp. 395, 557, pl. 5, fig. 19, 1883.

Reuter, Rev. Synon., p. 298, No. 278, 1888.

Uhler, Check List, p. 20, 1886.

Van Duzee, Can. Ent., xxi, p. 4, 1889.

Saunders, Heter. Brit. Isds., p. 280, pl. 26, fig. 1, 1892.

Reuter, Ent. Mo. Mag., ser. 2, xix, p. 27, 1908.

selectus Fieber, Wien. Ent. Monat., ii, p. 333, 1858.

Fieber, Europ. Hemip., p. 284, 1861.

Douglas and Scott, Brit. Hemip., p. 363, 1865.

Puton, Cat. Hémip. Palae., edn. 3, p. 55, 1886.

†distinguendus Vollenhoven, Tidj. v. Ent., xvii, p. 166, 1878.

Localities: Ont., Pa.(?) (Europe.)

1162. Globiceps angustatus Uhl.

Uhler, Hemip. Colo., p. 42, 1895. Locality: Colo.

Genus **Paraproba** Dist. Logotype fasciata Dist.

Distant, Biol. Centr. Am., Heter., i, p. 270, 1884. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 138, 1906 (names fasciata type). Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 164, 1910. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 212, 1916.

1163. Paraproba pendula Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 25, 1914. Locality: Calif.

1164. Paraproba hamata (Van D.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 489, 1912, Diaphnidia.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 27, 1914, Diaphnidia.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 241, 1916.
Locality: Calif.

Genus Diaphnidia Uhl. Logotype debilis Uhl.

Uhler, Hemip. Colo., p. 43, 1895. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 128, 1906 (names debilis type). Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 213, 1916.

1165. Diaphnidia debilis Uhl.

Uhler, Hemip. Colo., p. 43, 1895.
Tucker, Univ. Kans. Sci. Bul., iv, p. 59, 1907.
Gibson, Rept. Ent. Soc., Ont. for 1910, p. 125, 1911.
Localities: Ont., Mass., N. Y., D. C., Ohio, Colo., Calif.

1166. Diaphnidia pellucida Uhl.

Uhler, Hemip. Colo., p. 44, 1895.

Wirtner, Ann. Carn. Mus., ii, p. 200, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905.

Moore, Can. Ent., xxxix, p. 162, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910.

Gibson, Rept. Ent. Soc. Ont. for 1910, p. 125, 1911.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 489, 1912.

Parshley, Psyche, xxi, p. 142, 1914.

Localities: Quebec. Ont. Mass., N. Y., N. J.

Localities: Quebec, Ont., Mass., N. Y., N. J., Pa., D. C., Ohio, Colo., Calif.

1167. Diaphnidia provancheri (Burque)

Burque in Provancher, Pet. Faune Ent. Can., iii, p. 144, 1887, Malacocoris. Van Duzee, Can. Ent., xliv, p. 322, 1912.
Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 489, 1912.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 27, 1914.
Localities: Quebec, N. H., N. Y., Calif.

1168. Diaphnidia capitata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 490, 1912. Localities: Ont., N. Y.

Genus Hyalochloria Reut. Logotype caviceps Reut.

Reuter, Of. Finska Vet.-Soc. Forh., xlix, No. 5, p. 18, 1907.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 213, 1916.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 218, 1916 (cites [caviceps as type).

116814. Hyalochloria caviceps Reut.

Reuter, Of. Finska Vet.-Soc. Forh., xlix, No. 5, p. 20, 1907. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 218, 1916. Localities: Fla. (West Indies.)

11681/2. Hyalochloria bella Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 217, 1916.
Locality: Calif.

Genus Reuteria Put.

Haplotype marqueti Put. = irrorata (Say)

Puton, Pet. Nouv. Ent., i, p. 519, 1875.
Reuter, Hemip. Gymn. Eur., iii, pp. 325, 544, 1883.
Hüeber, Synop. deut. Blindw., ii, pp. 105, 239, 1894?
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 213, 1916.

1169. Reuteria irrorata (Say)

Say, Heter. N. Harm., p. 25, 1832; Fitch reprint, p. 790; Comp. Writ., i, p. 346, Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 507, 1878, Malacocoris. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892, Malacocoris. Heidemann, Proc. Ent. Soc. Wash., ii, p. 226, 1892, Malacocoris. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 267, 1894, Malacocoris. Osborn, Ohio Nat., i, p. 12, 1900, Malacocoris. Wirtner, Ann. Carn. Mus., iii, p. 201, 1904, Malacocoris. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Malacocoris. Tucker, Univ. Kans. Sci. Bul., iv, p. 59, 1907, Malacocoris. Horvath, Ann. Mus. Natl. Hung., vi, p. 10, 1908. Reuter, Neark. Caps., p. 70, 1909. Oshanin, Verz. Palae. Hemip., i, p. 854, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910. Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 59, 1912. marqueti Puton, Pet. Nouv. Ent., i, p. 519, 1875. Reuter, Hemip. Gymn. Eur., iii, p. 325, 1883. Localities: Ont., N. Y., N. J., Pa., Md., D. C., Ohio, Kans., Ia. (Mexico, Europe.)

Genus Orthotylus Fieb. Logotype nassatus (Fabr.)

Fieber, Wien. Ent. Monat., ii, p. 315, 1858.
Fieber, Europ. Hemip., pp. 71, 288, 1861.
Thomson, Opusc. Ent., iv, pp. 434, 438, 1871.
Reuter, Genera Cimic. Eur., p. 32, 1875.
Reuter, Rev. Crit. Caps., i, p. 91; ii, p. 129, 1875.
Reuter, Hemip. Gymn. Eur., iii, pp. 342, 545, 1883.
Provancher, Pet. Faune Ent. Can., iii, p. 138, 1887.
Hüeber, Synop. deut. Blindw., ii, pp. 106, 153, 1894?

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 127, 1906 (names nassatus (Fabr.) Oshanin, Verz. Palae. Hemip., i, p. 837, 1909. [type). Oshanin, Kat. Palae. Hemip., p. 73, 1912.

Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 60, 1912.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 213, 1916.

Van Duzee, Check List Hemip., p. 44, 1916. [species]

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 87, 1916 (monograph N. Am. **Tichorhinus Fieber, Wien. Ent. Monat., ii, p. 314, 1858 (type ericetorum [Fall.).

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 127, 1906 (names ericetorum Kirkaldy, Proc. Hawai. Ent. Soc., i, p. 197, 1908. [Fall. type). Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 150, 1910.

Pachylops Fieber, Wien. Ent. Monat., ii, p. 314, 1858 (haplotype chlorop-Fieber, Europ. Hemip., pp. 70, 285, 286, 1861. [terus Kirsch.).

Litocoris Fieber, Europ. Hemip., pp. 70, 287, 2861 (n.n. for Tichorhinus [Fieb.).

Litosoma Douglas and Scott, Brit. Hemip., p. 334, 1865 (type nassatus [Fall. = marginalis Reut.).

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 127, 1906 (names marginatus [Reut. type).

#Allocatus Puton, Ann. Soc. Ent. Fr., ser. 5, iv, p. 218, 1874 (haplotype [rubidus Put.).

Melanotrichus Reuter, Genera Cimic. Eur., p. 35, 1875 (logotype flavo-Reuter, Rev. Crit. Caps., ii, p. 135, 1875. [sparsus Sahlb.). Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 127, 1906 (names flavosparsus [Sahlb. type).

Halocapsus Puton, Ann. Soc. Ent. Fr., ser. 5, viii, Bul., p. xxxiii, 1878
[(n.n. for Allocotus Put.).

Subgenus Orthotylus Reut.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 88 (group I), p. 92, 1916. 11691/4. Orthotylus insignis Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 92, 1916.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 241, 1916. Locality: Calif.

11691/2. Orthotylus tibialis Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 93, 1916.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 241, 1916. Locality: Calif.

1169%. Orthotylus ferox Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 94, 1916.

Locality: Calif.

1170. Orthotylus viridicatus Uhl.

Uhler, Hemip. Colo., p. 48, 1895.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 27, 1914.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 95, 1916.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 241, 1916.
Localities: Colo., Idaho, Calif.

1171. Orthotylus coagulatus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 417, 1877, Macrocoleus. Provancher, Pet. Faune Ent. Can., iii, p. 150, 1887, Macrocoleus. Van Duzee, Can. Ent., xix, p. 72, 1887, Macrocoleus. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892, Macrocoleus. Osborn, Proc. Ia. Acad. Sci., i, pt. 4, p. 123, 1893, Macrocoleus. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 268, 1894, Macrocoleus. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894, Macrocoleus. Slosson, Ent. News, vi, p. 321, 1895, Macrocoleus. Gillette and Baker, Hemip. Colo., p. 50, 1895, Macrocoleus. Wirtner, Ann. Carn. Mus., iii, p. 201, 1904, Macrocoleus. Snow, Univ. Kans. Sci. Bul., ii, p. 384, 1904, Macrocoleus. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 179, 1906, Macrocoleus. Tucker, Univ. Kans. Sci. Bul., iv, p. 58, 1907, Megrocoleus. Reuter, Neark. Caps., p. 68, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910, Megalocoleus. Van Duzee, Can. Ent., xliv, p. 322, 1912, Macrocoleus. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 27, 1914. Parshley, Psyche, xxi, p. 142, 1914, Megalocoleus. Parshley, Psyche, xxii, p. 23, 1915. Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 96, 1916. biguttatus Reuter, Neark. Caps., p. 69, 1909. Localities: Colo., Ariz., Calif.

[Eastern references probably pertain to the next species.]

1172. Orthotylus flavosparsus (Sahlbg.)

Sahlberg, Acta Soc. Sci. Fenn., i, p. 411, 1842, Phytocoris. Sahlberg, Monog. Geoc. Fenn., p. 103, 1848, Capsus. Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 89, 1853, Capsus. Flor, Rhyn. Livl., i, p. 582, 1860, Capsus. Fieber, Europ. Hemip., p. 288, 1861. Douglas and Scott, Brit. Hemip., p. 341, 1865, Litosoma. Reuter, Genera Cimic. Eur., p. 35, 1875. Reuter, Rev. Crit. Caps., ii, p. 135, 1875. Reuter, Hemip. Gymn. Eur., iii, pp. 360, 552, 1883. Saunders, Heter. Brit. Isds., pp. 285, 591, pl. 27, fig. 1, 1892. Hüeber, Synop. deut. Blindw., ii, pp. 160, 189, 1894? Tucker, Univ. Kans. Sci. Bul., iv, p. 58, 1907. Reuter, Neark. Caps., p. 68, 1909. Smith, Cat. Ins. N. J., edn. 3, pl. 161, 1910. Van Duzee, Can. Ent., xliv, p. 322, 1912. Parshley, Psyche, xxi, p. 142, 1914. Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 97, 1916.

an Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 97, 1916.

viridipennis Dahlbom, Vet. Akad. Handl. for 1850, p. 212, Phytocoris.

†prasina Douglas and Scott, Brit. Hemip., p. 344, 1865, Litosoma.

unicolor Provancher, Nat. Can., iv, p. 105, 1872, Lygus.

†sericeus Provancher, Pet. Faune Ent. Can., iii, p. 127, 1887, Poeciloscytus.

†pulchellus Provancher, Pet. Faune Ent. Can., iii, p. 148, 1887, Oncotylus.

†chlorionis Horvath, Ann. Mus. Natl. Hung., vi, pp. 5, 565, 1908.

Localities: Quebec, Ont., Me., N. Y., N. J., D. C., Va., Ohio, Kans.

(Europe.)

1173. Orthotylus chlorionis (Say)

Say, Heter. N. Harm., p. 25, 1832; Fitch reprint, p. 791; Compl. Writ., i, Uhler, Check List, p. 18, 1886, Lygus? [p. 346, Capsus.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.

Van Duzee, Can. Ent., xxxviii, p. 408, 1906.

Moore, Can. Ent., xxxix, p. 162, 1907.

Van Duzee, Can. Ent., xl, p. 113, 1908.

Reuter, Neark. Caps., p. 69, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 27, 1914.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 99, 1916.

Localities: Quebec, Ont., N. Y., D. C., Calif.

11734. Orthotylus fraternus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 99, 1916. †inconspicuus Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 27, 1914. Locality: Calif.

11731/2. Orthotylus uniformis Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 100, 1916.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 241, 1916.
Localities: N. Y., Calif.

1174. Orthotylus translucens Tuck.

Tucker, Univ. Kans. Sci. Bul., iv, p. 58, 1907.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 101, 1916.

Localities: N. Y., Colo.

1175. Orthotylus diaphanus (Kirsch.)

Kirschbaum, Rhyn. v. Wiesbd., Caps., pp. 78, 145, 1855, Capsus.

Flor, Rhyn. Livl., i, p. 613, 1860, Capsus.

Fieber, Europ. Hemip., p. 290, 1861.

Reuter, Hemip. Gymn. Eur., iii, pp. 358, 551, pl. 5, fig. 15, 1883.

Saunders, Heter. Brit. Isds., pp. 285, 287, 1892.

Hüeber, Synop. deut. Blindw., ii, pp. 159, 180, 1894?

Heidemann, in Tucker, Univ. Kans. Sci. Bul., iv, p. 58, 1907.

viridinervis Thomson, Opusc. Ent., iv, p. 456, 1871.

Localities: Kans. (?). (Europe.)

11751/16. Orthotylus senectus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 102, 1916. Locality: Colo.

1175%. Orthotylus viridis Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 103, 1916. Localities: N. Y., N. C.

11751/4. Orthotylus nigrinasi Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 104, 1916. Locality: Texas.

1175%. Orthotylus ovatus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 105, 1916.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 241, 1916. Locality: Calif.

11751/2. Orthotylus catulus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 106, 1916. Locality: N. Y.

[Orthotylus discoidalis Uhl. MS]

Riley, 5th Rept. Nox. Ins. Mo., p. 154, 1873. Locality: Mo.

Subgenus Diommatus Uhl.

Haplotype congrex Uhl. = dorsalis Prov.

Uhler, Ent. Am., iii, p. 32, 1887 (as genus).

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 89 (group III), p. 107, 1916.

1175%. Orthotylus languidus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 107, 1916. Locality: Calif.

1175%. Orthotylus formosus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 108, 1916. Locality: Calif.

1175%. Orthotylus modestus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 109, 1916. Localities: N. Y., Pa.

1176. Orthotylus dorsalis (Prov.)

Provancher, Nat. Can., iv, p. 104, 1872, Lygus.

Provancher, Pet. Faune Ent. Can., iii, p. 138, 1887.

Van Duzee, Can. Ent., xliv, p. 322, 1912.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 110, 1916.

congrex (Uhler), Ent. Am., iii, p. 33, 1887, Diommatus.

Van Duzee, Can. Ent., xxi, p. 3, 1889, Diommatus.

Uhler, Proc. Ent. Soc. Wash., ii, p. 273, 1893, Diommatus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 176, 1894, Diommatus.

Gillette and Baker, Hemip. Colo., p. 45, 1895, Diommatus.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905, Diommatus.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 49, 1905, Diommatus.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Diommatus.

Montgomery, Ent. News, xiii, p. 13, 1902, Diommatus.

Reuter, Neark. Caps., p. 67, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910, Diommatus.

Parshley, Psyche, xxi, p. 142, 1914.

Localities: Quebec, Ont., Me., N. Y., N. J., Utah, Colo., Kans.

1177. Orthotylus marginatus (Uhl.)

Uhler, Hemip. Colo., p. 43, 1895, Cyrtorrhinus.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905, Cyrtorrhinus.

Van Duzee, Can. Ent., xl, p. 113, 1908, Cyrtorrhinus.

Reuter, Neark. Caps., p. 67, 1909, Cyrtorrhinus?

Parshley, Psyche, xxi, p. 142, 1914, Cyrtorrhinus.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 112, 1916.

Localities: Quebec, Ont., Me., N. Y., Colo.

11771/4. Orthotylus molliculus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 113, 1916. Locality: Calif.

11771/2. Orthotylus affinis Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 114, 1916.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. But., i, p. 241, 1916. Locality: Calif.

1178. Orthotylus submarginatus (Say)

Say, Heter. N. Harm., p. 23, 1832; Fitch reprint, p. 788; Compl. Writ., i, p.
 Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 123, 1916. [344, Capsus. Localities: R. I., N. Y., Ind., Mo.

11781/4. Orthotylus candidatus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 124, 1916. Locality: N. H.

11781/2. Orthotylus necopinus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 125, 1916. Localities: N. H., N. Y.

1178%. Orthotylus fumidus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 127, 1916. Locality: Colo.

1179. Orthotylus angulatus (Uhl.)

Uhler, Hemip. Colo., p. 44, 1895, Diommatus.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 115, 1916.
Locality: Colo.

a. var. brunneus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 116, 1916. Locality: Calif.

11791/8. Orthotylus cuneatus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 117, 1916. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 242, 1916. Locality: Calif.

11791/4. Orthotylus pullatus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 118, 1916. Locality: Calif.

1179%. Orthotylus cruciatus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 119, 1916. Localities: Quebec, Me., Vt., Mass.

11791/2. Orthotylus lateralis Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 120, 1916. Locality: Colo.

1179%. Orthotylus knighti Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 121, 1916. Locality: N. Y.

1179%. Orthotylus ornatus Van D.

Van Duzee, Proc. Calif. Acad. Sci., ser. 4, vi, p. 122, 1916. Locality: N. Y.

1180. Orthotylus inconspicuus (Uhl.)

Uhler, Proc. Ent. Soc. Wash., ii, p. 376, 1893, Asciodema. Reuter, Neark. Caps., p. 69, 1909. Locality: Utah.

[Orthotylus alternatus Uhl. M8]

Van Duzee, Can. Ent., xxi, p. 4, 1889. Heidemann, Proc. Ent. Soc. Wash., ii, p. 225, 1892. Localities: Ont., D. C.

[Orthotylus delicatus Uhl. MS]

Heidemann, Proc. Ent. Soc. Wash., ii, p. 226, 1892. Locality: D. C.

Genus Ilnacora Reut. Haplotype divisa Reut.

Reuter, Caps. Am. Bor., p. 85, 1876.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 213, 1916.

Subgenus Ilnacora Reut.

Reuter, Caps. Am. Bor., p. 86, 1876.
Sthenarops Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 418, 1877.
Provancher, Pet. Faune Ent. Can., iii, p. 133, 1887.

1181. Ilnacora divisa Reut.

Reuter, Caps. Am. Bor., p. 86, 1876.
 Gillette and Baker, Hemip. Colo., p. 40, 1895.
 Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910.
 Localities: N. J., Kans., Texas.

1182. Ilnacora chloris (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 419, 1877, Sthenarops. Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893, Sthenarops. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 268, 1894. Gillette and Baker, Hemip. Colo., p. 40, 1895. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 360, 1904, Sthenarops. Tucker, Univ. Kans. Sci. Bul., iv, p. 59, 1907. Tucker, Trans. Kans. Acad. Sci., xx, pt. 2, p. 191, 1907. Localities Kans., Colo., N. Mex. (Mexico.)

1183. Ilnacora viridis Uhl.

Uhler, Hemip. Colo., p. 41, 1895. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 360, 1904. Localities: Colo., N. Mex.

Subgenus Corinala Reut. Haplotype stalii Reut.

Reuter, Caps. Am. Bor., p. 86, 1876.

1184. Ilnacora stalii Reut.

Reuter, Caps. Am. Bor., p. 86, 1876.

Van Duzee, Can. Ent., xix, p. 72, 1887.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894.

Gillette and Baker, Hemip. Colo., p. 40, 1895.

Seiss, Ent. News, viii, p. 67, 1897.

Osborn, Ohio Nat., i, p. 12, 1900.

Wirtner, Ann. Carn. Mus., iii, p. 200, 1904.

Tucker, Univ. Kans. Sci. Bul., iv, p. 59, 1907.

Tucker, Trans. Kans. Acad. Sci., xx, pt. 2, p. 191, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910.

†psalliodes Provancher, Pet. Faune Ent. Can., iii, p. 146, 1877, Parthenicus. Localities: N. Y., N. J., Pa., Ohio, Kans., Colo., Texas.

1185. Ilnacora malina (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 419, 1877, Sthenarops.

Distant, Biol. Centr. Am., Heter., i, p. 431, 1893, Sthenarops.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 178, 1894, Sthenarops.

Osborn, Proc. Ia. Acad. Sci., v, p. 233, 1898, Sthenarops.

Slosson, Ent. News, xi, p. 323, 1900.

Wirtner, Ann. Carn. Mus., iii, p. 200, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905, Sthenarops.

Tucker, Univ. Kans. Sci. Bul., iv, p. 59, 1907.

Tucker, Trans. Kans. Acad. Sci., xx, pt. 2, p. 191, 1907.

Reuter, Ann. k. k. Natl. Hofms. Wien, xxii, p. 174, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 161, 1910.

[Calocoris?

inustus Distant, Biol. Centr. Am., Heter., i, p. 267, pl. 23, fig. 17, 1884, †basalis Provancher, Pet. Faune Ent. Can., iii, p. 128, 1887, Poeciloscytus. Localities: N. H., Mass., N. Y., N. J., Pa., Ia., Kans.

Genus **Semium** Reut. Haplotype hirtum Reut.

Reuter, Caps. Am. Bor., p. 80, 1876.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 213, 1916.

1186. Semium hirtum Reut.

Reuter, Caps. Am. Bor., p. 80, 1876.

Reuter, Neark. Caps., p. 73, 1909.

[Eccritotarsus.

elegans Popenoe, Trans. Kans. Acad. Sci., ix, p. 63, 1885 (a MS name),

Uhler, Ent. Am., iii, p. 149, 1887, Eccritotarsus (described).

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892, Eccritotarsus.

Osborn, Ohio Nat., i, p. 12, 1900, Eccritotarsus.

Wirtner, Ann. Carn. Mus., iii, p. 195, 1904, Eccritotarsus.

Localities: N. Y., Pa., D. C., Ohio, Ill., Ia., Kans., Texas, Calif.

Genus Mecomma Fieb.

Haplotype ambulans (Fall.)

Fieber, Wien. Ent. Monat., ii, p. 313, 1858.

Fieber, Europ. Hemip., pp. 69, 284, 1861.

Reuter, Hemip. Gymn. Eur., iii, pp. 383, 545, 1883.

Hüeber, Synop. deut. Blindw., ii, pp. 106, 143, 1894?

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 128, 1906. Oshanin, Verz. Palae. Hemip., i, p. 834, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 213, 1916.

||Sphyracephalus Douglas and Scott, Brit. Hemip., p. 348, 1865 (haplotype [ambulans Fall.).

Sphyrops Douglas and Scott, Ent. Mo. Mag., iii, p. 16, 1866 (n.n. for [Sphyracephalus D. & S.).

†Chlamydatus Reuter, Genera Cimic. Eur., p. 30, 1875. Reuter, Rev. Crit. Caps., ii, pp. 90, 124, 1875.

1187. Mecomma ambulans (Fall.)

Fallén, Monog. Cimic. Suec., p. 104, 1807, Capsus. Fallén, Hemip. Suec., Cimic., p. 126, 1829, Capsus. Herrich-Schaeffer, Wanz. Ins., iii, p. 109, figs. 335-337, 1835, Capsus. Sahlberg, Monog. Geoc. Fenn., p. 94, 1848, Capsus. Kirschbaum, Rhyn. v. Wiesbd., Caps., pp. 76, 114, 1855, Capsus. Flor, Rhyn. Livl., i, p. 577, 1860, Capsus. Fieber, Europ. Hemip., p. 284, 1861. Douglas and Scott, Brit. Hemip., p. 349, 1865, Sphyracephalus. Reuter, Rev. Crit. Caps., ii, p. 124, 1875, Chlamydatus. Reuter, Hemip. Gymn. Eur., iii, pp. 384, 555, pl. 2, figs. 1, 2, 1883, Chlamy-Uhler, Check List, p. 20, 1886. [datus. Saunders, Heter. Brit. Isds., p. 280, pl. 26, figs. 3, 4, 1892. Hüeber, Synop. deut. Blindw., ii, p. 144, 1894? ochripes Curtis, Brit. Ent., xv, pl. 693, 1838, Chlamydatus. nigritula Zetterstedt, Ins. Lapp., column 279, 1840. dubia Zetterstedt, Ins. Lapp., column 279, 1840 (immature). Localities: "Brit. Am." (Europe.)

1188. Mecomma gilvipes (Stål)

Stål, Stet. Ent. Zeit., xix, p. 187, 1858, Leptomerocoris giloipes.
Reuter, Hemip. Gymn. Eur., iii, pp. 386, 555, pl. 2, fig. 6, 1883.
Uhler, Check List, p. 20, 1886.
Van Duzee, Can. Ent., xxi, p. 4, 1889.
Heidemann, Proc. Wash. Acad. Sci., ii, p. 504, 1900.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 551, 1905.
Oshanin, Verz. Palae. Hemip., p. 835, note, 1909.
Localities: Ont., N. H., N. Y., Wash., Alaska.

Genus Orthocephalus Fieb. Logotype brevis (Panz.)

Fieber, Wien. Ent. Monat., ii, p. 316, 1858.
Fieber, Europ. Hemip., pp. 71, 291, 1861.
Douglas and Scott, Brit. Hemip., p. 429, 1865.
Thomson, Opusc. Ent., iv, p. 432, 1871.
Reuter, Genera Cimic. Eur., p. 24, 1875.
Reuter, Rev. Crit. Caps., i, p. 86; ii, p. 93, 1875.
Provancher, Pet. Faune Ent. Can., iii, p. 136, 1887.
Reuter, Hemip. Gymn. Eur., iv, pp. 43, 158, 1891.
Hüeber, Synop. deut. Blindw., ii, pp. 3, 15, 1894?

1189. Orthocephalus saltator (Hahn)

Hahn, Wanz. Ins., iii, p. 11, fig. 236, 1835, Capsus.

Fieber, Europ. Hemip., p. 293, 1861.

Douglas and Scott, Brit. Hemip., p. 431, pl. 14, fig. 2, 1865.

Thomson, Opusc. Ent., iv, p. 432, 1871.

Reuter, Rev. Crit. Caps., ii, p. 95, 1875.

Uhler, Check List, p. 20, 1886.

Reuter, Hemip. Gymn. Europ., iv, pp. 51, 165, pl. 1, fig. 10; pl. 4, fig. 1, 1891.

Saunders, Heter. Brit. Isds., p. 270, pl. 25, fig. 2, 1892.

Van Duzee, Can. Ent., xliv, p. 322, 1912.

|| mutabilis var. Fallén, Hemip. Suec., Cimic., p. 118, 1829, Capsus. mutabilis Burmeister, Handb. d. Ent., ii, p. 277, 1835, Halticus.

Sahlberg, Monog. Geoc. Fenn., p. 120, 1848, Capsus.

Flor, Rhyn. Livl., i, p. 567, 1860, Capsus.

hirtus Curtis, Brit. Ent., xv, pl. 693, 1838, Capsus. [Pachytoma. major Costa, Cimic. Reg. Neap., Cent. iii, p. 278, pl. 3, figs. 5, 6, 1852, infuscatus Garbiglietti, Bul. Soc. Ent. Ital., i, p. 190, 1869, Globiceps.

Localities: Alaska. (Europe, Siberia.)

Orthocephalus sp. nov. Uhl.

Uhler, Proc. Ent. Soc. Wash., ii, p. 377, 1893.

Locality: Utah.

Genus **Pseudopsallus** Van D. Orthotype angularis Uhl.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 213, 224, 1916.

1190. Pseudopsallus angularis (Uhl.)

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 272, 1894, Macrotylus.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 28, 1914, Macrotylus.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 224, 1916.
Locality: Calif.

1191. Pseudopsallus verticalis (Uhl.)

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 272, 1894, Macrotylus.

Gillette and Baker, Hemip. Colo., p. 51, 1895, Macrotylus. [Macrotylus. Hunter and Pratt, U. S. Dept. Agr., Div. Ent., Bul. n.s. 113, p. 41, 1913, Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 29, 1914, Plagiognathus. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 225, 1916.

Localities: Colo., N. Mex., Calif.

Genus Labopidea Uhl. Haplotype chloriza Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 415, 1877. [(monograph). Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 214, 218, 1916

1192. Labopidea nigripes (Reut.)

Reuter, Neark. Caps., p. 68, 1909, Orthotylus.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 219, 242, 1916.
Localities: Nevada, Calif., Br. Col.

1193. Labopidea simplex (Uhl.)

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 417, 1872, Tinicephalus.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 319, 1876; iii, p. 418, 1877, TiniGillette and Baker, Hemip. Colo., p. 42, 1895, Tinicephalus. [cephalus.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 220, 1916.
Van Duzee, Psyche, xxiii, p. 141, 1916.

grisea Reuter, Neark. Caps., p. 73, 1909, Hyoidea. Localities: Wyo., Colo., N. Mex., Calif.

1194. Labopidea chloriza Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 416, 1877.
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 268, 1894.
Gillette and Baker, Hemip. Colo., p. 46, 1895.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 221, 1916 (notice).
Localities: Colo., Utah.

1195. Labopidea sericata (Uhl.)

Uhler, Hemip. Colo., p. 49, 1895, Oncotylus.
Reuter, Neark. Caps., p. 69, 1909, Orthotylus.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 220, 1916.
Localities: Colo., Nev.

11951/2. Labopidea atriseta Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 221, 1916. Locality: Calif.

Genus Macrotyloides Van D. Orthotype vestitus Uhl.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 214, 222, 1916.

1196. Macrotyloides vestitus (Uhl.)

Uhler, Trans. Md. Acad. Sci., i, p. 88, 1890, Macrotylus.

†Wirtner, Ann. Carn. Mus., iii, p. 201, 1904, Macrotylus.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 29, 1914, Macrotylus.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 222, 1916.

Localities: Calif. (Pa.†)

11961/2. Macrotyloides apicalis Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 223, 1916. Locality: Calif.

Genus **Argyrocoris** Van D. Haplotype scurrilis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 478, 1912. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 214, 1916.

1197. Argyrocoris scurrilis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 479, 1912. Locality: Ariz.

11971/2. Argyrocoris femoratus Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 225, 1916. Locality: Calif.

Genus Parthenicus Reut. Haplotype psalliodes Reut.

Reuter, Caps. Am. Bor., p. 84, 1876.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 213, 1916.

1198. Parthenicus psalliodes Reut.

Reuter, Caps. Am. Bor., p. 85, 1876.

Locality: Texas.

1199. Parthenicus vaccini (Van D.)

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 117, 1915, Psallus.

Van Duzee, Check List Hemip., p. 45, 1916.

Locality: Mass.

11991/2. Parthenicus picicollis Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 226, 1916. Locality: Calif.

Subfamily PHYLINAE Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 110, 111, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 202, 1916.

Van Duzee, Check List Hemip., p. 45, 1916.

Plagiognathinae Oshanin, Kat. Palae. Hemip., p. 77, 1912.

TRIBE PHYLINI (Reut.)

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 112, 1910, Division *Phylaria*. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 202, 214, 1916. [Tribe *Boopidocorini* Reut. (Kirk.) is palaearctic.]

DIVISION ONCOTYLARIA (D. & S.)

Douglas and Scott, Brit. Hemip., pp. 32, 384, 1865, Fam. Oncotylidae.

Reuter, Rev. Crit. Caps., i, p. 77; ii, p. 138, 1875.

Reuter, Hemip. Gymn. Eur., ii, p. 193, 1879; iii, p. 568, 1883.

Provancher, Pet. Faune Ent. Can., iii, p. 100, 1886, Oncotylides.

Reuter, Festsch. f. Palmen, i, pp. 16, 27, 1905.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 125, 1906, Tribe Oncotylini.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 214, 1916.

Xenocorini Kirkaldy, Can. Ent., xxxviii, p. 370, 1906. (Tribe.)

Genus Macrotylus Fieb.

Haplotype luniger Fieb.

Fieber, Wien. Ent. Monat., ii, p. 325, 1858.

Fieber, Europ. Hemip., pp. 76, 317, 1861.

Thomson, Opusc. Ent., iv, p. 452, 1871.

Reuter, Genera Cimic. Eur., p. 43, 1875.

Reuter, Rev. Crit. Caps., i, p. 96, 1875.

Reuter, Hemip. Gymn. Eur., ii, p. 194, 1879; iii, p. 529, 1883.

Hüeber, Synop. deut. Blindw., ii, p. 243, 1894?

Oshanin, Verz. Palae. Hemip., i, p. 882, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 214, 1916.

Van Duzee, Pomona Jl. Ent. Zool., viii, p. 5, 1916 (monograph).

Mermimerus Sahlberg, Not. Soc. Fauna Flora Fenn., xi, p. 293, 1870 (type [cruciatus Sahlbg.).

Reuter, Genera Cimic. Eur., p. 43, 1875 (as subgenus).

1200. Macrotylus 6-guttatus (Prov.)

Provancher, Pet. Faune Ent. Can., iii, p. 150, 1887, Amblytylus.

Van Duzee, Ottawa Nat., xxvi, p. 68, 1912.

Van Duzee, Can. Ent., xliv, p. 322, 1912.

Van Duzee, Pomona Jl. Ent. Zool., viii, p. 6, 1916.

Localities: Quebec, N. Y.

1201. Macrotylus amoenus Reut.

Reuter, Neark. Caps., p. 75, 1909.

Van Duzee, Pomona Jl. Ent. Zool., viii, p. 6, 1916.

Macrotylus sp. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 182, No. 156, 1909. Localities: Conn., Pa., Fla.

12014. Macrotylus multipunctatus Van D.

Van Duzee, Pomona Jl. Ent. Zool., viii, p. 7, 1916.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 242, 1916. Locality: Calif.

1201½. Macrotylus dorsalis Van D.

Van Duzee, Pomona Jl. Ent. Zool., viii, p. 7, 1916.

Locality: Calif.

120134. Macrotylus essigi Van D.

Van Duzee, Pomona Jl. Ent. Zool., viii, p. 8, 1916.

Locality: Calif.

1202. Macrotylus lineolatus Uhl.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 270, 1894.

Van Duzee, Pomona Jl. Ent. Zool., viii, p. 9, 1916.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 242, 1916.

Locality: Calif.

1203. Macrotylus herrichi (Reut.)

Reuter, Not. Säll. Fauna Flora Fenn. Forh., xiv, p. 24, 1873, Hoplomachus.

Reuter, Genera Cimic. Eur., p. 39, 1875, Hoplomachus.

Reuter, Hemip. Gymn. Eur., ii, p. 200, 1879; iii, p. 534, 1883.

||bilineatus Herrich-Schaeffer, Wanz. Ins., iii, p. 70, fig. 285, 1836, Capsus.

Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 82, No. 105, 1855, Capsus.

Fieber, Europ. Hemip., p. 316, 1861, Hoplomachus.

Uhler, Check List, p. 20, 1886, Hoplomachus.

Localities: "Brit. Am." (Europe.)

1203½. Macrotylus infuscatus Van D.

Van Duzee, Pomona Jl. Ent. Zool., viii, p. 10, 1916.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 242, 1916.

Locality: Calif.

1204. Macrotylus tristis Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 87, 1890.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 28, 1914.

Van Duzee, Pomona Jl. Ent. Zool., viii, p. 11, 1916.

Localities: Colo., Calif.

1205. Macrotylus regalis Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 86, 1890.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 29, 1914.

Van Duzee, Pomona Jl. Ent. Zool., viii, p. 11, 1916.

Locality: Calif.

[Macrotylus guttatus Uhl. MS]

Van Duzee, Can. Ent., xxi, p. 4, 1889.

[May be 6-guttatus Prov.]

Locality: Ont.

[Macrotylus desiccatus Uhl. MS]

Townsend, Can. Ent., xxiv, p. 194, 1892.

Locality: N. Mex.

Genus Hoplomachidea Reut. Orthotype consors Uhl.

Reuter, Neark. Caps., p. 75, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 214, 1916.

1206. Hoplomachidea consors (Uhl.)

Uhler, N. Am. Fauna, vii, p. 264, 1893, Haplomachus.

Reuter, Neark. Caps., p. 75, 1909 (as type).

Locality: Calif.

Genus Lopus Hahn

Logotype chrysanthemi Hahn = decolor Fall.

Hahn, Wanz. Ins., i, p. 143, 1832 (refers to figures on pl. 1).

Reuter, Wien. Ent. Zeit., xxv, p. 216, 1906.

Kirkaldy, Can Ent., xxxviii, p. 376, 1906.

Reuter, Ent. Mo. Mag., ser. 2, xix, p. 27, 1908.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 146, 1910.

Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 41, 1912.

Onychumenus Reuter, Hemip. Gymn. Eur., ii, p. 286, 1879 (type decolor

Reuter, Hemip. Gymn. Eur., iii, p. 529, 1883.

[Fall.).

Hüeber, Synop. deut. Blindw., ii, pp. 243, 247, 1894?

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 126, 1906.

Oshanin, Verz. Palae. Hemip., p. 858, 1909.

Oshanin, Kat. Palae. Hemip., p. 77, 1912.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 214, 1916.

Van Duzee, Check List Hemip., p. 46, 1916.

1207. Lopus decolor (Fall.)

Fallén, Monog. Cimic. Suec., p. 102, 1807, Capsus.

Fallén, Hemip. Suec., Cimic., p. 123, 1829, Capsus.

Meyer-Duer, Synop. Schw. Rhyn., p. 86, 1843, Capsus.

Sahlberg, Monog. Geoc. Fenn., p. 95, 1848, Capsus.

Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 77, No. 91, 1855, Capsus.

Flor, Rhyn. Livl., i, p. 555, 1860, Capsus.

Fieber, Europ. Hemip., p. 298, 1861, Oncotylus.

Douglas and Scott, Brit. Hemip., p. 393, pl. 13, fig. 2, 1865, Oncotylus.

Thomson, Opusc. Ent., iv, p. 452, 1871, Capsus (Phylus).

Reuter, Genera Cimic. Eur., p. 40, 1875, Oncotylus. Reuter, Rev. Crit. Caps., ii, p. 142, 1875, Oncotylus. Reuter, Hemip. Gymn. Eur., ii, p. 287, 1879, Onychumenus. Provancher, Pet. Faune Ent. Can., iii, p. 148, 1887, Oncotylus. Saunders, Heter. Brit. Isds., p. 297, pl. 27, fig. 10, 1892, Onychumenus. Montgomery, Ent. News, xiii, p. 13, 1902, Oncotylus. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 49, 1905, Onychumenus. Reuter, Ent. Mo. Mag., ser. 2, xix, p. 27, 1908.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910.

Van Duzee, Can. Ent., xliv, p. 322, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 29, 1914.

Parshley, Psyche, xxi, p. 142, 1914.

chrysanthemi Hahn, Wanz. Ins., i, p. 10, fig. 4, 1831.

palliatus (Perris), Ann. Soc. Linn., Lyons, iv, p. 166, 1857, Capsus. Localities: Quebec, Ont., Me., Mass., Conn., N. Y., N. J., D. C., Calif.

1208. Oncotylus punctipes Reut.

Saunders, Ent. Mo. Mag., x, p. 91, 1873 (without name). Reuter, Genera Cimic. Eur., p. 42, 1875 (characterized). Reuter, Rev. Crit. Caps., ii, p. 144, 1875 (described). Reuter, Hemip. Gymn. Eur., ii, p. 279, pl. 5, fig. 4, 1879; iii, p. 541, 1883. Provancher, Pet. Faune Ent. Can., iii, p. 149, 1887. Hüeber, Synop. deut. Blindw., ii, pp. 254, 258, 1894? Van Duzee, Can. Ent., xliv, p. 322, 1912. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 29, 1914. †tanaceti (Herrich-Schaeffer), Wanz. Ins., iii, p. 85, fig. 309, 1836, Capsus.

Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 80, No. 102, 1855, Capsus Fieber, Europ. Hemip., p. 299, 1861. [(Leptomerocoris.)

Localities: Ont., Me., Calif.

1209. Oncotylus puberus Uhl.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 270, 1894. Locality: Calif.

1210. Oncotylus guttulatus Uhl.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 269, 1894. Gillette and Baker, Hemip. Colo., p. 48, 1895. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 179, 1906. Localities: Colo., Ariz., Calif.

1211. Oncotylus repertus Uhl.

Uhler, Hemip. Colo., p. 49, 1895. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 29, 1914. Localities: Colo., Calif.

1212. Oncotylus longipennis Uhl.

Uhler, Hemip. Colo., p. 48, 1895. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 360, 1904. Localities: Colo., N. Mex.

DIVISION PHYLARIA (D. & S.)

Douglas and Scott, Brit. Hemip., pp. 30, 346, 1865, Family Phylidae.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 112, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 214, 1916.

Astemmides Amyot and Serville, Hémip., pp. xxxix, 283, 1843 (an un-[natural group founded on the want of a membrane).

Psallidae Douglas and Scott, Brit. Hemip., pp. 32, 400, 1865. (Family.)

Harpoceridae Douglas and Scott, Brit. Hemip., pp. 33, 468, 1865. (Family.) Plagiognatharia Reuter, Genera Cimic. Eur., p. 7, 1875.

Reuter, Rev. Crit. Caps., i, p. 77; ii, p. 148, 1875.

Reuter, Hemip. Gymn. Eur., i, p. 15, 1878; iii, p. 568, 1883.

Provancher, Pet. Faune Ent. Can., iii, p. 101, 1887, Plagiognathides.

Distant, Fauna Brit. Ind., ii, p. 481, 1904.

Reuter, Festschr. f. Palmen, i, pp. 15, 26, 1905.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 122, 1906, Plagiogastharia [as synonym of Chlamydatini.

Oshanin, Kat. Palae. Hemip., p. 77, 1912. (Tribe.)

Nasocoraria Reuter, Hemip. Gymn. Eur., iii, pp. 317, 568, 1883.

Reuter, Festschr. f. Palmen, i, pp. 16, 27, 1905.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 126, 1906, Tribe Nasocorini. Kirkaldy, Can. Ent., xxxviii, p. 370, 1906, Tribe Nasocorini.

Exaeretaria Reuter, Hemip. Gymn. Eur., iii, p. 566, 1883.

Reuter, Festschr. f. Palmen, i, pp. 16, 26, 1905.

Camptotylaria Reuter, Hemip. Gymn. Eur., iv, p. 7, 1891. [tylini. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 130, 1906, Tribe Campto-

Kirkaldy, Can. Ent., xxxviii, p. 370, 1906, Tribe Camptotylini.

Cremnorrhinaria Reuter, Hemip. Gymn. Eur., iii, p. 567, 1883; iv, p. 13,

Reuter, Festschr. f. Palmen, i, pp. 15, 26, 1905. [1891. Kirkeldy Trans Am Ent Soc vyvii p. 129, 1906 Tribe Cremnorthini

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 129, 1906, Tribe Cremnorrhini. Kirkaldy, Can. Ent., xxxviii, p. 370, 1906, Tribe Cremnorrhinini.

Chlamydataria Kirkaldy, Fauna Hawai., iii, p. 131, 1902. [datini Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 122, 1906, Tribe Chlamy-

Kirkaldy, Can. Ent., xxxviii, p. 370, 1906, Tribe Chlamydatini.

Genus Reuteroscopus Kirk. Haplotype ornatus (Reut.)

Kirkaldy, Wien. Ent. Zeit., xxiv, p. 268, 1905 (n.n. for *Episcopus* Reut.). Reuter, Festschr. f. Palmen, i, p. 46, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 28, 1907. (Syn. note.) Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 147, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 215, 1916.

||Episcopus Reuter, Caps. Am. Bor., p. 90, 1876 (Haplotype ornatus Reut.).

Aristoreuteria Kirkaldy, Trans. Ann. Ent. Soc., xxxii, p. 124, 1906 (n.n.

[for Episcopus Reut.).

1213. Reuteroscopus ornatus (Reut.)

Reuter, Caps. Am. Bor., p. 90, 1876, Episcopus.

Van Duzee, Can. Ent., xix, p. 72, 1887, Episcopus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894, Episcopus.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 195, Episcopus.

Gillette and Baker, Hemip. Colo., p. 51, 1895, Episcopus.

Seiss, Ent. News, viii, p. 67, 1897, Episcopus.

Osborn, Proc. Ja. Acad. Sci., v, p. 233, 1898, Episcopus. Osborn, Ohio Nat., i, p. 12, 1900, Episcopus. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 49, 1905, Episcopus. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Episcopus. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 152, 1906, Episcopus. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 28, 1907. Tucker, Univ. Kans. Sci. Bul., iv, p. 58, 1907. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 182, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Localities: Ont., N. Y., N. J., Fla., Ohio, Ia., Kans., Colo., Texas.

(West Indies.)

a. var. uvidus (Dist.)

Distant, Biol. Centr. Am., Heter., i, p. 433, pl. 37, fig. 18, 1893, Lygus. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 182, 1909. tornatus Reuter, Festschr. f. Palmen, i, p. 46, 1905 (part). Localities: N. J., Fla., Kans. (Mexico.)

Genus Psallus Fieb. Logotype roseus (Fabr.)

Fieber, Wien. Ent. Monat., ii, p. 321, 1858. Fieber, Europ. Hemip., pp. 74, 305, 1861. Reuter, Genera Cimic. Eur., p. 46, 1875. Reuter, Rev. Crit. Caps., i, p. 98; ii, p. 158 (subg. on p. 167), 1875. Reuter, Hemip. Gymn. Eur., i, p. 101, 1878; iii, p. 503, 1883. Provancher, Pet. Fauna Ent. Can., iii, p. 152, 1887. Distant, Fauna Brit. Ind., Rhyn., ii, p. 482, 1904 (gives roseus as type). Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 124, 1906. Oshanin, Verz. Palae. Hemip., i, p. 897, 1909. Oshanin, Kat. Palae. Hemip., p. 80, 1912. Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 61, 1912. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 215, 243, 1916.

Liops Fieber, Verh. Zool.-Bot. Ges. Wien, xx, p. 254, 1870 (type puncti-[collis Fieb.).

?Capellanus Distant, Ann. Mag. Nat. Hist., ser. 7, xiii, p. 109, 1904 (Hap-[lotype Lygus sparsus Dist.).

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 157, 1910. Pseudatomoscelis Poppius, Ann. Soc. Ent. Belg., lv, p. 85, 1911.

1214. Psallus juniperi Heid.

Heidemann, Proc. Ent. Soc. Wash., ii, p. 225, 1892 (nomen nudum). Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 49, 1905 (described). Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914 Apocremnus. Localities: Ont., N. Y., W. Va., D. C.

1215. Psallus guttulosus Reut.

Reuter, Caps. Am. Bor., p. 89, 1876. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 276, 1894. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914, Apocremnus. Localities: Ga., Fla., Texas, Colo.

1216. Psallus biguttulatus Uhl.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 275, 1894. Localities: Calif. (Mexico.)

1217. Psallus sulphureus Reut.

Reuter, Of. Finska Vet.-Soc. Forh., xlix, No. 5, p. 23, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 27, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 183, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914, Apocremnus.

Localities: Fla. (West Indies).

1218. Psallus seriatus (Reut.)

Reuter, Caps. Am. Bor., p. 91, 1876, Atomoscelis.
Uhler, Proc. Ent. Soc. Wash., ii, p. 377, 1893, Atomoscelis.
Gillette and Baker, Hemip. Colo., p. 52, 1895, Atomoscelis.
Uhler, Proc. U. S. Natl. Mus., xxvii, p. 361, 1904, Atomoscelis.
Snow, Trans. Kans. Acad. Sci., xx, pp. 152, 179, 1906, Atomoscelis.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 183, 1909, Atomoscelis.
Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910, Atomoscelis.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914, Atomoscelis.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 29, 1914, Atomoscelis.
Van Duzee, Check List Hemip., p. 46, 1916.

Localities: Md., D. C., Fla., Utah, Colo., N. Mex., Ariz., Texas. Calif.

1219. Psallus pilosulus (Uhl.)

Uhler, Proc. Ent. Soc. Wash., ii, p. 377, 1893, Atomoscelis.
Van Duzee, Pomona Jl. Ent. Zool., vii, p. 118, 1915.
Van Duzee, Check List Hemip., p. 46, 1916.
Locality: Utah.

1220. Psallus tuckeri (Popp.)

Poppius, Ann. Soc. Ent. Belg., lv, p. 86, 1911, Pseudatomoscelis.
 Van Duzee, Check List Hemip., p. 46, 1916.
 Locality: Texas.

[Psallus sericeus Uhl. MS]

Heidemann, Proc. Ent. Soc. Wash., ii, p. 226, 1892. Locality: D. C.

[Psallus antennatus Uhl. MS]

Van Duzee, Can. Ent., xxi, p. 4, 1889. Locality: Ont.

Genus Sthenarus Fieb. Logotype rottermundi (Schultz)

Fieber, Wien. Ent. Monat., ii, p. 321, 1858.
Fieber, Europ. Hemip., pp. 74, 309, 1861.
Douglas and Scott, Brit. Hemip., p. 421, 1865.
Thomson, Opusc. Ent., iv, p. 449, 1871.
Reuter, Genera Cimic. Eur., p. 55, 1875 (as subgenus).
Reuter, Rev. Crit. Caps., i, p. 99; ii, p. 178, 1875 (as subgenus).
Reuter, Hemip. Gymn. Eur., i, p. 42, 1878; iii, p. 502, 1883.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 215, 1916.

Phoenicocoris Reuter, Genera Cimic. Eur., p. 55, 1875 (as subgenus; type
[modestus Meyer).

Reuter, Rev. Crit. Caps., i, p. 99; iii, p. 779, 1875 (as subgenus). Reuter, Caps. Am. Bor., p. 90, 1876.

1221. Sthenarus pubescens (Reut.)

Reuter, Caps. Am. Bor., p. 90, 1876, *Phoenicocoris*. Van Duzee, Check List Hemip., p. 46, 1916. Locality: Texas.

1222. Sthenarus cuneotinctus (Van D.)

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 118, 1915, *Psallus*. Van Duzee, Check List Hemip., p. 46, 1916.

Genus Criocoris Fieb. Haplotype crassicornis Hahn

Haplotype crassicornis Hah Fieber, Wien. Ent. Monat., ii, p. 319, 1858. Fieber, Europ. Hemip., pp. 73, 301, 1861.

Reuter, Genera Cimic. Eur., p. 54, 1875. Reuter, Crit. Rev. Caps., i, p. 99; ii, p. 177, 1875 (as subgenus).

Reuter, Hemip. Gymn. Eur., i, p. 84, 1879; iii, p. 503, 1883.

Oshanin, Verz. Palae. Hemip., i, p. 919, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 215, 1916.

Colpochilus Reuter, Genera Cimic. Eur., p. 60, 1875 (type tenuicornis

[Reut. = crassicornis Hahn).

||Strongylotes Reuter, Caps. Am. Bor., p. 88, 1876 (type saliens Reut.).
Reuter, Neark. Caps., p. 79, 1909 (redescribed). [ylotes Reut.).
||Laodamia Kirkaldy, Wien. Ent. Zeit., xxii, p. 13, 1903 (n.n. for Strong-Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 145, 1910. [damia Kirk.).
Laodamina Banks, Cat. Nearc. Hemip., pp. 29, 103, 1910 (n.n. for Lao-Criocoridea Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 512, 1912 (n.n. for Laodamia Kirk.).

1223. Criocoris saliens (Reut.)

Reuter, Caps. Am. Bor., p. 88, 1876, Strongylotes.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894, Strongylotes.
Wirtner, Ann. Carn. Mus., iii, p. 201, 1904, Strongylotes.
Reuter, Neark. Caps., p. 79, 1909, Strongylotes.
Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910, Strongylotes.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 29, 1914.
Localities: Texas, Calif.

[Eastern references probably refer to the next species.]

1224. Criocoris canadensis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 511, 1912. Localities: Quebec, Ont.

Genus Microphylellus Reut. Orthotype modestus Reut.

Reuter, Neark. Caps., p. 76, 1909 (nomen nudum here). Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 62, 1912 (valid here). Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 215, 1916.

1225. Microphylellus modestus Reut.

Heidemann, Proc. Ent. Soc. Wash., ii, p. 226, 1892, Phylus (MS name). Smith, Cat. Ins. N. J., edn. 3, p. 133, 1900, Phylus (MS name). Wirtner, Ann. Carn. Mus., iii, p. 202, 1904, Phylus (MS name).

Reuter, Neark. Caps., p. 76, 1909 (MS name, as type).

Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 62, 1912 (described). Localities: Ont. Mass., N. Y., N. J., Pa.

1226. Microphylellus rubricans (Prov.)

Provancher, Pet. Faune. Ent. Can., iii, p. 154, 1887, Plagiognathus. Van Duzee, Can. Ent., xliv, p. 323, 1912, Rhinocapsus. Localities: Quebec, Mass., N. C.

12261/2. Microphylellus alpinus Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 242, 1916. Localities: Calif.

1227. Microphylellus bicinctus (Van D.)

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 30, 1914, Chlamydatus. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 243, 1916. Locality: Calif.

Genus Rhinocapsus Uhl. Haplotype vanduzeii Uhl

Uhler, Trans. Md. Acad. Sci., i, p. 81, 1890. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 147, 1910. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 215, 1916.

1228. Rhinocapsus vanduzeii Uhl.

Van Duzee, Can. Ent., xxi, p. 4, 1889 (MS name). Uhler, Trans. Md. Acad. Sci., i, p. 82, 1890. Harrington, Ottawa Nat., vi, p. 28, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894. Slosson, Ent. News, vi, p. 5, 1895. Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.

Van Duzee, Can. Ent., xxxviii, p. 407, 1906.

Moore, Can. Ent., xxxix, p. 162, 1907.

Banks, Ent. News, xxiii, p. 105, 1912.

Localities: Ont., Me., N. H., Mass., N. Y., Md., Va., N. C., Fla.

Genus Gerhardiella Popp. Haplotype rubida Popp.

Poppius, Ann. Soc. Ent. Belg., lv, p. 84, 1911.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 215, 243, 1916.

1229. Gerhardiella rubida Popp.

Poppius, Ann. Soc. Ent. Belg., lv, p. 85, 1911. rosaceus (Van Duzee), Bul. Buf. Soc. Nat. Sci., x, p. 488, 1912, Poecilo-§roseus Van Duzee, Check List Hemip., p. 46, 1916 (in synonomy). Locality: Colo.

1230. Gerhardiella delicatus (Uhl.)

Uhler, Ent. Am., iii, p. 34, 1887, Psallus.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 275, 1894, Psallus.

Tucker, Univ. Kans. Sci. Bul., iv, p. 58, 1907, Psallus.

Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910, Psallus.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 243, 1916.

Localities: Ga., Kans., Calif.

Genus Plagiognathus Fieb. Logotype arbustorum Fabr.

Fieber, Wien. Ent. Monat., ii, p. 320, 1858.

Fieber, Europ. Hemip., pp. 73, 302, 1861.

Douglas and Scott, Brit. Hemip., p. 400, 1865.

Thomson, Opusc. Ent., iv, p. 447, 1871.

Reuter, Genera Cimic. Eur., p. 56, 1875.

Reuter, Rev. Crit. Caps., i, p. 99; ii, p. 180, 1875.

Reuter, Hemip. Gymn. Eur., i, pp. 71, 175, 1879; iii, p. 503, 1883.

Provancher, Pet. Faune Ent. Can., iii, p. 153, 1887.

Atkinson, Cat. Capsidae, p. 170, 1889.

Oshanin, Verz. Palae. Hemip., p. 921, 1909.

Van Duzee, Univ: Calif. Publ., Div. Ent. Tech. Bul., i, pp. 215, 243, 1916.

1231. Plagiognathus confusus Reut.

Reuter, Neark. Caps., p. 80, 1909.

Locality: Nev.

1232. Plagiognathus affiguratus Uhl.

Uhler, Hemip. Colo., p. 50, 1895, Macrotylus.

Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 61, 1912.

Localities: Colo., Calif.

1233. Plagiognathus moerens Reut.

Gillette and Baker, Hemip. Colo., p. 51, 1895, Macrotylus (MS name).

Townsend, Proc. Ent. Soc. Wash., ii, p. 54, 1891, Hoplomachus (MS name).

Reuter, Neark. Caps., p. 80, 1909 (described).

Localities: Mich., Colo., Wyo., Calif.

1234. Plagiognathus blatchleyi Reut.

Smith, Cat. Ins. N. J., edn. 2, p. 132, 1900, Macrotylus (MS name). [scribed). Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 7, p. 61, 1912 (de-

Localities: Me., Mass., N. Y., N. J.

1235. Plagiognathus fuscosus (Prov.)

Provancher, Nat. Can., iv, p. 105, 1872, Lygus.

Van Duzee, Can. Ent., xliv, p. 323, 1912.

Parshley, Psyche, xxi, p. 143, 1914.

Localities: Quebec, Me.

1236. Plagiognathus grandis Reut.

Reuter, Caps. Am. Bor., p. 91, 1876.

Locality: Texas.

1237. Plagiognathus albatus (Van D.)

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 116, 1915, Psallus.

Localities: N. Y., Pa., D. C., Calif.

1238. Plagiognathus fraternus Uhl.

Uhler, Hemip. Colo., p. 51, 1895.
Slosson, Ent. News, xi, p. 323, 1900.
Wirtner, Ann. Carn. Mus., iii, p. 201, 1904.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.
Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 50, 1905.
Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910.
Parshley, Psyche, xxi, p. 143, 1914.

Localities: Me., N. H., N. Y., Pa., Colo.

1239. Plagiognathus obscurus Uhl.

Uhler, Hayden's Surv. Terr. for 1871, p. 418, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 319, 1876; iii, p. 422, 1877. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 409, 1878. Van Duzee, Can. Ent., xix, p. 72, 1887. Cockerell, Trans. Am. Ent. Soc., xx, p. 363, 1893. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 180, 1894. Slosson, Ent. News, vi, p. 5, 1895. Gillette and Baker, Hemip. Colo., p. 52, 1895. Osborn, Ohio Nat., i, p. 12, 1900. Van Duzee, Trans. Am. Ent. Soc., xxix, p. 110, 1903. Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 50, 1905. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905. Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 179, 1906. Van Duzee, Can. Ent. xxxviii, p. 408, 1906. Tucker, Univ. Kans. Sci. Bul., iv, p. 58, 1907. Moore, Can. Ent., xxxix, p. 162, 1907. Van Duzee, Can. Ent., xl, p. 113, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910. Parshley, Psyche, xxi, p. 143, 1914. †fuscosus Provancher, Pet. Faune Ent. Can., iii, p. 153, 1887 (not of 1872). †delicatus (Provancher), Pet. Faune Ent. Can., iii, p. 152, 1887, Psallus. Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Ohio, Kans., Colo.

1240. Plagiognathus annulatus Uhl.

Uhler, Hemip. Colo., p. 51, 1895.
Wirtner, Ann. Carn. Mus., iii, p. 201, 1904.
Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 50, 1905.
Van Duzee, Can. Ent., xxxviii, p. 408, 1906.
Moore, Can. Ent., xxxix, p. 162, 1907.
Tucker, Univ. Kans. Sci. Bul., iv, p. 58, 1907.
Localities: Ont., Mass., N. Y., Pa., Kans., Colo.

1241. Plagiognathus politus Uhl.

Uhler, Hemip. Colo., p. 52, 1895. Smith, Cat. Ins. N. J., edn. 2, p. 133, 1900. Montgomery, Ent. News, xiii, p. 13, 1902. Wirtner, Ann. Carn. Mus., iii, p. 201, 1904. Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 50, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905. Van Duzee, Can. Ent., xxxviii, p. 408, 1906.

Tucker, Univ. Kans. Sci. Bul., iv, p. 58, 1907.

Moore, Can. Ent., xxxix, p. 162, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Parshley, Psyche, xxi, p. 143, 1914.

[cremnus.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 243, 1916, Apo-Localities: Quebec, Ont., Me., N. Y., N. J., Pa., Kans., Manitoba. (Mexico?)

1242. Plagiognathus breviceps (Reut.)

Reuter, Neark. Caps., p. 78, 1909, Psallus. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 29, 1914, Psallus? Van Duzee, Check List Hemip., p. 47, 1916.

[Plagiognathus cunealis Uhl. MS]

Reuter, Neark. Caps., p. 78, 1909, Psallus. Locality: D. C.

[Plagiognathus pallipes Uhl. MS]

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892. Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905. Localities: Kans., Ia.

Genus Apocremnus Fieb. Haplotype ancorifer Fieb.

Fieber, Wien. Ent. Monat., ii, p. 320, 1858. Fieber, Europ. Hemip., pp. 74, 304, 1861.

Douglas and Scott, Brit. Hemip., p. 403, 1865.

Thomson, Opusc. Ent., iv, p. 445, 1871.

Reuter, Rev. Crit. Caps., i, p. 98; ii, p. 159, 1875 (subgen. of Psallus).

Reuter, Crit. Rev. Caps., i, p. 98; ii, p. 159, 1875 (subgen. of Psallus).

Atkinson, Cat. Capsidae, p. 160, 1889 (as synon. of Psallus).

Oshanin, Verz. Palae. Hemip., i, p. 897, 1909 (as synon. of Psallus).

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 145, 1910 (includes *Psallus*). Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, pp. 215, 243, 1916.

1243. Apocremnus ancorifer Fieb.

Fieber, Wien. Ent. Monat., ii, p. 336, 1858.

Fieber, Europ. Hemip., p. 304, 1861.

Walker, Cat. Heter., vi, p. 150, 1873, Eurymerocoris.

Reuter, Genera Cimic. Eur., p. 47, 1875.

Reuter, Hemip. Gymn. Eur., i, p. 104, pl. 7, fig. 7, 1878; iii, pp. 517, 518, 1883.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908, Psallus.

Reuter, Neark. Caps., p. 77, 1909, Psallus.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 29, 1914, Psallus. nigripes male (Fieber), Europ. Hemip., p. 295, 1861, Atractotomus. minor Reuter, Hemip. Gymn. Eur., iii, p. 460, 1883 (as variety). puberulus (Montandon), Rev. d'Ent., vi, p. 68, 1887, Psallus. [robustus Uhl. MS] Smith, Cat. Ins. N. J., edn. 2, p. 132, 1900. Localities: N. Y., N. J., D. C., Calif. (Europe.)

1244. Apocremnus variabilis (Fall.)

Fallén, Monog. Cimic. Suec., p. 88, 1807, Lygaeus.

Fallén, Hemip. Suec., Cimic., p. 98, 1829, Phytocoris.

Hahn, Wanz. Ins., ii, p. 137, fig. 224, 1834, Phytocoris.

Zetterstedt, Ins. Lapp., column 275, 1840, Phytocoris.

Meyer-Duer, Verz. Schw. Rhyn., p. 68, 1843, Capsus.

Sahlberg, Monog. Geoc. Fenn., p. 115, 1848, Capsus.

Costa, Cimic. Reg. Neap., Cent., iii, p. 268, 1852, Phytocoris.

Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 93, No. 129, 1855, Capsus.

Flor, Rhyn. Livl., i, p. 592, 1860, Capsus.

Fieber, Europ. Hemip., p. 305, 1861.

Douglas and Scott, Brit. Hemip., p. 408, 1865.

Thomson, Opusc. Ent., iv, p. 447, 1871, Capsus.

Walker, Cat. Heter., vi, p. 151, 1873, Eurymerocoris.

Reuter, Genera Cimic. Eur., p. 49, 1875.

Reuter, Rev. Crit. Caps., ii, p. 165, 1875.

Reuter, Hemip. Gymn. Eur., i, p. 116, pl. 7, fig. 5, 1878; ii, p. 303, 1879; iii, Van Duzee, Can. Ent., xxi, p. 4, 1889. [p. 520, 1883.

Saunders, Heter. Brit. Isds., pp. 311, 313, pl. 29, fig. 6, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 179, 1894.

Banks, Cat. Neark. Hemip., p. 31, 1910.

perrisii (Mulsant & Rey), Ann. Soc. Linn., Lyons, i, p. 139, 1852, Capsus. salicis (Douglas and Scott), Brit. Hemip., p. 415, 1865, Psallus.

Localities: Ont., N. Y. (Europe.)

12441/2. Apocremnus nigerrimus Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 243, 1916. Locality: Calif.

Genus Bolteria Uhl.

Haplotype amicta Uhl.

Uhler, Ent. Am., iii, p. 33, 1887.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 147, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 216, 1916.

Van Duzee, Psyche, xxiii, p. 141, 1916.

1245. Bolteria amicta Uhl.

Uhler, Ent. Am., iii, p. 34, 1887.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 361, 1904.

Locality: N. Mex.

1246. Bolteria picta Uhl.

Uhler, Proc. Ent. Soc. Wash., ii, p. 373, 1893.

Gillette and Baker, Hemip. Colo., p. 51, 1895.

Reuter, Neark. Caps., p. 72, 1909, Hyoidea.

Localities: Colo., Utah.

a. var. hirta Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 244, 1916. Locality: Calif.

Genus Atractotomus Fieb.

Logotype magnicornis Fall.

Fieber, Wien. Ent. Monat., ii, p. 317, 1858.

Fieber, Europ. Hemip., pp. 77, 294, 1861.

Thomson, Opusc. Ent., iv, p. 445, 1871.

Reuter, Genera Cimic. Eur., p. 46, 1875.

Reuter, Rev. Crit. Caps., i, p. 98; ii, p. 156, 1875.

Reuter, Hemip. Gymn. Eur., i, p. 92, 1878; iii, p. 503, 1883.

Atkinson, Cat. Capsidae, p. 167, 1889.

Oshanin, Verz. Palae. Hemip., i, p. 914, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 216, 1916.

1247. Atractotomus hesperius Reut.

Reuter, Neark. Caps., p. 78, 1909.

Locality: Calif.

1248. Atractotomus albidicoxis Reut.

Reuter, Neark. Caps., p. 79, 1909.

Locality: Ariz.

Genus Leucopoecila Reut.

Haplotype albofasciata Reut.

Reuter, Of. Finska Vet. Soc. Forh., xlix, No. 5, p. 24, 1907. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 216, 1916.

1249. Leucopoecila albofasciata Reut.

Reuter, Of. Finska Vet. Soc. Forh., xlix, No. 5, p. 26, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 28, 1907.

Reuter, Neark. Caps., p. 83, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 31, 1914.

†forticornis Wirtner, Ann. Carn. Mus., iii, p. 202, 1904, Rhinocloa.

Localities: Pa., Fla., Calif. (West Indies.)

Genus Myochroocoris Reut.

Haplotype griscolus Reut.

Reuter, Neark. Caps., p. 77, 1909.

1250. Myochroocoris griseolus Reut.

Reuter, Neark. Caps., p. 77, 1909.

Locality: Texas.

Genus Atomoscelis Reut.

Logotype onustus Fieb.

Reuter, Genera Cimic. Eur., p. 57, 1875 (as subgenus).

Reuter, Rev. Crit. Caps., i, p. 100, 1875 (as subgenus).

Reuter, Hemip. Gymn. Eur., i, p. 67, 1878; ii, p. 298, 1879; iii, p. 502, 1883.

Reuter, Of. Finska Vet.-Soc. Forh., xliv, p. 61, 1902 (redescribed).

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 123, 1906 (cites onustus as type).

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 145, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 216, 1916.

1251. Atomoscelis modestus (Van D.)

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 30, 1914, Tuponia.

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 118, 1915 (notice).

Locality: Calif.

Genus Europiella Reut.

Orthotype stigmosa Uhl.

Reuter, Neark. Caps., p. 83, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 216, 1916.

1252. Europiella stigmosa (Uhl.)

Uhler, Proc. Ent. Soc. Wash., ii, p. 379, 1893, Agalliastes. Reuter, Neark. Caps., p. 84, 1909.

Localities: Colo., Utah, Nevada, Calif.

1253. Europiella decolor (Uhl.)

Uhler, Proc. Ent. Soc. Wash., ii, p. 380, 1893, Agalliastes. Gillette and Baker, Hemip. Colo., p. 54, 1895, Agalliastes.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Agalliastes.

Reuter, Neark. Caps., p. 81, 1909, Plagiognathus.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 29, 1914, Plagiognathus.

Localities: Kans., Colo., Utah, Nev., Calif.

1254. Europiella concinna Reut.

Reuter, Neark. Caps., p. 84, 1909.

Locality: Calif.

1255. Europiella umbrina Reut.

Reuter, Neark. Caps., p. 85, 1909.

[biguttata Uhl. MS] Reuter, Neark. Caps., p. 85, 1909 (synonym). Locality: Calif.

1265. Europiella rubida (Uhl.)

Uhler, Hemip. Colo., p. 41, 1895, Sthenarus.

Tucker, Univ. Kans. Sci. Bul., iv, p. 58, 1907, Sthenarus.

Reuter, Neark. Caps., p. 85, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Localities: N. Y., Fla., Ill., Kans., Colo., Texas.

Genus Tuponia Reut.

Logotype lethierryi Reut.

Reuter, Gen. Cimic. Eur., p. 53, 1875 (as subgenus).

Reuter, Rev. Crit. Caps., i, p. 98, 1875 (as subgenus).

Reuter, Hemip. Gymn. Eur., i, p. 16, 1878; iii, p. 499, 1883.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 122, 1906 (names lethierryi type).

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 216, 1916.

1257. Tuponia subnitida Uhl.

Uhler, Hemip. Colo., p. 45, 1895.

Locality: Colo.

[Tuponia herbacea Uhl. M8]

Townsend, Can. Ent., xxiv, p. 194, 1892.

Locality: N. Mex.

Genus Chlamydatus Curt.

Haplotype marginatus Curt. = saltitans (Fall.)

Curtis, Ent. Mag., i, p. 197 (May), 1833.

Curtis, Brit. Ent., xv, pl. 693, 1838.

Reuter, Rev. d'Ent., v, p. 122, 1886.

Puton, Cat. Hemip. Palae., edn. 3, p. 62, 1886.

Provancher, Pet. Faune Ent. Can., iii, p. 137, 1887.

Berg, Nova Hemip., p. 99, 1892.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 123, 1906.

Reuter, Ent. Mo. Mag., ser. 2, xix, p. 27, 1908.

Oshanin, Verz. Palae. Hemip., i, p. 931, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 216, 1916.

||Attus Hahn, Wanz. Ins., i, p. 116, 1831 (haplotype pulicarius Fall.).

Burmeister, Handb. d. Ent., ii, p. 276, 1835.

Agalliastes Fieber, Wien. Ent. Zeit., ii, p. 321, 1858 (type saltitans Fall.).

Fieber, Europ. Hemip. pp. 74, 310, 1861.

Thomson, Opusc. Ent., iv, p. 449, 1871.

Reuter, Genera Cimic. Eur., p. 59, 1875 (as subgenus).

Reuter, Rev. Crit. Caps., i, p. 100; ii, p. 186, 1875 (as subgenus).

Reuter, Hemip. Gymn. Eur., i, p. 60, 1878; iii, p. 501, 1883.

Provancher, Pet. Faune Ent. Can., iii, p. 154, 1887.

Reuter, Ent. Mo. Mag., ser. 2, xix, p. 27, 1908.

1258. Chlamydatus pulicarius (Fall.)

Fallén, Monog. Cimic. Suec., p. 95, 1807, Lygaeus.

Fallén, Hemip. Suec., Cimic., p. 113, 1829, Phytocoris.

Hahn, Wanz. Ins., i, p. 117, fig. 62, 1831, Attus.

Burmeister, Handb. d. Ent., ii, p. 277, 1835, Attus.

Meyer-Duer, Verz. Schw. Rhyn., p. 110, 1843, Capsus.

Sahlberg, Monog. Geoc. Fenn., p. 119, 1848, Capsus.

Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 101, No. 149, 1855, Capsus.

Flor, Rhyn. Livl., i, p. 600, 1860, Capsus.

Fieber, Europ. Hemip., p. 312, 1861, Agalliastes.

Fieber, Wien. Ent. Monat., viii, p. 229, 1864, Agalliastes.

Douglas and Scott, Brit. Hemip., p. 427, pl. 14, fig. 1, 1865, Agalliastes.

Thomson, Opusc. Ent., iv, p. 448, 1871, Capsus.

Walker, Cat. Heter., vi, p. 155, 1873, Eurymerocoris.

Reuter, Genera Cimic. Eur., p. 59, 1875, Agalliastes.

Reuter, Rev. Crit. Caps., ii, p. 186, 1875, Agalliastes.

Reuter, Hemip. Gymn. Eur., i, p. 60, pl. 3, fig. 8, 1878; iii, p. 510, 1883,

Van Duzee, Can. Ent., xix, p. 73, 1887, Agalliastes.

[Agalliastes.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

saliens (Wolff), Icon. Cimic., v, p. 200, fig. 194, 1811, Capsus.

?pallipes (Jakowlev), Horae Soc. Ent. Ross., iv, p. 158, 1867, Agalliastes.

Localities: N. Y. (Europe.)

1259. Chlamydatus suavis (Reut.)

Reuter, Caps. Am. Bor., p. 92, 1876, Agalliastes.

Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 152, 1906, Agalliastes.

Reuter, Neark. Caps., 83, 1909.

Wirtner, Ann. Carn. Mus., iii, p. 201, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 50, 1905, Agalliastes.

Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910.

Van_Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 30, 1914.

[simplex Uhl. MS] Popenoe, Trans. Kans. Acad. Sci., ix, p. 63, 1885,

Uhler, Proc. Ent. Soc. Wash., ii, p. 378, 1893, Agalliastes. [Agalliastes.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Agalliastes.

Localities: Ont., N. Y., Pa., D. C., Ala., Fla., Kans., Texas, Calif.

1260. Chlamydatus associatus (Uhl.)

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 419, 1872, Agalliastes. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 319, 1876, Agalliastes. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1328, Agalliastes. Van Duzee, Can. Ent., xix, p. 73, 1887, Agalliastes. Provancher, Pet. Faune Ent. Can., iii, p. 155, 1887, Agalliastes. Van Duzee, Can. Ent., xxi, p. 5, 1889, Agalliastes. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 123, 1892, Agalliastes. Uhler, Proc. Ent. Soc. Wash., ii, p. 379, 1893, Agalliastes. Gillette and Baker, Hemip. Colo., p. 54, 1895, Agalliastes.

Osborn, Ohio Nat., i, p. 12, 1900, Agalliastes.

Slosson, Ent. News, xi, p. 323, 1900, Agalliastes.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 361, 1904, Agalliastes.

Wirtner, Ann. Carn. Mus., iii, p. 201, 1904.

Heidemann, Jl. N. Y. Ent. Soc., xiii, p. 50, 1905, Agalliastes.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Agalliastes

Tucker, Univ. Kans. Sci. Bul., iv, p. 58, 1907.

Reuter, Neark. Caps., p. 82, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 30, 1914.

Localities: Quebec, Ont., N. H., Mass., N. Y., N. J., Pa., Ohio, Ia., Colo., Utah, N. Mex., Texas, Calif.

1261. Chlamydatus uniformis (Uhl.)

Uhler, Proc. Ent. Soc. Wash., ii, p. 379, 1893, Agalliastes.
Locality: Utah.

1262. Chlamydatus luctuosus Prov.

(Entered in Check List by error; see No. 1108.)

1263. Chlamydatus apiatus (Uhl.)

Uhler, Hemip. Colo., p. 53, 1895, Agalliastes. Localities: Kans., Colo.

1264. Chlamydatus fumidus (Uhl.)

Uhler, Hemip. Colo., p. 54, 1895, Agalliastes. Locality: Colo.

1265. Chlamydatus obliquus (Uhl.)

Uhler, Proc. Ent. Soc. Wash., ii, p. 378, 1893, Agalliastes. Reuter, Neark. Caps., p. 83, 1909.

Locality: Utah.

1266. Chlamydatus bakeri Bergr.

Bergroth, Wien. Ent. Zeit., xvii, p. 35, 1898.

||signatus (Uhler), Hemip. Colo., p. 55, 1895, Agalliastes.

Crevecoeur, Trans. Kans. Acad. Sci., xix, p. 233, 1905, Agalliastes. uhlcrianus Kirkaldy, Can. Ent., xli, p. 390, 1909.

Locality: Colo.

Genus Campylomma Reut. Logotype nigronasuta Reut.

Reuter, Hemip. Gymn. Eur., i, p. 52, 1878; iii, p. 501, 1883. [type]. Distant, Fauna Brit. Ind., Rhyn., ii, p. 483, 1904 (names nigronasuta Reut.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 123, 1906 (cites nigronasuta as Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 216, 1916. [type).

1267. Campylomma verbasci (Mey.)

Meyer-Duer, Verz. Schw. Rhyn., p. 70, pl. 4, fig. 1, 1843, Capsus.

Fieber, Europ. Hemip., p. 311, 1861, Agalliastes.

Reuter, Hemip. Gymn. Eur., i, p. 53, pl. 3, fig. 6, 1878; iii, p. 509, 1883.

Uhler, Check List, p. 21, 1886, Agalliastes.

Van Duzee, Can. Ent., xix, p. 73, 1887, Agalliastes.

Provancher, Pet. Faune Ent. Can., iii, p. 155, 1887, Agalliastes.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908.

Reuter, Neark. Caps., p. 81, 1909.

Van Duzee, Can. Ent., xliv, p. 323, 1912.

?punctipes Herrich-Schaeffer, Nomen. Ent., i, p. 50, 1835, Capsus. pellucidus Garbiglietti, Bul. Soc. Ent. Ital., i, p. 190, 1869, Orthotylus.

Localities: Quebec, Ont., Me., N. Y. (Europe.)

Genus Cylloceps Uhl. Haplotype pellicia Uhl.

Uhler, Proc. Ent. Soc. Lond. for 1893, p. 711.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 126, 1906.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 162, 1910.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 216, 1916.

1268. Cylloceps pellicia Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1893, p. 712.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Localities: Fla. (West Indies.)

Genus Maurodactylus Reut.

Logotype nigricornis Reut. = albidus Kol.

Reuter, Hemip. Gymn. Eur., i, p. 27, 1878; iii, p. 500, 1883.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 122, 1906 (names nigricornis Reut. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 216, 1916. [type).

1269. Maurodactylus angulatus Uhl.

Uhler, Hemip. Colo., p. 53, 1895.

Locality: Colo.

1270. Maurodactylus consors Uhl.

Uhler, Hemip. Colo., p. 53, 1895.

Locality: Colo.

1271. Maurodactylus semiustus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 31, 1914.

Locality: Calif.

Genus Rhinacloa Reut.

Haplotype forticornis Reut.

Reuter, Caps. Am. Bor., p. 88, 1876.

Reuter, Neark. Caps., p. 81, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 216, 1916.

1272. Rhinocloa forticornis Reut.

Reuter, Caps. Am. Bor., p. 89, 1876. Townsend, Can. Ent., xxiv, p. 194, 1892. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 274, 1894. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 196. Reuter, Ann. k. k. Nat. Hofms. Wien, xxii, p. 178, 1907 (notice).

Reuter, Neark. Caps., p. 82, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 160, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 30, 1914.

Localities: Texas, N. Mex., Utah, Calif. (West Indies, Mexico.)

UNCERTAIN FORMS

Genus Microsynamma Fieb.

Type scotti Fieb. = nigritulus Zett.

Fieber, Wien. Ent. Monat., viii, p. 74, 1864.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 146, 1910.

Oshanin, Kat. Palae. Hemip., p. 83, 1912. [scotti Scott = nigritula Zett.).

Monosynamma Scott, Ent. Annual for 1864, p. 160, fig. 5 (Haplotype Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 123, 1906.

Oshanin, Verz. Palae. Hemip., i, p. 934, 1909.

"Neocoris Douglas and Scott, Brit. Hemip., p. 423, 1865 (Logotype scotti

Reuter, Genera Cimic. Eur., p. 58, 1875. [Fieb. = nigritula Zett.).

Reuter, Rev. Crit. Caps., i, p. 100; ii, p. 184, 1875 (as subgenus).

Reuter, Hemip. Gymn. Eur., i, p. 55, 1878; iii, p. 502, 1884.

Puton, Cat. Hemip. Palae., edn. 3, p. 62, 1886.

Atkinson, Cat. Capsidae, p. 175, 1889.

Microsynamma bohemanni (Fall.)

Fallén, Hemip. Suec., Cimic., p. 106, 1829, Phytocoris.

Zetterstedt, Ins. Lapp., column 276, 1840, Phytocoris.

Flor, Rhyn. Livl., i, p. 625, 1860, Capsus.

Fieber, Europ. Hemip., p. 303, 1861, Plagiognathus.

Douglas and Scott, Brit. Hemip., p. 424, pl. 13, fig. 9, 1865, Neocoris.

Thomson, Opusc. Ent., iv, p. 448, 1871, Capsus.

Walker, Cat. Heter., vi, p. 150, 1873, Eurymerocoris.

Reuter, Genera Cimic. Eur., p. 58, 1875, Neocoris.

Reuter, Rev. Crit. Caps., ii, p. 184, 1875, Neocoris.

[Neocoris.

Reuter, Hemip. Gymn. Eur., i, p. 57, 1878; ii, p. 303, 1879; iii, p. 509, 1883, Saunders, Heter. Brit. Isds., pp. 319, 321, pl. 30, fig. 5, 1892, Plagiognathus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 180, 1894, Plagiognathus.

Horvath, Ann. Mus. Natl. Hung., vi, p. 5, 1908, Neocoris.

ruficollis Fallén, Hemip. Suec. Cimic., p. 107, 1829, Phytocoris.

furcatus Herrich-Schaeffer, Nomen. Ent., i, p. 52, 1835, Capsus.

Herrich-Schaeffer, Wanz. Ins., iv, p. 79, figs. 408, 409, 1839, Capsus. Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 95, No. 134, 1855, Capsus.

Localities: N. Y. (?). (Europe.)

Capsus obscurellus Walk.

Walker, Cat. Heter., vi, p. 93, 1873.

Locality: "Hudson's Bay."

Capsus frontifer Walk.

Walker, Cat. Heter., vi, p. 94, 1873. Locality: "N. Am."

Capsus pallescens Walk.

Walker, Cat. Heter., vi, p. 94, 1873. Locality: "Hudson's Bay."

Family ISOMETOPIDAE Fieb.

Fieber, Wien. Ent. Monat., iv, p. 259, 1860.

Fieber, Europ. Hemip., pp. 26, 60, 237, 1861.

Reuter, Genera Cimic. Europ., p. 7, 1875, Div. Isometoparia.

Reuter, Rev. Crit. Caps., i, p. 65, 1875, Subfam. Isometopina.

Puton, Cat. Hemip. Palae., edn. 3, p. 63, 1886, Tribe Isometopini.

Atkinson, Cat. Capsidae, p. 180, 1889, Div. Isometoparia.

Distant, Fauna Brit. Ind., Rhyn., ii, p. 483, 1904, Subfam. Isometopinae.

Reuter, Festsch. f. Palmen, i, p. 12, 1905.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 122, 1906, Subfam. Isometopinae.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 51, 69, 104, 1910.

Horvath, Ann. Mus. Natl. Hung., ix, p. 20, 1911.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 48, 53, 1912.

Oshanin, Kat. Palae. Hemip., p. 85, 1912. [(Tribe.)

Heidemanniini Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 145, 1906.

Genus Myiomma Put.

Type fieberi Put.

Puton, Pet. Nouv. Ent., i, p. 177, 1872.

Puton, Ann. Soc. Ent. Fr., ser. 5, iii, p. 20, 1873.

Reuter, Genera Cimic. Eur., p. 60, 1875.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 122, 1906.

Horvath, Ann. Mus. Natl. Hung., vi, p. 9, 1908.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, p. 27, 1912.

Oshanin, Kat. Palae. Hemip., p. 85, 1912.

Heidemannia Uhler, Proc. Ent. Soc. Wash., ii, p. 119, 1891.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 145, 1906.

1273. Mylomma cixiiformis (Uhl.)

Uhler, Proc. Ent. Soc. Wash., ii, p. 121, 1891, Heidemannia.
Banks, Ent. News, xviii, p. 425, 1907, Heidemannia.
Heidemann, Proc. Ent. Soc. Wash., ix, p. 128, 1908, Heidemannia.
Localities: Md., D. C., Va.

Genus Isometopus Fieb. Type intrusus H. S.

Fieber, Wien. Ent. Monat., iv, p. 259, 1860.
Fieber, Europ. Hemip., pp. 66, 237, 1861.
Reuter, Genera Cimic. Europ., p. 61, 1875.
Distant, Fauna Brit. Ind., Rhyn., ii, p. 484, 1904 (names intrusus type).
Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 122, 1906.
Cephalocoris Stein, Berl. Ent. Zeit., iv, p. 79, 1860.

[combinae.

1274. Isometopus pulchellus Heid.

Heidemann, Proc. Ent. Soc. Wash., ix, p. 128, fig. 7a, 1908. Localities: N. Y., W. Va., Va.

1275. Isometopus signatus Heid.

Heidemann, Proc. Ent. Soc. Wash., ix, p. 129, fig. 7b, 1908. Locality: Texas.

1276. Isometopus unicolor Heid.

Heidemann, Proc. Ent. Soc. Wash., ix, p. 130, figs. 7c, d, 1908. Locality: Ariz.

SERIES TRICHOTELOCERA Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 67, 1910. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, p. 48, 1912. Oshanin, Kat. Palae. Hemip., p. 85, 1912.

Superfamily DIPSOCOBOIDEAE Reut.

Reuter, Acta Soc. Sci. Fenn., xxvii, No. 3, p. 67, 1910. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, p. 48, 1912. Oshanin, Kat. Palae. Hemip., p. 85, 1912.

Ceratocombidae Fieber, Europ. Hemip., pp. 25, 39, 142, 1861. [(Subfam.) Reuter, Of. Vet. Akad. Forh., xxviii, p. 405, 1871, Ceratocombina. Stål, Enum. Hemip., iii, p. 103, 1873, Ceratocombina. (Subfam. of [Cimicidae.)

Puton, Cat. Hémip. Palae., edn. 3, p. 42, 1886, Ceratocombini. (Tribe.) Ashmead, Ent. Am., iv, p. 68, 1888 (Ceratocampidae by error). Reuter, Acta Soc. Sci., Fenn., xix, No. 6, p. 3, 1891. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 231, 1896. Champion, Biol. Centr. Am., Heter., ii, p. 335, 1900. Distant, Fauna Br. Ind., Rhyn., ii, p. 408, 1904. (Family.) Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 147, 1906.

Family DIPSOCORIDAE Dohrn

Dohrn, Cat. Hemip., p. 36, 1859.

Kirkaldy, Can. Ent., xxxviii, p. 375, 1906; xl, p. 361, 1908.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 68, 1910.

Horvath, Ann. Mus. Natl. Hung., ix, p. 21, 1911.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 48, 52, 1912.

Oshanin, Kat. Palae. Hemip., p. 85, 1912.

Ceratocombina Reut., Acta Soc. Sci. Fenn., xix, No. 6, p. 3, 1891 (as

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 231, 1896, Subfam.

[Ceratocombidae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 408, 1904, Subfam. Cerato
[combinae.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 147, 1906, Subfam. Cerato-

Bergroth, Wien. Ent. Zeit., xxxi, p. 164, 1912.

Genus Ceratocombus Sign.

Haplotype mulsanti Sign. = coleoptratus Zett.

Signoret, Ann. Soc. Ent. Fr., ser. 4, x, p. 542, 1852.

Fieber, Wien. Ent. Monat., iv, p. 267, 1860.

Fieber, Europ. Hemip. pp. 39, 142, 1861.

Reuter, Acta Soc. Sci. Fenn., xix, No. 6, p. 4, 1891.

Champion, Biol. Centr. Am., Heter., ii, p. 336, 1900.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 147, 1906.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, p. 65, 1912.

Lichenobia Baerensprung, Berl. Ent. Zeit., i, p. 165, 1857 (type ferru[ginea Baer.).

Xylonannus Reuter, Acta Soc. Sci. Fenn., xix, No. 6, p. 8, 1891 (type [corticalis Reut.).

1277. Ceratocombus(?) brasiliensis Reut.

Reuter, Acta Soc. Sci. Fenn., xix, No. 6, p. 7, 1891.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 196.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 361, 1904.

Localities: Fla.(?), N. Mex.(?). (Brazil.)

1278. Ceratocombus niger Uhl.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 361, 1904. Locality: N. Mex.

1279. Ceratocombus latipennis Uhl.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 362, 1904.

Locality: N. Mex.

Family SCHIZOPTERIDAE Reut.

Reuter, Acta Soc. Sci. Fenn., xix, No. 6, p. 3, 1891, Subfam. Schizopterina. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 233, 1896, Subfam.

Schizopteridae.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 148, 1906, Subfam. Schizopterinae. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 68, 1910.

Horvath, Ann. Mus. Natl. Hung., ix, p. 21, 1911.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 48, 52, 1912.

Oshanin, Kat. Palae. Hemip., p. 85, 1912.

Genus Glyptocombus Heid. Haplotype saltator Heid.

Heidemann, Proc. Ent. Soc. Wash., vii, p. 192, 1906 Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, p. 66, 1912.

1280. Glyptocombus saltator Heid.

Heidemann, Proc. Ent. Soc. Wash., vii, p. 194, 1906.

Horvath, Ann. Mus. Natl. Hung., vi, p. 565, 1908, Hypselosoma.

Locality: Md.

SERIES HYDROBIOTICA Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 56, 60, 1910.

Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 6, pp. 14, 48, 1912.

Oshanin, Kat. Palae. Hemip., p. 85, 1912.

Superfamily GERROIDEAE (Leach)

Leach, Brewster's Edinbg. Encyc., ix, p. 123, 1815, Gerridae. Spinola, Tavola Sinot., pp. 38, 42, 1850, Subfam. Gerroideae. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 154, 1906 (as family). Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 204, 1909 (as family). Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 65, 1910. Reuter, Of. Finska Vet.-Soc. Forh., liv, Afd. A, No. 6, pp. 15, 48, 1912. Oshanin, Kat. Palae. Hemip., p. 85, 1912. Ploteres Latreille, Hist. Nat. Crust. Ins., xii, p. 263, 1804. Latreille, Genera Crust. Ins., iii, p. 130, 1807. Latreille, Fam. Nat. Règne Anim., p. 424, 1825. Amyot and Serville, Hémip., pp. 1, 409, 1843. (French Rameurs.) Dohrn, Cat. Hemip., p. 53, 1859. Amphibicorises Dufour, Rech. Anat. Phys. Hemip., p. , 1833. Spinola, Essai sur les Hémip., p. 63, 1837 (1840), Amphibicoryzes. Herrich-Schaeffer, Wanz. Ins., ix, p. 64, 1853, Amphibicores.

Hydrometrites Laporte, Essai Classif. Syst. Hemip., p. 22, 1832. Burmeister, Handb. d. Ent., ii, p. 206, 1835, Hydrodromici. Westwood, Intr. Mod. Classif. Ins., ii, p. 467; Synop., p. 119, 1840, Fieber, Genera Hydroc., p. 9, 1851, Hydrodromica. [Hydrometridae. Flor, Rhyn. Livl., i, p. 725, 1860, Hydrodromica. Fieber, Europ. Hemip., p. 22, 1860, Hydrodromica. Douglas and Scott, Brit. Hemip., pp. 11, 40, 557, 1865, Hydrodromica. Provancher, Pet. Faune Ent. Can., iii, p. 192, 1888, Hydrometrides. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 53, 1896, Hydrometridae. Champion, Biol. Centr. Am., Heter., ii, p. 124, 1898, Hydrometridae. Van Duzee, Check List Hemip., p. 48, 1916, Hydrometroidea.

Veliens Brullé, Hist. Nat. des Ins., ix, p. 285, 1835.

Blanchard, Hist. des Ins., Hémip., p. 95, 1840.

PHALANX HYDROMETRAEFORMES Reut.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 17, 48, 1912. Oshanin, Kat. Palae. Hemip., p. 85, 1912.

Family HYDROMETRIDAE (Billb.)

Billberg, Enum. Ins. Mus. Billb., p. 67, 1820, Hydrometrides. Stephens, Syst. Cat. Brit. Ins., ii, p. 352, 1829. Costa, Cimic. Reg. Neap., Cent. i, p. 11, 1838, Hydrometrini. Spinola, Tavola Sinot., pp. 44, 45, 1850, Subfam. Hydrometroideac. Amyot and Serville, Hémip., pp. xlix, 398, 1843, Groupe Hydrometrides. Stål, Hemip. Afr., iii, p. 166, 1865, Hydrometrida. Schiodte, Nat. Tidskr., Ser. 3, vi, p. 266, 1869, Hydrometrae. Stål, Of. Vet. Akad. Forh., xxvii, p. 705, 1870, Hydrometrina. Uhler, Stand. Nat. Hist., ii, p. 275, 1884, Hydrometridae. Puton, Cat. Hémip. Palae., edn. 3, p. 36, 1886, Tribe Hydrometrini (part). Lethierry and Severin, Cat. Génl. Hémip., iii, p. 54, 1896 (as subfamily). Champion, Biol. Centr. Am., Heter., ii, p. 124, 1898, Subfam. Hydrometrinae. Distant, Fauna Br. Ind., Rhyn., ii, p. 170, 1904, Subfam. Hydrometrinae.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 156, 1906, Subfam. Hydrometrinae. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 213, 1908, Subfam. Hydro-Horvath, Ann. Mus. Natl. Hung., ix, p. 22, 1911, Hydrometridae. [metrinae. Limnobatidea Fieber, Genera Hydroc., p. 9, 1851.

Fieber, Europ. Hemip., pp. 23, 103, 1861, Limnobatidae. Douglas and Scott, Brit. Hemip., p. 575, 1865, Limnobatidae. Uhler, Check List, p. 26, 1886, Limnobatidae.

Genus Hydrometra Lam. Logotype stagnorum Linn.

Latreille, Précis, p. 86, 1796 (invalid here).

Lamarck, Syst. Anim. s. Vert., p. 295, 1801 (valid here).

Latreille, Hist. Nat. Crust. Ins., iii, p. 250, 1802 (names stagnorum example).

Walckenaer, Fauna Paris., ii, p. 350, 1802 (part).

Latreille, Hist. Nat. Crust. Ins., xii, p. 267, 1804 (gives stagnorum as example).

Latreille, Genera Crust. Ins., iii, p. 131, 1807 (mentions stagnorum only).

Latreille, Consid. Génl., p. 434, 1810 (names stagnorum type).

Leach, Brewster's Edinbg. Encyc., ix, p. 123, 1815 (for stagnorum).

Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 511, 1816.

Latreille, Fam. Nat. Règne. Anim., p. 424, 1825 (no species mentioned).

Laporte, Essai Classif. Syst. Hémip., p. 22, 1832 (names stagnorum type).

Herrich-Schaeffer, Nomen. Ent., i, pp. 38, 63, 1835 (stagnorum only species). Brullé, Hist. Nat. des Ins., ix, p. 303, 1835 (stagnorum only species).

Spinola, Essai sur les Hémip., p. 63, 1837.

Blanchard, Hist. Nat. des Ins., Hémip., p. 98, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 119, 1840 (cites stagnorum Amyot and Serville, Hémip., p. 398, 1843. [as type).

Spinola, Tavola Sinot, p. 45, 1850.

Stål, Hemip. Afr., iii, p. 166, 1865.

Champion, Biol. Centr. Am., Heter., ii, p. 124, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 170, 1904.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 156, 1906.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 213, 1908.

Limnobates Burmeister, Handb. d. Ent., ii, p. 210, 1835 (type stagnorum).

Herrich-Schaeffer, Wanz. Ins., ix, p. 118, 1853 (stagnorum only species).

Fieber, Europ. Hemip., pp. 32, 103, 1861.

Douglas and Scott, Brit. Hemip., p. 575, 1865.

Uhler, Check List, p. 26, 1886.

Provancher, Pet. Faune Ent. Can., iii, p. 193, 1888.

1281. Hydrometra martini Kirk.

Kirkaldy, Entomologist xxxiii, p. 175, 1900 (n.n. for lineata Say).

Bueno, Ent. News, xxxvii, p. 12, 1905.

Bueno, Jl. N. Y. Ent. Soc., iii, p. 39, 1905; xvi, p. 234, 1908.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Parshley, Psyche, xxi, p. 143, 1914.

|| lineata Say, Heter. N. Harm., p. 35, 1832; Fitch reprint, p. 806; Compl. Uhler, Stand. Nat. Hist., ii, p. 276, 1884. [Writ., i, p. 361.

Provancher, Pet. Faune Ent. Can., iii, p. 193, 1898, Limnobates.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 288, 1894, Limnobates. Kirkaldy, Entomologist, xxxi, p. 2, 1898.

Martin, Can. Ent., xxxii, p. 70, pl. 3, 1900.
Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 180, 1906.
Localities: Ont., Me., N. Y., N. J., Pa., Md., D. C., N. C., Fla., Ind.,

Ill., La., Texas, Ariz.

1282. Hydrometra australis Say

Say, Heter. N. Harm., p. 35, 1832; Fitch reprint, p. 806; Compl. Writ., i, p. Bueno, Can. Ent., xxxvii, pp. 15, 264, 1905. [361] Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Localities: Ga., Fla., La.

PHALANX GERRIFORMES Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 66, 1910. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 17, 48, 1912. Oshanin, Kat. Palae. Hemip., p. 86, 1912.

Family GERRIDAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. 1, 410, 1843, Groupe Gerrides. Dohrn, Cat. Hemip., p. 53, 1859, Gerridae. Puton, Synop. Heter. Fr., i, p. 152, 1879, Tribe Gerridini. Reuter, Ent. Tidskr., iii, p. 165, 1882, Subfam. Gerridina. Puton, Cat. Hémip. Palae., edn. 3, p. 36, 1886, Tribe Gerridini. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 59, 1896. Champion, Biol. Centr. Am., Heter., ii, p. 144, 1898, Subfam. Gerrinae. Bergroth, Ent. Mo. Mag., ser. 2, xiii, p. 258, 1902. Distant, Fauna Br. Ind., Rhyn., ii, pp. 168, 175, 1903. Horvath, Ann. Mus. Natl. Hung., ii, p. 576, 1904, Gerrididae. Bueno, Jl. N. Y. Ent. Soc., xiii, p. 40, 1905. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 155, 1906, Subfam. Gerrinae. Bergroth, Wien. Ent. Zeit., xxv, p. 6, 1906. Kirkaldy, Can. Ent., xl, p. 360, 1908. Oshanin, Verz. Palae. Hemip., i, p. 490, 1908, Subfam. Gerridina. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 208, 1908, Subfam. Gerrinae. Reuter, Acta Soc. Sci. Fenn., xxxvii, pp. 66, 81, 1910. Distant, Fauna Br. Ind., Rhyn., v, p. 141, 1910, Subfam. Gerrinae. Banks, Cat. Nearc. Hemip., p. 26, 1910. Horvath, Ann. Mus. Natl. Hung., ix, p. 23, 1911. Bueno, Trans. Am. Ent. Soc., xxxvii, p. 244, 1911, Subfam. Gerrinae. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 16, 48, 54, 1912.

Oshanin, Kat. Palae. Hemip., p. 86, 1912. Hydrometridea Fieber, Genera Hydroc., p. 9, 1851.

Fieber, Europ. Hemip., pp. 24, 33, 106, 1861, Hydrometrae.

Hydrobatida Stål, Hemip. Afr., iii, p. 168, 1865.

Stål, Of. Vet. Akad. Forh., xxv, p. 395, 1868.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 169, 1868.

Stål, Of. Vet. Akad. Forh., xxvii, p. 705, 1870, Hydrobatina.

Berg, Hemip. Argent., p. 182, 1879, Hydrobatina.

Uhler, Stand. Nat. Hist., ii, p. 267, 1884, Hydrobatidae.

Uhler, Check List, p. 26, 1886, Hydrobatidae.

Subfamily GERRINAE Bian.

Bianchi, Ann. Mus. Petersb. for 1896, p. 69.

Kirkaldy, Ann. Soc. Ent. Belg., xliii, p. 509, 1899, Gerritae.

Distant, Fauna Br. Ind., Rhyn., ii, p. 176, 1903; v, p. 141, 1910, Div. Gerri-Bueno, Trans. Am. Ent. Soc., xxxvii, p. 244, 1911, Tribe Gerrini. [naria.]

Genus Gerris Fabr. Logotype lacustris Linn.

Fabricius, Ent. Syst., iv, p. 187, 1794 (indicates lacustris as typical). Latreille, Précis, p. 85, 1796 (no species mentioned). Latreille, Hist. Nat. Crust. Ins., iii, p. 250, 1802 (gives lacustris as only Latreille, Hist. Nat. Crust. Ins., xii, p. 271, 1804 (lacustris and two others). Latreille, Genera Crust. Ins., iii, p. 133, 1807. Fallén, Monog. Cimic. Suec., p. 114, 1807 (includes lacustris). Latreille, Consid. Génl., pp. 259, 434, 1810 (names lacustris type, valid). Leach, Brewster's Edinbg. Encyc., ix, p. 123, 1815 (for paludum). Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 513, 1816. Latreille, Fam. Nat. Règne Anim., p. 424, 1825. Le Peletier and Serville, Encyo. Méth., x, p. 265, 1825. Laporte, Essai Classif. Syst. Hémip., p. 23, 1832 (names two types). Herrich-Schaeffer, Nomen. Ent., i, pp. 38, 62, 99, 1835. Brullé, Hist. Nat. de Ins., ix, p. 297, 1835. Spinola, Essai sur les Hémip., p. 64, 1837 (1840). Blanchard, Hist. Nat. des Ins., Hémip., p. 97, 1840. [type. Westwood, Intr. Mod. Classif. Ins., Synop., p. 119, 1840 (cites lacustris as Amyot and Serville, Hémip., p. 414, 1843. Spinola, Tavola Sinot, p. 42, 1850. Provancher, Pet. Faune Ent. Can., iii, p. 193, 1888. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 59, 1896. Champion, Biol. Centr. Am., Heter., ii, p. 144, 1898. Distant, Fauna Br. Ind., Rhyn., ii, p. 176, 1904. Bueno, Jl. N. Y. Ent. Soc., xiii, p. 40, 1905. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 155, 1906. Oshanin, Verz. Palae. Hemip., i, p. 490, 1908. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 208, 1908. Banks, Cat. Nearc. Hemip., p. 26, 1910. Bueno, Trans. Am. Ent. Soc., xxxvii, p. 244, 1911. Hydrometra Lamarck, Syst. Anim. s. Vert., p. 295, 1801 (in part). Walckenaer, Fauna Paris., ii, p. 350, 1802 (in part). Fabricius, Syst. Rhyng., p. 256, 1803 (in part). Burmeister, Handb. d. Ent., ii, p. 210, 1835.

Walckenaer, Fauna Paris., ii, p. 350, 1802 (in part).
Fabricius, Syst. Rhyng., p. 256, 1803 (in part).
Burmeister, Handb. d. Ent., ii, p. 210, 1835.
Herrich-Schaeffer, Wanz. Ins., ix, p. 66, 1853.
Flor, Rhyn. Livl., i, p. 727, 1860.
Fieber, Europ. Hemip., p. 106, 1861.
Douglas and Scott, Brit. Hemip., p. 587, 1865.
Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 169, 1868.

Subgenus Aquarius Schell Type paludum Schell. = najas De Geer

Schellenberg, Gesc. Land-u. Wass. Wanz., p. 25, 1800. Kirkaldy, Entomol., xxxiv, p. 263, 1900. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 155, 1906.

Bueno, Trans. Am. Ent. Soc., xxxvii, p. 244, 1911.

Hygrotrechus Stål, Of. Vet. Akad. Forh., xxv, p. 395, 1868 (type najas Puton, Synop. Heter. Fr., i, p. 154, 1879. De G.). Uhler, Stand. Nat. Hist., ii, p. 267, 1884.

1283. Gerris remigis Say

Say, Heter. N. Harm., p. 35, 1832; Fitch reprint, p. 806; Compl. Writ., i, p. 362. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 422, 1872, Hygrotrechus. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 335, 1876; iii, p. 453, 1877, Hygro-Uhler, Wheeler's Rept. Chief. Eng. for 1877, p. 1331, Hygrotrechus. [trechus Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 435, 1878, Hygrotrechus. Uhler, Stand. Nat. Hist., ii, p. 267, fig. 322, 1884, Hygrotrechus. Provancher, Pet. Faune Ent. Can., iii, p. 195, 1888. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 184, 1894, Hygrotrechus. Gillette and Baker, Hemip. Colo., p. 60, 1895, Hygrotrechus. Champion, Biol. Centr. Am., Heter., ii, p. 145, 1898. Bueno, Jl. N. Y. Ent. Soc., xiii, p. 40, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905, Hygrotrechus.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 233, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 151, 1910.

Bueno, Trans. Am. Ent. Soc., xxxvii, p. 246, 1911.

†aptera Walker, Cat. Heter., viii, p. 165, 1873.

Localities: Quebec, Ont., Me., N. H., Mass., Conn., N. Y., N. J., Pa., Md., N. C., Ga., La., Mich., Ill., Colo., Texas, N. Mex., Ariz., Calif., Ore. (Mexico, Centr. Am.)

1284. Gerris orba Stål

Stål, Freg. Eugen. Resa, Ins., p. 264, 1859.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 32, 1914, Hygrotrechus. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech Bul., i, p. 235, 1916.

Localities: Calif. Ore., Nev.

1285. Gerris conformis Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 435, 1878, Hygrotrechus. Bueno, Jl. N. Y. Ent. Soc., xiii, p. 40, 1905; xvi, p. 233, 1908; xviii, p. 31, Smith, Cat. Ins. N. J., edn. 3, p. 151, 1910. [1910. Bueno, Trans. Am. Ent. Soc., xxxvii, p. 247, 1911. Parshley, Psyche, xxi, p. 144, 1914.

Localities: Me., Mass., N. Y., N. J., Md., N. C. (Mexico.)

1286. Gerris robusta (Uhl.)

Uhler, Am. Jl. Sci., ser. 3, i, p. 105, 1871, Hygrotrechus. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 288, 1894, Hygrotrechus. Champion, Biol. Centr. Am., Heter., ii, p. 146, 1898. Bueno, Ent. News, xxiv, p. 21, 1913.

Localities: Calif. (Mexico.)

Subgenus Gerris Fabr.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 155, 1906. Bueno, Trans. Am. Ent. Soc., xxxvii, p. 244, 1911.

Limnotrechus Stål, Of. Vet. Akad. Forh., xxvii, p. 395, 1868.

Uhler, Stand. Nat. Hist., ii, p. 268, 1884.

Uhler, Check List, p. 26, 1886.

Puton, Cat. Hémip. Palae., p. 37, 1886.

1287. Gerris gillettei Leth. & Serv.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 60, 1896 (n.n. for productus Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 209, 1908. [Uhl.). Bueno, Ent. News, xxiv, p. 21, 1913.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 235, 1916.

|| productus Uhler, Hemip. Colo., p. 61, 1895, Limnotrechus.

Localities: Colo., Utah, Mont., Calif.

1288. Gerris marginatus Say

Say, Heter. N. Harm., p. 36, 1832; Fitch reprint, p. 807; Compl. Writ., i, p. 362. Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 423, 1872, Limnotrechus. Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 453, 1877; iv, p. 508, 1878, Limno-Uhler, Proc. Bost. Soc. Nat. Hist., ii, p. 268, 1884, Limnotrechus. [trechus.]

Provancher, Pet. Faune Ent. Can., iii, p. 195, 1888.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 184, 1894, Limnotrechus.

Bueno, Jl. N. Y. Ent. Soc., xiii, p. 40, 1905; xvi, p. 233, 1908.

Bueno, Can. Ent., xlii, p. 150, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 151, 1910.

Bueno, Trans. Am. Ent. Soc., xxxvii, p. 247, 1911.

Weiss, Can. Ent., xlvi, p. 33, 1914 (tropisms).

?†lacustris Kirby, Richardson's Fauna Bor. Am., iv, p. 283, 1837.

Kirby in Bethune's Reprint, p. 138.

Localities: Quebec, Ont., Me., Mass., Conn., N. Y., N. J., D. C., Va., N. C., Ohio, Mich., Ill., Mo., Ia., Kan., Colo., Manitoba, Calif., Ore.

12881/2. Gerris argenticollis Parsh.

Parshley, Ent. News, xxvii, p. 103, 1916.

Localities: Mass., S. C.

1289. Gerris buenoi Kirk.

Kirkaldy, Ent. News, xxii, p. 246, 1911.

Bueno, Trans. Am. Ent. Soc., xxxvii, p. 248, 1911.

Parshley, Psyche, xxi, p. 144, 1914.

It canaliculatus Provancher, Pet. Faune Ent. Can., iii, p. 196, 1888.

Van Duzee, Can. Ent., xliv, p. 324, 1912.

[sulcatus Uhl. MS] Bueno, Jl. N. Y. Ent. Soc., xiii, p. 40, 1905.

Localities: Quebec, Me., N. J., Colo., Manitoba.

1290. Gerris canaliculatus Say

Say, Heter. N. Harm., p. 36, 1832; Fitch reprint, p. 807; Compl. Writ., i, p. Bueno, Jl. N. Y. Ent. Soc., xiii, p. 41, 1905; xvi, p. 233, 1908. [363 Smith, Cat. Ins. N. J., edn. 3, p. 151, 1910.

Bueno, Trans. Am. Ent. Soc., xxxvii, p. 248, 1911.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

Localities: R. I., N. Y., N. J., N. C., Ga., Fla.

Genus Limnoporus Stål

Haplotype rufoscutellatus Latr.

Stål, Of. Vet. Akad. Forh., xxvii, pp. 395, 396, 1868 (as genus).

Puton, Synop. Heter. Fr., i, p. 153, 1879 (as genus).

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 155, 1906.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 209, 1908 (as genus).

Bergroth, Proc. U. S. Natl. Mus., li, p. 237, 1916.

1291. Limnoporus rufoscutellatus Latr.

Latreille, Genera Crust. Ins., iii, p. 134, 1807.

Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 514, 1816.

Le Peletier and Serville, Encyc. Méth. x, p. 266, 1825.

Laporte, Essai Classif. Syst. Hémip., p. 23, 1832.

Schummel, Ploteres, p. 32, 1832.

Herrich-Schaeffer, Nomen. Ent., i, p. 62, 1835.

[p. 138.

Kirby in Richardson, Fauna Bor. Am., iv, p. 282, 1837; Bethune's reprint,

Herrich-Schaeffer, Wanz. Ins., ix, pp. 67, 69, fig. 924, 1853, Hydrometra.

Flor, Rhyn. Livl., i, p. 736, 1860, Hydrometra.

Fieber, Europ. Hemip., p. 106, 1861, Hydrometra.

Stål, Of. Vet. Akad. Forh., xxv, p. 396, 1868.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 335, 1876; iii, p. 453, 1877; iv, p. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 437, 1878. [508, 1878.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 437, 1878. Reuter, Revue Synon., p. 362, No. 334, 1888.

Provancher, Pet. Faune Ent. Can., iii, p. 195, 1888.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 184, 1894.

Bueno, Jl. N. Y. Ent. Soc., xiii, p. 41, 1905; xvi, p. 233, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 151, 1910.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., Md., Mich., Ill., Wisc., Dak., Colo., Ariz., Br. Col.

Genus Tenagogonus Stål Haplotype albovittatus Stål

Stål, Of. Vet. Akad. Forh., x, p. 263, 1853 (nomen nudum).

Stål, Of. Vet. Akad. Forh., xii, p. 45, 1855.

Stål, Hemip. Afr., iii, p. 168, 1865.

Bergroth, Zool. Med., Rijks Mus. Nat. Hist., Leiden, i, p. 123, 1915.

Limnometra Mayr, Verh. Zool.-Bot. Ges. Wien, xv, p. 443, 1865.

Mayr, Reise Freg. Novara, Zool., ii, p. 174, 1868.

Champion, Biol. Centr. Am., Heter., ii, p. 150, 1898.

Limnogonus Stål, Hemip. Fabr., i, p. 132, 1868 (logotype hyalinus).

Champion, Biol. Centr. Am., Heter., ii, p. 151, 1898.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 155, 1906 (subgenus).

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 210, 1908.

Bueno, Trans. Am. Ent. Soc., xxxvii, p. 244, 1911 (subgenus).

Lamprotrechus Reuter, Of. Finska Vet. Soc. Forh., xxv, p. 40, 1882 (type [leptocera Reut.).

1292. Tenagogonus hyalinus (Fabr.)

Fabricius, Syst. Rhyng., p. 258, 1803, Hydrometra.

Stål, Hemip. Fabr., i, p. 133, 1868 (redescribed).

Champion, Biol. Centr. Am., Heter., ii, p. 153, pl. 9, fig. 18, 1898.

Bueno, Trans. Am. Ent. Soc., xxxvii, p. 245, 1911.

Localities: Fla. (Neotropical.)

1293. Tenagogonus franciscanus Stål

Stål, Freg. Eugen. Resa, Ins., p. 265, 1859.

Stål, Hemip. Fabr., i, p. 133, 1868.

Locality: Calif.

[characters).

1294. Tenagogonus hesione Kirk.

Kirkaldy, Entomologist, xxxv, p. 137, 1902.Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.Localities: Ohio, Fla.

Subfamily HALOBATINAE Bian.

Bianchi, Ann. Mus. Petersb. for 1896, p. 69. Kirkaldy, Ann. Soc. Ent. Belg., xliii, p. 509, 1899, Halobatitae. Distant, Fauna Br. Ind., Rhyn., ii, p. 186, 1903, Div. Halobatinaria. Bergroth, Ohio Nat., viii, p. 371, 1908. Bueno, Trans. Am. Ent. Soc., xxxvii, pp. 244, 249, 1911.

Genus Metrobates Uhl. Haplotype hesperius Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 108, 1871; xix, p. 437, 1878. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 155, 1906. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 210, 1908. Bueno, Trans. Am. Ent. Soc., xxxvii, pp. 246, 249, 1911.

1295. Metrobates hesperius Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 109, 1871; xix, p. 438, 1878.
Uhler, Stand. Nat. Hist., ii, p. 271, 1884.
Van Duzee, Can. Ent., xxi, p. 6, 1889.
Bueno, Jl. N. Y. Ent. Soc., xiii, p. 41, 1905.
Bueno, Trans. Am. Ent. Soc., xxxvii, p. 249, 1911.
Bueno, Can. Ent., xliii, p. 228, 1911.
Parshley, Psyche, xxi, p. 144, 1914.
Localities: Ont., Me., Mass., N. Y., Md., N. C., S. C.

Genus **Trepobates** Uhl. Orthotype pictus (H. S.)

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 156, 1906.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 212, 1908.

Bergroth, Ohio Nat., viii, p. 373, 1908.

Bueno, Trans. Am. Ent. Soc., xxxvii, p. 245, 1911. [type pictus H. S.).

||Stephania White, Challenger Rept., Zool., vii, pt. 19, p. 79, 1883 (orthoHalobatopsis Bianchi, Ann. Mus. Petersb., i, p. 70, 1896 (type platensis

[Berg.).

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 213 (n.n. for Stephania White, with

1296. Trepobates pictus (H. S.)

Herrich-Schaeffer, Wanz. Ins., viii, p. 111, figs. 882, 883, 1848, Halobates. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 437, 1878, Halobates. B. White, Challenger Rept., Zool., vii, pt. 19, p. 79, 1883, Stephania. Uhler, Stand. Nat. Hist., ii, p. 270, 1884, Stephania. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 213. Bueno, Jl. N. Y. Ent. Soc., xiii, p. 41, 1905; xvi, p. 234, 1908. Bergroth, Ohio Nat. viii, p. 372, 1908. Bueno, Ohio Nat., ix, p. 389, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 151, 1910. Bueno, Trans. Am. Ent. Soc., xxxvii, p. 251, 1911.

Parshley, Psyche, xxi, p. 144, 1914.

beginii Ashmead, Can. Ent., xxix, p. 56, 1897, Halobatopsis (part).

Localities: Me., Mass., N. Y., N. J., Pa., Md., Va., N. C., Fla., La.,

Ohio, Ill., Tenn., Ariz.

Genus **Rheumatobates** Bergr. Haplotype rileyi Bergr.

Bergroth, Insect Life, iv, p. 321, 1892 (without description).

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 156, 1906.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 212, 1908.

Bergroth, Ohio Nat., viii, p. 379, 1908.

Bueno, Trans. Am. Ent. Soc., xxxviii, pp. 245, 246, 1911.

Hymenobates Uhler, Proc. Zool. Soc. Lond. for 1894, p. 214.

1297. Rheumatobates rileyi Bergr.

Zabriski, Jl. N. Y. Micros. Soc., vii, p. 128, 1891 (as unknown water-bug). (Anonymous), Insect Life, iv, p. 198, 1892 (description and figure without

Bergroth, Insect Life, iv, p. 321, 1892 (n.n. for preceding reference). [name). Bueno, Jl. N. Y. Ent. Soc., xiii, p. 41, 1905; xvi, p. 234, 1908.

Bergroth, Ohio Nat., viii, p. 381, 1908.

Bueno, Ohio Nat., ix, p. 390, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 152, 1910.

Bueno, Trans. Am. Ent. Soc., xxxvii, p. 250, 1911.

Bueno, Can. Ent., xliii, p. 228, 1911.

Bueno, Can. Ent., xliv, p. 212, 1912.

beginii Ashmead, Can. Ent., xxix, p. 56, 1897, Halobatopsis (part).

Localities: N. Y., N. J., D. C.

1298. Rheumatobates tenuipes Minert

Minert, Ent. Medd., v, p. 7, 1895.

Bergroth, Ohio Nat., viii, p. 381, 1908.

Bueno, Trans. Am. Ent. Soc., xxxvii, p. 250, 1911.

Locality: D. C.

12981/2. Rheumatobates trulliger Bergr.

Bergroth, Bul. Brookl. Ent. Soc., x, p. 63, 1915.

Locality: Ga.

Genus Halobates Eschs. Logotype micans Eschs.

Eschscholtz, Entomographien, p. 106, 1822; Nat. Abh. Dorpat, i, p. 162, 1823. Laporte, Essai Classif. Syst. Hémip., p. 24, 1832 (names micans type).

Burmeister, Handb. d. Ent., ii, p. 208, 1835.

Spinola, Essai sur les Hémip., p. 63, 1837 (1840).

Blanchard, Hist. Nat. des Ins., Hémip., p. 98, 1840.

Amyot and Serville, Hémip., p. 411, 1843.

Herrich-Schaeffer, Wanz. Ins., viii, p. 108, 1848.

Spinola, Tavola Sinot., p. 42, 1850.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 169, 1868.

B. White, Challenger Repts., Zool., vii, pt. 19, p. 23, 1883.

Uhler, Stand. Nat. Hist., ii, p. 269, 1884.

Distant, Fauna Br. Ind., Rhyn., ii, p. 186, 1903.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 156, 1906.

1299. Halobates micans Eschs.

Eschscholtz, Entomographien, p. 107, 1822; Nat. Abh. Dorpat, i, p. 163, pl. Laporte, Essai Classif. Syst. Hémip., p. 24, 1832. [2, fig. 3, 1823.

Burmeister, Handb. d. Ent., ii, p. 208, 1835.

Blanchard, Hist. Nat. des Ins., Hémip., p. 98, 1840.

Herrich-Schaeffer, Wanz. Ins., viii, p. 110, 1848.

Frauenfeld, Verh. Zool.-Bot. Ges. Wien, xvii, p. 458, pl. 12, fig. 5, 1867.

B. White, Challenger Rept., Zool., vii, pt. 19, p. 43, pl. 1, fig. 2, 1883.

Bueno, Trans. Am. Ent. Soc., p. 251, 1911.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

Localities: Fla. (Tropical oceans.)

1300. Halobates sericeus Eschs.

Eschscholtz, Entomographien, p. 108, 1822; Nat. Abh. Dorpat, i, p. 163, pl. 2, Burmeister, Handb. d. Ent., ii, p. 209, 1835. [fig. 4, 1823.

Blanchard, Hist. Nat. des Ins., Hémip., p. 98, 1840.

Amyot and Serville, Hémip., p. 412, 1843.

Herrich-Schaeffer, Wanz. Ins., viii, p. 110, figs. 880, 881, 1848.

B. White, Challenger Rept., Zool., vii, pt. 19, p. 47, pl. 1, fig. 7, 1883.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 213, 1908.

Localities: Calif. (Pacific Ocean.)

Family VELIIDAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. l, 418, 1843, Groupe Velides.

Dohrn, Cat. Hemip., p. 53, 1859, Velidae.

Stål, Hemip. Afr., iii, p. 167, 1865, Veliida.

Douglas and Scott, Brit. Hemip., pp. 42, 569, 1865, Veliidae.

Stål, Of. Vet. Akad. Forh., xxvii, p. 705, 1870, Veliina.

Uhler, Stand. Nat. Hist., ii, p. 271, 1884.

Berg, Hemip. Argent. Add., p. 117, 1884, Subfam. Veliina.

Uhler, Check List, p. 27, 1886.

Puton, Cat. Hémip. Palae., p. 36, 1886, Tribe Veliini.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 55, 1896, Subfam. Velidae.

Champion, Biol. Centr. Am., Heter., ii, p. 126, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 171, 1903, Subfam. Veliinae.

Bergroth, Wien. Ent. Zeit., xxv, p. 7, 1906, Veliadae.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 154, 1906.

[Veliinae.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 204, 1908, Subfam.

Oshanin, Verz. Palae. Hemip., i, p. 487, 1908, Subfam. Veliina.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 66, 81, 1910, Veliadae.

Bueno, Trans. Am. Ent. Soc., xxxvii, p. 244, 1911, Subfam. Veliinae.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 48, 54, 1912.

Oshanin, Kat. Palae. Hemip., p. 87, 1912.

Bueno, Bul. Brookl. Ent. Soc., xi, p. 52, 1916.

Hydroessae Fieber, Europ. Hemip., pp. 23, 33, 104, 1861.

Genus Microvelia Westw. Logotype pygmaea (Duf.)

Westwood, Ann. Soc. Ent. Fr., iii, p. 647, 1834 (for pygmaea and pulchella). Brullé, Hist. Nat. des Ins., ix, p. 295, 1835.

Blanchard, Hist. Nat. des Ins., Hémip., p. 96, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 119, 1840 (names pygmaea Amyot and Serville, Hémip., p. 421, 1843. [type).

Spinola, Tavola Sinot., p. 43, 1850.

Douglas and Scott, Brit. Hemip., p. 573, 1865.

Uhler, Stand. Nat. Hist., ii, p. 275, 1884.

Champion, Biol. Centr. Am., Heter., ii, p. 126, 1898.

Distant, Fauna Br. Ind., Rhyn., ii, p. 174, 1903 (names pulchella pseudotype).

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 154, 1906 (cites pygmaea as type).

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 207, 1908.

Bueno, Can. Ent., xlii, p. 1910.

Bueno, Bul. Brookl. Ent. Soc., xi, p. 56, 1916.

Hydroëssa Burmeister, Handb. d. Ent., ii, p. 213, 1835 (logotype reticulata Flor, Rhyn. Livl., i, p. 747, 1860. [Burm. = pygmaea Duf.).

Fieber, Europ. Hemip., pp. 33, 104, 1861.

Herrich-Schaeffer, Wanz. Ins., vi, p. 37, 1842; ix, p. 78, 1853.

Stål, Hemip. Afr., iii, p. 167, 1865. [Auct.).

Veliomorpha Carlini, Ann. Mus. Genova, xxxv, p. 120, 1895 (type maculata

Subgenus Microvelia Westw.

Bueno, Can. Ent., xlii, p. 186, 1910.

1301. Microvelia signata Uhl.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 288, 1894.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 208, 1908.

Localities: Calif., Colo.(?). (Mexico.)

1302. Microvelia marginata Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1893, p. 719; for 1894, p. 219.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 207, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 150, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Localities: N. J., Md., Fla., Calif. (Neotropical.)

1303. Microvelia borealis Bueno

¶Bueno in Smith's Cat. Ins. N. J., edn. 3, p. 150, 1910 (n.n. for "pulchella ¶Parshley, Psyche, xxi, p. 145, 1914.

Bueno, Bul. Brookl. Ent. Soc., xi, p. 59, 1916 (description).

†pulchella Bueno; Jl. N. Y. Ent. Soc., xiii, p. 42, 1905.

Van Duzee, Check List Hemip., p. 49, 1916.

Rhagovelia sp. Bueno, Jl. N. Y. Ent. Soc., xvi, p. 233, 1908.

Localities: N. Y., N. J.

1304, Microvelia albonotata Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 129, pl. 8, fig. 17, 1898.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 24, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 150, 1910.

Bueno, Bul. Brookl. Ent. Soc., xi, p. 58, 1916.

†capitata Bueno, Jl. N. Y. Ent. Soc., xvi, p. 233, 1908, Rhagovelia.

Bueno, Jl. N. Y. Ent. Soc., xviii, p. 31, 1910.

Van Duzee, Check List Hemip., p. 49, No. 1305, 1916.

Localities: N. Y., N. J., Md., Fla., Ill.

(1305. See no. 1304)

1306. Microvelia robusta Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 219. Locality: Fla.

13061/4. Microvelia atrata Bueno

Bueno, Bul. Brookl. Ent. Soc., xi, p. 60, 1916. Locality: Ga.

13061/2. Microvelia fontinalis Bueno.

Bueno, Bul. Brookl. Ent. Soc., xi, p. 58, 1916. Localities: N. Y., N. J.

Subgenus Kirkaldya Bueno Haplotype americana Uhl.

Bueno, Can. Ent., xlii, p. 186, 1910.

1307. Microvelia americana (Uhl.)

Uhler, Stand. Nat. Hist., ii, p. 274, 1884, Hebrus.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 184, 1894, Hebrus.
Uhler, Hemip. Colo., p. 61, 1895 (as new).
Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905.
Bueno., Jl. N. Y. Ent. Soc., xiii, p. 42, 1905.
Bueno and Brimley, Ent. News, xviii, p. 438, 1907.
Bueno, Jl. N. Y. Ent. Soc., xvi, p. 233, 1908, Rhagovelia.
Bueno, Jl. N. Y. Ent. Soc., xviii, p. 31, 1910.

Bueno, Can. Ent., xlii, p. 176, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 150, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 32, 1914.

Bueno, Bul. Brookl. Ent. Soc., xi, p. 57, 1916.

Localities: Ont., Me., N. H., N. Y., N. J., Pa., Md., D. C., Va., N. C., Fla., Kans., Colo., N. Mex., Calif.

Genus Macrovelia Uhl. Haplotype hornii Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 422, 1872. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 154, 1906.

1308. Macrovelia hornii Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 422, 1872.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 334, 1876.
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 289, 1894.
Gillette and Baker, Hemip. Colo., p. 62, 1895.
Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 207, 1908.
Localities: Colo., N. Mex., Ariz., Calif.

Genus **Rhagovelia** Mayr Logotype nigricans Burm.

Mayr, Verh. Zool.-Bot. Ges. Wien, xv, p. 445, 1865. Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 180, 1868. Signoret, Bul. Soc. Ent. Fr., ser. 5, vii, p. liv, 1877. Champion, Biol. Centr. Am., Heter., ii, p. 131, 1898. Kirkaldy, Bol. Mus. Zool. Anat. Torino, xiv, No. 350, p. 5, 1899. Kirkaldy, Entomologist, xxxiii, p. 71, 1900.

Carpenter, Entomologist, xxxiv, p. 109, 1901.

Kirkaldy, Entomologist xxxiv, p. 286, 1901 (names nigricans type).

Kirkaldy, Entomologist, xxxiv, p. 308, 1901. (Key.)

Distant, Fauna Br. Ind., Rhyn., iii, p. 171, 1903.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 154, 1906.

Bueno, Can. Ent., xxxix, p. 61, 1907.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 205, 1908.

Bueno, Bul. Brookl. Ent. Soc., xi, p. 55, 1916.

Boecula Stål, Hemip. Afr., iii, p. 167, 1865 (no species named, invalid). Neovelia B. White, Jl. Linn. Soc. Lond., xiv, p. 487, 1879 (type trailii Wht.). Trochopus Carpenter, Ent. Mo. Mag., xxxiv, p. 78, 1898 (type marinus Champion, Biol. Cent. Am., Heter., ii, p. 140, 1898. [Carp.).

1309. Rhagovelia obesa Uhl.

Uhler, Proc. Bost. Soc. Nat. Hist., xiv, p. 107, 1871; xix, p. 434, 1878.

Uhler, Stand. Nat. Hist., ii, p. 272, 1884.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 289, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 184, 1894.

Bueno, Jl. N. Y. Ent. Soc., xiii, p. 42, 1905.

Bueno, Can. Ent., xxxix, p. 61, 1907.

Bueno and Brimley, Ent. News, xviii, p. 438, 1907.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 233, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 150, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 32, 1914.

Bueno, Bul. Brookl. Ent. Soc., xi, p. 56, 1916.

†collaris Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 334, 1876.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 500, 1914.

Localities: Ont., Me., Mass., N. Y., N. J., Pa., Md., D. C., Va., N. C., Fla., S. C., Ohio, Mich., Tenn., Utah, Calif.

[aeneipes Sign. MS]

Signoret, Bul. Soc. Ent. Fr., ser. 5, vii, p. lv, 1877 (probably = obesa Uhl.).

Locality: "Niagara Falls" (where obesa is common).

1310. Rhagovelia distincta Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 135, pl. 8, figs. 25, 26, 27, 1898. Kirkaldy, Entomologist, xxxiv, p. 309, 1901.

[distincta Uhl. MS] Walker, Cat. Heter., viii, p. 161, 1873 (no description).

mexicana Signoret, Bul. Soc. Ent. Fr., ser. 5, vii, p. lv, 1877 (no description).

Locality: "Ind." (Walker).

1311. Rhagovelia armata (Burm.)

Burmeister, Handb. d. Ent., ii, p. 212, 1835, Velia.

Mayr, Verh. Zool.-Bot. Ges. Wien, xv, p. 446, 1866.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 334, 1876, Velia.

Signoret, Bul. Soc. Ent. Fr., ser. 5, vii, p. liv, 1877.

Champion, Biol. Centr. Am., Heter., ii, p. 135, pl. 8, fig. 24, 1898.

Localities: Texas. (Mexico.)

1312. Rhagovelia plumbea Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 217.

Kirkaldy, Entomologist, xxxiii, p. 72, 1900; xxxiv, p. 309, 1901.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

Bueno, Bul. Brookl. Ent. Soc., xi, p. 56, 1916.

marinus Carpenter, Ent. Mo. Mag., xxxiv, p. 78, 1898, Trachopus.

Localities: Fla. (West Indies.)

Genus Velia Latr. Type rivulorum (Fabr.)

Latreille, Nouv. Dicty. Hist. Nat., xxiv, Tabl. Meth., pp. 163-168, 1804. Latreille, Hist. Nat. Crust. Ins., xii, p. 269, 1804 (lists rivulorum and three [others).

Latreille, Genera Crust. Ins., iii, p. 132, 1807 (lists rivulorum and currens).

Latreille, Consid. Génl., pp. 258, 434, 1810 (names rivulorum type).

Leach, Brewster's Edinbg. Encyc., ix, p. 123, 1815 (for rivulorum).

Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 512, 1816.

Laporte, Essai Classif Syst. Hémip., p. 23, 1832 (cites rivulorum as type).

Burmeister, Handb. d. Ent., ii, p. 211, 1835.

Herrich-Schaeffer, Nomen. Ent., i, pp. 38, 62, 99, 1835.

Brullé, Hist. Nat. des Ins., ix, pp. 291, 293, 1835.

Spinola, Essai sur les Hémip., p. 66, 1837 (1840).

Blanchard, Hist. Nat. des Ins. Hémip., p. 96, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 119, 1840 (cites rirulorum Amyot and Serville, Hémip., p. 419, 1843. [as type).

Spinola, Tavola Sinot, p. 43, 1850.

Herrich-Schaeffer, Wanz. Ins., ix, p. 75, 1853.

Flor, Rhyn. Livl., i, p. 744, 1860.

Fieber, Europ. Hemip., pp. 33, 105, 1861.

Stål, Hemip. Afr., iii, p. 167, 1865.

Douglas and Scott, Brit. Hemip., p. 569, 1865.

Puton, Synop. Heter. Fr., ii, p. 149, 1879.

Reuter, Ent. Tidskr., iii, p. 167, 1882.

Berg, Hemip. Argent., Add., p. 117, 1884.

Uhler, Stand. Nat. Hist., ii, p. 272, 1884.

Champion, Biol. Centr. Am., Heter., ii, p. 141, 1898.

[type)

Distant, Fauna Br. Ind., Rhyn., ii, p. 172, 1903 (names currens Fabr. pseudo-Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 154, 1906 (cites rivulorum as type).

Bueno, Bul. Brookl. Ent. Soc., xi, p. 53, 1916.

1313. Velia stagnalis Burm.

Burmeister, Handb. d. Ent., ii, p. 212, 1835.

Champion, Biol. Centr. Am., Heter., ii, p. 142, 1898 (comparative notes).

Bueno and Brimley, Ent. News, xviii, p. 438, 1907.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 205, 1908.

Bueno, Bul. Brookl. Ent. Soc., xi, p. 54, 1916.

Localities: Pa., D. C., N. C. (West Indies.)

1314. Velia brachialis Stål

Stål, Rio Jan. Hemip., i, p. 82, 1860.

Champion, Biol. Centr. Am., Heter., ii, p. 141, pl. 9, figs. 6, 7, 1898.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

†stagnalis Uhler, Proc. Zool. Soc. Lond for 1894, p. 215.

Localities: "N. Am.," Fla., Ariz.

1315. Velia annulipes Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 142, pl. 9, fig. 8, 1898. Kirkaldy and Bueno, Proc. Ent., Soc. Wash., x, p. 204, 1908.

Localities: Ariz. (Neotropical.)

13151/2. Velia australis Bueno

Bueno, Bul. Brookl. Ent. Soc., xi, p. 54, 1916.

Localities: Ga., Fla.

Superfamily LEPTOPODOIDEA Van D.

Van Duzee, Check List Hemip., p. 50, 1916 (n.n. for Acanthioideae Reut.).
Acanthioideae Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 63, 1910.
Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 15, 48, 1912.
Oshanin, Kat. Palae. Hemip., p. 87, 1912.

PHALANX LEPTOPODIFORMES (Brul.)

Brullé, Hist. Nat. des Ins., ix, p. 279, 1835, Leptopodiens (Family). Blanchard, Hist. Nat. des Ins., Hémip., p. 94, 1840, Leptopodiens (Family). Van Duzee, Check List Hemip., p. 50, 1916.

Acanthides Leach, Brewster's Edinbg. Encyc., ix, p. 123, 1815 (Tribe).

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 119, 1840 (as family).

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 148, 1906 (as family).

Oshanin, Verz. Palae. Hemip., i, p. 581, 1908 (as family).

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 175, 1908 (as family).

Kirkaldy, Can. Ent., xl, p. 361, 1908 (as family).

Kirkaldy, Cat. Hemip., i, p. xxiv, 1909 (as family).

Oculatae Latreille, Fam. Nat. Règne Anim., p. 423, 1825 (as tribe).

Amyot and Serville, Hémip., pp. xlix, 401, 1843, Tribe Oculati.

Flor, Rhyn. Livl., i, p. 702, 1860 (as family).

Walker, Cat. Heter., viii, p. 153, 1873.

Riparii Burmeister, Handb. d. Ent., ii, p. 215, 1835 (as family).

Pelogonitae Spinola, Tavola Sinot., pp. 27, 49, 1850 (in part; as family). Saldidae Dohrn, Cat. Hemip., p. 51, 1859 (Family).

Puton, Synop. Hémip. Fr., i, pp. 4, 192, 1879.

Puton, Cat. Hémip. Palae., edn. 3, p. 41, 1886, Saldides (Family).

Lethierry & Severin, Cat. Génl. Hémip., iii, p. 215, 1896 (Family).

Distant, Fauna Brit. Ind., Rhyn., ii, p. 404, 1904 (Family).

Acanthiiformes Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 64, 1910.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 17, 48, 1912. Oshanin, Kat. Palae. Hemip., p. 87, 1912.

Family SALDIDAE (Am. & Serv.)

Amyot and Serville, Hémip., p. xlix, 1843, Groupe Saldides.

Costa, Cimic. Reg. Neap., Cent., iii, p. 66, 1852.

Fieber, Europ. Hemip., pp. 25, 40, 144, 1860.

Stål, Hemip. Fabr., i, p. 90, 1868, Saldida.

Stål, Of. Vet. Akad. Forh., xix, p. 387, 1868.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 429, 1877, Saldae.

Puton, Synop. Heter. Fr., i, p. 193, 1879, Tribe Saldini.

Uhler, Check List, p. 27, 1886.

Puton, Cat. Hémip. Palae., edn. 3, p. 41, 1886, Tribe Saldini.

Provancher, Pet. Faune Ent. Can., iii, p. 187, 1888.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 215, 1896 (Subfamily).

Champion, Biol. Centr. Am., Heter., ii, p. 338, 1900.

Distant, Fauna Br. Ind., Rhyn., ii, p. 404, 1904, Subfamily Saldinae.

Banks, Cat. Nearc. Hemip., p. 11, 1910.

Subfamily SALDINAE n.n.

Van Duzee, Ent. News, xxi, p. 142, 1910; xxii, p. 432, 1911.

Acanthiinae Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 6, [1912.

[The following references to Salda and Acanthia really refer to this subfamily.]

Genus Salda Auct.

Fabricius, Syst. Rhyng., p. 113, 1803 (indicates zosterae as type). Fallén, Monog. Cimic. Suec., p. 28, 1807. Fallén, Hemip. Suec., Cimic., p. 71, 1829. Hahn, Wanz. Ins., ii, p. 81, 1834. Burmeister, Handb. d. Ent., ii, p. 215, 1835. Herrich-Schaeffer, Nomen. Ent., i, pp. 37, 60, 1835. Blanchard, Hist. Nat. des Ins., Hémip., p. 94, 1840. Amyot and Serville, Hémip., p. 404, 1843. Herrich-Schaeffer, Wanz. Ins., ix, p. 128, 1853. Flor, Rhyn. Livl., i, p. 703, 1860. Fieber, Europ. Hemip., pp. 40, 144, 1860. Douglas and Scott, Brit. Hemip., p. 316, 1865. Stål, Hemip. Fabr., i, p. 90, 1868. Stål, Of. Vet. Akad. Forh., xix, p. 387, 1868. Thomson, Opusc. Ent., iv, p. 403, 1871. Walker, Cat. Heter., viii, p. 154, 1873. Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 430, 1877. Berg, Hemip. Argent., p. 293, 1879. Douglas, Ent. Mo. Mag., xix, p. 203, 1883. Uhler, Check List, p. 27, 1886. Puton, Cat. Hemip. Palae., edn. 3, p. 41, 1886. Provancher, Pet. Faune Ent. Can., iii, p. 188, 1888. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 215, 1896. Champion, Biol. Centr. Am., Heter., ii, p. 338, 1900. Distant, Fauna Br. Ind., Rhyn., ii, p. 404, 1904. Van Duzee, Ent. News, xxi, p. 141, 1910. Banks, Cat. Nearc. Heter., p. 11, 1910. [to littoral forms.) †Acanthia Latreille, Précis, p. 85, 1796. (No species named, but restricted Latreille, Hist. Nat. Crust. Ins., iii, p. 247, 1802 (littoralis and zosterae [as examples).

Latreille, Hist. Nat. Crust. Ins., xii, p. 240, 1804 (includes five species). Latreille, Genera Crust. Ins., iii, p. 142, 1807.

Latreille, Consid. Génl., pp. 259, 434, 1810 (names saltatoria type).

Leach, Brewster's Edinbg. Encyc., ix, p. , 1815 (for maculata).

Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 507, 1816.

Latreille, Fam. Nat. Règne Anim., p. 423, 1825, Acanthie. [type). Laporte, Essai Classif. Syst. Hémip., p. 52, 1832 (names saltatoria Fabr. Brullé, Hist. Nat. des Ins., ix, p. 280, 1835.

Curtis, Brit. Ent., xii, pl. 548, 1835.

Spinola, Essai sur les Hémip., p. 76, 1837 (1840).

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 119, 1840 (cites salta-Spinola, Tavola Sinot., p. 49, 1850. [toria Linn. as type).

Stål, Enum. Hemip., iii, p. 148, 1873.

Reuter, Ent. Mo. Mag., xvi, p. 172, 1880; xvii, p. 14, 1881.

Reuter, Acta Soc. Sci. Fenn., xxi, No. 2, p. 3, 1895.

Kirkaldy, Entomologist, xxxii, p. 219, 1899 (states that Latreille in [1797 named littoralis as type, which is incorrect).

Bergroth, Wien. Ent. Zeit., xxv, p. 7, 1906.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 148, 1906.

Reuter, Ent. Mo. Mag., ser. 2, xix, p. 26, 1908.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 175, 1908.

Oshanin, Verz. Palae. Hemip., i, p. 581, 1908.

Horvath, Ann. Mus. Natl. Hung., ix, p. 335, 1911.

Genus Pentacora Reut.

Orthotype signoreti (Guer.)

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, pp. 7, 10, 1912.

1316. Pentacora signoreti (Guer.)

Guerin in Sagra, Hist. Isl. de Cuba, Ins., p. 401, pl. 13, fig. 10, 1857, Salda. Stål, Enum. Hemip., iii, p. 148, 1873, Acanthia.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 333, 1876; iii, p. 431, 1877, Salda.

Uhler, Stand. Nat. Hist., ii, p. 265, fig. 321, 1884, Salda.

Champion, Biol. Centr. Am., Heter., ii, p. 339, pl. 20, fig. 2, 1900, Salda.

Barber, Brookl. Inst., Sci. Bul., i, p. 287, 1906, Salda.

Smith, Cat. Ins. N. J., edn. 3, p. 166, 1910, Acanthia.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 11, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914, Acanthia.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 32, 1914.

ornata (Stål), Stet. Ent. Zeit., xxiii, p. 458, 1862, Salda.

Stål, Enum. Hemip., iii, p. 149, 1873, Acanthia.

Localities: Mass., N. J., Md., N. C., Ga., Fla., Texas, Calif. (Neotropical.)

1317. Pentacora hirta (Say)

Say, Heter. N. Harm., p. 34, 1832; Fitch reprint, p. 804; Compl. Writ., i, p. Stål, Enum. Hemip., iii, p. 149, 1873, *Acanthia*. [359, *Acanthia*. Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 436, 1877, *Salda*.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 11, 1912, Acanthia. [vagata Uhler MS] Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 153, 1906, [Salda.

Localities: Quebec, Conn., N. Y., N. J., Fla., Ind., Texas.

1318. Pentacora ligata (Say)

Say, Heter. N. Harm., p. 34, 1832; Fitch reprint, p. 804; Compl. Writ., i, p. Stål, Enum. Hemip., iii, p. 149, 1873, Acanthia. [359, Acanthia. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 333, 1876; iii, p. 432, 1877, Salda. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 431, 1878, Salda.

Provancher, Pet. Faune Ent. Can., iii, p. 189, 1888, Salda. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 184, 1894, Salda.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 11, 1912.

Parshley, Psyche, xxi, p. 140, 1914. variegata Provancher, Nat. Can., iv, p. 107, 1872, Salda.

Localities: Quebec, Ont., Me., Mass., N. Y., Md., N. C., Ind., Ill., Minn., Neb.

Genus Chiloxanthus Reut. Logotype pilosus (Fall.)

Reuter, Acta Soc. Sci. Fenn., xxi, No. 2, pp. 4, 6, 1895. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, pp. 7, 11, 1912.

1319. Chiloxanthus stellata (Curt.)

Curtis, Ross' 2d Voy., App., p. lxxv, 1835, Acanthia. Curtis, Brit. Ent., xii, pl. 548, 1835, Acanthia. Stål, Enum. Hemip., iii, p. 149, 1873, Acanthia.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 442, 1877, Salda.

Localities: "Arctic Am.," Pt. Barrow.

Genus Salda Fabr.

Orthotype zosterae (Fabr.) = littoralis (Linn.)

Fabricius, Syst. Rhyn., p. 113, 1803 (names zosterae as type).

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, pp. 7, 13, 1912.

Sciodopterus Amyot and Serville, Hémip., p. 404, 1843 (type flavipes

[Fabr. = littoralis Linn.).

Provancher, Pet. Faune Ent. Can., iii, p. 191, 1888. Reuter, Acta Soc. Sci. Fenn., xxi, No. 2, pp. 5, 7, 1895 (as subgenus).

1320. Salda littoralis (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 442, 1758, Cimex.

Linnaeus, Fauna Suec., edn. 2, p. 246, No. (910) 914, 1761, Cimex.

De Geer, Mémoires, iii, p. 278, pl. 14 (24), figs. 17, 18, 1773, Cimex.

Fabricius, Syst. Ent., p. 694, 1775, Acanthia.

Retzius, Genera et Spec. Ins., p. 86, 1783, Cimex.

Latreille, Hist. Nat. Crust. Ins., iii, p. 247, 1801; xii, p. 242, 1804, Acanthia.

Fallén, Monog. Cimic. Suec., p. 28, 1807, Salda.

Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 508, 1816, Acanthia.

Zetterstedt, Fauna Lapp., p. 477, 1828, Salda.

Fallén, Hemip. Suec., Cimic, p. 71, 1829, Salda.

Zetterstedt, Ins. Lapp., column, 267, 1840, Salda.

Flor, Rhyn. Livl., i, p. 709, 1860, Salda.

Fieber, Europ. Hemip., p. 147, 1861, Salda.

Douglas and Scott, Brit. Hemip., p. 528, 1865, Salda.

Stål, Hemip. Fabr., i, p. 90, 1868, Salda.

Stål, Of. Vet. Akad. Forh., xxv, p. 387, 1868, Salda.

Thomson, Opusc. Ent., iv, p. 403, 1871, Salda.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 439, 1877, Salda.

Reuter, Rev. Synon., p. 337, No. 302, 1888, Acanthia.

Uhler, Proc. Ent. Soc. Wash., ii, p. 382, 1893, Salda.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 185, 1894, Salda.

Reuter, Acta Soc. Sci. Fenn., xxi, No. 2, p. 35, 1895, Acanthia.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 13, 1912.

zosterae (Fabricius), Genera Ins., p. 299, 1776, Acanthia.

Fabricius, Spec. Ins., ii, p. 335, 1781, Acanthia.

Fabricius, Ent. Syst., iv, p. 68, 1794, Acanthia.

Fabricius, Syst. Rhyn., p. 113, 1803.

Burmeister, Handb. d. Ent., ii, p. 216, 1835.

Blanchard, Hist. Nat. des Ins., Hémip., p. 94, 1840.

Verhoeff, Ent. Nachr., xvii, p. 345, 1891 (as variety).

pellucens (Fabricius), Reise Norw., p. 234, 1779, Acanthia.

thavipes Fieber, Wien. Ent. Monat., iii, p. 238, 1859.

Fieber, Europ. Hemip., p. 147, 1861.

Verhoeff, Ent. Nachr., xvii, p. 344, 1891.

obscura Provancher, Nat. Can., iv, p. 107, 1872.

Provancher, Pet. Faune Ent. Can., iii, p. 190, 1888.

Localities: Quebec, N. Y., Ind., Ill., Utah, Calif.

1321. Salda coriacea Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 421, 1872.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 334, 1876; iii, p. 436, 1877.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 433, 1878.

Smith, Cat. Ins. N. J., edn. 3, p. 166, 1910, Acanthia.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 13, 1912.

Van Duzee, Can. Ent., xliv, p. 324, 1912.

Bueno, Ent. News, xxiv, p. 20, 1913, Acanthia.

Parshley, Psyche, xxi, p. 140, 1914, Acanthia.

bouchervillei (Provancher), Nat. Can., iv, p. 106, 1872, Sciodopterus.

Provancher, Pet. Faune Ent. Can., iii, p. 192, 1888, Sciodopterus.

Localities: Ont., Me., Mass., N. Y., N. J., Ill., Colo., Utah, Br. Col., Mackenzie River Region.

1322. Salda anthracina Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 438, 1877.

Localities: N. H., N. Y., Pa.

Genus Saldula Van D. Orthotype saltatoria (Linn.)

Van Duzee, Trans. San Diego Soc. Nat. Hist. Soc., ii, p. 32, 1914 (n.n. for Van Duzee, Can. Ent., xlvi, p. 387, 1914. [Acanthia Reut., 1912).

†Acanthia Reuter, Acta Soc. Soc. Sci. Fenn., xxi, No. 2, pp. 5, 9, 1895.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, pp. 71, 72, 1912. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, pp. 8, 14, 1912.

1323. Saldula major (Prov.)

Provancher, Nat. Can., p. 107, 1872, Salda.

Provancher, Pet. Faune Ent. Can., iii, p. 190, 1888, Salda.

Van Duzee, Can. Ent., xliv, p. 324, 1912, Salda.

Parshley, Psyche, xxi, p. 140, 1914, Acanthia.

deplanata Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 442, 1877, Salda.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 185, 1894, Salda.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905, Salda.

Smith, Cat. Ins. N. J., edn. 3, p. 166, 1910, Acanthia.

Van Duzee, Can. Ent., xliv, p. 324, 1912, Salda.

[A canthia.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 14, 1912,

tlugubris (Uhler), Bul. U. S. Geol. Geog. Surv., i, p. 333, 1876, Salda.

Localities: Quebec, Ont., Me., Mass., R. I., N. Y., N. J., Pa., Md.,

Mich., Ill., Wisc., Mo., Kan., Texas, N. Mex., Minn., Sask.,

McKenzie River Region

1324. Saldula confluenta (Say)

Say, Heter. N. Harm., p. 35, 1832; Fitch reprint, p. 805; Compl. Writ., i, p. Bueno, Jl. N. Y. Ent. Soc., xvi, p. 236, 1908, Acanthia. [361, Acanthia. Smith, Cat. Ins. N. J., edn. 3, p. 166, 1910, Acanthia.

‡confluens Le Conte, in Say, Compl. Writ., i, p. 361, 1859, Acanthia.
Stål, Enum. Hemip., iii, p. 149, 1873, Acanthia.
Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 433, 1877, Salda.
Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 14, 1912,
Banks, Cat. Nearc. Hemip., p. 11, 1910, Salda. [Acanthia Localities: Quebec, N. Y., N. J.

1325. Saldula orbiculata (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 450, 1877, Salda.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 185, 1894, Salda.
Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 15, 1912, Acanthia.
Localities: Mass., N. Y., Pa., Ohio, Ill., Texas, Calif.

1326. Saldula explanata (Uhl.)

Uhler, Proc. Ent. Soc. Wash., ii, p. 383, 1893, Salda.
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 290, 1894, Salda.
Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, 1912, Acanthia.
Localities: Utah, Idaho, Calif., Vanc. Isd.

1327. Saldula dispersa (Uhl.)

Uhler, Proc. Ent. Soc. Wash., ii, p. 383, 1893, Salda.
Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 15, 1912, Acanthia.
Localities: Colo., Utah, Nev., Calif.

1328. Saldula interstitialis (Sav)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 324, 1825; Compl. Writ., ii, p. 248, Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 421, 1872, Salda. [Acanthia. Stål, Enum. Hemip., iii, p. 149, 1873, Acanthia. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 333, 1876; iii, p. 444, 1877, Salda. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1330, Salda. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 431, 1878, Salda. Van Duzee, Can. Ent., xxi, p. 6, 1889, Salda. Cockerell, Trans. Am. Ent. Soc., xx, p. 364, 1893, Salda. Uhler, Proc. Ent. Soc. Wash., ii, p. 382, 1893, Salda. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 290, 1894, Salda. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 185, 1894, Salda. Gillette and Baker, Hemip. Colo., p. 62, 1895, Salda. Smith, Cat. Ins. N. J., edn., 3, p. 166, 1910, Acanthia. Van Duzee, Can. Ent., xliv, p. 324, 1912, Salda. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 15, 1912, Acanthia. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914, Acanthia.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 32, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 235, 1916.

†littoralis (Provancher), Pet. Faune Ent. Can., iii, p. 191, 1888, Salda.

Localities: Quebec., Ont., Me., Mass., N. Y., N. J., Pa., Md., Fla.,

Ind., Ill., Mich., Mo., Dak., Neb., Colo., Texas, N. Mex., Idaho,
Calif.

1329. Saldula separata (Uhl.)

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 432, 1878, Salda. Localities: "Canada," N. H., Mass., Pa.

1330. Saldula reperta (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 447, 1877, Salda.
Smith, Cat. Ins. N. J., edn. 3, p. 166, 1910, Acanthia.
Van Duzee, Can. Ent., xliv, p. 324, 1912, Salda (misspelled repleta).
††lugubris (Provancher), Pet. Faune Ent. Can., iii, p. 191, 1888, Salda.
Localities: Quebec, N. H., Mass.

1331. Saldula xanthochila (Fieb.)

Fieber, Wien. Ent. Monat., iii, p. 234, 1859, Salda.

Fieber, Europ. Hemip., p. 145, 1861, Salda.

Puton, Synop. Heter. Fr., i, p. 202, 1879, Salda.

Reuter, Rev. Synon., p. 340, No. 305, 1888, Acanthia.

Reuter, Acta Soc. Sci. Fenn., xxi, No. 2, p. 50, 1895, Acanthia.

Smith, Cat. Ins. N. J., edn. 3, p. 166, 1910, Acanthia.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 15, 1912, Acanthia. Bueno, Ent. News, xxiv, p. 20, 1913.

Localities: N. Y., N. J., Colo., Utah, Nev., Calif. (Palaearctic.)

a. var. limbosa (Horv.)

Horvath, Revue d'Ent., x, p. 80, 1891, Acanthia.

Reuter, Acta Soc. Sci. Fenn., xxi, No. 2, p. 50, 1895, Acanthia.

Horvath, Ann. Mus. Natl. Hung., vi, p. 566, 1908, Acanthia.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914, Acanthia.

Localities: N. J., Fla. (Palaearctic.)

1332. Saldula pallipes (Fabr.)

Fabricius, Ent. Syst., iv, p. 71, 1794, Acanthia.

Fabricius, Syst. Rhyn., p. 115, 1803, Salda.

Latreille, Hist. Nat. Crust. Ins., xii, p. 220, 1804, Lygaeus.

Zetterstedt, Fauna Lapp., p. 477, 1828, Salda.

Fallén, Hemip. Suec., Cimic., p. 73, 1829, Salda.

Herrich-Schaeffer, Nomen. Ent., i, p. 60, 1835, Salda.

Zetterstedt, Ins. Lapp., column 267, 1840, Salda.

Herrich-Schaeffer, Wanz. Ins., vi, p. 43, fig. 600, 1842, Salda.

Costa, Cimic. Reg. Neap., Cent., ii, p. 5, pl. 2, fig. 7, 1843, Salda (var.)

Fieber, Wien. Ent. Monat., iii, p. 237, 1859, Salda.

Flor, Rhyn. Livl., i, p. 715, 1860, Salda (part).

Fieber, Europ. Hemip., p. 146, 1861, Salda.

Douglas and Scott, Brit. Hemip., p. 527, 1865, Salda.

Stål, Hemip. Fabr., i, p. 91, 1868, Salda (var. of saltatoria).

Thomson, Opusc. Ent., iv, p. 407, 1871, Salda.

Stål, Enum. Hemip., iii, p. 149, 1873, Acanthia.

Douglas and Scott, Ent. Mo. Mag., xii, p. 30, 1875, Salda.

Saunders, Synop. Brit. Hemip., p. 634, 1875, Salda. Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 446, 1877, Salda. Reuter, Rev. Synon., p. 339, No. 304, 1888, Acanthia. Reuter, Revue d'Ent., ix, p. 251, 1890, Acanthia. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 185, 1894, Salda (part). Reuter, Acta Soc. Sci. Fenn., xxi, No. 2, pp. 22, 47, 1895, Acanthia. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 364, 1904, Salda. Van Duzee, 20th Rept. N. Y. St. Ent., p. 550, 1905, Salda. Smith, Cat. Ins. N. J., edn. 3, p. 166, 1910, Acanthia. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 15, 1912, Acanthia. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914, Acanthia. ?pellucidus (Goeze), Ent. Beytr., ii, p. 264, 1778, Cimex. Foureroy, Ent. Paris., p. 196, 1785, Cimex. tlittoralis (Schrank), Fauna Boica, ii, p. 63, 1801, Acanthia. stria (Latreille), Hist. Nat. Crust. Ins., xii, p. 243, 1804, Acanthia. †saltatorius (Panzer), Fauna Ins. Germ., pl. 92, fig. 13, 1805, Lygaeus. Fallén, Monog. Cimic. Suec., p. 29, 1807, Salda (var.b.) marginalis (Turton) in Linnaeus, Syst. Nat., edn. 13, Lond. reprint, i, p. [610, 1806, Cimex. dimidiata (Curtis), Brit. Ent., xii, p. 548, 1835, Acanthia (variety).

Localities: Ont., N. Y., N. J., Md., Colo., Utah, N. Mex., Nev., Calif., Alaska. (Palaearctic.)

1333. Saldula laticollis (Reut.)

ocellata (Costa), Cimic. Neap., Cent., ii, p. 9, pl. 2, fig. 5, 1843, Salda. luctuosa (Westhoff), Jahrsb. Westf. Prov. Ver., viii, p. 65, 1880, Salda

Reuter, Pet. Nouv. Ent., i, p. 544, 1875, Salda.

Reuter, Of. Finska Vet. Soc. Forh., xxi, p. 61, 1878, Acanthia.

Banks, Cat. Nearc. Heter., p. 12, 1910, Salda.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, p. 71, 1912, Acanthia.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 15, 1912, Acanthia.

Localities: Alaska. (Siberia.)

1334. Saldula sphacelata (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 434, 1877, Salda. Barber, Brookl. Inst. Sci. Bul., i, p. 288, 1906, Salda. Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 153, 1906, Salda. Smith, Cat. Ins. N. J., edn. 3, p. 166, 1910, Acanthia. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914, Salda. Localities: Mass., N. J., Md., Fla., Texas.

1335. Saldula opacula (Zett.)

Zetterstedt, Ins. Lapp., column 268, 1840, Salda.

Thomson, Opusc. Ent., iv, p. 407, 1871, Salda.

Douglas and Scott, Ent. Mo. Mag., xi, p. 9, 1874, Salda.

Saunders, Synop. Brit. Hemip., p. 633, pl. 12, fig. 13, 1876, Salda.

Puton, Synop. Heter. Fr., i, p. 187, 1879, Salda.

Rey, Revue d'Ent., vii, p. 195, 1888, Salda.

Reuter, Acta Soc. Sci. Fenn., xxi, No. 2, p. 46, 1895, Acanthia.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 15, 1912, Acanthia.

costalis (Sahlberg), Monog. Geoc. Fenn., p. 152, 1848, Salda.
†marginalis (Herrich-Schaeffer), Wanz. Ins., ix, p. 130, fig. 943, 1853, Salda.
Flor, Rhyn. Livl., i, p. 712, 1860, Salda.
Fieber, Wien. Ent. Monat., vii, p. 62, 1863, Salda.
Stål, Of. Vet. Akad. Forh., xxv, p. 391, 1868, Salda.
Localities: Mass. (Palaearctic.)

[This may not be distinct from the preceding.]

1336. Saldula scotica (Curt.)

Curtis, Brit. Ent., xii, pl. 548, 1835, Acanthia. Stål, Of. Vet. Akad. Forh., xxv, p. 389, 1868, Salda. Thomson, Opusc. Ent., iv, p. 406, 1871, Salda. Puton, Synop. Heter. Fr., i, p. 196, 1879, Salda. Saunders, Heter. Brit. Isds., p. 177, pl. 16, fig. 6, 1892, Salda. Reuter, Acta Soc. Sci. Fenn., xxi, No. 2, pp. 12, 40, 1895, Acanthia. Lethierry and Severin, Cat. Génl. Hémip., iii, p. 223, 1896, Salda. Horvath, Ann. Mus. Natl. Hung., ix, p. 337, 1911, Acanthia. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 15, 1912, Acanthia. †litoralis (Fieber), Wien. Ent. Monat., iii, p. 238, 1859, Salda. Fieber, Europ. Hemip., p. 147, 1861, Salda. hirsutula (Flor), Rhyn. Livl., i, p. 708, 1860, Salda. Fieber, Wien. Ent. Monat., vii, p. 62, 1863, Salda. †riparia (Douglas and Scott), Brit. Hemip., p. 530, 1865, Salda. gracilipes (Jakowlev), Horae Soc. Ent. Ross., xii, p. 151, 1879, Salda. Reuter, Act Soc. Sci. Fenn., xxi, p. 34, 1895, Sciodopterus. Localities: "Am. Bor." (Palaearctic.)

1337. Saldula pellita (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 433, 1877, Salda. Locality: Mass.

1338. Saldula lugubris (Say)

Say, N. Harm., p. 34, 1832; Fitch reprint, p. 804; Compl. Writ., i, p. 360,
 Stål, Enum. Hemip., iii, p. 149, 1873, Acanthia. [Acanthia.
 Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 442, 1877, Salda.
 Locality: "Mo."

1339. Saldula elongata (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 448, 1877, Salda. Locality: Brit. Col.

1340. Saldula luctuosa (Stål)

Stål, Freg. Eugen. Resa, Ins., p. 263, 1858, Salda.
Stål, Enum. Hemip., iii, p. 149, 1873, Acanthia.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 334, 1876; iii, p. 445, 1877, Salda.
Locality: Calif.

1341. Saldula saltatoria (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 448, 1758, Cimex. Linnaeus, Fauna Suec., edn. 2, p. 254, No. 953, 1761, Cimex. Fabricius, Syst. Ent., p. 725, 1775, Cimex. Fabricius, Ent. Syst., iv, p. 176, 1794, Lygaeus. Wolff, Icon. Cimic., ii, p. 77, fig. 74, 1801, Lygaeus.

٠...

Fabricius, Syst. Rhyn., p. 239, 1803, Lygaeus. Fallén, Monog. Cimic. Suec., p. 29, 1807, Salda. Zetterstedt, Fauna Lapp., p. 479, 1828, Salda. Fallén, Hemip. Suec., Cimic., p. 73, 1829, Salda. Laporte, Essai Classif. Syst. Hémip., p. 52, 1832 (as type of Acanthia). Hahn, Wanz. Ins., ii, p. 83, fig. 167, 1834, Salda. Herrich-Schaeffer, Nomen. Ent., i, p. 61, 1835, Salda. Brullé, Hist. Nat. des Ins., ix, p. 281, 1835, Acanthia. Spinola, Essai sur les Hémip., p. 77, 1837 (1840), Acanthia. Blanchard, Hist. Nat. des Ins., Hémip., p. 94, 1840, Salda. Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 119, 1840 (as type of Fieber, Wien. Ent. Monat., iii, p. 235, 1859, Salda. [Acanthia]. Flor, Rhyn. Livl., i, p. 713, 1860, Salda. Fieber, Europ. Hemip., p. 145, 1861, Salda. Douglas and Scott, Brit. Hemip., p. 522, 1865, Salda. Stål, Of. Vet. Akad. Forh., xxv, p. 390, 1868, Salda. Thomson, Opusc. Ent., iv, p. 407, 1871, Salda. Stål, Enum. Hemip., iii, p. 149, 1873, Acanthia. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 334, 1876, Salda. Puton, Synop. Heter. Fr., i, p. 199, 1879, Salda. Reuter, Berl. Ent. Zeit., xxv, p. 186, 1881, Salda. Reuter, Rev. Synon., p. 338, No. 303, 1888, Acanthia. Reuter, Revue d'Ent., ix, p. 251, 1890, Acanthia. Saunders, Heter. Brit. Isds., p. 180, 1892, Salda. Reuter, Acta Soc. Sci. Fenn., xxi, No. 2, p. 42, 1895, Acanthia. Champion, Biol. Centr. Am., Heter., ii, p. 341, 1900, Salda. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 15, 1912, Acanthia. alpinus (Scopoli), Ent. Carn., p. 129, 1763, Cimex. †littoralis (Fabricius), Ent. Syst., iv, p. 72, 1794, Acanthia. Fabricius, Syst. Rhyn., p. 115, 1803, Salda. Burmeister, Handb. d. Ent., ii, p. 216, 1835, Salda. Costa, Cimic. Reg. Neap., Cent., ii, p. 8, 1843, Salda. †maculata (Latreille), Hist. Nat. Crust. Ins., xii, p. 243, 1804, Acanthia.

†maculata (Latreille), Hist. Nat. Crust. Ins., xii, p. 243, 1804, Acanthia Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 508, 1816, Acanthia. †zosterae (Amyot and Serville), Hémip., p. 405, 1843, Salda.

Localities: N. Y., Ill. (Palaearctic.)

Genus Micracanthia Reut. Orthotype marginalis (Fall.)

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, pp. 8, 16, 1912. §Micranthia Van Duzee, Check List Hemip., p. 51, 1916.

1342. Micracanthia humilis (Say)

Say, Heter. N. Harm., p. 35, 1832; Fitch reprint, p. 805; Compl. Writ., i, p. Stål, Enum. Hemip., iii, p. 149, 1873, Acanthia. [360, Acanthia (spelled humulis). Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 334, 1876; iii, p. 451, 1877, Salda. Uhler, Proc. Ent. Soc. Wash., ii, p. 382, 1893, Salda. Cockerell, Trans. Am. Ent. Soc., xx, p. 364, 1893, Salda. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 212, Salda. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 185, 1894, Salda. Bueno, Jl. N. Y. Ent. Soc., xvi, p. 236, 1908, Acanthia. Smith, Cat. Ins. N. J., edn. 3, p. 166, 1910, Acanthia.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 16, 1912, Acanthia. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914, Acanthia.

Localities: Ont., Me., Mass., R. I., N. Y., N. J., Pa., Md., D. C., N. C., Ga., Fla., Ohio, Ill., Colo., Texas, Calif.

1343. Micracanthia pusilla Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 32, 1914. Localities: Calif.

Genus Ioscytus Reut.

Orthotype politus (Uhl.)

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, pp. 9, 19, 1912.

1344. Ioscytus politus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 441, 1877, Salda.

Uhler, Proc. Ent. Soc. Wash., ii, p. 383, 1893, Salda.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906, Salda.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 20, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 32, 1914.

Localities: Ariz., Calif.

a. var. flavicosta Reut.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 21, 1912. Locality: Utah.

Genus Lampracanthia Reut. Orthotype crassicornis (Uhl.)

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, pp. 9, 21, 1912.

1345. Lampracanthia crassicornis (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 438, 1877, Salda.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 21, 1912.

Localities: N. H., Sask. River.

Subfamily SALDOIDINAE Reut.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 23, 1912.

Genus **Saldoida** Osb.

Logotype slossoni Osb.

Osborn, Can. Ent., xxxiii, p. 181, 1901.

Horvath, Ann. Mus. Natl. Hung., ix, p. 335, 1911.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 24, 1912.

1346. Saldoida slossoni Osb.

Osborn, Can. Ent., xxxiii, p. 181, 1901.

Slosson, Ent. News, xix, p. 424, 1908.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 12, p. 24, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

Locality: Fla.

1347. Saldoida cornuta Osb.

Osborn, Can. Ent., xxxiii, p. 181, 1901.

Slosson, Ent. News, xix, p. 424, 1908.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

Locality: Fla.

Superfamily NOTONECTOIDAE (Leach)

Leach, Brewster's Edinbg. Encyc., ix, p. 124, 1815, Tribe Notonectides (part). Leach, Trans. Linn. Soc. Lond., xii, p. 11, 1817, Tribe Notonectides (part). Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 62, 1910. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 15, 48, 1912. Oshanin, Kat. Palae. Hemip., p. 89, 1912.

PHALANX NOTONECTAEFORMES Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 63, 1910. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, p. 48, 1912. Oshanin, Kat. Palae. Hemip., p. 90, 1912.

Family NOTONECTIDAE (Leach)

Leach, Brewster's Edinbg. Encyc., ix, p. 124, 1815, Notonectides, Fam. I. Billberg, Enum. Ins. Mus. Billb., p. 66, 1820, Notonectides. Latreille, Fam. Nat. Règne Anim., p. 425, 1825, Notonectides (part). Laporte, Essai Classif. Syst. Hémip., p. 19, 1832, Notonectites (part). Burmeister, Handb. d. Ent., ii, p. 185, 1835, Notonectici (part). Brullé, Hist. Nat. des Ins., ix, p. 247, 1835, Notonectiens (part). [(part). Latreille in Cuvier, Anim. Kingd., Lond. edn., iv, p. 170, 1836, Notonectides Blanchard, Hist. Nat. des Ins., Hémip., p. 87, 1840, Notonectiens (part). Westwood, Intr. Mod. Classif. Ins., ii, p. 458, ii, Synop., p. 119, 1840, Notonec-Amyot and Serville, Hémip., pp. lii, 449, 1843, Notonectides. [tidae (part). Spinola, Tavola Sinot., pp. 27, 49, 1850, Notonectae (part). Fieber, Genera Hydroc., pp. 9, 24, 1851, Notonectidea. Dohrn, Cat. Hemip., p. 56, 1859, Notonectidae. Flor, Rhyn. Livl., i, pp. 751, 766, 1860, Notonectica. Douglas and Scott, Brit. Hemip., pp. 47, 585, 1865, Notonectina. Stål, Of. Vet. Akad. Forh., xxvii, p. 707, 1870, Notonectina. Walker, Cat. Heter., viii, p. 201, 1873, Notonectidae. Uhler, Stand. Nat. Hist., ii, p. 251, 1884, Notonectidae. Uhler, Check List, p. 28, 1886, Notonectidae. Puton, Cat. Hemip. Palae., edn. 3, p. 65, 1886, Notonectides. Provancher, Pet. Faune Ent. Can., iii, p. 200, 1888, Notonectides. Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 394, Notonectidae. Kirkaldy, Bol. Mus. Zool. Anat. Comp. Univ. Torino, xiv, No. 350, p. 9, 1899. Champion, Biol. Centr. Am., Heter., ii, p. 368, 1901, Notonectidae. Kirkaldy, Wien. Ent. Zeit., xxiii, p. 93, 1904. Bueno, Jl. N. Y. Ent. Soc., xiii, p. 149, 1905. Distant, Fauna Br. Ind., Rhyn., iii, p. 40, 1906. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 153, 1906. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 198, 1908. Kirkaldy, Can. Ent., xl, p. 362, 1908. Oshanin, Verz. Palae., Hemip., i, p. 971, 1909. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 63, 80, 1910. Horvath, Ann. Mus. Natl. Hung., ix, p. 27, 1911. Reuter, Of. Finska Vet. Akad. Forh., liv, Afd. A, No. 6, pp. 48, 51, 1912.

Subfamily NOTONECTINAE (Fieb.)

Fieber, Genera Hydroc., p. 24, 1851, Turma Notonectae.

Fieber, Rhynchotographien, p. 45, 1851, Gruppe Notonectae.

Fieber, Europ. Hemip., pp. 22, 31, 100, 1860, Fam. Notonectidae.

Stål, Hemip. Afr., iii, p. 190, 1865, Fam. Notonectidae.

Douglas and Scott, Brit. Hemip., p. 585, 1865, Fam. Notonectidae.

Berg, Hemip. Argent., p. 196, 1879, Fam. Notonectidae.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 394.

Kirkaldy, Bol. Mus. Zool. Anat. Comp. Univ. Torino, xiv, No. 347, p. 9, 1899.

Kirkaldy, Wien. Ent. Zeit., xxiii, p. 93, 1904.

[(Key.)

Distant, Fauna Br. Ind., Rhyn., iii, p. 40, 1906.

Bueno, Jl. N. Y. Ent. Soc., xiii, p. 149, 1905.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 198, 1908.

Oshanin, Verz. Palae. Hemip., i, p. 972, 1909, Notonectina.

Oshanin, Kat. Palae. Hemip., p. 91, 1912.

Genus Notonecta Linn. Logotype glauca Linn.

Linnaeus, Syst. Nat., edn. 10, i, p. 439, 1758. Geoffroy, Hist. Abreg. des Ins., i, p. 476, 1762. Scopoli, Ent. Carn., p. 118, 1763. Brunnich, Entomologia, p. 58, 1764. Fabricius, Syst. Ent., p. 689, 1775. Goeze, Ent. Beytr., ii, p. 164, 1778. Fourcroy, Ent. Paris., p. 220, 1785. Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2118, 1788. Thunberg, Charac. Genera Ins., edn. 2, p. 33, 1791. Fabricius, Ent. Syst., iv, p. 57, 1794. Latreille, Précis, p. 87, 1797. Lamarck, Syst. Nat. Anim. s. Vert., p. 296, 1801 (names glauca type). Latreille, Hist. Nat. Crust. Ins., iii, p. 254, 1802. Walckenaer, Fauna Paris., ii, p. 331, 1802. Fabricius, Syst. Rhyn., p. 102, 1803. Latreille, Hist. Nat. Crust. Ins., xii, p. 290, 1804. Latreille, Genera Crust. Ins., iii, p. 150, 1807. Latreille, Consid. Génl., pp. 261, 434, 1810 (cites glauca as type). Leach, Brewster's Edinbg. Encyc., ix, p. 124, 1815. Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 517, 1816. Leach, Trans. Linn. Soc. Lond., xii, pp. 11, 12, 1817. Fallén, Hemip. Suec. Cimic., p. 177, 1829. Latreille, Cuvier, Règne Animal, edn. 2, v, p. 209, 1829. Laporte, Essai Classif. Syst. Hémip., p. 20, 1832 (names glauca type). Leach, Brewster's Edinbg. Encyc., Am. edn., viii, p. 713, 1832. Herrich-Schaeffer, Nomen. Ent., i, pp. 39, 63, 1835. Burmeister, Handb. d. Ent., ii, p. 190, 1835. Brullé, Hist. Nat. des Ins., ix, pp. 252, 254, 1835. Spinola, Essai sur les Hémip., p. 59, 1837 (1840). Blanchard, Hist. des Ins., Hémip., p. 88, 1840. Westwood, Intr. Mod. Classif. Ins., ii, Synop., 119, 1840 (names glauca type). Amyot and Serville, Hémip., p. 450, 1843. Fieber, Ent. Monog., p. 16, 1844.

Spinola, Tavola Sinot., p. 49, 1850. Fieber, Genera Hydroc., p. 25, 1851. Fieber, Rhynchotographien, p. 48, 1851. Flor, Rhyn. Livl., i, p. 766, 1850. Fieber, Europ. Hemip., pp. 31, 100, 1860. Stål, Hemip. Afr., iii, p. 190, 1865. Douglas and Scott, Brit. Hemip., p. 585, 1865. Puton, Synop. Heter. Fr., i, p. 216, 1879. Uhler, Stand. Nat. Hist., ii, p. 252, 1884. Provancher, Pet. Faune Ent. Can., iii, p. 200, 1888. Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 395. Kirkaldy, Bul. Mus. Zool. Anat. Comp. Univ. Genova, xiv, No. 350, p. 9, 1899. Champion, Biol. Centr. Am., Heter., ii, p. 368, 1901. Kirkaldy, Wien. Ent. Zeit., xxiii, p. 93, 1904. Bueno, Jl. N. Y. Ent. Soc., xiii, pp. 143, 149, 1905. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 153, 1906. Distant, Fauna Br. Ind., Rhyn., iii, p. 40, 1906 (cites glauca as type).

1348. Notonecta lutea Mull.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 198, 1908.

Müller, Zool. Dan. Prodr., p. 103, 1776.

Weber and Mohr, Naturh. Reise d. Schwed., p. 66, 1804.
Fallén, Hydroc. Nauc. Suec., p. 6, 1814.
Fallén, Hemip. Suec., Cimic., p. 178, 1829.
Fieber, Rhynchotographien, p. 49, 1851.
Flor, Rhyn. Livl., i, p. 774, 1860.
Fieber, Europ. Hemip., p. 100, 1860.
Sahlberg, Not. Sallsk. Fauna Fenn., Forh., xiv, p. 274, 1875.
Puton, Synop. Heter. Fr., i, p. 218, 1879.
Reuter, Rev. Synon., p. 374, No. 351, 1888.
Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 425.
Bueno, Ent. News, xv, p. 220, 1904.
Bueno, Jl. N. Y. Ent. Soc., xiii, p. 160, 1905.

unicolor Herrich-Schaeffer, Nomen. Ent., i, p. 63, 1835.
Herrich-Schaeffer, Wanz. Ins., viii, p. 23, 1848.

a. var. scutellaris Kirk.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 425. Localities: Manitoba, Brit. Col. (Palaearctic.) [The variety not yet recorded from America.)

1349. Notonecta irrorata Uhl.

Packard, Guide to Study of Ins., p. 437, 1869 (without description). Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 443, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 200, 1888.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 186, 1894.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 418.

Bueno, Jl. N. Y. Ent. Soc., x, pp. 231, 235, 1902; xiii, pp. 46, 159, 1905.

Bueno and Brimley, Ent. News, xviii, p. 435, 1907.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 238, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 169, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

Parshley, Psyche, xxi, p. 140, 1914.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., R. I., Md., D. C., Fla., Ohio, Ind., Ill., Mich., Ky.

1350. Notonecta uhleri Kirk.

Kirkaldy, Ann. Mag. Nat. Hist., ser. 6, xx, p. 58, 1897.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 415.

Bueno, Jl. N. Y. Ent. Soc., x, pp. 231, 235, 1902; xiii, pp. 46, 157, 1905.

Bueno and Brimley, Ent. News, xviii, p. 436, 1906.

Smith, Cat. Ins. N. J., edn. 3, p. 169, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

Localities: Mass., N. Y., N. J., D. C., Fla., La.

1351. Notonecta variabilis Fieb.

Fieber, Rhynchotographien, p. 53, 1851.

Berg, Hemip. Argent., p. 197, 1879.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 414.

Bueno, Jl. N. Y. Ent. Soc., x, pp. 231, 234, 1902.

Kirkaldy, Wien. Ent. Zeit., xxiii, p. 95, 1904.

Bueno, Jl. N. Y. Ent. Soc., xiii, pp. 45, 155, 1905; xvi, p. 238, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 169, 1910.

Bueno and Brimley, Ent. News, xviii, p. 435, 1910.

Parshley, Psyche, xxi, p. 140, 1914.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

Bueno, Psyche, xxii, p. 17, 1915.

†americana Ashmead in Smith's Cat. Ins. N. J., edn. 2, p. 144, 1899.

Localities: Quebec, Ont., Me., Mass., R. I., N. Y., N. J., Pa., Md., D. C., N. C., Fla., Ohio, Ind., Mich., Ill., Wis., Neb., Kan.

1352. Notonecta undulata Say

Say, Heter. N. Harm., p. 39, 1832; Fitch reprint, p. 812; Compl. Writ., i, p. 368. Fieber, Rhynchotographien, p. 55, 1851.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 453, 1877.

Uhler, Wheeler's Rept. Chief. Eng. for 1877, p. 1332.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 509, 1878.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 442, 1878.

Uhler, Stand. Nat. Hist., ii, p. 252, 1884.

Provancher, Pet. Faune Ent. Can., iii, p. 201, 1888.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 292, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 186, 1894.

Gillette and Baker, Hemip. Colo., p. 63, 1895.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 410.

Kirkaldy, Entomologist, xxxii, p. 29, 1899.

Champion, Biol. Centr. Am., Heter., ii, p. 370, pl. 22, fig. 10, 1901.

Bueno, Jl. N. Y. Ent. Soc., x, pp. 231, 233, 1902; xiii, pp. 45, 152, 1905.

Bueno and Brimley, Ent. News, xviii, p. 435, 1907.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 238, 1908; xviii, p. 33, 1910.

Severin, Can. Ent., xlii, p. 340, 1910 (food habits).

Smith, Cat. Ins. N. J., edn. 3, p. 169, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

Parshley, Psyche, xxi, p. 140, 1914.

†americana Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2188, 1789.

Herrich-Schaeffer, Wanz. Ins., ix, p. 44, fig. 902, 1853.

unicolor Fieber, Rhynchotographien, p. 53, 1851 (as variety).

scutellaris Fieber, Rhynchotographien, p. 53, 1851 (as variety).

†variabilis Guerin in Sagra, Hist. Isl. de Cuba, Ins., p. 176, 1857.

†pallipes Lethierry, Ann. Soc. Ent. Belg., xxv, p. 13, 1881.

albida Kirkaldy, 1900. (Cannot locate this reference.)

a. var. punctata Fieb.

Fieber, Rhynchotographien, p. 52, 1851. Uhler, Check List, p. 28, 1886. Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 411.

b. var. virescens Blanch.

Blanchard in Gay's Hist. de Chili, Zool., vii, p. 233, 1852. Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 411.

c. var. maculata Fieb.

Fieber, Rhynchotographien, p. 53, 1851. Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 410.

d. var. charon Kirk.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 411.

e. var. latona Kirk.

Kirkaldy. (Cannot locate this.)

f. var. selene Kirk.

Kirkaldy, 1900. (Cannot locate this.)

Localities: Quebec, Ont., Me., Mass., R. I., N. Y., N. J., Md., D. C., Va., N. C., Fla., La., Ohio, Ind., Mich., Ill., Minn., Ia., Neb., Kan., Mo., Tenn., Ky., Colo., Utah, Mont., Texas, N. Mex., Ariz., Calif., Ore., Idaho, Brit. Col., Vanc. Isd., Manitoba.

1353. Notonecta howardii, Bueno

Bueno, Jl .N. Y. Ent. Soc., xiii, p. 151, 1905. Locality: Ariz.

1354. Notonecta raleighi Bueno

Bueno, Can. Ent., xxxix, p. 225, 1907.
Bueno and Brimley, Ent. News, xviii, p. 436, 1907.
Smith, Cat. Ins. N. J., edn. 3, p. 169, 1910.
Localities: N. J., Md., D. C., N. C., Ill.

1355. Notonecta indica Linn.

Linnaeus, Mantissa Plantarum, ii, p. 534, 1771.

Turton in Linnaeus Syst. Nat., edn. 13, Eng. transl., ii, p. 605, 1806.

Kirkaldy, Entomologist, xxxiv, p. 10, 1900.

Kirkaldy, Wien. Ent. Zeit., xxiii, p. 94, 1904.

Bueno, Jl. N. Y. Ent. Soc., xiii, p. 150, 1905.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 181, 1906.

americana Fabricius, Syst. Ent., p. 690, 1775.

Olivier, Encyc. Meth., viii, p. 389, 1801.

Uhler, Check List, p. 28, 1886.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 223.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 408.

Kirkaldy, Revue d'Ent., xviii, p. 94, 1899.

Champion, Biol. Centr. Am., Heter., ii, p. 370, pl. 22, fig. 11, 1901.

unifasciata Guerin, Le Moniteur for 1857, p. f.

Guerin, Bul. Soc. Zool. Acclim., iv, p. 581, 1858.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 426 (listed only).

dorsalis Fieber, Rhynchotographien, p. 53, 1851 (as variety).

Localities: Texas, Ariz., Nev., Calif., Ore., Utah. (Neotropical.)

1356. Notonecta shooterii Uhl.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 292, 1894. Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 406. Champion, Biol. Centr. Am., Heter., ii, p. 370, 1901. Bueno, Jl. N. Y. Ent. Soc., xiii, p. 161, 1905.

a. var. melaena Kirk.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 406. Localities: Calif. (Mexico, Centr. Am.)

1357. Notonecta insulata Kirby

Kirby in Richardson's Fauna Bor. Am., iv, p. 285, 1837. Kirby in Bethune reprint, p. 140; same, Can. Ent., x, p. 216, 1878. Fieber, Rhynchotographien, p. 55, 1851. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 339, 1876; iii, p. 453, 1877. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1332. Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 509, 1878. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 442, 1878. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 186, 1894. Gillette and Baker, Hemip. Colo., p. 63, 1895. Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 403. Bueno, Jl. N. Y. Ent. Soc., x, p. 231, 1902. Kirkaldy, Wien. Ent. Zeit., xxiii, p. 94, 1904. Uhler, Proc. U. S. Natl. Mus., xxvii, p. 364, 1904. Bueno, Jl. N. Y. Ent. Soc., xiii, pp. 46, 162, 1905. Smith, Cat. Ins. N. J., edn. 3, p. 169, 1910. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 33, 1914. Parshley, Psyche, xxi, p. 140, 1914. rugosa Fieber, Rhynchotographien, p. 52, 1851. bicolor Fieber, Rhynchotographien, p. 52, 1851 (as var. of rugosa). plagiata Fieber, Rhynchotographien, p. 52, 1851 (as var. of rugosa). cordigera Fieber, Rhynchotographien, p. 52, 1851 (as var. of rugosa). basalis Fieber, Rhynchotographien, p. 52, 1851 (as var. of rugosa).

a. var. impressa Fieb.

Fieber, Rhynchotographien, p. 51, 1851.

b. var. geala Kirk.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 404.

c. var. odara Kirk.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 404.

Localities: Quebec, Ont., Me., Mass., Conn., N. Y., N. J., Ind., Dak., Neb., Colo., Mont., Idaho, Utah, Nev., N. Mex., Ariz., Calif., Ore., Vanc. Isd.

1358. Notonecta montezuma Kirk.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 402.

Champion, Biol. Centr. Am., Heter., ii, p. 369, pl. 22, figs. 8, 9, 1901.

Kirkaldy, Wien. Ent. Zeit., xxiii, p. 94, 1904.

Bueno, Jl. N. Y. Ent. Soc., xiii, p. 162, 1905.

Localities: Calif. (Mexico.)

1359. Notonecta mexicana Am. & Serv.

Amyot and Serville, Hémip., p. 453, pl. 8, fig. 7, 1843.

Fieber, Rhynchotographien, p. 51, 1851.

Herrich-Schaeffer, Wanz. Ins., ix, p. 43, fig. 903, 1853.

Uhler, Stand. Nat. Hist., ii, p. 252, 1884.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 292, 1894.

Gillette and Baker, Hemip. Colo., p. 63, 1895.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 401.

Champion, Biol. Centr. Am., Heter., ii, p. 368, pl. 23, figs. 6, 7, 1901.

Bueno, Jl. N. Y. Ent. Soc., xiii, p. 158, 1905.

Snow, Trans. Kan. Acad. Sci., xx, pt. 2, p. 160, 1907.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 33, 1914.

klugii Fieber, Rhynchotographien, p. 50, 1851.

a. var. ceres Kirk.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 402.

b. var. hades Kirk.

Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 402.

Localities: Colo., Ariz., Calif. (Mexico.)

Genus Buenoa Kirk.

Orthotype antigone Kirk.

Kirkaldy, Wien. Ent. Zeit., xxiii, p. 120, 1904.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 153, 1906 (listed only).

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 200, 1908.

Bueno, Jl. N. Y. Ent. Soc., xvii, p. 74, 1909.

1360. Buenoa albida (Champ.)

Champion, Biol. Centr. Am., Heter., ii, p. 373, pl. 22, fig. 14, 1901, *Anisops*. Kirkaldy, Wien. Ent. Zeit., xxiii, p. 121, 1904.

Localities: Texas. (Mexico.)

1361. Buenoa carinata (Champ.)

Champion, Biol. Centr. Am., Heter., ii, p. 372, pl. 22, fig. 12, 1901, Anisops.

Uhler, Proc. U. S. Natl. Mus., xxvii, p. 364, 1904.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 200, 1908.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

Localities: Fla., N. Mex., Calif. (Neotropical.)

1362. Buenoa margaritacea Bueno

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 238, 1908 (n.n. for †platycnemis Bueno).

Bueno, Jl. N. Y. Ent. Soc., xvii, p. 76, 1909; xviii, p. 33, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 170, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

†platycnemis (Uhler), Stand. Nat. Hist., ii, p. 253, 1884, Anisops.

Bueno, Jl. N. Y. Ent. Soc., x, p. 236, 1902 (description).

Kirkaldy, Wien. Ent. Zeit., xxiii, p. 123, 1904.

†pallipes (Kirkaldy), Entomologist, xxxii, p. 30, 1899, Anisops. Anisops sp., Bueno, Jl. N. Y. Ent. Soc., xiii, p. 46, 1905. †albida? Bueno and Brimley, Ent. News, xviii, p. 436, 1907.

Localities: N. Y., N. J., Ill., Fla.

1363. Buenoa platycnemis (Fieb.)

Fieber, Rhynchotographien, p. 61, 1851, Anisops. Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 153, 1906. Bueno, Jl. N. Y. Ent. Soc., xvi, p. 238, 1908; xvii, p. 77, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 170, 1910. Nan Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 33, 1914. Localities: N. Y., N. J., D. C., Ill., Texas, Calif.

1364. Buenoa elegans (Fieb.)

Fieber, Rhynchotographien, p. 61, 1851, Anisops. Bueno, Jl. N. Y. Ent. Soc., xvi, p. 238, 1908; xvii, p. 77, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 170, 1910. Bueno, Can. Ent., xliv, p. 213, 1912. Parshley, Psyche, xxi, p. 140, 1914. Localities: Me., N. Y., N. J.

Subfamily PLEINAE (Fieb.)

Fieber, Genera Hydroc., p. 27, 1851, Turma Pleae. Fieber, Rhynchotographien, p. 45, 1851, Gruppe Pleae (mere mention). Fieber, Europ. Hemip., pp. 23, 31, 1860, Fam. Pleae. Stål, Hemip. Afr., iii, p. 192, 1865, Fam. Pleida. Douglas and Scott, Brit. Hemip., p. 48, 1865, Fam. Pleidae. Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 194, 1868, Ploae. Berg, Hemip. Argent., p. 199, 1879, Fam. Pleidae. Kirkaldy, Trans. Ent. Soc. Lond. for 1897, p. 395, Pleinae. Kirkaldy, Wien. Ent. Zeit., xxiii, p. 126, 1904. Distant, Fauna Br. Ind., Rhyn., iii, p. 46, 1906. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 201, 1908. Oshanin, Verz. Palae. Hemip., i, p. 971, 1909. Oshanin, Kat. Palae. Hemip., p. 90, 1912.

Genus Plea Leach

Haplotype minutissima (Fussl.)

Leach, Trans. Linn. Soc. Lond., xii, pp. 11, 13, 1817. Latreille, Fam. Nat. Règne Anim., p. 425, 1825. Fallén, Hemip. Suec., Cimic., p. 173, 1829. Stephens, Nomen. Brit. Ins., p. 66, 1829 (amended to Ploa). Laporte, Essai Classif. Syst. Hémip., p. 21, 1832 (names minutissima type). Burmeister, Handb. d. Ent., ii, p. 189, 1835, Ploa. Brullé, Hist. Nat. des Ins., ix, p. 255, 1835, Ploa. Spinola, Essai sur les Hémip., p. 59, 1837 (1840). Blanchard, Hist. Nat. des Ins., Hémip., p. 89, 1840. Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 119, 1840 (cites minutissima Amyot and Serville, Hémip., p. 449, 1843, Ploa. [as type). Fieber, Ent. Monog., p. 16, 1844, Ploa. Spinola, Tavola Sinot., p. 49, 1850. Fieber, Genera Hydroc., p. 27, 1851.

Herrich-Schaeffer, Wanz. Ins., ix, p. 45, 1853, Ploa.
Fieber, Europ. Hemip., pp. 31, 101, 1860.
Stål, Hemip. Afr., iii, p. 192, 1865.
Douglas and Scott, Brit. Hemip., p. 590, 1865, Ploea.
Walker, Cat. Heter., viii, p. 201, 1873.
Puton, Synop. Heter. Fr., i, p. 215, 1880.
Champion, Biol. Centr. Am., Heter., ii, p. 375, 1901.
Kirkaldy, Wien. Ent. Zeit., xxiii, p. 126, 1904.
Distant, Fauna Brit. Ind., Rhyn., iii, p. 47, 1906.
Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 201, 1908 (catalogue).

1365. Ploa striola Fieb.

Fieber, Ent. Monog., p. 18, 1844.

Uhler, Stand. Nat. Hist., ii, p. 253, 1884.

Uhler, Proc. Zool. Soc. Lond. for 1893, p. 706; for 1894, p. 224.

Champion, Biol. Centr. Am., Heter., ii, p. 375, pl. 22, fig. 17, 1901.

Bueno, Jl. N. Y. Ent. Soc., xiii, p. 47, 1902.

Kirkaldy, Wien. Ent. Zeit., xxiii, p. 127, 1904.

Smith, Cat. Ins. N. J., edn. 3, p. 170, 1910.

Bueno, Can. Ent., xliv, p. 213, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914.

Localities: Mass., N. Y., N. J., Fla., Ill., Ia., Kan., Texas, Calif. (Neotropical.)

PHALANX NEPAEFORMES Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 62, 1910. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, p. 48, 1912. Oshanin, Kat. Palae. Hemip., p. 89, 1912.

Family NAUCORIDAE (Fall.)

Fallén, Spec. Nov. Disp. Meth., pp. 3, 15, 1814, Naucoridea. Leach, Brewster's Edinbg. Encyc., ix, p. 123, 1815; Am. edn., viii, p. 712, 1832, Amyot and Serville, Hémip., p. 426, 1843, Groupe Naucorides. [Naucorida. Fieber, Genera Hydroc., p. 16, 1851, Naucoridae. Dohrn, Cat. Hemip., p. 54, 1859, Naucoridae. Flor, Rhyn. Livl., i, pp. 751, 752, 1860, Naucoridea. Stål, Of. Vet. Akad. Forh., xviii, p. 201, 1861, Naucorida. Stål, Hemip. Afr., iii, p. 174, 1865, Naucorida. Douglas and Scott, Brit. Hemip., p. 579, 1865, Naucoridae. Mayr, Reise Freg. Novara, Zool. ii, Hemip., p. 182, 1868, Naucorida. Stål, Enum. Hemip., v, p. 141, 1876. Berg, Hemip. Argent., p. 186, 1879. Uhler, Stand. Nat. Hist., ii, p. 259, 1884. Puton, Cat. Hémip. Palae., edn. 3, p. 64, 1886, Naucorides. Champion, Biol. Centr. Am., Heter., ii, p. 354, 1901. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 150, 1906. Distant, Fauna Brit. Ind., Rhyn., iii, p. 25, 1906. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 182, 1908. Kirkaldy, Can. Ent., xl, p. 361, 1908.

Oshanin, Verz. Palae. Hemip., i, p. 957, 1909.
Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 2, pp. 63, 79, 1910.
Banks, Cat. Nearc. Hemip., p. 10, 1910.
Horvath, Ann. Mus. Natl. Hung., ix, p. 26, 1911.
Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 48, 51, 1912.
Oshanin, Kat. Palae. Hemip., p. 89, 1912.

Subfamily NAUCORINAE (Stål)

Stål, Enum. Hemip., v, p. 142, 1876, Div. Naucoraria. Champion, Biol. Centr. Am., Heter., ii, p. 360, 1900. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 150, 1906. Distant, Fauna Brit. Ind., Rhyn., iii, pp. 25, 33, 1906. Montandon, Bul. Soc. Sci. Bucarest, xviii, p. 55, 1909. Oshanin, Verz. Palae. Hemip., i, p. 959, 1909. Oshanin, Kat. Palae. Hemip., p. 89, 1912, Tribe Naucoraria.

Genus Pelocoris Stål Logotype femoratus P. B.

Stål, Enum. Hemip., v, pp. 142, 144, 1876.
Uhler, Stand. Nat. Hist., ii, p. 259, 1884.
Champion, Biol. Centr. Am., Heter., ii, p. 360, 1900.
Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 150, 1906.
Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 184, 1908.

1366. Pelocoris femoratus (P. B.)

Palisot-Beauvois, Ins. Rec. Afr. Am., p. 237, pl. Hemip. 20, fig. 4, 1805, [Naucoris. Stål, Enum. Hemip., v, p. 144, 1876. Uhler, Stand. Nat. Hist., ii, p. 259, 1884. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 291, 1894. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 223. Champion, Biol. Centr. Am., Heter., ii, p. 360, 1900. Bueno, Jl. N. Y. Ent. Soc., xi, p. 166, 1903; xiii, p. 43, 1905. Bueno, Jl. N. Y. Ent. Soc., xvi, p. 237, 1908; xviii, p. 33, 1910. Smith, Cat. Ins. N. J., edn. 3, p. 167, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 499, 1914. Coris. poeyi (Guerin), Icon. Règne Anim., Ins., p. 352, pl. 57, fig. 5, 1844, Nau-Guerin in Sagra, Hist. de Cuba, Ins., p. 418, 1857, Naucoris. Stål, Enum. Hemip., v, p. 144, 1876. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 337, 1876. Localities: Mass., N. Y., N. J., Pa., Md., "Carolina," Fla., Ill., Wis., Minn., Mich., Tenn., La.

1367. Pelocoris biimpressus Montd.

Montandon, Bul. Soc. Sci. Bucarest, vii, p. 285, 1898 (as variety). Champion, Biol. Centr. Am., Heter., ii, p. 361, 1901 (as variety). Locality: "N. Am." (Stål).

1368. Pelocoris carolinensis Bueno

Bueno, Can. Ent., xxxix, p. 227, 1907. Bueno and Brimley, Ent. News, xviii, p. 434, 1907. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914. Bueno, Psyche, xxii, p. 16, 1915.

†poeyi Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 439, 1878, Naucoris. Localities: N. C., S. C.

Subfamily CRYPTOCRICINAE Montd.

Montandon, Verh. Zool. Bot. Ges. Wien, xlvii, p. 6, 1897, Cryptocricinae
Montandon, Bul. Mus. Paris for 1897, p. 124. [(synopsis).
Champion, Biol. Centr. Am., Heter., ii, p. 354, 1900.
Montandon, Bul. Soc. Sci. Bucarest, xviii, p. 48, 1909.

Genus Ambrysus Stål Logotype signoreti Stål

Stål, Stet. Ent. Zeit., xxiii, p. 459, 1862.

Stål, Hemip. Afr., iii, p. 174, 1865.

Stål, Enum. Hemip., v, pp. 141, 143, 1876.

Montandon, Verh. Zool.-Bot. Ges. Wien, xlvii, pp. 6, 11, 1897 (synopsis).

Montandon, Bul. Mus. Paris. for 1897, pp. 129, 130.

Champion, Biol. Centr. Am., Heter., ii, p. 355, 1900.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 151, 1906.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 185, 1908.

Montandon, Bul. Soc. Sci. Bucarest, xvii, p. 316, 1909 (synopsis).

1369. Ambrysus pulchellus Montd.

Montandon, Verh. Zool. Bot. Ges. Wien, xlvii, pp. 11, 16, 1897. Champion, Biol. Centr. Am., Heter., ii, p. 356, pl. 21, fig. 4, 1900. Montandon, Bul. Soc. Sci. Bucarest, xvii, p. 319, 1909.

a. var. pallidulus Montd.

Montandon, Bul. Soc. Sci. Bucarest, xviii, p. 189, 1910. Localities: Texas. (Guatemala.)

1370. Ambrysus pudicus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 460, 1862.

Stål, Enum. Hemip., v, p. 143, 1876.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 291, 1894.

Montandon, Verh. Zool. Bot. Ges. Wien, xlvii, pp. 12, 17, 1897.

Montandon, Bul. Soc. Sci. Bucarest, xvii, p. 320, 1909.

Localities: Wyo., Calif. (Mexico.)

1371. Ambrysus circumcinctus Montd.

Montandon, Bul. Soc. Sci. Bucarest, xix, No. 3, p. 5, 1910. Locality: Texas.

1372. Ambrysus californicus Montd.

Montandon, Verh. Zool.-Bot. Ges. Wien, xlvii, pp. 12, 18, 1897. Montandon, Bul. Soc. Sci. Bucarest, xvii, p. 320, 1909. Locality: Calif.

1373. Ambrysus melanopterus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 460, 1862.

Stål, Enum. Hemip., v, p. 143, 1876.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 337, 1876.

Montandon, Verh. Zool.-Bot. Ges. Wien, xlvii, pp. 12, 19, 1897.

Champion, Biol. Centr. Am., Heter., ii, p. 357, pl. 21, fig. 7, 1900.

Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906.
Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 186, 1908.
Montandon, Bul. Soc. Sci. Bucarest, xvii, p. 320, 1909.
Localities: Texas, Ariz. (Mexico.)

1374. Ambrysus mormon Montd.

Montandon, Bul. Soc. Sci. Bucarest, xviii, No. 1, p. 48, 1909; p. 188, 1910. Localities: Utah, N. Mex.

1375. Ambrysus heidemanni Montd.

Montandon, Bul. Soc. Sci. Bucarest, xviii, p. 188, 1910. Locality: Wyo.

1376. Ambrysus puncticollis Stål

Stål, Enum. Hemip., v, p. 143, 1876.
Montandon, Verh. Zool.-Bot. Ges. Wien, xlviii, pp. 13, 20, 1897.
Montandon, Bul. Soc. Sci. Bucarest, xvii, p. 322, 1909.
Localities: Texas, Ariz.

1377. Ambrysus guttatipennis Stål

Stål, Enum. Hemip., v, p. 143, 1876.

Montandon, Verh. Zool.-Bot. Ges. Wien, xlvii, pp. 13, 22, 1897.

Champion, Biol. Centr. Am., Heter., ii, p. 357, pl. 21, fig. 10, 1900.

Montandon, Bul. Soc. Sci. Bucarest, xvii, p. 322, 1909.

Localities: Ariz. (Mexico.)

1378. Ambrysus signoreti Stål

Stål, Stet. Ent. Zeit., xxiii, p. 460, 1862.
Uhler, Hayden's Surv. Terr., Rept. for 1871, p. 423, 1872.
Stål, Enum. Hemip., v, p. 143, 1876.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 337, 1876.
Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1331.
Uhler, Stand. Nat. Hist., ii, p. 260, fig. 319, 1884.
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 291, 1894.
Gillette and Baker, Hemip. Colo., p. 63, 1895.
Montandon, Verh. Zool.-Bot. Ges. Wien, xlvii, pp. 13, 23, 1897.
Champion, Biol. Centr. Am., Heter., ii, p. 358, pl. 21, fig. 11, 1900.
Snow, Trans. Kan. Acad. Sci., xx, pt. 1, p. 180, 1906.
Montandon, Bul. Soc. Sci. Bucarest, xvii, p. 323, 1909.
Localities: Colo., N. Mex., Ariz., Calif. (Mexico.)

Family NEPIDAE (Latr.)

Latreille, Hist. Nat. Crust. Ins., iii, p. 252, 1802, Nepariae. Leach, Brewster's Edinbg. Encyc., ix, p. 124, 1815, Nepida. Billberg, Enum. Ins. Mus. Billb., p. 66, 1820, Nepaedes. Fallén, Hemip. Suec., Cimic., p. 168, 1829, Fam. Nepidae. Amyot and Serville, Hémip., pp. li, 437, 1843, Groupe Nepides. Fieber, Genera Hydroc., p. 22, 1851, Turma Nepeae. Herrich-Schaeffer, Wanz. Ins., ix, p. 19, 1853, Nepides. Dohrn, Cat. Hemip., p. 55, 1859, Nepidae.

Flor, Rhyn. Livl., i, pp. 751, 755, 1860, Nepina.

Fieber, Europ. Hemip., pp. 23, 31, 101, 1860, Nepae.

Stål, Of. Vet. Akad. Forh., xviii, p. 202, 1861, Nepida.

Stål, Hemip. Afr., iii, p. 185, 1865, Nepida.

Douglas and Scott, Brit. Hemip., pp. 45, 581, 1865, Nepina.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 188, 1868, Nepida.

Stål, Of. Vet. Akad. Forh., xxvii, p. 706, 1870, Nepina.

Walker, Cat. Heter., viii, pp. 170, 185, 1873.

Berg, Hemip. Argent., p. 194, 1879.

Uhler, Stand. Nat. Hist., ii, p. 253, 1884.

Champion, Biol. Centr. Am., Heter., ii, p. 352, 1901.

Distant, Fauna Brit. Ind., Rhyn., iii, p. 17, 1906.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 153, 1906.

Kirkaldy, Can. Ent., xl, p. 360, 1908.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 202, 1908.

Oshanin, Verz. Palae. Hemip., i, p. 966, 1909.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 62, 79, 1910.

Horvath, Ann. Mus. Natl. Hung., ix, p. 26, 1911.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 48, 51, 1912.

Oshanin, Kat. Palae. Hemip., p. 90, 1912.

Hydrocorides Fallén, Spec. Nova Hemip., Disp. Meth., pp. 3, 14, 1814.

Genus Nepa Linn.

Logotype cinerea Linn.

Linnaeus, Syst. Nat., edn. 10, i, p. 440, 1758.

Scopoli, Ent. Carn., p. 119, 1763 (cinerea only species).

Brunnich, Entomologia, p. 58, 1764.

Fabricius, Syst. Ent., p. 691, 1775.

Goeze, Ent. Beytr., ii, p. 171, 1778.

Retzius, Genera et Spec. Ins., p. 90, 1783.

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2120, 1788.

Thunberg, Charac. Genera Ins., edn. 2, p. 33, 1791.

Fabricius, Ent. Syst., iv, p. 61, 1794.

Latreille, Précis, p. 87, 1797.

Lamarck, Syst. Anim. s. Vert., p. 295, 1801 (lists linearis and cinerea).

Latreille, Hist. Nat. Crust. Ins., iii, p. 252, 1802 (cinerea only species).

Walckenaer, Fauna Paris., ii, p. 334, 1802 (for cinerea only).

Fabricius, Syst. Rhyn., p. 106, 1803 (no type indicated).

Latreille, Genera Crust. Ins., iii, p. 147, 1807 (mentions cinerea only).

Latreille, Consid. Génl., pp. 261, 434, 1810 (names cinerea type, valid).

Leach, Brewster's Edinbg. Encyc., ix, p. 124, 1815.

Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 516, 1816.

Latreille, Fam. Nat. Règne Anim., p. 425, 1825.

Fallén, Hemip. Suec., Cimic., pp. 168, 170, 1829.

Laporte, Essai Classif. Syst. Hémip., p. 18, 1832 (names cinerea type).

Herrich-Schaeffer, Nomen. Ent., i, pp. 38, 63, 1835.

Burmeister, Handb. d. Ent., ii, p. 195, 1835.

Brullé, Hist. Nat. des Ins., ix, p. 263, 1835.

Spinola, Essai sur les Hémip., p. 52, 1837.

Blanchard, Hist. Nat. des Ins., Hémip., p. 90, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 119, 1840 (names cinerea [type).

Amyot and Serville, Hémip., p. 437, 1843.

Herrich-Schaeffer, Wanz. Ins., viii, p. 19, 1848.

Spinola, Tavola Sinot., p. 48, 1850.

Fieber, Genera Hydroc., p. 23, 1851.

Flor, Rhyn. Livl., i, p. 756, 1860.

Fieber, Europ. Hemip., pp. 31, 101, 1860.

Stål, Of. Vet. Akad. Forh., xviii, p. 202, 1861.

Stål, Hemip. Afr., iii, p. 185, 1865.

Douglas and Scott, Brit. Hemip., p. 583, 1865.

Montandon, Bul. Soc. Sci. Bucarest, xii, p. 107, 1903.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 202, 1908.

‡Hepa Geoffroy, Hist. Abreg. des Ins., i, p. 479, 1762.

Fourcroy, Ent. Paris., p. 221, 1785.

1379. Nepa apiculata Uhl.

Uhler in Harris, Treat. Ins. Inj. Veg., edn. 3, p. 12, pl. 1, fig. 1, 1862.
Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 440, 1878.
Uhler, Stand. Nat. Hist., ii, p. 253, 1884.
Montandon, Bul. Soc. Sci. Bucarest, viii, p. 511, 1898; xii, p. 101, 1903.
Bueno, Jl. N. Y. Ent. Soc., xiii, p. 44, 1905.
Bueno, Jl. N. Y. Ent. Soc., xviii, p. 180, 1910.
Smith, Cat. Ins. N. J., edn. 3, p. 157, 1910.
Severin, Jl. N. Y. Ent. Soc., xix, p. 99, 1911.
Severin, Behavior Monographs, i, No. 3, 1911 (death feigning).
†cinerea Ferrari, Ann. k. k. Nat. Hofm. Wien, iii, p. 191, 1888 (part).
Localities: Quebec, Ont., Mass., R. I., N. Y., N. J., Pa., Md.,
D. C., Ga., Ohio, Mich., Ill. (Mexico.)

Genus Curicta Stål Haplotype scorpio Stål

Stål, Of. Vet. Akad. Forh., xviii, pp. 202, 203, 1861.
Stål, Hemip. Afr., iii, p. 185, 1865.
Champion, Biol. Centr. Am., Heter., ii, p. 352, 1901.
Montandon, Bul. Soc. Sci. Bucarest, xii, p. 97, 1903.
Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 154, 1906.
Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 202, 1908.

Helotenthes Berg, Hemip. Argent., p. 194, 1879 (type bonaerensis Berg).
Nepoidea Montandon, Ann. Soc. Ent. Belg., xxxix, p. 476, 1895 (type
[volxemi Montd.).

1380. Curicta howardi Montd.

Montandon, Bul. Soc. Sci. Bucarest, xviii, p. 181, 1910. Locality: Texas.

Genus Ranatra Fabr. Logotype linearis (Linn.)

Fabricius, Nova Ins., Genera in Skrift. Nat. Selskabet, i, p. 227, 1790. Fabricius, Ent. Syst., iv, p. 64, 1794. Latreille, Précis, p. 87, 1797. Latreille, Hist. Nat. Crust. Ins., iii, p. 252, 1802 (names linearis as example). Walckenaer, Fauna Paris., ii, p. 335, 1802 (linearis only species). Fabricius, Syst. Rhyn., p. 108, 1803. Latreille, Hist. Nat. Crust. Ins., xii, p. 280, 1804 (gives linearis as example). Latreille, Genera Crust. Ins., iii, p. 148, 1907 (linearis only species).

Latreille, Consid. Génl., pp. 261, 434, 1810 (names linearis type, valid). Leach, Edinbg. Encyc., ix, p. 124, 1815 (for linearis). Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 515, 1816. Fallén, Hemip. Suec., Cimic., p. 169, 1829. Laporte, Essai Classif. Syst. Hémip., p. 17, 1832 (cites linearis as type). Leach in Brewster's Edinbg. Encyc., Am. edn., viii, p. 713, 1832 (for linearis). Herrich-Schaeffer, Nomen. Ent., i, pp. 38, 63, 1835. Burmeister, Handb. d. Ent., ii, p. 199, 1835. Brullé, Hist. Nat. des Ins., ix, p. 260, 1835. Spinola, Essai sur les Hémip., p. 52, 1837 (1840). Blanchard, Hist. Nat. des Ins., Hémip., p. 90, 1840. [as type). Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 119, 1840 (cites linearis Amyot and Serville, Hémip., p. 441, 1843. Spinola, Tavola Sinot., p. 48, 1850. Fieber, Genera Hydroc., p. 23, 1851. Herrich-Schaeffer, Wanz. Ins., ix, p. 30, 1853. Flor, Rhyn. Livl., i, p. 763, 1860. Fieber, Europ. Hemip., pp. 32, 102, 1860. Stål, Of. Vet. Akad. Forh., xviii, p. 203, 1861. Stål, Hemip. Afr., iii, pp. 186, 189, 1865. Douglas and Scott, Brit. Hemip., p. 581, 1865. Uhler, Stand. Nat. Hist., ii, p. 254, 1884. Provancher, Pet. Faune Ent. Can., iii, p. 198, 1888. Champion, Biol. Centr. Am., Heter., ii, p. 353, 1901. Montandon, Bul. Soc. Sci. Bucarest, xii, p. 107, 1903. Distant, Fauna Br. Ind., Rhyn,. iii, p. 19, 1904 (names filiformis pseudotype).

1381. Ranatra fusca P. B.

Oshanin, Kat. Palae. Hemip., p. 90, 1912 (cites linearis as type).

Palisot-Beauvois, Ins. Rec. Afr. Am., p. 235, 1805. fUhler, Stand. Nat. Hist., ii, p. 254, 1884.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 185, 1894.

Kirkaldy, Can. Ent., xxxv, p. 235, 1903 (stridulation).

Montandon, Ann. Soc. Ent. Fr., xxxvi, p. 63, 1907.

Montandon, Bul. Soc. Sci. Bucarest, xix, p. 63, 1910.

kirkaldyi Bueno, Can. Ent., xxxvii, p. 187, 1905.

Bueno and Brimley, Ent. News, xviii, p. 439, 1907.

Montandon, Bul. Soc. Sci. Bucarest, xviii, p. 183, 1910.

Severin, Jl. N. Y. Ent. Soc., xix, p. 100, 1911.

Localities: Ont. N. Y., N. J., N. C., Fla., Ill., Mich.

Holmes, Biol. Bul., xii, p. 158, 1907 (habits).

1382. Ranatra nigra H. S.

Herrich-Schaeffer, Wanz. Ins., ix, p. 32, 1853.

Montandon, Bul. Soc. Sci. Bucarest, xix, p. 64, 1910.

*fusca Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 338, 1876.

†fusca Kirkaldy, Can. Ent., xxxvii, p. 188, 1905.

Bueno and Brimley, Ent. News, xviii, p. 438, 1907.

†Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914.

Localities: N. C., Fla., La.

1383. Ranatra americana Montd.

Montandon, Bul. Soc. Sci. Bucarest, xix, p. 65, 1910.

Bueno, Can. Ent., xliv, p. 213, 1912. Bueno, Psyche, xxii, p. 16, 1915. †quadrinotata Uhler, Bul. U. S. Ge

†quadrinotata Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 338, 1876.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 441, 1878.

Uhler, Stand. Nat. Hist., ii, p. 255, 1884.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 186, 1894.

Gillette and Baker, Hemip. Colo., p. 63, 1895.

Champion, Biol. Centr. Am., Heter., ii, p. 354, 1901.

Bueno, Can. Ent., xxxvii, pp. 85 (stridulation), 188, 1905.

Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 153, 1906.

Barber, Brookl. Inst., Sci. Bul., i, p. 288, 1906.

Bueno, Can. Ent., xxxviii, p. 242, 1906 (life history).

Severin, Jl. N. Y. Ent. Soc., xix, p. 100, 1911.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 235, 1908.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914.

a. var. edentula Montd.

Texas.

Montandon, Bul. Soc. Sci. Bucarest, xix, p. 66, 1910. †fusca Provancher, Pet. Faune Ent. Can., iii, p. 199, 1888. Localities: Quebec, Ont., Mass., N. Y., N. J., Pa., Fla., Ill., Colo.,

1384. Ranatra brevicollis Montd.

Montandon, Bul. Soc. Sci. Bucarest, xviii, p. 184, 1910. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 33, 1914. Locality: Calif.

1385. Ranatra protensa Montd.

Montandon, Bul. Soc. Sci. Bucarest, xviii, p. 185, 1910.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914.
Bueno, Psyche, xxii, p. 16, 1915.

†fusca Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 440, 1878.
Localities: N. Y., Fla.

1386. Ranatra annulipes Stål

Stål, Of. Vet. Akad. Forh., xi, p. 241, 1854.

Montandon, Ann. Soc. Ent. Fr., lxxvi, p. 58, 1907.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 203, 1908.

fabricii Guerin in Sagra, Hist. de Cuba, vii, Ins., p. 176, 1857.

Barber, Brookl. Inst. Sci. Bul., i, p. 288, 1906.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 203, 1908.

Montandon, Bul. Soc. Sci. Bucarest, xviii, p. 184, 1910.

Localities: Texas. (Neotropical.)

[Ranatra grisea Bueno MS]

Bueno in Smith's Cat. Ins. N. J., edn. 3, p. 158, 1910. Locality: N. J.

Family BELOSTOMIDAE (Leach)

Leach, Brewster's Edinbg. Encyc., ix, p. 123, 1815, Belostomida. Leach, Brewster's Edinbg. Encyc., Am. edn., viii, p. 712, 1832, Belostomida. Spinola, Tavola Sinot., p. 48, 1850, Subfam. Belostomoideae. Fieber, Genera Hydroc., p. 18, 1851, Turma Belostomae. Herrich-Schaeffer, Wanz. Ins., ix, p. 20, 1853, Belostomides. Dohrn, Cat. Hemip., p. 54, 1859, Belostomidae. Stål, Of. Vet. Akad. Forh., xviii, p. 204, 1861, Belostomida. Stål, Hemip. Afr., iii, p. 178, 1865, Belostomida. Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 183, 1868, Belostomida. Stål, Of. Vet. Akad. Forh., xvii, p. 706, 1870, Belostomina. Berg, Hemip. Argent., p. 189, 1879. Uhler, Stand. Nat. Hist., ii, p. 255, 1884. Uhler, Check List, p. 28, 1886, Belostomatidae. Champion, Biol. Centr. Am., Heter., ii, p. 361, 1901, Belostomidae. Distant, Fauna Br. Ind., Rhyn., iii, p. 34, 1906, Belostomatidae. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 151, 1906, Belostomatidae. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 187, 1908, Belostomatidae Kirkaldy, Can. Ent., xl, p. 361, 1908, Belostomidae. [(catalogue). Oshanin, Verz. Palae. Hemip., i, p. 962, 1909. Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 62, 1910. Horvath, Ann. Mus. Natl. Hung., ix, p. 26, 1911. [Belostomatidae. Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 48, 51, 1912, Oshanin, Kat. Palae. Hemip., p. 90, 1912, Belostomatidae.

Genus Benacus Stål

Orthotype haldemanum Leid. = griseus (Say)

Stål, Of. Vet. Akad. Forh., xix, p. 205, 1861.

Mayr, Verh. Zool.-Bot. Ges. Wien, xiii, pp. 342, 358, 1863.

Stål, Hemip. Afr., iii, p. 179, 1865.

Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, pp. 402, 428, 1871.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 151, 1906.

Bueno, Can Ent., xxxix, p. 336, 1907.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 187, 1908 (catalogue).

1387. Benacus griseus (Say)

Say, Heter, N. Harm., p. 37, 1832; Fitch reprint, p. 809; Compl. Writ., i, p. Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 400, 1863, Belostoma. [365, Belostoma. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 237, 1876.
Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 441, 1878.
Uhler, Stand. Nat. Hist., ii, p. 256, 1884.
Provancher, Pet. Faune Ent. Can., iii, p. 197, 1888, Belostoma.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 185, 1894.
Howard, Insect Book, p. 29, fig. 36, 1905.
Bueno, Jl. N. Y. Ent. Soc., xiii, p. 44, 1905.
Bueno and Brimley, Ent. News, xviii, p. 434, 1907.
Bueno, Jl. N. Y. Ent. Soc., xvi, p. 237, 1908.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 184, 1909.
Smith, Cat. Ins. N. J., edn. 3, p. 168, 1910.

[Belostoma. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914. haldemanus (Leidy), Jl. Acad. Nat. Sci. Phila., ser. 2, i, p. 66, 1847, Stål, Of. Vet. Akad. Forh., xviii, p. 205, 1861 (description). Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 363, 1863, Belostoma (descrip-Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, p. 428, 1871. [tion). impressus (Haldemann), Proc. Acad. Nat. Sci. Phila., vi, p. 364, 1853, [Belostoma.

harpax (Stål), Of. Vet. Akad. Forh., xi, p. 240, 1854, Belostoma. angustatus (Guerin), Sagra, Hist. de Cuba, vii, p. 176, 1856, Belostoma. ?ruficeps (Dufour), Ann. Soc. Ent. Fr., ser. 4, iii, p. 382, 1863, Belostoma. ?distinctum (Dufour), Ann. Soc. Ent. Fr., ser. 4, iii, p. 382, 1863, Belostoma.

> Localities: Quebec, Ont., Mass., N. Y., N. J., Pa., Md., D. C., W. Va., N. C., Ga., Fla., Ohio, Ill., Mich., Ky., Tenn., Minn., Ia., Mo., La., Texas. (West Indies.)

Genus Lethocerus Mayr Type cordofanus Mayr

Mayr, Verh. Zool. Bot. Ges. Wien, ii, p. 15, 1852 (founded on larva). Mayr, Verh. Zool.-Bot. Ges. Wien, xiii, p. 363, 1863. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 188, 1908.

Kirkaldy, Can. Ent., xl, p. 164, 1908. †Belostoma Latreille, Consid. Génl., pp. 260, 434, 1810 (names grandis

Fallén, Hemip. Suec., Cimic., p. 171, 1829. [pseudotype). Laporte, Essai Classif. Syst. Hémip., p. 17, 1832 (names grandis pseudo-Burmeister, Handb. d. Ent., ii, p. 195, 1835, Belostomum. [type).

Brullé, Hist. Nat. des Ins., ix, p. 266, 1835 (part).

Spinola, Essai sur les Hémip., p. 52, 1837 (for grandis).

Blanchard, Hist. Nat. des Ins., Hémip., p. 91, 1840 (part).

Amyot and Serville, Hémip., p. 427, 1843.

Spinola, Tavola Sinot., p. 48, 1850 (names grandis pseudotype).

Fieber, Genera Hydroc., p. 21, 1851.

Herrich-Schaeffer, Wanz. Ins., ix, p. 33, 1853.

Stål, Of. Vet. Akad. Forh., xviii, p. 205, 1861.

Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 379, 1863.

Mayr, Verh. Zool. Bot. Ges. Wien, xiii, p. 357, 1863.

Stål, Hemip. Afr., iii, pp. 179, 182, 1865.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 183, 1866.

Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, p. 522, 1871.

Walker, Cat. Heter., viii, pp. 173, 174, 1873.

Berg, Hemip. Argent., p. 193, 1879.

Champion, Biol. Centr. Am., Heter., ii, p. 367, 1901.

Distant, Fauna Br. Ind., Rhyn., iii, p. 37, 1906 (names indicum pseudo-Banks, Cat. Neark. Hemip., p. 9, 1910.

Amorgius Stål, Hemip. Afr., iii, p. 179, 1865 (nomen nudum, no species).

Stål, Berl. Ent. Zeit., x, p. 168, 1867 (names colossicum type).

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 151, 1906.

Bueno, Can. Ent., xxxix, p. 336, 1907. [Leidy).

Montandonista Kirkaldy, Entomologist, xxxiv, p. 6, 1901 (type americanum

1388. Lethocerus americanus (Leidy)

Leidy, Jl. Acad. Nat. Sci. Phila., vi, pp. 58, 66, 1847, Belostoma (as var. of Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 337, 1876. [grandis). Uhler, Stand. Nat. Hist., ii, p. 256, 1884, Belostoma. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 185, 1894, Belostoma. Gillette and Baker, Hemip. Colo., p. 63, 1895, Belostoma. Montandon, Ann. Soc. Ent. Belg., xl, p. 510, 1896, Belostoma. Bueno, Jl. N. Y. Ent. Soc., xiii, p. 44, 1905, Amorgius. Bueno, Jl. N. Y. Ent. Soc., xvi, p. 237, 1908. Bueno in Smith, Cat. Ins. N. J., edn. 3, p. 168, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914. Parshley, Psyche, xxi, p. 140, 1914.

litigiosum (Dufour), Ann. Soc. Ent. Fr., ser. 4, iii, p. 383, 1863, Belostoma. †griseum (Stål), Of. Vet. Akad. Forh., xviii, p. 206, 1861, Belostoma. Mayr, Verh. Zool. Bot. Ges. Wien, xxi, p. 427, 1871, Belostoma. †grande Dimmock, Mass. Fish and Game Comm., Rept. for 1886, p. 69. Localities: Quebec, Me., Mass., Conn., N. Y., N. J., Pa., Va., Ohio, Tenn., Ill., Mich., Minn., Colo., Texas, Calif.

1389. Lethocerus obscurus (Duf.)

Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 383, 1863, Belostoma. Montandon, Ann. Soc. Ent. Belg., xl, p. 512, 1896, Belostoma. Bueno, Jl. N. Y. Ent. Soc., xiii, p. 44, 1905 (Amorgius), xvi, p. 237, 1908. Bueno in Smith, Cat. Ins. N. J., edn. 3, p. 168, 1910. Bueno, Psyche, xxii, p. 17, 1915.

†americanum Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 441, 1878, Belostoma. Localities: Mass., Conn., N. Y., N. J., Utah.

1390. Lethocerus angustipes (Mayr)

Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, p. 427, 1871, Belostoma. Montandon, Ann. Soc. Ent. Belg., xl, p. 511, 1896, Belostoma. Champion, Biol. Centr. Am., Heter., ii, p. 368, pl. 22, fig. 3, 1901, Belostoma. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 188, 1908. Localities: Calif. (Mexico.)

1391. Lethocerus uhleri (Montd.)

Montandon, Ann. Soc. Ent. Belg., xl, p. 513, 1896, Belostoma. Howard, Insect Book, pl. 29, fig. 25, 1905, Belostoma.

Bueno and Brimley, Ent. News, xviii, p. 434, 1907, Montandonista. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 184, 1909, Amorgius. Bueno in Smith, Cat. Ins. N. J., edn. 3, p. 168, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914. Belostoma. †americanum Uhler, Bul. U. S. Geol. Geog. Surv., i, pl. 21, fig. 38, 1876,

Localities: N. J., Pa., N. C., Fla., La., Wis., Kan.

1392. Lethocerus annulipes (H. S.)

Herrich-Schaeffer, Wanz. Ins., viii, p. 28, figs. 803, 804, 1846, Belostoma. Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, pp. 424, 427, 1871, Belostoma. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 337, 1876, Belostoma. Uhler, Proc. Calif. Acad. Sci., ser, 2, iv, p. 291, 1894, Belostoma. Montandon, Ann. Soc. Ent. Belg., xl, p. 514, 1896, Belostoma. Champion, Biol. Centr. Am., Heter., ii, p 367, pl. 22, fig. 3, 1901, Belostoma. ruficeps Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 382, 1863, Belostoma. signoreti Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 382, 1863, Belostoma. Localities: Texas, Colo., Calif. (Neotropical.)

Genus Belostoma Latr.

Haplotype testaceo-pallidum Latr. = bosci Lep. & Serv.

Latreille, Genera Crust. Ins., iii, p. 144, 1807.

Leach, Brewster's Edinbg. Encyc., ix, p. , 1815 (for testaceo-pallidum).

Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 522, 1816 (testaceo-pallidum only

Le Peletier and Serville, Encyc. Méth., x, p. 273, 1825 (Sect. II). [species

Leach, Edinbg. Encyc., Am. edn., viii, p. 712, 1832 (for testaceo-pallidum). Montandon, Bul. Soc. Sci. Bucarest, ix, p. 270, 1900; xii, p. 113, 1903.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 151, 1906.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 190, 1908 (catalogue).

Zaitha Amyot and Serville, Hémip., p. 430, 1843 (type stolli A. & S. =

Fieber, Genera Hydroc., p. 20, 1851. [testaceo-pallidum Latr.).

Herrich-Schaeffer, Wanz. Ins., ix, p. 35, 1853.

Stål, Of. Vet. Akad. Forh., xviii, p. 205, 1861.

Mayr, Verh. Zool.-Bot. Ges. Wien, xiii, pp. 342, 352, 1863.

Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, pp. 279, 386, 1863.

Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, pp. 400, 402, 1871.

Stål, Hemip. Afr., iii, p. 179, 1865.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 187, 1866.

Walker, Cat. Heter., viii, p. 177, 1873.

Berg, Hemip. Argent., p. 189, 1879.

Uhler, Stand. Nat. Hist., ii, p. 257, 1884.

Champion, Biol. Centr. Am., Heter., ii, p. 364, 1901.

Banks, Cat. Neark. Hemip., p. 9, 1910. [testaceum Leidy).

Perthostoma Leidy, Jl. Acad. Nat. Sci. Phila., n.s., i, p. 59, 1847 (type

1393. Belostoma flumineum Say

Say, Heter. N. Harm., p. 38, 1832; Fitch reprint, p. 809; Compl. Writ., i, p. Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 388, 1863, Zaitha. [364.

Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, p. 416, 1871, Zaitha.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 338, 1876, Zaitha.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 441, 1878, Zaitha.

Uhler, Stand. Nat. Hist., ii, p. 257, 1884, Zaitha.

Provancher, Pet. Faune Ent. Can., iii, p. 198, 1888, Zaitha.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 185, 1894, Zaitha.

Bueno, Jl. N. Y. Ent. Soc., xiii, p. 44, 1905.

Bueno, Can. Ent., xxxviii, p. 189, 1906 (life history).

Bueno and Brimley, Ent. News, xviii, p. 435, 1907.

Bueno, Jl. N. Y. Ent. Soc., xvi, p. 237, 1908.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 191, 1908.

Montandon, Bul. Soc. Sci. Bucarest, xviii, p. 188, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 168, 1910.

Severin, Jl. N. Y. Ent. Soc., xix, p. 99, 1911 (habits).

Severin, Behavior Monographs, i, No. 3, 1911 (death feigning).

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914.

Parshley, Psyche, xxi, p. 140, 1914.

aurantiacum Leidy, Jl. Acad. Nat. Sci. Phila., ser. 2, i, p. 60, 1847, Zaitha.

†boscii Uhler in Say, Compl. Writ., i, p. 365, 1859, Perthostoma. †micrantula Gillette and Baker, Hemip. Colo., p. 63, 1895, Zaitha.

a. var. immaculatum Say

Say, Heter. N. Harm., p. 38, 1832; Fitch reprint, p. 809; Compl. Writ., i, Leidy, Jl. Acad. Nat. Sci. Phila., ser. 2, i, p. 60, 1847 (as new). [p. 365.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., D. C., N. C., Ga., Fla., Ohio, Ind., Ill., Mich., Wis., Tenn., La., Colo., Ariz., Manitoba.

1394. Belastoma lutarium (Stål)

Stål, Of. Vet. Akad. Forh., xii, p. 190, 1855, Zaitha. Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, p. 416, 1871, Zaitha. Montandon, Bul. Soc. Sci. Bucarest, xviii, p. 187, 1910. Bueno, Can. Ent., xliv, p. 213, 1912.

†aurantiacum Bueno and Brimley, Ent. News, xviii, p. 435, 1907.
Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 190, 1908.
Bueno in Smith, Cat. Ins. N. J., edn. 3, p. 168, 1910.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914.
Localities: R. I., N. Y., N. J., N. C., Fla., La., Texas.

1395. Belostoma boscii Lep. & Serv.

Le Peletier and Serville, Encyc. Méth., x, p. 273, 1825.

Amyot and Serville, Hémip., p. 430, 1843, Zaitha.

Herrich-Schaeffer, Wanz. Ins., ix, p. 36, 1853, Zaitha.

Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, p. 354, 1863, Zaitha.

Montandon, Bul. Soc. Sci. Bucarest, ix, p. 271, 1900; xii, p. 117, 1903.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914.

anurus (Herrich-Schaeffer), Wanz. Ins., viii, p. 26, fig. 799, 1848, Diplo-Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 388, 1863, Zaitha. [nychus. Mayr, Verh. Zool. Bot. Ges. Wien, xxi, pp. 408, 412, 1871, Zaitha. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 191, 1894, Zaitha. Uhler, Proc. Zool. Soc. Lond. for 1894, p. 223, Zaitha. Champion, Biol. Centr. Am., Heter., ii, p. 365, pl. 22, fig. 1, 1901, Zaitha. cupreomicans (Stål), Of. Vet. Akad. Forh., xi, p. 240, 1854, Zaitha. Stål, Stet. Ent. Zeit., xxiii, p. 461, 1862, Zaitha. subspinosa (Dufour), Ann. Soc. Ent. Fr., ser. 4, iii, p. 387, 1863, Zaitha. Localities: "Carolina," Fla., Ariz., Calif. (Neotropical.)

1396. Belostoma bifoveatum (Hald.)

Haldeman, Standsbury's Exped. Gr. Salt Lake, p. 370, pl. 10, fig. 1, 1852, [Zaitha.

[May not be distinct from boscii Lep. & Serv.) Locality: Texas.

1397. Belostoma ellipticum Latr.

Latreille in Humb. & Bompl. Obs. Zool., ii, p. 105, pl. 39, fig. 4, 1833.

Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, pp. 408, 415, 1871, Zaitha.

Champion, Biol. Centr. Am., Heter., ii, p. 365, pl. 22, fig. 2, 1901, Zaitha.

Montandon, Bul. Soc. Sci. Bucarest, xii, p. 117, 1903.

Localities: Texas. (Mexico.)

1398. Belostoma bakeri Mont.

Montandon, Bul. Soc. Sci. Bucarest, xxii, p. 123, 1913. Locality: Calif.

1399. Belostoma fusciventris (Duf.)

Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 389, 1863, Zaitha. Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, pp. 409, 417, 1871, Zaitha. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 338, 1876, Zaitha.
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 291, 1894, Zaitha.
Champion, Biol. Centr. Am., Heter., ii, p. 365, pl. 21, fig. 23, 1901, Zaitha.
Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 180, 1906.
Barber, Brookl. Inst., Sci. Bul., i, p. 288, 1906, Zaitha.
Localities: Texas, N. Mex., Ariz., Calif. (Neotropical.)

1400. Belostoma apache Kirk.

Kirkaldy, Proc. Ent. Soc. Wash., x, p. 190, 1908 (n.n. for minor Duf.).

||minor Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 391, 1863, Zaitha.

Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, pp. 409, 417, 1871, Zaitha.

Champion, Biol. Centr. Am., Heter., ii, p. 366, pl. 21, fig. 24, 1901,

[Zaitha.

a. var. cubaensis (Mayr)

Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, p. 417, 1871, Zaitha. Localities: Calif. (Neotropical.)

1401. Belostoma testaceum (Leidy)

Leidy, Jl. Acad. Nat. Sci. Phila., ser. 2, i, p. 60, 1847, Perthostoma.
Mayr, Verh. Zool.-Bot. Ges. Wien, xiii, p. 354, 1863, Zaitha.
Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, pp. 409, 417, 1871, Zaitha.
Bueno, Jl. N. Y. Ent. Soc., xiii, p. 44, 1905.
Bueno and Brimley, Ent. News, xviii, p. 435, 1907.
Smith, Cat. Ins. N. J., edn. 3, p. 168, 1910.
reticulata (Haldeman), in Stansbury's Exped. Gr. Salt Lake, p. 370, 1852, Mayr, Verh. Zool.-Bot. Ges. Wien, xiii, p. 354, 1863, Zaitha. [Zaitha.

Genus Abedus Stål Logotype ovatus Stål

Localities: N. Y., N. J., Pa., D. C., N. C., S. C., Mich., Texas.

Stål, Stet. Ent. Zeit., xxiii, p. 461, 1862.

Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, pp. 379, 396, 1863.

Mayr, Verh. Zool. Bot. Ges. Wien, xxi, p. 400, 401, 403, 1871.

Stål, Hemip. Afr., iii, p. 180, 1865.

Uhler, Stand. Nat. Hist., ii, p. 258, 1884.

Champion, Biol. Centr. Am., Heter., ii, p. 363, 1901.

Montandon, Bul. Soc. Sci. Bucarest, ix, Nos. 2, 3, p. 11, 1900.

Montandon, Bul. Soc. Sci. Bucarest, xii, pp. 110, 113, 1903.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 151, 1906.

Bueno, Can. Ent., xxxix, p. 336, 1907.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 189, 1908.

Subgenus Abedus Stål

Stenoscytus Mayr, Verh. Zool.-Bot. Ges. Wien, xiii, pp. 341, 343, 1863 [(type mexicanus Mayr = ovatus Stål).

1402. Abedus ovatus Stål

Stål, Stet. Ent. Zeit., xxiii, p. 462, 1862.

Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 396, 1863.

Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, p. 404, 1871.

Uhler, Wheeler's Surv. 100th Merid., v, p. 840, 1875.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 338, 1876.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 291, 1894.
 Champion, Biol. Centr. Am., Heter., ii, p. 363, pl. 21, fig. 19, 1901.
 mexicanus Mayr, Verh. Zool.-Bot. Ges. Wien, xiii, p. 347, pl. 11, figs. 6-10,
 [1863, Stenoscytus.]

Localities: Texas, N. Mex., Ariz. (Mexico.)

1403. Abedus breviceps Stål

Stål, Stet. Ent. Zeit., xxiii, p. 462, 1862.
Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 396, 1863.
Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, p. 404, 1871.
Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1332.
Champion, Biol. Centr. Am., Heter., ii, p. 363, pl. 21, fig. 20, 1901.
Localities: N. Mex., Ariz. (Mexico.)

Subgenus **Deinostoma** Kirk. Haplotype dilatata Say

Kirkaldy, Entomologist, xxx, p. 258, 1897 (n.n. for Serphus Stål). Champion, Biol. Centr. Am., Heter., ii, p. 362, 1901.

Montandon, Bul. Soc. Sci. Bucarest, xii, p. 113, 1903.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 151, 1906.

||Serphus Stål, Stet. Ent. Zeit., xxiii, p. 462, 1862.

Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, pp. 379, 395, 1863.

Stål, Hemip. Afr., iii, p. 179, 1865.

Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, pp. 401, 403, 1871.

1404. Abedus dilatatus (Say)

Say, Heter. N. Harm., p. 38, 1832; Fitch reprint, p. 810; Compl. Writ., i, p. Stål, Stet. Ent. Zeit., xxiii, p. 462, 1862, Serphus. [366, Belostoma. Dufour, Ann. Soc. Ent. Fr., ser. 4, iii, p. 395, 1863, Serphus.

Mayr, Verh. Zool.-Bot. Ges. Wien, xxi, p. 403, 1871, Serphus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 338, 1876, Serphus.

Uhler, Stand. Nat. Hist., ii, p. 258, 1884, Serphus.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 292, 1894, Serphus.

Kirkaldy, Entomologist, xxx, p. 259, 1897.

Champion, Biol. Centr. Am., Heter., ii, p. 362, 1901.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 33, 1914.

†stollii Herrich—Schaeffer, Wanz. Ins., ix, p. 35, fig. 898, 1853, Zaitha.

Localities: Ariz., Calif. (Mexico.)

Subgenus **Pedinocoris** Mayr Logotype macronyx Mayr

Mayr, Verh. Zool.-Bot. Ges. Wien, xiii, pp. 341, 347, 1863; xxi, pp. 401, 405, Champion, Biol. Centr. Am., Heter., ii, p. 364, 1901. [1871. Montandon, Bul. Soc. Sci. Bucarest, xii, p. 113, 1903. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 151, 1906.

1405. Abedus macronyx Mayr

Mayr, Verh. Zool.-Bot. Ges. Wien, xiii, p. 350, pl. 11, figs. 1-4, 1863. Mayr, Ver. Zool.-Bot. Ges. Wien, xxi, p. 405, 1871. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 338, 1876. Uhler, Wheeler's Rept. Chief. Eng. for 1877, p. 1331. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 292, 1894.

Kirkaldy, Entomologist, xxxi, p. 3, 1898. Champion, Biol. Centr. Am., Heter., ii, p. 364, 1901. Localities: Ariz., Calif. (Mexico.)

1406. Abedus indentatus (Hald.)

Haldeman, Proc. Acad. Nat. Sci. Phila., vi, p. 364, 1853, Zaitha.
Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1331. [405, 1871.
brachyonyx Mayr, Verh. Zool.-Bot. Ges. Wien, xiii, p. 351, 1863; xxi, p. Localities: Ariz., Calif.

Superfamily OCHTEROIDEAE Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 60, 1910.
Oshanin, Kat. Palae. Hemip., p. 89, 1912.

Litoralia Fieber, Genera Hydroc., pp. 9, 12, 1851 (sub-section).
Fieber, Europ. Hemip., pp. 22, 23, 1860.

PHALANX OCHTERIFORMES Reut.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 61, 1910. Oshanin, Kat. Palae. Hemip., p. 89, 1912.

Family GELASTOCORIDAE Kirk.

Kirkaldy, Entomologist, xxx, p. 258, 1897.
Champion, Biol. Centr. Am., Heter., ii, p. 347, 1901.
Bueno, Ohio Nat., v, p. 290, 1905.
Banks, Cat. Nearc. Hemip., p. 10, 1910.
Galgulides Billberg, Enum. Ins. Mus. Billb., p. 66,
Laporte, Essai Classif Syst. Hémip., p. 15, 186

Galgulides Billberg, Enum. Ins. Mus. Billb., p. 66, 1820. Laporte, Essai Classif Syst. Hémip., p. 15, 1852, Fam. Galgulites. Burmeister, Handb. d. Ent., ii, p. 200, 1835, Galgulini. Brullé, Hist. Nat. des Ins., ix, p. 272, 1835, Galguliens. Spinola, Essai sur les Hémip., p. 60, 1837 (1840), Galgulites. Blanchard, Hist. Nat. des Ins., Hémip., p. 92, 1840, Galguliens. Westwood, Intr. Mod. Classif. Ins., ii, p. 463, 1840, Galgulidae. Spinola, Tavola Sinot., pp. 27, 49, 1850, Galgulitae. Herrich-Schaeffer, Wanz. Ins., ix, p. 18, 1853, Galgulini (part). Dohrn, Cat. Hemip., p. 53, 1859, Galgulidae. Stål, Stet. Ent. Zeit., xxiii, p. 459, 1862, Galgulida. Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 181, 1868, Galgulina. Walker, Cat. Heter., viii, p. 170, 1873, Galgulidae. Stål, Enum. Hemip., v, p. 137, 1876, Galgulidae. Berg, Hemip. Argent, p. 184, 1879, Galgulidae. Uhler, Stand. Nat. Hist., ii, p. 262, 1884, Galgulidae. Oshanin, Verz. Palae. Hemip., i, p. 955, 1909, Galgulidae.

Nerthridae Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 149, 1906.
Bueno and Brimley, Ent. News, xviii, p. 433, 1907.
Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 180, 1908.
Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 61, 79, 1910.
Bueno in Smith, Cat. Ins. N. J., edn. 3, p. 167, 1910.
Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 48, 50, 1912.

Mononychidae Horvath, Ann. Mus., Natl. Hung., ix, p. 25, 1911. Oshanin, Kat. Palae. Hemip., p. 89, 1912.

Subfamily GELASTOCORINAE Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 347, 1901. Bueno, Ohio Nat., v, p. 290, 1905. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 149, 1906. Bueno and Brimley, Ent. News, xviii, p. 433, 1907. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 180, 1908. Galguloidea Fieber, Genera Hydroc., pp. 9, 13, 1851. (Family.)

Stål, Enum. Hemip., v, p. 137, 1876, Galgulina.

Berg, Hemip. Argent., p. 184, 1879, Galgulina.

Genus Gelastocoris Kirk. Haplotype oculata Fabr.

Kirkaldy, Entomologist, xxx, p. 258, 1897 (n.n. for Galgulus Latr.). Champion, Biol. Centr. Am., Heter., ii, p. 347, 1901. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 149, 1906. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 180, 1908. Galgulus Latreille, Hist. Nat. Crust. Ins., iii, p. 253, 1901 (oculata only Latreille, Hist. Nat. Crust. Ins., xii, p. 286, 1804. [species). Latreille, Genera Crust. Ins., iii, p. 143, 1807. Latreille, Consid. Génl., pp. 260, 434, 1810 (names oculata type). Leach, Brewster's Edinburg Encyc., ix, p. 123, 1815 (for oculatus). Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 509, 1816. Latreille, Fam. Nat. Règne Anim., pp. 424, 425, 1825, Galgule. Le Peletier and Serville, Encyc. Méth., x, p. 270, 1825. Laporte, Essai Classif. Syst. Hémip., p. 16, 1832 (names oculata type). Burmeister, Handb. d. Ent., ii, p. 201, 1835. Brullé, Hist. Nat. des Ins., ix, p. 274, 1835. Spinola, Essai sur les Hémip., p. 62, 1837 (1840). Herrich-Schaeffer, Wanz. Ins., v, p. 87, 1839. Blanchard, Hist. Nat. des Ins., Hémip., p. 93, 1840. Amyot and Serville, Hémip., p. 424, 1843. Spinola, Tavola Sinot., p. 49, 1850. Fieber, Genera Hydroc., p. 13, 1851. Herrich-Schaeffer, Wanz. Ins., ix, pp. 19, 24, 1853. Walker, Cat. Heter., viii, p. 170, 1873. Stål, Enum. Hemip., v, p. 137, 1876. Berg, Hemip. Argent., p. 185, 1879. Uhler, Stand. Nat. Hist., ii, p. 263, 1884.

1407. Gelastocoris oculatus (Fabr.)

Fabricius, Ent. Syst., Suppl., p. 525, 1798, Naucoris. Latreille, Hist. Nat. Crust. Ins., iii, p. 254, 1802, Galgulus. Fabricius, Syst. Rhyn., p. 111, 1803, Naucoris. Latreille, Hist. Nat. Crust. Ins., xii, p. 287, 1804, Galgulus. Leach, Edinbg. Encyc., ix, p. 123, 1815, Galgulus. Le Peletier and Serville, Encyc. Méth., x, p. 271, 1825, Galgulus. Burmeister, Handb. d. Ent., ii, p. 202, 1835, Galgulus. Blanchard, Hist. Nat. des Ins., Hémip., p. 93, 1840, Galgulus. Amyot and Serville, Hémip., p. 424, 1843, Galgulus. Stål, Hemip. Fabr., i, p. 133, 1868, Galgulus. Walker, Cat. Heter., viii, p. 170, 1873, Galgulus. Stål, Enum. Hemip., v, p. 137, 1876, Galgulus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 336, 1876, Galgulus.
Uhler, Wheeler's Rept. Chief Eng. for 1877, Galgulus.
Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 440, 1878, Galgulus.
Uhler, Stand. Nat. Hist., ii, p. 263, 1884, Galgulus.
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 290, 1894, Galgulus.
Gillette and Baker, Hemip. Colo., p. 62, 1895, Galgulus.
Champion, Biol. Centr. Am., Heter., ii, p. 348, 1901.
Bueno, Jl. N. Y. Ent. Soc., xiii, p. 43, 1905.
Bueno and Brimley, Ent. News, xviii, p. 433, 1907.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914.

?pulcher Stål, Of. Vet. Akad. Forh., xi, p. 239, 1854, Galgulus.
Localities: N. Y., N. J., Pa., Md., D. C., "Carolina," Ga., Fla., N. C., Ohio, Mich., Ill., Minn., Colo., Okla., Ariz.

1408. Gelostocoris vicinus Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 349, 1901.

Localities: "Southern and Western States." (Neotropical.)

1409. Gelastocoris variegatus (Guer.)

Guerin, Icon. Ins., p. 352, 1844, Galgulus.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 336, 1876, Galgulus.
Uhler, Wheeler's Rept. Chief. Eng. for 1877, p. 1331, Galgulus.
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 290, 1894, Galgulus.
Champion, Biol. Centr. Am., Heter., ii, p. 349, pl. 20, figs. 19, 20, 1901.
Barber, Brookl. Inst., Sci. Bul., i, p. 288, 1906.
IVan Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 33, 1914.
†nebulosus Stål, Enum. Hemip., v, p. 137, 1876, Galgulus.
Localities: Texas, N. Mex., Calif. (Neotropical.)

Subfamily MONONYCHINAE Fieb.

Fieber, Genera Hydroc., pp. 9, 12, 1851, Fam. Mononycoidea.
Stål, Of. Vet. Akad. Forh., xviii, p. 201, 1861, Mononychida.
Stål, Stet. Ent. Zeit., vii, p. 405, 1863, Mononychida.
Stål, Hemip. Afr., iii, p. 171, 1865, Fam. Mononychida.
Stål, Of. Vet. Akad. Forh., xxvii, p. 706, 1870, Mononychina.
Stål, Enum. Hemip., v, p. 138, 1876, Mononychina.
Berg, Hemip. Argent., p. 185, 1879, Mononychina.
Uhler, Check List., p. 27, 1886, Mononychina.
Champion, Biol. Centr. Am., Heter., ii, p. 350, 1901.
Distant, Fauna Br. Ind., Rhyn., iii, p. 14, 1906.
Bueno, Ohio Nat., v, p. 290, 1905.
Oshanin, Verz. Palae. Hemip., i, p. 956, 1909.
Nerthrinae Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 149, 1906.
Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 181, 1908.

Genus Mononyx Lap. Orthotype raptoria Fabr.

Laporte, Essai Classif. Syst. Hémip., p. 16, 1832 (names raptoria type). Burmeister, Handb. d. Ent., ii, p. 201, 1835.
Brullé, Hist. Nat. des Ins., ix, pp. 274, 275, 1835 (names raptoria type).
Spinola, Essai sur les Hémip., p. 63, 1837 (1840).
Blanchard, Hist. Nat. des Ins., Hemip., p. 93, 1840 (cites raptoria as type).

Amyot and Serville, Hémip., p. 425, 1843.

Spinola, Tavola Sinot., p. 49, 1850.

Fieber, Genera Hydroc., p. 12, 1851.

Stål, Of. Vet. Akad. Forh., xviii, p. 201, 1861.

Stål, Berl. Ent. Zeit., vii, p. 405, 1863.

Stål, Hemip. Afr., iii, p. 171, 1865.

Stål, Enum. Hemip., v, p. 138, 1876.

Uhler, Stand. Nat. Hist., ii, p. 264, 1884.

Montandon, Bul. Soc. Sci. Bucarest, viii, p. 392, 1899.

Champion, Biol. Centr. Am., Heter., ii, p. 350, 1901.

Distant, Fauna Br. Ind., Rhyn., iii, p. 14, 1906 (cites raptoria as type).

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 149, 1906.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 181, 1908.

Phintius Stål, Of. Vet. Akad. Forh., xviii, p. 201, 1861 (logotype sordidus Stål, Berl. Ent. Zeit., vii, p. 407, 1863. [H. S.).

Stål, Hemip. Afr., iii, p. 172, 1865.

Stål, Enum. Hemip., v, p. 139, 1876.

1410. Mononyx fuscipes Guer.

Guerin, Rev. Zool. for 1843, p. 114.

Stål, Berl. Ent. Zeit., vii, p. 406, 1863.

Stål, Enum. Hemip., iii, p. 138, 1876.

Montandon, Bul. Soc. Sci. Bucarest, viii, pp. 395, 400, 1899.

Champion, Biol. Centr. Am., Heter., ii, p. 351, pl. 20, figs. 21, 22, 1901.

badius Herrich-Schaeffer, Wanz. Ins., ix, p. 27, fig. 894, 1853.

Stål, Stet. Ent. Zeit., xxiii, p. 459, 1862.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 337, 1876.

obscurus Stål, Of. Vet. Akad. Forh., xi, p. 239, 1854.

†raptorius Walker, Cat. Heter., viii, p. 171, 1873.

Uhler, Proc. Zool. Soc. Lond. for 1894, p. 223.

?stygicus Uhler, Stand. Nat. Hist., ii, p. 264, 1884.

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 290, 1894.

Howard, Insect Book, pl. 29, fig. 16, 1905.

Localities: Calif. (Neotropical.)

Genus Nerthra Say Haplotype stygica Say

Say, Heter. N. Harm., p. 37, 1832; Fitch reprint, p. 808; Compl. Writ., i, p. 364. Stål, Enum. Hemip., v, p. 139, 1876.

Kirkaldy, Entomologist, xxxi, p. 2, 1898.

Bueno, Ohio Nat., v, p. 287, 1905.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 150, 1906.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 182, 1908.

1411. Nerthra stygica Say

Say, Heter. N. Harm., p. 37, 1832; Fitch reprint, p. 808; Compl. Writ., i, p. 364. Stål, Berl. Ent. Zeit., vii, p. 406, 1863, Mononyx.

Stål, Enum. Hemip., v, p. 139, 1876.

Uhler, Check List, p. 27, 1886, Mononyx.

Bueno, Ohio Nat., v, p. 288, figs. 1, 2, 1905.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914.

Localities: Ga., Fla.

Family OCHTERIDAE Kirk.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 149, 1906.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 179, 1908 (catalogue).

Kirkaldy, Can. Ent., xl, p. 361, 1908.

Kirkaldy, Cat. Hemip., p. xxiv, 1909.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 61, 79, 1910.

Horvath, Ann. Mus. Natl. Hung., ix, p. 25, 1911.

Reuter, Of. Vet. Akad. Forh., liv, Afd. A, No. 6, pp. 48, 50, 1912.

Oshanin, Kat. Palae. Hemip., p. 89, 1912.

Pelogonida Leach, Edinbg. Encyc., ix, p. 123, 1815.

Amyot and Serville, Hémip., pp. xlix, 407, 1843, Groupe Pelogonides. Spinola, Tavola Sinot., pp. 27, 49, 1850, Fam. Pelogonidae (part). Fieber, Genera Hydroc., pp. 9, 14, 1851, Pelogonidae.
Dohrn, Cat. Hemip., p. 52, 1859, Pelogonidae.
Fieber, Europ. Hemip., pp. 23, 32, 103, 1860, Pelogonidae.
Stål, Hemip. Afr., iii, p. 170, 1865, Pelogonida.
Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 181, 1868, Pelogonida. Stål, Of. Vet. Akad. Forh., xxvii, p. 706, 1870, Pelogonina.
Walker, Cat. Heter., viii, p. 158, 1873, Pelogonidae.
Stål, Enum. Hemip., v, p. 137, 1876, Pelogonina.
Puton, Cat. Hemip. Palae., edn. 3, p. 64, 1886, Pelogonidae.
Champion, Biol. Centr. Am., Heter., ii, p. 344, 1900, Pelogonidae.
Distant, Fauna Br. Ind., Rhyn., iii, p. 13, 1906, Pelogonidae.
Bueno, Ohio Nat., v, p. 290, 1905, Pelogonidae.
Oshanin, Verz. Palae. Hemip., i, p. 955, 1909, Pelogonina.

Genus Ochterus Latr. Haplotype marginatus Latr.

Latreille, Genera Crust. Ins., iii, p. 142, 1807.
Bergroth, Bul. Soc. Ent. Fr. for 1890, pp. lxvi, cxix.
Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 149, 1906.
Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 179, 1908.
Oshanin, Kat. Palae. Hemip., p. 89, 1912.

Pelogonus Latreille, Genera Crust. Ins., iv, p. 384, 1809 (n.n. for Ochterus). Latreille, Consid. Génl., pp. 260, 434, 1810 (names marginatus type). Latreille, Fam. Nat. Règne Anim., p. 423, 1825, Pelogone. Laporte, Essai Classif. Syst. Hémip., p. 13, 1832 (names marginatus Leach, Brewster's Edinbg. Encyc., Am. edn., viii, p. 712, 1832. Burmeister, Handb. d. Ent., ii, p. 202, 1835. Brullé, Hist. Nat. des Ins., ix, p. 276, 1835. Spinola, Essai sur les Hemip., p. 75, 1837. Blanchard, Hist. Nat. des Ins., Hémip., p. 93, 1840. Westwood, Intr. Mod. Classif. Ins., ii, p. 465, 1840. Amyot and Serville, Hémip., p. 407, 1843. Spinola, Tavola Sinot., p. 49, 1850. Fieber, Genera Hydroc., p. 14, 1851. Herrich-Schaeffer, Wanz. Ins., ix, p. 23, 1853. Fieber, Europ. Hemip., pp. 32, 103, 1860. Stål, Hemip. Afr., iii, p. 170, 1865. Walker, Cat. Heter., viii, p. 158, 1873.

Stål, Enum. Hemip., v, p. 137, 1876. Uhler, Stand. Nat. Hist., ii, p. 262, 1884. Champion, Biol. Centr. Am., Heter., ii, p. 344, 1901. Distant, Fauna Br. Ind., Rhyn., iii, p. 13, 1906. Oshanin, Ver. Palae. Hemip., i, p. 955, 1908.

1412. Ochterus americanus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 335, 1876, Pelogonus.
Uhler, Stand. Nat. Hist., ii, p. 262, 1884, Pelogonus.
Bueno, Jl. N. Y. Ent. Soc., xiii, p. 43, 1905, Pelogonus.
Bueno and Brimley, Ent. News, xviii, p. 433, 1907.
Snow, Trans. Kans. Acad. Sci., xx, pt. 1, p. 180, 1906, Pelogonus.
Bueno, Jl. N. Y. Ent. Soc., xvi, p. 237, 1908.
Smith, Cat. Ins. N. J., edn. 3, p. 166, 1910.
Barber, Can. Ent., xlv, p. 213, 1913.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1914.
Localities: Mass., N. Y., N. J., Pa., Md., N. C., Fla., Ill., Neb., Texas, Ariz.

1413. Ochterus banksi Barb.

Barber, Can. Ent., xlv, p. 214, 1913. Locality. Va.

1414. Ochterus flaviclavus Barb.

Barber, Can. Ent., xlv, p. 215, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 498, 1913.

Locality: Fla.

SERIES SANDALIORRHYNCHA Borner

Borner, Zool. Anzieg., xvii, p. 522, 1904 (as new suborder). Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 13, 48, 1912. Oshanin, Kat. Palae. Hemip., p. 91, 1912. Bueno, Ann. Ent. Soc. Am., ix, p. 353, 1917 (as order).

Superfamily CORIXOIDEAE Reut.

Reuter, Acta Finska Vet. Soc. Forh., liv, Afd. A, No. 6, p. 48, 1912. Oshanin, Kat. Palae. Hemip., p. 91, 1912.

Family CORIXIDAE Leach

Leach, Brewster's Edinbg. Encyc., ix, p. 124, 1815; Am. edn., viii, p. 713, 1832, Amyot and Serville, Hémip., pp. li, 444, 1843, Groupe Corisides. [Corixida. Fieber, Genera Hydroc., p. 9, 1851, Corisidea.

Dohrn, Cat. Hemip., p. 55, 1859, Corixidae.

Flor, Rhyn. Livl., i, pp. 752, 775, 1860, Corisidea.

Fieber, Europ. Hemip., pp. 22, 31, 89, 1860, Corisae.

Douglas and Scott, Brit. Hemip., p. 49, 1865, Corixina.

Mayr, Reise Freg. Novara, Zool., ii, Hemip., p. 193, 1868, Corisida.

Uhler, Stand. Nat. Hist., ii, p. 250, 1884, Corisidae.

Puton, Cat. Hémip. Palae., edn. 3, p. 65, 1886, Corixides.

Champion, Biol. Centr. Am., Heter., ii, p. 375, 1901.

Distant, Fauna Br. Ind., Rhyn., iii, p. 49, 1906.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 152, 1906.

Kirkaldy, Can. Ent., xl, p. 362, 1908.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 193, 1908.

Kirkaldy, Cat. Hemip., i, p. xxv, 1909.

Oshanin, Verz. Palae. Hemip., i, p. 978, 1909.

Distant, Fauna Brit. Ind., Rhyn., v, p. 339, 1910.

Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, pp. 63, 80, 1910.

Horvath, Ann. Mus. Natl. Hung., ix, p. 27, 1911.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 6, pp. 48, 50, 1912.

Oshanin, Kat. Palae. Hemip., p. 91, 1912.

Sigarida Stål, Hemip. Afr., iii, p. 193, 1865.

Genus Tenagobia Bergr.

Haplotype marmorata Bergr.

Bergroth, Ent. Mo. Mag., xxxv, p. 282, 1899. Champion, Biol. Centr. Am., Heter., ii, p. 383, 1901. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 152, 1906. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 193, 1908.

1415. Tenagobia socialis (White)

B. White, Trans. Ent. Soc. Lond. for 1879, p. 174, Sigara.
Uhler, Proc. Zool. Soc. Lond. for 1894, p. 224, Sigara.
Champion, Biol. Centr. Am., Heter., ii, p. 383, pl. 22, fig. 27, 1901.
Localities: Calif. (Neotropical.)

Genus Callicorixa White Logotype praeusta Fieb.

B. White, Ent. Mo. Mag., x, p. 62, 1873.

Puton, Synop. Heter. Fr., i, p. 232, 1879, Subgen. Callicorisa.

Wallengren, Ent. Tidskr., xv, p. 137, 1894, Subgen. Callicorisa.

Kirkaldy, Entomologist, xxxi, p. 253, 1898 (names praeusta type).

Kirkaldy, Jl. Quekett Micros. Club, ser. 2, No. 48, p. 40, 1901.

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 152, 1906.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 193, 1908.

Kirkaldy, Can. Ent., xl, p. 117, 1908.

1416. Callicorixa praeusta (Fieb.)

Fieber, Bul. Soc. Nat. Mosc., xxi, pt. 2, p. 521, pl. 10, figs. 14, 22, 1848, Corisa. Fieber, Spec. Generis Corisa, p. 28, pl. 1, No. 17, figs. 1-18, 1851, Corisa. Flor, Rhyn. Livl., i, p. 787, 1860, Corisa.

Fieber, Europ. Hemip., p. 95, 1860, Corisa.

White, Ent. Mo. Mag., x, p. 76, 1873.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 340, 1876, Corixa.

Puton, Synop. Heter. Fr., i, p. 233, 1879, Corisa.

Saunders, Heter. Brit. Isds., pp. 333, 339, 1892, Corisa.

Wallengren, Ent. Tidskr, xv, p. 138, 1894.

Oshanin, Verz. Palae. Hemip., i, p. 993, 1909.

Localities: Alaska: (Palaearctic.)

1417. Callicorixa kollarii (Fieb.)

Fieber, Spec. Generis Corisa, p. 17, pl. 1, No. 7, 1851, Corisa. Guerin, Sagra, Hist. de Cuba, Ins., p. 177, pl. 13, fig. 14, 1857, Corisa.

Champion, Biol. Centr. Am., Heter., ii, p. 377, pl. 22, fig. 18, 1901, Corixa. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 497, 1914.

†cubae Uhler, Proc. Zool. Soc. Lond. for 1894, p. 224, Corixa.

Localities: "Canada," Mass., Pa., Fla., Texas, Alaska. (Palaearctic.)

1418. Callicorixa geblerii (Fieb.)

Fieber, Bul. Soc. Nat. Mosc., xxi, pt. 2, p. 522, 1848, Corisa.
Fieber, Spec. Generis Corisa, p. 29, pl. 2, fig. 10, 1851, Corisa.
Fieber, Europ. Hemip., p. 96, 1860, Corisa.
Oshanin, Verz. Palae. Hemip., i, p. 996, 1909.
Localities: Alaska. (Palaearctic.)

Genus Pamphocorius Abb

Genus Ramphocorixa Abbott Haplotype balanodis Abbott

Abbott, Can. Ent., xliv, p. 120, 1912.

1419. Ramphocorixa balanodis Abbott

Abbott, Can. Ent., xliv, p. 118, 1912. Abbott, Am. Nat., xlvi, p. 553, 1912 (habits). Locality: Mo.

Genus Arctocorixa Wallen Logotype carinata Sahlbg.

Wallengren, Ent. Tidskr., xv, pp. 133, 150, 1894. Kirkaldy, Jl. Quekett Micros. Club, ser. 2, No. 48, p. 41, 1901 (as subgenus).

Kirkaldy, Entomologist, xxxix, p. 62, 1906. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 152, 1906.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 194, 1908.

Kirkaldy, Can. Ent., xl, p. 118, 1908.

Basileocorixa Kirkaldy, Entomologist, xxxi, p. 253, 1898 (n.n. for Corixa [Auct., type striata Linn.).

†Corixa Thomson, Opusc. Ent., Fasc., i, p. 27, 1869, Corisa.

B. White, Ent. Mo. Mag., x, p. 62, 1873.

Puton, Synop. Heter. Fr., i, p. 222, 1879, Corisa.

Wallengren, Ent. Tidskr, xvi, p. 141, 1894, Corisa.

Subgenus Arctocorixa Wallen

Kirkaldy, Can. Ent., xl, p. 118, 1908.

[The species in this subgenus are arranged alphabetically, as no systematic study of our forms has been published.]

1420. Arctocorixa abdominalis (Say)

Say, Heter. N. Harm., p. 38, 1832; Fitch reprint, p. 811; Compl. Writ., i, p. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 340, 1876. [366, Corixa. Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 294, 1894, Corixa.

Champion, Biol. Centr. Am., Heter., ii, p. 381, pl. 22, fig. 25, 1901, Corixa. bimaculata (Guerin), Icon. Règne Anim., Ins., p. 354, 1844, Corixa.

Fieber, Spec. Generis Corisa, p. 42, 1851, Corisa.

Walker, Cat. Heter., viii, p. 199, 1873, Corixa.

femorata (Guerin), Bul. Soc. Zool. Acclim., iv, p. 581, 1857, Corixa. Guerin, Rev. Zool. for 1857, p. 526, Corixa.

Localities: Texas, Calif. (Mexico.)

1421. Arctocorixa acuminata (Uhl.)

Uhler, Trans. Md. Acad. Sci., i, p. 392, 1897, Corixa. Localities: Ill., Texas.

1422. Arctocorixa alternata (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 329, 1825; Compl. Writ., ii, p. 251, Fieber, Spec. Generis Corisa, p. 43, 1851, Corisa (note). [Corisa. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1332, Corisa. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 446, 1878, Corisa. Provancher, Pet. Faune Ent. Can., iii, p. 203, 1888, Corisa. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 186, 1894, Corisa. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 497, 1914. Localities: Me., N. H., N. Y., Fla., Ill., Mo.

1423. Arctocorixa bilineata (Prov.)

Provancher, Nat. Can., iv, p. 108, 1872, Corisa. [changed). bivittata Provancher, Pet. Faune Ent. Can., iii, p. 203, 1888 (name Locality: Quebec.

[Arctocorixa bradleyi Abbott MS]

Abbott, Bul. Brookl. Ent. Soc., viii, p. 83, 1913. Locality: Ga.

1424. Arctocorixa calva (Say)

Say, Heter. N. Harm., p. 38, 1832; Fitch reprint, p. 810; Compl. Writ., i, p. Fieber, Spec. Generis Corisa, p. 19, 1851, Corisa. [366, Corixa. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 341, 1876, Corixa. Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 444, 1878, Corisa. Gillette and Baker, Hemip. Colo., p. 63, 1895, Corisa. Smith, Cat. Ins. N. J., edn. 3, p. 168, 1910.

Localities: Ont., Me., Mass., Pa., Colo., Texas, Alaska.

[Arctocorixa compressa Abbott MS]

Abbott, Bul. Brookl. Ent. Soc., viii, p. 83, 1913. Locality: Ga.

1425. Arctocorixa convexa (Fieb.)

Fieber, Spec. Generis Corisa, p. 37, 1851, Corisa. Locality: Labrador.

1426. Arctocorixa decolor (Uhl.)

Uhler, Am. Jl. Sci., ser. 3, i, p. 106, 1871, Corixa.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 340, 1876; iii, p. 455, 1877, Corixa.
Uhler, Proc. Ent. Soc. Wash., ii, p. 384, 1893, Corisa.
Localities: Utah, Calif.

14261/2. Arctocorixa decorata Abbott

Abbott, Ent. News, xxvii, p. 341, 1916. Locality: Mass.

1427. Arctocorixa dispersa (Uhl.)

Uhler, Wheeler's Surv. 100th Merid., v, p. 841, pl. 42, fig. 7, 1875, Corisa.

Localities: Texas, Nev., Calif.

14271/2. Arctocorixa dubia Abbott

Abbott, Ent. News, xxvii, p. 342, 1916.

Locality: Mass.

1428. Arctocorixa edulis Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 380, pl. 22, fig. 24, 1901, Corixa. Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 195, 1908.

Localities: "S. St." (Mexico.)

1429. Arctocorixa erichsonii (Fieb.)

Fieber, Spec. Generis Corisa, p. 35, 1851, Corisa. Locality: Pa.

1430. Arctocorixa escheri (Heer)

Heer, Insektf. Tertiar. v. Oenigen, iii, p. 87, 1853, Corisa. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 341, 1876, Corixa. Locality: Wash.

1431. Arctocorixa expleta (Uhl.)

Uhler, Hemip. Colo., p. 63, 1895, Corisa. Smith, Cat. Ins. N. J., edn. 3, p. 169, 1910. Localities: N. J., Colo.

1432. Arctocorixa fossarum (Leach)

Leach, Trans. Linn. Soc. Lond., xii, p. 17, 1818, Corixa. Fallén, Hemip. Suec., Cimic., p. 182, 1829, Corixa. Herrich-Schaeffer, Nomen. Ent., i, p. 63, 1835, Corixa. Zetterstedt, Ins. Lapp., column 285, 1840, Corixa. Fieber, Bul. Soc. Nat. Mosc., xxi, pt. 2, p. 525, 1848, Corixa. Fieber, Spec. Generis Corisa, p. 32, 1851, Corisa. Herrich-Schaeffer, Wanz. Ins., ix, p. 55, fig. 905, 1853, Corixa. Flor, Rhyn. Livl., i, p. 795, 1860, Corisa. Fieber, Europ. Hemip., p. 98, 1860, Corisa. Douglas and Scott, Brit. Hemip., p. 611, 1865, Corisa. Thomson, Opusc. Ent., i, p. 37, 1869, Corisa. Puton, Synop. Heter. Fr., i, p. 231, 1879, Corisa. Wallengren, Ent. Tidskr., xv, pp. 143, 156, 1894. Kirkaldy, Jl. Quekett Micros. Club., ser. 2, No. 48, p. 42, 1901.

Localities: Calif. (Palaearctic.)

1433. Arctocorixa germarii (Fieb.)

Fieber, Bul. Soc. Nat. Mosc., xxi, pt. 2, p. 531, 1848, Corisa. Fieber, Spec. Generis Corisa, p. 38, pl. 2, No. 26, 1851, Corisa. Fieber, Europ. Hemip., p. 99, 1860, Corisa. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 341, 1876, Corixa. Puton, Synop. Heter. Fr., i, p. 234, 1879, Corisa. Kirkaldy, Entomologist, xxxi, p. 251, 1898, Corixa. Kirkaldy, Jl. Quekett Micros. Club, ser. 2, No. 48, p. 43, 1901. variegata (Wallengren), Of. Vet. Akad. Forh., xi, p. 148, 1854, Corisa.

Wallengren, Ent. Tidskr., xv, p. 159, 1894, Corisa subgen. Arctocorisa. intricata (Douglas and Scott), Ent. Mo. Mag., v, p. 295, 1869, Corisa.

B. White, Ent. Mo. Mag., x, p. 77, 1873, Oreinocorixa.

Localities: Alaska. (Palaearctic.)

1434. Arctocorixa harrisii (Uhl.)

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 444, 1878, Corisa. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 186, 1894, Corixa. Smith, Cat. Ins. N. J., edn. 3, p. 169, 1910.

Localities: Ont., Me., N. Y.

1435. Arctocorixa hydatotrephes Kirk.

Kirkaldy, Can. Ent., xl, p. 119, 1908.

Abbott, Bul. Brookl. Ent. Soc., viii, p. 82, 1913.

Localities: N. C., Ga.

1436. Arctocorixa inscripta (Uhl.)

Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 294, 1894, Corixa.

Champion, Biol. Centr. Am., Heter., ii, p. 376, 1901, Corixa.

Localities: Texas, Colo., N. Mex., Ariz., Calif. (Mexico.)

1437. Arctocorixa interrupta (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 328, 1825; Compl. Writ., ii, p. 250, [Corixa.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 340, 1876; iii, p. 454, 1877, Corixa.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1332, Corixa.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 509, 1878, Corisa.

Uhler, Proc. Bost. Soc. Nat. Hist., xix, p. 445, 1878, Corisa.

Uhler, Stand. Nat. Hist., ii, p. 250, 1884, Corisa.

Champion, Biol. Centr. Am., Heter., ii, p. 376, 1901, Corixa.

Abbott, Bul. Brookl. Ent. Soc., viii, p. 82, 1913.

Abbott, Wash. Univ. Studies, i, p. 10, 1913.

Parshley, Psyche, xxi, p. 140, 1914.

?interrupta (Fieber), Spec. Generis Corisa, p. 27, 1851, Corisa. (May not [belong here.)

Localities: Me., Mass., N. Y., Md., Ill., Minn., Mo., Mont., Colo., N. Mex., Calif. (Mexico.)

1438. Arctocorixa kennicottii (Uhl.)

Uhler, Trans. Md. Acad. Sci., i, p. 393, 1897, Corixa. Parshley, Psyche, xxi, p. 140, 1914, Corixa.

Localities: Me., Ill.

1439. Arctocorixa kirbyi (Fieb.)

Fieber, Spec. Generis Corisa, p. 43, 1851, Corisa.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 196, 1908.

||carinata (Kirby) in Richardson, Fauna Bor. Am., iv, p. 284, 1837, Corixa.

Kirby in Bethune's reprint, p. 139, Corixa.

Locality: "Canada."

1440. Arctocorixa laevigata (Uhl.)

Uhler, Proc. Ent. Soc. Wash., ii, p. 384, 1893, Corisa.
Uhler, Proc. Calif. Acad. Sci., ser. 2, iv, p. 295, 1894, Corisa.
Localities: Utah, Nevada, Calif., Wash., Ore.

1441. Arctocorixa lateralis (Leach)

Leach, Trans. Linn. Soc. Lond., xii, p. 17, 1818, Corixa. Kirkaldy, Entomologist, xxxiii, p. 10, 1900.

Kirkaldy, Jl. Quekett Micors. Club., ser. 2, No. 48, p. 44, fig. 30, 1910. hieroglyphica (Dufour), Rech. Anat., p. 214, figs. 85-87, 1833, Coriza. Burmeister, Handb. d. Ent., ii, p. 188, 1835, Corixa. Spinola, Essai sur les Hémip., p. 56, 1837, Corixa. Fieber, Bul. Soc. Nat. Mosc., xxi, pt. 2, p. 517, 1848, Corixa. Fieber, Spec. Generis Corisa, p. 22, pl. 1, No. 20, 1851, Corisa. Fieber, Europ. Hemip., p. 93, 1860, Corisa. Douglas and Scott, Brit. Hemip., p. 598, 1865, Corisa. Thomson, Opusc. Ent., i, p. 35, 1869, Corisa. B. White, Ent. Mo. Mag., x, p. 76, 1873, Corixa. Saunders, Heter. Brit. Isds., pp. 331, 334, 1892, Corixa. Wallengren, Ent. Tidskr., x, pp. 142, 144, 1894. Kirkaldy, Entomologist, xxxi, pt. 2, 1898, Corixa. Distant, Fauna Brit. Ind., Rhyn., iii, p. 49, fig. 29, 1906. Oshanin, Verz. Palae. Hemip., i, p. 982, 1908, Corixa. fieberi (Wallengren), Of. Vet. Akad. Forh., xi, p. 143, 1854, Corisa.

1442. Arctocorixa lineata (Forst.)

vaga (Wallengren), Of. Vet. Akad. Forh., xi, p. 143, 1854, Corisa.

Forster, Nov. Spec. Ins., p. 70, 1771, Notonecta.

Localities: Pa. (Palaerctic.)

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 196, 1908 (catalogue).

noveboracensis Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2119,

[1788, Notonecta (unnecessary n.n. for lineata Forst.)

Turton, Linnaeus, Syst. Nat., edn. 13, Eng. transl., ii, p. 605, 1806, Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 196, 1908. [Notonecta. Locality: N. Y.

14421/2. Arctocorixa lucida Abbott

Abbott, Ent. News, xxvii, p. 341, 1916. Localities: Mass., R. I., Conn.

1443. Arctocorixa mercenaria (Say)

Say, Heter. N. Harm., p. 39, 1832; Fitch reprint, p. 811; Compl. Writ., i, p. Guerin, Bul. Soc. Zool. Acclim., iv, p. 581, 1857, Corixa. [367, Corixa. Guerin, Rev. Zool. for 1857, p. 526, Corixa.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 341, 1876, Corixa.

Kirkaldy, Ent. Mo. Mag., xxxiv, p. 173, 1898, Corixa.

Kirkaldy, Revue d'Ent., xviii, p. 95, 1899.

Champion, Biol. Centr. Am., Heter., ii, p. 379, pl. 22, fig. 23, 1901, Corixa.

Localities: N. Mex., Calif. (Neotropical.)

1443½. Arctocorixa modesta Abbott

Abbott, Ent. News, xxvii, p. 343, 1916.

Localities: Md., D. C., Va.

1444. Arctocorixa nitida (Fieb.)

Fieber, Spec. Generis Corisa, p. 28, pl. 2, No. 8, 1851, Corisa. Abbott, Bul. Brookl. Ent. Soc., viii, p. 82, 1913.

Parshley, Psyche, xxi, p. 140, 1914.

a. var. minor Abbott.

Abbott, Bul. Brookl. Ent. Soc., viii, p. 82, 1913. Localities: Me., Md., N. C., Ga. 1444¼. Arctocorixa ornata Abbott

Abbott, Ent. News, xxvii, p. 341, 1916.

Localities: Me., Mass., Conn., N. Y.

14441/2. Arctocorixa parshleyi Abbott

Abbott, Ent. News, xxvii, p. 342, 1916.

Localities: Me., N. Y.

1445. Arctocorixa pectenata Abbott

Abbott, Bul. Brookl. Ent. Soc., viii, p. 83, 1913.

Locality: Ga.

1446. Arctocorixa planifrons (Kirby)

Kirby in Richardson, Fauna Bor. Am., iv, p. 284, 1857, Corixa.

Kirby in Bethune's reprint, p. 139, Corixa.

Locality: "Canada."

1447. Arctocorixa reticulata Guer.

Guerin in Sagra, Hist. de Cuba, Ins., p. 423, 1857, Corisa.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 497, 1914.

Localities: Fla. (West Indies.)

[Arctocorixa scabra Abbott MS]

Abbott, Bul. Brookl. Ent. Soc., viii, p. 83, 1913.

Locality: Ga.

14471/2. Arctocorixa seriata Abbott

Abbott, Ent. News, xxvii, p. 342, 1916.

Localities: Me., N. H., Mass., R. I., Conn.

1448. Arctocorixa serrulata (Uhl.)

Uhler, Trans. Md. Acad. Sci., i, p. 391, 1897, Corixa.

Champion, Biol. Centr. Am., Heter., ii, p. 381, 1901, Corixa (noticed).

Smith, Cat. Ins. N. J., edn. 3, p. 169, 1910, Corixa.

Localities: Ariz., Calif. (Mexico.)

1449. Arctocorixa signata (Fieb.)

Fieber, Spec. Generis Corisa, p. 21, 1851, Corisa.

Abbott, Bul. Brookl. Ent. Soc., viii, p. 83, 1913.

Localities: Pa., Ill., Ga.

1450. Arctocorixa stagnalis (Leach)

Leach, Trans. Linn. Soc. Lond., xii, p. 16, 1818, Corisa.

Kirkaldy, Jl. Quekett Micros. Club, ser. 2, No. 48, j. 42, pl. 4, fig. 21, 1901.

limitata (Fieber), Bul. Soc. Nat. Mosc., xxi, pt. 2, p. 528, 1848, Corisa.

Fieber, Spec. Generis Corisa, p. 35, pl. 2, No. 20, 1851, Corisa.

Fieber, Europ. Hemip., p. 95, 1860, Corisa.

B. White, Ent. Mo. Mag., x, p. 77, 1873, Corixa.

Puton, Synop. Heter. Fr., i, p. 229, 1879, Corisa.

Saunders, Heter. Brit. Isds., pp. 332, 336, pl. 22, fig. 4, 1892, Corixa.

Wallengren, Ent. Tidskr., x, pp. 142, 152, 1894.

Oshanin, Verz. Palae. Hemip., i, p. 984, 1908, Corixa.

Oshanin, Kat. Palae. Hemip., p. 92, 1912.

†nigrolineata (Thomson), Opusc. Ent., i, p. 36, 1869, Corisa.

thomsoni Puton, Cat. Hemip. Palae., edn. 3, p. 65, 1886, Coriza.

Localities: Pa. (Palaearctic.)

1451. Arctocorixa stigmatica (Fieb.)

Fieber, Spec. Generis Corisa, p. 36, 1851, Corisa. Locality: "N. Am."

1452. Arctocorixa striata (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 439, 1758, Notonecta. Linnaeus, Fauna Suec., edn. 2, p. 244, No. 904, 1761, Notonecta. De Geer, Mémoires, iii, p. 395, 1773, Nepa (part). Fabricius, Spec. Ins., ii, p. 332, 1781, Sigara (part). Schrank, Enum. Ins. Aust., p. 261, 1781, Notonecta. Fabricius, Ent. Syst., iv, p. 60, 1794, Sigara (part). Walckenaer, Fauna Paris., ii, p. 333, 1802, Sigara (part). Fabricius, Syst. Rhyng., p. 104, 1803, Sigara (part). Brullé, Hist. Nat. des Ins., ix, p. 251, 1835, Corixa. Kirby in Richardson, Fauna Bor. Am., iv, p. 283, 1877, Corixa. Spinola, Essai sur les Hémip., p. 57, 1837 (1840), Corixa. Blanchard, Hist. Nat. des Ins., Hémip., p. 87, 1840, Corixa. Amyot and Serville, Hémip., p. 447, 1843, Corisa. Fieber, Spec. Generis Corisa, p. 30, pl. 2, No. 11, 1851, Corisa. Flor, Rhyn. Livl., i, p. 793, 1860, Corisa. Fieber, Europ. Hemip., p. 97, 1860, Corisa. Douglas and Scott, Brit. Hemip., p. 606, 1865, Corisa. Thomson, Opusc. Ent., i, p. 34, 1869, Corisa. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 340, 1876, Corixa. Puton, Synop. Heter. Fr., i, p. 227, 1879, Corixa. Reuter, Rev. Synon., p. 376, No. 355, 1888, Corisa. Wallengren, Ent. Tidskr., xv, p. 150, 1894, Corisa. Gillette and Baker, Hemip. Colo., p. 64, 1895, Corisa. Localities: Neb., Colo., Brit. Am. (Palaearctic.)

1453. Arctocorixa sutilis (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 339, 1876; iii, p. 453, 1877, Corixa.
Uhler, Wheeler's Rept. Chief. Eng. for 1877, p. 1332, Corisa.
Uhler, Proc. Ent. Soc. Wash., ii, p. 384, 1893, Corisa.
Localities: Colo., Utah, N. Mex., Mont., Brit. Am.

1454, Arctocorixa tarsalis (Fieb.)

Fieber, Spec. Generis Corisa, p. 19, 1851, Corisa. Localities: Pa.

1455. Arctocorixa trilineata (Prov.)

Provancher, Nat. Can., iv, p. 108, 1872, Corixa.

trivittata Provancher, Pet. Faune Ent. Can., iii, p. 203, 1888, Corixa (un[necessary substitute for trilineata).

Locality: Quebec.

1456. Arctocorixa tumida (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 454, 1877, Corixa.
Gillette and Baker, Hemip. Colo., p. 64, 1895, Corisa.
Locality: Colo.

1457. Arctocorixa vulnerata (Uhl.)

Uhler, Proc. Acad. Nat. Sci. Phila., xiii, p. 284, 1861, Corixa.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 340, 1876; iv, p. 509, 1878, Corisa.
Localities: Ill., Mont., Wash., Ore.

1458. Arctocorixa wallengreni (Stål)

Stål, Freg. Eugen. Resa, Ins., p. 268, 1859, Corixa.

Locality: Calif.

1459. Arctocorixa zimmermannii (Fieb.)

Fieber, Spec. Generis Corisa, p. 21, pl. 1, No. 18, 1851, Corisa.

Localities: Pa., "Carolina."

Subgenus Hesperocorixa Kirk. Haplotype brimleyi Kirk.

Kirkaldy, Can. Ent., xl, pp. 118, 120, 1908.

1460. Arctocorixa brimleyi Kirk.

Kirkaldy, Can. Ent., xl, p. 120, 1908. Locality: N. C.

Genus Palmacorixa Abbott Haplotype gillettii Abbott

Abbott, Ent. News, xxiii, p. 337. 1912.

1461. Palmacorixa gillettii Abbott

Abbott, Ent. News, xxiii, p. 337, pl. 18, 1912. Locality: Colo.

1462. Palmacorixa buenoi Abbott

Abbott, Can. Ent., xlv, p. 113, 1913.

Abbott, Bul. Brookl. Ent. Soc., viii, p. 87, 1913.

Localities: Mass., N. Y., D. C., Ga.

Genus Corixa Geoff.

Haplotype striata Geoff. = geoffroyi Leach

Geoffroy, Hist. Abreg. des Ins., i, p. 477, 1762 (striata of Geoff. only species).

Fourcroy, Ent. Paris., i, p. 221, 1785.

Olivier, Encyc. Meth., iv, p. 25, 1789.

Latreille, Précis, p. 88, 1797.

Lamarck, Syst. Anim. s. Vert., p. 297, 1801 (names striata Linn. type).

Latreille, Hist. Nat. Crust. Ins., iii, p. 255, 1902; xii, p. 287, 1804.

Latreille, Genera Crust. Ins., iii, p. 151, 1807.

Latreille, Consid. Génl., pp. 261, 434, 1910 (names striata Linn. type).

Lamarck, Hist. Nat. Anim. s. Vert., iii, p. 520, 1816.

Fallén, Hemip. Suec., Cimic., p. 181, 1829.

Laporte, Essai Classif. Syst. Hémip., p. 20, 1832 (names striata Linn. type).

Herrich-Schaeffer, Nomen. Ent., i, pp. 39, 63, 1835.

Burmeister, Handb. d. Ent., ii, p. 186, 1835.

Brullé, Hist. Nat. des Ins., ix, p. 249, 1835.

Blanchard, Hist. Nat. des Ins., Hémip., p. 87, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 119, 1840 (names striata

Amyot and Serville, Hémip., p. 445, 1843, Corisa.

[Linn. type).

Spinola, Tavola Sinot., p. 49, 1850.

Fieber, Spec. Generis Corisa, p. 13, 1851, Corisa.

Flor, Rhyn. Livl., i, pp. 780, 783, 1860, Corisa.

Fieber, Europ. Hemip., pp. 31, 90, 1860, Corisa.

Kirkaldy, Entomologist, xxxi, p. 253, 1898.

Kirkaldy, Jl. Quekett Micros. Club, ser. 2, No. 48, p. 44, 1901.

Distant, Fauna Br. Ind., Rhyn., iii, p. 49, 1906 (cites geoffroyi Leach as type).

Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 152, 1906.

Reuter, Of. Finska Vet. Soc. Forh., liv, Afd. A, No. 7, p. 75, 1912.

Oshanin, Kat. Palae. Hemip., p. 91, 1912.

Sigara Fabricius, Syst. Ent., p. 691, 1775 (haplotype striata Fabr.).

Macrocorisa Thomson, Opusc. Ent., i, p. 28, 1869 (type geoffroyi Leach).

B. White, Ent. Mo. Mag., x, p. 62, 1873, Macrocorixa.

Puton, Synop. Heter. Fr., i, p. 220, 1879.

Wallengren, Ent. Tidskr., xv, pp. 133, 134, 1894.

Oshanin, Verz. Palae. Hemip., i, p. 978, 1909.

Trichocorixa Kirkaldy, Can. Ent., xl, p. 118, 1908 (type pygmaea Fieb.).

1463. Corixa gordita Abbott

Abbott, Bul. Brookl. Ent. Soc., viii, p. 84, 1913.

Locality: Ga.

1464. Corixa sellaris Abbott

Abbott, Bul. Brookl. Ent. Soc., viii, p. 85, 1913. Locality: Ga.

1465. Corixa macroceps Kirk.

Kirkaldy, Can. Ent., xl, p. 119, 1908, Arctocorisa.

Abbott, Bul. Brookl. Ent. Soc., viii, p. 86, 1913.

Locality: Ga.

1466. Corixa minima Abbott

Abbott, Bul. Brookl. Ent. Soc., viii, p. 86, 1913.

Locality: Ga.

1467. Corixa verticalis Fieb.

Fieber, Spec. Generis Corisa, p. 24, pl. 1, No. 22, 1851, Corisa.

Abbott, Bul. Brookl. Ent. Soc., viii, p. 87, 1913.

Localities: Pa., Ga.

1468. Corixa(?) pygmaea Fieb.

Fieber, Spec. Generis Corisa, p. 24, pl. 2, No. 1, 1851, Corisa.

Kirkaldy, Can. Ent., xl, p. 118, 1908 (as type of Trichocorixa).

Abbott, Bul. Brookl. Ent. Soc., viii, p. 87, 1913.

Localities (West Indies.)

1469. Corixa burmeisterii Fieb.

Fieber, Spec. Generis Corisa, p. 24, 1851, Corisa.

Abbott, Bul. Brookl. Ent. Soc., viii, p. 87, 1913 (mention).

Locality: "N. Am."

Species unknown.

[Corixa annexa Uhler MS]

Walker, Cat. Heter., viii, p. 199, 1873.

Kirkaldy, Entomologist, xxx, p. 259, 1897.

Locality: Canadian Northwest.

SUBORDER HOMOPTERA LATR.

Latreille, Consid. Génl., p. 262, 1810. Mac Leay, Horae Ent., ii, p. 367, 1821 (as Order). Mac Leay, Trans. Linn. Soc. Lond., xiv, p. 67, 1825 (as Order). Latreille, Fam. Nat. Règne Animal, p. 426, 1825. Kirby and Spence, Introd. to Ent., iv, p. 377, 1826. Latreille in Cuvier, Règne Animal, edn. 2, v, p. 209, 1829. Fallén, Hemip. Suec., Cimic., preface, 1829. (Collirostres.) Westwood, Intr. Mod. Classif. Ins., i, p. 29; ii, p. 414, 1840 (as Order). Blanchard, Hist. des Ins., Hémip., p. 163, 1840. Amyot and Serville, Hémip., p. 455, 1843. Stål, Stet. Ent. Zeit., xix, p. 233, 1858. Siphonata Retzius, Genera Spec. Ins., p. v, 1783. †Omoptera Leach, Brewster's Edinbg. Encyc., ix, p. 125, 1815. Gulaerostria Zetterstedt, Ins. Lapp., column Flor, Rhyn. Livl., ii, p. 1, 1861. Hypocephalocera Spinola, Tavola Sinot., p. 27, 1850.

SERIES AUCHENORHYNCHA DUM.

Duméril, Zool. Analyt., p. 269, 1806. Amyot and Serville, Hémip., p. 456, 1843. Flor, Rhyn. Livl., ii, p. 4, 1861. Kirkaldy, Haw. S. P. A., Exp. St. Bul., i, p. 295, 1906 (Group).

Family CICADIDAE (Latr.)

Latreille, Hist. Nat. Crust. Ins., iii, p. 257, 1802, Cicadariae (Cicadae verae). Latreille, Hist. Nat. Crust. Ins., xii, p. 293, 1804, Cicadariae (Cicadae verae). Latreille, Gen. Crust. Ins., iii, p. 152, 1807, Cicadariae. Leach, Brewster's Edinbg. Encyc., ix, p. 125, 1815, Cicadida. Stephens, Cat. Brit. Ins., ii, p. 355, 1829, Cicadiidae. Westwood, Intr. Mod. Classif. Ins., ii, p. 420; Synop., p. 115, 1840. Spinola, Tavola Sinot., pp. 27, 50, 1850, Cicaditae. Stål, Stet. Ent. Zeit., xix, p. 234, 1858, Cicadina. Packard, Guide to Study of Ins., p. 533, 1869, Cicadariae. Sahlberg, Cicadariae, p. 65, 1871, Cicadina. Fieber, Cat. Europ. Cicad., p. 1, 1872, Cicadaea. Fieber, Cicad. d'Eur., i, pp. 40, 47, 1875, Cicadaea. Distant, Biol. Centr. Am., Homop., i, p. 1, 1881. Uhler, Stand. Nat. Hist., ii, p. 226, 1884. Woodworth, Psyche, v. p. 67, 1888 (synopsis). Ashmead, Ent. Am., iv, p. 140, 1888. (Key.) Distant, Monog. Orient. Cicad., p. 1, 1889. Provancher, Pet. Faune Ent. Can., iii, p. 208, 1889. Van Duzee, Trans. Am. Ent. Soc., xix, p. 296, 1892. Melichar, Cicad. Mit. Eur., p. 2, 1896.

Macgillivray, Can. Ent., xxxiii, p. 74, 1901. (Key.) Distant, Fauna Brit. Ind., Rhyn., iii, p. 55, 1906. Distant, Cat. Homop., Cicad., p. 1, 1906. Kirkaldy, Haw. S. P. A. Exp. St. Bul., i, p. 295, 1906; iii, p. 9, 1907. Horvath, Ann. Mus. Natl. Hung., ix, p. 29, 1911 Oshanin, Kat. Palae. Hemip., p. 94, 1912. Distant, Gen. Ins., fasc. 142, p. 1, 1912. Van Duzee, Jl. N. Y. Ent. Soc., xxiii, p. 21, 1915. (Keys.) Manniferae Linnaeus, Syst. Nat., edn. 10, i, p. 436, 1758. Germar, Mag. d. Ent., iv, p 95, 1821. Tettigonides Fallén, Spec. Nova Hemip., disp. Meth., pp. 3, 13, 1814. Stridulantes Latreille, Fam. Nat. Régne Anim., p. 426, 1825 (Tribe). Germar, Silb. Rev. Ent., i, p. 174, 1833 (Stirps). Burmeister, Handb. d. Ent., ii, p. 170, 1835, Stridulantia. Blanchard, Hist. Nat. des Ins., Hémip., p. 164, 1840, Striduliens. Amyot and Serville, Hémip., p. 458, 1843. Fieber, Gen. Hydroc., p. 10, 1851. Stål, Hemip. Afr., iv, p. 1, 1866, Stridulantia. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 341, 1876, Stridulantia. Hansen, Ent. Tidskr., xi, p. 63, 1890, Stridulantia. [(transl. of Hansen). Kirkaldy, Entomol., xxxiii, pp. 116, 335, 1900; xxxv, p. 215, 1902 Chanteuses Latreille, in Cuvier, Régne Anim., edn. 2, v, p. 212, 1829. [trices. Latreille, in Cuvier, Anim. Kingd., Lond. edn., iv, p. 172, 1836, Canta-

Subfamily TIBICENINAE Van D.

Van Duzee, Check List Hemip., p. 55, 1916.

Cicadides Amyot and Serville, Hémip., pp. liii, 468, 1843 (Groupe).

Ashmead, Ent. Am., iv, p. 140, 1888, Cicadinae.

Distant, Monog. Orient. Cicad., p. 3, 1889, Cicadinae.

Distant, Ann. Mag. Nat. Hist., ser. 7, xiv, p. 293, 1904, Cicadinae.

Distant, Fauna Brit. Ind., Rhyn., iii, p. 58, 1906, Cicadinae.

Distant, Cat. Homop., Cicadidae, pp. 1, 2, 1906, Cicadinae.

Distant, Gen. Ins., fasc. 142, p. 3, 1912, Cicadinae.

Oshanin, Kat. Palae. Hemip., p. 94, 1912, Cicadinae.

§Tibicinae Van Duzee, Jl. N. Y. Ent. Soc., xxiii, p. 23, 1915.

TRIBE TIBICENINI Van. D.

Van Duzee, Check List Hemip., p. 55, 1915. [(Division.) Cicadaria Distant, Ann. Mag. Nat. Hist., ser. 7, xiv, pp. 329, 425, 1904.

Distant, Fauna Brit. Ind., Rhyn., iii, p. 78, 1906. (Division.)

Distant, Cat. Homop., Cicadidae, p. 30, 1906. (Division.)

Distant, Gen. Ins., fasc. 142, p. 25, 1912. (Division.)

Genus **Tibicen** Latr. Haplotype plebeja (Scop.)

Latreille, Fam. Nat. Régne Anim., p. 426, 1825 (no description, plebeja only Germar, Silb. Rev. Ent., ii, p. 52, 1834. [species mentioned). Burmeister, Handb. d. Ent., ii, pp. 179, 182, 1835 (as Subgenus).

Van Duzee, Can. Ent., xlvi, p. 387, 1914 (restricts Cicada to orni and its allies). Van Duzee, Jl. N. Y. Ent. Soc., xxiii, p. 23, 1915.

Van Duzee, Check List Hemip., p. 55, 1916.

†Cicada Latreille, Consid. Génl., p. 434, 1810 (names plebeja pseudotype).

Germar, Mag. d. Ent., iv, p. 95, 1821.

Germar, Silb. Rev. Ent., ii, p. 56, 1834.

Stål, Ann. Soc. Ent. Fr., ser. 4, i, p. 614, 1861.

Stål, Hemip. Afr., iv, p. 6, 1866.

Distant, Biol. Centr. Am., Homop., i, p. 6, 1881.

Woodworth, Psyche, v, p. 67, 1888.

Ashmead, Ent. Am., iv, p. 141, 1888.

Uhler, Trans. Md. Acad. Sci., i, p. 149, 1892.

Macgillivray, Can. Ent., xxxiii, p. 75, 1901.

Distant, Ann. Mag. Nat. Hist., ser. 7, xiv, pp. 330, 428, 1904.

Distant, Cat. Homop., Cicadidae, p. 38, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 491, 1912 (names tibicen Distant, Gen. Ins., fasc. 142, p. 30, 1912. [pseudotype).

†Tettigonia Fabricius, Syst. Ent., p. 678, 1775.

Thunberg, Charac. Gen. Ins., edn. 2, p. 32, 1791.

Fabricius, Ent. Syst., iv, p. 16, 1794.

Fabricius, Syst. Rhyng., p. 33, 1803 (indicates tibicen as type).

Leach in Brewster's Edinbg. Encyc., Am. reprint, ix, p. 124, 1830.

Leach in Brewster's Edinbg. Encyc., Am. edn., viii, p. 713, 1832.

Chremistica Stål, Of. Vet. Akad. Forh., xxvii, p. 714, 1870 (as Subgenus). Kirkaldy, Ann. Soc. Ent. Belg., li, p. 305, 1907.

Diceroprocta Stål, Of. Vet. Akad. Forh., xxvii, p. 714, 1870 (as Subgenus). Kirkaldy, Ann. Soc. Ent. Belg., li, p. 305, 1907.

Rihana Distant, Ann. Mag. Nat. Hist., ser. 7, xiv, p. 426, 1904. (Orthotype Distant, Fauna Brit. Ind., Rhyn., iii, p. 78, 1906. [ochracea Walk.) Distant, Cat. Homop., Cicadidae, p. 32, 1906.

Distant, Genera Ins., fasc. 142, p. 27, 1912.

1470. Tibicen biconica (Walk.)

Walker, List Homop., i, p. 120, 1850, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 153, 1892, Cicada.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914, Cicada.

Localities: Fla. (West Indies, Mexico.)

1471. Tibicen townsendi (Uhl.)

Uhler, Ent. News, xvi, p. 74, 1905, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 46, 1916, Cicada.

Localities: Texas, N. Mex., Ariz., Calif.

14711/2. Tibicen bifidus (Davis)

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 47, 1916, Cicada.

Localities: Kans., Colo., Utah, Ariz.

1472. Tibicen rudis (Walk.)

Walker, List Homop., Suppl., p. 13, 1858, Fidicina.

Distant, Biol. Centr. Am., Homop., i, p. 8, pl. 2, fig. 20, 1881, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 154, 1892, Cicada.

Localities: Ariz. (Mexico.)

[Cicada.

1473. Tibicen linnei (Sm. & Grsb.)

Smith and Grossbeck, Ent. News, xviii, p. 127, 1907, Cicada.

Smith, Cat. Ins. N. J., edn. 3, p. 89, 1910, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 10, 1915, Cicada.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 4, 1915, Cicada.

†tibicen Germar, Mag. d. Ent., iv, p. 95, 1821, Cicada.

Germar, Silb. Rev. Ent., ii, p. 52, note, 64, 1834, Cicada.

Harris, Rept. Ins. Mass., p. 176, 1841, Cicada.

Walker, List Homop., i, p. 94, 1850, Fidicina.

Fitch, Trans. N. Y. St. Ag. Soc., xvi, p. 367, no. 73, 1856, Cicada.

Jaeger, Life of N. Am. Ins., p. 70, 1859, Cicada.

Harris, Treat. Ins. Inj. Veg., edn. 3, p. 219, 1862, Cicada.

Stål, Of. Vet. Akad. Forh., xix, p. 480, 1862, Cicada.

Stål, Hemip. Fabr., ii, p. 6, 1869, Cicada.

Uhler, Stand. Nat. Hist., ii, p. 227, 1884, Cicada.

Woodworth, Psyche, v, p. 68, 1888, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 149, 1892, Cicada.

Macgillivray, Can. Ent., xxxiii, p. 82, 1901, Cicada.

Felt, N. Y., St Museum. Memoir 8, i, p. 237, pl. 46, fig. 1, 1905.

Distant, Cat. Homop., Cicadidae, p. 36, 1906, Rihana.

Davis and Joutel, Ent. News, xvii, p. 238, 1906, Cicada.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.

Distant, Genera Ins., fasc. 142, p. 29, 1912, Rihana.

ohloromera Walker, List Homop., i, p. 43, 1850, Thopha.

Localities: Mass., N. Y., Mich., Tenn., N. C., Ill., Kans.

1474. Tibicen pruinosa (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 330, 1825; Compl. Writ., ii, p. 251, Cicada.

Harris, Rept. Ins. Mass., p. 176, 1841, Cicada.

Harris, Treat. Ins. Inj. Veg., edn. 3, p. 218, 1862, Cicada.

Provancher, Pet. Faune Ent. Can., iii, p. 211, 1889, Cicada.

Davis and Joutel, Ent. News, xvii, p. 237, 1906, Cicada.

Smith and Grosbeck, Ent. News, xviii, p. 123, 1907, Cicada.

Davis, Ent. News, xxi, p. 457, 1910, Cicada.

Smith, Cat. Ins. N. J., edn. 3, p. 89, 1910, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiii, pp. 9, 10, 1915, Cicada.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 5, 1915, Cicada.

§bruneosa Wild, Ann. Soc. Ent. Fr., ser. 2, x, Bul., p. xviii, 1852, Cicada.

†canicularis Provancher, Pet. Faune Ent. Can., iii, p. 211 (in key), 1889,

Localities: Pa., Ind., Mo., Neb., Kans., Texas.

a. var. winnemanna (Davis)

Davis, Bul. Brookl. Ent. Soc., viii, p. 3, 1912, Cicada.

Localities: Md., N. C.

b. var. latifasciata (Davis)

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 8, 1915, Cicada.

Weiss, Ent. News, xxvii, p. 163, 1916, Cicada.

Localities: N. J., Pa., N. C., Texas.

1475. Tibicen sayi (Sm. & Grsb.)

Smith and Grossbeck, Ent. News, xviii, p. 124, 1907, Cicada. Smith, Cat. Ins. N. J., edn. 3, p. 89, 1910, Cicada. Davis, Ent. News, xxiii, p. 261, 1912, Rihana.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914, Cicada.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 5, 1915, Cicada.

Localities: Ont., N. Y., N. J., N. C., Ga., Fla., Ala., Ky., Miss., Ohio.

a. var. australis (Davis)

Davis, Ent. News, xxiii, p. 261, 1912, Rihana.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914, Cicada.

Localities: Ga., Fla.

1476. Tibicen (?) variegata (Fabr.)

Fabricius, Ent. Syst., iv, p. 19, 1794, Tettigonia.

Fabricius, Syst. Rhyn., p. 37, 1803, Tettigonia.

Walker, List Homop., i, p. 120, 1850, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 149, 1892, Cicada (as synon.).

Smith and Grossbeck, Ent. News., xviii, pp. 118, 120, 1907, Tibioina.

Locality: "Carolina." (May be a Tibicina.)

1477. Tibicen lyricen (De G.)

De Geer, Mémoires, iii, p. 212, pl. 32, fig. 23, 1773, Cicada.

Smith and Grossbeck, Ent. News, xviii, p. 125, 1907, Cicada.

Smith, Cat. Ins. N. J., edn. 3, p. 90, 1910, Cicada.

Barber, Proc. Ent. Soc. Wash., xiv, p. 210, 1912, Cicada (eggs).

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914, Cicada.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 4, 1915, Cicada.

fulvula (Osborn), Ent. News, xviii, p. 322, 1906, Cicada.

Localities: Ont., R. I., N. Y., N. J., N. C., Fla., Ala., Ohio, Ind.

a. var. engelhardti (Davis).

Davis, Ent. News, xxi, p. 458, 1910, Cicada.

Davis, Ent. News, xxiii, p. 261, 1912, Rihana.

Localities: N. C., Ga.

14771/2. Tibicen figurata (Walk.)

Walker, List Homop., Suppl., p. 19, 1858, Fidicina.

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 8, 1915, Cicada (var. 7 of lyricen or simi-

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 43, 1916, Cicada.

[laris).

Localities: Fla., Ala., Miss., La.

1478. Tibicen similaris (Sm. & Grsb.)

Smith and Grossbeck, Ent. News, xviii, p. 125, 1907, Cicada.

Davis, Ent. News, xxiii, p. 262, 1912, Rihana.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914, Cicada.

Localities: Ga., Fla.

1479. Tibicen canicularis (Harr.)

Harris, Rept. Ins. Mass., p. 175, 1841, Cicada.

Harris, Treat. Ins. Inj. Veg., edn. 2, p. 190, 1852, Cicada.

Emmons, Nat. Hist. N. Y., Ins., p. 152, pl. 9, fig. 5, 1854, Cicada.

Harris, Treat. Ins. Inj. Veg., edn. 3, p. 217, 1862, Cicada.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 342, 1876, Cicada.

Van Duzee, Can. Ent., xxi, p. 6, 1889, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 151, 1892, Cicada.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 186, 1894, Cicada.

Davis and Joutel, Ent. News, xvii, p. 237, 1906, Cicada.

Smith and Grossbeck, Ent. News, xviii, p. 126, 1907, Cicada.

Smith, Cat. Ins. N. J., edn. 3, p. 90, 1910, Cicada. [Cicada (part).

†pruinosa (Uhler) in Harris Treat. Ins. Inj. Veg., edn. 3, p. 219, 1862,

Localities: Quebec, Ont., Nov. Scot., Mass., N. Y., N. J., D. C., Wisc., Ia., Colo.

1480. Tibicen aurifera (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 332, 1825; Compl. Writ., ii, p. 252, Woodworth, Psyche, v, p. 68, 1888, Cicada (var. of marginata). [Cicada

Uhler, Trans. Md. Acad. Sci., i, p. 153, 1892, Cicada. Kirkaldy, Entomologist, xxxiii, p. 242, 1900, Cicada (referred to marginata).

Macgillivray, Can. Ent., xxxiii, p. 80, 1901, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 44, 1916, Cicada (recognized).

Locality: Kans.

1481. Tibicen davisi (Sm. & Grsb.)

Smith and Grossbeck, Ent. News, xviii, p. 127, 1907, Cicada.

Smith, Cat. Ins. N. J., edn. 3, p. 90, 1910, Cicada.

Davis, Ent. News, xxiii, p. 261, 1912, Rihana.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914, Cicada.

Localities: N. Y., Ga., Fla.

1482. Tibicen transversa (Walk.)

Walker, Ins. Saund., Homop., p. 15, 1858, Cicada.

Distant, Biol. Centr. Am. Homop., i, p. 7, pl. 2, fig. 1, 1881, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 155, 1892, Cicada.

Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904, Cicada.

alacris (Stål), Stet. Ent. Zeit., xxv, p. 62, 1864, Cicada.

Localities: Texas, Ariz. (Mexico, Vera Cruz.)

14821/2. Tibicen eugraphica (Davis)

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 52, 1916, Cicada.

Localities: Texas, N. Mex., Ariz.

1483. Tibicen vitripennis (Say)

Say, Jl. Acad. Nat. Sci. Phila., ii, p. 236, 1830; Compl. Writ., ii, p. 372, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 153, 1892, Cicada.

Macgillivray, Can. Ent., xxxiii, p. 83, 1901, Cicada.

Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 58, 1916, Cicada.

\$albipennis Woodworth, Psyche, v, p. 68, 1888, Cicada.

Localities: Fla., La., Ind., Okla., Texas, Ariz.

a. var. nigriventris (Walk.)

Walker, List Homop., Suppl., p. 21, 1858, Cicada.

Distant, Biol. Centr. Am., Homop., i, p. 9, pl. 2, fig. 6, 1881, Cicada.

Locality: Mexico (not yet found in our territory).

1484. Tibicen auletes (Germ.)

Germar, Silb. Rev. Ent., ii, p. 65, 1834, Cicada.

Harris, Rept. Ins. Mass., p. 176, 1841, Cicada.

Harris, Treat. Ins. Inj. Veg., edn. 3, p. 218, 1862, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 2, 1915, Cicada. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 5, 1915, Cicada. Weiss, Ent. News, xxvii, p. 162, 1916.

?grossa (Fabricius), Syst. Ent., p. 678, 1775, Tettigonia. Fabricius, Spec. Ins., ii, p. 318, 1781, Tettigonia. Fabricius, Mant. Ins., ii, p. 265, 1787, Tettigonia. Olivier, Encyc. Méth., v, p. 747, 1790, Cicada. Fabricius, Syst. Rhyng., p. 33, 1803, Tettigonia. Uhler, Ent. News, xvi, p. 75, 1905, Cicada. Distant, Genera Ins., fasc. 142, p. 29, 1912, Rihana. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914, Cicada.

Van Duzee, Check List Hemip., p. 55, 1916.

?sonora (Walker), List Homop., i, p. 105, 1850, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 6, 1915, Cicada.

?literata (Walker), List Homop., i, p. 91, 1850, Fidicina.

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 8, 1915, Cicada. [1905, Cicada.

†marginata (Howard), Insect Book, p. 232 (emarginata), pl. 28, fig. 19. Smith and Grossbeck., Ent. News, xviii, pl. 3, fig. 1, 1907, Cicada

[genitalia.

Localities: Mass., Conn., N. Y., N. J., Md., D. C., N. C., S. C., Ga., Fla., Ala., La., Miss., Mich., Mo., Kans.

1485. Tibicen marginalis (Walk.)

Walker, List Homop., iv, p. 1128, 1852, Cicada (n.n. for marginata Say). Van Duzee, Check List Hemip., p. 55, 1916. [ii, p. 251, Cicada.

| marginata (Say), Jl. Acad. Nat. Sci. Phila., iv, p. 330, 1825; Compl. Writ.,

Uhler, Stand. Nat. Hist., ii, p. 227, 1884, Cicada.

Woodworth, Psyche, v, p. 68, 1888, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 150, 1892, Cicada.

Gillette and Baker, Hemip. Colo., p. 64, 1895, Cicada.

Macgillivray, Can. Ent., xxxiii, p. 81, 1901, Cicada.

Smith and Grossbeck, Ent. News, xviii, p. 128, 1907, Cicada.

Smith, Cat. Ins. N. J., edn. 3, p. 89, 1910, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 4, 1915, Cicada.

Localities: Fla., Ohio, Ky., Kans., Texas.

14851/2. Tibicen cultriformis (Davis)

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 239, 1915, Cicada. Locality: Ariz.

1486. Tibicen dealbata (Davis)

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 162, 1915, Cicada (as var. of marginata). Localities: Kans., Colo.

1487. Tibicen resh (Hald.)

Haldemann, Stansb. Salt Lake Exped., p. 369, pl. 9, fig. 17, 1852, Cicada. Davis, Jl. N. Y. Ent. Soc., xxiii, p. 5, 1915, Cicada.

robertsoni (Fitch), Trans. N. Y. Ag. Soc., xiv (1854), p. 745, 1855, Cicada. Davis, Jl. N. Y. Ent. Soc., xxiii, p. 164, 1915, Cicada (synon. of resh). Localities: Miss., La., Okla., Texas, Utah.

1488. Tibicen resonans (Walk.)

Walker, List Homop., i, p. 106, 1850, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 6, 1915, Cicada. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 4, 1915, Cicada. Localities: N. C., Ga., Fla., Ala., Kans.

1489. Tibicen olympusa (Walk.)

Walker, List Homop., i, p. 101, 1850, Fidicina.
Stål, Of. Vet. Akad. Forh., xix, p. 484, 1862, Cicada.
Distant, Cat. Homop., Cicadidae, p. 36, 1906, Rihana.
Davis, Jl. N. Y. Ent. Soc., xxiv, p. 56, 1916, Cicada.
milvus (Walker), Ins. Saund., Homop., p. 11, 1858, Cicada.
sordidata (Uhler), Trans. Md. Acad. Sci., i, p. 184, 1909, Cicada.
Locality: Fla.

1489 1/2. Tibicen texana (Davis)

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 54, 1916, Cicada. Locality: Texas.

1490. Tibicen superba (Fitch)

Fitch, Trans. N. Y. St. Ag. Soc., xiv (1854), p. 745, 1855, *Cicada*. Uhler, Trans. Md. Acad. Sci., i, p. 152, 1892, *Cicada*. Localities: Ark., Okla., N. Mex., Texas.

1491. Tibicen erratica (Osb.)

Osborn, Ohio Nat., vi, p. 497, 1906, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 59, 1916, Cicada.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914, Cicada.

Localities: Miss., La., Ark.

1492. Tibicen azteca (Kirk.)

Kirkaldy, Can. Ent., xli, p. 391, 1910, Cicada.

||pallida (Distant), Biol. Centr. Am., Homop., i, p. 8, pl. 2, fig. 7, 1881,

Uhler, Trans. Md. Acad. Sci., i, p. 153, 1892, Cicada.

Localities: Texas. (Mexico.)

1493. Tibicen delicata (Osb.)

Osborn, Ohio Nat., vi, p. 498, 1906, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 60, 1916, Cicada.

Localities: La., Texas.

14931/2. Tibicen castaneus (Davis)

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 49, 1916, Cicada. Locality: Ariz.

1494. Tibicen reperta (Uhl.) (= next species.)

1495. Tibicen viridifascia (Walk.)

Walker, List Homop., i, p. 121, 1850, Cicada.

Distant, Cat. Homop., Cicadidae, p. 40, 1906, Cicada.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 184, 1909, Cicada.

Distant, Genera Ins., fasc., 142, p. 31, 1912, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 58, 1916, Cicada.

reperta (Uhler), Trans. Md. Acad. Sci., i, p. 177, 1892, Cicada.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 5, 1915, Cicada.

Van Duzee, Check List Hemip., p. 55, 1916.

Localities: N. C., Fla., La.

1496. Tibicen montezuma (Dist.)

Distant, Biol. Centr. Am., Homop., i, p. 8, 1881, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 154, 1892, Cicada.

Townsend, Can. Ent., xxiv, p. 195, 1892, Cicada.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 23, 28, 1915.

rudis (Distant), Biol. Centr. Am., Homop., i, pl. 2, fig. 8, 1881, Cicada.

Localities: Texas, N. Mex., Ariz., Calif.

1497. Tibicen cinctifera (Uhl.)

Uhler, Trans. Md. Acad. Sci., i, p. 156, 1892, Cicada.

Distant, Genera Ins., fasc. 142, p. 32, pl. 4, fig. 25, 1912, Cicada.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 23, 28, 1915.

Localities: N. Mex., Calif.

1498. Tibicen dorsata (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 331, 1825; Compl. Writ., ii, p. 252, Cicada.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 342, 1876, Cicada

Uhler, Trans. Md. Acad. Sci., i, p. 152, 1892, Cicada.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907, Cicada.

Davis, Jl. N. Y. Ent. Soc., xxiii, pp. 161, 164, 1915, Cicada.

varia (Walker), List Homop., i, p. 42, 1850, Thopha.

crassa (Walker), Ins. Saund., Homop., p. 10, 1858, Fidicina.

Localities: Mo., Ia., Neb., Kans., Ark., N. Mex., Texas, Colo.

[Tibicen ochreoptera Uhl. MS.]

Townsend, Can. Ent., xxiv, p. 195, 1892, Cicada (may be townsendi Uhl.).

Genus Cacama Dist. Orthotype maura Dist.

Distant, Ann. Mag. Nat. Hist., ser. 7, xiv, p. 429, 1904.

Distant, Genera Ins., fasc. 142, p. 33, 1912.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, p. 23, 1915.

1499. Cacama valvata (Uhl.)

Uhler, Ent. Am., iv, p. 84, 1888, Proarna.

Gillette and Baker, Hemip. Colo., p. 64, 1895, Cicada.

Distant, Genera Ins., fasc. 158, p. 16, 1914, Proarna.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, p. 23, 1915.

Localities: Colo., Ariz.

1500. Cacama crepitans (Van D.)

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 45, 1914, Proarna.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, p. 28, 1915.

Locality: Calif.

Subfamily CICADINAE Van D.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 23, 24, 1915.

Van Duzee, Check List Hemip., p. 56, 1916.

Gaeaninae Distant, Ann. Mag. Nat. Hist., ser. 7, xv, 304, 1905.

Distant, Cat. Homop., Cicadidae, pp. 1, 72, 1906.

Horvath, Ann. Mus. Natl. Hung., x, p. 602, 1912.

Distant, Genera Ins., fasc. 158, p. 1, 1914.

TRIBE CICADINI Van D.

Van Duzee, Check List Hemip., p. 56, 1916.

Cicadatraria Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 304, 1905.

Distant, Fauna Brit. Ind., Rhyn., iii, p. 122, 1906.

[(Division.)

Distant, Cat. Homop., Cicadidae, p. 72, 1906.

Distant, Genera Ins., fasc. 158, p. 1, 1914.

Genus Cicada Linn. Logotype orni Linn.

Linnaeus, Syst. Nat., edn. 10, p. 434, 1758.

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2092, 1789.

Geoffroy, Hist. Abrég. des Ins., i, pp. 412, 429, 1762.

Scopoli, Ent. Carn., p. 112, 1763.

Brunnich, Entomolog., p. 58, 1764.

De Geer, Mémoires, iii, p. 158, 1773.

Goeze, Ent. Beytr., ii, p. 124, 1778.

Retzius, Gen. et Spec. Ins., p. 79, 1783.

Fourcroy, Ent. Paris., i, pp. 184, 193, 1785.

Lamarck, Syst. Anim. sans Vert., p. 292, 1801 (names orni Linn. type).

Van Duzee, Can. Ent., xlvi, p. 387, 1914.

Van Duzee, Check List Hemip., p. 56, 1916.

Tettigonia Fabricius, Syst. Ent., p. 678, 1775.

Thunberg, Charac. genera Ins., edn. 2, p. 32, 1791.

Fabricius, Syst. Rhyng., p. 33, 1803.

Tettigia Kolenati, Melet. Ent., vii, p. 6, 1857 (type orni Linn.).

Stål, Ann. Soc. Ent. Fr., ser. 4, i, p. 617, 1861.

Stål, Hemip. Afr., iv, p. 23, 1866.

Fieber, Cicad. d'Eur., i, p. 50, 1875; ii, p. 15, 1876.

Mayr, Tabellen, i, p. 15, 1884.

Uhler, Ent. Am., iv, p. 21, 1888.

Melichar, Cicad. Mitt. Eur., p. 3, 1896.

Froggat, Proc. Linn. Soc. N. S. Wales, xxix, p. 593, 1904.

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, pp. 305, 306, 1905.

Distant, Cat. Homop., Cicadidae, p. 74, 1906.

Distant, Genera Ins., fasc. 158, p. 3, 1914.

1501. Cicada hieroglyphica Say

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 235, 1830; Compl. Writ., ii, p. 371. Harris, Rept. Ins. Mass., p. 176, 1841.

Distant, Biol. Centr. Am., Homop., i, p. 11, pl. 3, fig. 2, 1881, Tettigia.

Uhler, Stand. Nat. Hist., ii, p. 227, 1884, Tettigia.

Uhler, Ent. Am., iv, p. 22, 1888, Tettigia.

Woodworth, Psyche, v, p. 68, 1888, Tettigia.

Macgillivray, Can. Ent., xxxiii, p. 83, 1901, Tettigia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 184, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 88, 1910, Tettigia.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 5, 1915, Tettigia.

Davis, Jl. N. Y. Ent. Soc., p. 60, 1916.

Van Duzee, Check List Hemip., p. 56, 1916.

characterea Germar, Thon, Ent. Archiv., ii, p. 40, 1830.

Localities: N. J., Pa., N. C., Ga., Fla., Miss., La., Texas.

a. var. johannis Walk.

Walker, List Homop., i, p. 149, 1850.

Stål, Of. Vet. Akad. Forh., xix, p. 484, 1862, Tettigia.

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 62, 1916.

sexguttata Walker, List Homop., i, p. 154, 1850.

Localities: N. C., Fla.

15011/2. Cicada chisos Davis

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 62, pl. 6, fig. 7, 1916. Locality: Texas.

TRIBE FIDICININI (Dist.)

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 310, 1905. (Div. Fidicinaria.) Distant, Cat. Homop., Cicadidae, p. 84, 1906. (Div. Fidicinaria.) Distant, Genera Ins., fasc. 158, p. 13, 1914. (Div. Fidicinaria.) Van Duzee, Check List Hemip., p. 56, 1916.

Genus Proarna Stål

Logotype hilaris (Germ.)

Stål, Stet. Ent. Zeit., xxv, p. 61, 1864.

Stål, Hemip. Afr., iv, p. 7, 1866.

Distant, Biol. Centr. Am. Homop., i, p. 11, 1881.

Woodworth, Psyche, v, pp. 67, 68, 1888.

Ashmead, Ent. Am., iv, p. 141, 1888 (§Proarno).

Macgillivray, Can. Ent., xxxiii, pp. 75, 78, 1901.

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, pp. 310, 311, 1905 (names hilaris

Distant, Cat. Homop., Cicadidae, pp. 84, 85, 1906.

[type).

Distant, Genera Ins., fasc. 158, p. 14, 1914.

1502. Proarna championi Dist.

Distant, Biol. Centr. Am., Homop., i, p. 12, pl. 2, fig. 14, 1881.

Uhler, Ent. Am., iv, p. 84, 1888.

Woodworth, Psyche, v, p. 68, 1888.

Macgillivray, Can. Ent., xxxiii, p. 79, 1901.

Localities: Texas. (Mexico.)

1503. Proarna venosa (Uhl.)

Uhler, Ent. Am., iv, p. 82, 1888, Prunasis.

Macgillivray, Can. Ent., xxxiii, p. 77, 1901, Prunasis.

Distant, Cat. Homop., Cicadidae, p. 152, 1906, Prunasis.

Distant, Ann. Mag. Nat. Hist., ser. 8, viii, p. 134, 1911.

Distant, Genera Ins., fasc. 158, p. 16, 1914.

Localities: Texas, N. Mex.

Genus Pacarina Dist.

Orthotype signifera (Walk.)

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 314, 1905.

Distant, Cat. Homop., Cicadidae, pp. 85, 89, 1906.

Distant, Genera Ins., fasc. 158, p. 17, 1914.

1504. Pacarina signifera (Walk.)

Walker, List Homop., Suppl., p. 22, 1858, Proarna.

Distant, Biol. Centr. Am., Homop., i, p. 13, 1881, Proarna; p. 142, 1905.

Distant, Cat. Homop., Cicadidae, p. 89, 1906.

Distant, Genera Ins., fasc. 158, p. 17, 1914.

Localities: Texas. (Central America.)

Genus Fidicina Am. & Serv. Logotype mannifera (Fabr.)

Amyot and Serville, Hémip., p. 472, 1843.

Stål, Rio Jan. Hemip., ii, p. 18, 1858.

Stål, Ann. Soc. Ent. Fr., ser. 4, i, p. 614, 1861.

Stål, Hemip. Afr., iv, p. 7, 1866.

Distant, Biol. Centr. Am., Homop., i, p. 16, 1881.

Uhler, Ent. Am., iv, p. 21, 1888.

Ashmead, Ent. Am., iv, p. 141, 1888.

Macgillivray, Can. Ent., xxxiii, pp. 75, 79, 1901.

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 315, 1905 (names mannifera type).

Distant, Cat. Homop., Cicadidae, p. 91, 1906.

Distant, Genera Ins., fasc. 158, p. 18, 1914.

1505. Fidicina pronoe (Walk.)

Walker, List Homop., i, p. 144, 1850, Cicada.

Distant, Biol. Centr. Am., Homop., i, p. 16, pl. 1, fig. 6, 1881.

Uhler, Trans. Md. Acad. Sci., i, p. 148, 1892; ii, p. 2, 1903.

vinula Stål, Of. Vet. Akad. Forh., xi, p. 242, 1854.

compacta (Walker), Ins. Saund., Homop., p. 14, 1858, Cicada.

Localities: Texas. (Neotropical.)

TRIBE ZAMMARINI (Dist.)

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 380, 1905. (Div. Zammararia.)

Distant, Cat. Homop., Cicadidae, p. 96, 1906.

Distant, Genera Ins., fasc. 158, p. 22, 1914.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, p. 24, 1915.

Genus Odopoea Stål

Logotype dilatata (Fabr.)

Stål, Ann. Soc. Ent. Fr., ser. 4, i, p. 616, 1861.

Stål, Hemip. Afr., iv, p. i, 1866.

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 380, 1905 (names dilatata type).

Distant, Cat. Homop., Cicadidae, p. 96, 1906.

Distant, Genera Ins., fasc. 158, p. 23, 1914.

1506. Odopoea funesta (Walk.)

Walker, Ins. Saund., Homop., p. 2, 1858, Zammara.

Distant, Cat. Homop., Cicadidae, p. 97, 1906.

Localities: "N. Am." (West Indies.)

(Woodworth, Psyche, v, 68, records Zammara smaragdina Walk. from San Diego, Calif., on strength of specimen in Museum Comp. Zool. at Cambridge. The label "San Diego" must, however, have referred to San Diego, Mexico.)

Subfamily TIBICININAE (Dist.)

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 304, 1905. Distant, Fauna Brit. Ind., Rhyn., iii, p. 154, 1906.

Distant, Cat. Homop., Cicadidae, pp. 1, 107, 1906. Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 23, 24, 1916. Van Duzee, Check List Hemip., p. 56, 1916.

TRIBE HYANTIINI (Dist.)

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 478, 1905. (Div. Hyantiaria.) Distant, Cat. Homop., Cicadidae, p. 107, 1906. (Div. Hyantiaria.) Van Duzee, Check List Hemip., p. 56, 1916.

Genus Queseda Dist.

Orthotype gigas (Oliv.)

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 478, 1905. Distant, Cat. Homop., Cicadidae, p. 108, 1906.

1507. Queseda gigas (Oliv.)

Olivier, Encyc. Méth., v, p. 750, pl. 3, fig. 4, 1790, Cicada.

Distant, Biol. Centr. Am., Homop., i, p. 14, pl. 1, fig. 9, 1881, Tympanoterpes.

Karsch, Berl. Ent. Zeit., xxxv, p. 107, pl. 4, fig. 12, 1890, Tympanoterpes.

Uhler, Trans. Md. Acad. Sci., i, p. 147, 1892, Tympanoterpes.

Macgillivray, Can. Ent., xxxii, p. 79, 1901, Tympanoterpes.

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 479, 1905 (as type of Queseda).

triupsilon (Walker), List Homop., i, p. 103, 1850, Cicada.

sonans (Walker), List Homop., i, p. 104, 1850, Cicada.

consonans (Walker), List Homop., i, p. 106, 1850, Cicada.

†grossa Stål, Rio Jan. Hemip., ii, p. 19, 1858, Cicada.

sibilatrix (Berg), Hemip. Argent., p. 210, 1879, Tympanoterpes.

Localities: Texas. (Neotropical.)

TRIBE TETTIGADESINI (Dist.)

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 479, 1905. (Div. Tettigadesaria.) Distant, Cat. Homop., Cicadidae, p. 109, 1906. (Div. Tettigadesaria.) Van Duzee, Check List Hemip., p. 56, 1916.

Genus **Tettigades** Am. & Serv. Haplotype *chilensis* A. & S.

Amyot and Serville, Hémip., p. 469, 1843. Stål, Hemip. Afr., iv, p. 2, 1866. Distant, Biol. Centr. Am., Homop., i, p. 5, 1881. Ashmead, Ent. Am., iv, p. 141, 1888. Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 481, 1905. Distant, Cat. Homop., Cicadidae, pp. 109, 110, 1906.

1508. Tettigades mexicana Dist.

Distant, Biol. Centr. Am., Homop., i, p. 6, pl. 2, fig. 9, 1881. Uhler, Trans. Md. Acad. Sci., i, p. 167, 1892. Localities: Ariz. (Mexico.)

TRIBE CARINETINI (Dist.)

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 483, 1905. (Div. Carinetaria.) Distant, Fauna Brit. Ind., Rhyn., iii, p. 160, 1906. (Div. Carinetaria.) Distant, Cat. Homop., Cicadidae, p. 116, 1906. (Div. Carinetaria.) Van Duzee, Check List Hemip., p. 56, 1916.

Genus **Herrera** Dist. Orthotype marginella (Walk.)

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, pp. 484, 486, 1905. Distant, Cat. Homop., Cicadidae, p. 121, 1906.

1509. Herrera marginella (Walk.)

Walker, List Homop., Suppl., p. 21, 1858, Cicada.

Distant, Biol. Centr. Am., Homop., i, p. 21, pl. 2, fig. 16, 1883, Carineta.

Uhler, Trans. Md. Acad. Sci., i, p. 166, 1892, Carineta.

Distant, Ann. Mag. Nat. Hist., ser. 7, xv, p. 486, 1905 (as type of Herrera.)

Distant, Cat. Homop., Cicadidae, p. 121, 1906.

ancilla (Stål), Stet. Ent. Zeit., xxv, p. 57, 1864, Carineta.

Localities: Ariz. (Neotropical.)

TRIBE TIBICININI (Dist.)

Distant, Ann. Mag. Nat. Hist., ser. 7, xvi, p. 22, 1905. (Div. Tibicinaria.) Distant, Fauna Brit. Ind., Rhyn., iii, p. 162, 1906. (Div. Tibicinaria.) Distant, Cat. Homop., Cicadidae, p. 123, 1906. (Div. Tibicinaria.) Van Duzee, Check List Hemip., p. 56, 1916.

Genus **Tibicina** Kol. Logotype haematodes (Scop.)

Kolenati, Melet. Ent., vii, p. 16, 1857.

Fieber, Cicad. d'Eur., ii, p. 20, 1876.

Mayr, Tabellen, i, p. 15, 1884.

Melichar, Cicad. Mitt. Eur., p. 5, 1896.

Distant, Ann. Mag. Nat. Hist., ser. 7, xvi, p. 22, 1905 (names haematodes Scop

Distant, Cat. Homop., Cicadidae, p. 123, 1906.

[type)

Oshanin, Kat. Palae. Hemip., p. 95, 1912.

Van Duzee, Check List Hemip., p. 56, 1916.

†Tettigonia Fallén, Hemip. Suec., Cicad., p. 79, 1826 (for haematodes). †Tibicen Latreille, in Cuvier, Règne Anim., edn. 2, v, p. 215, note, 1829.

Latreille, in Cuvier Anim. Kingd., Lond. edn., iv, p. 174, 1836.

Amyot and Serville, Hémip., p. 482, 1843 (names sanguinea Fabr. type).

Stål, Ann. Soc. Ent. Fr., ser. 4, i, p. 617, 1861.

Stål, Hemip. Afr., iv, pp. 8, 25, 1866.

Distant, Biol. Centr. Am., Homop., i, p. 18, 1883.

Woodworth, Psyche, v, p. 67, 1888.

Uhler, Trans. Md. Acad. Sci., i, p. 160, 1892.

Macgillivray, Can. Ent., xxxiii, p. 74, 1901.

Kirkaldy, Ann. Soc. Ent. Belg., li, p. 307, 1907.

Oshanin, Verz. Palae. Hemip., ii, p. 7, 1908.

1510. Tibicina septendecim (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 436, 1758; edn. 12, ii, p. 708, 1767, Cicada.Fabricius, Syst. Ent., p. 679, 1775, Tettigonia.

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2099, 1788, Cicada.

Olivier, Encyc. Méth., v, p. 749, 1790, Cicada.

Fabricius, Ent. Syst., iv, p. 19, 1794, Tettigonia.

Fabricius, Syst. Rhyng., p. 36, 1803, Tettigonia.

Germar, Thon, Ent. Archiv., ii, p. 4, 1830, Cicada.

Germar, Silb. Rev. Ent., ii, p. 64, 1834, Cicada. Blanchard, Hist. des Ins., Hémip., p. 166, 1840, Cicada. Harris, Rept. Ins. Mass., p. 167, 1841, Cicada. Harris, Treat. Ins. Inj. Veg., edn. 2, p. 180, 1852, Cicada. Emmons, Nat. Hist. N. Y., Ins., p. 150, pl. 9, fig. 3, 1854, Cicada. Jager, Life of N. Am. Ins., p. 64, 1859, Cicada (annual appearance). Stål, Ann. Soc. Ent. Fr., ser. 4, i, p. 618, 1861, Tibicen. Harris, Treat. Ins. Inj. Veg., edn. 3, p. 206, 1862, Cicada. Riley, 1st Mo. Rept., p. 18, 1868, Cicada. Stål, Hemip. Fabr., ii, p. 116, 1869, Tibicen. Uhler, Stand. Nat. Hist., ii, p. 227, 1884, Cicada. Lintner, 2d Rept. N. Y. St. Ent., p. 167, 1885, Cicada. Riley, Rept. U. S. Dept. Agr. for 1885, p. 233, Cicada. Woodworth, Psyche, v, p. 68, 1888, Tibicen. Provancher, Pet. Faune Ent. Can., iii, p. 212, 1889, Cicada. Uhler, Trans. Md. Acad. Sci., i, p. 160, 1892, Tibicen. Marlatt, U. S. Dept. Ag., Div. Ent., Bul. n. s. 14, 1898, Cicada. Felt, N. Y. St. Museum Memoir 8, i, p. 231, pl. 46, fig. 2, 1905, Tibicen. Distant, Cat. Homop. Cicadidae, p. 125, 1906. Marlatt, U. S. Dept. Agr., Div. Ent., Bul. 71, 1907, Cicada. Smith, Cat. Ins. N. J., edn. 3, p. 88, 1910, Tibicen. costalis (Fabricius), Ent. Syst., Suppl., p. 516, 1798, Tettigonia. Coquebert, Illust. Icon. Ins., i, p. 34, pl. 9, fig. 2, 1799, Tettigonia. Stål, Hemip. Fabr., ii, p. 116, 1869, Tibicen.

race tredecim (Riley)

Riley, 1st Mo. Rept., p. 19, 1868, Cicada.

a. var. cassinii (Fisher)

Fisher, Proc. Acad. Nat. Sci. Phila., v, p. 272, 1851, *Cicada* (as form). Riley, 1st Mo., Rept., p. 21, 1868, *Cicada*.

Localities: Vt., Mass., R. I., Conn., N. Y., N. J., Pa., Md., Del., D. C., Va., N. C., S. C., Ga., Ala., Ohio, Mich, Ill., Ind., Ky., Tenn., Miss., La., Ark., Kans., Mo., Okla.

Genus Okanagana Dist. Orthotype rimosa (Say)

Distant Ann. Mag. Nat. Hist., ser. 7, xvi, pp. 23, 190, 1905. Distant, Cat. Homop., Cicadidae, p. 126, 1906. Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 24, 25, 1915. (Key.)

1511. Okanagana cruentifera (Uhl.)

Uhler, Trans. Md. Acad. Sci., i, p. 161, 1892, Tibicen.
Gillette and Baker, Hemip. Colo., p. 65, 1895, Tibicen.
Distant, Cat. Homop., Cicadidae, p. 125, 1906, Tibicina.
Van Duzee, Jl. N. Y. Ent. Soc., xxiii, p. 25, 1915.
Localities: Colo., Nev., Calif.

1512. Okanagana ornata Van D.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 26, 33, 1915. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 245, 1916. Locality: Calif. 15121/2. Okanagana rotundifrons Davis

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 235, pl. 2, fig. 2, 1916. Locality: Calif.

1513. Okanagana arctostaphylae Van D.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 26, 34, 1915. Locality: Calif.

1514. Okanagana rubrovenosa Davis

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 11, 1915.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 26, 35, 1915. Locality: Calif.

1515. Okanagana tristis Van D.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 26, 35, 1915. Locality: Calif.

1516. Okanagana mariposa Davis

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 12, 1915.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 26, 36, 1915. Locality: Calif.

1517. Okanagana hirsuta Davis

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 13, 1915.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, p. 43, 1915.

Locality: Calif.

1518. Okanagana rimosa (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 235, 1830; Compl. Writ., ii, p. 372, Cicada.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 341, 1876, Cicada.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1332, Cicada.

Provancher, Pet. Faune Ent. Can., iii, p. 214, 1889, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 160, 1892, Tibicen.

Osborn, Proc. Ia. Acad. Sci., iii, p. 201, 1895, Tibicen.

Distant, Cat. Homop., Cicadidae, p. 126, 1906.

Van Duzee, Can. Ent., xliv, p. 325, 1912.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 27, 36, 1915.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 245, 1916.

canadensis (Provancher), Pet. Faune Ent. Can., iii, p. 213, 1889, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 165, 1892, Tibicen.

Localities: Quebec, Ia., Colo., Utah, Nev., Calif., Br. Col., Vanc. Isd.

1519. Okanagana canescens Van D.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 26, 37, 1915.

Locality: Calif

1520. Okanagana occidentalis (Walk.)

Walker in Lord's Nat. in Vanc. Isd., ii, p. 339, 1866, Cicada.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, p. 44, 1915.

Localities: Oregon, Vanc. Isd.

1521. Okanagana schaefferi Davis

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 19, 1915.

Locality: Utah.

1522. Okanagana vanduzeei Dist.

Distant, Ann. Mag. Nat. Hist., ser. 8, xiv, p. 165, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 46, 1914.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 27, 37, 1915.

[jectural).

†noveboracensis Cooke, Inj. Ins. Orchard & Viny., p. 74, 1883, Cicada (con-Localities: Calif., Wash.

a. var. consobrina Dist.

Distant, Ann. Mag. Nat. Hist., ser. 8, xiv, p. 165, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 46, 1914.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 27, 38, 1915.

Locality: Calif.

1523. Okanagana noveboracensis (Emns.)

Emmons, Nat. Hist. N. Y., Ins., p. 152, pl. 9, fig. 6, 1854, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 161, 1892, Tibicen (as var. of rimosa).

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892, Cicada.

Osborn, Proc. Ia. Acad. Sci., iii, p. 202, 1895, Tibicen.

Smith and Grossbeck, Ent. News, xviii, p. 129, 1907, Tibicen.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 27, 38, 1915.

†rimosa? Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 186, 1895, Tibicen.

Localities: Ont., N. Y., Pa., Ia.

1524. Okanagana vandykei Van D.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 26, 38, 1915.

Locality: Calif.

1525. Okanagana californica Dist.

Distant, Ann. Mag. Nat. Hist., ser. 8, xiv, p. 166, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 46, 1914.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 27, 39, 1915.

Locality: Calif.

1526. Okanagana striatipes (Hald.)

Haldeman, Stansbury's Exped. Salt Lake, p. 369, pl. 9, fig. 2, 1852, Cicada.

Uhler, Trans. Md. Acad. Sci., i, p. 161, 1892, Tibicen.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 27, 39, 1915.

Localities: Utah, Calif., Ore.

1527. Okanagana triangulata Davis

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 14, 1915.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 27, 40, 1915.

Locality: Calif.

1528. Okanagana mercedita Davis

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 16, 1915.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 27, 40, 1915.

Locality: Calif.

1529. Okanagana synodica (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 334, 1825; Compl. Writ., ii, p. 253, Cicada.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 341, 1876; iii, p. 455, 1877, Cicada.
Uhler, Wheeler's Rept. Chief. Eng. for 1877, p. 1332, Cicada.

Woodworth, Psyche, v, p. 68, 1888, Tibicen.
Gillette and Baker, Hemip. Colo., p. 64, 1895, Tibicen.
Macgillivray, Can. Ent., xxxiii, p. 78, 1901, Tibicen.
Distant, Cat. Homop., Cicadidae, p. 126, 1906.
Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 27, 40, 1915.
Localities: Colo., N. Mex.

1530. Okanagana fratercula Davis

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 20, 1915. Locality: Utah.

15301/2. Okanagana oregona Davis

Davis, Jl. N. Y. Ent. Soc., xxiv, p. 233, pl. 11, fig. 1, 1916. Locality: Oregon.

1531. Okanagana uncinata Van D.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 27, 41, 1915. Locality: Calif.

1532. Okanagana minuta Davis

Davis, Jl. N. Y. Ent. Soc., xxiii, p. 17, 1915.
Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 27, 42, 1915.
Locality: Calif.

Genus **Tibicinoides** Dist. Orthotype cupreo-sparsa (Uhl.)

Distant, Ann. Mag. Nat. Hist., ser. 8, xiv, p. 166, 1914.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 24, 27, 43, 1915.

1533. Tibicinoides cupreo-sparsus (Uhl.)

Uhler, Trans. Md. Acad. Sci., i, p. 43, 1889; p. 161, 1892, Tibicen.

Distant, Cat. Homop., Cicadidae, p. 125, 1906, Tibicina.

Distant, Ann. Mag. Nat. Hist., ser. 8, xiv, p. 166, 1914 (as type of Tibicinoides).

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 48, 1914.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 28, 43, 1915. Locality: Calif.

1534. Tibicinoides hesperius (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 342, 1876, Cicada. Uhler, Trans. Md. Acad. Sci., i, p. 161, 1892, Tibicen. Distant, Cat. Homop., Cicadidae, p. 125, 1906, Tibicina? Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 27, 43, 1915.

Localities: Colo., Nev., Calif.

Genus Clidophleps Van D. Orthotype distanti (Van D.)

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 24, 25, 31, 1915.

1535. Clidophleps blaisdelli (Uhl.)

Uhler, Trans. Md. Acad. Sci., i, p. 163, 1892, Tibicen.
Distant, Cat. Homop., Cicadidae, p. 126, 1906, Okanagana.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 47, 1915, Okanagana.
Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 25, 32, 1915.
Locality: Calif.

1536. Clidophleps distanti (Van D.)

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 47, 1914, Okanagana. Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 25, 32, 1915.

a. var. truncata (Van D.)

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 47, 1914, Okanagana. Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 25, 32, 1915.

b. var. pallida (Van D.)

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 47, 1914, Okanagana. Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 25, 33, 1915.

Locality: Calif.

TRIBE PARNISINI (Dist.)

Distant, Ann. Mag. Nat. Hist., ser. 7, xvi, p. 203, 1905. (Div. Parnisaria.) Distant, Fauna Brit. Ind., Rhyn., iii, p. 168, 1906. (Div. Parnisaria.) Distant, Cat. Homop., Cicadidae, p. 139, 1906. (Div. Parnisaria.) Van Duzee, Check List Hemip., p. 57, 1916.

Genus Platypedia Uhl.

Logotype areolata (Uhl.)

Uhler, Ent. Am., iv, p. 23, 1888.

Woodworth, Psyche, v, p. 67, 1888.

Ashmead, Ent. Am., iv, p. 141, 1988.

Macgillivray, Can. Ent., xxxiii, p. 74, 1901.

Distant, Ann. Mag. Nat. Hist., ser. 7, xvi, pp. 204, 209, 1905 (names areolata Distant, Cat. Homop., Cicadidae, pp. 140, 147, 1906. [type).

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, p. 24, 1915.

1537. Platypedia putnami (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 455, 1877, Cicada.

Uhler, Ent. Am., iv, p. 23, 1888.

Gillette and Baker, Hemip. Colo., p. 65, 1895.

Macgillivray, Can. Ent., xxxiii, p. 76, 1901.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 24, 31, 1915.

Localities: Colo., Utah, Nev., Calif., Oreg.

1538. Platypedia areolata (Uhl.)

Uhler, Proc. Acad. Nat. Sci. Phila., xiii, p. 285, 1862, Cicada.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 343, 1876, Cicada.

Uhler, Ent. Am., iv, p. 23, 1888.

Woodworth, Psyche, v, p. 68, 1888.

Distant, Cat. Homop., Cicadidae, p. 147, 1906.

Essig, Inj. Benef. Ins. Calif., edn. 2, p. 60, 1915.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 25, 30, 1915.

Localities: Utah, Nev., Calif., Wash.

1539. Platypedia intermedia Van D.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 25, 30, 1915. Locality: Calif.

1540. Platypedia ampliata Van D.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 24, 29, 1915. Locality: Ore.

1541. Platypedia minor Uhl.

Uhler, Ent. Am., iv, p. 81, 1888.

Macgillivray, Can. Ent., xxxiii, p. 76, 1901.

Distant, Cat. Homop., Cicadidae, p. 147, 1906.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 48, 1914.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 25, 28, 1915.

Locality: Calif.

1542. Platypedia aperta Van D.

Van Duzee, Jl. N. Y. Ent. Soc., xxiii, pp. 25, 29, 1915. Locality: Calif.

TRIBE MALAMPSALTINI (Dist.)

Distant, Ann. Mag. Nat. Hist., ser. 7, xvi, p. 269, 1905. (Div. Melampsaltaria.) Distant, Fauna Brit. Ind., Rhyn., iii, p. 171, 1906. (Div. Melampsaltaria.) Distant, Cat. Homop., Cicadidae, p. 163, 1906. (Div. Melampsaltaria.)

Genus Melampsalta Kol. Logotype musiva (Germ.)

Kolenati, Melet. Ent., vii, p. 27, 1857. Stål, Hemip. Afr., iv, pp. 9, 42, 1866. Sahlbg., Cicadariae, p. 77, 1871. Woodworth, Psyche, v, pp. 67, 68, 1888. Ashmead, Ent. Am., iv, p. 141, 1888. Karsch, Berl. Ent. Zeit., xxxv, pp. 112, 123, 1890. Distant, Monog. Oriental Cicad., p. 142, 1892. Distant, Ann. Mag. Nat. Hist., ser. 7, xvi, p. 269, 1905. Distant, Fauna Brit. Ind., Rhyn., iii, p. 171, 1906. Distant, Cat. Homop., Cicadidae, p. 163, 1906. Oshanin, Kat. Palae. Hemip., p. 96, 1912. Cicadetta Kolenati, Melet. Ent., vii, p. 19, 1857. Fieber, Kat. Eur. Cicad., p. 1, 1872. Fieber, Cicad. d'Eur., i, p. 52, 1875; ii, p. 50, 1876. Mayr, Tabellen, i, p. 15, 1884. Melichar, Cicad. Mitt. Eur., p. 8, 1896. Edwards, Hemip. Homop. Brit. Isds., p. 17, 1896.

Oshanin, Verz. Palae. Hemip., ii, p. 13, 1906. Tettigetta Kolenati, Melet. Ent., vii, p. 24, 1857.

1543. Melampsalta calliope (Walk.)

Walker, List Homop., i, p. 212, 1850, Cicada. Kirkaldy, Can. Ent., xli, p. 390, 1909, Cicada.

|| parvula (Say), Jl. Acad. Nat. Sci., Phila., iv, p. 233, 1825; Compl. Writ., [ii, p. 253, Cicada (not. Fabr. 1798).

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 455, 1877, Cicada. Uhler, Ent. Am., iv, p. 22, 1888, Carineta.

Woodworth, Psyche, v, p. 68, 1888.
Uhler, Trans. Md. Acad. Sci., i, p. 165, 1892.
Gillette and Baker, Hemip. Colo., p. 65, 1895.
Macgillivray, Can. Ent., xxxiii, p. 76, 1901.
Distant, Cat. Homop., Cicadidae, p. 177, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 184, 1909.
Smith, Cat. Ins. N. J., edn. 3, p. 90, 1910, Carineta.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 5, 1915. [1776).

| pallescens (Germar), Thon, Ent. Archiv., ii, p. 8, 1830, Cicada (not Muller, Localities: N. J., N. C., Ga., Fla., Tenn., La., Ark., Ill., Neb., Kans.,

Family CERCOPIDAE (Leach)

Ia., Colo., Texas.

Leach, Brewster's Edinbg. Encyc., ix, p. 125, 1815, Cercopida. Harris, Rept. Ins. Mass., p. 182, 1841, Cercopididae. Fitch, Homop. N. Y. St. Cab., p. 52, 1851. Stål, Stet. Ent. Zeit., xix, p. 234, 1858, Cercopina. Dohrn, Cat. Hemip., p. 68, 1859, Cercopina. Harris, Treat. Ins. Inj. Veg., edn. 3, p. 224, 1862, Cercopididae. Stål, Hemip. Afr., iv, p. 54, 1866, Cercopida. Kirschbaum, Cicad. v. Wiesbd., pp. 9, 61, 1868, Cercopina. Stål, Of. Vet. Akad. Forh., xxvii, p. 718, 1870, Cercopina. Sahlberg, Cicad., pp. 65, 80, 1871, Cercopina. Fieber, Cicad. d'Eur., i, p. 41, 1875, Cercopida. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 315, 1876. Berg, Hemip. Arg., p. 231, 1879. Uhler, Stand. Nat. Hist., ii, p. 242, 1884, Cercopida. Edwards, Trans. Ent. Soc. Lond. for 1886, p. 96. Ashmead, Ent. Am., iv, p. 67, 1888. Hansen, Ent. Tidskr., xi, p. 64, etc., 1890 (morphology). Kirkaldy, Entomol., xxxiii, pp. 117, 337, 1900; xxxiv, p. 152; 1901; xxxv, p. [216, 1902 (transl. of Hansen, 1890). Van Duzee, Trans. Am. Ent. Soc., xix, p. 296, 1892. Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 483, 1895. (Key and catalogue.) Melichar, Cicad. Mitt. Eur., p. 113, 1896. Fowler, Biol. Centr. Am., Homop., ii, p. 174, 1897. Ball, Rept. Ia. Acad. Sci. for 1898, p. 204. Kirkaldy, Haw. S. P. A., Exp. St. Bul., i, pp. 296, 379, 1906. Distant, Fauna Brit. Ind., Rhyn., iv, p. 79, 1908. Horvath, Ann. Mus. Natl. Hung., ix, p. 29, 1911. Lallemand, Genera Ins., fasc. 143, p. 5, 1912 (synoptic). Metcalfe, Ann. Ent. Soc. Am., x, p. 27, 1917 (wing venation). Laevipedes Amyot and Serville, Hémip., pp. lxii, 553, 1843. (Race.) Walker, List Homop., iii, p. 637, 1851. Aphrophoroideae Spinola, Tavola Sinot., p. 56, 1850.

Subfamily CERCOPINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. lxiii, 558, 1843, Cercopides. (Groupe.) Dohrn, Cat. Hemip., p. 69, 1859, Cercopidae.
Stål, Hemip. Afr., iv, p. 55, 1866, Cercopida.
Stål, Of. Vet. Akad. Forh., xxvii, p. 718, 1870, Cercopina.
Berg, Hemip. Arg., p. 231, 1879, Cercopina.
Van Duzee, Trans. Am. Ent. Soc., xix, p. 296, 1892, Cercopida.
Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 483, 1895.

Fowler, Biol. Centr. Am., Homop, ii, p 174, 1897.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 207.

Distant, Fauna Brit. Ind. Rhyn., iv, pp. 79, 109, 1908.

Lallemand, Genera Ins., fasc. 143, pp. 6, 73, 1912.

Rhinaulacinae Kirkaldy, Haw. S. P. A., Exp. St. Bul., i, p. 380, 1906.

Genus Monecphora Am. & Serv. Logotype cingulata (L. & S.)

Amyot and Serville, Hémip., p. 562, 1843.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 484, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 507, 1912.

Tomaspis (part) Stål, Stet. Ent. Zeit., xxv, p. 63, 1864.

Stål, Hemip. Afr., iv, p. 56, 1866.

Berg, Hemip. Arg., p. 232, 1879.

Fowler, Biol. Centr. Am., Homop., ii, p. 175, 1897.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 207.

Distant, Ann. Mag. Nat. Hist., ser. 8, iii, p. 192, 1909.

Lallemand, Genera Ins., fasc. 143, p. 89, 1912.

1544. Monecphora schach (Fabr.)

Fabricius, Ent. Syst., iv, p. 49, 1794, Cercopis.

Fabricius, Syst. Rhyng., p. 93, 1803, Cercopis.

Stål, Hemip. Fabr., ii, p. 118, 1869, Tomaspis.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 507, 1912.

Lallemand, Genera Ins., fasc. 143, p. 97, 1912.

Van Duzee, Check List Hemip., p. 57, 1916.

Locality: "N. Am."

1545. Monecphora bicincta (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 303, 1831; Compl. Writ., ii, p. 381, Cer-[copis.

Walker, List Homop., iv, p. 1152, 1852, Triecphora?

Fitch, Trans. N. Y. St. Ag. Soc., xvi, p. 389, 1856.

Stål, Stet. Ent. Zeit., xxv, p. 64, 1864, Tomaspis.

Glover, Rept. U. S. Dept. Ag. for 1876, p. 30.

Uhler, Stand. Nat. Hist., ii, p. 242, 1884, Tomaspis.

Van Duzee, Psyche, v, p. 388, 1890.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 207, Tomaspis.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 50, 1907, ix, p. 204, 1909,

Smith, Cat. Ins. N. J., edn. 3, p. 98, 1910.

[Tomaspis.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 507, 1912.

Lallemand, Genera Ins., fasc. 143, p. 91, 1912, Tomaspis.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914, Tomaspis.

bifascia Walker, List Homop., iii, p. 679, 1851.

Fowler, Biol. Centr. Am., Homop., ii, p. 180, 1897, Tomaspis.

angusta Walker, List Homop., iii, p. 680, 1851.

neglecta Walker, List Homop., iii, p. 683, 1851.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 15, 1915, Tomaspis.

†rubra Fowler, Biol. Centr. Am., Homop., ii, p. 183, 1897 (part).

a. var. ignipecta Fitch.

Harris, Cat. Ins. Mass. in Hitchcock, Geol. Mass., p. 584, 1833, Cercopis (name Harris, Rept. Ins. Mass., p. 182, 1841, Cercopis (name only). [only).

Walker, List Homop., iii, p. 725, 1851, Ptyelus (name only).

Fitch, Trans. N. Y. St. Ag. Soc., xvi, p. 389, 1856 (described).

Ball, Rept. Ia. Acad. Sci. for 1898, p. 208, Tomaspis.

Localities: Mass., Conn., N. Y., N. J., Pa., Md., D. C., W. Va., N. C., Ga., Fla., La., Ia., Kans., Ark., Texas. (Mexico, West Indies.)

Subfamily APHROPHORINAE (Am. & Serv.)

Amyot and Serville, Hémip., pp. lxiii, 563, 1843, Aphrophorides. (Groupe)

Dohrn, Cat. Hemip., p. 68, 1859, Aphrophoridae.

Stål, Hemip. Afr., iv, pp. 55, 66, 1866, Aphrophorida.

Stål, Of. Vet. Akad. Forh., xxvii, p. 722, 1870, Aphrophorina.

Berg, Hemip. Arg., p. 238, 1879, Aphrophorina.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 296, 1892, Aphrophorina.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 489, 1895.

Ball, Rept. Ia. Acad. Sci. for 1898, pp. 207, 209.

Distant, Fauna Brit. Ind., Rhyn., iv, pp. 79, 85, 1908.

Oshanin, Kat. Palae., Hemip., p. 97, 1912.

Lallemand, Genera Ins., fasc. 143, pp. 6, 18, 1912.

Ptyelinae Fowler, Biol. Centr. Am., Homop., ii, p. 174, 190, 1897. †Cercopinae Kirkaldy, Haw. S. P. A., Exp. St. Bul., i, p. 380, 1906.

Genus Aphrophora Germ.

Logotype spumaria (Linn.) = alni (Fall.)

Germar, Mag. d. Ent., iv, pp. 38, 48, 1821.

Germar, Silb. Rev. Ent., i, p. 179, 1833.

Burmeister, Handb. d. Ent., ii, p. 121, 1835.

Amyot and Serville, Hémip., p. 563, 1843.

Walker, List Homop., iii, p. 697, 1851.

Flor, Rhyn. Livl., ii, p. 132, 1861.

Stål, Hemip. Afr., iv, p. 67, 1866.

Kirschbaum, Cicad. v. Wiesbd., p. 13, 1868.

Sahlberg, Cicad., p. 85, 1871.

Fieber, Cicad. d'Eur., i, p. 95, 1875.

Mayr, Tabellen, p. 24, 1884.

Edwards, Trans. Ent. Soc. Lond. for 1886, p. 97.

Provancher, Pet. Faune Ent. Can., iii, p. 254, 1889.

Edwards, Hemip. Homop., Brit. Isds., p. 78, 1894.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, pp. 484, 491, 1895.

Melichar, Cicad. Mitt. Eur., p. 118, 1896.

Fowler, Biol. Centr. Am., Homop., ii, p. 193, 1897.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 209.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 99, 1908.

Oshanin, Kat. Palae. Hemip., p. 97, 1912.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 506, 1912.

†Cercopis Kirkaldy, Haw. S. P. A., Exp. St. Bul., i, p. 380, 1906.

Lallemand, Genera Ins., fasc. 143, p. 58, 1912.

1546. Aphrophora quadrinotata Say

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 304, 1831; Compl. Writ., ii, p. 381.

Fitch, Homop. N. Y. St. Cab., p. 52, 1851.

Walker, List Homop., iv, p. 1154, 1852, Ptyelus?

Fitch, Trans. N. Y. St. Ag. Soc., xvi, p. 388, 1856.

Glover, Rept. U. S. Dept. Ag. for 1876, p. 31.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 510, 1878.

Van Duzee, Can. Ent., xxi, p. 8, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 256, 1889.

Van Duzee, Psyche, v, p. 388, 1890.

Harrington, Ottawa Nat., vi, p. 31, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 193, 1894.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 211.

Wirtner, Ann. Carn. Mus., iii, p. 216, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1903.

Van Duzee, Can. Ent., xl, p. 115, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 98, 1910.

Van Duzee, Can. Ent., xliv, p. 327, 1912.

Lallemand, Genera Ins., fasc. 143, p. 61, 1912, Cercopis.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 16, 1915.

facialis Walker, Ins. Saund., Homop., p. 93, 1858.

Lallemand, Genera Ins., fasc. 143, p. 60, 1912.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., Md., D. C., N. C., Ga., Fla., Ohio, Ill., Ia., N. Dak., Neb.

1547. Aphrophora angulata Ball

Ball, Rept. Ia. Acad. Sci. for 1898, p. 212.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 48, 1914.

Ball, Ann. Ent. Soc. Am., viii, p. 365, 1915 (habits).

Locality: Calif.

1548. Aphrophora parallela (Say)

Say, Long's 2d Exp., ii, p. 303, 1824; Compl. Writ., i, p. 202, Cercopis.

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 305, 1831; Compl. Writ., ii, p. 382.

Harris, Rept. Ins. Mass., p. 182, 1841.

Fitch, Homop. N. Y. St. Cab., p. 53, 1851, Lepyronia.

Walker, List Homop., iii, p. 713, 1851, Ptyelus.

Fitch, Trans. N. Y. St. Ag. Soc., xvi, p. 388, 1856; xvii, p. 737, 1857.

Harris, Treat. Ins. Inj. Veg., edn. 3, p. 225, 1862.

Uhler, Stand. Nat. Hist., ii, p. 243, 1884.

Van Duzee, Can. Ent., xxi, p. 8, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 255, 1889.

Van Duzee, Psyche, v, p. 388, 1890.

Packard, 5th Rept. U. S. Ent. Comm., p. 741, 1890.

Harrington, Ottawa Nat., vi, p. 31, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 193, 1894.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 213.

Wirtner, Ann. Carn. Mus., iii, p. 216, 1904.

Van Duzee, Can. Ent., xxxviii, p. 409, 1906.

Felt, 7th Rept. N. Y. St. Forest, Fish, Game Comm., p. 508, pl. 12, fig. 22, 1908.

Van Duzee, Can. Ent., xl, p. 115, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 98, 1910.

Van Duzee, Can. Ent., xliv, p. 327, 1912.

Lallemand, Genera Ins., fasc. 143, p. 61, 1912, Cercopis.

cribratus Walker, List Homop., iii, p. 712, 1851, Ptyelus.

Stål, Of. Vet. Akad. Forh., xix, p. 493, 1862.

Localities: Nov. Scot., Quebec, Ont., Vt., Mass., N. Y., N. J., Pa., Md., Mich., Ill., Mo., Ark.

1549. Aphrophora irrorata Ball

Ball, Rept. Ia. Acad. Sci. for 1898, p. 214.

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 111, 1903.

Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904.

Localities: Neb., Colo., N. Mex., Ariz., Calif., Br. Col.

1550. Aphrophora permutata Uhl.

Uhler, Hayden's Surv. Terr., Rept. for 1870, p. 472 (MS name).

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 345, 1876 (described).

Uhler, Stand. Nat. Hist., ii, p. 243, 1884.

Gillette and Baker, Hemip. Colo., p. 71, 1895.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 214.

Ball, Ohio Nat., i, p. 123, 1901 (larvae).

Lallemand, Genera Ins., fasc. 143, p. 61, pl. 2, fig. 11, 1912, Cercopis.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 245, 1916.

Localities: Colo., N. Mex., Utah, Idaho, Mont., Calif., Wash., Ore.

1551. Aphrophora saratogensis (Fh.)

Fitch, Homop. N. Y. St. Cab., p. 53, 1851, Lepyronia.

Walker, List Homop., iv, p. 1153, 1852, Ptyelus.

Fitch, Trans. N. Y. St. Ag. Soc., xvi, p. 388, 1856; xvii, p. 738, 1857.

Van Duzee, Can. Ent., xxi, p. 8, 1889.

Van Duzee, Psyche, v, p. 390, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 193, 1894.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 215.

Van Duzee, Can. Ent., xxxviii, p. 409, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 205, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 98, 1910.

Lallemand, Genera Ins., fasc. 143, p. 62, 1912, Cercopis.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 15, 1915.

detritus Walker, List Homop., iii, p. 713, 1851, Ptyelus.

Stål, Of. Vet. Akad. Forh., xix, p. 493, 1862, Ptyelus.

gelidus Walker, List Homop., iii, p. 714, 1851, Ptyelus.

Stål, Of. Vet. Akad. Forh., xix, p. 493, 1862, Ptyelus.

Localities: Nov. Scot., Ont., N. H., Mass., N. Y., N. J., Md., D. C., W. Va., N. C., Ga, Fla

1552. Aphrophora annulata Ball

Ball, Rept. Ia. Acad. Sci. for 1898, p. 216.

Ball, Ann. Ent. Soc. Am., viii, p. 365, 1915 (habits).

Locality: Utah.

1553. Aphrophora signoreti Fh.

Fitch, Trans. N. Y. St. Ag. Soc., xvi, p. 388, 1856.

Lintner, 5th Rept. N. Y. St. Ent., p. 245, 1889.

Van Duzee, Psyche, v, p. 390, 1890.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 217.

Van Duzee, Can. Ent., xl, p. 115, 1908.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 15, 1915.

Localities: Ont., N. Y., N. C.

1554. Aphrophora corticea Germ.

Germar, Mag. d. Ent., iv, p. 50, 1821.

Boheman, Vet. Akad. Handl. for 1847, p. 24.

Stål, Stet. Ent. Zeit., xix, p. 197, 1858.

Kirschbaum, Cicad. v. Wiesbd., p. 64, 1868.

Sahlberg, Cicad. p. 86, 1871.

Melichar, Cicad. Mitt. Eur., p. 119, 1896.

Ashmead, Harriman Alaska Exp., viii, p. 131, 1904.

Localities: Alaska. (Europe.)

Genus Lepyronia Am. & Serv. Logotype coleoptrata (Linn.)

Amyot and Serville, Hémip., p. 567, 1843.

Flor, Rhyn. Livl., ii, p. 122, 1861.

Stål, Stet. Ent. Zeit., xxv, p. 67, 1864.

Stål, Hemip. Afr., iv, p. 66, 1866.

Stål, Of. Vet. Akad. Forh., xxvii, p. 722, 1870.

Sahlberg, Cicad., p. 82, 1871.

Fieber, Cicad. d'Eur., i, p. 95, 1875.

Mayr, Tabellen, p. 24, 1884.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 484, 1895.

Melichar, Cicad. Mitt. Eur., pp. 114, 117, 1896.

Fowler, Biol. Centr. Am., Homop., ii, p. 192, 1897.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 217.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 97, 1908.

Lallemand, Genera Ins., fasc. 143, pp. 51, 52, 1912.

1555. Lepyronia quadrangularis (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 338, 1825; Compl. Writ., ii, p. 256, [Cercopis.

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 305, 1831; Compl. Writ., ii, p. 382, [Aphrophora.

Harris, Rept. Ins. Mass., p. 182, 1841, Aphrophora.

Fitch, Homop. N. Y. St. Cab., p. 53, 1851.

Walker, List Homop., iii, p. 716, 1851, Ptyelus.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 389, 1856.

Harris, Treat. Ins. Inj. Veg., edn. 3, p. 225, 1862, Aphrophora.

Stål, Berl. Ent. Zeit., x, p. 384, 1866.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 346, 1876; iii, p. 457, 1877, Aphro-

Uhler, Stand. Nat. Hist., ii, p. 243, 1884, Aphrophora.

[phora.

Van Duzee, Can. Ent., xxi, p. 8, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 256, 1889, Aphrophora.

Van Duzee, Psyche, v, p. 388, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 193, 1894.

Gillette and Baker, Hemip. Colo., p. 71, 1895.

Comstock, Manual Study Ins., p. 153, fig. 187, 1895.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 218.

Wirtner, Ann. Carn. Mus., iii, p. 216, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.

Van Duzee, Can. Ent., xxxviii, p. 409, 1906.

Van Duzee, Can. Ent., xl, p. 115, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 98, 1910.

Van Duzee, Can. Ent., xliv, p. 327, 1912.

Lallemand, Genera Ins., fasc. 143, p. 52, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 16, 1915.

Localities: Nov. Scot., Quebec, Ont., Me., N. H., Vt., Mass., Conn., N. Y., N. J., Pa., Md., D. C., W. Va., N. C., Ga., Fla., Miss., Ohio, Ia., Dak., Neb., Colo., Manitoba, Utah, Texas.

1556. Lepyronia angulifera Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 348, 1876.

Gillette and Baker, Hemip. Colo., p. 71, 1895.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 219.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 204, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 98, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Localities: N. J., Md., Fla., Texas, N. Mex. (Cuba, Mexico.)

1557. Lepyronia gibbosa Ball

Ball, Rept. Ia. Acad. Sci. for 1898, p. 219.

sordida Uhler, Stand. Nat. Hist., ii, p. 243, 1884.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 489, 1895.

Localities: Ill., Ia., Neb., Texas. (Mexico.)

? Lepyronia coleoptrata (Linn.)

(Oshanin credits this species to North America, but I am unable now to trace his authority. If found here it is probably Alaskan.)

Genus Philaronia Ball Logotype bilineata (Say)

Ball, Rept. Ia. Acad. Sci. for 1898, p. 220. Lallemand, Genera Ins., fasc. 143, p. 38, 1912.

1558. Philaronia abjecta (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 346, 1876, Philaenus.

Baker, Can. Ent., xxix, p. 111, 1897, Philaenus.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 221.

Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904.

Ball, Ann. Ent. Soc. Am., viii, p. 365, 1915 (habits).

†angulifera Gillette and Baker, Hemip. Colo., p. 71, 1895, Lepyronia.

Localities: Neb., S. D., Colo., Utah, Ariz., Manitoba, Alaska.

1559. Philaronia bilineata (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 304, 1831; Compl. Writ., ii, p. 381, [Aphrophora.

Walker, List Homop., iv, p. 1154, 1852, Ptyelus.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 347, 1876, Philaenus (as var. of Baker, Can. Ent., xxix, p. 112, 1897, Philaenus. [lineatus).

Ball, Rept. Ia. Acad. Sci. for 1898, p. 222.

Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904.

Van Duzee, Can. Ent., xl, p. 115, 1908.

Van Duzee, Ottawa Nat., xxvi, p. 69, 1912.

†lineatus Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 458, 1877; iv, p. 510,

Van Duzee, Psyche, v, p. 388, 1890, Philaenus. [1878, Philaenus.

Gillette and Baker, Hemip. Colo., p. 70, 1895, Philaenus.

americanus Baker, Can. Ent., xxix, p. 112, 1897, Philaenus.

Localities: Quebec, Ont., Me., N. H., Mass., Conn., S. Dak., Ia., Neb., Colo., Mont., Wyo., Idaho, N.W. Can.

Genus Philaenus Stål

Logotype spumarius (Fall.) = leucophthalmus (Linn.)

Stål, Stet. Ent. Zeit., xxv, p. 66, 1864.

Stål, Hemip. Afr., iv, pp. 68, 77, 1866.

Sahlberg, Cicad., pp. 66, 88, 1871. Fieber, Cicad. d'Eur., i, p. 95, 1875. Mayr, Tabellen, p. 24, 1884. Edwards, Trans. Ent. Soc. Lond. for 1886, p. 98. Provancher, Pet. Faune Ent. Can., iii, p. 257, 1889. Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 485, 1895. Melichar, Cicad. Mitt. Eur., p. 121, 1896. Edwards, Hemip. Homop. Brit. Isds., p. 79, 1896. Fowler, Biol. Centr. Am., Homop., ii, pp. 190, 193, 1897. Ball, Rept. Ia. Acad. Sci. for 1898, pp. 209, 223. Kirkaldy, Haw. S. P. A., Exp. St. Bul., i, p. 380, 1906. †Ptyela Germar, Silb. Rev. Ent., i, p. 179, 1833. Distant, Fauna Brit. Ind., Rhyn., iv, p. 87, 1908. Lallemand, Genera Ins., fasc. 143, p. 30, 1912, Ptyelus (part). †Cercopis Kirkaldy, Entomol., xxxiii, p. 263, 1900.

1560. Philaenus leucophthalmus (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 437, 1758, Cicada. Linnaeus, Faune Suec., p. 241, sp. 883, 1761, Cicada. Linnaeus, Syst. Nat., edn. 12, i, p. 709, 1767, Cicada. Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2106, 1788, Cicada. Fabricius, Mant. Ins., ii, p. 210, 1787, Cicada. Fabricius, Ent. Syst., iv, p. 52, 1794, Cicada. Fabricius, Syst. Rhyng., p. 95, 1803, Cercopis. Germar, Mag. d. Ent., iv, p. 53, 1821, Aphrophora. Fallén, Hemip. Suec., Cicad., p. 17, 1826, Cercopis. Zetterstedt, Fauna Lapp., p. 515, 1828, Cercopis. Flor, Rhyn. Livl., ii, p. 128, 1861, Ptyelus: Sahlberg, Cicad., p. 90, 1871. Edwards, Trans. Ent. Soc. Lond. for 1886, p. 99. Edwards, Hemip. Homop. Brit. Isds., p. 80, 1896. Melichar, Cicad. Mitt. Eur., p. 123, 1896. Ball, Rept. Ia. Acad. Sci. for 1898, p. 225. Kirkaldy, Haw. S. P. A., Exp. St. Bul., i, p. 380, 1906. Horvath, Ann. Mus. Natl. Hung., vi, p. 6, 1908. Lallemand, Genera Ins., fasc. 143, p. 36, 1912, Ptyelus (as variety). a. var. falleni Van D. Van Duzee, Can. Ent., xlvi, p. 388, 1915 (n.n. for spumarius Fall.). Van Duzee, Check List Hemip., p. 57, 1916. †spumarius Fallén, Hemip. Suec., Cicad., p. 14, 1826, Cercopis. Zetterstedt, Fauna Lapp., p. 514, 1828, Cercopis. Flor, Rhyn. Livl., ii, p. 126, 1861, Ptyelus. Kirschbaum, Cicad. v. Wiesbd., p. 66, 1868, Ptyelus. Stål, Hemip. Fabr., ii, p. 15, 1869. Sahlberg, Cicad., p. 89, 1871. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 347, 1876. Provancher, Pet. Faune Ent. Can., iii, p. 257, 1889. Lintner, 5th Rept. N. Y. St. Ent., p. 245, 1889. Van Duzee, Psyche, v, p. 240, 1890. Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 496, 1895.

> Melichar, Cicad. Mitt. Eur., p. 122, 1896. Baker, Can. Ent., xxix, p. 111, 1897.

```
Ball, Rept. Ia. Acad. Sci. for 1898, p. 224.
          Smith, Cat. Ins. N. J., edn. 3, p. 99, 1910.
          Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 508, 1912.
          Van Duzee, Can. Ent., xliv, p. 327, 1912.
          Lallemand, Genera Ins., fasc. 143, p. 35, 1912, Ptyelus (as species).
          Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 16, 1915.
     †bifasciatus (Fabricius), Syst. Rhyng., p. 98, 1803, Cercopis. (Not of Lin-
                                        [naeus; see Stål, Hemip. Fabr., ii, p. 16.)
          Germar, Mag. d. Ent., iv, p. 51, 1821, Aphrophora.
          Burmeister, Handb. d. Ent., ii, p. 122, 1835, Aphrophora.
          Blanchard, Hist. des Ins., Hémip., p. 189, 1840, Aphrophora.
          Walker, List Homop., iii, p. 719, 1851, Ptyelus.
b. var. ustulatus (Fall.)
   Fallén, Hemip. Suec., Cicad., p. 19, 1826, Cercopis.
   Sahlberg, Cicad., p. 91, 1871.
   Melichar, Cicad. Mitt. Eur., p. 122, 1896.
   Edwards, Hemip. Homop. Brit. Isds., p. 80, pl. 9, fig. 4, 1896.
   Ball, Rept. Ia. Acad. Sci. for 1898, p. 225.
c. var. lateralis (Linn.)
   Linnaeus, Syst. Nat., edn. 10, i, p. 437, 1758, Cicada.
   Linnaeus, Fauna Suec., p. 241, sp. 886, 1761, Cicada.
   Linnaeus, Syst. Nat., edn. 12, i, p. 709, 1767, Cicada.
   Fabricius, Ent. Syst., iv, p. 35, 1794, Cicada.
   Fabricius, Syst. Rhyng., p. 96, 1803, Cercopis.
   Fallén, Hemip. Suec., Cicad., p. 18, 1826, Cercopis.
   Zetterstedt, Fauna Lapp., p. 515, 1828, Cercopis.
   Flor, Rhyn. Livl., ii, p. 128, 1861, Ptyelus.
   Sahlberg, Cicad., p. 90, 1871.
   Edwards, Trans. Ent. Soc. Lond. for 1886, p. 99.
   Edwards, Hemip. Homop. Brit. Isds., p. 80, 1896.
   Melichar, Cicad. Mitt. Eur., p. 123, 1896.
   Ball, Rept. Ia. Acad. Sci. for 1898, p. 225.
d. var. leucocephalus (Linn.)
   Linnaeus, Syst. Nat., edn. 10, i, p. 437, 1758, Cicada.
   Linnaeus, Fauna Suec., p. 241, sp. 885, 1761, Cicada.
   Linnaeus, Syst. Nat., edn. 12, i, p. 709, 1767, Cicada.
   Fabricius, Mant. Ins., ii, p. 210, 1787, Cicada.
   Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2106, 1788, Cicada.
   Fabricius, Ent. Syst., iv, p. 52, 1794, Cercopis.
   Fabricius, Syst. Rhyng., p. 95, 1803, Cercopis.
   Germar, Mag. d. Ent., iv, p. 53, 1821, Aphrophora.
   Fallén, Hemip. Suec., Cicad., p. 18, 1826, Cercopis.
   Zetterstedt, Fauna Lapp., p. 515, 1828, Cercopis.
   Flor, Rhyn. Livl., ii, p. 128, 1861, Ptyelus.
   Sahlberg, Cicad., p. 90, 1871.
   Edwards, Trans. Ent. Soc. Lond. for 1886, p. 99.
   Edwards, Hemip. Homop. Brit. Isds., p. 80, 1896.
   Melichar, Cicad. Mitt. Eur., p. 123, 1896.
   Ball, Rept. Ia. Acad. Sci. for 1898, p. 225.
   Van Duzee, Can. Ent., xliv, p. 327, 1912.
      albiceps Provancher, Nat. Can., iv, p. 351, 1872, Ptyelus.
```

Provancher, Pet. Faune Ent. Can., iii, p. 258, 1889.

e. var. marginellus (Fabr.)

Fabricius, Ent. Syst., iv, p. 52, 1794, Cercopis.
Fabricius, Syst. Rhyng., p. 95, 1803, Cercopis.
Germar, Mag. d. Ent., iv, p. 54, 1821, Aphrophora.
Fallén, Hemip. Suec., Cicad., p. 18, 1826, Cercopis.
Zetterstedt, Fauna Lapp., p. 515, 1828, Cercopis.
Sahlberg, Cicad., p. 91, 1871.
Edwards, Trans. Ent. Soc. Lond. for 1886, p. 99.
Edwards, Hemip. Homop. Brit. Isds., p. 80, 1896.
Melichar, Cicad. Mitt. Eur., p. 123, 1896.
Ball, Rept. Ia. Acad. Sci. for 1898, p. 225.

f. var. fasciatus (Fabr.)

Fabricius, Ent. Syst., iv, p. 55, 1794, Cercopis.
Fabricius, Syst. Rhyng., p. 97, 1803, Cercopis.
Flor, Rhyn. Livl., ii, p. 127, 1861, Ptyclus.
Sahlberg, Cicad., p. 90, 1871.
Edwards, Trans. Ent. Soc. Lond. for 1886, p. 99.
Edwards, Hemip. Homop. Brit. Isds., p. 79, 1886.
Melichar, Cicad. Mitt. Eur., p. 123, 1896.
Ball, Rept. Ia. Acad. Sci. for 1898, p. 225.

g. var. fabricii Van. D.

Van Duzee, Can. Ent., xlvi, p. 388, 1915.

Van Duzee, Check List Hemip., p. 58, 1916.

||lineatus (Fabricius), Ent. Syst., iv, p. 52, 1794, Cercopis.
Fabricius, Syst. Rhyng., p. 96, 1803, Cercopis.
Germar, Mag. d. Ent., iv, p. 53, 1821, Aphrophora.
Fallén, Hemip. Suec., Cicad., p. 19, 1826, Cercopis.
Zetterstedt, Fauna Lapp., p. 516, 1828, Cercopis.
Flor, Rhyn. Livl., ii, p. 129, 1861, Ptyelus.
Sahlberg, Cicad., p. 91, 1871.
Edwards, Trans. Ent. Soc. Lond. for 1886, p. 99.
Edwards, Hemip. Homop. Brit. Isds., p. 80, 1896.
Melichar, Cicad. Mitt. Eur., p. 123, 1896.
Ball, Rept. Ia. Acad. Sci. for 1898, p. 225.

?oenotherae (Scopoli), Ent. Carn., p. 114, 1763, Cicada.
Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 508, 1912.

h. var. pallidus (Zett.)

Zetterstedt, Fauna Lapp., p. 515, 1828, Cercopis.

Zetterstedt, Ins. Lapp., column 286, 1840, Cercopis.

Flor, Rhyn. Livl., ii, p. 128, 1861, Ptyelus.

Melichar, Cicad. Mitt. Eur., p. 123, 1896.

Ball, Rept. Ia. Acad. Sci. for 1898, p. 225.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 508, 1912.

†oenotherae Germar, Mag. d. Ent., iv, p. 53, 1821, Aphrophora.

Localities: Quebec, Ont., Me., N. Y., N. J., N. C., Dak., Utah, Manitoba, Alaska.

1561. Philaenus lineatus (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 438, 1758, Cicada. Linnaeus, Fauna Suec., p. 241, sp. 888, 1761, Cicada. Linnaeus, Syst. Nat., edn. 12, i, p. 709, 1767, Cicada. [†]Scopoli, Ent. Carn., p. 144, 1763, Cicada. Fallén, Hemip. Suec. Cicad., p. 20, 1826, Cercopis. Burmeister, Hand. d. Ent., ii, p. 123, 1835, Aphrophora. Flor, Rhyn. Livl., ii, p. 123, 1861, Ptyelus. Kirschbaum, Cicad. v. Wiesbd., p. 65, 1868. Stål, Hemip. Fabr., ii, p. 16, 1869. Sahlberg, Cicad., p. 96, 1871. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 347, 1876; iv, p. 510, 1878. Uhler, Stand. Nat. Hist., ii, p. 243, 1884. Edwards, Trans. Ent. Soc. Lond. for 1886, p. 100. Lintner, 4th Rept. N. Y. St. Ent., p. 120, 1888. Provancher, Pet. Faune Ent. Can., iii, p. 258, 1889. Gillette and Baker, Hemip. Colo., p. 70, 1895. Edwards, Hemip. Homop. Brit. Isds., p. 81, pl. 9, fig. 10, 1896. Melichar, Cicad. Mitt. Eur., p. 124, 1896. Baker, Can. Ent., xxix, p. 112, 1897. Ball, Rept. Ia. Acad. Sci. for 1898, p. 225. Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905. Smith, Cat. Ins. N. J., edn. 3, p. 99, 1910. Van Duzee, Ottawa Nat., xxvi, p. 69, 1912. Van Duzee, Can. Ent., xliv, p. 327, 1912. Lallemand, Genera Ins., fasc. 143, p. 34, 1912, Ptyelus. abbreviata (Fabricius), Ent. Syst., iv, p. 36, 1794, Cicada. Fabricius, Syst. Rhyng., p. 96, 1803, Cercopis. Germar, Mag. d. Ent., iv, p. 54, 1821, Aphrophora. basivitta (Walker), List. Homop., iii, p. 719, 1851, Ptyelus. Localities: Nova Scot., Quebec, Ont., Me., N. H., Vt., Mass., N. Y., N. J.

Genus Clastoptera Germ. Logotype achatina Germ.

Germar, Zeit. f. Ent., i, p. 187, 1838.

Walker, List. Homop., iii, p. 842, 1851.

Stål, Hemip. Afr., iv, p. 69, 1866.

Uhler, Stand. Nat. Hist., ii, p. 244, 1884.

Provancher, Pet. Faune Ent. Can., iii, p. 259, 1889.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 485, 1895.

Ball, Proc. Ia. Acad. Sci., iii, p. 183, 1895.

Fowler, Biol. Centr. Am., Homop., ii, p. 198, 1897.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 508, 1912.

Lallemand, Genera Ins., fasc. 143, p. 22, 1912.

1562. Clastoptera obtusa (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 339, 1825; Compl. Writ., ii, p. 256, Harris, Rept. Ins. Mass., p. 182, 1841, Aphrophora. [Cercopis. Fitch, Homop. N. Y. St. Cab., p. 53, 1851. Walker, List Homop., iii, p. 724, 1851; iv, p. 1154, 1852, Ptyelus. Fitch, Trans. N. Y. St. Ag. Soc., xvi, pp. 389, 466, 474, 1856. Harris, Treat. Ins. Inj. Veg., edn. 3, p. 225, 1862, Aphrophora. Uhler, Stand. Nat. Hist., ii, p. 244, 1884. Van Duzee, Can. Ent., xxi, p. 8, 1889. Lintner, 5th Rept. N. Y. St. Ent., p. 242, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 259, 1889.

Van Duzee, Psyche, v, p. 388, 1890.

Lintner, 8th Rept. N. Y. St. Ent., p. 152, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 193, 1894.

Gillette and Baker, Hemip. Colo., p. 70, 1895.

Ball, Proc. Ia. Acad. Sci., iii, p. 188, 1895.

Fowler, Biol. Centr. Am., Homop., ii, p. 202. pl. 12, figs. 23, 24, 1898.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.

Van Duzee, Can. Ent., xxxviii, p. 409, 1906.

Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.

Van Duzee, Can. Ent., xl, p. 115, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 99, 1910.

Van Duzee, Can. Ent., xliv, p. 327, 1912.

Lallemand, Genera Ins., fasc. 143, p. 23, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 48, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 16, 1915.

†lineaticollis Ball, Proc. Ia. Acad. Sci., iii, p. 190, 1895.

Lallemand, Genera Ins., fasc. 143, pl. 1, fig. 2, 1912.

[lineata Sign. MS], Lallemand, Genera Ins., fasc. 143, p. 24, 1912. [orbiculata Sign. MS], Lallemand, Genera Ins., fasc. 143, p. 24, 1912.

a. var. achatina Germ.

Germar, Zeit. f. Ent., i, p. 187, 1839.

Fitch, Cat. Homop. N. Y. St. Cab., p. 53, 1851.

Walker, List Homop., iii, p. 842, 1851; iv, p. 1160, 1852.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 193, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 217, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 508, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 48, 1914.

b. var. testacea Fitch.

Fitch, Homop. N. Y. St. Cab., p. 53, 1851.

Walker, List Homop., iv, p. 1160, 1852.

Fitch, Trans. N. Y. St. Agr. Soc., xvii, p. 739, 1857.

Van Duzee, Psyche, v, p. 388, 1890.

Ball, Proc. Ia. Acad. Sci., iii, p. 190, 1895.

Baker, Ent. News, xi, p. 463, 1900.

Lallemand, Genera Ins., fasc. 143, p. 24, 1912.

c. var. tristis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 508, 1912.

Van Duzee, Can. Ent., xliv, p. 327, 1912.

†achatina Ball, Proc. Ia. Acad. Sci., iii, p. 190, 1895.

†proteus Provancher, Pet. Faune Ent. Can., iii, p. 260, 1889.

Localities: Quebec, Ont., N. H., Mass., N. Y., N. J., Pa., Md., D. C., Va., W. Va., N. C., Ohio, Ia., Kans., Colo., Texas, N. Mex., Calif.

1563. Clastoptera osborni Gill. & Bak.

Gillette and Baker, Hemip. Colo., p. 70, 1895.

Ball, Proc. Ia. Acad. Sci., iii, p. 190, 1895 (as var. of obtusa).

Baker, Ent. News, xi, p. 463, 1900.

Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.

Lallemand, Genera Ins., fasc. 143, p. 24, 1912.

†obtusa Van Duzee, Trans. Am. Ent. Soc., xxiv, p. 111, 1903. Localities: Colo., N. Mex., Ariz.

1564. Clastoptera delicata Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 348, 1876; iii, p. 458, 1877.

Gillette and Baker, Hemip. Colo., p. 70, 1895.

Ball, Proc. Ia. Acad. Sci., iii, p. 184, 1895.

†lineaticollis Baker, Ent. News, xi, p. 463, 1900.

Locality: Colo.

1565. Clastoptera xanthocephala Germ.

Germar, Zeit. f. Ent., i, p. 189, 1839.

Walker, List Homop., iii, p. 843, 1851.

Ball, Proc. Ia. Acad. Sci., iii, p. 188, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 111, 1903.

Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904.

Wirtner, Ann. Carn. Mus., iii, p. 216, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 205, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 99, 1910.

Lallemand, Genera Ins., fasc. 143, p. 26, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 16, 1915.

a. var. glauca Van D.

Heidemann, Proc. Ent. Soc. Wash., iv, p. 399, 1901 (nomen nudum. Habits).

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 508, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Localities: Pa., N. J., D. C., N. C., Ga., Fla., Ala., Miss., N. Mex., Texas, Ariz.

1566. Clastoptera proteus Fitch

Fitch, Homop. N. Y. St. Cab., p. 54, 1851.

Walker, List Homop., iv, p. 1160, 1852.

Flint in Harris, Treat. Ins. Inj. Veg., edn. 3, p. 225, 1862.

Uhler, Stand. Nat. Hist., ii, p. 244, 1884.

Van Duzee, Can. Ent., xxi, p. 8, 1889.

Van Duzee, Psyche, v, p. 388, 1890.

Harrington, Ottawa Nat., vi, p. 31, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 194, 1894.

Ball, Proc. Ia. Acad. Sci., iii, p. 186, 1895.

Baker, Ent. News, xi, p. 463, 1900.

Van Duzee, 20th Rept. N. Y. Ent. Soc., p. 553, 1905.

Van Duzee, Can. Ent., xxxviii, p. 409, 1906.

Smith, Cat. Ins. N. J., edn. 3, p. 99, 1910.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 509, 1912.

Lallemand, Genera Ins., fasc. 143, p. 24, pl. 1, fig. 1, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 16, 1915.

saint-cyri Provancher, Nat. Can., iv, p. 351, 1872.

Provancher, Pet. Faune Ent. Can., iii, p. 260, 1889.

Van Duzee, Can. Ent., xliv, p. 327, 1912.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 509, 1912.

Van Duzee, Check List Hemip., p. 58, 1912 (as var. a of proteus).

flava Ball, Proc. Ia. Acad. Sci., iii, p. 187, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 216, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 205, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 99, 1910.

b. var. vittata Ball

Ball, Proc. Ia. Acad. Sci., iii, p. 187, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 205, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 99, 1910.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 509, 1912.

c. var. pini Fitch

Fitch, Homop. N. Y. St. Cab., p. 53, 1851.

Walker, List Homop., iv, p. 1160, 1852.

Fitch, Trans. N. Y. St. Ag. Soc., xvii, p. 738, 1857.

Van Duzee, Psyche, v, p. 388, 1890.

Lintner, 8th Rept. N. Y. St. Ent., p. 153, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 509, 1912.

||nigra Ball, Proc. Ia. Acad. Sci., iii, p. 187, 1895.

Van Duzee, Can. Ent., xl, p. 115, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 99, 1910.

Localities: Quebec, Ont., N. H., Mass., Conn., N. Y., N. J., Pa., D. C., W. Va., N. C., Fla., Ill., Texas.

[Subspecies flavicollis, cincticollis, maculicollis, and nigricollis of Fitch, founded on characters common to all varieties, are untenable.]

1567. Clastoptera lineatocollis Stål

Stål, Of. Vet. Akad. Forh., xi, p. 253, 1854.

Walker, List Homop., Suppl., p. 260, 1858.

Stål, Freg. Eugen. Resa, Ins., p. 285, 1859.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 508, 1912.

Lallemand, Genera Ins., fasc. 143, p. 24, 1912 (as synon. of obtusa).

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 48, 1914.

a. var. lineata Ball

Ball, Proc. Ia. Acad. Sci., iii, p. 185, 1895.

b. var. binotata Ball

Ball, Proc. Ia. Acad. Sci., iii, p. 185, 1895.

Gillette and Baker, Hemip. Colo., p. 70, 1895.

Baker, Ent. News, xi, p. 463, 1900.

Lallemand, Genera Ins., fasc. 143, p. 23, 1912.

Localities: Colo., Utah, N. Mex., Calif.

1568. Clastoptera unicolor Fowl.

Fowler, Biol. Centr. Am., Homop., ii, p. 205, 1897.

*[arkansasensis Fitch MS], Fowler, Biol. Centr. Am., Homop., ii, p. 205, 1897.

Localities: Ark. (?). (Mexico, Centr. Am.)

Family MEMBRACIDAE (Germ.)

Germar, Mag. d. Ent., iv, p. 7, 1821, Membracides.

Latreille, Fam. Nat. Règne Anim., p. 427, 1825, Membracides.

Burmeister, Handb. d. Ent., ii, p. 126, 1835, Membracina.

Curtis, Brit. Ent., xvi, Gen., p. 14, 1840.

Blanchard, Hist. des Ins., Hémip., p. 179, 1840, Membraciens.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 235, 1846, Membracides.

Walker, List Homop., ii, p. 472, 1851, Membracina.

Stål, Stet. Ent. Zeit., xix, p. 234, 1858, Membracina.

Dohrn, Cat. Hemip., p. 76, 1859.

Flor, Rhyn. Livl., ii, p. 100, 1861, Membracina.

Stål, Hemip. Afr., iv, p. 83, 1866, Membracida.

Kirschbaum, Cicad. v. Wiesbd., pp. 13, 66, 1868, Membracina.

Sahlberg, Cicad., p. 97, 1871, Membracina.

Fieber, Cicad. d'Eur., i, p. 39, 1875, Membracida.

Berg, Hemip. Arg., p. 238, 1879.

Provancher, Pet. Faune Ent. Can., iii, p. 225, 1889.

Goding, Trans. Am. Ent. Soc., xix, p. 253, 1892 (synopsis).

Fowler, Biol. Centr. Am., Homop., ii, p. 1, 1894.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 391, 1894 (catalogue).

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 296, 1906; iii, p. 9, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 29, 1908 (synoptical; list of species).

Distant, Fauna Brit. Ind., Rhyn., iv, p. 1, 1908.

Horvath, Ann. Mus. Natl. Hung., ix, p. 29, 1911.

Matausch, Jl. N. Y. Ent. Soc., xix, p. 194, 1911 (parasitization).

Funkhauser, Ann. Ent. Soc. Am., vi, p. 74, 1913 (wing venation).

Funkhauser, Bul. Brookl. Ent. Soc., x, p. 45, 1915 (Fitch types).

Cornidorsi Amyot and Serville, Hémip., pp. lix, 532, 1843.

Centrotitae Spinola, Tavola Sinot., pp. 27, 53, 1850.

Subfamily SMILINAE (Stål)

Stål, Hemip. Afr., iv, p. 83, 1866, Smiliida.

Stål, Of. Vet. Akad. Forh., xxiv, p. 551, 1867. (Key.)

Goding, Trans. Am. Ent. Soc., xix, p. 253, 1892.

Fowler, Biol. Centr. Am., Homop., ii, pp. 3, 86, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 31, 32, 1908, Smiliida. (Key.)

TRIBE CERASINI Godg.

Goding, Trans. Am. Ent. Soc., xix, p. 256, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 32, 1908. (Key.)

Genus Ceresa Am. & Serv. Logotype vitulus (Fabr.)

Amyot and Serville, Hémip., p. 539, 1843.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 283, 1846.

Walker, List Homop., ii, p. 525, 1851.

Stål, Of. Vet. Akad. Forh., xxiv, p. 552, 1867; xxvi, p. 245, 1869.

Stål, Hemip. Fabr., ii, p. 24, 1869.

Goding, Trans. Am. Ent. Soc., xix, p. 256, 1892.

Fowler, Biol. Centr. Am., Homop., ii, p. 102, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 32, 1908. (Key.)

1569. Ceresa patruelis Stål

Stål, Stet. Ent. Zeit., xxv, p. 69, 1864 (spelled patruclis).

Stål, Of. Vet. Akad. Forh., xxvi, p. 246, 1869.

Butler, Cist. Ent., ii, p. 217, 1877.

Fowler, Biol. Centr. Am., Homop., ii, p. 105, 1895 (as synon. of testacea).

Van Duzee, Can. Ent., xli, p. 382, 1909.

Localities: Fla. (Mexico).

1570. Ceresa diceros (Say)

Say, Long's 2d Exped., ii, p. 299, 1824; Compl. Writ., i, p. 199, Membracis. Germar, Silb. Rev. Ent., iii, p. 237, 1835, Smilia.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 285, 1846.

Fitch, Homop. N. Y. St. Cab., p. 50, 1851.

Walker, List Homop., ii, p. 527, 1851.

Emmons, Nat. Hist. N. Y., Ins., p. 155, pl. 3, fig. 16, 1854.

Stål, Of. Vet. Akad. Forh., xxvi, p. 245, 1869.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 343, 1876.

Butler, Cist. Ent., ii, p. 215, 1877.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 509, 1878.

Van Duzee, Can. Ent., xxi, p. 6, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 234, 1889.

Van Duzee, Psyche, v, p. 389, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 187, 1894.

Gillette and Baker, Hemip. Colo., p. 66, 1895.

Buckton, Monog. Membr., p. 169, pl. 35, figs. 2, 3, 1902.

Wirtner, Ann. Carn. Mus., iii, p. 210, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 35, 1908.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 164, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 90, 1910.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Matausch, Bul. Am. Mus. Nat. Hist., xxxi, p. 331, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 6, 1915.

postfasciata Amyot and Serville, Hémip., p. 540, pl. 10, fig. 3, 1843.

Localities: Nov. Scot., Quebec, Ont., N. Y., N. J., Pa., Md., N. C., Ohio, Ill., Ia., Kans., Mo., Dak., Colo., Texas., N. Mex., Mont.

1571. Ceresa albescens Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 35, 1908.

Van Duzee, Can. Ent., xli, p. 381, 1909.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 165, 1910.

†bubalus var. a. and b, Fitch Homop., N. Y. St. Cab., p. 50, 1851.

Localities: Ont., N. Y., Kans.

1572. Ceresa bubalus (Fabr.)

Fabricius, Ent. Syst., iv, p. 14, 1794, Membracis.

Fabricius, Syst. Rhyng., p. 20, 1803, Centrotus.

Walker, List Homop., ii, p. 531, 1851.

Emmons, Nat. Hist. N. Y., Ins., p. 155, pl. 3, fig. 17, 1854.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, pp. 335, 359, 1856.

Walker, List Homop, Suppl., p. 131, 1858.

Fitch, Trans. N. Y. St. Agr. Soc., xxvii, p. 889, 1868.

Stål, Hemip. Fabr., ii, p. 24, 1868.

Stål, Of. Vet. Akad. Forh., xxvi, p. 245, 1869.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869.

Riley, 5th Rept. Nox. Ins. Mo., p. 121, 1873.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 343, 1876; iii, p. 456, 1877.

Butler, Cist. Ent., ii, p. 215, 1877.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1332.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 509, 1878.

Riley, Am. Nat., xvi, p. 822, 1882.

Cooke, Inj. Ins. Orchard, Vineyard, p. 71, 1883.

Van Duzee, Can. Ent., xxi, p. 6, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 235, 1889.

Goding, Insect Life, v, p. 92, 1892.

Slosson, Ent. News, v, p. 5, 1894.

Marlatt, Insect Life, vii, pp. 8-14, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 187, 1894.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 402, 1894 (bibliography).

Gillette and Baker, Hemip. Colo., p. 65, 1895.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 36, 1908.

Howard, Insect Book, p. 239, 1908.

[raphy).

Hodgkiss, N. Y. Agr. Exp. Sta., Tech. Bul. 17, p. 92, 1910 (life history, bibliog-Matausch, Jl. N. Y. Ent. Soc., xviii, p. 165, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 90, 1910.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Matausch, Bul. Am. Mus. Nat. Hist., xxxi, p. 331, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 48, 1914.

Essig, Inj., Benef. Ins. Calif., edn. 2, p. 61, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 6, 1915.

tbubalis Fabricius, Syst. Rhyng., emend. after p. 314, 1803, Centrotus.

Localities: Nov. Scot., Quebec, Ont., N. H., Mass., N. Y., Pa., N. J., Md., Del., N. C., Tenn., Ohio, Ind., Ill., Ia., Minn., Kans., Mo., Dak., Mont., Wyo., Colo., Utah, N. Mex., Texas, Calif.

1573. Ceresa occidentalis Funkh.

Funkhauser, Ent. News, xxvi, p. 100, 1915.

Locality: Calif.

1574. Ceresa brevitylus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 36, 1908; ix, p. 205, 1909.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 165, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 90, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 6, 1915.

Localities: N. J., D. C., N. C., Ga., Fla.

1575. Ceresa stimulea Van D.

Van Duzee, Can. Ent., xlvi, p. 388, 1914.

Van Duzce, Check List Hemip., p. 58, 1916.

||aculeata Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 205, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Locality: Fla.

1576. Ceresa taurina Fitch

Harris, List Ins. Mass. in Hitchcock, Geol. Mass., p. 579, 1833 (MS name).

Walker, List Homop., ii, p. 495, 1851, Enchenopa (a MS name).

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 335, 1856 (described).

Walker, List Homop., Suppl., p. 131, 1858.

Stål, Of. Vet. Akad. Forh., xxvi, p. 245, 1869.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 550, 1869, Membracis.

Butler, Cist. Ent., ii, p. 215, 1877.

Van Duzee, Psyche, v, p. 388, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci. v, p. 187, 1894.

Marlatt, Insect Life, vii, p. 8, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 210, 1904.

Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 37, 1908.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 165, 1910.

Hodgkiss, N. Y. Exp. Sta., Tech. Bul. 17, p. 100, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 90, 1910.

Matausch, Bul. Am. Mus. Nat. Hist, xxxi, p. 332, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 6, 1915.

Localities: Ont., Mass., N. Y., N. J., Pa., Va., N. C., Ohio, Mich., Ia., Kans., Colo., Ariz.

1577. Ceresa constans (Walk.)

Walker, List Homop., ii, p. 563, 1851, Thelia.

Stål, Of. Vet. Akad. Forh., xxvi, p. 245, 1869.

Butler, Cist. Ent., ii, p. 215, 1877.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 37, 1908.

Van Duzee, Can. Ent., xliv, p. 329, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 6, 1915.

†subulata Provancher, Pet. Faune Ent. Can., iii, p. 338, 1890.

illinoiensis Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 404, 1894.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 6, 1915.

Localities: Ont., N. Y., N. C., Ill.

1578. Ceresa palmeri Van D.

Van Duzee, Can. Ent., xl, p. 114, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 38, 1908.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 166, 1910.

Matausch, Bul. Am. Mus. Nat. Hist., xxxi, p. 332, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 6, 1915.

Localities: Quebec, Ont., N. Y., N. C.

1579. Ceresa borealis Fairm.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 284, 1846.

Walker, List Homop., ii, p. 526, 1851.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 38, 1908.

Van Duzee, Can. Ent., xli, p. 381, 1909.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 166, 1910.

Hodgkiss, N. Y. Agr. Exp. Sta., Tech. Bul. 17, p. 105, 1910 (life history).

Smith, Cat. Ins. N. J., edn. 3, p. 90, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 6, 1915.

†bubalus Fitch, Homop. N. Y. St. Cab., p. 50, 1851.

Localities: Ont., N. Y., N. J., Pa., N. C., Ohio, Kans., Colo., Utah.

1580. Ceresa basalis Walk.

Walker, List Homop., ii, p. 527, 1851.

Stål, Of. Vet. Akad. Forh., xxvi, p. 245, 1869.

Butler, Cist. Ent., ii, p. 215, 1877.

Wirtner, Ann. Carn. Mus., iii, p. 210, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 39, 1908.

Van Duzee, Can. Ent., xl, p. 114, 1908.

Cockerell, Univ. Colo. Studies, vii, p. 127, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 90, 1910.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

†brevicornis Provancher, Pet. Faune Ent. Can., iii, p. 235, 1889 (female).

†semicrema Provancher, Pet. Faune Ent. Can. iii, p. 235, 1889 (male).

melanogaster Osborn, Bul. Nat. Hist. Lab, Ia. St. Mus., ii, p. 390, 1893.

turbida Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 406, 1894. Gillette and Baker, Hemip. Colo., p. 66, 1895.

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 111, 1903.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.

†bubalus Buckton, Monog. Membr., p. 170, pl. 35, fig. 4, 1902. [cephala.

?semi-brunnea Buckton, Monog. Membr., p. 174, pl. 36, fig. 6, 1902, Sticto-

Localities: Nov. Scot., Quebec, Ont., N. H., Mass., N. Y., N. J., Ill., Colo., Utah, N. Mex., Calif., Manitoba, Br. Col., Sask.

1581. Ceresa albido-sparsa Stål

Stål, Freg. Eugen. Resa, Ins., p. 283, 1859.

Stål, Of. Vet. Akad. Forh., xxvi, p. 245, 1869.

Butler, Cist. Ent., ii, p. 215, 1877.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 39, 1908.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 48, 1914.

Localities: Nev., Calif.

1582. Ceresa brevis Walk.

Walker, List Homop., ii, p. 528, 1851.

Stål, Of. Vet. Akad. Forh., xxvi, p. 245, 1869.

Butler, Cist. Ent., ii, p. 218, 1877.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 40, 1908.

Localities: N. Y., Colo. (?).

1583. Ceresa brevicornis Fitch

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 451, 1856.

Rathvon, in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869.

Van Duzee, Psyche, v, p. 388, 1890.

Packard, 5th Rept. U. S. Ent. Comm., p. 325, 1890.

Goding, Insect Life, v, p. 92, 1892.

Goding, Can. Ent., xxv, p. 196, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 187, 1894.

Van Duzee, Can. Ent., xxxviii, p. 408, 1906.

Moore, Can. Ent., xxxix, p. 189, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 40, 1908.

Localities: Quebec, Ont., Conn., N. Y., N. J., Pa., Ohio, Ill.

1584. Ceresa femorata Fairm.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 289, 1846.

Walker, List Homop., ii, p. 532, 1851.

Stål, Of. Vet. Akad. Forh., xxvi, p. 246, 1869.

Fowler, Biol. Centr. Am., Homop., ii, p. 108, 1895, Stictocephala.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 41, 1908.

tacta Walker, List Homop., ii, p. 560, 1851, Thelia.

Localities: Colo., Calif.

1585. Ceresa uniformis Fairm.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 289, 1846.
Walker, List Homop., ii, p. 533, 1851.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 41, 1908.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 6, 1915.
Localities: Texas, N. C.(†) (Mexico.)
[May not be distinct from preceding.]

1586. Ceresa angulata (Walk.)

Walker, List Homop., ii, p. 558, 1851, Thelia. Butler, Cist. Ent., ii, p. 354, 1878, Eumela. Locality: N. C.

? Ceresa vitulus (Fabr.)

Osborn, Ohio Nat., iv, p. 100, 1904. Wirtner, Ann. Carn. Mus., iii, p. 210, 1904. [Doubtless erroneous determinations.]

Genus Stictocephala Stål Logotype lutea Walk.

Stål, Hemip. Fabr., ii, p. 24, 1869.
Stål, Of. Vet. Akad. Forh., xxvi, p. 246, 1869.
Goding, Trans. Am. Ent. Soc., xix, p. 257, 1892.
Fowler, Biol. Centr. Am., Homop., ii, p. 108, 1895.
Van Duzee, Bul. Buf. Nat. Sci., ix, p. 41, 1908. (Key.)
Van Duzee, Can. Ent., xlvi, p. 388, 1915 (names lutea type).
[Zuela Fitch MS] Goding, Can. Ent., xxv, p. 196, 1893.

1587. Stictocephala inermis (Fabr.)

Fabricius, Syst. Ent., p. 677, 1775, Membracis. Goeze, Ent. Beytr., ii, p. 148, 1778, Membracis. Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2093, 1788, Cicada. Fabricius, Ent. Syst., iv, p. 15, 1794, Membracis. Fabricius, Syst. Rhyng., p. 21, 1803, Centrotus. Fitch, Homop. N. Y. St. Cab., p. 48, 1851, Smilia. Walker, List Homop., iv, p. 1142, 1852, Thelia (under lutea). Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 360, 1856, Smilia. Stål, Of. Vet. Akad. Forh., xxvi, p. 246, 1869. Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Smilia. Uhler, Hayden's Surv. Terr., Rept. for 1870, p. 471, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 509, 1878. Provancher, Pet. Faune Ent. Can., iii, p. 237, 1889. Van Duzee, Psyche, v, p. 389, 1890. Goding, Insect Life, v, p. 92, 1892. Townsend, Can. Ent., xxiv, p. 196, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 187, 1894. Gillette and Baker, Hemip. Colo., p. 67, 1895. Buckton, Monog. Membr., p. 174, pl. 36, fig. 5, 1902. Wirtner, Ann. Carn. Mus., iii, p. 210, 1904. Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904. Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 44, 1908.

Felt, 7th Rept. N. Y. St. Fish, Forest, Game Comm., p. 529, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

Hodgkiss, N. Y. Agr. Exp. Sta., Tech. Bul. 17, p. 108, 1910 (life history). Van Duzee, Can. Ent., xliv, p. 326, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 48, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 7, 1915. [p. 377, Membracis. goniphora Say, Jl. Acad. Nat. Sci. Phila., vi, p. 243, 1830; Compl. Writ., ii, sanguino-apicalis Goding, Bul. Ill. St. Labr. Nat. Hist., iii, p. 408, 1894. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 50, 1908.

Localities: Quebec, Ont., N. Y., N. J., Pa., N. C., Ohio, Ill., Ia., Dak., Kans., Mo., Colo., N. Mex., Ariz., Calif., Mont.

1588. Stictocephala pacifica Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 44, 1908.Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 245, 1916.Locality: Calif.

1589. Stictocephala wickhami Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 44, 1908. Localities: Calif., Wash.

1590. Stictocephala substriata (Walk.)

Walker, List Homop., ii, p. 558, 1851, Thelia.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 45, 1908; ix, p. 206, 1909.
Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 7, 1915.
Localities: N. J., N. C., Ga., Fla.

1591. Stictocephala minuta Funkh.

Funkhauser, Ent. News, xxvi, p. 99, 1915. Locality: Ga.

1592. Stictocephala festina (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 243, 1830; Compl. Writ., ii, p. 377, Walker, List Homop., iv, p. 1141, 1852 (festiva). [Membracis. Stål, Of. Vet. Akad. Forh., xxvi, p. 246, 1869.

Van Duzee, Psyche, v, p. 389, 1890.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 45, 1908; ix, p. 206, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 49, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 7, 1915.

Wildermuth, Jl. Ag. Research, iii, p. 343, 1915 (life history).

†uniformis Stål, Hemip. Fabr., ii, p. 24, 1869.

a. var. rufivitta (Walk.)

Walker, List Homop., ii, p. 559, 1851, Thelia.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 46, 1908.
*dubia Fowler, Biol. Centr. Am., Homop., ii, p. 109, 1895.
*frubrovitta Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904.

b. var. angulata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 46, 1908.

Localities: N. J., Pa., N. C., Va., Ga., Fla., Ala., Miss., La., Kans., Mo., Ia., Colo., Texas, Ariz., Calif., Mont. (West Indies.)

1593. ? Stictocephala rotundata Stål

Stål, Of. Vet. Akad. Forh., xxvi, p. 246, 1869.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 46, 1908.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 7, 1915.

†uniformis Guerin in La Sagra, Hist. de Cuba, vii, p. 434, pl. 13, fig. 20, 1857. Localities: N. C., Fla. (det. doubtful). (Neotropical.)

1594. Stictocephala gillettei Godg.

Goding, Ent. News, iii, pp. 108, 200, 1892.

Gillette and Baker, Hemip. Colo., p. 66, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 47, 1908.

Localities: Colo., Utah, Calif.

1595. Stictocephala collina Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 47, 1908. Locality: Colo.

1596. Stictocephala nigricans Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 49, 1914. Locality: Calif.

1597. Stictocephala franciscana (Stål)

Stål, Freg. Eugen. Resa, Ins., p. 284, 1859, Ceresa.

Stål, Hemip. Fabr., ii, p. 24, 1869.

Stål, Of. Vet. Akad. Forh., xxvi, p. 247, 1869.

fGillette and Baker, Hemip. Colo., p. 66, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 48, 1908.

Localities: Calif., Wash., Colo.?

1598. Stictocephala lutea (Walk.)

Walker, List Homop., ii, p. 559, 1851, Thelia.

Stål, Hemip. Fabr., ii, p. 24, 1869.

Stål, Of. Vet. Akad. Forh., xxvi, p. 247, 1869.

Goding, Insect Life, v, p. 92, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 187, 1894.

Buckton, Monog. Membr., p. 195, pl. 42, fig. 7, 1903.

Wirtner, Ann. Carn. Mus., iii, p. 210, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 49, 1908.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 166, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 7, 1915.

[Gargara. pectoralis Emmons, Nat. Hist. N. Y., Ins., p. 157, pl. 13, fig. 12, 1854,

†festina Provancher, Pet. Faune Ent. Can., iii, p. 237, 1889.

Localities: Quebec, Ont., Conn., N. Y., N. J., Pa., D. C., N. C., Ga., Fla., Ill.

1599. Stictocephala diminuta Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 49, 1908. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 6, 1915.

Localities: N. C., Fla.

1600. ? Stictocephala nervosa Buckt.

Buckton, Monog. Membr., p. 195, pl. 42, fig. 8, 1903 (unrecognizable?).

Locality: "N. Y."

Genus Stictolobus Metclf. Orthotype subulata (Say)

Metcalfe, Ent. News, xxvii, p. 2, 1916.

1601. Stictolobus subulatus (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 300, 1831; Compl. Writ., ii, p. 378, Walker, List Homop., iv, p. 1143, 1852, Thelia. [Membracis. Van Duzee, Psyche, v, p. 387, 1890, Membracis. Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 410, 1894, Stictocephala? Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 50, 1908, Stictocephala? Metcalfe, Ent. News, xxvii, p. 3, 1916.

Localities: Md., N. C.

Genus Acutalis Fairm. Logotype fusconervosa Fairm.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 496, 1846. Stål, Of. Vet. Akad. Forh., xxiv, p. 552, 1869.

Goding, Trans. Am. Ent. Soc., xix, p. 257, 1892.

Fowler, Biol. Centr. Am., Homop., ii, p. 113, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 50, 1908. (Key.)

1602. Actualis tartarea (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 242, 1830; Compl. Writ., ii, p. 376, Walker, List Homop., iv, p. 1141, 1852, Ceresa. [Membracis.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 345, 1876.

Van Duzee, Psyche, v, p. 389, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 51, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 5, 1915.

Localities: Mass., N. Y., N. J., Pa., D. C., Fla., Ill., Ia., Mo., Colo., Utah.

a. var. semicrema (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 242, 1830; Compl. Writ., ii, p. 376, Walker, List Homop., iv, p. 1141, 1852, Ceresa. [Membracis.]

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 345, 1876.

Van Duzee, Psyche, v, p. 389, 1890.

Harrington, Ottawa Nat., vi, p. 30, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 51, 1908; ix, p. 206, 1909.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 167, 1910.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Matausch, Bul. Am. Mus. Nat. Hist., xxxi, p. 332, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 5, 1915.
anticonigra Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 498, 1846.
Walker, List Homop., ii, p. 592, 1851.
Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 391, 1856.
brunnea Provancher, Nat. Can., iv, p. 320, 1872, Tragopa.
Provancher, Pet. Faune Ent. Can., iii, p. 248, 1889 Tragopa.
Localities: Quebec, Ont., Mass., N. Y., Pa., D. C., N. C., Fla., Miss.,

1603. Acutalis inornata Ball

Ball, Proc. Biol. Soc. Wash., xviii, p. 119, 1905.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 51, 1908.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.
Locality: Fla.

Ill., Ia., Mo., Colo., Utah.

Genus Micrutalis Fowl. Logotype binaria (Fairm.)

Fowler, Biol. Centr. Am., Homop., ii, p. 116, 1895. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 52, 1908. (Key.)

1604. Micrutalis dorsalis (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 52, 1851, Tragopa.

Walker, List Homop., iv, p. 1147, 1852, Tragopa.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 390, 1856, Acutalis.
Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Acutalis.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 345, 1876, Acutalis.
Saunders, Ins. Inj. to Fruits, p. 289, 1883, Acutalis.
Van Duzee, Psyche, v, p. 391, 1890, Acutalis.
Goding, Insect Life, v, p. 92, 1892, Acutalis.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 187, 1894, Acutalis.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 53, 1908.

Localities: Quebec, Ont., N. Y., N. C., Mich., Texas.

1605. Micrutalis calva (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 242, 1830; Compl. Writ., ii, p. 376, Walker, List Homop., iv, p. 1141, 1852, Ceresa. [Membracis. Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 391, 1856, Acutalis. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 345, 1876, Acutalis. Van Duzee, Psyche, v, p. 389, 1890, Acutalis. Goding, Insect Life, v, p. 92, 1892, Acutalis. Wirtner, Ann. Carn. Mus., iii, p. 211, 1904, Acutalis. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 51, 1907, Acutalis. Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907, Acutalis. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 53, 1908; ix, p. 206, 1909. Matausch, Jl. N. Y. Ent. Soc., xviii, p. 167, 1910. Matausch, Psyche, xix, p. 66, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 6, 1915. flavipennis Germar, Silb. Rev. Ent., iii, p. 240, 1835, Smilia. Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 497, 1846, Acutalis.

a. var. illinoiensis (Godg.)

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 430, 1894, Acutalis.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 53, 1908.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 6, 1915.

Localities: N. H., Mass., N. Y., Pa., Md., D. C., Va., N. C., Ga., Fla., Ala., Miss., Ohio, Mich., Ill., Mo., Kans., Ia., Ark., Texas, Colo. (West Indies.)

1606. Micrutalis occidentalis (Godg.)

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 429, 1894, Acutalis.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 53, 1908.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 50, 1914.

a. var. binotata (Godg.)

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 430, 1894, Acutalis.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 54, 1908.

Localities: Utah, Calif.

1607. Micrutalis parva (Godg.)

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 429, 1894, Acutalis.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 54, 1908.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 50, 1914.

Localities: Ariz., Calif.

Genus Parantonaë Fowl. Haplotype dipteroides Fowl.

Fowler, Biol. Centr. Am., Homop., ii, p. 101, 1895.

1608. Parantonaë hispida Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 49, 1914. Locality: Calif.

TRIBE TELAMONINI Godg.

Goding, Trans. Am. Ent. Soc., xix, p. 258, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 32, 54, 1908. (Key.)

Genus Carynota Fitch Logotype mera (Say)

Fitch, Homop. N. Y. St. Cab., p. 48, 1851.

Van Duzee, Psyche, v, p. 391, 1890.

Goding, Trans. Am. Ent. Soc., xix, p. 258, 1892.

Van Duzee, Bul. Soc. Nat. Sci., ix, p. 55, 1908. (Key.)

§Caranota Stål, Of. Vet. Akad. Forh., xxiv, p. 554, 1867 (as synon. of Ophi-Walker, List Homop., iv, p. 1144, 1852. [derma]

Optilete Stål, Of. Vet. Akad. Forh., xxiv, p. 556, 1867 (orthotype porphyrea).

1609. Carynota mera (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 301, 1831; Compl. Writ., ii, p. 379, Mem-Fitch, Homop. N. Y. St. Cab., p. 48 1851. [bracis.

Walker, List Homop., iv, p. 1144, 1852.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 465, 1856, Ophiderma.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Ophiderma.

Provancher, Pet. Faune Ent. Can., iii, p. 246, 1889.

Van Duzee, Psyche, v, p. 389, 1890.

Packard, 5th Rept. U. S. Ent. Comm., p. 342, 1890, Ophiderma.

Goding, Insect Life, v, p. 93, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 188, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 212, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 56, 1908.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 167, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

Matausch, Bul. Am. Mus. Nat. Hist., xxxi, p. 332, 1912.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 7, 1915.

majus Emmons, Nat. Hist. N. Y., Ins., p. 156, pl. 13, fig. 6, 1854, Gargara. strombergi Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 443, 1894.

Localities: Quebec, Ont., N. Y., N. J., Pa., N. C., Ohio, Ill., Ia., Mo., Texas.

1610. Carynota maculata Funkh.

Funkhauser, Ent. News, xxvi, p. 98, 1915.

Locality: Fla.

1611. Carynota stupida (Walk.)

Walker, List Homop., ii, p. 577, 1851, Darnis.

Butler, Cist. Ent., ii, p. 343, 1878. Hypheus.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 450, 1894, Hypheus.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

†marmorata Van Duzee, Can. Ent., xxi, p. 6, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 247, 1889, Ophiderma.

Harrington, Ottawa Nat., vi, p. 30, 1892.

muskokensis Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 444, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 56, 1908.

albopicta Buckton, Monog. Membr., p. 135, pl. 29, fig. 1, 1902, Hypheus.

Localities: Nov. Scot., Quebec, Ont., Me., Mass.

1612. Carynota vera Godg.

Goding, Can. Ent., xxvii, p. 276, 1895 (probably = preceding).

Locality: Me.

1613. Carynota marmorata (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 301, 1831; Compl. Writ., ii, p. 379, Mem-

Fitch, Homop. N. Y. St. Cab., p. 49, 1851, Cyrtosia. [brac Walker, List. Homop., ii, p. 555, 1851, Thelia; iv, p. 1146, 1852, Cyrtosia.

Van Duzee, Can. Ent., xxi, p. 6, 1889.

Van Duzee, Psyche, v, p. 389, 1890.

Goding, Insect Life, v, p. 93, 1892.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, pp. 445, 481, 1894.

Slosson, Ent. News, vii, p. 265, 1896.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 56, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 7, 1915.

tripartita Walker, List Homop., ii, p. 576, 1851, Darnis.

Butler, Cist. Ent., ii, p. 343, 1878, Hyphaeus.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 449, 1894, Hypheus.

Localities: Quebec, Ont., N. H., N. Y., N. J., Pa., N. C., Ill.

1614. Carynota porphyrea Fairm.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 306, 1846, Thelia Stål, Of. Vet. Akad. Forh., xxiv, p. 556, 1867, Optilete. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 57, 1908.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 7, 1915.

picta Provancher, Pet. Faune Ent. Can., iii, p. 246, 1889.

Localities: Quebec, N. Y., N. C.

Genus Thelia Am. & Serv. Haplotype bimaculata (Fabr.)

Amyot and Serville, Hémip., p. 540, 1843. Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 305, 1846. Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 334, 1856. Stål, Of. Vet. Akad. Forh., xxiv, p. 555, 1867. Goding, Trans. Am. Ent. Soc., xix, p. 258, 1892. Fowler, Biol. Centr. Am., Homop., ii, p. 136, 1896 (notice).

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 54, 57, 1908.

1615. Thelia bimaculata (Fabr.)

Fabricius, Ent. Syst., iv, p. 10, 1794, Membracis.

Coquebert, Illus. Icon. Ins., i, p. 31, pl. 8, fig. 1, 1799, Membracis.

Fabricius, Syst. Rhyng., p. 14, 1803, Membracis.

Harris, Rept. Ins. Mass., p. 179, 1841, Hemiptycha.

Amyot and Serville, Hémip., p. 541, 1843.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 312, 1846.

Fitch, Homop. N. Y. St. Cab., p. 52, 1851.

Walker, List Homop., ii, p. 566, 1851; iv, p. 1142, 1852.

Emmons, Nat. Hist. N. Y., Ins., p. 156, pl. 3, fig. 15, 1854.

Harris, Treat. Ins. Inj. Veg., edn. 3, p. 221, 1862, Hemiptycha.

Stål, Hemip. Fabr., ii, p. 115, 1869.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869.

Provancher, Pet. Faune Ent. Can., iii, p. 242, pl. 5, fig. 9, 1889.

Van Duzee, Psyche, v, p. 391, 1890.

Goding, Insect Life, v, p. 93, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 210, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 57, 1908.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 168, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

Matausch, Bul. Am. Mus. Nat. Hist., xxxi, p. 333, 1912.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Funkhauser, Ann. Ent. Soc. Am., viii, p. 140, 1915 (life history).

†acuminata Harris, Rept. Ins. Mass., p. 179, 1841, Hemiptycha (female).

Localities: Quebec, Ont., Mass., N. Y., N. J., Pa., N. C., Ohio, Ill.

1616. Thelia uhleri Stål

Stål, Of. Vet. Akad. Forh., xxvi, p. 248, 1869.

Van Duzee, Psyche, v, p. 291, 1890.

Goding, Insect Life, v, p. 93, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 58, 1908.

Localities: Ont., N. Y., Pa., Mich., Ill., Wis., Kans.

Genus Glossonotus Butl. Logotype acuminatus (Fabr.)

Butler, Cist. Ent., ii, p. 222, 1877.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 54, 58, 1908. (Key.)

1617. Glossonotus acuminatus (Fabr.)

Fabricius, Syst. Ent., p. 675, 1775, Membracis.

Goeze, Ent. Beytr., ii, p. 147, 1778, Cicada.

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, 2094, 1788, Cicada.

Fabricius, Ent. Syst., iv, p. 11, 1794, Membracis.

Fabricius, Syst. Rhyng., p. 18, 1803, Centrotus.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 310, pl. 5, fig. 15, 1846, Thelia.

Walker, List Homop., ii, p. 564, 1851, Thelia.

Stål, Hemip. Fabr., ii, p. 115, 1869, Telamona.

Butler, Cist. Ent., ii, p. 222, 1877.

Van Duzee, Psyche, v, p. 391, 1890, Thelia.

Goding, Insect Life, v, p. 93, 1892, Thelia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894, Thelia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 59, 1908.

Felt, 7th Rept. N. Y. Forest, Fish, Game Comm., p. 529, pl. 16, fig. 17, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

Localities: Ont., Mass., N. Y., N. J., Pa., Mich., Ia., Kans., Ark.

1618. Glossonotus turriculatus (Emns.)

Emmons, Nat. Hist. N. Y., Ins., p. 155, pl. 3, fig. 1, 1854, Telamona.

Van Duzee, Psyche, v, p. 391, 1890, Thelia.

Goding, Can. Ent., xxv, p. 196, 1893, Thelia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 59, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

[robinae Fitch MS], Goding, Can. Ent., xxv, p. 196, 1893, Thelia (as synon.).
Localities: Mass., N. Y., N. J., Ohio, Ill.

1619. Glossonotus univittatus (Harr.)

Harris, Rept. Ins. Mass., p. 180, 1841, Membracis.

Walker, List Homop., ii, p. 494, 1851, Enchenopa.

Fitch, Trans. N. Y. St. Agr., Soc., xvi, p. 390, 1856, Thelia.

Harris, Treat Ins. Inj. Veg., edn. 3, p. 223, 1862, Membracis.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Thelia.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 510, 1878, Thelia.

Van Duzee, Psyche, v, p. 391, 1890, Thelia.

Packard, 5th Rept. U. S. Ent. Comm., p. 98, 1890, Thelia.

Goding, Insect Life, v, p. 93, 1892, Thelia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894, Thelia.

Van Duzee, Ent. News, vi, p. 203, 1895, Thelia.

Gillette and Baker, Hemip. Colo., p. 67, 1895, Thelia.

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 111, 1903, Thelia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 59, 1908.

Van Duzee, Can. Ent., xli, p. 382, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

Localities: Ont., Mass., N. Y., N. J., Pa., Ill., Dak., Mont., Colo., N. Mex.

1620. Glossonotus godingi (Van D.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894, Thelia (nomen nudum).

Van Duzee, Ent. News, vi, p. 203, 1895, Thelia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 59, 1908.

Felt, 7th Rept. N. Y. Forest, Fish, Game Comm., p. 529, 1908, Telamona.

Van Duzee, Can. Ent., xli, p. 382, 1909, Thelia.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

†univittata Fitch, Homop., N. Y. St. Cab., p. 52, 1851, Thelia.

Provancher, Pet. Faune Ent. Can., iii, p. 241, 1889, Thelia.

dorsalis Buckton, Monog. Membr., p. 197, pl. 43, fig. 3, 1903, Telamona.

Localities: Quebec, Ont., Mass., N. Y., Colo.

1621. Glossonotus crataegi (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 52, 1851, Thelia.

Walker, List Homop., iv, p. 1144, 1852, Thelia?

Emmons, Nat. Hist. N. Y., Ins., p. 155, pl. 3, fig. 2, 1854, Thelia.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 334, 1856, Thelia.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Thelia.

Saunders, Ins. Inj. to Fruits, p. 46, fig. 37, 1883, Thelia.

Van Duzee, Psyche, v, p. 391, 1890, Thelia.

Goding, Insect Life, v, p. 93, 1892, Thelia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894, Thelia.

Wirtner, Ann. Carn. Mus., iii, p. 211, 1904, Thelia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 59, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

†pyramidoides Smith, Cat. Ins. N. J., edn. 2, p. 85, 1900, Thelia.

Localities: Ont., N. Y., N. J., Pa., Ill., Mo.

Genus Heliria Stål

Logotype cristata (Fairm.)

Stål, Of. Vet. Akad. Forh., xxiv, p. 556, 1867.

Goding, Trans. Am. Ent. Soc., xix, p. 258, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 55, 60, 1908.

1622. Heliria cristata (Fairm.)

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 311, pl. 5, fig. 14, 1846, Thelia. Walker, List Homop., ii, p. 565, 1851, Thelia.

Stål, Of. Vet. Akad. Forh., xxiv, p. 556, 1867; xxvi, p. 249, 1869.

Goding, Can. Ent., xxv, p. 171, 1893.

Fowler, Biol. Centr. Am., Homop., ii, p. 144, pl. 9, fig. 6, 1896, Telamona.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 60, 1908.

Van Duzee, Can. Ent., xli, p. 382, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

fagi Fitch, Homop., N. Y. St. Cab., p. 51, 1851, Telamona.

acclivata Emmons, Nat. Hist. N. Y. Ins., p. 155, pl. 3, fig. 5, 1854, Telamona.

Localities: N. Y., N. J., N. C., Ill.

1623. Heliria scalaris (Fairm.)

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 311, 1846, Thelia.

Walker, List Homop., ii, p. 565, 1851, Thelia.

Stål, Of. Vet. Akad. Forh., xxiv, p. 556, 1867; xxvi, p. 249, 1869.

Provancher, Pet. Faunc Ent. Can., iii, p. 243, 1889, Telamona.

Van Duzee, Psyche, v, p. 390, 1890.

Goding, Ent. News, iii, p. 200, 1892 (male).

Goding, Insect Life, v, p. 93, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894.

Gillette and Baker, Hemip. Colo., p. 67, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 211, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 61, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

†fagi Emmons, Nat. Hist. N. Y., Ins., p. 154, pl. 3, fig. 10, 1854, Telamona. Localities: Quebec, Ont., N. Y., N. J., Pa., Ill., Colo.

1624. Heliria projecta (Butl.)

Butler, Cist. Ent., ii, p. 221, 1877, Telamona.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 120, 1908, Telamona.

cucullata Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 70, 1908, Telamona. Locality: N. Y.

1625. ? Heliria strombergi Godg.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 423, 1894.

Goding, Insect Life, v, p. 93, 1892.

Locality: Ill.

1626. ? Heliria anoflava Buckt.

Buckton, Monog. Membr., p. 198, pl. 43, fig. 4, 1903. Locality: "N. Am."

> Genus **Telamona** Fitch Logotype ampelopsidis Harr.

Fitch, Homop. N. Y. St. Cab., p. 50, 1851.

Stål, Of. Vet. Akad. Forh., xxiv, p. 555, 1867.

Butler, Cist. Ent., ii, p. 220, 1877.

Van Duzee, Psyche, v, p. 391, 1890.

Goding, Trans. Am. Ent. Soc., xix, p. 258, 1892.

Fowler, Biol. Centr. Am., Homop., ii, p. 143, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 55, 61, 1908. (Key.)

1627. Telamona alta Funkh.

Funkhauser, Ent. News, xxvi, p. 97, 1915.

Locality: Ga.

1628. Telamona declivata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 64, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 91, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 50, 1914.

Localities: Me., N. Y., N. J., Ohio, Calif.

1629. Telamona pyramidata Uhl.

Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1333.

Van Duzee, Psyche, v, p. 391, 1890.

Gillette and Baker, Hemip. Colo., p. 67, 1895.

Tucker, Univ. Kans. Sci. Bul., iv, p. 64, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 64, 1908.

Locality: Colo.

[Goding's other localities probably refer to preceding species.]

1630. Telamona barbata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 65, 1908.

Matausch, Bul. Am. Mus., Nat. Hist., xxxi, p. 332, 1912.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 245, 1916.

Localities: N. Y., Ind., N. Mex., Calif.

1631. Telamona viridia Ball

Ball, Proc. Biol. Soc. Wash., xvi, p. 178, pl. 1, fig. 3, 1903.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 66, 1908.

Localities: Ia., Colo.

1632. Telamona obsoleta Ball

Ball, Proc. Biol. Soc. Wash., xvi, p. 178, pl. 1, fig. 2, 1903.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 66, 1908.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 245, 1916.

Localities: N. Y., Ill., Ia., Kans.

1633. Telamona westcotti Godg.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 415, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 66, 1908.

Localities: N. Y., N. C., Ill.

1634. Telamona dubiosa Van D.

Van Duzee, Check List Hemip., p. 59, 1916 (n.n. for irrorata Godg.).

||irrorata Goding, Insect Life, v, p. 93, 1892 (nomen nudum).

Goding, Can. Ent., xxv, p. 172, 1893 (nomen nudum).

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 418, 1894.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Localities: N. Y., N. J., Ill.

1635. Telamona reclivata Fitch

Fitch, Homop. N. Y. St. Cab., p. 51, 1851.

Emmons, Nat. Hist. N. Y., Ins., p. 155, pl. 3, fig. 7, 1854.

Van Duzee, Can. Ent., xxi, p. 6, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 244, 1889.

Van Duzee, Psyche, v, p. 391, 1890.

Goding, Insect Life, v, p. 93, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 188, 1894.

Gillette and Baker, Hemip. Colo., p. 67, 1895.

Slosson, Ent. News, vii, p. 265, 1896.

Wirtner, Ann. Carn. Mus., iii, p. 211, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 67, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

†cyrtops Butler, Cist., Ent., ii, p. 222, 1877.

Localities: Quebec, Ont., N. H., N. Y., N. J., Pa., Ill., Colo., Calif.

1636. Telamona lugubris Ball

Ball, Proc. Biol. Soc. Wash., xvi, p. 179, 1903.

Localities: Ia., Kans.

1637. Telamona decorata Ball

Ball, Proc. Biol. Soc. Wash., xvi, p. 179, pl. 1, fig. 6, 1903.

Localities: N. Y., Ia., Kans., Ark.

1638. Telamona compacta Ball

Ball, Proc. Biol. Soc. Wash., xvi, p. 180, pl. 1, fig. 5, 1903. Localities: Ia., Ark., Colo.

1639. Telamona ehrhorni Ball

Ball, Proc. Biol. Soc. Wash., xvi, p. 180, pl. 1, fig. 4, 1903.

Locality: Ariz.

1640. Telamona molaris Butl.

Butler, Cist. Ent., ii, p. 222, 1877.

Locality: Sask.

1641. Telamona magniloba Godg.

Goding, Insect Life, v, p. 93, 1892 (nomen nudum).

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 422, 1894 (described). Locality: Ill.

1642. Telamona pruinosa Ball

Ball, Proc. Biol. Soc. Wash., xvi, p. 177, pl. 1, fig. 7, 1903.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 50, 1914.
Localities: Ia., Ill., Calif.

1643. Telamona subfalcata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 509, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914. Localities: Ga., Fla.

1644. Telamona querci Fitch

Fitch, Homop. N. Y. St. Cab., p. 51, 1851.

Emmons, Nat. Hist. N. Y., Ins., p. 155, pl. 3, fig. 4, 1854.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 344, 1876.

Goding, Can. Ent., xxv, p. 171, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 67, 1908.

§quercus Walker, List Homop., iv, p. 1145, 1852.

Butler, Cist. Ent., ii, p. 222, 1877.

Smith, Cat. Ins. N. J., edn. 1, p. 441, 1891, Thelia.

brunneipennis Buckton, Monog. Membr., p. 197, pl. 43, fig. 1, 1903.

Localities: Ont., N. Y., D. C., Ohio, Colo., N. Mex., Nev.

1645. Telamona monticola (Fabr.)

Fabricius, Syst. Rhyng., p. 7, 1803, Membracis.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 309, pl. 5, fig. 16, 1846, Thelia.

Stål, Hemip. Fabr., ii, p. 115, 1869.

Butler, Cist. Ent., ii, p. 221, 1877.

Van Duzee, Psyche, v, p. 391, 1890.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 128, 1892.

Goding, Insect Life, v, p. 93, 1892.

Goding, Can. Ent., xxv, p. 171, 1893.

Van Duzee, Bul. Buf. Soc., Nat. Sci., v, p. 188, 1894.

Gillette and Baker, Hemip. Colo., p. 67, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 211, 1904.

Slosson, Ent. News, xvii, p. 326, 1906.

Felt, 7th Rept. N. Y. Forest, Fish, Game. Comm., p. 529, 1908, Thelia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 67, 1908; ix, p. 206, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 8, 1915.

Localities: N. H., N. J., Pa., N. C., Fla., Colo.

1646. Telamona ampelopsidis (Harr.)

Harris, Rept. Ins. Mass., p. 181, 1841, Membracis.

Fitch, Homop. N. Y. St. Cab., p. 51, 1851.

Walker, List Homop., iv, p. 1145, 1852.

Emmons, Nat. Hist. N. Y., Ins., p. 154, pl. 3, fig. 9, 1854.

Harris, Treat. Ins. Inj. Veg., edn. 3, p. 223, 1862, Membracis.

Butler, Cist. Ent., ii, p. 221, 1877.

Van Duzee, Psyche, v, p. 391, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 68, 1908.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 169, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 7, 1915.

[Membracis.

[cissi Harris MS] List Ins. Mass. in Hitchcock, Geol. Mass., p. 584, 1833, cyrtops Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 310, 1846, Thelia.

†monticola Uhler, Stand. Nat. Hist., ii, p. 225, fig. 302, 1884. Localities: Mass., N. Y., N. J., Md., N. C., Ill., Kans., Colo.

1647. Telamona tristis Fitch

Fitch, Homop. N. Y. St. Cab., p. 51, 1851.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 473, 1856.

Rathvon in Mombert, Hist. Lanc. Co., Pa., p. 551, 1869.

Butler, Cist. Ent., ii, p. 221, 1877.

Van Duzee, Can. Ent., xxi, p. 6, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 243, 1889.

Van Duzee, Psyche, v, p. 391, 1890 (as synon. of coryli).

Goding, Insect Life, v, p. 93, 1892.

Goding, Can. Ent., xxv, p. 172, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 68, 1908.

Van Duzee, Can. Ent., xli, p. 382, 1909.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Localities: Quebec, Ont., N. Y., Ill., Mich.

a. var. coryli Fitch

Fitch, Homop. N. Y. St. Cab., p. 51, 1851.

Emmons, Nat. Hist. N. Y., Ins., p. 155, pl. 3, fig. 6, 1854.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 473, 1856.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869.

Butler, Cist. Ent., ii, p. 221, 1877.

Van Duzee, Can. Ent., xxi, p. 6, 1889.

Van Duzee, Psyche, v, p. 391, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 68, 1908.

Van Duzee, Can. Ent., xl, p. 115, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

?spreta Goding, Bul. Ill. St. Lab. Hist., iii, p. 417, 1894.

Localities: Quebec, Ont., N. Y., N. J., Pa., Ill.

1648. Telamona concava Fitch

Fitch, Homop. N. Y. St. Cab., p. 50, 1851.

Butler, Cist. Ent., ii, p. 221, 1877.

Van Duzee, Psyche, v, p. 391, 1890.

Goding, Can. Ent., xxv, p. 172, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 211, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 69, 1908.

Van Duzee, Can. Ent., xli, p. 382, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

ornata Emmons, Nat. Hist. N. Y., Ins., p. 155, pl. 3, fig. 8, 1854.

Localities: N. H., N. Y., N. J., Pa., Mich.

1649. Telamona sinuata Fowl.

Fowler, Biol. Centr. Am., Homop., ii, p. 144, pl. 9, fig. 7, 1896.

Buckton, Monog. Membr., p. 198, pl. 43, fig. 5, 1903.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 69, 1908.

Localities: Ariz.(?). (Mexico.)

1650. Telamona praealta Fowl.

Fowler, Trans. Ent. Soc. Lond. for 1894, p. 420.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Localities: "Saguenay," Quebec (not Brazil), Pa., Fla.

1651. Telamona unicolor Fitch

Fitch, Homop. N. Y. St. Cab., p. 50, 1851.

Emmons, Nat. Hist. N. Y., Ins., p. 154, pl. 3, fig. 3, 1854.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 450, 1856.

Rathvon in Mombert's Hist Lanc. Co., Pa., p. 551, 1869.

Butler, Cist. Ent., ii, p. 220, 1877.

Provancher, Pet. Faune Ent. Can., iii, p. 244 1889.

Van Duzee, Psyche, v, p. 391, 1890 (as synon. of fasciata).

Packard, 5th Rept. U. S. Ent. Comm., p. 325, 1890.

Harrington, Ottawa Nat., vi, p. 30, 1892.

Goding, Insect Life, v, p. 93, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 71, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Matausch, Bul. Am. Mus. Nat. Hist., xxxi, p. 333, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 7, 1915.

Sfasciata Fitch, Homop., N. Y. St. Cab., p. 50, 1851.

Walker, List Homop., iv, p. 1146, 1852.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 451, 1856.

Butler, Cist. Ent., ii, p. 220, 1877.

Provancher, Pet. Faune Ent. Can., iii, p. 244, 1889.

Van Duzee, Psyche, v, p. 391, 1890.

Packard, 5th Rept. U. S. Ent. Comm., p. 325, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 211, 1904.

Van Duzee, Can. Ent., xli, p. 382, 1909.

diffusa Walker, List Homop., Suppl., p. 143, 1858, Hemiptycha.

a. var. irrorata Fitch

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 450, 1856.

Localities: Quebec, Ont., N. Y., N. J., Pa., N. C., Mich., Ill., Ia., Kans., Mo., Texas.

1652. Telamona extrema Ball

Ball, Proc. Biol. Soc. Wash., xvi, p. 179, pl. 1, fig. 1, 1903.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 71, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Localities: Mass., R. I., N. J., Ia., Kans.

1653. Telamona collina (Walk.)

Walker, List Homop., ii, p. 565, 1851, Thelia.

Butler, Cist., Ent., ii, p. 220, 1877.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 71, 1908 (noticed).

Slosson, Ent. News, xxiii, p. 173, 1912 (note without name).

turritella Buckton, Monog. Membr., p. 198, pl. 44, fig. 6, 1903.

Localities: N. Y., Pa., Fla.

1654. Telamona maculata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 72, 1908. Localities: N. Y., Ill.

1655. Telamona excelsa (Fairm.)

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 310, 1846, Thelia.

Walker, List Homop., ii, p. 564, 1851, Thelia.

Stål, Stet. Ent. Zeit., xxiv, p. 71, 1864.

Van Duzee, Psyche, v, p. 391, 1890.

Goding, Insect Life, v, p. 93, 1892.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 422, 1894.

Fowler, Biol. Centr. Am., Homop., ii p. 144, pl. 9, fig. 4, 1896.

Localities: Ill. (?), Mo. (?). (Mexico.)

[Goding's localities probably refer to extrema.]

1656. Telamona mexicana Stål

Stål, Of. Vet. Akad. Forh., xxvi, p. 249, 1869.

Butler, Cist. Ent., ii, p. 222, 1877.

Van Duzee, Psyche, v, p. 391, 1890.

Goding, Ent. News, iii, p. 109, 1892 (or pulchra if n. sp.).

Fowler, Biol. Centr. Am., Homop., ii, p. 144, pl. 9, fig. 5, 1896.

Localities: Calif.(?). (Mexico.)

1657. Telamona conica (Walk.)

Walker, List Homop., ii, p. 557, 1851, Thelia.

Locality: Fla.

[Telamona jugata Uhl. MS.]

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 128, 1892. Locality: Ia.

[Telamona ellae Godg. MS.]

Goding, Insect Life, v, p. 93, 1892.

Genus **Telamonanthe** Bak. Orthotype rileyi Godg.

Baker, Can. Ent., xxxix, p. 115, 1907. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 55, 72, 1908.

1658. Telamonanthe rileyi (Godg.)

Goding, Ent. News, iii, p. 108, 1892, Telamona.

Baker, Can. Ent., xxxix, p. 115, 1907.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 50, 1914.

Qcoquilletti Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 420, 1894, Telamona. Locality: Calif.

1659. Telamonanthe pulchella (Ball)

Ball, Proc. Biol. Soc. Wash., xvi, p. 181, pl. 1, fig. 9, 1903, Telamona.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 72, 1908.

obrevis Ball, Proc. Biol. Soc. Wash., xvi, p. 181, 1903, Telamona. Locality: Colo.

1660. Telamonanthe modesta (Godg.)

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 420, 1894, Telamona. Locality: Ill.

Genus Archasia Stål

Logotype galeata (Fabr.)

Stål, Of. Vet. Akad. Forh., xxiv, p. 556, 1867.

Goding, Trans. Am. Ent. Soc., xix, p. 258, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 54, 73, 1908.

1661. Archasia galeata (Fabr.)

Fabricius, Syst. Rhyng., p. 9, 1803, Membracis.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 309, 1846, Thelia.

Walker, List Homop., ii, p. 563, 1851, Thelia.

Stål, Of. Vet. Akad. Forh., xxvi, p. 250, 1869.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 344, 1876.

Uhler, Stand. Nat. Hist., ii, p. 225, 1884.

Van Duzee, Psyche, v, p. 390, 1890.

Goding, Insect Life, v, p. 93, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 211, 1904.

Felt, 7th Rept. N. Y. Forest, Fish, Game Comm., p. 529, pl. 16, fig. 16, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 73, 1908; ix, p. 207, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 7, 1915.

auriculata Fitch, Homop. N. Y. St. Cab., p. 49, 1851, Smilia.

Emmons, Nat. Hist. N. Y., Ins., p. 153, pl. 3, fig. 12, 1854, Smilia.

Localities: Quebec, Ont., N. Y., N. J., Pa., N. C., Ga., Fla., Il., Ia., Colo., Utah, Texas.

1662. Archasia belfragei Stål

Stål, Of. Vet. Akad. Forh., xxvi, p. 250, 1869.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v p. 189, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 73, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910. Van Duzee, Can. Ent., xliv, p. 326, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 7, 1915.

canadensis Provancher, Pet. Faune Ent. Can., iii, p. 230, 1889.

Localities: Quebec, Ont., Mass., N. Y., N. J., N. C., Ill., Mich.

1663. Archasia pallida (Fairm.)

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 308, 1846, Thelia.

Walker, List Homop., ii, p. 562, 1851, Thelia.

Stål, Of. Vet. Akad. Forh., xxvi, p. 250, 1869.

Locality: "N. Am."

TRIBE SMILIINI Godg.

Goding, Trans. Am. Ent. Soc., xix, p. 257, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 32, 74, 1908. (Key.)

Genus Smilia Germ.

Logotype centralis Germ.

Germar, Silb. Rev. Ent., i, p. 177, 1833; iii, p. 233, 1835.

Burmeister, Handb. d. Ent., ii, p. 137, 1835.

Amyot and Serville, Hémip., p. 538, 1843.

Stål, Of. Vet. Akad. Forh., xxiv, p. 554, 1867.

Goding, Trans. Am. Ent. Soc., xix, p. 257, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 74, 1908.

1664. Smilia camelus (Fabr.)

Fabricius, Syst. Rhyng., p. 10, 1803, Membracis.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 308, 1846, Thelia.

Walker, List Homop., ii, p. 562, 1851, Thelia:

Stål, Hemip. Fabr., ii, p. 115, 1869.

Uhler, Stand. Nat. Hist., ii, p. 225, 1884.

Van Duzee, Can. Ent., xxi, p. 7, 1889.

Goding, Insect Life, v, p. 92, 1892.

Slosson, Ent. News, vi, p. 321, 1895. Wirtner, Ann. Carn. Mus., iii, p. 211, 1904.

Visit Description of the Man New Year of the way 10

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 74, 1908.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 171, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 8, 1915.

vittata Amyot and Serville, Hémip., p. 539, 1843.

Fitch, Homop. N. Y. St. Cab., p. 49, 1851.

Emmons, Nat. Hist. N. Y., Ins., p. 154, pl. 3, fig. 14, 1854.

compressa Buckton, Monog. Membr., p. 191, pl. 41, fig. 6, 1903, Antianthe.

a. var. guttata Fitch

Fitch, Homop. N. Y. St. Cab., p. 49, 1851.

Emmons, Nat. Hist. N. Y., Ins., p. 153, pl. 3, fig. 11, 1854.

b. var. zimmermanni Fairm.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 308, 1846.

c. var. viridis Godg.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 426, 1894.

d. var. silvestri Mtch.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 172, 1910.

Localities: Ont., N. H., Mass., N. Y., N. J., Pa., N. C., Ga., Fla., Ill., Mich., Ia., Mo., Texas.

1665. Smilia fasciata Am. & Serv.

Amyot and Serville, Hémip., p. 539, 1843. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 75, 1908. Localities: Ga., Fla.

Genus Antianthe Fowl. Logotype expansa (Germ.)

Fowler, Biol. Centr. Am., Homop., ii, pp. 89, 137, 1895.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 75, 1908.
|| Janthe Stål, Of. Vet. Akad. Forh., xxiv, p. 554, 1867.
Goding, Trans. Am. Ent. Soc., xix, p. 257, 1892.
Agondas Kirkaldy, Entomol., xxxv, p. 316, 1902.

1666. Antianthe expansa (Germ.)

Germar, Silb. Rev. Ent., iii, p. 245, 1835, Hemiptycha.
Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 309, pl. 5, figs. 6, 7, 1846, Thelia.
Walker, List Homop., ii, p. 563, 1851, Thelia.
Stål, Stet. Ent. Zeit., xxv, p. 71, 1864, Smilia.
Stål, Of. Vet. Akad. Forh., xxiv, p. 554, 1867, Janthe.
Provancher, Pet. Faune Ent. Can., iii, p. 231, 1889, Janthe.
Fowler, Biol. Centr. Am., Homop., ii, p. 137, pl. 8, fig. 21, 1896.
Buckton, Monog. Membr., p. 190, pl. 41, fig. 3, 1903.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 76, 1908.
Van Duzee, Can. Ent., xliv, p. 326, 1912.
cucullata Burmeister, Handb. d. Ent., ii, p. 140, 1835, Hemiptycha.
Localities: Fla., Ariz., Calif. (Mexico.)

Genus Cyrtolobus Godg. Logotype fenestratus (Fitch)

Goding, Trans. Am. Ent. Soc., xix, p. 257, 1892 (n.n. for Cyrtosia Fitch). Fowler, Biol. Centr. Am., Homop., ii, p. 140, 1896.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 74, 76, 1908. (Key.)

||Cyrtosia Fitch, Homop., N. Y. St. Cab., p. 49, 1851.

Cyrtoisa Kirkaldy, Entomol., xxxvi, p. 179, 1903.

Subgenus Cyrtolobus Godg.

Goding, Trans. Am. Ent. Soc., xix, p. 258, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 78, 1908. (Key.)

1667. Cyrtolobus celsus Van D.

Van Duzee, Check List Hemip., p. 60, 1916 (n.n. for †fenestratus Van D.).
†fenestratus Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 81, 1908.
Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.
Localities: Mass., N. Y., N. J., Ga.

1668. Cyrtolobus ovatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 82, 1908; ix, p. 207, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Localities: N. Y., N. J., N. C., Ga., Fla.

1669. Cyrtolobus fuliginosus (Emns.)

Emmons, Nat. Hist. N. Y., Ins., p. 154, pl. 13, fig. 15, 1854, *Cyrtosia*. Goding, Can. Ent., xxv, p. 172, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 82, 1908.

Locality: N. Y.

1670. Cyrtolobus viridis (Emns.)

Emmons, Nat. Hist. N. Y., Ins., p. 154, pl. 3, fig. 13, 1854, Smilia. Goding, Insect Life, v, p. 92, 1892, Atymna.

Localities: N. Y., Pa., Ill.

1671. Cyrtolobus arcuatus (Emns.)

Emmons, Nat. Hist. N. Y., Ins., p. 154, pl. 13, fig. 14, 1854, Cyrtosia.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

†muticus Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 83, 1908 (part). Localities: Mass., R. I., N. Y., Pa., N. C., Ga., Fla., Ohio.

1672. Cyrtolobus fenestratus (Fitch)

Fitch, Momop. N. Y. St. Cab., p. 49, 1851, Cyrtosia.

Walker, List Homop., iv, p. 1147, 1852, Cyrtosia.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 345, 1876; iii, p. 457, 1877, Cyrtosia.

Van Duzee, Psyche, v, p. 388, 1890, Cyrtosia.

Goding, Insect Life, v, p. 92, 1892, Cyrtosia.

Goding, Can. Ent., xxv, p. 172, 1893.

Wirtner, Ann. Carn. Mus., iii, p. 211, 1904.

Van Duzee, Can. Ent., xli, p. 383, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

muticus Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 83, 1908 (part).

Wirtner, Ann. Carn. Mus., iii, p. 211, 1904.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Localities: Mass., N. Y., N. J., Pa., N. C., Ga., Fla., Miss., Ohio, Ill., Colo., Dak.

1673. Cyrtolobus tuberosus (Fairm.)

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 307, 1846, Thelia.

Walker, List Homop., ii, p. 562, 1851, Thelia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 84, 1908.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 8, 1915.

scmifascia Walker, List Homop., ii, p. 561, 1851, Thelia. [1903, Argante. §semifasciata Buckton, Monog. Membr., p. 190, pl. 40, fig. 9, pl. 41, fig. 1,

Localities: Mass., N. Y., N. C., Ga., Fla., Miss., Ill.

1674. Cyrtolobus vanduzii (Godg.)

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 426, 1894, Smilia. grandis, Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 84, 1908.

Localities: Ariz., Calif.

1675. Cyrtolobus sculptus (Fairm.)

Vairmaire, Ann. Boe. Ent. Fr., ser. 2, iv, p. 307, 1846, Thelia.

Walker, List Homop., ii, p. 562, 1851, Thelia.

Mthl, Of. Vet. Akad. Forh., xxiv, p. 554, 1867, Cyrtosia.

Goding, Bul. III. St. Lab. Nat. Hist., iii, p. 432, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 212, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 85, 1908.

Hmith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Localities: N. J., Pa., N. C., Fla., Ohio, Ill., Mich.

1676. Cyrtolobus discoidalis (Emns.)

Emmons, Nat. Hist. N. Y., Ins., p. 157, pl. 13, fig. 4, 1854, Gargara.

Goding, Can. Ent., xxv, p. 172, 1893, Cyrtosia.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 436, 1894, Atymna.

Van Duzoe, Bul. Buf. Soc. Nat. Sci., ix, p. 86, 1908.

Hmith, Cat. Inc. N. J., edn. 3, p. 92, 1910.

Localities: N. Y., N. J., N. C., Ga.

[Cyrtolobus discoidalis of Fowler (Biol. Centr. Am., Homop., ii, p. 141, 1896) and Buckton (Monog. Membr., p. 192, pl. 41, fig. 8, 1903) is quite distinct from this and may be Evashmeadia carinata Stal]

1677. Cyrtolobus cinctus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 86, 1908.

Locality: N. Y.

1678. Cyrtolobus vau (Say)

May, Jl. Acad. Nat. Sci. Phila., vi, p. 299, 1831; Compl. Writ., ii, p. 378,

Fitch, Homop. N. Y. St. Cab., p. 48, 1851, Smilia.

[Membracis.

Walker, List Homop., iv, p. 1142, 1852, Thelia.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 451, 1856, Smilia.

Uhler in Harris, Treat. Ins. Inj. Veg., edn. 3, p. 220, 1862, Smilia.

Uhler, Wheeler's Rept. Chief. Eng. for 1877, p. 1333, Smilia.

Van Dusce, Can. Ent., xxi, p. 7, 1889, Cyrtosia.

Provancher, Pet. Faune Ent. Can., iii, p. 238, 1889, Cyrtosia.

Van Dusee, Psyche, v. p. 389, 1890, Cyrtosia.

Goding, Insect Life, v. p. 92, 1892, Cyrtosia.

Harrington, Ottawa Nat., vi. p. 30, 1892, Cyrtosia.

Van Dusco, Bul. Buf. Soc. Nat. Sci., v. p. 188, 1894.

Gillette and Baker, Hemip. Colo., p. 67, 1895.

Wirtner, Ann. (arn. Mus., iii, p. 212, 1904.

Showan, Nat. News, vvii, p. 326, 1906.

Tucker, Kans. Univ. Sci. Bul., iv. p. 64, 1907.

Van Pusee, Bul. Buf. Sec. Nat. Sci., ix, p. 87, 1948.

Van Dusse, (hu. Ent., xli, p. 353, 1909.

Smith, (ht. Ins. N. J., edn. 3, 92, 1910.

Van Peirce, Cha. Bat., vite, p. 32%, 1912.

Parber, Bul Am. Mus. Nat. Hist., xxxiii, p. 539, 1914.

Marie was Presancher, Pet. Paune Ent. Chin. III. p. 259, 1889. Cyromae.

works the bay MS. Moore, that Bran rather p. 189, 1307.

Smith, Oat, Use, N. J., Six, J. p. 92, 1913.

Conditions: Queeber, Onto, Mer. N. H., Masse, N. F., N. J., Fac. D. C., N. C., Gai, Phys. Rev. Mass., Mos. Ark., Texas. N. Mora, Contr.

1679. Cyrtolobus limus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 87, 1908. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 50, 1914. Localities: Colo., Calif.

1680. Cyrtolobus acutus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 88, 1908. Localities: Colo., Utah, N. Mex., Ariz.

1681. Cyrtolobus maculifrontis (Emns.)

Emmons, Nat. Hist. N. Y., Ins., p. 156, pl. 13, fig. 1, 1854, Gargara. Goding, Can. Ent., xxv, p. 172, 1893, Cyrtosia. Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 436, 1894, Atymna. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 89, 1908. Localities: N. Y., Ga., Ill., Mich., Colo.

1682. Cyrtolobus pallidifrontis (Emns.)

Emmons, Nat. Hist. N. Y., Ins., pl. 13, fig. 7, 1854, Gargara. Goding, Insect Life, v, p. 92, 1892, Cyrtosia. Goding, Can. Ent., xxv, p. 172, 1893.

Localities: N. Y., Ga., Ill.

1683. Cyrtolobus intermedius (Emns.)

Emmons, Nat. Hist. N. Y., Ins., pl. 13, fig. 16, 1854, Cyrtosia. Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 433, 1894. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 90, 1908. Locality: N. Y.

1684. Cyrtolobus inermis (Emns.)

Emmons, Nat. Hist. N. Y., Ins., p. 157, pl. 13, fig. 9, 1854, Gargara. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 188, 1894, Atymna. Goding, Bul. Ill., St. Lab. Nat. Hist., iii, p. 436, 1894, Atymna. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 90, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914, Atymna. Localities: N. J., Utah.

1685. Cyrtolobus griseus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 90, 1908. Locality: Kans.

1686. Cyrtolobus cinereus (Emns.)

Emmons, Nat. Hist. N. Y., Ins., p. 156, pl. 13, fig. 3, 1854, Gargara. Goding, Can. Ent., xxv, p. 172, 1893. Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 436, 1894, Atymna. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 91, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 52, 1910. Van Duzee, Can. Ent., xliv, p. 326, 1912. ornata Provancher, Pet. Faune Ent. Can., iii, p. 240, 1889, Cyrtosia.

Harrington, Ottawa Nat., vi, p. 30, 1892, Cyrtosia. Localities: Quebec, N. Y., N. J.

1687. Cyrtolobus fuscipennis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 91, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Localities: N. Y., N. J.

1688. ?Cyrtolobus maculatus (Buckt.)

Buckton, Monog. Membr., p. 174, pl. 36, fig. 7, 1903, Centrogonia. Locality: N. Y.

[Cyrtolobus gloveri Godg. MS.]

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 434, 1894 (nomen nudum). Glover, MS Notes, Homop., pl. 1, fig. 14 (never published).

Locality: Md.(?).

Subgenus Atymna Stål Haplotype castaneae (Fitch)

Stål, Of. Vet. Akad. Forh., xxiv, p. 554, 1867.

Goding, Trans. Am. Ent. Soc., xix, p. 258, 1892.

Fowler, Biol. Centr. Am., Homop., ii, p. 140, 1896.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 78, 92, 1908. (Key.)

1689. Cyrtolobus simplex Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 93, 1908. Locality: Ariz.

1690. Cyrtolobus castaneae (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 49, 1851, Smilia.

Walker, List Homop., iv, p. 1143, 1852, Thelia.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 470, 1856, Smilia.

Walker, List Homop., Suppl., p. 133, 1858, Smilia.

Stål, Of. Vet. Akad. Forh., xxiv, p. 554, 1867.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Smilia.

Van Duzee, Psyche, v, p. 390, 1890 (as synon. of inornata Say?).

Packard, 5th Rept. U. S. Ent. Comm., p. 350, 1890, Smilia.

Harrington, Ottawa Nat., vi, p. 30, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 188, 1894.

Fowler, Biol. Centr. Am., Homop., ii, p. 140, 1896.

Buckton, Monog. Membr., p. 194, 1903.

Wirtner, Ann. Carn. Mus., iii, p. 212, 1904.

Slosson, Ent. News, xvii, p. 326, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 93, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 92, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 8, 1915.

a. var. lineatus Buckt.

Buckton, Monog. Membr., p. 195, pl. 42, fig. 6, 1903.

b. var. nigricephalus (Emns.)

Emmons, Nat. Hist. N. Y., Ins., p. 157, pl. 13, fig. 5, 1854, Gargara. Localities: Ont., N. H., Mass., N. Y., N. J., Pa., N. C., Ga.

1691. Cyrtolobus helena Woodr.

Woodruff, Jl. N. Y. Ent. Soc., xxiii, p. 45, 1915. Locality: N. Y.

1692. Cyrtolobus querci (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 49, 1851, Smilia.

Walker, List Homop., iv, p. 1143, 1852, Thelia.

Emmons, Nat. Hist. N. Y., Ins., p. 156, pl. 13, fig. 8, 1854, Gargara.

Van Duzee, Psyche, v, p. 390, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 188, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 212, 1904.

Slosson, Ent. News, xvii, p. 326, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 93, 1908.

Matausch, Bul. Am. Mus. Hat. Hist., xxxi, p. 335, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 8, 1915.

Localities: Ont., Conn., N. Y., Pa., N. C., Ga., Ill., Mich., Ia., Mo.

1693. Cyrtolobus inornatus (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 299, 1831; Compl. Writ., ii, p. 378,

Fitch, Homop. N. Y. St. Cab., p. 48, 1851, Smilia.

[Membracis.

Walker, List Homop., iv, p. 1142, 1852, Thelia.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 471, 1856, Smilia.

Walker, List Homop., Suppl., p. 134, 1858, Smilia.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Smilia.

Van Duzee, Psyche, v, p. 389, 1890.

Packard, 5th Rept. U. S. Ent. Comm., p. 350, 1890, Smilia.

Goding, Insect Life, v, p. 92, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 188, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 212, 1904.

Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 8, 1915.

Localities: N. Y., N. J., Pa., Md., N. C., Ill.

Subgenus **Evashmeadea** Godg. Logotype concinnus Godg.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 436, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 78, 94, 1908.

|| Ashmeadea Goding, Trans. Am. Ent. Soc., xix, p. 258, 1892 (nomen nudum).

1694. Cyrtolobus concinnus Godg.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 437, 1894.

Van Duzec, Bul. Buf. Soc. Nat. Sci., ix, p. 94, 1908.

Locality: Ariz.

Subgenus **Xantholobus** Van D. Orthotype inflatus Van D.

or the type wylavae van E.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 78, 95, 1908. (Key.)

1695. Cyrtolobus muticus (Fabr.)

Fabricius, Genera Ins., p. 297, 1776, Membracis.

Fabricius, Species Ins., ii, p. 318, 1781. Membracis.

Fabricius, Mant. Ins., ii, p. 265, 1787, Membracis.

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2093, 1788, Cicada.

Fabricius, Ent. Syst., iv, p. 15, 1794, Membracis.

Fabricius, Syst. Rhyng., p. 21, 1803, Centrotus.

Stål, Hemip. Fabr., ii, p. 25, 1869, Cyrtosia.

Van Duzee, Psyche, v, p. 389, 1890, Cyrtosia.

Van Duzee, Check List Hemip., p. 61, 1916.

[Membracis.

trilineatus Say, Long's 2d Exped., p. 300, 1824; Compl. Writ., i, p. 200, Provancher, Pet. Faune Ent. Can., iii, p. 239, 1889, Cyrtosia.

Van Duzee, Psyche, v, p. 389, 1890, Cyrtosia.

Harrington, Ottawa Nat., vi, p. 30, 1892, Cyrtosia.

Wirtner, Ann. Carn. Mus., iii, p. 212, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 96, 1908.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Localities: Quebec, R. I., N. Y., Pa., Ill.

1696. Cyrtolobus lateralis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 96, 1908. Locality: N. Y.

1697. Cyrtolobus inflatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 97, 1908. Localities: Colo., Ariz.

1698. Cyrtolobus nitidus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 97, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Localities: N. Y., N. J., D. C., Fla.

1699. Cyrtolobus tumidus (Walk.)

Walker, List Homop., ii, p. 560, 1851, Thelia. Locality: Fla.

Genus **Ophiderma** Fairm. Haplotype salamandra Fairm.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 493, 1846. Stål, Of. Vet. Akad. Forh., xxiv, p. 554, 1867. Provancher, Pet. Faune Ent. Can., iii, p. 247, 1889. Goding, Trans. Am. Ent. Soc., xix, p. 258, 1892. Fowler, Biol. Centr. Am., Homop., ii, p. 142, 1896. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 74, 98, 1908. (Key.)

1700. Ophiderma salamandra Fairm.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 493, 1846.

Walker, List Homop., ii, p. 588, 1851.

Slosson, Ent. News, v, p. 5, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 188, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 212, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 99, 1908; ix, p. 207, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914.

Localities: Quebec, Ont., N. H., Mass., N. Y., N. J., Pa., D. C., Va., Ga., Fla., Ill., Mich.

1701. Ophiderma pubescens Emns.

Emmons, Nat. Hist. N. Y., Ins., p. 157, pl. 13, fig. 2, 1854, Gargara. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 99, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.
[obscura Van D. MS] Matausch, Jl. N. Y. Ent. Soc., xviii, p. 169, 1910.
Localities: Mass., N. Y., N. J., Pa., N. C., Ga.

1702. Ophiderma flaviguttula Godg.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 438, 1894. Wirtner, Ann. Carn. Mus., iii, p. 212, 1904. Slosson, Ent. News, xvii, p. 326, 1906 (flavoguttata). Localities: N. H., Pa., Ill.

1703. Ophiderma flavicephala Godg.

Goding, Insect Life, v, p. 93, 1892 (nomen nudum).
Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 439, 1894.
Wirtner, Ann. Carn. Mus., iii, p. 212, 1904.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 100, 1908; ix, p. 207, 1909.
Matausch, Jl. N. Y. Ent. Soc., xviii, p. 169, 1910.
Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 8, 1915.
Localities: Mass., N. Y., N. J., Pa., Md., N. C., Fla.

1704. Ophiderma flava Godg.

Goding, Insect Life, v, p. 93, 1892 (nomen nudum).
Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 439, 1894.
Wirtner, Ann. Carn. Mus., iii, p. 212, 1904.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 100, 1908.
Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.
Van Duzee, Can. Ent., xliv, p. 326, 1912.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 8, 1915.
†inornata Provancher, Pet. Faune Ent. Can., iii, p. 248, 1889.
Localities: Quebec, Mass., N. Y., Pa., N. C., Ill., Mich.

1705. Ophiderma pallida Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 100, 1908. Locality: Ariz.

1706. Ophiderma nigrocincta Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 101, 1908. Locality: Colo.

TRIBE POLYGLYPTINI Godg.

Goding, Trans. Am. Ent. Soc., xix, p. 257, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 32, 101, 1908. (Key.)

Genus **Idioderma** Van D. Orthotype virescens Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 207, 1909.

1707. Idioderma virescens Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 208, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 530, 1914. Locality: Fla.

1708. Idioderma varia Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 208, 1909. Locality: Fla.

Genus Vanduzea Godg. Orthotype arcuata Say

Goding, Trans. Am. Ent. Soc., xix, p. 258, 1892 (nomen nudum).

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 440, 1894 (valid here).

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 102, 1908. (Key.)

Hypamastris Fowler, Biol. Centr. Am., Homop., ii, p. 92, 1895.

1709. Vanduzea arcuata (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 302, 1831; Compl. Writ., ii, p. 380, [Membracis.

Fitch, Homop. N. Y. St. Cab., p. 48, 1851, Carynota.

Walker, List Homop., iv, p. 1144, 1852, Carynota.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Caranota.

Van Duzee, Psyche, v, p. 389, 1890, Ophiderma? (suggests new genus).

Goding, Insect Life, v, p. 93, 1892.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 440, 1894.

Gillette and Baker, Hemip. Colo., p. 68, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 212, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 103, 1908.

Van Duzee, Can. Ent., xli, p. 382, 1909, Carynota.

Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.

Matausch, Bul. Am. Mus. Nat. Hist., xxxi, p. 335, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 9, 1915.

Funkhauser, Psyche, xxii, p. 183, 1915 (life history).

Localities: Ont., N. Y., N. J., Pa., D. C., N. C., Ga., Ohio, Mich., Colo.

1710. Vanduzea triguttata (Burm.)

Burmeister, Silb. Rev. Ent., iv, p. 183, 1836, Entylia.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914.

vestita Goding, Insect Life, v, 93, 1892 (nomen nudum).

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 440, 1894 (described).

Gillette and Baker, Hemip. Colo., p. 68, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 103, 1908; ix, p. 209, 1909.

Ball, Ann. Ent. Soc. Am., viii, p. 368, 1915.

[annexus Uhl. MS] Townsend, Can. Ent., xxiv, p. 196, 1892, Cyrtolobus.

Localities: D. C., Fla., Colo., N. Mex., Ariz.

1711. ? Vanduzea apicalis (Walk.)

Walker, List Homop., ii, p. 533, 1851, Ceresa.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 441, 1894.

Locality: "N. Am."

1712. Vanduzea segmentata (Fowl.)

Fowler, Biol. Centr. Am., Homop., ii, p. 93, pl. 6, fig. 23, 1895, Hypamastris. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 103, 1908.

Localities: Texas, Ariz. (Mexico.)

1713. Vanduzea laeta Godg.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 441, 1894 (Amastris on p. 481). Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 104, 1908.

Locality: Ariz.

Membracidae

1714. Vanduzea bajula Godg.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 437, 1894, Evashmeadea.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 104, 1908.
arizonensis Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 437, 1894, Evash-Locality: Ariz. [meadea.

Genus **Polyglypta** Burm. Haplotype costata Burm.

Burmeister, Handb. d. Ent., ii, p. 142, 1835.
Burmeister, Silb. Rev. Ent., iv, p. 176, 1836.
Amyot and Serville, Hémip., p. 541, 1843.
Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 296, 1846.
Stål, Of. Vet. Akad. Forh., xxiv, p. 553, 1867; xxvi, p. 240, 1869.
Provancher, Pet. Faune Ent. Can., iii, p. 240, 1889.
Goding, Trans. Am. Ent. Soc., xix, p. 257, 1892.
Fowler, Biol. Centr. Am., Homop., ii, p. 121, 1895.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 104, 1908.

1715. Polyglypta dorsalis Burm.

Burmeister, Silb. Rev. Ent., iv, p. 178, 1836. Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 297, 1846. Walker, List Homop., ii, p. 543, 1851. Stål, Stet. Ent. Zeit., xxiv, p. 73, 1864. Stål, Of. Vet. Akad. Forh., xxvi, p. 240, 1869. Butler, Cist. Ent., ii, p. 208, 1877. Provancher, Pet. Faune Ent. Can., iii, p. 241, 1889. Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 394, 1894. Fowler, Biol. Centr. Am., Homop., ii, p. 124, pl. 8, fig. 5, 1895. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 104, 1908. pallipes Burmeister, Silb. Rev. Ent., iv, p. 179, 1836. sicula Amyot and Serville, Hémip., p. 541, 1843. nigella Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 298, 1846. fusca Butler, Cist. Ent., ii, p. 208, pl. 3, fig. 3, 1877. hordeacea Butler, Cist. Ent., ii, p. 209, pl. 3, fig. 4, 1877. Localities: Ga.(?), Texas. (Mexico.)

Genus Entylia Germ. Logotype sinuata (Fabr.)

Germar, Silb. Rev. Ent., i, p. 178, 1833; iii, p. 247, 1835.
Burmeister, Handb. d. Ent., ii, p. 143, 1835.
Burmeister, Silb. Rev. Ent., iv, p. 181, 1836.
Blanchard, Hist. des Ins., Hémip., p. 186, 1840.
Amyot and Serville, Hémip., p. 538, 1843 (Entilia).
Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 299, 1846.
Walker, List Homop., ii, p. 546, 1851.
Stål, Of. Vet. Akad. Forh., xxiv, p. 553, 1867; xxvi, p. 241, 1869.
Goding, Trans. Am. Ent. Soc., xix, p. 257, 1892.
Fowler, Biol. Centr. Am., Homop., ii, p. 129, 1896.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 105, 1908.

1716. Entylia carinata (Forst.)

Forster, Nova Spec. Ins., Cent., i, p. 67, 1771, Cicada. Goeze, Ent. Beytr., ii, p. 148, 1778, Cicada.

Glover, Rept. U. S. Dept. Agr. for 1876, p. 29, fig. 14.

Glover, MS Notes, Homop., pl. 1, fig. 26, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 232, 1889.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Van Duzee, Check List Hemip., p. 61, 1916.

¶[gibbosa Retz.] De Geer, Mémoires, iii, p. 211, pl. 32, figs. 20, 21, 1773 (with-Retzius, Genera et Spec. Ins., p. 80, 1783, Cicada. [out name ¶].

Retzius, Genera et Spec. Ins., p. 80, 1783, Cicada. [out name?] Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2094, 1788, Cicada.

bactriana Germar, Silb. Rev. Ent., iii, p. 248, 1835.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 300, pl. 5, fig. 32, 1846.

Walker, List Homop., ii, p. 547, 1851.

Stål, Of. Vet. Akad. Forh., xxvi, p. 241, 1869.

Butler, Cist. Ent., ii, p. 211, 1877.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 187, 1894.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 397, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 209, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 105, 124, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 9, 1915.

†sinuata Fitch, Homop. N. Y. St. Cab., p. 47, 1851, Entilia.

Emmons, Nat. Hist. N. Y. Ins., p. 153, pl. 13, fig. 11, 1854, Entilia.

Harris, Treat. Ins. Inj. Veg., edn. 3, p. 229, 1862, Membracis.

Provancher, Pet. Faune Ent. Can., iii, p. 232, 1889.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 261, 1910.

indecisa Walker, List. Homop., ii, p. 549, 1851.

†emarginata Emmons, Nat. Hist. N. Y., Ins., p. 153, pl. 13, fig. 13, 1854, impedita Walker, List Homop., Suppl., p. 137, 1858. [Entitia.

vittata Buckton, Monog. Membr., p. 184, pl. 39, fig. 6, 1903, Publilia.

a. var. torva Fitch

Fitch, Homop. N. Y. St. Cab., p. 47, 1851.

accisa Walker, List Homop., ii, p. 548, 1851.

Butler, Cist. Ent., ii, p. 211, 1877.

†sinuata Buckton, Monog. Membr., p. 183, pl. 39, fig. 1, 1903.

†concisa Buckton, Monog. Membr., p. 183, pl. 39, fig. 2, 1903.

b. var. reducta Walk.

Walker, List Homop., ii, p. 549, 1851.

Localities: Quebec, Ont., N. H., N. Y., N. J., Pa., N. C., Mich., Ia., Kans.

1717. Entylia concisa Walk.

Walker, List Homop., ii, p. 547, 1851.

Butler, Cist. Ent., ii, p. 211, 1877.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 105, 1908; ix, p. 209, 1909.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 9, 1915.

decisa Walker, List Homop., ii, p. 548, 1851.

†concava Provancher, Pet. Faune Ent. Can., iii, p. 233, 1889.

Localities: D. C., N. C., Ga., Fla.

1718. Entylia sinuata (Fabr.)

Fabricius, Ent. Syst., Suppl., p. 513, 1798, Membracis.

Fabricius, Syst. Rhyng., p. 7, 1803, Membracis.

Germar, Silb. Rev. Ent., i, p. 178, 1833; iii, p. 248, 1835.

Burmeister, Handb. d. Ent., ii, p. 140, 1835, Hemiptycha.

Amyot and Serville, Hémip., p. 538, 1843, Entilia.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 300, pl. 5, fig. 29, 1846.

Walker, List Homop., ii, p. 546, 1851.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869.

Stål, Hemip. Fabr., ii, p. 28, 1869.

Stål, Of. Vet. Akad. Forh., xxvi, p. 241, 1869.

Butler, Cist. Ent., ii, p. 210, 1877.

Murtfeldt, Ent. Am., iii, p. 177, 1887.

Goding, Insect Life, v, p. 92, 1892.

Rice, Insect Life, v, p. 243, 1893, Entilia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 187, 1894.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 396, 1894 (part).

Fowler, Biol. Centr. Am., Homop., ii, p. 130, pl. 8, fig. 12, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 209, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 105, 1908; ix, p. 209, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 9, 1915.

demarginata Fabricius, Ent. Syst., Suppl., p. 513, 1798, Membracis.

Fabricius, Syst. Rhyng., p. 9, 1803, Membracis.

Stål, Hemip. Fabr., ii, p. 28, 1869 (male of sinuata).

Localities: N. J., N. C., Fla., Miss.

Genus Publilia Stål Orthotype concava (Say)

Stål, Of. Vet. Akad. Forh., xxiv, p. 553, 1867 (nomen nudum).

Stål, Berl. Ent. Zeit., x, p. 387, 1867 (valid here).

Provancher, Pet. Faune Ent. Can., iii, p. 245, 1889.

Goding, Trans. Am. Ent. Soc., xix, p. 257, 1892.

Fowler, Biol. Centr. Am., Homop., ii, p. 131, 1896.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 105, 1908. (Key.)

1719. Publilia concava (Say)

Say, Long's 2d Exped., ii, p. 301, 1824; Compl. Writ., i, p. 200, Membracis.

Germar, Silb. Rev. Ent., iii, p. 249, 1835, Entilia.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 301, 1846, Entylia.

Fitch, Homop. N. Y. St. Cab., p. 47, 1851, Entilia

Walker, List Homop, ii, p. 547, 1851, Entylia.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Ceresa.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 344, 1876.

Provancher, Pet. Faune Ent. Can., iii, p. 245, 1889.

Goding, Insect Life, v, p. 92, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 188, 1894.

Fowler, Biol. Centr. Am., Homop., ii, p. 131, 1896.

Buckton, Monog. Membr., p. 184, pl. 39, fig. 4, 1903, Entylia.

Buckton, Monog. Membr., p. 194, pl. 42, fig. 5, 1903.

Wirtner, Ann. Carn. Mus., iii, p. 210, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 107, 1908.
Matausch, Jl. N. Y. Ent. Soc., xviii, pp. 169, 262, 1910.
Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.
Van Duzee, Can. Ent., xliv, p. 326, 1912.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 9, 1915.
grisea Buckton, Monog. Membr., p. 184, pl. 39, fig. 5, 1903.

a. var. nigridorsum Godg.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 399, 1894.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 188, 1894.
Wirtner, Ann. Carn. Mus., iii, p. 210, 1904.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 106, 1908.

Localities: Quebec, Ont., N. Y., N. J., N. C., Ohio, Ill., Ia., Mo., Kans., Ark., Utah.

1720. Publilia reticulata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 106, 1908.
Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 9, 1915.
Localities: N. J., Pa., N. C., Mo.

1721. Publilia modesta Uhl.

Uhler, Hayden's Surv. Terr. for 1870, p. 472, 1872 (nomen nudum). Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 344, 1876; iii, p. 457, 1877. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1333. Townsend, Can. Ent., xxiv, p. 195, 1892. Goding, Insect Life, v, p. 92, 1892. Gillette and Baker, Hemip. Colo., p. 65, 1895. Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907. Van Duzee, Bul. Soc. Nat. Sci., ix, p. 107, 1908. Ball, Ann. Ent. Soc. Am., viii, p. 368, 1915 (habits). bicinctura Goding, Ent. News, iii, p. 200, 1892. Goding, Insect Life, v, p. 92, 1892. Localities: Dak., Colo., Utah, N. Mex., Ariz., Calif.

Subfamily DARNINAE (Stål)

Stål, Hemip. Afr., iv, p. 83, 1866, Darnida.
Stål, Of. Vet. Akad. Forh., xxiv, p. 556, 1867. (Key.)
Goding, Trans. Am. Ent. Soc., xix, p. 254, 1892.
Fowler, Biol. Centr. Am., Homop., ii, pp. 3, 48, 1894.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 108, 1908.

Genus Aconophora Fairm. Logotype laminata Fairm.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 294, 1846. Stål, Of. Vet. Akad. Forh., xxiv, p. 558, 1867. Stål, Hemip. Fabr., ii, p. 34, 1869. Goding, Trans. Am. Ent. Soc., xix, p. 256, 1892. Fowler, Biol. Centr. Am., Homop., ii, p. 61, 1895. Buckton, Monog. Membr., p. 127, 1902.

1722. ? Aconophora lineosa Walk.

Walker, List Homop., Suppl., p. 134, 1858.

Butler, Cist. Ent., ii, p. 352, 1878.

Locality: "N. Am." (Probably a Platycotis.)

Genus Stictopelta Stål

Haplotype bipunctata Burm.

Stål, Hemip. Fabr., ii, p. 32, 1869.

Goding, Trans. Am. Ent. Soc., xix, p. 115, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 108, 1908.

1723. Stictopelta nova Godg.

Goding, Ent. News, iii, p. 110, 1892.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 446, 1894.

Localities: Ariz., Calif.

1724. Stictopelta marmorata Godg.

Goding, Ent. News, iii, p. 201, 1892.

Townsend, Can. Ent., xxiv, p. 195, 1892.

Goding, Insect Life, v, p. 92, 1892.

Localities: Texas, N. Mex.

1725. Stictopelta arizona Godg.

Goding, Can. Ent., xxvii, p. 276, 1895.

Locality: Ariz.

Subfamily HOPLOPHORINAE (Stål)

Stål, Hemip. Afr., iv, p. 82, 1866, Hoplophorida.

Stål, Hemip. Fabr., ii, p. 37, 1869, Hoplophorida.

Goding, Trans. Am. Ent. Soc., xix, p. 253, 1892.

Fowler, Biol. Centr. Am., Homop. ii, p. 31, 1894.

Van Duzce, Bul. Buf. Soc. Nat. Sci., ix, p. 108, 1908, Hoplophorida.

Genus **Umbonia** Burm. Haplotype spinosa Fabr.

Burmeister, Handb. d. Ent., ii, p. 138, 1835.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 274, 1846.

Stål, Of. Vet. Akad. Forh., xxvi, p. 264, 1869.

Stål, Hemip. Fabr., ii, p. 37, 1869.

Goding, Trans. Am. Ent. Soc., xix, p. 260, 1892.

Buckton, Monog. Membr., p. 83, 1902.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 108, 1908.

1726. Umbonia crassicornis (Am. & Serv.)

Amyot and Serville, Hémip., p. 543, pl. 10, fig. 1, 1843, Physoplia.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 225, 1846.

Stål, Of. Vet. Akad. Forh., xxvi, p. 264, 1869.

Provancher, Pet. Faune Ent. Can., iii, p. 249, 1889, Physoplia.

nigrita Amyot and Serville, Hémip., p. 543, 1843, Physoplia.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 275, pl. 4, figs. 6, 7, 1846.

Walker, List Homop., ii, p. 516, 1851, Physoplia.

Stål, Stet. Ent. Zeit., xxv, p. 69, 1864.

Stål, Of. Vet. Akad. Forh., xxvi, p. 264, 1869.

orozimbo Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 277, pl. 6, fig. 2, 1846. Walker, List Homop., ii, p. 519, 1851.

Stål, Stet. Ent. Zeit., xxv, p. 69, 1864.

Stål, Of. Vet. Akad. Forh., xxvi, p. 265, 1869.

Provancher, Pet. Faune Ent. Can., iii, p. 250, 1889.

Fowler, Biol. Centr. Am., Homop., ii, p. 36, pl. 3, figs. 15-20, 1894.

Buckton, Monog. Membr., pp. 85, 86, pl. 16, figs. 1-4, 1902.

media Walker, List Homop., ii, p. 516, 1851, Physoplia. .

picta Walker, List Homop., Suppl., p. 130, 1858.

decorata Walker, List Homop., Suppl., p. 130, 1858.

intermedia Walker, Ins. Saund., Homop., p. 66, 1858, Physoplia.

Localities: Ohio, S. C., Fla. (Mexico.)

1727. Umbonia amazili Fairm.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 277, 1846. Walker, List Homop., ii, p. 519, 1851.

Localities: "N. Am."

[Buckton, Monog. Membr., p. 89, quotes N. Am. for atalia Fairm., but his determination cannot be trusted.]

Genus Platycotis Stål Haplotype vittata Fabr.

Stål, Hemip. Fabr., ii, pp. 36, 37, 1869.

Goding, Trans. Am. Ent. Soc., xix, p. 260, 1892.

Fowler, Biol. Centr. Am., Homop., ii, p. 41, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix p. 109 1908.

1728. Platycotis vittata (Fabr.)

Fabricius, Syst. Rhyng., p. 20, 1803, Centrotus.

Coquebert, Illust. Icon. Ins., iii, p. 93, pl. 21, fig. 5, 1804, Cercopis.

Fairmaire, Ann. Soc. Ent. Fr. sec. 2, iv, p. 273, 1846, Hoplophora.

Walker, List Homop., ii, p. 511, 1851, Hoplophora.

Stål, Hemip. Fabr., ii, p. 37, 1869.

Buckton, Monog. Membr., p. 130, pl. 27, fig. 7, 1902, Aconophora.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 109, 1908.

sagittata Germar, Mag. d. Ent., iv, p. 19, 1821, Membracis.

Germar, Silb. Rev. Ent., iii, .p. 241, 1835, Hoplophora.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 273, 1846, Hoplophora.

Walker, List Homop., ii, p. 515, 1851, Hoplophora.

Stål, Hemip. Fabr., ii, p. 37, 1869.

Stål, Of. Vet. Akad. Forh., xxvi, p. 263, 1869.

Van Duzee, Psyche, v, p. 389, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 109, 1908; ix, p. 209, 1909.

Van Duzee, Can. Ent., xliv, p. 327, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 9, 1915.

belligera Say, Jl. Acad. Nat. Sci. Phila., vi, p. 302, 1824; Compl. Writ.,

Walker, List Homop., iv, p. 1143, 1852, Thelia. [ii, p. 380, Membracis. §vitrata Burmeister, Handb. d. Ent., ii, p. 134, 1835, Hoplophora.

Blanchard, Hist. des Ins., Hémip., p. 181, 1840, Oxyrachis.

humilis Walker, List Homop., ii, p. 514, 1851, Hoplophora.

viridescens Walker, List Homop., ii, p. 538, 1851, Aconophora.

Stål, Of. Vet. Akad. Forh., xix, p. 491, 1862, Aconophora.

Butler, Cist. Ent., ii, p. 351, 1878, Aconophora.

Fowler, Biol. Centr. Am., Homop., ii, p. 63, 1895, Aconophora.

guttifera Walker, List Homop., ii, p. 539, 1851, Aconophora.

nigro-maculata Provancher, Pet. Faune Ent. Can., iii, p. 251, 1889.

§nigrolineata Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 455, 1894.

a. var. quadrivittata (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 300, 1831; Compl. Writ., ii, p. 379, Walker, List Homop., iv, p. 1143, 1851, Thelia. [Membracis. Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Thelia. Butler, Cist. Ent., ii, p. 351, 1878, Aconophora.

Provancher, Pet. Faune Ent. Can., iii, p. 250, 1889.

Van Duzee, Psyche, v, p. 389, 1890.

Goding, Can. Ent., xxv, p. 172, 1893.

Buckton, Monog. Membr., p. 130, pl. 27, fig. 7, 1903.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 109, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.

Van Duzee, Can. Ent., xliv, p. 326, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 9, 1915.

4-lineata Germar, Silb. Rev. Ent., iii, p. 241, 1835, Hoplophora.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 273, 1846, Hoplophora.

Walker, List Homop., ii, p. 515, 1851, Hoplophora.

Stål, Hemip. Fabr., ii, p. 37, 1869.

Goding, Insect Life, v, p. 93, 1892, Hoplophora.

lineata Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 270, 1846, Hoplophora.

Walker, List Homop., ii, p. 511, 1851, Hoplophora.

porrecta Walker, List Homop., ii, p. 538, 1851, Aconophora.

§rubrivittata Walker, List Homop., ii, p. 537, 1851, Aconophora.

§4-maculata Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 455, 1894.

Localities: N. J., Pa., Md., D. C., N. C., Ga., Fla., Texas, Ariz., Calif., Vanc. Isd. (Mexico.)

1729. Platycotis minax Godg.

Goding, Ent. News, iii, p. 109, 1892.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 51, 1914.

asodalis Goding, Ent. News, iii, p. 110, 1892, Potnia.

Locality: Calif.

Genus Lophopelta Stål

Logotype tuberculata Fairm.

Stål, Hemip. Fabr., ii, p. 37, 1869.

Goding, Trans. Am. Ent. Soc., xix, p. 260, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 108, 1908.

1730. Lophopelta tuberculata (Fairm.)

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 273, pl. 6, fig. 9, 1846, Hoplophora. Walker, List Homop., ii, p. 515, 1851, Hoplophora.

Stål, Hemip. Fabr., ii, p. 37, 1869.

Fowler, Biol. Centr. Am., Homop., ii, p. 42, pl. 4, figs. 2, 3, 1894.

Buckton, Monog. Membr., p. 100, pl. 21, fig. 1, 1902, Platycotis.

Localities: Calif. (Mexico.)

Subfamily MEMBRACINAE (Stål)

Stål, Hemip. Afr., iv, p. 83, 1866, Membracida.
Stål, Hemip. Fabr., ii, p. 38, 1869.
Goding, Trans. Am. Ent. Soc., xix, pp. 253, 258, 1892.
Fowler, Biol. Centr. Am., Homop., ii, p. 3, 1894.
Distant, Fauna Brit. Ind., Rhyn., iv, p. 3, 1908.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 110, 1908. (Key.)

Genus Membracis Fabr. Logotype atrata Fabr.

Fabricius, Syst. Ent., p. 675, 1775. Fabricius, Genera Ins., p. 172, 1777. Thunberg, Charac. Gen. Ins., edn. 2, p. 32, 1791. Walckenaer, Faune Paris., ii, p. 325, 1802. Fabricius, Syst. Rhyng., p. 6, 1803. Latreille, Genera Crust. Ins., iii, p. 158, 1807. Latreille, Consid. Génl., pp. 264, 434, 1810. Germar, Mag. d. Ent., iv, p. 11, 1821. Latreille in Cuvier, Règne Animal, edn. 2, v, p. 219, 1829 (restricted). Burmeister, Handb. d. Ent., ii, p. 135, 1835. Blanchard, Hist. des Ins., Hémip., p. 179, 1840. Amyot and Serville, Hémip., p. 533, 1843. Stål, Hemip. Fabr., ii, p. 38, 1869. Goding, Trans. Am. Ent. Soc., xix, p. 259, 1892. Fowler, Biol. Centr. Am., Homop., ii, p. 4, 1894. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 110, 1908.

1731. Membracis mexicana Guer.

Guerin, Icon. Règne Animal, p. 364, pl. 59, fig. 1, 1843.
Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 248, 1846.
Walker, List Homop., ii, p. 478, 1851.
Stål, Stet. Ent. Zeit., xxv, p. 67, 1864.
Provancher, Pet. Faune Ent. Can., iii, p. 228, 1889.
Fowler, Biol. Centr. Am., Homop., ii, p. 5, pl. 1, figs. 4, 5, 1894.
Buckton, Monog. Membr., p. 35, pl. 2, figs. 5, 6, 1902 (Phyllotropis on p. 41).
stolida Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 248, 1846.
sexmaculata Walker, Ins. Saund., Homop., p. 59, 1858.
Localities: Calif. (Guerin). (Mexico.)

1732. ? Membracis nigra Oliv.

Stoll, Cigales, p. 68, pl. 17, fig. 92, 1788, Cicada (without name).

Olivier, Encyc. Méth., vii, p. 668, 1792 (named).

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 247, 1846.

Walker, List Homop., ii, p. 477, 1851.

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 461, 1894.

Buckton, Monog. Membr., p. 40, 1902, Phyllotropis.

compressa Fabricius, Syst. Rhyng., p. 9, 1803.

Germar, Silb. Rev. Ent., iii, p. 225, 1835.

Localities: "West States" (Goding). (Neotropical.)

[Doubtless a wrong determination.]

Genus Enchophyllum Am. & Serv. Logotype cruentatum (Germ.)

Amyot and Serville, Hémip., p. 534, 1843. Stål, Hemip. Fabr., ii, p. 41, 1869. Fowler, Biol. Centr. Am., Homop., ii, p. 7, 1894.

Subgenus Phyllotropis Stål Haplotype fasciatum (Gmel.)

Stål, Hemip. Fabr., ii, p. 41, 1869.

1733. ? Enchophyllum fasciatum (Gmel.)

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2092, 1767, Membracis.
Fabricius, Mant. Ins., ii, p. 262, 1787, Membracis.
Fabricius, Ent. Syst., iv, p. 9, 1794, Membracis.
Olivier, Encyc. Méth., vii, p. 662, 1794, Membracis.
Fabricius, Syst. Rhyng., p. 9, 1803, Membracis.
Germar, Silb. Rev. Ent., iii, p. 225, 1835, Membracis.
Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 245, 1846, Membracis.
Walker, List Homop., ii, p. 476, 1851, Membracis.
Stål, Hemip. Fabr., ii, p. 41, 1869.
Fowler, Biol. Centr. Am., Homop., ii, p. 7, 1894.
Buckton, Monog. Membr., p. 38, pl. 3, fig. 2, 1902.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 111, 1908.
cucullata Amyot and Serville, Hémip., p. 534, pl. 9, fig. 2, 1843, Membracis.
Localities: "N. Am." (Goding). (Neotropical.)
[Undoubtedly a wrong determination.]

Genus Campylenchia Stål Haplotype curvata (Fabr.)

Stål, Hemip. Fabr., ii, pp. 39, 43, 1869. Goding, Trans. Am. Ent. Soc., xix p. 259, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 111, 1908.

1734. Campylenchia latipes (Say)

Say, Long's 2d Exped., ii, p. 302, 1824; Compl. Writ., i, p. 202, Membracis. Germar, Silb. Rev. Ent., iii, p. 227, 1835, Membracis. Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 252, 1846, Membracis. Fitch, Homop. N. Y. St. Cab., p. 47, 1851, Enchophyllum. Walker, List Homop., ii, p. 482, 1851, Enchenopa. Uhler in Harris, Treat. Ins. Inj. Veg., edn. 3, pl. 221, 1862, Enchenopa. Provancher, Pet. Faune Ent. Can., iii, p. 229, 1889, Enchenopa. Buckton, Monog. Membr., p. 49, pl. 6, fig. 2, 1902, Enchenopa. Van Duzee, Can. Ent., xliv, p. 326, 1912; xlvi, p. 388, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 9, 1915. antonina Walker, List Homop., ii, p. 488, 1851, Enchenopa. venosa Walker, List Homop., ii, p. 488, 1851, Enchenopa. frigida Walker, List Homop., ii, p. 490, 1851, Enchenopa. bimacula Walker, List Homop., ii, p. 491, 1851, Enchenopa. †curvata Stål, Hemip. Fabr., ii, p. 43, 1869. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 343, 1876; iii, p. 457, 1877, Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1333. Van Duzee, Psyche, v, p. 389, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 187, 1894. Gillette and Baker, Hemip. Colo., p. 68, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 213, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 11, 1908.

Van Duzee, Can. Ent., xl, p. 115, 1908.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 170, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910.

Matausch, Bul. Am. Mus. Nat. Hist., xxxi, p. 336, 1912.

Ball, Ann. Ent. Soc. Am., viii, p. 368, 1915.

Localities: Quebec, Ont., Me., Vt., N. Y., N. J., Pa., N. C., Ill., Ia., Kans., Mo., Colo., Wyo., Mont., Texas, N. Mex., Ariz., Calif.

Genus Enchenopa Am. & Serv. Haplotype monoceros Germ.

Amyot and Serville, Hémip., p. 535, 1843.

Walker, List Homop., ii, p. 481, 1851.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 467, 1856.

Stål, Hemip. Fabr., ii, p. 42, 1869.

Goding, Trans. Am. Ent. Soc., xix, p. 259, 1892.

Fowler, Biol. Centr. Am., Homop., ii, p. 8, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 111, 112, 1908.

1735. Enchenopa binotata (Say)

Say, Long's 2d Exped., ii, p. 301, 1824; Compl. Writ., i, p. 201, Membracis.

Germar, Silb. Rev. Ent., iii, p. 226, 1835, Membracis.

Harris, Rept. Ins. Mass., p. 181, 1841, Membracis.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 251, 1846, Membracis.

Fitch, Homop. N. Y. St. Cab., p. 47, 1851, Enchophyllum.

Walker, List Homop., ii, p. 481, 1851.

Emmons, Nat. Hist. N. Y., Ins., p. 156 (Thelia), pl. 13, fig. 17 (Enchophyl-

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 464, 1856.

[lum), 1854.

Uhler in Harris, Treat. Ins. Inj. Veg., edn. 3, p. 221, 1862.

Walsh and Riley, Am. Ent., i, p. 248, 1868, Enchophyllum.

Stål, Of. Vet. Akad. Forh., xxvi, p. 272, 1869.

Riley, Am. Ent., iii, p. 254, 1880, Enchophyllum.

Lintner, 1st Rept. N. Y. St. Ent., p. 281, 1882.

Dimmock, Psyche, iv, 241, 1885.

Van Duzee, Can. Ent., xxi, p. 6, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 229, 1889.

Van Duzee, Psyche, v, p. 389, 1890.

Goding, Insect Life, v, p. 93, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 187, 1894.

Fowler, Biol. Centr. Am., Homop., ii, p. 9, pl. 1, fig. 10, 1894.

Slosson, Ent. News, vii, p. 265, 1896.

Buckton, Monog. Membr., p. 47, pl. 5, fig. 3, 1902.

Wirtner, Ann. Carn. Mus., iii, p. 212, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.

Felt, 7th Rept. N. Y. Forest, Fish, Game Comm., p. 530, pl. 16, fig. 15, 1908.

Howard, Insect Book, p. 238, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 112, 1908.

Van Duzee, Can. Ent., xl, p. 115, 1908. Matausch, Jl. N. Y. Ent. Soc., xviii, p. 170, 1910. Smith, Cat. Ins. N. J., edn. 3, p. 93, 1910. Matausch, Jl. N. Y. Ent. Soc., xx, p. 58, 1912. Matausch, Bul. Am. Mus. Nat. Hist., xxxi, p. 336, 1912. Van Duzee, Can. Ent., xxiv, p. 326, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 10, 1915. Funkhauser, Jl. Econ. Ent., viii, p. 368, 1915 (life history). brevis Walker, List Homop., ii, p. 492, 1851. Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 463, 1894. bifusifera Walker, List Homop., Suppl., p. 125, 1858. Stål, Of. Vet. Akad. Forh., xxvi, p. 273, 1869. Sbivittata Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869. porrecta Buckton, Monog. Membr., p. 51, pl. 6, fig. 5, 1902. Localities: Quebec, Ont., Mass., N. H., N. Y., N. J., Pa., Md., D. C.,

N. C., Fla., Ill., Ia., Mich., Kans., Mo., Texas.

1736. Enchenopa permutata Van D.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 112, 1908.

Localities: Utah, Ariz.

Genus Leioscyta Fowl. Orthotype pallidipennis Stål

Fowler, Biol. Centr. Am., Homop., ii, p. 14, 1894. Buckton, Monog. Membr., p. 54, 1902. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 111, 1908.

1737. Leioscyta ferruginipennis (Godg.)

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 468, 1894, Tropidoscyta. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 113, 1908.
a. var. testacea Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 113, 1908. Localities: Colo., Utah, Ariz., Calif.

1738. Leioscyta pallidipennis (Stål)

Stål, Hemip. Fabr., ii, p. 46, 1869, Tropidoscyta.
 Fowler, Biol. Centr. Am., Homop., ii, p. 14, pl. 1, fig. 21, 1894.
 Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 114, 1908.
 Localities: Ariz. (Mexico.)

Genus Multareis Godg. Orthotype cornutus Godg.

Goding, Can. Ent., xxvii, p. 274, 1895. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 114, 1908.

1739. Multareis cornutus Godg. Goding, Can. Ent., xxvii, p. 275, 1895.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 114, 1908.
Localities: Utah, Calif.

Genus **Tylopelta** Fowl. Haplotype *gibbera* Stål Fowler, Biol. Centr. Am., Homop., ii, p. 15, 1894. Buckton, Monog. Membr., p. 55, 1902. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 111, 1908.

Localities: Texas, Ariz.

1740. Tylopelta gibbera (Stål)

Stål, Hemip. Fabr., ii, p. 46, 1869, Tropidoscyta. Fowler, Biol. Centr. Am., Homop., ii, p. 15, pl. 2, fig. 1, 1894. Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 469, 1894, Tropidoscyta. Buckton, Monog. Membr., p. 55, pl. 7, fig. 7, 1902. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 114, 1908. [idoscyta. americana Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 469, 1894, Trop-

1741. Tylopelta brevis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 115, 1908; ix, p. 209, 1909. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 10, 1915. Localities: N. C., Fla.

> Genus Bolbonota Am. & Serv. Haplotype nisus Germ.

Amyot and Serville, Hémip., p. 537, 1843. Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 257, 1846. Stål, Hemip. Fabr., ii, p. 46, 1869. Goding, Trans. Am. Ent. Soc., xix, p. 259, 1892. Fowler, Biol. Centr. Am., Homop., ii, p. 15, 1894. Buckton, Monog. Membr., p. 61, 1902. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 110, 1908.

> Subgenus Tubercunota Godg. Orthotype melaena Germ.

Goding, Can. Ent., xxv, p. 55, 1893. Fowler, Biol. Centr. Am., Homop., ii, p. 16, 1894.

1742. ? Bolbonota tuberculata Coqueb.

Coquebert, Illust. Icon. Ins., ii, p. 78, pl. 18, fig. 8, 1801, Membracis. Fabricius, Syst. Rhyng., p. 22, 1803, Centrotus. Burmeister, Hand. d. Ent., ii, p. 135, 1835, Membracis. Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 260, 1846. Walker, List Homop., ii, p. 496, 1851. Stål, Hemip. Fabr., ii, p. 46, 1869. Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 470, 1894. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 115, 1908.

Localities: "Fla." (Goding). (Neotropical.)

[Undoubtedly a wrong determination.]

Subgenus Bolbonota Am. & Serv.

Goding, Can. Ent., xxv, p. 55, 1893 (names aureo-sericea Stål type). Fowler, Biol. Centr. Am., Homop., ii, p. 16, 1894.

1743. Bolbonota dubiosa Van D.

Van Duzee, Can. Ent., xlvi, p. 389, 1915 (n.n. for aureoscericea Fowl.). Van Duzee, Check List Hemip., p. 63, 1916.

||aureoscericea Fowler, Trans. Ent. Soc. Lond. for 1894, p. 417. Fowler, Biol. Centr. Am., Homop., ii, p. 16, 1894. Locality: "N. Am."

Genus Centrodontus Godg. Orthotype atlas Godg.

Goding, Ent. News, iii, p. 201, 1892. Goding, Trans. Am. Ent. Soc., xix, p. 253, 1892. †Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 110, 116, 1908.

1744. Centrodontus atlas (Godg.)

Goding, Ent. News, iii, p. 110, 1892, Gargara; iii, p. 201, 1892.
Townsend, Can. Ent., xxiv, p. 196, 1892, Gargara.
Goding, Insect Life, v, p. 92, 1892.
Riley, N. Am. Fauna, vii, p. 250, 1893, Centrotus.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 116, 1908.
Localities: Utah, N. Mex., Ariz., Calif.

Genus Philya Walk. Haplotype bicolor Walk.

Walker, List Homop., Suppl., p. 126, 1858 (not Philya Stål, Hemip. Afr., i, Fowler, Biol. Centr. Am., Homop., ii, p. 21, 1904. [p. 33, 1864). Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 111, 1908.

Aechmophora Stål, Hemip. Fabr., ii, p. 39, 1869.

Goding, Trans. Am. Ent. Soc., xix, p. 260, 1892.

1745. Philya ferruginosa (Godg.)

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 466, 1894, Aechmophora.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 116, 1908.
Locality: Ariz.

1746. Philya californiensis (Godg.)

Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 466, 1894, Aechmophora.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 51, 1914 (descriptive note).
Locality: Calif.
[Goding erroneously credits Sphongophorus ballista Germ. to Ga. It is neotropical.]

Subfamily CENTROTINAE (Spin.)

Spinola, Tavola Sinot., p. 54, 1850, Centrotoideae.

Stål, Hemip. Afr., iv, pp. 83, 86, 1866, Centrotida. (Key.)

Stål, Of. Vet. Akad. Forh., xxvi, p. 280, 1869, Centrotida. (Key.)

Stål, Hemip. Fabr., ii, p. 49, 1869, Centrotida. (Key.)

Stål, Of. Vet. Akad. Forh., xxvii, p. 727, 1870, Centrotina.

Goding, Trans. Am. Ent. Soc., xix, p. 253, 1892.

Fowler, Biol. Centr. Am., Homop., ii, pp. 3, 146, 1894.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 9, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, pp. 31, 116, 1908, Centrotida.

Nudiscuti Amyot and Serville, Hémip., pp. lxii, 549, 1843.

Genus Microcentrus (Stål) Orthotype caryae (Fitch)

Stål, Of. Vet. Akad. Forh., xxvi, p. 295, 1869. Goding, Trans. Am. Ent. Soc., xix, p. 253, 1892. Kirkaldy, Can. Ent., xxxix, p. 249, 1907. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 117, 1908.
Phaulocentrus Fowler, Biol. Centr. Am., Homop., ii, p. 159, 1896.
Centruchoides Fowler, Biol. Centr. Am., Homop., ii, p. 161, 1896.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 117, 1908.

1747. Microcentrus caryae (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 52, 1851, Uroxyphus.

Walker, List Homop., iv, p. 1147, 1851, Centrotus.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 450, 1856, Uroxyphus.

Stål, Of. Vet. Akad. Forh., xvi, p. 295, 1869.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Uroxyphus.

Van Duzee, Psyche, v, p. 391, 1890.

Packard, 5th Rept. U. S. Ent. Comm., p. 324, 1890, Uroxyphus.

Goding, Insect Life, v, p. 92, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 213, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 117, 1908.

Matausch, Jl. N. Y. Ent. Soc., xviii, p. 170, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 94, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 10, 1915.

Localities: Ont., N. Y., N. J., Pa., N. C., Ohio.

1748. Microcentrus perdita (Am. & Serv.)

Amyot and Serville, Hémip., p. 577, pl. 11, fig. 5, 1843, Ledra.

Van Duzee, Trans. Am. Ent. Soc., xxi, p. 256, 1894, Ledra.

Baker, Can. Ent., xxix, p. 38, 1897, Microcentrus.

Osborn, Can Ent., xxix, p. 89, 1897, Centruchus.

Goding, Can. Ent., xxix, p. 245, 1897 (as var. of caryae).

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 111, 1903.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 117, 1908, Centruchoides.

Smith, Cat. Ins. N. J., edn. 3, p. 94, 1910, Centruchoides.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914, Centruchoides.

[capra Melsh. M8] Goding, Can. Ent., xxv, p. 172, 1893.

leibecki Goding, Bul. Ill. St. Lab. Nat. Hist., iii, p. 471, 1894, Centruchus.

Localities: Mass., N. J., Pa., Fla., Colo., N. Mex.

Genus Platycentrus Stål Logotype acuticornis Stål

Stål, Hemip. Fabr., ii, p. 48, 1869 (nomen nudum).
Stål, Of. Vet. Akad. Forh., xxvi, p. 291, 1869 (valid here).
Goding, Trans. Am. Ent. Soc., xix, p. 254, 1892.
Fowler, Biol. Centr. Am., Homop., ii, pp. 147, 148, 1896.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 117, 1908.

1749. Platycentrus acuticornis Stål

Stål, Of. Vet. Akad. Forh., xxvi, p. 291, 1869.
Riley, N. Am. Fauna, vii, p. 250, 1893.
Fowler, Biol. Centr. Am., Homop., ii, p. 148, pl. 9, fig. 10, 1896.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 118, 1908.
Localities: Ariz., Calif. (Mexico.)

Genus Tylocentrus Van D.

Haplotype reticulatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 118, 1908.

Van Duzee, Can. Ent., xli, p. 384, 1909 (cites reticulatus as type).

1750. Tylocentrus reticulatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 119, 1908.

Localities: Texas, Ariz., Utah, Nev.

Genus **Tuberculocentrus** Godg. Haplotype solus Godg.

Goding, Can. Ent., xxvii, p. 275, 1895.

1751. Tuberculocentrus solus Godg.

Goding, Can. Ent., xxvii, p. 276, 1895.

Locality: Calif.

Genus Centrotus Fabr.

Logotype cornutus (Linn.)

Fabricius, Syst. Rhyng., p. 16, 1803.

Germar, Mag. d. Ent., iv, p. 31, 1821.

Fallén, Hemip. Suec., Cicad., p. 8, 1826.

Germar, Silb. Rev. Ent., i, p. 178, 1833; iii, p. 255, 1835.

Burmeister, Handb. d. Ent., ii, p. 131, 1835.

Westwood, Intrd. Mod. Classif. Ins., ii, Synop., p. 116, 1840 (names cornuta

Blanchard, Hist. des Ins., Hémip., p. 182, 1840.

[type).

Amyot and Serville, Hémip., p. 550, 1843.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 509, 1846 (part).

Spinola, Tavola Sinot, p. 54, 1850.

Flor, Rhyn. Livl., ii, p. 102, 1861.

Stål, Hemip. Afr., iv, pp. 88, 93, 1866.

Stål, Of. Vet. Akad. Forh., xxvi, p. 282, 1869.

Fieber, Cicad. d'Eur., i, p. 47, 1875.

Edwards, Hemip. Homop. Brit. Isds., p. 19, pl. 1, fig. 11, 1896.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 45, 1908.

Acanthicus Laporte, Ann. Soc. Ent. Fr., i, p. 227, 1832.

1752. Centrotus cornutus (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 435, 1758, Cicada.

Geoffroy, Hist. Abrég. des Ins., i, p. 423, No. 18, pl. 9, fig. 2, 1762, Cicada.

Scopoli, Ent. Carn., p. 115, 1763, Cicada.

Linnaeus, Syst. Nat., edn. 12, i, p. 705, 1767, Cicada.

Fabricius, Syst. Ent., p. 676, 1775, Membracis.

Goeze, Ent. Beytr., ii, p. 128, 1778, Cicada.

Fabricius, Spec. Ins., ii, p. 317, 1781, Cicada.

Retzius, Genera et Spec. Ins., p. 81, 1783, Cicada.

Fourcroy, Ent. Paris., i, p. 189, 1785, Cicada.

Fabricius, Mant. Ins., ii, p. 264, 1787, Cicada.

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2094, 1788, Cicada.

Fabricius, Ent. Syst., iv, p. 14, 1794, Membracis.

Lamarck, Syst. Anim. s. Vert., p. 292, 1801, Tettigonia.

Walckenaer, Faune Paris., ii, p. 325, 1802, Membracis.

Fabricius, Syst. Rhyng., p. 19, 1803.

Germar, Mag. d. Ent., iv, p. 32, 1821.

Fallén, Hemip. Suec., Cicad., p. 8, 1826.

Latreille in Cuvier, Règne Animal, edn. 2, v, p. 219, 1829.

Burmeister, Handb. d. Ent., ii, p. 132, 1835.

Germar, Silb. Rev. Ent., iii, p. 256, 1835.

Herrich-Schaeffer, Nomen. Ent., i, p. 66, 1835.

Blanchard, Hist. des Ins., Hémip., p. 182, 1840.

Amyot and Serville, Hémip., p. 551, 1843.

Fairmaire, Ann. Soc. Ent. Fr., ser. 2, iv, p. 514, 1846.

Walker, List Homop., ii, p. 610, 1851.

Flor, Rhyn. Livl., ii, p. 104, 1861.

Kirschbaum, Cicad. v. Wiesbd., p. 67, 1868.

Sahlberg, Cicad., p. 98, 1870.

Fieber, Cicad. d'Eur., ii, p. 10, 1876.

Melichar, Cicad. Mitt. Eur., p. 16, figs. 18-22, 1896.

Buckton, Monog. Membr., p. 245, pl. 56, fig. 7, 1903.

Distant, Ann. Mag. Nat. Hist., ser. 8, p. 155, 1916.

Van Duzee, Check List Hemip., p. 63, 1916.

fusca De Geer, Mémoires, iii, p. 118, pl. 11, fig. 22, 1773, Cicada. [trus. rugosus Buckton, Monog. Membr., p. 243, pl. 56, fig. 3, 1903, Campylocen-Localities: Pa. (Ziegler in Mus. Comp. Zool., Cambr.). (Palaearctic.)

Subfamily AETHALIONINAE (Spin.)

Spinola, Tavola Sinot, p. 54, 1850, Aethalionoideae. Ashmead, Ent. Am., v, p. 125, 1889 (as subfam. of Bythoscopidae). Goding, Trans. Am. Ent. Soc., xix, p. 253, 1892, Aethalionini. Fowler, Biol. Centr. Am., Homop., ii, p. 170, 1897.

Genus Aethalion Latr.

Orthotype reticulata (Fabr.)

Latreille, Consid. Gènl., p. 263, 1810.

Hoffmansegg, Wied. Zool. Mag., i, pt. 2, p. 92, 1817, Aethalia.

Germar, Mag. d. Ent., iv, p. 94, 1821, Aethalia.

Latreille in Cuvier, Règne Animal, edn. 2, v, p. 220, 1829.

Germar, Silb. Rev. Ent., i, p. 179, 1833, Aethalia.

Burmeister, Handb. d. Ent., ii, p. 108, 1835, Aethalia.

Blanchard, Hist. des Ins., Hémip., p. 198, 1840.

Amyot and Serville, Hémip., p. 556, 1843.

Spinola, Tavola Sinot., p. 54, 1850.

Signoret, Ann. Soc. Ent. Fr., ser. 2, ix, p. 670, 1851.

Walker, List Homop., iii, p. 646, 1851.

Stål, Hemip. Fabr., ii, p. 49, 1869.

Stål, Of. Vet. Akad. Forh., xxvi, p. 296, 1869.

Goding, Trans. Am. Ent. Soc., xix, p. 253, 1892.

Fowler, Biol. Centr. Am., Homop., ii, p. 170, 1897.

‡Cetalion Leach, Brewster's Edinbg. Encyc., ix, p. 125, 1815.

1753. Aethalion nervoso-punctatum Sign.

Signoret, Ann. Soc. Ent. Fr., ser. 2, ix, p. 679, pl. 14, fig. 10, 1851. Stål, Of. Vet. Akad. Forh., xxvi, p. 299, 1869.

Fowler, Biol. Centr. Am., Homop., ii, p. 172, pl. 10, fig. 20, 1897.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 53, 1907.

Localities: Ariz. (West Indies, Mexico.)

Family CICADELLIDAE (Latr.)

Latreille, Fam. Nat. Règne Animal, p. 427, 1825, Cicadellae. Germar, Silb. Rev. Ent., i, p. 178, 1833 (includes Cercopidae). Burmeister, Handb. d. Ent., ii, p. 103, 1835, Cicadellina. Blanchard, Hist. des Ins., Hémip., p. 187, 1840, Cicadelliens. Walker, List Homop., iii, p. 637, 1851, Cicadellina (includes Cercopidae). Flor, Rhyn. Livl., ii, p. 107, 1861, Cicadellina (includes Cercopidae). Van Duzee, Check List Hemip., p. 63, 1916. Lathrop, Ohio Jl. Sci., xvii, p. 119, 1917 (South Carolina species). Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 79, 1917 (Wisconsin species). Serripedes Amyot and Serville, Hémip., p. 569, 1843. Tettigonitae Spinola, Tavola Sinot., pp. 27, 56, 1850 (includes Cercopidae). Kirkaldy, Haw. S. P. A., Exp. St. Bul., i, p. 295, 1907; iii, pp. 9, 23, Jassina Stål, Stet. Ent. Zeit., xix, p. 234, 1858. [1907. Dohrn, Cat. Hemip., p. 83, 1859. Stål, Stet. Ent. Zeit., xxv, p. 73, 1864. Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 500, 1866, Jassidae. Stål, Hemip. Afr., iv, p. 99, 1866, Jassida. Kirschbaum, Cicad. v. Wiesbd., p. 69, 1868. Stål, Of. Vet. Akad. Forh., xxvii, p. 727, 1870 (includes Membracidae). Sahlberg, Cicad., pp. 67, 99, 1871. Fieber, Kat. Europ. Cicad., p. 8, 1872, Jassida. Fieber, Cicad. d'Eur., i, p. 99, 1875, Jassida. Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 9, 1887, Jassidae. Hansen, Ent. Tidskr., xi, p. 64, 1890, Jassidae (morphology). [fam.). Van Duzee, Trans. Am. Ent. Soc., xix, p. 295, 1892, Jassoidea (Super-Van Duzee, Trans. Am. Ent. Soc., xxi, p. 245, 1894, Jassoidea (Cata-Melichar, Cicad. Mitt. Eur., p. 131, 1896, Jassidae. [logue). Kirkaldy, Transl. of Hansen, Entomol., xxxiii, p. 118, 1900; xxxiv, p. [152, 1901; xxv, pp. 217, 234, 1902. Osborn, 20th Rept. N. Y. St. Ent., p. 500, 1905, Jassoidea. Matsumura, Schrift. Nat. Ges. Danzig, xi, p. 66, 1906, Jassidae. Distant, Fauna Brit. Ind., Rhyn., iv, p. 157, 1908, Jassidae. Smith, Cat. Ins. N. J., edn. 3, p. 99, 1910, Jassoidea. Horvath, Ann. Mus. Natl. Hung., ix, p. 28, 1911, Jassidae.

Subfamily PAROPINAE (Dohrn)

Metcalfe, Ann. Ent. Soc. Am., vi, p. 103, 1913, Jassidae (wing venation).

Dohrn, Cat. Hemip., p. 83, 1859, Paropidae.
Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 500, 1866, Paropidae.
Sahlberg, Cicad., pp. 72, 373, 1871, Paropidea.
Fieber, Kat. Europ. Cicad., p. 7, 1872.
Fieber, Cicad. d'Eur., i, p. 43, 1875.
Melichar, Cicad. Mitt. Eur., p. 130, 1896, Paropidae.
Van Duzee, Check List Hemip., p. 63, 1916.

Koebeliidae Baker, Psyche, viii, p. 76, 1897.

Megophthalminae Kirkaldy, Haw. S. P. A., Exp. St. Bul., i, p. 296, 1906.
Oshanin, Verz. Palae. Hemip., ii, p. 47, 1906.
Kirkaldy, Haw. S. P. A., Exp. St. Bul., iii, pp. 24, 89, 1907.
Oshanin, Kat. Palae. Hemip., p. 99, 1912.

Genus **Koebelia** Bak. Orthotype californica Bak.

Baker, Psyche, viii, p. 76, 1897.

1754. Koebelia californica Bak.

Baker, Psyche, viii, p. 76, 1897.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 248, 1916. Locality: Calif.

1755. Koebelia irrorata Ball

Ball, Can. Ent., xli, p. 185, 1909.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 248, 1916. Localities: Ariz., Calif.

1756. Koebelia coronata Ball

Ball, Can. Ent., xli, p. 185, 1909.

Locality: Calif.

1757. Koebelia grossa Ball

Ball, Can. Ent., xli, p. 185, 1909.

Locality: Calif.

Genus Paropulopa Fieb. Haplotype lineata Fieb.

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 500, 1866.

Kirschbaum, Cicad. v. Wiesbd., pp. 14, 69, 1868.

Fieber, Cicad. d'Eur., i, p. 99, pl. 11, figs. 33, 36, 1875; ii, pl. 9, 1876.

1758. Paropulopa interrupta Ball

Ball, Can. Ent., xxxiv, p. 21, 1902.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 51, 1914, Koebelia. Locality: Calif.

1759. Paropulopa friscana Ball

Ball, Can. Ent., xli, p. 183, 1909.

Locality: Calif.

1760. Paropulopa arborea Ball

Ball, Can. Ent., xli, p. 184, 1909.

Locality: Calif.

1761. Paropulopa californica Ball

Ball, Can. Ent., xli, p. 184, 1909.

Locality: Calif.

Subfamily BYTHOSCOPINAE (Dohrn)

Dohrn, Cat. Hemip., p. 84, 1859, Bythoscopidae.
Fieber, Verh. Zool.-Bot. Ges. Wien, xviii, p. 449, 1868, Bythoscopida.
Sahlberg, Cicad., pp. 68, 113, 1871, Bythoscopidae.
Fieber, Kat. Eur. Hemip., p. 8, 1872, Bythoscopidae.
Fieber, Cicad. d'Eur., ii, p. 100, 1876, Bythoscopidae.
Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 48, 1879, Bythoscopides.

Berg, Hemip. Arg., p. 276, 1879, Bythoscopina.

Ashmead, Ent. Am., iv, p. 67, 1888; v, p. 125, 1889, Bythoscopidae. Van Duzee, Ent. Am., v, p. 165, 1889, Bythoscopidae. (Key.) Van Duzee, Trans. Am. Ent. Soc., xix, p. 296, 1892, Bythoscopidae. Osborn, 20th Rept. N. Y. St. Ent., p. 500, 1905, Bythoscopidae. Matsumura, Schrift. Nat. Ges. Danz., xi, p. 72, 1906, Bythoscopidae. Distant, Fauna Brit. Ind., Rhyn., iv, p. 183, 1908. Agallinae Kirkaldy, Haw. S. P. A., Exp. St. Bul., i, pp. 296, 345, 1906.

Eurymelini Kirkaldy, Haw. S. P. A., Exp. St. Bul., iii, pp. 24, 29, 1907.

Genus Agallia Curt.

Haplotype consobrina Curt. = puncticeps Germ.

Curtis, Ent. Mag., i, p. 193, 1833. Kirschbaum, Die Gatt. Idiocerus, p. 3, 1868. Kirschbaum, Cicad. v. Wiesbd., p. 16, 1868. Fieber, Verh. Zool.-Bot. Ges. Wien, xviii, pp. 450, 462, 1868. Sahlberg, Cicad. p. 151, 1871. Fieber, Cicad. d'Eur., i, p. 103, 1875; ii, pl. 9, 1876. Mayr, Tabellen, p. 27, 1884. Edwards, Trans. Ent. Soc. Lond. for 1886, p. 125. Ashmead, Ent. Am., v, p. 126, 1889. Van Duzee, Ent. Am., v, p. 166, 1889. Provancher, Pet. Faune Ent. Can., iii, p. 296, 1889. Melichar, Cicad. Mitt. Eur., p. 169, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 110, 1896. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 45, 1897.

Subgenus Agalliopsis Kirk. Orthotype novella Say

Kirkaldy, Haw. S. P. A., Exp. St. Bul., iii, p. 31, 1907. Agallia group II, Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 46, 1897.

1762. Agallia novella (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 309, 1831; Compl. Writ., ii, p. 384, Jassus. Van Duzee, Can. Ent., xxi, p. 8, 1889. Van Duzee, Psyche, v, p. 389, 1890. Provancher, Pet. Faune Ent. Can., iii, p. 293, 1890, Idiocerus. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 196, 1894. Slosson, Ent. News, vi, p. 321, 1895. Gillette and Baker, Hemip. Colo., p. 80, 1895. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 54, pl. 1, fig. 2, 1898. Wirtner, Ann. Carn. Mus., iii, p. 218, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 508, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905. Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907. Van Duzee, Can. Ent., xl, p. 116, 1908. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 209, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910. Van Duzee, Can. Ent., xliv, p. 329, 1912. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915. Osborn, Me. Ag. Exp. Sta., Bul. 238, p. 96, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 18, 1915.

De Long, Tenn. St. Bd. Ent., Bul. 17, p. 13, 1916. §nobilis Forbes, 14th Rept. Ill. St. Ent., p. 22, 1884, Macropsis. Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Pa., D. C., Va., N. C., Fla., Ohio, Mich., Ky., Tenn., Mo., Kans., Colo., Vanc. Isd.

1763. Agallia oculata Van D.

Van Duzee, Ent. Am., vi, p. 38, 1890. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 57, 1898. Ball, Psyche, ix, p. 127, 1900. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 51, 1914. Localities: Ont., N. Y., Calif.

Subgenus Agallia Curt.

Kirkaldy, Haw. S. P. A., Exp. St. Bul., iii, pp. 11, 31, 1907.

Agallia Group I, Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 46, 1897.

1764. Agallia 4-punctata Prov. Provancher, Nat. Can., iv, p. 376, 1872, Bythoscopus. Van Duzee, Ent. Am., v, p. 167, 1889. Provancher, Pet. Faune Ent. Can., iii, p. 296, 1890. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 196, 1894. Gillette and Baker, Hemip. Colo., p. 80, 1895. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 48, 1898. Wirtner, Ann. Carn. Mus., iii, p. 218, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 508, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905. Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907. Horvath, Ann. Mus. Natl. Hung., vi, p. 568, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910. Van Duzee, Can. Ent., xliv, p. 329, 1912. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 95, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 17, 1915. De Long, Tenn. St. Bd. Ent., Bul. 17, p. 12, 1916. [flaccida Uhl. MS] Van Duzee, Can. Ent., xxi, p. 9, 1889. [(young). canadensis Van Duzee, Trans. Am. Ent. Soc., xix, p. 301, 1892, Ulopa Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 194, 1894 (young). Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., D. C., N. C., Ga., Fla., Ohio, Ky., Tenn., Ark., Kans., Neb., Ia., Colo., Br. Col., Calif.

1765. Agallia constricta Van D.

Van Duzee, Can. Ent., xxvi, p. 90, 1894.
Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 52, 1898.
Wirtner, Ann. Carn. Mus., iii, p. 218, 1904.
Osborn, 20th Rept. N. Y. St. Ent., p. 508, 1905.
Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 210, 1909.
Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914.
Gibson and Cogan, Ohio Jl. Sci., xvi, p. 71, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 17, 1915. De Long, Tenn. St. Bd. Ent., Bul. 17, p. 13, 1916.

Localities: N. Y., N. J., Pa., N. C., Fla., Ky., Tenn., Miss., Mo., Kans., Texas.

1766. Agallia deleta Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 210, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914. Locality: Fla.

17661/2. Agallia immaculata Lthr.

Lathrop, Ohio Jl. Sci., xvii, p. 120, 1917.

Locality: S. C.

(Probably not distinct from preceding.)

Subgenus Aceratagallia Kirk. Orthotype sanguinolenta Prov.

Kirkaldy, Haw. S. P. A., Exp. St. Bul., iii, pp. 11, 30, Sept., 1907.

Agallia Group III, Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 46, 1897.

¶Ceratagallia Kirkaldy, Haw. S. P. A., Exp. St. Bul., iv, p. 61, May, 1907.

[(Catalogue name.)

1767. Agallia sanguinolenta (Prov.)

Provancher, Nat. Can., iv, p. 376, 1872, Bythoscopus. Van Duzee, Ent. Am., v, p. 166, 1889. Provancher, Pet. Faune Ent. Can., iii, p. 296, 1890. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 196, 1894. Gillette and Baker, Hemip. Colo., p. 81, 1895. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 58, 1898. Wirtner, Ann. Carn. Mus., iii, p. 218, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 508, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905. Van Duzee, Can. Ent., xxxviii, p. 410, 1906. Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907. Van Duzee, Can. Ent., xl, p. 116, 1908; xli, p. 128, 1909. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 210, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910. Van Duzee, Can. Ent., xliv, p. 329, 1912. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 103, fig. 29, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 97, 1915. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 71, 1915. Gibson, Can. Ent., xlviii, p. 178, 1916. Gibson, U. S. Dept. Agr., Farmer's Bul. 737, 1916. De Long, Tenn. St. Bd. Ent., Bul. 17, p. 14, 1916.

siccifolius Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 359, 1876, Bythoscopus. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1334, Bythoscopus. Van Duzee, Can. Ent., xxi, p. 9, 1889.

Localities: Quebec, Ont., Mass., N. Y., N. J., Pa., D. C., Md., Va., N. C., S. C., Fla., Ala., Miss., Ohio, Ky., Tenn., Ind., Ia., Mo., Kans., Ark., Neb., N. D., Colo., Wyo., Utah, N. Mex., Calif., Br. Col.

1768. Agallia uhleri Van D.

Van Duzee, Can. Ent., xxvi, p. 91, 1894.

Gillette and Baker, Hemip. Colo., p. 81, 1895.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 59, 1898.

Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915.

[venata, enervis and longula Uhler MS] (in collections).
Localities: Mo., Ia., Wyo., N. Mex., Ariz., Calif.

1500 4 ... 111 ... 10 4 10 4 70

1769. Agallia gillettei O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 60, 1898. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915.

Localities: Mo., Ariz.

1770. Agallia bigeloviae Bak.

Baker, Psyche, vii, Suppl., i, p. 26, 1896.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 62, 1898 (biglovia).

Kirkaldy, Haw. S. P. A., Exp. St. Bul., iv, p. 61, 1907, Ceratagallia.

Localities: N. Mex., Ariz., Colo. (Mexico.)

1771. Agallia cinerea O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 62, 1898.

Ball, Psyche, ix, p. 128, 1900.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 14, 1916.

inconspicuua Baker, Psyche, viii, p. 198, 1898 (as var. of sanguinolenta)

Localities: Tenn., Ia., Kans., Colo., Ariz., Calif.

1772. Agallia californica Bak.

Baker, Psyche, viii, p. 199, 1898.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech Bul., i, p. 248, 1916.

Locality: Calif.

1773. Agallia lyrata Bak.

Baker, Psyche, viii, p. 199, 1898.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 210, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.

?peregrinans Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 64, 1898. Ball, Psyche, ix, p. 128, 1900.

1774. ?Agallia peregrinans Stål

Localities: Fla. ?, Calif., Vanc. Isd.

•

Stål, Freg. Eug. Resa, Ins., p. 291, 1859, Bythoscopus.

Berg, Hemip. Arg., Add., p. 176, 1884.

Kirkaldy, Ann. Soc. Ent. Belg., li, p. 121, 1907.

Localities: Calif. (?). (Tahiti, Oahu.)

[This may be lyrata as suggested by Ball.]

[Agallia variata Uhl. MS]

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914. Locality: Fla.

Genus Idiocerus Lewis Haplotype adustus H. S.

Lewis, Trans. Ent. Soc. Lond., i, p. 47, 1835. Burmeister, Genera Ins., i, pl. 10, 1838 (Bythoscopus, subgenus). Amyot and Serville, Hémip., p. 585, 1843. Fieber, Verh. Zool.-Bot. Ges. Wien, xviii, p. 450, 1868. Kirschbaum, Die Gatt. Idiocerus, pp. 3, 4, 1868. Kirschbaum, Cicad. v. Wiesbd., pp. 16, 152, 1868. Sahlberg, Cicad., pp. 69, 137, 1871. Fieber, Cicad. d'Eur., i, p. 100, pl. 11, figs. 39, 40, 1875; ii, pl. 9, 1876. Edwards, Ent. Mo. Mag., xx, p. 113, 1883 (table of British species). Mayr, Tabellen, p. 26, 1884. Edwards, Trans. Ent. Soc. Lond. for 1886, p. 114, pl. 2, fig. 4. Ashmead, Ent. Am., v, p. 126, 1889. Van Duzee, Ent. Am., v, p. 166, 1889. Provancher, Pet. Faune Ent. Can., iii, p. 291, 1890. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 12, 1898. (Key.) Kirkaldy, Haw. S. P. A., Exp. St. Bul., iii, p. 29, 1907.

1775. Idiocerus amoenus Van D.

Van Duzee, Can. Ent., xxvi, p. 89, 1894 (amoemus by error).
Gillette and Baker, Hemip. Colo., p. 74, 1895.
Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 135, 1898.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 248, 1916.
a. var. depictus Ball

Ball, Can. Ent., xxxiv, p. 313, 1902.

Localities: Colo., Calif.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 184, 1908.

1776. Idiocerus amabilis Ball

Ball, Can. Ent., xxxiv, p. 306, 1902. Localities: Colo., Br. Col., Calif.

1777. Idiocerus nervatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, pp. 194, 205, 1894.
Gillette and Baker, Hemip. Colo., p. 76, 1895.
Osborn and Ball., Proc. Dav. Acad. Sci., vii, p. 137, 1898.
Wirtner, Ann. Carn. Mus., iii, p. 218, 1904.
Osborn, 20th Rept. N. Y. St. Ent., p. 506, 1905.
Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 211, 1909.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.
Gibson and Cogan, Ohio Jl. Sci., xvi, p. 71, 1915.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 11, 1916.
Localities: N. Y., N. J., Pa., Fla., Mich., Ia., Mo., F

Localities: N. Y., N. J., Pa., Fla., Mich., Ia., Mo., Kans., Colo., Ariz., Calif.

1778. Idiocerus pallidus Fitch

Fitch, Homop. N. Y. St. Cab., p. 59, 1851. Walker, List Homop., iv, p. 1162, 1852, *Bythoscopus*.

1784. Idiocerus rufus G. & B.

Gillette and Baker, Hemip. Colo., p. 80, 1895. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 133, 1898. Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.

a. var. cingulatus Ball

Ball, Can. Ent., xxxiv, p. 312, 1902.

Locality: Colo.

1785. Idiocerus musteus Ball

Ball, Can. Ent., xxxiv, p. 308, 1902. Localities: Calif., Vanc. Isd.

1786. Idiocerus obstinatus Ball

Ball, Can. Ent., xxxiv, p. 310, 1902. Locality: Ariz.

1787. Idiocerus morosus Ball

Ball, Can. Ent., xxxiv, p. 309, 1902.

Locality: Colo.

1788. Idiocerus verrucosus Ball

Ball, Can. Ent., xxxiv, p. 309, 1902. Localities: Colo., Calif.

1789. Idiocerus ensiger Ball

Ball, Can. Ent., xxxiv, p. 308, 1902.

Ball, Ohio Nat., iii, p. 399, 1903.

Localities: Colo., Calif.

1790. Idiocerus productus G. & B.

Gillette and Baker, Hemip. Colo., p. 78, 1895.

Baker, Can. Ent., xxxii, p. 208, 1900.

Slosson, Ent. News, xvii, p. 326, 1906.

Localities: N. H., Colo.

1791. Idiocerus femoratus Ball

Ball, Can. Ent., xxxiv, p. 307, 1902.

Localities: Colo., Calif.

1792. Idiocerus moniliferae O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, pp. 71, 131, pl. 3, fig. 2, 1898. Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.

Localities: Ia., Kans.

1793. Idiocerus scurra (Germ.)

Germar, Fauna Ins. Eur., xvii, p. 11, 1834, Jassus.

Herrich-Schaeffer, Nomen. Ent., i, pp. 69, 112, 1835, Bythoscopus.

Burmeister, Genera Ins., pl. 10, 1838 (listed).

Walker, List Homop., iii, p. 859, 1851, Bythoscopus.

Kirschbaum, Die Gattung Idiocerus, p. 18, 1868 (note).

Kirschbaum, Cicad. v. Wiesbd., p. 160, 1868 (note).

Melichar, Cicad. Mitt. Eur., p. 151, 1896.

Qcrenatus Germar, Fauna Ins. Eur., xvii, p. 10, 1834, Jassus.

Kirschbaum, Cicad. v. Wiesbd., p. 167, 1868, Bythoscopus. germari Fieber, Verh. Zool.-Bot. Ges. Wien, xviii, p. 451, 1868.

gemmisimulans Leonard and Crosby, Jl. Econ. Ent., viii, p. 542, pl. 30, 1915.

Localities: N. Y. (Europe.)

1794. Idiocerus formosus Ball

Ball, Can. Ent., xxxiv, p. 305, 1902.

Slosson, Ent. News, xvii, p. 326, 1906.

Localities: N. H., Colo., Calif.

1795. Idiocerus lachrymalis Fitch

Fitch, Homop. N. Y. St. Cab., p. 58, 1851.

Van Duzee, Can. Ent., xxi, p. 8, 1889.

Van Duzee, Psyche, v, p. 388, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 194, 1894.

Slosson, Ent. News, vi, p. 5, 1895.

Gillette and Baker, Hemip. Colo., p. 76, 1895.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 130, 1898.

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 112, 1903.

Wirtner, Ann. Carn. Mus., iii, p. 218, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 507, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905.

Van Duzee, Can. Ent., xl, p. 116, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910.

Van Duzee, Can. Ent., xliv, p. 329, 1912.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 95, 1915.

†subbifasciatus Provancher, Pet. Faune Ent. Can., iii, p. 292, 1890.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., Colo., N. Mex.

1796. Idiocerus ramentosus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 465, 1877, Bythoscopus.

Van Duzee, Psyche, v, p. 389, 1890.

Gillette and Baker, Hemip. Colo., p. 79, 1895.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 137, 1898.

inscriptus Uhler MS (in collections).

†verticis Provancher, Pet. Faune Ent. Can., iii, p. 292, 1890.

mimicus Gillette and Baker, Hemip. Colo., p. 76, 1895.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 138, 1898. [fig. 3, 1898. brunneus Osborn and Ball, Proc. Dav. Acad. Sci., vii, pp. 72, 129, pl. 3,

Localities: Ia., Neb., Colo., Ariz., Vanc. Isd.

1797. Idiocerus snowi G. & B.

Gillette and Baker, Hemip. Colo., p. 79, 1895.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 129, 1898.

Tucker, Kans. Univ. Sci. Bul., iv. p. 65, 1907.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 71, 1915.

Localities: N. Y., Ohio, Kans., Mo., Colo., Utah, Calif.

1798. Idiocerus dolosus Ball

Ball, Can. Ent., xxxiv, p. 304, 1902. Locality: Colo.

Br. Col.

1799. Idiocerus distinctus G. & B.

Gillette and Baker, Hemip. Colo., p. 75, 1895. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 138, 1898. Locality: Colo.

1800. Idiocerus crataegi Van D.

Van Duzee, Can. Ent., xxii, p. 110, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 194, 1894.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 128, 1898.

Wirtner, Ann. Carn. Mus., iii, p. 218, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 507, 1905.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 71, 1915.

Localities: Ont., N. Y., Pa., Ohio, Ia., Mo., Colo.

1801. Idiocerus provancheri Van D.

Van Duzee, Can. Ent., xxii, p. 111, 1890 (n.n. for tolitellarius Prov.).
Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 194, 1894.
Slosson, Ent. News, vii, p. 265, 1896.
Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 127, 1898.
Wirtner, Ann. Carn. Mus., iii, p. 218, 1904.
Osborn, 20th Rept. N. Y. St. Ent., p. 507, 1905.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905.
Van Duzee, Can. Ent., xxxviii, p. 410, 1906.
Van Duzee, Can. Ent., xliv, p. 328, 1912.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 77, 1916.

†clitellarius Provancher, Pet. Faune Ent. Can., iii, p. 288, 1890, Bythoscopus.

1802. Idiocerus fitchi Van D.

Van Duzee, Can. Ent., xli, p. 383, 1909 (n.n. for maculipennis Fh.).

'maculipennis Fitch, Homop. N. Y. St. Cab., p. 59, 1851.

Walker, List Homop., iv, p. 1161, 1852, Bythoscopus.

Van Duzee, Psyche, v, p. 388, 1890.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 194, 1894.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, pp. 73, 127, pl. 3, fig. 4, 1898.

Wirtner, Ann. Carn. Mus., iii, p. 218, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 507, 1905.

Localities: Ont., Me., N. Y., Pa., Ohio, Ia.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., Pa., Ia., Colo.,

1803. Idiocerus striola Fieb.

Fieber, Verh. Zool.-Bot. Ges. Wien, xvii, p. 453, 1868. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 138, 1898. Ashmead, Harriman Alaska Exped., viii, p. 131, 1904. Locality: Alaska.

Genus Macropsis Lewis Logotype virescens (Gmel.)

Lewis, Trans. Ent. Soc. Lond., i, p. 49, 1835.

[type).

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 117, 1840 (names virescens Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 345, 1906; iii, pp. 30, 36, 1907. Van Duzee, Ottawa Nat., xxvi, p. 69, 1912.

Van Duzee, Check List Hemip., p. 64, 1916.

Pediopsis Burmeister, Gen. Ins., pl. 10, 1838. Amyot and Serville, Hémip., p. 586, 1843.

Stål, Hemip. Afr., iv, p. 128, 1866.

Kirschbaum, Die Gat. Idiocerus, p. 4, 1868.

Kirschbaum, Cicad. v. Wiesbd., pp. 16, 169, 1868.

Fieber, Verh. Zool.-Bot. Ges. Wien, xviii, p. 450, 1868.

Thomson, Opusc. Ent., i, p. 316, 1870.

Sahlberg, Cicad., pp. 68, 116, 1871.

Fieber, Cicad. d'Eur., i, p. 102, 1875; ii, pl. 9, 1876.

Mayr, Tabellen, p. 27, 1884.

Edwards, Trans. Ent. Soc. Lond. for 1886, p. 108.

Ashmead, Ent. Am., v, p. 125, 1889.

Van Duzee, Ent. Am., v, p. 167, 1889 (monograph).

Provancher, Pet. Faune Ent. Can., iii, p. 293, 1890.

Van Duzee, Trans. Am. Ent. Soc., xxi, p. 259, 1894 (catalogue).

Melichar, Cicad. Mitt. Eur., p. 139, 1896.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 111, 1898 (monograph).

1804. Macropsis nubila (Van D.)

Van Duzee, Ent. Am., vi, p. 37, 1890, Pediopsis.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 123, 1898, Bythoscopus.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.

Locality: Calif.

1805. Macropsis punctifrons (Van D.)

Van Duzee, Ent. Am., v, p. 174, 1889, Pediopsis.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 122, 1898, Pediopsis.

Locality: Ariz.

1806. Macropsis reversalis (O. & B.)

Osborn and Ball, Proc. Dav. Acad. Sci., vii, pp. 69, 123, 1898, Pediopsis.

Wirtner, Ann. Carn. Mus., iii, p. 218, 1904, Pediopsis.

Osborn, 20th Rept. N. Y. St. Ent., p. 505, 1905, Pediopsis.

Localities: N. Y., Pa., Ia.

1807. Macropsis gleditschiae O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, pp. 67, 122, 1898, Pediopsis.

Wirtner, Ann. Carn. Mus., iii, p. 218, 1904, Pediopsis.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 16, 1916, Pediopsis.

Localities: Pa., Tenn., Ia., Mo.

1808. Macropsis virescens (Gmel.)

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2111, 1788 (Cicada).

Fabricius, Ent. Syst., iv, p. 46, 1794, Cicada.

Fabricius, Syst. Rhyng., p. 79, 1803, Cicada.

Germar, Mag. d. Ent., iv, p. 45, 1821, Jassus. Fallén, Hemip. Suec., Cicad., p. 52, 1826, Cicada. Herrich-Schaeffer, Nom. Ent., i, p. 69, 1835, Bythoscopus. Lewis, Trans. Ent. Soc. Lond., i, p. 50, pl. 8, fig. 3, 1835. Burmeister, Genera Ins., pl. 10, 1838, Pediopsis. Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 117, 1840 (as type). Amyot and Serville, Hémip., p. 586, 1843, Pediopsis. Walker, List Homop., iii, p. 861, 1851, Bythoscopus. Flor, Rhyn. Livl., ii, p. 188, 1861, Pediopsis. Kirschbaum, Cicad. v. Wiesbd., p. 175, 1868, Pediopsis. Fieber, Verh. Zool.-Bot. Ges. Wien, xviii, p. 458, 1868, Pediopsis. Scott, Ent. Mo. Mag., x, p. 189, 1874, Pediopsis. Edwards, Trans. Ent. Soc. Lond. for 1886, p. 114, Pediopsis. Melichar, Cicad. Mitt. Eur., p. 142, pl. 8, figs. 15-18, 1896, Pediopsis. Edwards, Hemip. Homop. Brit. Isds., p. 96, pl. 11, fig. 9, 1896, Pediopsis. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 90, 1915, Pediopsis.

a. var. graminea (Fabr.)

Fabricius, Ent. Syst. Suppl., p. 521, 1798, Cicada.
Fabricius, Syst. Rhyng., p. 77, 1803, Cicada.
Germar, Mag. d. Ent., iv, p. 81, 1821, Jassus.
Fieber, Verh. Zool.-Bot. Ges. Wien, xviii, p. 459, 1868, Pediopsis.
Oshanin, Verz. Palae. Hemip., ii, p. 73, 1906, Pediopsis.
Osborn, 20th Rept. N. Y. St. Ent., p. 505, 1905, Pediopsis.
Horvath, Ann. Mus. Natl. Hung., vi, p. 6, 1908, Pediopsis.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 90, 1915, Pediopsis.
Localities: N. Y., Me. (Europe.)

1809. Macropsis viridis (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 59, 1851, Pediopsis. Walker, List Homop., iv, p. 1162, 1852, Bythoscopus. Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 467, 1877, Pediopsis. Van Duzee, Can. Ent., xxi, p. 9, 1889, Pediopsis. Van Duzee, Ent. Am., v, p. 170, 1889, Pediopsis. Van Duzee, Psyche, v, pp. 238, 388, 1890, Pediopsis. Provancher, Pet. Faune Ent. Can., iii, p. 294, 1890, Pediopsis. Harrington, Ottawa Nat., vi, p. 31, 1892, Pediopsis. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892, Pediopsis. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 195, 1894, Pediopsis. Van Duzee, Trans. Am. Ent. Soc., xxi, p. 259, 1894, Pediopsis. Gillette and Baker, Hemip. Colo., p. 73, 1895, Pediopsis. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 121, 1898, Pediopsis. Wirtner, Ann. Carn. Mus., iii, p. 217, 1904, Pediopsis. Osborn, 20th Rept. N. Y. St. Ent., p. 504, 1905, Pediopsis. Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905, Pediopsis. Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907, Pediopsis. Van Duzee, Can. Ent., xl, p. 116, 1908, Pediopsis. Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910, Pediopsis. Van Duzee, Ottawa Nat., xxvi, p. 69, 1912. Van Duzee, Can. Ent., xliv, p. 329, 1912. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 71, 1915, Pediopsis. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 89, 1915, Pediopsis.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 17, 1915, Pediopsis.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 16, 1916, Pediopsis.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., Md.,

N. C., Tenn., Mo., Kans., Ia., Colo.

1810. Macropsis occidentalis (Van D.)

Van Duzee, Psyche, v, p. 238, 1889, Pediopsis.
Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 121, 1898, Pediopsis.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.
Localities: Nevada, Calif.

1811. Macropsis suturalis (O. & B.)

Osborn and Ball, Proc. Dav. Acad. Sci., vii, pp. 67, 119, 1898, Pediopsis. Wirtner, Ann. Carn. Mus., iii, p. 217, 1904, Pediopsis.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 92, 1915, Pediopsis.

Localities: Me., N. Y., Pa., Ia.

1812. Macropsis croces (O. & B.)

Osborn and Ball, Proc. Dav. Acad. Sci., vii, pp. 68, 120, 1898, Pediopsis.

Locality: Ky.

1813. Macropsis trivialis (Ball)

Ball, Can. Ent., xxxiv, p. 304, 1902, Pediopsis.
Ball, Ohio Nat., iii, p. 398, 1913, Pediopsis.
Locality: Colo.

1814. Macropsis erythrocephalus (G. & B.)

Gillette and Baker, Hemip. Colo., p. 72, 1895, Pediopsis.
Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 120, 1898, Pediopsis.
Ball, Ohio Nat., iii, p. 398, 1903, Pediopsis.
Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907, Pediopsis.
Locality: Colo.

1815. Macropsis basalis (Van D.)

Van Duzee, Ent. Am., v, p. 171, 1889, Pediopsis.

Provancher, Pet. Faune Ent. Can., iii, p. 295, 1890, Pediopsis.

Van Duzee, Bul. Buf. Soc. Nat. Sci.. v, p. 195, 1894, Pediopsis.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 119, 1898, Pediopsis.

Wirtner, Ann. Carn. Mus., iii, p. 217, 1904, Pediopsis.

Osborn, 20th Rept. N. Y. St. Ent., p. 505, 1905, Pediopsis.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905, Pediopsis.

Van Duzee, Can. Ent., xl, p. 116, 1909, Pediopsis; xliv, p. 329, 1912.

Van Duzee, Ottawa Nat., xxvi, p. 69, 1912.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 90, 1915, Pediopsis.

a. var. fumipennis (G. & B.)

Gillette and Baker, Hemip Colo., p. 73, 1895, *Pediopsis*.

Localities: Quebec, Ont., Me., N. Y., Pa., Ia., Colo.

1816. Macropsis bicolor (Osb.)

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 90, 1915, Pediopsis. Locality: Me.

1817. Macropsis canadensis (Van D.)

Van Duzee, Can. Ent., xxii, p. 111, 1890, Pediopsis (n.n. for †favescens
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 195, 1894, Pediopsis. [Van D.).
Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 118, 1898, Pediopsis.
Osborn, 20th Rept. N. Y. St. Ent., p. 504, 1905, Pediopsis.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905, Pediopsis.
Van Duzee, Ottawa Nat., xxvi, p. 69, 1912.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 93, 1915, Pediopsis.
†flavescens Van Duzee, Ent. Am., v, p. 173, 1889, Pediopsis.
Localities: Quebec, Ont., Me., N. Y.

1818. Macropsis bifasciata (Van D.)

Van Duzee, Ent. Am., v, p. 173, 1889, Pediopsis.
Gillette and Baker, Hemip. Colo., p. 72, 1895, Pediopsis.
Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 118, 1898, Pediopsis.
Wirtner, Ann. Carn. Mus., iii, p. 217, 1904, Pediopsis.
Van Duzee, Can. Ent., xl, p. 116, 1908, Pediopsis.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 93, 1915, Pediopsis.
Localities: Quebec, Ont., Me., N. Y., Pa., Ia., Colo.

1819. Macropsis nigricans Van D.

Van Duzee, Check List Hemip., p. 64, 1916 (n.n. for †trimaculata Van D.).
†trimaculata Van Duzee, Ent. Am., v, p. 172, 1889, Pediopsis.
Van Duzee, Psyche, v, p. 388, 1890, Pediopsis.
Harrington, Ottawa Nat., vi, p. 31, 1892, Pediopsis.
Van Duzee, Trans. Am. Ent. Soc., xxi, p. 260, 1894, Pediopsis.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 195, 1894, Pediopsis.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905, Pediopsis.
Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910, Pediopsis.

† bifasciata Osborn, 20th Rept. N. Y. St. Ent., p. 504, 1905, Pediopsis.
Localities: Ont., N. Y.

1820. Macropsis ferrugineoides (Van D.)

Van Duzee, Ent. Am., v, p. 171, 1889, Pediopsis.
Osborn and Ball, Proc. Dav. Acad. Sci., vii, pp. 66, 117, pl. 2, fig. 4, 1898,
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 92, 1915, Pediopsis.

†bifasciata Gillette and Baker, Hemip. Colo., p. 72, 1895, Pediopsis.

Localities: Me., Ia., Neb., Colo., Mont.

1821. Macropsis trimaculata (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 60, 1851, Pediopsis.

Walker, List. Homop., iv, p. 1162, 1852, Bythoscopus.
Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 116, 1898, Pediopsis.
Ball, Ohio Nat., iii, p. 398, 1903, Pediopsis.
Wirtner, Ann. Carn. Mus., iii, p. 217, 1904, Pediopsis.
Osborn, 20th Rept. N. Y. St. Ent., p. 504, 1905, Pediopsis.
Van Duzee, Can. Ent., xli, p. 383, 1909, Pediopsis; xliv, p. 329, 1912.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 91, 1915, Pediopsis.
insignis Van Duzee, Ent. Am., v, p. 171, 1889, Pediopsis.
Van Duzee, Can. Ent., xxii, p. 249, 1899, Pediopsis.

Van Duzee, Can. Ent., xxii, p. 249, 1890, Pediopsis.

Provancher, Pet. Faune Ent. Can., iii, p. 295, 1890, Pediopsis.

Harrington, Ottawa Nat., vi, p. 31, 1892, Pediopsis.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892, Pediopsis.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 195, 1894, Pediopsis.

Localities: Quebec, Ont., Me., N. Y., Pa., Mich., Ia., Kans., Colo.

1822. Macropsis sordida (Van D.)

Van Duzee, Can. Ent., xxvi, p. 89, 1894, Pediopsis.
Gillette and Baker, Hemip. Colo., p. 73, 1895, Pediopsis.
Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 116, 1898, Pediopsis.
Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910, Pediopsis.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 91, 1915, Pediopsis.
Localities: Me., N. J., Colo.

1823. Macropsis tristis (Van D.)

Van Duzee, Can. Ent., xxii, p. 249, 1890, Pediopsis.
Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892, Pediopsis.
Osborn and Ball, Proc. Dav. Acad. Sci., vii, pp. 66, 115, pl. 2, fig. 3, 1898, Ball, Ohio Nat., iii, p. 398, 1903, Pediopsis.

[Pediopsis.]
Wirtner, Ann. Carn. Mus., iii, p. 217, 1904, Pediopsis.

Localities: Pa., Ia., Colo.

Genus Oncopsis Burm. Logotype flavicollis (Linn.)

Burmeister, Genera Ins., pl. 10, 1838. [typo). Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 117, 1840 (names flavicollis Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 345, 1906; iii, p. 30, 1907. Van Duzee, Ottawa Nat., xxvi, p. 69, 1912.

Bythoscopus Amyot and Serville, Hémip., p. 584, 1843.

Kirschbaum, Die Gatt. Idiocerus, p. 4, 1868. Kirschbaum, Cicad. v. Wiesbd., p. 16, 1868. Fieber, Verh. Zool.-Bot. Ges. Wien, xviii, p. 450, 1868. Fieber, Kat. Eur., Cicad., p. 8, 1872. Fieber, Cicad. d'Eur., i, p. 102, 1875; ii, pl. 9, 1876. Berg, Hemip. Arg., p. 276, 1879. Mayr, Tabellen, p. 27, 1884. Edwards, Trans. Ent. Soc. Lond. for 1886, p. 105. Ashmead, Ent. Am., v, p. 126, 1889. Van Duzee, Ent. Am., vi, p. 221, 1890 (monograph). Provancher, Pet. Faune Ent. Can., iii, p. 287, 1890. Van Duzee, Trans. Am. Ent. Soc., xxi, p. 257, 1894. Melichar, Cicad. Mitt. Eur., p. 136, 1896. Edwards, Hemip. Homop. Brit. Isds., p. 87, 1896. †Athysanus Fitch, Homop. N. Y. St. Cab., p. 60, 1851. †Macropsis Kirkaldy, Entomol., xxxiv, p. 240, 1901.

1824. Oncopsis variabilis (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 60, 1851, Athysanus.

Walker, List Homop., iii, p. 876, 1851, Bythoscopus.

Fitch, Trans. N. Y. St. Agr. Soc., xviii, p. 853, 1858, Athysanus.

Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Athysanus.

Van Duzee, Can. Ent., xxi, p. 9, 1889, Pediopsis.

Van Duzee, Psyche, v, p. 390, 1890, Bythoscopus.

Van Duzee, Ent. Am., vi, p. 223, 1890, Bythoscopus.

Packard, 5th Rept. U. S. Ent. Comm., p. 512, 1890, Athysanus.

Harrington, Ottawa Nat., vi, p. 31, 1892, Bythoscopus.

Harrington, Can. Ent., xxvi, p. 16, 1894, Bythoscopus.

Van Duzee, Trans. Am. Ent. Soc., xxi, p. 257, 1894, Bythoscopus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v. p, 194, 1894, Bythoscopus. Slosson, Ent. News, v, p. 265, 1896, Bythoscopus. Wirtner, Ann. Carn. Mus., iii, p. 217, 1904, Bythoscopus. Osborn, 20th Rept. N. Y. St. Ent., p. 501, 1905, Bythoscopus. Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910, Bythoscopus. Van Duzee, Can. Ent., xliv, p. 328, 1912. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 88, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 17, 1915. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 248, 1916. dabietis Fitch, Homop., N. Y. St. Cab., p. 60, 1851, Athysanus. Walker, List Homop., iv, p. 1162, 1852, Bythoscopus. Fitch, Trans. N. Y. St. Agr. Soc., xvii, p. 748, 1857, Athysanus. Fitch, Trans. N. Y. St. Agr. Soc., xviii, p. 854, 1858, Athysanus. Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Athysanus. Packard, 5th Rept. U. S. Ent. Comm., pp. 512, 854, 1890, Athysanus. ?flavus Walker, List Homop., iii, p. 875, 1851, Bythoscopus. †clitellarius Provancher, Nat. Can., iv, p. 377, 1872, Macropsis. §variegatus Provancher, Pet. Faune Ent. Can., iii, p. 289, 1889, Bythoscopus.

a. var. coloradensis (Bak.)

Baker, Psyche, viii, p. 198, 1898, Bythoscopus.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., N. C., Colo., Calif., Br. Col.

1825. Oncopsis sobrius (Walk.)

Walker, List Homop, iii, p. 874, 1851, Bythoscopus.

Van Duzee, Ent. Am., vi, p. 224, 1890, Bythoscopus.

Harrington, Ottawa Nat., vi, p. 31, 1892, Bythoscopus.

Slosson, Ent. News, v, p. 5, 1894, Bythoscopus.

Harrington, Can. Ent., xxvi, p. 16, 1894, Bythoscopus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 195, 1894, Bythoscopus.

Osborn, 20th Rept. N. Y. St. Ent., p. 502, 1905, Bythoscopus.

Van Duzee, Can. Ent., xl, p. 115, 1908, Bythoscopus.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 88, 1915.

Localities: Quebec, Ont., Me., N. H., N. Y.

1826. Oncopsis cognatus (Van D.)

Van Duzee, Ent. Am., vi, p. 225, 1890, Bythoscopus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 195, 1894, Bythoscopus.

Slosson, Ent. News, xiii, p. 321, 1902, Bythoscopus.

Osborn, 20th Rept. N. Y. St. Ent., p. 503, 1905, Bythoscopus.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905, Bythoscopus.

Van Duzee, Can. Ent., xl, p. 116, 1908.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 89, 1915.

Localities: Quebec, Ont., Me., N. H., N. Y., Manitoba.

1827. Oncopsis truncatus (Bak.)

Baker, Psyche, viii, p. 198, 1898, Bythoscopus.

Locality: Mich.

1828. Oncopsis fitchi Van D.

Van Duzee, Check List. Hemip., p. 65, 1916 (n.n. for fenestratus Fh.).

[fenestratus Fitch, Homop. N. Y. St. Cab., p. 60, 1851, Athysanus.]

Walker, List Homop., iv, p. 1162, 1852, Bythoscopus. Fitch, Trans. N. Y. St. Agr. Soc., xviii, p. 853, 1858, Athysanus. Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Athysanus. Van Duzee, Can. Ent., xxi, p. 9, 1889, Pediopsis. Van Duzee, Psyche, v, p. 390. 1890, Bythoscopus. Van Duzee, Ent. Am., vi, p. 225, 1890, Bythoscopus. Provancher, Pet. Faune Ent. Can., iii, p. 289, 1890, Bythoscopus. Packard, 5th Rept. U. S. Ent. Comm., p. 512, 1890, Athysanus. Harrington, Ottawa Nat., vi, p. 31, 1892, Bythoscopus. Van Duzee, Trans. Am. Ent. Soc., xxi, p. 258, 1894, Bythoscopus. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 195, 1894, Bythoscopus. Gillette and Baker, Hemip. Colo., p. 72, 1895, Bythoscopus. Slosson, Ent. News, vii, p. 265, 1896, Bythoscopus. Wirtner, Ann. Carn. Mus., iii, p. 217, 1904, Bythoscopus. Osborn, 20th Rept. N. Y. St. Ent., p. 503, 1905, Bythoscopus. Van Duzee, Can. Ent., xxxviii, p. 410, 1906, Bythoscopus. Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910, Bythoscopus. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 88, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 17, 1915. Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., N. C., Colo.

1829. Oncopsis pruni (Prov.)

Provancher, Pet. Faune Ent. Can., iii, p. 290, 1890, Bythoscopus. Van Duzee, Ent. Am., vi, p. 226, 1890, Bythoscopus. Harrington, Ottawa Nat., vi, p. 31, 1892, Bythoscopus. Slosson, Ent. News, v, p. 5, 1894, Bythoscopus. Harrington, Can. Ent., xxvi, p. 16, 1894, Bythoscopus. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 195, 1894, Bythoscopus. Gillette and Baker, Hemip. Colo., p. 72, 1895, Bythoscopus. Osborn, 20th Rept. N. Y. St. Ent., p. 503, 1905, Bythoscopus. Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905, Bythoscopus. Van Duzee, Can. Ent., xxxviii, p. 410, 1906, Bythoscopus. Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910, Bythoscopus. Van Duzee, Can. Ent., xliv, p. 328, 1912. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 87, 1915. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 248, 1916. Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Colo.,

Sask., Calif., Br. Col.

1830. Oncopsis minor (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 60, 1851, Athysanus. Walker, List Homop., iii, p. 876, 1851, Bythoscopus. Fitch, Trans. N. Y. St. Agr. Soc., xviii, p. 583, 1858, Athysanus. Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 551, 1869, Athysanus. Van Duzee, Ent. Am., vi, p. 227, 1890, Bythoscopus. Van Duzee, Psyche, v, p. 390, 1890, Bythoscopus. Packard, 5th Rept. U. S. Ent. Comm., p. 512, 1890, Athysanus. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 195, 1894, Bythoscopus. Osborn, 20th Rept. N. Y. St. Ent., p. 503, 1905, Bythoscopus. Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905, Bythoscopus. Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910, Bythoscopus.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 88, 1915. ocellatus Provancher, Nat. Can., iv, p. 377, 1872, Macropsis. Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Md.

1831. Oncopsis nigrinasi (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 61, 1851, Athysanus. Walker, List Homop., iv, p. 1162, 1852, Bythoscopus. Van Duzee, Psyche, v, p. 390, 1890, Bythoscopus. Van Duzee, Ent. Am., vi, p. 228, 1890, Bythoscopus. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 195, 1894, Bythoscopus. Wirtner, Ann. Carn. Mus., iii, p. 217, 1904, Bythoscopus. Osborn, 20th Rept. N. Y. St. Ent., p. 503, 1905, Bythoscopus. Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910, Bythoscopus. Van Duzee, Can. Ent., xliv, pp. 328, 329, 1912. Osborn, Me. Ag. Exp. Sta., Bul. 238, p. 89, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 17, 1915. flavescens Provancher, Nat. Can., iv, p. 376, 1872, Pediopsis. Provancher, Pet. Faune Ent. Can., iii, p. 295, 1890, Pediopsis. †fenestratus Provancher, Pet. Faune Ent. Can., iii, p. 289, 1890, Bythoscopus. Localities: Quebec, Ont., Me., N. Y., N. J., Pa., Md., N. C.

1832. Oncopsis fagi (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 61, 1851, Athysanus. Walker, List Homop., iv, p. 1162, 1852, Bythoscopus. Osborn, 20th Rept. N. Y. St. Ent., p. 504, 1905, Bythoscopus. Locality: N. Y.

1833. Oncopsis distinctus (Van D.)

Van Duzee, Ent. Am., vi, p. 224, 1890, Bythoscopus. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 195, 1894, Bythoscopus. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 65, 1898, Bythoscopus. Wirtner, Ann. Carn. Mus., iii, p. 217, 1904, Bythoscopus. Osborn, 20th Rept. N. Y. St. Ent., p. 504, 1905, Bythoscopus. Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907, Bythoscopus. Smith, Cat. Ins. N. J., edn. 3, p. 102, 1910, Bythoscopus. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 71, 1915, Bythoscopus. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 17, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 15, 1916, Bythoscopus. Localities: Ont., N. Y., N. J., Pa., Md., N. C., Ohio, Tenn., Ill., Mo., Kans.

Genus Straganiopsis Bak. Orthotype idioceroides Bak.

Baker, Invert. Pacif., i, p. 10, 1903. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 31, 1907.

1834. Straganiopsis idioceroides (Bak.)

Baker, Psyche, ix, p. 55, 1900, Macropsis.

Locality: N. Mex.

Genus Bythoscopus Germ. Logotype lanio (Linn.)

Germar, Silb. Rev. Ent., i, p. 180, 1833. Kirkaldy, Entomol., xxxiv, p. 340, 1901.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 345, 1906; iii, p. 31, 1907. Distant, Fauna Brit. Ind., Rhyn., iv, p. 190, 1908. Van Duzee, Ottawa Nat., xxvi, p. 69, 1912.

†Jassus Leach, Brewster's Edinbg. Encyc., ix, p. 125, 1815.

Fallén, Hemip. Suec., Cicad., p. 58, 1826 (names lanio pseudotype).

Batracomorphus Lewis, Trans. Ent. Soc. Lond., i, p. 51, 1835.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 117, 1840.

Kirkaldy, Entomol., xxxiv, p. 219, 1901 (names irroratus type).

†Macropsis Amyot and Serville, Hémip., p. 585, 1843.

Fieber, Verh. Zool.-Bat. Ges. Wien, xviii, p. 449, 1868.

Stål, Hemip. Afr., iv, p. 126, 1866.

Kirschbaum, Cicad. v. Wiesbd., p. 16, 1868.

Sahlberg, Cicad., p. 113, 1871.

Fieber, Cicad. d'Eur., i, p. 101, 1875.

Mayr, Tabellen, p. 26, 1884.

Edwards, Trans. Ent. Soc. Lond. for 1886, p. 104.

Ashmead, Ent. Am., v, p. 126, 1889.

Van Duzee, Ent. Am., v, p. 165, 1889.

Van Duzee, Trans. Am. Ent. Soc., xxi, p. 256, 1894.

Ball, Psyche, ix, p. 128, 1900.

Oshanin, Verz. Palae. Hemip., ii, p. 67, 1906.

Oshanin, Kat. Palae. Hemip., p. 101, 1912.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 9, 1916.

Stragania Stål, Rio Jan. Hemip., ii, p. 49, 1862.

Fowler, Biol. Centr. Am., Homop., ii, p. 316, 1903.

Pachyopsis Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 466, 1877. (Type Ashmead, Ent. Am., v, p. 126, 1889. [laetus Uhl.)

Van Duzee, Ent. Am., v, p. 165, 1889.

Gargaropsis Fowler, Biol. Centr. Am., Homop., ii, p. 167, 1896.

1835. Bythoscopus laetus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 466, 1877, Pachyopsis. Gillette and Baker, Hemip. Colo., p. 71, 1895, Pachyopsis. Ball, Ohio Nat., iii, p. 397, 1903, Macropsis.

a. var. paetus Ball.

Ball, Psyche, ix, p. 130, 1900, Macropsis.

Locality: Colo.

1836. Bythoscopus apicalis (O. & B.)

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 64, pl. 2, fig. 1, 1898, Macropsis. Ball, Psyche, ix, p. 129, 1900, Macropsis.

Gibson, Ohio Jl. Sci., xvi, p. 71, 1915, Macropsis.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 9, 1916.

alabamensis Baker, Psyche, ix, p. 58, 1900, Macropsis.

Localities: Ala., Ohio, Tenn., Ia., Neb., Kans., Mo.

1837. Bythoscopus robustus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 467, 1877, Pachyopsis. Gillette and Baker, Hemip. Colo., p. 72, 1895, Pachyopsis. Ball, Ohio Nat., iii, p. 398, 1903, Macropsis.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 209, 1909, Macropsis.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.

Localities: Fla., Ala., La., Texas, N. Mex., Ariz., Colo., Calif.

1838. Bythoscopus misellus (Stål)

Stål, Stet. Ent. Zeit., xxv, p. 85, 1864, Stragania.

Ball, Psyche, ix, p. 129, 1900, Macropsis.

Baker, Invert. Pacif., i, p. 11, 1903 (copies Stål's description).

Localities: Colo.(?), N. Mex.(?). (Mexico.)

1839. Bythoscopus rufoscutellatus (Bak.)

Baker, Psyche, ix, p. 58, 1900, Macropsis.

Localities: Colo., Nev.

1840. Bythoscopus bisignatus (Ball)

Ball, Can. Ent., xxxiv, p. 303, 1902, Macropsis.

Ball, Ohio Nat., iii, p. 398, 1903, Macropsis.

Locality: Colo.

1841. Bythoscopus franciscanus (Bak.)

Baker, Invert. Pacif., i, p. 12, 1903, Macropsis.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.

Locality: Calif.

1842. Bythoscopus humilis (Stål)

Stål, Stet. Ent. Zeit., xxv, p. 85, 1864, Stragania.

Baker, Invert. Pacif., i, p. 11, 1903, Macropsis (copies Stal's description).

Ball, Ohio Nat., iii, p. 398, 1903, Macropsis.

Localities: Colo. (Mexico.)

1843. Bythoscopus ater (Bak.)

Baker, Psyche, ix, p. 56, 1900, Macropsis.

Ball, Psyche, ix, p. 130, 1900, Macropsis.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.

Qmagnus Baker, Psyche, ix, p. 57, 1900, Macropsis.

Locality: Calif.

1844. Bythoscopus californicus (Bak.)

Baker, Psyche, ix, p. 57, 1900, Macropsis.

Ball, Psyche, ix, p. 129, 1900, Macropsis.

Localities: Colo., Calif.

1845. Bythoscopus grandis (Ball)

Ball, Can. Ent., xli, p. 186, 1909, Macropsis.

Localities: Colo., Utah, Ariz.

Subfamily CICADELLINAE Van D.

Van Duzee, Check List Hemip., p. 65, 1916.

Tettigonioideae Spinola, Tavola Sinot., pp. 56, 57, 1850.

Sahlberg, Clead., p. 67, 1871, Tettigonides.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 357, 1876, Tettigonidae.

Mayr, Tabellen, p. 28, 1884, Tettigonidae. [(Family.)

Osborn, Ent. Am., i, p. 26, 1885, Tettigonidae. (Family.)

Edwards, Trans. Ent. Soc. Lond. for 1886, p. 45, Tettigonidae. (Family.) Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 14, 1887, Tettigonidae. Van Duzee, Trans. Am. Ent. Soc., xix, p. 297, 1892, Tettigonidae. Tettigoniellidae Melichar, Wien. Ent. Zeit., xxiv, p. 298, 1905. [(Family.) Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 98, 1915. (Key.) Tetigoninae Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 318, 1906.

TRIBE CICADELLINI Van D.

Van Duzee, Check List Hemip., p. 65, 1916.

Tettigonides Amyot and Serville, Hémip., p. 569, 1843.

Walker, List Homop., iii, p. 732, 1851.

Dohrn, Cat. Hemip., p. 88, 1859, Tettigonidae.

Fieber, Cat. Eur. Cicad., p. 9, 1872, Tettigoninae.

Fieber, Cicad. d'Eur., i, p. 106, 1875, Tettigonidae.

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 45, 1879.

Berg, Hemip. Arg., p. 249, 1879, Tettigoniina.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 297, 1892, Tettigoniina.

Fowler, Biol. Centr. Am., Homop., ii, p. 207, 1897, Tettigoniidae.

Ball, Proc. Ia. Acad. Sci., viii, p. 38, 1901, Tettigoniina.

Oshanin, Verz. Palae. Hemip., ii, p. 50, 1906, Tettigoniina.

Matsumura, Schrift. Nat. Ges. Danzig, xi, p. 72, 1906, Tettigoninae.

Proconiida Stål, Hemip. Fabr., ii, p. 79, 1869.

Stål, Of. Vet. Akad. Forh., xxvii, p. 733, 1870, Proconiina.

Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 14, 1887, Proconina.

Tetigoniini Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 318, 1906; iii,

[pp. 85, 86, 1907.

Tettigoniellini Jacobi Sitz. Ges. Nat. Freund. for 1905, p. 165.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 200, 1908. [goniellinae.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914, Tetti-

Genus Oncometopia Stål Logotype undata (Fabr.)

Stål, Hemip. Fabr., ii, pp. 60, 62, 1869.

Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 14, 1887.

Fowler, Biol. Centr. Am., Homop., ii, p. 227, 1899.

Ball, Proc. Ia. Acad. Sci., viii, p. 41, 1901.

†Proconia Amyot and Serville, Hémip., p. 571, 1843.

[1854.

Tettigonia Groupe I, ser. 3, Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 357,

1846. Oncometopia undata (Fabr.)

Fabricius, Ent. Syst., iv, p. 32, 1794, Cicada.

Fabricius, Ent. Syst., Suppl., p. 516, 1798, Cicada.

Coquebert, Illust. Icon. Ins., i, p. 32, pl. 8, fig. 3, 1799, Cicada.

Fabricius, Syst. Rhyng., p. 62, 1803, Cicada.

Germar, Mag. d. Ent., iv, p. 61, 1821, Tettigonia.

Burmeister, Handb. d. Ent., ii, p. 119, 1835, Tettigonia.

Blanchard, Hist. des Ins., Hémip., p. 192, 1840, Cicada.

Walker, List Homop., iii, p. 783, 1851, Proconia.

Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 486, pl. 17, fig. 5, 1854, Tettigonia.

Stål, Hemip. Fabr., ii, p. 62, 1869.

Riley, Am. Ent., i, p. 19, 1869, Proconiae.

Uhler, Stand. Nat. Hist., ii, p. 248, 1884.

Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 15, pl. 2, figs. 10-14, 1887. Provancher, Pet. Faune Ent. Can., iii, p. 265, 1889, Proconia. Harrington, Ottawa Nat., vi, p. 31, 1892. Fowler, Biol. Centr. Am., Homop., ii, p. 231, pl. 14, figs. 19, 20, 1899. Ball, Proc. Ia. Acad. Sci., viii, p. 41, 1901. Wirtner, Ann. Carn. Mus., iii, p. 219, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 509, 1905. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 211, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 110, 1910. Van Duzee, Can. Ent., xliv, p. 327, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 18, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 18, 1916. orbona Fabricius, Ent. Syst., Suppl., p. 520, 1798, Cicada. Fabricius, Syst. Rhyng., p. 72, 1803, Cicada. [Tettigonia. Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 485, pl. 17, fig. 3, 1854. Walker, List Homop., Suppl., p. 225, 1858, Proconia. Van Duzee, Trans. Am. Ent. Soc., xxi, p. 265, 1894. nigricans Walker, List. Homop., iii, p. 783, 1851, Proconia. clarior Walker, List Homop., iii, p. 784, 1851, Proconia. lucernea Walker, List Homop., iii, p. 785, 1851, Proconia. Walker, List Homop., Suppl., p. 225, 1858, Proconia. marginata Walker, List Homop., iii, p. 785, 1851, Proconia. Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 487, 1854, Tettigonia. badia Walker, List Homop., iii, p. 786, 1851, Proconia. Walker, List Homop., Suppl., p. 225, 1858, Proconia. Van Duzee, Ent. News, v, p. 157, 1894, Gypona? [Proconia. scutellata Walker, List Homop., iii, p. 786, 1851; Suppl., p. 225, 1858, tenebrosa Walker, List Homop., iii, p. 787, 1851, Proconia. plagiata Walker, List Homop., iii, p. 788, 1851, Proconia. alpha Fowler, Biol. Centr. Am., Homop., ii, p. 232, pl. 14, fig. 22, 1899. fobtusa Fabricius, Ball, Proc. Ia. Acad. Sci., viii, p. 43, 1901.

a. var. garryae Ckl.

Cockerell, Ann. Mag. Nat. Hist., ser. 7, xii, p. 453, 1903.

Localities: Quebec, Mass., N. J., Pa., N. C., Ga., Fla., Texas, N. Mex. (Mexico.)

1847. Oncometopia lateralis (Fabr.)

Fabricius, Ent. Syst., Suppl., p. 524, 1798, Cercopis.
Coquebert, Illust. Icon. Ins., i, p. 35, pl. 9, fig. 3, 1799, Cercopis.
Fowler, Biol. Centr. Am., Homop., ii, p. 241, pl. 15, fig. 18, 1899.
Ball, Proc. Ia. Acad. Sci., viii, p. 44, 1901.
Osborn, 20th Rept. N. Y. St. Ent., p. 509, 1905.
Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iv, p. 61, 1907.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 99, 1915.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 18, 1915.

Fowler, Biol. Centr. Am., Homop., ii, p. 228, 1899.

Osborn, Ohio Nat., ix, p. 460, 1909.

DeLong, Tenn. St. Bd. Ent., Eul. 17, p. 18, 1916. [alis Fabr. marginella Fabricius, Syst. Rhyng., p. 96, 1803, Cercopis (n.n. for later-Kirby in Richardson, Fauna Bor. Am., iv, p. 285, 1837, Cercopis. costalis Fabricius, Syst. Rhyng., errata, 1803 (n.n. for marginella Fabr.). Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 359, pl. 12, fig. 8, 1854, Tetti-Walker, List Homop., Suppl., p. 224, 1858, Proconia. Stål, Hemip. Fabr., ii, p. 118, 1869. Uhler, Wheeler's Surv. 100th Merid., v, p. 842, 1875, Proconia. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 357, 1876; iii, p. 459, 1877; [iv, p. 510, 1878, Proconia. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1334, Proconia. Uhler, Stand. Nat. Hist., ii, p. 249, 1884, Proconia. Woodworth, Bul. Ill St. Lab. Nat. Hist., iii, p. 17, 1887. Van Duzee, Can. Ent., xxi, p. 9, 1889. Provancher, Pet. Faune Ent. Can., iii, p. 265, 1889, Proconia. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 125, 1892, Proconia. Harrington, Ottawa Nat., vi, p. 31, 1892. Cockerell, Trans. Am. Ent. Soc., xx, p. 365, 1893, Proconia. Slosson, Ent. News, v, p. 5, 1894. Van Duzee, Ent. News, v, p. 156, 1894. Van Duzee, Trans. Am. Ent. Soc., xxi, p. 265, 1894. Gillette and Baker, Hemip. Colo., p. 81, 1895. Van Duzee, Trans. Am. Ent. Soc., xxix, p. 112, 1903. Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904. Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905. Tucker, Univ. Kans. Sci. Bul., iv, p. 66, 1907. Van Duzee, Can. Ent., xl, p. 157, 1908. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 212, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 100, 1910. Van Duzee, Can. Ent., xliv, p. 327, 1912. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915. striata Walker, List Homop., iii, p. 775, 1851, Tettigonia. Signoret, Ann. Soc. Ent. Fr., ser. 3, i, p. 682, 1853, Tettigonia. lugens Walker, List Homop., iii, p. 775, 1851, Tettigonia. pyrrhotelus Walker, List Homop., iii, p. 775, 1851, Tettigonia.

Localities: Quebec, Ont., Me., N. H., N. Y., N. J., N. C., Fla., Kans., Colo., Utah, N. Mex., Ariz., Calif., Br. Col.

a. var. limbata (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 340, 1825; Compl. Writ., ii, p. 258, Tetti-Signoret, Ann. Soc. Ent. Fr., ser. 3, iii, p. 821, 1855, Tettigonia. [gonia. Van Duzee, Psyche, v, p. 389, 1890.

Ball, Proc. Ia. Acad. Sci., viii, p. 45, 1901.

septentrionalis Walker, List Homop., Suppl., p. 193, 1858, Tettigonia. Localities: Mich., Mo., Dak., Ia., Colo., Calif., Br. Am.

Genus **Homalodisca** Stål

Logotype triquetra (Fabr.)

Stål, Hemip. Fabr., ii, pp. 60, 63, 1869. Ball, Proc. Ia. Acad. Sci., viii, p. 46, 1901.

Distant, Ann. Mag. Nat. Hist., ser. 8, ii, p. 80, 1908 (cites triquetra as type).

1848. Homalodisca triquetra (Fabr.)

Fabricius, Syst. Rhyng., p. 63, 1803, Cicada.

Signoret, Ann. Soc. Ent. Fr., ser. 3, iii, p. 240, 1855, Tettigonia.

Walker, List Homop., Suppl., p. 243, 1858, Ciccus.

Stål, Hemip. Fabr., ii, p. 64, 1869.

Weed, Can. Ent., xxiv, p. 278, 1892.

Ball, Proc. Ia. Acad. Sci., viii, p. 47, pl. 2, fig. 1, 1901.

Distant, Ann. Mag. Nat. Hist., ser. 8, ii, p. 80, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 212, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 19, 1916.

vitripennis Germar, Mag. d. Ent., iv, p. 61, 1821, Tettigonia.

Burmeister, Handb. d. Ent., ii, p. 120, 1835, Tettigonia.

Walker, List Homop., iii, p. 799, 1851, Ciccus.

[Tettigonia.

Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 493, pl. 17, fig. 10, 1854,

Walker, List Homop., Suppl., p. 225, 1858, Proconia.

Fowler, Biol. Centr. Am., Homop., ii, p. 221, pl. 14, fig. 1, 1899, *Phera. coagulata* Say, Ins. of La., p. 13, 1832; Compl. Writ., i, p. 307, *Tettigonia*.

Stål, Stet. Ent. Zeit., xxv, p. 78, 1864, Phera.

Stål, Hemip. Fabr., ii, p. 64, 1869.

Riley and Howard, Insect Life, v, pp. 150-154, 1893.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915. [11, 1854, Tettigonia.

?ichthyocephala Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 494, pl. 17, fig. admittens Walker, List Homop., Suppl., p. 227, 1858, Proconia.

aurigena Walker, List Homop., Suppl., p. 228, 1858, Proconia.

excludens Walker, Ins. Saund., Homop., p. 98, 1858, Proconia.

Localities: S. C., Ga., Fla., Ala., Miss., La., Texas, Mo.

1849. Homalodisca liturata Ball

Ball, Proc. Ia. Acad. Sci., viii, p. 48, pl. 2, fig. 2, 1901.

Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914.

Localities: Ariz., Calif.

1850. Homalodisca insoleta (Walk.)

Walker, List Homop., Suppl., p. 227, 1858, Proconia.

Ball, Proc. Ia. Acad. Sci., viii, p. 49, pl. 2, fig. 3, 1901.

Localities: Texas, Ariz.

Genus Aulacizes A. & S.

Haplotype quadripunctata (Germ.)

Amyot and Serville, Hémip., p. 571, 1843.

Stål, Hemip. Fabr., ii, p. 61, 1869.

Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 18, 1887.

Fowler, Biol. Centr. Am., Homop., ii, p. 214, 1898.

Ball, Proc. Ia. Acad. Sci., viii, p. 39, 1901.

Distant, Ann. Mag. Nat. Hist., ser. 8, ii, p. 74, 1908 (cites 4-punctata as type). Tettigonia Groupe II, Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 731, 1854.

1851. Aulacizes irrorata (Fabr.)

Fabricius, Ent. Syst., iv, p. 33, 1794, Cicada.

Coquebert, Illust. Icon. Ins., i, p. 32, pl. 8, fig. 4, 1799, Cicada.

Latreille in Cuvier, Règne Animal., iii, p. 406, 1817. Burmeister, Handb. d. Ent., ii, p. 119, 1835, Tettigonia. Blanchard, Hist. des Ins., Hémip., p. 192, 1840, Tettigonia. Signoret, Ann. Soc. Ent. Fr., ser. 3, iii, p. 59, pl. 6, fig. 14, 1855, Tettigonia. Walker, List Homop., Suppl., p. 236, 1858. Stål, Hemip. Fabr., ii, p. 64, 1869. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 357, 1876. Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 19, pl. 2, figs. 15-18, 1887. Ball, Proc. Ia. Acad. Sci., viii, p. 40, 1901. Wirtner, Ann. Carn. Mus., iii, p. 219, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 509, 1905. Smith, Cat. Ins. N. J., edn. 3, p. 100, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 18, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, 1916. nigripennis Fabricius, Ent. Syst., iv, p. 32, 1794, Cicada. Fabricius, Syst. Rhyng., p. 69, 1803, Cicada. Burmeister, Handb. d. Ent., ii, p. 119, 1835, Tettigonia. Walker, List Homop., iii, p. 783, 1851, Proconia? Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 491, 1854, Tettigonia. rufiventris Walker, List Homop., iii, p. 796, 1851; Suppl., p. 236, 1858. Localities: N. Y., N. J., Pa., Md., N. C., S. C., Fla., Ala., Ohio,

1852. Aulacizes pollinosa Fowl.

Fowler, Biol. Centr. Am., Homop., ii, p. 218, pl. 13, fig. 18, 1899. Ball, Proc. Ia. Acad. Sci., viii, p. 40, 1901.

?guttata Uhler, Stand. Nat. Hist., ii, p. 248, 1884.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 211, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914.

Localities: Fla.(†). (Mexico.)

Ky., Tenn., Ill., Mo., Texas. (Mexico.)

Genus Cicadella Latr. Orthotype viridis (Linn.)

Latreille in Cuvier, Règne Animal., iii, p. 406, 1817 (n.n. for Cicada Fabr.). Latreille in Cuvier, Règne Animal, edn. 2, v, p. 223, 1829. Gray in Griffith's Animal Kingd., xv, p. 226, 1832. Percheron in Guerin, Dicty. Hist. Nat., p. 176, 1836. Latreille in Cuvier Animal Kingd., Lond. edn., iv, p. 176, 1836. Kirkaldy, Can. Ent., xxxix, p. 249, 1907; xlii, p. 65, 1910. Van Duzee, Check List Hemip., p. 66, 1916. §Tetigonia Geoffroy, Hist. Abreg. des Ins., i, p. 429, 1762. Fourcroy, Ent. Paris., p. 193, 1785. Tettigonia Reaumur, Mémoires, v, p. 150, 1740 (pre-linnean). Olivier, Encyc. Méth., iv, p. 49, 1789. Latreille, Hist. Nat. Crust. Ins., iii, p. 261, 1801; xii, p. 319, 1804. Germar, Mag. d. Ent., iv, pp. 38, 57, 1821. Le Peletier and Serville, Encyc. Méth., x, p. 600, 1825. Germar, Silb. Rev. Ent., i, p. 180, 1833. Burmeister, Handb. d. Ent., ii, p. 117, 1835.

Blanchard, Hist. des Ins., Hémip., p. 189, 1840. Amyot and Serville, Hémip., p. 569, 1843. Signoret, Ann. Soc. Ent. Fr., ser. 3, i, p. 323, 1853 (Groupe I, ser. 2). Stål, Rio Jan. Hemip., ii, p. 38, 1862. Stål, Hemip. Afr., iv, pp. 100, 115, 1866. Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 502, 1866. Kirschbaum, Cicad. v. Wiesbd., p. 15, 1868. Stål, Hemip. Fabr., ii, p. 61, 1869. Sahlberg, Cicad., p. 104, 1879. Fieber, Cicad. d'Eur., i, p. 107, 1875. Berg, Hemip. Arg., p. 250, 1879. Mayr, Tabellen, p. 29, 1884. Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 20, 1887. Edwards, Trans. Ent. Soc. Lond. for 1888, p. 15. Provancher, Pet. Faune Ent. Can., iii, p. 262, 1889. Van Duzee, Trans. Am. Ent. Soc., xxi, p. 271, 1894. Fowler, Biol. Centr. Am., Homop., ii, p. 235, 1899. Ball, Proc. Ia. Acad. Sci., viii, p. 49, 1901. †Cicada Fabricius, Syst. Ent., p. 682, 1775. Fabricius, Ent. Syst., iv, p. 27, 1794. Fabricius, Syst. Rhyng., p. 61, 1803. Leach, Brewster's Edinbg. Encyc., ix, p. 125, 1830. Zetterstedt, Fauna Lapp., p. 517, 1828. Amblycephalus Curtis, Brit. Ent., i, p. 193, 1833. Tettigonia Kirkaldy, Entomol., xxxiii, p. 238, 1900; xxxvii, p. 256, 1904. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 318, 1906. Kirkaldy, Can. Ent., xxxix, p. 249, 1907; xlii, p. 63, 1910.

1853. Cicadella viridis (Linn.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 212, 1909; x, p. 510, 1912.

Tettigoniella Jacobi, Zool. Jahrb., xix, p. 778, 1903.Distant, Ann. Mag. Nat. Hist., ser. 8, i, p. 516, 1908.Distant, Fauna Brit. Ind., Rhyn., iv, p. 201, 1908.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 19, 1916.

Linnaeus, Syst. Nat., edn. 10, i, p. 438, 1758, Cicada. Geoffroy, Hist. Abreg. des Ins., i, p. 417, No. 5, 1862, Cicada. Scopoli, Ent. Carn., p. 115, 1763, Cicada. Fabricius, Syst. Ent., p. 685, 1775, Cicada. Goeze, Ent. Beytr., ii, p. 142, 1778, Cicada. Fabricius, Spec. Ins., ii, p. 326, 1781, Cicada. Foureroy, Ent. Paris., i, p. 185, 1785, Cicada. Fabricius, Mant. Ins., ii, p. 271, 1787, Cicada. Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2114, 1788, Cicada. Panzer, Fauna Germ., iii, pt. 32, pl. 9, 1796, Cicada. Fabricius, Syst. Rhyng., p. 75, 1803, Cicada. Latreille, Genera Crust. Ins., iii, p. 161, 1807, Tettigonia. Leach in Brewster's Edinbg. Encyc., ix, p. 125, 1815, Cicada. Germar, Mag. d. Ent., iv, p. 72, 1821, Cicada. Fallén, Hemip., Suec., Cicad., p. 28, 1826, Cicada. Burmeister, Handb. d. Ent., ii, p. 118, 1835, Tettigonia. Curtis, Brit. Ent., xii, pl. 572, 1835, Amblycephalus. Walker, List Homop., iii, p. 768, 1851, Tettigonia.

Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 17, pl. 2, fig. 3, 1854, Tettigonia. Flor, Rhyn. Livl., ii, p. 145, 1861, Tettigonia.
Kirschbaum, Cicad. v. Wiesbd., p. 72, 1868, Tettigonia.
Sahlberg, Cicad., p. 105, 1871, Tettigonia.
Provancher, Pet. Faune Ent. Can., iii, p. 263, 1889, Tettigonia.
Melichar, Cicad. Mitt. Eur., p. 177, 1896, Tettigonia.
Edwards, Hemip. Homop. Brit. Isds., p. 115, pl. 14, figs. 1, 12, 1896, Tettigonia.
Van Duzee, Can. Ent., xliv, p. 327, 1912.

Localities: Quebec. (Europe.)

1854. Cicadella hieroglyphica (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 313, 1831; Compl. Writ., ii, p. 387, Tetti-Signoret, Ann. Soc. Ent. Fr., ser. 3, iii, p. 805, 1855, Tettigonia. [gonia. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 358, 1876; iii, p. 460, 1877, Tettigonia. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1334, Tettigonia. Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 510, 1878, Tettigonia. Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 26, 1887, Tettigonia. Gillette and Baker, Hemip. Colo., p. 81, 1895, Tettigonia.

Ball, Proc. Ia., Acad. Sci., viii, p. 51, 1901, Tettigonia.

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 112, 1903, Tettigonia.

Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907, Tettigonia.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 52, 1914, Tettigoniella. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915, Tettigoniella.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 20, 1916, Tettigoniella.

a. var. dolobrata (Ball)

Ball, Proc. Ia. Acad. Sci., viii, p. 52, pl. 3, fig. 2, 1901, Tettigonia. Tucker, Univ. Kans. Sci. Bul., iv, p. 66, 1907, Tettigonia. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 20, 1916, Tettigoniella.

b. var. uhleri (Ball)

Ball, Proc. Ia. Acad. Sci., viii, p. 52, pl. 3, fig. 3, 1901, Tettigonia. Tucker, Univ. Kans. Sci. Bul., iv, p. 66, 1907, Tettigonia. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 73, 1915, Tettigoniella.

c. var. confluens (Uhler)

Uhler, Proc. Acad. Nat. Sci. Phila., xiii, p. 285, 1862, Proconia.

Ball, Proc. Ia. Acad. Sci., viii, p. 53, pl. 3, fig. 4, 1901, Tettigonia.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 73, 1915, Tettigoniella.

Localities: Tenn., Ill., Mo., Ia., Neb., Kans., Wyo., Idaho.

Localities: Tenn., Ill., Mo., Ia., Neb., Kans., Wyo., Idaho, Utah, Colo., N. Mex., Texas, Ariz., Calif., Ore., Wash., Vanc. Isd.

1855. Cicadella gothica (Sign.)

Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 345, pl. 11, fig. 6, 1854, Tettigonia. Walker, List Homop., Suppl., p. 193, 1858, Tettigonia.

Ball, Proc. Ia. Acad. Sci., viii, p. 54, pl. 4, fig. 1, 1901, Tettigonia.

Wirtner, Ann. Carn. Mus., iii, p. 219, 1904, Tettigonia.

Osborn, 20th Rept. N. Y. St. Ent., p. 510, 1905, Tettigonia.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905, Tettigonia.

Van Duzee, Can. Ent., xl, p. 157, 1908, Tettigonia.

Van Duzee, Can. Ent., xli, p. 383, 1909, Tettigoniella.

Smith, Cat. Ins. N. J., edn. 3, p. 100, 1910, Tettigoniella.

Van Duzee, Can. Ent., xliv, p. 327, 1912, Tettigoniella.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914, Tettigoniella.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915, Tettigoniella. Osborn, Me. Agr. Exp. Sta., Bul., 238, p. 100, 1915, Tettigoniella. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 19, 1915, Tettigoniella.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 21, 1916, Tettigoniella. [gonia.

†hieroglyphica Harris, Hitchcock's Geol. Mass., edn. 2, p. 580, 1835, Tetti-Provancher, Pet. Faune Ent. Can., iii, p. 267, 1889, Diedrocephala.

Harrington, Ottawa Nat., vi, p. 32, 1892, Tettigonia.

Harrington, Can. Ent., xxvi, p. 16, 1894, Tettigonia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 196, 1894, Tettigonia. [gonia. ||similis Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 25, 1887, Tetti-

Van Duzee, Ent. News, v, p. 156, 1894, Tettigonia.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 231, 1897, Tettigonia. Localities: Quebec, Ont., Me., N. Y., N. J., Pa., D. C., Tenn., Kans.,

1856. Cicadella circellata (Bak.)

Baker, Psyche, viii, p. 285, 1898, Tettigonia.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914, Tettigoniella. Essig, Inj. Benef. Ins. Calif., edn. 2, p. 66, 1915, Tettigoniella.

†atropunctata Ball, Proc. Ia. Acad. Sci., viii, p. 55, pl. 4, fig. 2, 1901, Tetti-Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904, Tettigonia. [gonia. Localities: Ariz., Calif.

1857. Cicadella dohrnii (Sign.)

Signoret, Ann. Soc. Ent. Fr., ser. 3, iii, p. 792, pl. 24, fig. 13, 1855, Tettigonia. Ball, Proc. Ia. Acad. Sci., viii, p. 56, pl. 4, fig. 3, 1901, Tettigonia. aurora Baker, Psyche, viii, p. 286, 1898, Tettigonia. [Tettigonia. delicata Fowler, Biol. Centr. Am., Homop., ii, p. 269, pl. 18, fig. 5, 1900, Localities: Ariz. (Mexico.)

1858. Cicadella occatoria (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 311, 1831; Compl. Writ., ii, p. 385, Walker, List Homop., iv, p. 1157, 1852, Tettigonia. [Tettigonia. Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 353, pl. 12, fig. 2, 1854, Tettigonia. Stål, Stet. Ent. Zeit., xxv, p. 75, 1864, Tettigonia. Fowler, Biol. Centr. Am., Homop., ii, p. 279, pl. 18, fig. 29, 1900, Tettigonia. Ball, Proc. Ia. Acad. Sci., viii, p. 57, pl. 4, fig. 4, 1901, Tettigonia. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 212, 1909, Tettigoniella. Osborn, Ohio Nat., ix, p. 462, 1909, Tettigoniella. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 531, 1914, Tettigoniella. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915, Tettigoniella. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 21, 1916, Tettigoniella. [Tettigonia. compta Fowler, Biol. Centr. Am., Homop., ii, p. 271, pl. 18, fig. 11, 1900,

Localities: N. C., Fla., Miss., Tenn., Mo., Texas. (Mexico.)

Genus Kolla Dist. Orthotype insignis Dist.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 223, 1908. Distant, Ann. Mag. Nat. Hist., ser. 8, i, p. 529, 1908.

1859. Kolla bifida (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 313, 1831; Compl. Writ., ii, p. 387. Fitch, Homop. N. Y. St. Cab., p. 55, 1851, Tettigonia. [Tettigonia.

```
Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 11, pl. 1, fig. 11, 1854, Tettigonia.
Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 27, 1887, Tettigonia.
Provancher, Pet. Faune Ent. Can., iii, p. 338, 1890, Helochara.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 196, 1894, Tettigonia.
Van Duzee, Ent. News, v, p. 156, 1894, Tettigonia.
Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 175, 1897, Tettigonia.
Ball, Proc. Ia. Acad. Sci., viii, p. 58, pl. 5, fig. 1, 1901, Tettigonia.
Wirtner, Ann. Carn. Mus., iii, p. 219, 1904, Tettigonia.
Osborn, 20th Rept. N. Y. St. Ent., p. 509, 1905, Tettigonia.
Tucker, Univ. Kans. Sci. Bul., iv, p. 66, 1907, Tettigonia.
Distant, Ann. Mag. Nat. Hist., ser. 8, i, p. 530, 1908, Tettigonia.
Smith, Cat. Ins. N. J., edn. 3, p. 100, 1910.
Osborn, U. S. Dept. Agr., Ent. Bul. 108, p. 63, 1912, Tettigonia.
Van Duzee, Can. Ent., xliv, p. 329, 1912.
Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 99, 1915.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 19, 1915.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 22, 1916.
   tenella Walker, List Homop., iii, p. 770, 1851, Tettigonia.
          Localities: Quebec, Ont., Me., N. H., Mass., Conn., N. Y., N. J.,
```

Pa., N. C., Fla., Miss., Mo., Tenn., Neb., Kans

a. var. fasciata (Walk.)

Walker, List Homop., iii, p. 780, 1851, Tettigonia. [1900, Tettigonia. fuscolincella Fowler, Biol. Centr. Am., Homop., ii, p. 290, pl. 19, fig. 25, Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 60, 1907, Tettigonia. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 212, 1909. Osborn, Ohio Nat., ix, p. 461, 1909, Tettigoniella. Localities: Fla. (West Indies, Mexico.)

1860. Kolla geometrica (Sign.)

Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 12, pl. 1, fig. 12, 1854, Tettigonia. Ball, Proc. Ia. Acad. Sci., viii, p. 59, pl. 5, fig. 2, 1901, Tettigonia. Distant, Ann. Mag. Nat. Hist., ser. 8, i, p. 530, 1908. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 213, 1909. Osborn, Ohio Nat., ix, p. 461, 1909, Tettigoniella. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915. [1900, Tettigonia. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 23, 1916. psittacella Fowler, Biol. Centr. Am., Homop., ii, p. 290, pl. 19, fig. 26, Localities: D. C., Fla., Ohio, Ky., Tenn., Ill., Mo., Ark., La. (Neotropical.)

1861. Kolla hartii (Ball)

Ball, Proc. Ia. Acad. Sci., viii, p. 61, pl. 5, fig. 4, 1901, Tettigonia. Wirtner, Ann. Carn. Mus., iii, p. 219, 1904, Tettigonia. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 213, 1909. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915, Tettigoniella. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 20, 1916, Tettigoniella. Localities: Pa., Fla., Miss., Ohio, Ill., Tenn., Mo., Texas, N. Mex.

1862. Kolla similis (Walk.)

Walker, List Homop., iii, p. 769, 1851, Tettigonia. Van Duzee, Ent. News, v, p. 155, 1894, Tettigonia. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 60, 1907, Tettigonia.
Osborn, Ohio Nat., ix, p. 462, 1909, Tettigoniella.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 213, 1909.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914.

†herbida Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 18, pl. 2, fig. 4, 1854,
Stål, Rio Jan. Hemip., ii, p. 42, 1862, Tettigonia.

Uhler, Proc. Zool. Soc. Lond. for 1895, p. 77, Tettigonia.

Distant, Ann. Mag. Nat. Hist., ser. 8, i, p. 529, 1908; ii, p. 62, 1908.

†communis Walker, List Homop., Suppl., p. 235, 1858, Helochara.

prolixa Fowler, Biol. Centr. Am., Homop., ii, p. 275, pl. 18, fig. 18, 1900,
Localities: Fla. (West Indies, Mexico.)

Genus Helochara Fitch Haplotype communis Fitch

Fitch, Homop. N. Y. St. Cab., p. 56, 1851. Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 730, 1854. Provancher, Pet. Faune Ent. Can., iii, p. 267, 1889. Ball, Proc. Ia. Acad. Sci., viii, p. 62, 1901.

1863. Helochara communis Fitch

Fitch, Homop. N. Y. St. Cab., p. 56, 1851. Walker, List Homop., iv, p. 1156, 1852, Tettigonia. Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 730, pl. 21, fig. 17, 1854. Walker, List Homop., Suppl., p. 235, 1858. Packard, Guide to Study of Ins., p. 532, 1869. Packard, Am. Nat., ii, p. 53, 1876. Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 460, 1877. Van Duzee, Can. Ent., xxi, p. 9, 1899. Provancher, Pet. Faune Ent. Can., iii, p. 268, 1889. Harrington, Ottawa Nat., vi, p. 32, 1892. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 125, 1892. Slosson, Ent. News, v, p. 5, 1894. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 196, 1894. Van Duzee, Ent. News, v, p. 155, 1894. Gillette and Baker, Hemip. Colo., p. 82, 1895. Ball, Proc. Ia. Acad. Sci., viii, p. 62, pl. 6, fig. 1, 1901. Van Duzee, Trans. Am. Ent. Soc., xxix, p. 112, 1903. Wirtner, Ann. Carn. Mus., iii, p. 219, 1904. Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 512, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905. Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907. Distant, Ann. Mag. Nat. Hist., ser. 8, ii, p. 62, 1908 (excl. synon.). Smith, Cat. Ins. N. J., edn. 3, p. 101, 1910. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 60, fig. 5, 1912. Van Duzee, Can. Ent., xliv, p. 327, 1912. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 19, 1915. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 73, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 103, 1915. De Long, Tenn. St. Bd. Ent., Bul. 17, p. 24, 1916.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 248, 1916.
herbida Walker, List Homop., iii, p. 769, 1851, Tettigonia.
Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Pa., N. C., Ga.,
Tenn., Texas, Colo., N. Mex., Ariz., Calif.

Genus Graphocephala Van D. Orthotype coccinea (Forst.)

Van Duzee, Check List Hemip., p. 66, 1916.

†Diedrocephala Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 22, 1877 Provancher, Pet. Faune Ent. Can., iii, p. 265, 1889. [(as subgenus). Ball, Proc. Ia. Acad. Sci., viii, p. 63, 1901.

1864. Graphocephala coccinea (Forst.)

Forster, Nov. Spec. Ins., p. 69, 1771, Cicada. Harris in Hitchcock, Geol. Mass., edn. 2, p. 580, 1835, Tettigonia. Rathvon in Mombert's Hist. Lanc. Co., Pa., p. 581, 1869, Tettigonia. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 357, 1876, Diedrocephala. Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 23, 1887, Diedrocephala. Van Duzee, Can. Ent., xxi, p. 9, 1889, Diedrocephala. Provancher, Pet. Faune Ent. Can., iii, p. 267, 1889, Diedrocephala. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 22, p. 28, 1890, Diedrocephala. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 125, 1892, Diedrocephala. Harrington, Ottawa Nat., vi, p. 32, 1892, Diedrocephala. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 196, 1894, Diedrocephala. Van Duzee, Ent. News, v, p. 155, 1894, Diedrocephala. Slosson, Ent. News, vi, p. 321, 1895, Diedrocephala. Ball, Proc. Ia. Acad. Sci., iv, p. 177, 1897, Diedrocephala. Wirtner, Ann. Carn. Mus., iii, p. 219, 1904, Dicdrocephala. Osborn, 20th Rept. N. Y. St. Ent., p. 510, 1905, Diedrocephala. Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905, Diedrocephala. Van Duzee, Can. Ent., xxxviii, p. 409, 1906, Diedrocephala. Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907, Diedrocephala. Van Duzee, Can. Ent., xl, p. 157, 1908, Diedrocephala. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 213, 1909, Diedrocephala. Smith, Cat. Ins. N. J., edn. 3, p. 100, 1910, Diedrocephala. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 60, 1912, Diedrocephala. Van Duzee, Can. Ent., xliv, p. 327, 1912, Diedrocephala. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914, Diedrocephala. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 73, 1915, Diedrocephala. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 19, 1915, Diedrocephala. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 101, 1915, Diedrocephala. De Long, Tenn. St. Bd. Ent., Bul. 17, p. 25, 1916, Diedrocephala. Gibson, Can. Ent., xlviii, p. 178, 1916, Diedrocephala. [ii, p. 386, Tettigonia. quadrivittata Say, Jl. Acad. Nat. Sci. Phila., vi, p. 312, 1831; Compl. Writ., Harris in Hitchcock's Geol. Mass., edn. 2, p. 580, 1835, Tettigonia. Fitch, Homop. N. Y. St. Cab., p. 55, 1851, Proconia. Walker, List Homop., iv, p. 1155, 1852, Tettigonia. Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 348, pl. 11, fig. 11, 1854, [Tettigonia (Diedrocephala). Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 450, 1856, Aulacizes. Rathvon in Mombert, Hist. Lanc. Co., Pa., p. 581, 1869, Tettigonia. Packard, Guide to Study of Ins., p. 532, 1869, Proconia.

Glover, U. S. Dept. Agr., Rept. for 1876, p. 33, Diedrocephala. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892, Diedrocephala (var.). Fowler, Biol. Centr. Am., Homop., ii, p. 276, pl. 18, fig. 20, 1900, Tetti-[gonia. picta Walker, List Homop., iii, p. 758, 1851, Tettigonia. ?idonea Fowler, Biol. Centr. Am., Homop., ii, p. 276, pl. 18, fig. 18, 1900, [Tettigonia.

a. var. teliformis (Walk.)

Walker, List Homop., iii, p. 764, 1851, Tettigonia.

Van Duzee, Ent. News, v, p. 155, 1894, Tettigonia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 214, 1909, Diedrocephala.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., N. C., Fla., Ohio, Tenn., Mo., Kans., Okl., Texas.

1865. Graphocephala versuta (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 311, 1831; Compl. Writ., ii, p. 386, Tetti-Walker, List Homop., iv, p. 1157, 1852, Tettigonia. [gonia. Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 348, pl. 11, fig. 10, 1854, Tettigonia. Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 22, 1887, Diedrocephala. Van Duzee, Psyche, v, p. 390, 1890, Diedrocephala. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 22, p. 27, 1890, Diedrocephala. Weed, Can. Ent., xxiv, p. 278, 1892, Diedrocephala. Ball, Proc. Ia. Acad. Sci., viii, p. 64, pl. 6, fig. 3, 1901, Diedrocephala. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 214, 1909, Diedrocephala. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914, Diedrocephala. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 73, 1915, Diedrocephala. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 20, 1915, Diedrocephala. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 25, 1916, Diedrocephala. Gibson, Can. Ent., xlviii, p. 177, 1916, Diedrocephala. [Tettigonia. redacta Fowler, Biol. Centr. Am., Homop., ii, p. 276, pl. 18, fig. 21, 1900,

Localities: Md., D. C., Va., N. C., Ga., Fla., Ala., Miss., La., Ohio, Ill., Ky., Tenn., Mo., Texas.

a. var. lineiceps Spin.

Spinola in Gay, Hist. de Chili, Zool., vii, p. 283, 1852, Tettigonia. Signoret, Ann. Soc. Ent. Fr., ser. 3, iii, p. 786, 1855, Tettigonia. Walker, List Homop., Suppl., p. 354, 1858, Tettigonia. Ball, Proc. Ia. Acad. Sci., viii, p. 65, pl. 6, fig. 4, 1901, Diedrocephala. Osborn, Ohio Nat., ix, p. 463, 1909, Diedrocephala. Localities: Texas. (Neotropical.)

1866. Graphocephala cythura (Bak.)

Baker, Psyche, viii, p. 268, 1898, Tettigonia. Ball, Proc. Ia. Acad. Sci., viii, p. 66, pl. 6, fig. 5, 1901, Tettigonia (as var.). Localities: Ariz., Calif.

Genus Draeculacephala Ball Orthotype mollipes (Say)

Ball, Proc. Ia. Acad. Sci., viii, p. 66, 1901. Distant, Ann. Mag. Nat. Hist., ser. 8, ii, p. 60, 1908. Van Duzee, Ent. News, xxvi, p. 176, 1915. (Key.) †Diedrocephala Uhler, Stand. Nat. Hist., ii, p. 249, 1884.

1867. Draeculacephala floridana Ball

Ball, Proc. Ia. Acad. Sci., viii, p. 72, pl. 6, fig. 6, 1901.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914. Van Duzee, Ent. News, xxvi, p. 177, 1915. Localities: Ga., Fla.

1868. Draeculacephala 7-guttata (Walk.)

Walker, List Homop., iii, p. 773, 1851, 1851, Tettigonia. Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 727, pl. 21, fig. 15, 1854, Diedro-Walker, List Homop., Suppl., p. 223, 1858, Diedrocephala. [cephala. Van Duzee, Ent. News, v, p. 156, 1894, Diedrocephala. Distant, Ann. Mag. Nat. Hist., ser. 8, ii, p. 61, 1908. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 214, 1909. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 20, 1915. Van Duzee, Ent. News, xxvi, p. 177, 1915. Localities: N. C., Ga., Fla., Miss.

1869. Draeculacephala balli Van D.

Van Duzee, Ent. News, xxvi, p. 177, 1915. [of mollipes). †7-guttata Ball, Proc. Ia. Acad. Sci., viii, p. 69, pl. 7, fig. 2, 1901 (as var. Localities: Ga., Fla., Miss.

1870. Draeculacephala acuta (Walk.)

Walker, List Homop., iii, p. 773, 1851, Tettigonia. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914. Van Duzee, Ent. News, xxvi, p. 177, 1915. Locality: Fla.

1871. Draeculacephala bradleyi Van D.

Van Duzee, Ent. News, xxvi, pp. 178, 180, 1915. Locality: Ga.

1872. Draeculacephala producta (Walk.)

Walker, List Homop., iii, p. 772, 1851, Tettigonia. Locality: Fla.

1873. Draeculacephala angulifera (Walk.)

Walker, List Homop., iii, p. 771, 1851, Tettigonia. Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 727, pl. 21, fig. 14, 1854, Diedro-Van Duzee, Ent. News, v, p. 156, 1894, Diedrocephala. [cephala. Ball, Proc. Ia. Acad. Sci., viii, p. 69, pl. 7, fig. 4, 1901. Osborn, 20th Rept. N. Y. St. Ent., p. 511, 1905. Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907. Distant, Ann. Mag. Nat. Hist., ser. 8, ii, p. 61, 1908. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 73, 1915. Van Duzee, Ent. News, xxvi, p. 178, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 102, 1915; Bul. 248, p. 78, 1916.

Diedrocephala sp. Southwick, Science, xix, p. 318, 1892.

Localities: N. Fndl., Quebec, Ont., Me., N. Y., Pa., Ohio, Ia., Kans., Colo., Utah, Wash., Br. Col.

1874. Draeculacephala mollipes (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 312, 1831; Compl. Writ., ii, p. 386, [Tettigonia.

Harris in Hitchcock, Geol. Mass., edn. 2, p. 580, 1835, Tettigonia (mellipes). Fitch, Homop. N. Y. St. Cab., p. 56, 1851, Aulacizes.

```
Walker, List Homop., iv, p. 1156, 1852, Tettigonia.
Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 726, pl. 21, figs. 12, 13, 1854, Diedro-
Walker, List Homop., Suppl., p. 233, 1858, Diedrocephala.
                                                                      [cephala.
Stål, Stet. Ent. Zeit., xxv, p. 77, 1864, Tettigonia.
Packard, Guide to Study of Ins., p. 532, 1869, Aulacizes.
Glover, U. S. Dept. Agr., Rept. for 1876, p. 32, Aulacizes.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 358, 1876; iii, p. 459, 1877, Diedro-
Uhler, Stand. Nat. Hist., ii, p. 249, 1884, Diedrocephala.
Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 24, 1887, Tettigonia.
Van Duzee, Can. Ent., xxi, p. 9, 1889, Diedrocephala.
Van Duzee, Psyche, v, p. 390, 1890, Diedrocephala.
Osborn, U. S. Dept. Agr., Div. Ent., Bul. 22, p. 26, 1890, Diedrocephala.
Osborn, Rept. Ia. St. Agr. Soc. for 1892, p. 687, Diedrocephala.
Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 125, 1892, Diedrocephala.
Harrington, Ottawa Nat., vi, p. 32, 1892, Diedrocephala.
Weed, Can. Ent., xxv, p. 278, 1892, Diedrocephala.
Osborn, U. S. Dept. Agr., Div. Ent., Bul. 30, p. 46, 1893, Diedrocephala.
Cockerell, Trans. Am. Ent. Soc., xx, p. 365, 1893, Diedrocephala.
Van Duzee, Ent. News, v, p. 156, 1894, Diedrocephala.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 196, 1894, Diedrocephala.
Fowler, Biol. Centr. Am., Homop., ii, p. 273, pl. 18, fig. 15, 1900, Tettigonia.
Ball, Proc. Ia. Acad. Sci., viii, p. 67, pl. 7, fig. 1, 1901.
Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904.
Wirtner, Ann. Carn. Mus., iii, p. 220, 1904.
Osborn, 20th Rept. N. Y. St. Ent., p. 511, 1905.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.
Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907.
Distant, Ann. Mag. Nat. Hist., ser. 8, ii, p. 61, 1908.
Van Duzee, Can. Ent., xl, p. 157, 1908.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 214, 1909.
Osborn, Ohio Nat., ix, p. 463, 1909.
Smith, Cat. Ins. N. J., edn. 3, p. 101, 1910.
Van Duzee, Can. Ent., xliv, p. 327, 1912.
Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 56, 1912.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.
Swezey, Proc. Haw. Ent. Soc., iii, pp. 4, 9, 1914.
Gibson and Cogan, Ohio Jl. Sci., xvi, p. 73, 1915.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 103, 1915.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 20, 1915.
Van Duzee, Ent. News, xxvi, p. 178, 1915.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 27, 1916.
Gibson, Can. Ent., xlviii, p. 177, 1916.
  ?innotata Walker, List Homop., iii, p. 770, 1851, Tettigonia.
      Van Duzee, Ent. News, v, p. 156, 1894, Diedrocephala.
   antica Walker, List Homop., iii, p. 771, 1851, Tettigonia.
```

Van Duzee, Ent. News, v, p. 156, 1894, Diedrocephala. viridis Provancher, Nat. Can., iv, p. 352, 1872, Acopsis. †viridis Provancher, Pet. Faune Ent. Can., iii, p. 268, 1889, Acopsis.

Localities: Quebec, Ont., Me., N. Y., N. J., Pa., D. C., N. C., Fla., Ohio, Tenn., Mo., Kans., Colo., Ariz., N. Mex., Calif., Br. Col. (Hawaiian Isds.)

1875. Draculacephala minor (Walk.)

Walker, List Homop., iii, p. 772, 1851, Tettigonia.

Ball, Proc. Ia. Acad. Sci., viii, p. 69, pl. 7, fig. 3, 1901.

Osborn, Ohio Nat., ix, p. 463, 1909.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 214, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914.

Van Duzee, Ent. News, xxvi, p. 178, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 27, 1916.

†producta Van Duzee, Ent. News, v, p. 156, 1894, Diedrocephala.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 196, 1894, Diedrocephala.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 196, 1894, Diedrocephala.
Van Duzee, Trans. Am. Ent. Soc., xxi, p. 279, 1894, Diedrocephala.
Localities: Fla., Colo., Calif., Wash.

1876. Draeculacephala inscripta Van D.

Van Duzee, Ent. News, xxvi, pp. 178, 180, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 26, 1916. Localities: Ga., Tenn.

1877. Draeculacephala manitobiana Ball

Ball, Proc. Ia. Acad. Sci., viii, p. 70, pl. 7, fig. 5, 1901.
 Van Duzee, Can. Ent., xxxviii, p. 409, 1906.
 Van Duzee, Ent. News, xxvi, p. 178, 1915.
 Localities: Ont., Manitoba, Colo.

1878. Draeculacephala crassicornis Van D.

Van Duzee, Ent. News, xxvi, pp. 178, 181, 1915. Localities: Calif., Oreg., Wash.

1879. Draeculacephala noveboracensis

Fitch, Homop. N. Y. St. Cab., p. 56, 1851, Aulacizes. Walker, List Homop., iv, p. 1158, 1852, Tettigonia. Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 19, pl. 2, fig. 5, 1854, Diedrocephala. Walker, List Homop., Suppl., p. 192, 1858, Tettigonia. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 358, 1876; iii, p. 459, 1877, Diedro-Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 24, 1887, Tettigonia. Van Duzee, Can. Ent., xxi, p. 9, 1889, Diedrocephala. Van Duzee, Psyche, v, p. 390, 1890, Diedrocephala. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 22, p. 27, 1890, Diedrocephala. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 125, 1892, Diedrocephala. Southwick, Science, xix, p. 318, 1892, Diedrocephala. Harrington, Ottawa Nat., vi, p. 32, 1892, Diedrocephala. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 196, 1894, Diedrocephala. Van Duzee, Ent. News, v, p. 155, 1894, Diedrocephala. Gillette and Baker, Hemip. Colo., p. 82, 1895, Diedrocephala. Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 177, 1897, Diedrocephala. Ball, Proc. Ia. Acad. Sci., viii, p. 71, pl. 7, fig. 6, 1901. Wirtner, Ann. Carn. Mus., iii, p. 220, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 511, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905. Van Duzee, Can. Ent., xxxviii, p. 409, 1906; xl, p. 157, 1908. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 59, 1912. Van Duzee, Can. Ent., xliv, p. 327, 1912.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 73, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 101, 1915.

Van Duzee, Ent. News, xxvi, p. 179, 1915.

prasina Walker, List Homop., iii, p. 768, 1851, Tettigonia.

†mollipes Provancher, Pet. Faune Ent. Can., iii, p. 266, 1889, Diedrocephala.

Localities: Quebec, Ont., Me., Vt., Mass., N. H., N. Y., Pa., Md., Ia., Mo., Neb., Colo., Idaho, Wash., Br. Col., Vanc. Isd.

1880. Draeculacephala gillettei Ball

Ball, Proc. Ia. Acad. Sci., viii, p. 72, 1901.

Van Duzee, Ent. News, xxvi, p. 179, 1915.

Locality: Colo.

1881. Draeculacephala reticulata (Sign.)

Signoret, Ann. Soc. Ent. Fr., ser. 3, ii, p. 22, pl. 2, fig. 10, 1854, Tettigonia.

Ball, Proc. Ia. Acad. Sci., viii, p. 73, pl. 6, fig. 8, 1901.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 214, 1909.

Osborn, Ohio Nat., ix, p. 463, 1909.

Osborn, U. S. Dept. Agr., Div. Ent. Bul. 108, p. 52, 1912.

Barber, Bul. Am. Nat. Hist., xxxiii, p. 532, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 73, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 20, 1915.

Van Duzee, Ent. News, xxvi, p. 179, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 27, 1916, Diedrocephala.

flaviceps Riley, Am. Ent., iii, p. 78, 1880, Diedrocephala.

Johnson and Fox, Ent. News, iii, p. 60, 1892, Tettigonia.

Howard, Insect Life, vi, p. 267, 1894, Diedrocephala.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914, Diedrocephala. diducta Fowler, Biol. Centr. Am., Homop., ii, p. 274, pl. 18, fig. 17, 1900,

[Tettigonia.

Localities: Va., N. C., S. C., Ga., Fla., Ala., Miss., La., Mo., Ky., Tenn., Neb., Texas, Ariz., Calif. (West Indies, Mexico.)

[Tettigonia coerulenta Sign. is not from our territory. See Ball, Proc. Ia.

[Acad. Sci., viii, p. 50, 1901]

Genus Pagaronia Ball Haplotype 13-punctata Ball

Ball, Can. Ent., xxxiv, p. 19, 1902.

1882. Pagaronia 13-punctata Ball

Ball, Can. Ent., xxxiv, p. 20, 1902.

a. var. triunata Ball

Ball, Can. Ent., xxxiv, p. 20, 1902.

b. var. octopunctata Kirk.

Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 70, 1909.

Locality: Calif.

1883. Pagaronia tripunctata (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 55, 1851, Tettigonia.

Walker, List Homop., iv, p. 1158, 1852, Tettigonia.

Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 28, 1887, Tettigonia.

Provancher, Pet. Faune Ent. Can., iii, p. 263, 1889, Tettigonia.

Van Duzee, Ent. News, v, p. 157, 1894, Tettigonia.
Ball, Proc. Ia. Acad. Sci., viii, p. 60, pl. 5, fig. 3, 1901, Tettigonia.
Wirtner, Ann. Carn. Mus., iii, p. 219, 1904, Tettigonia.
Osborn, 20th Rept. N. Y. St. Ent., p. 510, 1905, Tettigonia.
Smith, Cat. Ins. N. J., edn. 3, p. 100, 1910, Tettigoniella.
Van Duzee, Can. Ent., xliv, p. 327, 1912, Kolla.
Gibson and Cogan, Ohio Jl. Sci., xvi, p. 72, 1915, Kolla.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 19, 1915, Kolla.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 24, 1916, Kolla.
Van Duzee, Check List Hemip., p. 67, 1916.

Localities: Ont., N. H., N. Y., N. J., Pa., Md., D. C., N. C., Miss., Ohio, Ill., Tenn., Mo.

Genus Evacanthus L. & S. Logotype interruptus Linn.

Le Peletier and Serville, Encyc. Méth., x, p. 612, 1825.

Germar, Silb. Rev. Ent., i, p. 180, 1833.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 116, 1840 (names interruptus Blanchard, Hist. des Ins., Hémip., p. 193, 1840.

Amyot and Serville, Hémip., p. 574, 1843.

Spinola, Tavola Sinot., p. 57, 1850.

Provancher, Pet. Faune Ent. Can., iii, p. 269, 1889, Evacantha.

‡Euacanthus Burmeister, Handb. d. Ent., ii, p. 116, 1835.

Herrich-Schaeffer, Nomen. Ent., i, p. 67, 1835.

Flor, Rhyn. Livl., ii, p. 147, 1861.

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 502, 1866.

Kirschbaum, Cicad. v. Wiesbd., pp. 17, 72, 1868.

Stål, Hemip. Fabr., ii, p. 61, 1869.

Sahlberg, Cicad., p. 106, 1871.

Fieber, Cicad. d'Eur., i, p. 109, 1875; ii, pl. 10, 1876.

Mayr, Tabellen, p. 29, 1884.

Edwards, Trans. Ent. Soc. Lond. for 1888, p. 13.

Van Duzee, Trans. Am. Ent. Soc., xxi, p. 281, 1894, Eucanthus.

Melichar, Cicad. Mitt. Eur., p. 178, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 113, 1896.

Oshanin, Verz. Palae. Hemip., i, p. 53, 1906.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 227, 1908.

Van Duzee, Check List Hemip., p. 67, 1916, Eucanthus.

1884. Evacanthus acuminatus (Fabr.)

Fabricius, Ent. Syst., iv, p. 36, 1794, Cicada.
Fabricius, Syst. Rhyng., p. 76, 1803, Cicada.
Germar, Mag. d. Ent., iv, p. 72, 1821, Tettigonia.
Burmeister, Handb. d. Ent., ii, p. 116, 1835.
Herrich-Schaeffer, Nomen. Ent., i, p. 67, 1835.
Blanchard, Hist. des Ins., Hémip., p. 193, 1840.
Flor, Rhyn. Livl., ii, p. 152, 1861.
Kirschbaum, Cicad. v. Wiesbd., p. 73, 1868.
Sahlberg, Cicad., p. 108, 1871.
Melichar, Cicad. Mitt. Eur., p. 179, 1896.
Edwards, Hemip. Homop. Brit. Isds., p. 113, pl. 13, fig. 10, 1896.
Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 182, pl. 19, fig. 3, 1897.

Ball, Ia. Agr. Exp. Sta., Bul. 34, p. 618, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 220, 1904.

Ashmead, Harriman Alaska Exped., viii, p. 131, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 512, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.

Kirkaldy, Can. Ent., xli, p. 32, 1909.

Van Duzee, Can. Ent., xliv, p. 327, 1912.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 104, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 21, 1915.

interstincta Fallén, Hemip. Suec., Cicad., p. 29, 1826, Cicada.

Kirkaldy, Can. Ent., xli, p. 32, 1909.

germari Curtis, Ent. Mag., i, p. 192, 1833, Amblycephalus.

Curtis, Brit. Ent., xii, pl. 572, 1835, Amblycephalus.

orbitalis Fitch, Homop. N. Y. St. Cab., p. 57, 1851.

Walker, List Homop., iv, p. 1159, 1852, Tettigonia.

Van Duzee, Can. Ent., xxi, p. 9, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 270, 1889.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 196, 1894.

Slosson, Ent. News, xiii, p. 321, 1902.

Localities: Quebec, Ont., Me., N. H., N. Y., Pa., D. C., N. C., Mich., Ia., Wash., Vanc. Isd.

1885. Evacanthus interruptus (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 438, 1758, Cicada.

Geoffroy, Hist. Abreg. des Ins., i, p. 419, No. 9, 1762, Cicada.

De Geer, Mémoires, iii, p. 183, No. 7, pl. 12, fig. 6, 1773, Cicada.

Fabricius, Syst. Ent., p. 685, 1775, Cicada.

Goeze, Ent. Beytr., ii, p. 139, 1778, Cicada.

Fabricius, Spec. Ins., ii, p. 325, 1781, Cicada.

Retzius, Genera et Spec. Ins., p. 82, 1783, Cicada.

Fabricius, Mant. Ins., ii, p. 270, 1787, Cicada.

Gmelin, in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2107, 1788, Cicada.

Fabricius, Ent. Syst., iv, p. 36, 1794, Cicada.

Fabricius, Syst. Rhyng., p. 76, 1803, Cicada.

Fallén, Hemip. Suec., Cicad., p. 28, 1826, Cicada.

Burmeister, Hand. d. Ent., ii, p. 116, 1835.

Herrich-Schaeffer, Nomen. Ent., i, p. 67, 1835.

Blanchard, Hist. des Ins., Hémip., p. 193, 1840.

Flor, Rhyn. Livl., ii, p. 149, 1861.

Kirschbaum, Cicad. v. Wiesbd., p. 72, 1868.

Sahlberg, Cicad. p. 107, 1871.

Melichar, Cicad. Mitt. Eur., p. 178, pl. 8, fig. 29, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 113, pl. 13, fig. 9, 1896.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 183, 1897.

Localities: N. C., S. C. (Europe.)

Genus Bathysmatophorus Sahlb. Haplotype reuteri Sahlb.

Sahlberg, Cicad., p. 109, 1871.

Fieber, Cicad. d'Eur., i, p. 108, 1875; ii, pl. 10, 1876.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 81, 1907.

1886. Bathysmatophorus uhleri Bak.

Baker, Psyche, viii, p. 260, 1898.

Locality: Calif.

Genus Errhomenellus Put.

Haplotype brachypterus Fieb.

Puton, Cat. Palae. Hemip., edn. 3, p. 79, 1886 (n.n. for *Errhomenus* Fieb.). Oshanin, Verz. Palae. Hemip., ii, p. 97, 1906.

||Errhomenus Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 501, 1866.

Fieber, Cicad. d'Eur., i, p. 104, 1875; ii, pl. 10, 1876.

Mayr, Tabellen, p. 28, 1884.

Melichar, Cicad. Mitt. Eur., p. 185, 1896.

1887. Errhomenellus montanus Bak.

Baker, Psyche, viii, p. 262, 1898.

Locality: Colo.

1888. Errhomenellus lineatus Bak.

Baker, Psyche, viii, p. 261, 1898.

Locality: Wash.

1889. Errhomenellus oregonensis Bak.

Baker, Psyche, viii, p. 262, 1898.

Locality: Ore.

1890. Errhomenellus friscanus Ball

Ball, Can. Ent., xli, p. 182, 1909.

Locality: Calif.

1891. Errhomenellus irroratus Ball

Ball, Can. Ent., xxxiv, p. 18, 1902.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.

Locality: Calif.

1892. Errhomenellus maculatus (G. & B.)

Gillette and Baker, Hemip. Colo., p. 83, 1895, Acocephalus.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 248, 1916.

Localities: Colo., Calif.

1893. Errhomenellus aridus Ball

Ball, Can. Ent., xli, p. 183, 1909.

Locality: Nev.

Subfamily GYPONINAE (Stål)

Stål, Of. Vet. Akad. Forh., xxvii, p. 736, 1870, Gyponina (part).

Berg, Hemip. Argent., p. 257, 1879, Gyponina.

Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, pp. 14, 29, 1887, Gyponina.

Ashmead in Smith, Cat. Ins. N. J., edn. 1, p. 443, 1890.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 297, 1892; xxi, p. 281, 1894, Gyponina.

Fowler, Biol. Centr. Am., Homop., ii, p. 293, 1903.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 240, 1908.

Scarides Amyot and Serville, Hémip., pp. lxiv, 576, 1843.

Dohrn, Cat. Hemip., p. 92, 1859, Scaridae. [iii, p. 80, 1907.

Penthimiinae Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 307, 1906;

Genus Penthimia Germ.

Haplotype nigra (Goez.)

Germar, Mag. d. Ent., iv, p. 46, 1821.

Gray in Griffith's Animal Kingd., xv, p. 226, 1832.

Germar, Silb. Rev. Ent., i, p. 179, 1833.

Burmeister, Handb. d. Ent., ii, pp. 105, 115, 1835.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 117, 1840.

Amyot and Serville, Hémip., p. 580, 1843.

Walker, Cat. Homop., iii, p. 840, 1851.

Flor, Rhyn. Livl., ii, p. 141, 1861.

Stål, Hemip. Afr., iv, p. 107, 1866.

Kirschbaum, Cicad. v. Wiesbd., p. 14, 1868.

Fieber, Cicad. d'Eur., i, p. 105, 1875; ii, pl. 10, 1876.

Mayr, Tabellen, p. 28, 1884.

Uhler, Stand. Nat. Hist., ii, p. 246, 1884.

Provancher, Pet. Faune Ent. Can., iii, p. 270, 1889.

Melichar, Cicad. Mitt. Eur., p. 181, 1896.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 241, 1908.

1894. Penthimia americana Fitch

Fitch, Homop. N. Y. St. Cab., p. 57, 1851. Uhler, Stand. Nat. Hist., ii, p. 246, 1884. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 197, 1894. Gillette and Baker, Hemip. Colo., p. 83, 1895. Wirtner, Ann. Carn. Mus., iii, p. 220, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 514, 1905. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 214, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 101, 1910. Van Duzee, Can. Ent., xliv, p. 327, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 100, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 21, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 29, 1916. vicaria Walker, List Homop., iii, p. 841, 1851. picta Provancher, Nat. Can., iv, p. 352, 1872. Provancher, Pet. Faune Ent. Can., iii, p. 270, 1889. Localities: Quebec, Ont., Mass., Me., N. Y., N. J., Pa., N. C., Ga.,

> Genus Zinneca A. & S. Haplotype flavidorsum A. & S.

Fla., Mich., Ill., Tenn., Minn., Dak., Mont., Colo.

Amyot and Serville, Hémip., p. 579, 1843.

1895. Zinneca flavidorsum A. & S.

Amyot and Serville, Hémip., p. 579, pl. 11, fig. 2, 1843. Locality: Pa.

> Genus **Gypona** Germ. Haplotype glauca (Fabr.)

Germar, Mag. d. Ent., iv, p. 73, 1821. Germar, Silbermann, Rev. Ent., i, p. 180, 1833. Burmeister, Handb. d. Ent., ii, pp. 105, 114, 1835. Burmeister, Genera Ins., i, pl. 16, 1838. Blanchard, Hist. Nat. des Ins., Hémip., p. 195, 1840. Amyot and Serville, Hémip., p. 579, 1843. Stål, Rio Jan. Hemip., ii, p. 45, 1858. Stål, Of. Vet. Akad. Forh., xix, p. 495, 1862.

Stål, Stet. Ent. Zeit., xxv, p. 81, 1864. Stål, Hemip. Fabr., ii, p. 84, 1869. Spångberg, Spec. Gyp.; Bih. Vet. Akad. Handl., v, No. 3, p. 5, 1878. Berg, Hemip. Argent., p. 258, 1879. Woodworth, Bul. Ill., St. Lab. Nat. Hist., iii, p. 29, 1887. Provancher, Pet. Faune Ent. Can., iii, p. 269, 1889. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 30, 1916.

1896. Gypona rugosa Spångb.

Gillette and Baker, Hemip. Colo., p. 83, 1895. Wirtner, Ann. Carn. Mus., iii, p. 220, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 513, 1905. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 30, 1916.

Spångberg, Spec. Gyponae, p. 6, 1878.

Gypona sp. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 215, 1909. Localities: Ont., N. Y., N. J., Pa., Fla., Miss., Ohio, Ky., Tenn., Colo.(1), Utah(1). (Mexico.)

1897. Gypona 8-lineata (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 340, 1824; Compl. Writ., ii, p. 257, Tetti-Harris in Hitchcock, Geol. Mass., edn. 2, p. 580, 1835, Tettigonia. [gonia. Signoret, Ann. Soc. Ent. Fr., ser. 3, iii, p. 804, 1855, Tettigonia. Walker, List Homop., Suppl., p. 349, 1858, Tettigonia. Fitch, Trans. N. Y. St. Agr. Soc., xxvii, p. 893, 1867. Rathvon in Mombert, Hist. Lanc. Co., Pa., p. 551, 1869, Tettigonia. Van Duzee, Psyche, v, p. 390, 1890. Southwick, Science, xix, p. 318, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 197, 1894. Wirtner, Ann. Carn. Mus., iii, p. 220, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 512, 1905. Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907.

fGibson and Cogan, Ohio Jl. Sci., xvi, p. 73, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 21, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 31, 1916.

8-lineata var. Spångberg, Spec. Gyponae, p. 7, 1878.

Uhler, Stand. Nat. Hist., ii, p. 247, 1884.

Localities: Ont., N. Y., N. J., Pa., N. C., Tenn., Mo., Kans.

1898. Gypona cana Burm.

Burmeister, Genera Ins., i, pl. 16, No. 10, 1838. Spångberg, Ent. Tidskr., ii, p. 23, 1881. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 214, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 101, 1910. Van Duzee, Can. Ent., xliv, p. 327, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914. Gibson and Cogan, Ohio Jl. Sci., p. 74, 1915. [Writ., ii, p. 257, Tettigonia. 8-lineata var. a, Say, Jl. Acad. Nat. Sci. Phila., iv, p. 340, 1824; Compl. flavilineata Spångberg, Spec. Gyponae, p. 8, 1878. †octolineata Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 358, 1876; iii, p. 460, Uhler, Stand. Nat. Hist., ii, p. 247, 1884. [1877; iv, p. 510, 1878.

Harrington, Ottawa Nat., vi, p. 32, 1892.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 125, 1892.

Gillette and Baker, Hemip. Colo., p. 83, 1895.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 179, 1897 (part).

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 62, 1912 (part).

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 105, 1915 (part).

†quebecensis Provancher, Pet. Faune Ent. Can., iii, p. 269, 1889.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., N. C., Fla., Ohio, Kans., Mo., Colo., Utah, Texas, Calif.

1899. Gypona quebecensis (Prov.)

Provancher, Nat. Can., iv, p. 352, 1872, Tettigonia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 197, 1894.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.

Van Duzee, Can. Ent., xxxviii, p. 409, 1906; xl, p. 157, 1908; xliv, p. 327, 1912.
cana Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 106, 1915.

Localities: Quebec, Ont., Me., N. Y., Pa.

1900. Gypona pruinosa Spångb.

Spångberg, Spec. Gyponae, p. 9, 1878.

Localities: Ga., Texas.

1901. Gypona scrupulosa Spångb.

Spångberg, Spec. Gyponae, p. 9, 1878.

Locality: S. C.

1902. Gypona ramosa Kirk.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iv, p. 60, 1907. Locality: Ariz.

1903. Gypona olivacea Spångb.

Spångberg, Ent. Tidskr., i, p. 24, 1881.

Smith, Cat. Ins. N. J., edn. 3, p. 101, 1910.

Localities: "Am. Bor.," N. J.

1904. Gypona striata Burm.

Burmeister, Genera Ins., i, pl. 16, No. 9, 1838.

Walker, List Homop., iii, p. 839, 1851.

Spångberg, Spec. Gyponae, p. 10, 1878.

Slosson, Ent. News, xiii, p. 8, 1902.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 215, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 101, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914.

flavilineata Fitch, Homop. N. Y. St. Cab., p. 57, 1851.

Walker, List Homop., iv, p. 1159, 1852; Suppl., p. 256, 1858.

Fitch, Trans. N. Y. St. Agr. Soc., xxvii, p. 893, 1868.

Van Duzee, Can. Ent., xxi, p. 9, 1889.

Van Duzee, Psyche, v, p. 388, 1890.

Harrington, Ottawa Nat., vi, p. 32, 1892.

Southwick, Science, xix, p. 318, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 192, 1894.

Gillette and Baker, Hemip. Colo., p. 83, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 220, 1904.

Van Duzee, Can. Ent., xxxviii, p. 409, 1906.

Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915.

Osborn, Me. Agr. Exp. Sta., Bull., 238, p. 105, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 21, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 31, 1916.

†8-lineata Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 30, 1887.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 179, 1897 (part).

Localities: Ont., Me., Mass., N. Y., N. J., Pa., D. C., N. C., Fla.,

Tenn., Wisc., Ia., Kans., Mo., Colo., Texas, Calif.

1905, Gypona verticalis Stål

Stål, Stet. Ent. Zeit., xxv, p. 84, 1864.
Spångberg, Spec. Gyponae, p. 75, 1878.
Spångberg, Ent. Tidskr., ii, p. 28, 1881.
Fowler, Biol. Centr. Am., Homop., ii, p. 302, pl. 20, fig. 18, 1903.
mexicana Spångberg, Spec. Gyponae, p. 18, 1878.
Localities: Utah. (Mexico.)

1906. Gypona melanota Spångb.

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 112, 1903.
Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 513, 1905.
Smith, Cat. Ins. N. J., edn. 3, p. 101, 1910.
nigra Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 31, 1887.
Localities: N. Y., N. J., Ga., Ill., N. Mex.

Spångberg, Spec. Gyponae, p. 19, 1878.

1907. Gypona bimaculata Spångb.

Spångberg, Spec. Gyponae, p. 23, 1878.
Fowler, Biol. Centr. Am., Homop., ii, p. 297, pl. 20, fig. 4, 1903.
Smith, Cat. Ins. N. J., edn. 3, p. 101, 1910.
Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 62, 1912.
Localities: N. Y., N. J., Pa., Ohio, Ind., Ill., Minn., Ia., Colo., Utah.

1908. Gypona unicolor Stål

Stål, Stet. Ent. Zeit., xxv, p. 84, 1864.
Spångberg, Spec. Gyponae, p. 25, 1878.
Fowler, Biol. Centr. Am., Homop., ii, p. 297, 1903.
Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 61, 1907.
Localities: Colo., Calif. (West Indies, Mexico.)

1909. Gypona dorsalis Spångb.

Spångberg, Spec. Gyponae, p. 30, 1878.

Fowler, Biol. Centr. Am., Homop., ii, p. 301, 1903.

Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907.

Localities: Kans., N. Mex. (Mexico.)

1910. Gypona bipunctulata Woodw.

Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 30, 1887.
Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 181, 1897 (excel. synon.).
Osborn, 20th Rept. N. Y. St. Ent., p. 513, 1905.
Localities: N. Y., Ill., Kans., Ia.

1911. Gypona angulata Spångb.

Spångberg, Spec. Gyponae, p. 32, 1878.

Townsend, Can. Ent., xxiv, p. 196, 1892.

Gillette and Baker, Hemip. Colo., p. 83, 1895.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 248, 1916.

Localities: Colo., Utah, Texas, Calif.

1912. Gypona tenella Spångb.

Spångberg, Spec. Gyponae, p. 34, 1878.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 215, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914.

Localities: N. C., Ga., Fla.

1913. Gypona geminata Osb.

Osborn, 20th Rept. N. Y. St. Ent., p. 513, 1905.

Locality: N. Y.

1914. Gypona meditabunda Spångb.

Spångberg, Spec. Gyponae, p. 39, 1878.

Locality: Texas.

1915. Gypona citrina Spångb.

Spångberg, Spec. Gyponae, p. 45, 1878.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 216, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914.

Localities: Fla., Texas.

1916. Gypona woodworthi Van D.

Van Duzee, Can. Ent., xlvi, p. 389, 1915 (n.n. for bimaculata Woodw.).

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 21, 1915.

|| bimaculata Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 32, 1887.

[colon Fitch MS] Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 125, 1892.

Localities: N. C., Ill., Ia.

1917. Gypona pectoralis Spångb.

Spångberg, Spec. Gyponae, p. 46, 1878.

Spångberg, Ent. Tidskr., i, p. 33, 1881.

Wirtner, Ann. Carn. Mus., iii, p. 220, 1904.

Van Duzee, Ottawa Nat., xxvi, p. 68, 1912.

Van Duzee, Can. Ent., xliv, p. 327, 1912.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 21, 1915.

albimarginata Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 31, 1887.

Harrington, Ottawa Nat., vi, p. 32, 1892.

hullensis Provancher, Pet. Faune Ent. Can., iii, p. 269, 1889.

Localities: Quebec, Ont., N. Y., Pa., Mich., Ill., Mo.

1918. Gypona pauperata Spängb.

Spångberg, Ent. Tidskr., i, p. 33, 1881.

Locality: "Am. Sept."

1919. Gypona limbatipennis Spångb.

Spångberg, Spec. Gyponae, p. 47, 1878.

Locality: Ill.

1920. Gypona puncticollis Spångb.

Spångberg, Spec. Gyponae, p. 54, 1878.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 30, 1916.

Localities: Tenn., Texas.

1921. Gypona quadri-notata Spångb.

Spångberg, Spec. Gyponae, p. 56, 1878.

Localities: Ga., Texas.

1922. Gypona albosignata Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1895, p. 74.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914.

Localities: Ont., Mass., N. Y., Ga.

1923. Gypona scarlatina Fitch

Fitch, Homop. N. Y. St. Cab., p. 57, 1851.

Walker, List Homop., iv, p. 1159, 1852.

Van Duzee, Psyche, v, p. 388, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 197, 1894.

Osborn, 20th Rept. N. Y. St. Ent., p. 513, 1905.

Smith, Cat. Ins. N. J., edn. 3, p. 101, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914.

Localities: N. H., Mass., N. Y., N. J., N. C., Ga., Mich.

1924. Gypona irrorella Spångb.

Spångberg, Spec. Gyponae, p. 60, 1878.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 216, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914.

Localities: Fla., Texas.

1925. Gypona sanguinolenta Spångb.

Spångberg, Spec. Gyponae, p. 63, 1878.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 216, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914.

Localities: Ga., Fla., Texas.

1926. Gypona modesta Spångb.

Spångberg, Ent. Tidskr., iv, p. 107, 1883.

Locality: Ill.

1927. Gypona grisea Spångb.

Spångberg, Spec. Gyponae, p. 64, 1878.

Locality: Ga.

1928. Gypona fraterna Spångb.

Spängberg, Spec. Gyponae, p. 72, 1878.

Locality: Ga.

1929. Gypona cinerea Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 460, 1877.

Woodworth, Bul. Ill. St. Lab. Nat. Hist., iii, p. 32, 1887.

Localities: Mass., Conn., Ill., Kans., Colo., Utah.

[Gypona columba Fitch M8]

Uhler, Proc. Bost. Soc. Nat. Hist., xii, p. 327, 1869.

Locality: 1

Genus Xerophloea Germ.

Haplotype grisea Germ. = viridis Fabr.

Germar, Zeit. f. Ent., i, p. 190, 1839.

Burmeister, Genera Ins., i, pl. 8, 1840.

Walker, List. Homop., iii, p. 840, 1851.

Berg, Hemip. Argent., p. 257, 1879.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 28, 1916.

Mesodicus Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 501, 1866.

Fieber, Cicad. d'Eur., i, p. 104, 1875.

Mayr, Tabellen, p. 28, 1884.

Parapholis Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 461, 1877.

1930. Xerophloea viridis (Fabr.)

Fabricius, Ent. Syst., iv, p. 50, 1794, Cercopis.

Fabricius, Syst. Rhyng., p. 94, 1803, Cercopis.

Stål, Hemip. Fabr., ii, p. 59, 1869.

Berg, Ann. Mus. Natl. Buenos Aires, iv, p. 202, 1895.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 179, pl. 19, fig. 1, 1897.

Osborn, 20th Rept. N. Y. St. Ent., p. 512, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 60, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 101, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 532, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 248, 1916.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 28, 1916.

grisea Germar, Zeits. f. Ent., i, p. 190, 1839.

Uhler, Proc. Zool. Soc. Lond. for 1895, p. 73.

virescens Stål, Of. Vet. Akad. Forh., xi, p. 253, 1854.

peltata Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 461, 1877, Parapholis.

Uhler, Stand. Nat. Hist., ii, p. 248, 1884.

Gillette and Baker, Hemip. Colo., p. 82, 1895.

Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907.

Localities: Mass., N. Y., N. J., Md., Ga., Fla., Miss., Tenn., Neb., Kans., Colo., Utah, Texas, Calif., Wash., Ore.

1931. Xerophloea major Bak.

Baker, Psyche, viii, p. 285, 1898.

Osborn, 20th Rept. N. Y. St. Ent., p. 512, 1905.

Smith, Cat. Ins. N. J., edn. 3, p. 101, 1910.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 29, 1916.

Localities: N. Y., N. J., Va., Tenn.

Subfamily JASSINAE (A. & S.)

Amyot and Serville, Hémip., p. 581, 1843, Jassides (Groupe).

Spinola, Tavola Sinot., pp. 56, 58, 1850, Jassoideae.

Walker, List Homop., iii, p. 843, 1851, Jassides (part).

Stål, Of. Vet. Akad. Forh., xxvii, p. 735, 1870, Jassida (includes Gyponini).

Sahlberg, Cicad., p. 70, 1871, Jassides (includes Bythoscopinae).

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 358, 1876, Jassina.

Uhler, Bul U. S. Geol. Geog. Surv., iii, p. 462, 1877.

Berg, Hemip. Argent., p. 263, 1879, Jassina.

Edwards, Ent. Mo. Mag., xx, p. 149, 1883. (Key to British genera).

Osborn, Ent. Am., i, p. 26, 1885, Jassidae (includes Bythoscopinae).

Ashmead, Ent. Am., iv, p. 67, 1888, Jassidae.

Provancher, Pet. Faune Ent. Can., iii, p. 271, 1889, Jassidae.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 297, 1892, Jassidae. (Key to Am. Matsumura, Termes. Fuzet., xxv, p. 355, 1902. [genera.)

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, pp. 296, 324, 1906.

Distant, Trans. Linn. Soc. Lond., Zool., xiii, p. 46, 1909.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 106, 1915. (Key.)

TRIBE ACUCEPHALINI (Dohrn)

Dohrn, Cat. Hemip., p. 84, 1859, Acocephalidae. (Family.) Kirschbaum, Cicad. v. Wiesbd., p. 15, 1868, Acocephalidae. (Subfamily.) Sahlberg, Cicad., pp. 72, 352, 1871, Acocephalides. Fieber, Kat. Cicad. Eur., p. 10, 1872, Acocephalidae. (Subfamily.) Mayr, Tabellen, p. 27, 1884, Acocephalidae. (Subfamily.) Puton, Cat. Hémip. Palae., edn. 3, p. 79, 1886. Edwards, Trans. Ent. Soc. Lond. for 1886, p. 45, Acocephalidae. (Family.) Van Duzee, Trans. Am. Ent. Soc., xix, pp. 297, 298, 1892, Acocephalina. (Sub-[family.) Matsumura, Schrift. Nat. Ges. Danzig, xi, p. 71, 1906, Acocephalinae. (Sub-[family.) Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 334, 1906, Acocephalinae. (Sub-[family.) Distant, Fauna Brit. Ind., Rhyn., iv, pp. 158, 265, 1908, Acocephalinae. [(Subfamily.) Van Duzee, Check List Hemip., p. 68, 1916.

Genus Stroggylocephalus Flor Haplotype agrestis (Fall.)

Flor, Rhyn. Livl., ii, p. 210, 1861.

Van Duzee, Check List Hemip., p. 68, 1916.

‡Strongylocephalus Kirschbaum, Cicad. v. Wiesbad., p. 74, 1868.

Sahlberg, Cicad., pp. 72, 352, 1871.

Fieber, Cicad. d'Eur., i, p. 111, 1875; ii, pl. 11, 1876.

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, pp. 50, 89, 1879.

Mayr, Tabellen, p. 29, 1884.

Edwards, Trans. Ent. Soc. Lond. for 1888, p. 17.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 298, 1892.

Melichar, Cicad. Mitt. Eur., p. 188, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 117, 1896.

1932. Stroggylocephalus agrestis (Fall.)

Fallén, Acta Holm, xxvii, p. 23, 1806, Cicada.
Fallén, Hemip. Suec., Cicad., p. 36, 1829, Cicada.
Burmeister, Genera Ins., i, pl. 12, 1838, Selenocephalus.
Flor, Rhyn. Livl., ii, p. 210, 1861.
Kirschbaum, Cicad. v. Wiesbd., p. 74, 1868.
†Sahlberg, Cicad., p. 353, 1871.
Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 90, pl. 2, fig. 18, 1879.
Edwards, Trans. Ent. Soc. Lond. for 1888, p. 18.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 197, 1894.
Melichar, Cicad. Mitt. Eur., p. 189, pl. 9, figs. 19-21, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 118, pl. 14, fig. 3, 1896. Ball, Rept. Ia. Acad. Sci. for 1899, p. 64, 1900. Slosson, Ent. News, xiii, p. 321, 1902. Osborn, 20th Rept. N. Y. St. Ent., p. 514, 1905. Slosson, Ent. News, xvii, p. 326, 1906. [p. 258, Tettigonia. mixta Say, Jl. Acad. Nat. Sci. Phila., iv, p. 341, 1825; Compl. Writ., ii, Localities: N. H., Conn., N. Y., Mich., Ia., Colo. (Europe.) Genus Acucephalus Germ. Logotype costatus Germ. = nervosus Sch. Germar, Silb. Rev. Ent., i, p. 181, 1833 (for Cercopis striata Fabr. and Cicada [subrustica Fall.). Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 116, 1840 (names trifasciatus Van Duzee, Check List Hemip., p. 68, 1916. [Geof. (Fabr.) pseudotype). Aphrodes Curtis, Ent. Mag., i, p. 195, 1833 (haplotype testudo Curt. = [albifrons Linn.). Curtis, Brit. Ent., xiv, pl. 633, 1837 (names maculipes Curt. pseudotype). ‡Acocephalus Burmeister, Handb. d. Ent., ii, pp. 105, 111, 1835. Burmeister, Genera Ins., i, pl. 11, 1838 (names costatus Germ. type). Amyot and Serville, Hémip., p. 582, 1843. Kirschbaum, Cicad. v. Wiesbd., pp. 15, 73, 74, 1868. Sahlberg, Cicad., pp. 72, 355, 1871. Fieber, Cicad. d'Eur., i, p. 111, 1875; ii, pl. 11, 1876. Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, pp. 50, 61, 1879. Berg, Hemip. Argent., p. 264, 1879. Mayr, Tabellen, p. 30, 1884. Uhler, Stand. Nat. Hist., ii, p. 247, 1884. Edwards, Trans. Ent. Soc. Lond. for 1888, p. 19. Provancher, Pet. Faune Ent. Can., iii, pp. 273, 282, 1889. Van Duzee, Trans. Am. Ent. Soc., xix, p. 298, 1892.

Melichar, Cicad. Mitt. Eur., p. 190, 1896. Edwards, Hemip. Homop. Brit. Isds., p. 119, 1896.

Ball, Rept. Ia. Acad. Sci. for 1899, p. 64, 1900.

Pholetaera Zetterstedt, Ins. Lapp., column 288, 1840 (type rustica Fabr.).
Anoscopus Kirschbaum, Cicad. v. Wiesbd., p. 74, 1868 (type histrionicus
Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 81, 1879.
[Fabr.).

1933. Acucephalus nervosus (Schrank)

Schrank, Enum. Ins. Aust., p. 252, 1781, Cicada.
Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 62, pl. 1, fig. 6, 1879.
Uhler, Stand. Nat. Hist., ii, p. 247, 1884.
Edwards, Hemip. Homop. Brit. Isds., p. 62, pl. 14, fig. 4, 1896.
Osborn, 20th Rept. N. Y. St. Ent., p. 514, 1905.
Horvath, Ann. Mus. Natl. Hung., vi, p. 6, 1908, Aphrodes.
Van Duzee, Check List Hemip., p. 68, 1916.
striata Fabricius, Syst. Rhyng., p. 96, 1803, Cercopis.
Germar, Silb. Revue Ent., i, p. 181, 1833.
Walker, List Homop., iii, p. 848, 1851.
Sahlberg, Cicad., p. 356, 1871.
Van Duzee, Trans. Am. Ent. Soc., xxi, p. 288, 1894.
Melichar, Cicad. Mitt. Eur., p. 191, pl. 9, fig. 22, 1896.

Osborn, 20th Rept. N. Y. St. Ent., p. 514, 1905.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 107, 1915; Bul. 248, p. 73, 1916. transversa Fabricius, Syst. Rhyng., p. 96, 1803, Cercopis. striatella Fabricius, Syst. Rhyng., p. 98, 1803, Cercopis. rustica Fabricius, Syst. Rhyng., p. 97, 1803, Cercopis. Herrich-Schaeffer, Fauna Germ., cxxiv, p. 15.

Flor, Rhyn. Livl., ii, p. 199, 1861.

Kirschbaum, Cicad. v. Wiesbd., p. 75, 1868. costata Panzer, Fauna Germ., lxi, p. 14, 1799, Cicada. fasciatus Curtis, Brit. Ent., xiii, pl. 620, 1836. sparsus Curtis, Brit. Ent., xiii, pl. 620, 1836. cardui Curtis, Brit. Ent., xiii, pl. 620, 1836. obscurus Curtis, Brit. Ent., xiii, pl. 620, 1836. rugosus Curtis, Brit. Ent., xiii, pl. 620, 1836. unicolor Curtis, Brit. Ent., xiii, pl. 620, 1836. pallidus Curtis, Brit. Ent., xiii, pl. 620, 1836. bicinctus Curtis, Brit. Ent., xiii, pl. 620, 1836.

pulverulenta Curtis, Brit. Ent., xiv, pl. 633, 1837, Aphrodes. adustus Hardy, Tyneside Field Club, i, p. 429, 1846.

meratii Guerin, 1

Localities: Ont., Me., N. Y. (Palaearctic.)

1934. Acucephalus fusco-fasciatus (Goeze)

Goeze, Ent. Beytr., ii, p. 161, no. 32, 1778, Cicada.

Bergroth, Bul. Soc. Ent. Fr. for 1890, p. lxvi.

Horvath, Ann. Mus. Natl. Hung., vi, p. 6, 1908, Aphrodes.

Cicada no. 22, Geoffroy, Hist. Abreg. des Ins., i, p. 425, 1762.

brunneo bifasciatus Geoffroy, Hist. Abreg. des Ins., edn. 2, p. 425, no. 22, [1764, Cicada (not binominal).

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 82, 1879.

Ball, Rept. Ia. Acad. Sci. for 1899, p. 65, 1900.

Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910.

transversalis Geoffroy in Fourcroy, Ent. Paris., p. 190, 1785, Cicada. bistriata Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2116, 1788, serratulae Fabricius, Ent. Syst., iv, p. 41, 1794, Cicada. [Cicada.

Fabricius, Syst. Rhyng., p. 54, 1803, Flata. Herrich-Schaeffer, Fauna Germ., cxxx, p. 5, Jassus.

Kirschbaum, Cicad. v. Wiesbd., p. 78, 1868.

Sahlberg, Cicad., p. 362, 1871.

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, pl. 2, fig. 15, 1879.

Melichar, Cicad. Mitt. Eur., p. 196, 1896.

Localities: N. J. (Europe.)

1935. Acucephalus flavostrigatus (Donov.)

Donovan, Brit. Ins., viii, p. 28, pl. 288, fig. 2, 1799, Cicada. Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 85, 1879. Ball, Rept. Ia. Acad. Sci. for 1899, p. 65, 1900. Oshanin, Verz. Palae. Hemip., ii, p. 94, 1906.

rivularis Germar, Mag. d. Ent., iv, p. 89, 1821, Jassus.

Flor, Rhyn. Livl., ii, p. 205, 1861.

Kirschbaum, Cicad. v. Wiesbd., p. 77, 1868.

Sahlberg, Cicad., p. 363, 1871.

Melichar, Cicad. Mitt. Eur., p. 197, 1896.

Osborn, 20th Rept. N. Y. St. Ent., p. 515, 1905.

Horvath, Ann. Mus. Natl. Hung., vi, p. 6, 1908, Aphrodes.

§flavo-lineatus Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, pl. 2, fig. 17, 1879.

§flavo-striatus Edwards, Hemip. Homop. Brit. Isds., p. 124, pl. 14, fig. 11,

Osborn, 20th Rept. N. Y. St. Ent., p. 515, 1905.

[1896.

Localities: Vt., N. Y. (Europe.)

1936. Acucephalus albifrons (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 437, 1758, Cicada. Linnaeus, Fauna Suec., new edn., p. 241, sp. 884, 1761, Cicada. Linnaeus, Syst. Nat., edn. 12, i, p. 709, 1767, Cicada. Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2103, 1788, Cicada. Fallén, Hemip. Suec., Cicad., p. 25, 1826, Cicada. Flor, Rhyn. Livl., ii, p. 203, 1861. Sahlberg, Cicad., p. 360, 1871. Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 76, pl. 2, fig. 14, 1879. Melichar, Cicad. Mitt. Eur., p. 195, 1896. Edwards, Hemip. Homop. Brit. Isds., p. 122, pl. 14, figs. 6-8, 1896. Ball, Rept. Ia. Acad. Sci. for 1899, p. 65, 1900. Wirtner, Ann. Carn. Mus., iii, p. 221, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 515, 1905. Slosson, Ent. News, xvii, p. 326, 1907. Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910. Horvath, Ann. Mus. Natl. Hung., vi, p. 6, 1908, Aphrodes. Van Duzee, Can. Ent., xliv, p. 328, 1912. [history). Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 108, 1915; Bul. 248, p. 69, 1916 (life nitidula, Donovan, Brit. Ins., viii, p. 87, pl. 288, fig. 1, 1799, Cicada. concinna Curtis, Brit. Ent., xiv, pl. 633, 1837, Aphrodes. testudo Curtis, Brit. Ent., xiv, pl. 633, 1837, Aphrodes. nigropunctata Zetterstedt, Ins. Lapp., column 288, 1840, Pholetaera. Sahlberg, Cicad., p. 360, 1871. livens Zetterstedt, Ins. Lapp., column 288, 1840, Pholetaera. interruptus Scott, Ent. Mo. Mag., ix, p. 264, 1873. polystolus Scott, Ent. Mo. Mag., ix, p. 265, 1873. circumflexus Provancher, Pet. Faune Ent. Can., iii, p. 282, 1889. †mixtus Van Duzee, Psyche, v, p. 390, 1890. Southwick, Science, xix, p. 318, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 197, 1894. Van Duzee, Trans. Am. Ent. Soc., xxi, p. 288, 1894.

a. var. fuliginosus Sign.

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 79, 1879. Melichar, Cicad. Mitt. Eur., p. 195, 1896.

b. var. arcuatus Kirschb.

Kirschbaum, Cicad. v. Wiesbd., p. 75, 1868. Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 80, 1879. Melichar, Cicad. Mitt. Eur., p. 195, 1896.

c. var. subrusticus (Fall.)

Fallén, Acta Holm for 1806, p. 10, Cicada. Melichar, Cicad. Mitt. Eur., p. 195, 1896.

d. var. apicalis Sign.

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 80, 1879. Melichar, Cicad. Mitt. Eur., p. 195, 1896.

e. var. albiger (Germ.)

Germar, Mag. d. Ent., iv, p. 88, 1821, *Jassus*. Germar, Fauna Eur., fasc. xvii, p. 17, 1834, *Jassus*. Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 80, 1879. Melichar, Cicad. Mitt. Eur., p. 195, 1896.

f. var. confusus (Kirschb.)

Kirschbaum, Cicad. v. Wiesbd., p. 78, 1868, Anoscopus. Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 80, 1879. Melichar, Cicad. Mitt. Eur., p. 195, 1896.

g. var. argus Rey

Rey, Revue d'Ent., x, p. 245, 1891.

[The varieties have not been worked out in this country.]

Localities: Ont., Me., N. H., N. Y., Pa., D. C., Mich., Wisc.

(Europe.)

1937. Acucephalus placidus (Prov.)

Provancher, Pet. Faune Ent. Can., iii, p. 280, 1889, Selenocephalus. Van Duzee, Can. Ent., xliv, p. 328, 1912.

Locality: Quebec(1).

Genus **Memnonia** Ball Orthotype consobrina Ball

Ball, Rept. Ia. Acad. Sci. for 1899, p. 66, 1900.

1938. Memnonia consobrina Ball

Ball, Rept. Ia. Acad. Sci. for 1899, p. 66, pl. 5, figs. 6-10, 1900.
Localities: Neb., Colo.

1939. Memnonia fraterna Ball-

Ball, Rept. Ia. Acad. Sci. for 1899, p. 67, 1900.

Localities: Neb., Colo.

Genus **Xestocephalus** Van D. Logotype pulicarius Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 298, 1892 (nomen nudum).
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, pp. 197, 214, 1894 (described).
Matsumura, Termes. Fuzet., xxv, p. 402, 1902.
Melichar, Homop. Fauna Ceyl., p. 205, 1903.
Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 51, 1907.
Distant, Fauna Brit. Ind., Rhyn., iv, pp. 265, 348, 1908 (names pulicarius type).
Van Duzee, Can. Ent., xli, p. 384, 1909 (cites pulicarius as type).

1940. Xestocephalus pulicarius Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, pp. 197, 215, 1894.
Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 284, 1897.
Wirtner, Ann. Carn. Mus., iii, p. 221, 1904.
Osborn, 20th Rept. N. Y. St. Ent., p. 515, 1905.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905.
Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907.
Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 62, 1907; ix, p. 216, 1908.
Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910.
Melichar, Notes from Leyden Mus., xxxvi, p. 139, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 21, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 109, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 35, 1916.

Localities: Quebec, Ont., Me., N. Y., N. J., Pa., N. C., Fla., Miss., Ohio, Tenn., Mo., Kans., Ia., Utah. (West Indies.)

1941. Xestocephalus superbus (Prov.)

Provancher, Pet. Faune Ent. Can., iii, p. 339, 1890, Deltocephalus. Van Duzee, Can. Ent., xliv, p. 329, 1912.

fulvocapitatus Van Duzce, Bul. Buf. Soc. Nat. Sci., v, pp. 197, 215, 1894.
Osborn, 20th Rept. N. Y. St. Ent., p. 515, 1905.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 109, 1915.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 35, 1916.
Localities: Quebec, Ont., Me., N. Y., Pa., Ohio, Tenn.

1942. Xestocephalus tessellatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 216, 1894.
Wirtner, Ann. Carn. Mus., iii, p. 221, 1904.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.
Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 22, 1915.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 35, 1916.
Localities: Pa., N. C., Fla., Miss., Tenn., Mo., Texas.

1943. Xestocephalus coronatus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 184, pl. 19, fig. 2, 1897. Locality: Ia.

1944. Xestocephalus nigrifrons Osb.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 109, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 34, 1916. Localities: Me., Tenn.

1945. Xestocephalus brunneus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 62, 1907. Localities: Mass., R. I., N. Y., Pa.

Genus Nionia Ball Orthotype palmeri (Van D.)

Ball, Proc. Biol. Soc. Wash., xxviii, p. 165, 1915.
 †Goniagnathus Van Duzee, Trans. Am. Ent. Soc., xix, p. 299, 1892.
 DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 33, 1916.

1946. Nionia palmeri (Van D.)

Van Duzee, Can. Ent., xxiii, p. 171, 1891, Goniagnathus.
Wirtner, Ann. Carn. Mus., iii, p. 222, 1904, Goniagnathus.
Osborn, 20th Rept. N. Y. St. Ent., p. 529, 1905, Goniagnathus.
Osborn, Ohio Nat., v, p. 274, 1905, Goniagnathus.
Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910, Goniagnathus.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 25, 1915, Goniagnathus.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 33, 1916, Goniagnathus.
Ball, Proc. Biol. Soc. Wash., xxviii, p. 166, 1915 (as type of Nionia).
Localities: N. Y., N. J., Pa., N. C., Ohio, Tenn.

TRIBE JASSINI (Dohrn)

Dohrn, Cat. Hemip., p. 86, 1859, Jassidae.
Kirschbaum, Cicad. v. Wiesbd., p. 15, 1868, Jassidae.
Sahlberg, Cicad., p. 70, 1871, Jassides.
Mayr, Tabellen, p. 30, 1884, Jassidae.
Puton, Cat. Hémip. Palae., edn. 3, p. 81, 1886.
Edwards, Trans. Ent. Soc. Lond. for 1886, p. 45, Jassidae.
Van Duzee, Trans. Am. Ent. Soc., xix, p. 297, 1892, Jassina.
Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, pp. 296, 324, 1906, Jassinae.

DIVISION DORYDIARIA (Van D.)

Van Duzee, Trans. Am. Ent. Soc., xix, p. 288, 1892, Dorydini. (Tribe.)
Van Duzee, Check List Hemip., p. 68, 1915.
Cephalelini Kirkaldy, Haw. S. P. A., Exp. St. Bul., iii, p. 72, 1907.
Hecalusaria Distant, Fauna Brit. Ind., Rhyn., iv, p. 273, 1908.

Distant, Trans. Linn. Soc. Lond., Zool., xiii, p. 46, 1909.

Genus Dorycephalus Kusch. Haplotype baeri Kusch.

Kuschakewitch, Horae Soc. Ent. Ross., iv, p. 102, pl. 2, 1866. Fieber, Cicad. d'Eur., i, p. 114, 1875; ii, pl. 11, 1876. Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, pp. 50, 265, 1879. Van Duzee, Trans. Am. Ent. Soc., xix, p. 298, 1892. Ball, Rept. Ia. Acad. Sci. for 1899, p. 67, 1900.

1947. Dorycephalus platyrhynchus Osb.

Osborn, Can. Ent., xxvi, p. 216, 1894.
Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 185, pl. 20, fig. 1, 1897.
Ball, Rept. Ia. Acad. Sci. for 1899, p. 68, 1900.
Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 65, fig. 7, 1912.

**Dorycephalus sp., Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892.

**Localities: Ia., Neb., Kans., Colo.

1948. Dorycephalus vanduzei O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 74, pl. 6, fig. 2, 1898. Ball, Rept. Ia. Acad. Sci. for 1899, p. 68, 1900.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 216, 1909.

Localities: Fla., Neb., Kans., Colo.

Genus Neoslossonia Van D.

Orthotype atra Van D. = putnami (Osb.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 218, 1909. Van Duzee, Can. Ent., xl, p. 384, 1909 (cites putnami as type).

1949. Neoslossonia putnami (Osb.)

Osborn, Proc. Dav. Acad. Sci., x, p. 163, 1907, Dorycephalus. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914. atra Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 218, 1909. Localities: Ga., Fla.

Genus Hecalus Stål Logotype paykulli Stål

Stål, Ann. Soc. Ent. Fr., ser. 4, iv, p. 65, 1864.

Stål, Hemip. Afr., iv, p. 113, 1866.

Berg, Hemip. Argent., p. 273, 1879.

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 266, 1879.

Uhler, Stand. Nat. Hist., ii, p. 247, 1884.

Van Duzce, Trans. Am. Ent. Soc., xix, p. 299, 1892.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 273, 1908.

Glossocratus Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 502, 1866.

Fieber, Cicad. d'Eur., i, p. 116, 1875; ii, pl. 11, 1876.

1950. Hecalus apicalis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 217, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914. Locality: Fla.

1951. Hecalus bracteatus Ball

Ball, Can. Ent., xxxiii, p. 4, 1901.

Locality: Colo.

1952. Hecalus lineatus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 463, 1877, Glossocratus.

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 267, pl. 7, fig. 25, 1879.

Uhler, Stand. Nat. Hist., ii, p. 247, 1884.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 188, pl. 20, fig. 2, 1897.

Ball, Rept. Ia. Acad. Sci. for 1899, p. 68, 1900.

Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 64, fig. 6, 1912.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915.

dfenstratus Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 464, 1877, Glossocratus.

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 268, 1879; x, p. 42, pl. 1, [fig. 37, 1880.

Localities: Mass., N. Y., N. J., Mo., Kans., Ia., Neb., Minn., S. D., N. D., Colo.

Genus Spangbergiella Sign.

Haplotype vulnerata (Uhl.)

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 273, 1879.

1953. Spangbergiella vulnerata (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 464, 1877, Glossocratus.

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 274, 1879.

Uhler, Stand. Nat. Hist., ii, p. 247, 1884, Spangbergia.

Baker, Can. Ent., xxix, p. 157, 1897.

Ball, Rept. Ia. Acad. Sci. for 1899, p. 68, 1900 (excl. synon.).

Osborn, 20th Rept. N. Y. St. Ent., p. 516, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 62, 1907; ix, p. 219, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 22, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 36, 1916.

lacertae Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, pl. 8, fig. 29, 1879.
Localities: N. Y., N. J., N. C., Fla., Tenn., Ark., Texas.

1954. Spangbergiella mexicana Bak.

Baker, Can. Ent., xxix, p. 157, 1897.
 Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.
 Locality: Fla.

Genus Parabolocratus Fieb.

Haplotype glaucescens Fieb. (sulcatus in Fieber key) Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, pp. 502, 513, 1866.

Fisher Charl Althur : n 117 1075 .:: nl 10 1076

Fieber, Cicad. d'Eur, i, p. 117, 1875; ii, pl. 12, 1876.

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 275, 1879; x, p. 41, 1880.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 299, 1892.

Ball, Rept. Ia. Acad. Sci. for 1899, p. 70, 1900.

1955. Parabolocratus viridis (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 462, 1877, Glossocratus. Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 275, pl. 8, fig. 30, 1879. Uhler, Stand. Nat. Hist., ii, p. 247, 1884. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 125, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 198, 1894. Gillette and Baker, Hemip. Colo., p. 84, 1895. Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 189, pl. 21, fig. 1, 1897. Ball, Rept. Ia. Acad. Sci. for 1899, p. 71, 1900. Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910. Wirtner, Ann. Carn. Mus., iii, p. 221, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 515, 1905. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 68, fig. 8, 1912. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 37, 1916. [Gypona. [reverta Uhler MS] Hayden's Surv. Terr., Rept. for 1870, p. 472, 1872, [cyperacae Fitch MS] Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, pp. 88, 275,

a. var. montanus Ball

Ball, Rept. Ia. Acad. Sci. for 1899, p. 71, 1900.

Localities: Quebec, Ont., N. H., Mass., Conn., N. Y., N. J., Pa., Tenn., Ill., Ia., Mo., Mont., Colo., Calif.

[1879, Selenocephalus.

1956. Parabolocratus major Osb.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 110, 1915.

Locality: Me.

1957. Parabolocratus flavidus Sign.

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 276, pl. 8, fig. 31, 1879. Ball, Rept. Ia. Acad. Sci. for 1899, p. 71, 1900.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 219, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 22, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 37, 1916.

Localities: N. C., Fla., Ala., Ia., Kans., Texas.

1958. Parabolocratus brunneus Ball

Ball, Rept. Ia. Acad. Sci. for 1899, p. 71, 1900. Localities: Neb., Colo.

Genus Dicyphonia Ball Orthotype ramentosa Ball

Ball, Rept. Ia. Acad. Sci. for 1899, p. 69, 1900.

1959. Dicyphonia ramentosa Ball

Ball, Rept. Ia. Acad. Sci. for 1899, p. 69, pl. 5, figs. 1-5, 1900 (misprinted Localities: Neb., Colo. [pamentosa).

1960. Dicyphonia ornata (Bak.)

Baker, Can. Ent., xxxii, p. 49, 1900, Platymetopius. Locality: Kans.

Genus Cochlorhinus Uhl. Haplotype pluto Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 358, 1876. Van Duzee, Trans. Am. Ent. Soc., xix, p. 298, 1892. Ball, Can. Ent., xxxiv, p. 53, 1902.

1961. Cochlorhinus pluto Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 358, 1876.Ball, Can. Ent., xxxiv, p. 54, pl. 2, fig. 1, 1902.Locality: Calif.

Genus **Uhleriella** Ball Orthotype coquilletti (Van. D.)

Ball, Can. Ent., xxxiv, p. 54, 1902.

1962. Uhleriella coquilletti (Van D.)

Van Duzee, Ent. Am., vi, p. 95, 1890, Deltocephalus.
Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 221, 1897, Thamnotettix.
Ball, Can. Ent., xxxiv, p. 55, pl. 2, fig. 2, 1902.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.
Locality: Calif.

19621/2. Uhleriella ziczac Ball

Ball, Proc. Biol. Soc. Wash., xxviii, p. 166, 1915. Locality: Calif.

1963. Uhleriella stygica Ball

Ball, Can. Ent., xxxiv, p. 55, pl. 2, fig. 3, 1902. Locality: Calif.

19631/2. Uhleriella pasadena Ball

Ball, Proc. Biol. Soc. Wash., xxviii, p. 166, 1915.
Locality: Calif.

1964. Uhleriella signata Ball

Ball, Can. Ent., xxxiv, p. 56, pl. 2, fig. 4, 1902. Locality: Calif.

Genus Drionia Ball Orthotype nigra Ball

Ball, Proc. Biol. Soc. Wash., xxviii, p. 167, 1915.

19641/2. Drionia nigra Ball

Ball, Proc. Biol. Soc. Wash., xxviiii, p. 167, 1915. Locality: Ore.

Genus Huleria Ball Orthotype 4-punctata Ball

Ball, Can. Ent., xxxiv, p. 57, 1902.

1965. Huleria 4-punctata Ball

Ball, Can. Ent., xxxiv, p. 58, pl. 2, fig. 5, 1902.Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.Locality: Calif.

DIVISION DELTOCEPHALARIA (Fieb.)

Fieber, Verh. Zool.-Bot. Ges. Wien, xix, p. 201, 1869, Deltocephali. Van Duzee, Trans. Am. Ent. Soc., xix, pp. 298, 299, 1892, Deltocephalini. Distant, Fauna Brit. Ind., Rhyn., iv, p. 371, 1908, Deltocephalusaria.

Genus Aligia Ball Orthotype jucunda (Uhl.)

Ball, Proc. Dav. Acad. Sci., xii, pp. 31, 53, 75, 1907 (as subgenus of *Eutettix*). Van Duzee, Check List Hemip., p. 69, 1916. [1894. † Allygus Van Duzee, Trans. Am. Ent. Soc., xix, p. 299, 1892; xxi, p. 294,

1966. Aligia inscripta (Van D.)

Van Duzee, Ent. Am., vi, p. 92, 1890, Allygus.
Ball, Proc. Dav. Acad. Sci., xii, p. 54, pl. 3, fig. 1, 1907.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.
Locality: Calif.

1967. Aligia oculea (Ball)

Ball, Can. Ent., xxxiii, p. 50, 1901, Eutettix.
Ball, Proc. Dav. Acad. Sci., xii, p. 53, 1907.
Locality: Colo.

1968. Aligia jucunda (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 469, 1877, Jassus.
Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 97, note, 1898, Paramesus.
Ball, Proc. Dav. Acad. Sci., xii, p. 55, pl. 3, fig. 2, 1907.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 248, 1916.
Localities: Md.(*), Colo., N. Mex., Texas, Ariz., Utah, Calif.

1969. Aligia munda (Ball)

Ball, Can. Ent., xxxiii, p. 48, 1901, Eutettix.
Ball, Proc. Dav. Acad. Sci., xii, p. 57, pl. 3, fig. 3, 1907.
Localities: Colo., N. Mex., Ariz.

1970. Aligia modesta (O. & B.)

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 98, 1898, Eutettix. Ball, Proc. Dav. Acad. Sci., xii, p. 58, pl. 3, fig. 4, 1907. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 22, 1915.

Localities: Pa., D. C., N. C., Ia.

1971. Aligia manitou (Ball)

Ball, Can. Ent., xxxiii, p. 49, 1901, Eutettix.
Ball, Proc. Dav. Acad. Sci., xii, p. 58, pl. 3, fig. 5, 1907.
Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907, Eutettix.
Localities: Colo., N. Mex.

Genus **Mesamia** Ball Orthotype nigridorsum Ball

Ball, Proc. Dav. Acad. Sci., xii, pp. 31, 59, 75, 1907 (as subgenus). [1894. †Paramesus Van Duzee, Trans. Am. Ent. Soc., xix, p. 299, 1892; xxi, p. 290,

1972. Mesamia nigridorsum Ball

Ball, Proc. Dav. Acad. Sci., xii, p. 60, pl. 3, fig. 6; pl. 4, fig. 6, 1907. Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 68, 1916, Eutettix.

†twiningi Van Duzee, Trans. Am. Ent. Soc., xxi, p. 290, 1894, Paramesus. Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907.

†jucundus Gillette and Baker, Hemip. Colo., p. 84, 1895, Paramesus.

Localities: N. J., Pa., N. C., Tenn., Ia., Dak., Kans., Colo., Utah.

1973. Mesamia straminea (Osb.)

Osborn, Proc. Ia. Acad. Sci., v, p. 241, 1898, Paramesus.

Ball, Proc. Dav. Acad. Sci., xii, p. 62, pl. 3, flg. 7; pl. 4, fig. 7, 1907.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.

Localities: Ia., Dak., Neb., Kans., Colo., Utah, Calif.

1974. Mesamia coloradensis (G. & B.)

Gillette and Baker, Hemip. Colo., p. 91, 1895, Allygus.
Ball, Proc. Dav. Acad. Sci., xii, p. 63, 1907.
Tucker, Kans. Univ. Sci. Bul., iv, p. 66, 1907, Paramesus.
immaculatus Ball, Can. Ent., xxxvii, p. 211, 1905, Paramesus.

a. var. visalia Ball

Ball, Can. Ent., xlviii, p. 128, 1916.

Localities: La.(?), Colo., Utah, Calif. (Mexico.)

1975. Mesamia vitellina (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 57, 1851, Acocephalus.

Van Duzee, Can. Ent., xxi, p. 9, 1889, Acocephalus.

Van Duzee, Psyche, v, p. 390, 1890, Selenocephalus.

Southwick, Science, xix, p. 318, 1892, Paramesus.

Van Duzee in Lintner's 9th Rept. N. Y. St. Ent., p. 410, 1893, Paramesus.

Van Duzee, Trans. Am. Ent. Soc., xxi, p. 290, 1894, Paramesus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 198, 1894, Paramesus.

Gillette and Baker, Hemip. Colo., p. 84, 1895, Paramesus.

Wirtner, Ann. Carn. Mus., iii, p. 221, 1904, Paramesus.

Osborn, 20th Rept. N. Y. St. Ent., p. 516, 1905, Paramesus.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905, Paramesus.

Ball, Proc. Dav. Acad. Sci., xii, p. 67, pl. 4, fig. 2, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 139, 1915, Eutettix.

twiningi Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 511, 1878, Jassus.

Wirtner, Ann. Carn. Mus., iii, p. 221, 1904, Paramesus.

furcatus Osborn, Can. Ent., xxxii, p. 285, 1900, Paramesus.

Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Pa., D. C., Mich., Manitoba, N. D., S. D., Ia., Neb., Colo., Utah, Wash., Br. Col., Vanc. Isd.

1976. Mesamia palliolata (Ball)

Ball, Can. Ent., xxxiv, p. 13, 1902, Eutettix.

Ball, Proc. Dav. Acad. Sci., xii, p. 69, pl. 3, fig. 9, 1907. Locality: Texas.

1977. Mesamia illumina Ball

Ball, Can. Ent., xli, p. 80, 1909.

Locality: Ariz.

1978. Mesamia(?) irrorellus (Stål)

Stål, Freg. Eugen. Resa, Ins., p. 295, 1859, Athysanus.

Ball, Proc. Dav. Acad. Sci., xii, p. 70, 1907.

Locality: Calif.

Genus Scaphoideus Uhl. Logotype immistus (Say)

Uhler, Trans. Md. Acad. Sci., i, p. 33, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 276, 1889.

Van Duzee, Ent. Am., vi, p. 52, 1890.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 299, 1892.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 187, 1900 (monograph).

Matsumura, Termes. Fuzet., xxv, p. 383, 1902.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 371, 1908.

Osborn, Ohio Nat., xi, p. 249, 1911.

1979. Scaphoideus fasciatus Osb.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 190, 1900.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 69, 1907.

Osborn, Ohio Nat., xi, p. 252, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

Localities: N. J., Fla. (West Indies.)

1980. Scaphoideus sanctus (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 307, 1831; Compl. Writ., ii, p. 383,

Walker, List Homop., iv, p. 1164, 1852, Jassus.

Jassus.

Osborn, Ohio Nat., xi, p. 251, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 23, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 55, 1916.

picturatus Osborn, Proc. Ia. Acad., Sci., v, p. 243, 1898.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 193, 1900.

Localities: N. J., N. C., Ohio, Ky., Tenn., Ind., Ia., Ill., Mo.

1981. Scaphoideus neglectus Osb.

Osborn, Ohio Nat., xi, p. 252, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914.

†sanctus Van Duzee, Trans. Am. Ent. Soc., xxi, p. 300, 1894.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 191, 1900.

†fasciatus Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 227, 1909.

Localities: Fla., Miss., Texas. (Mexico.)

1982. Scaphoideus cruciatus Osb.

Osborn, Ohio Nat., xi, p. 253, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914.

†sanctus(?) Osborn, 20th Rept. N. Y. St. Ent., p. 523, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 227, 1909.

Localities: N. Y., N. J., Fla.

1983. Scaphoideus auronitens Prov.

Provancher, Pet. Faune Ent. Can., iii, p. 277, 1889. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894. Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 194, 1900. Wirtner, Ann. Carn. Mus., iii, p. 224, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 524, 1905. Osborn, Ohio Nat., xi, p. 254, 1910. Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910. Van Duzee, Can. Ent., xliv, p. 328, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 115, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 23, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 56, 1916. [areatus Harris MS] in Hitchcock, Geol. Mass., edn. 2, p. 580, 1835, Jassus. Van Duzee, Trans. Am. Ent. Soc., xxi, p. 308, 1894. Van Duzee, Can. Ent., xli, p. 383, 1909. Localities: Quebec, Ont., Me., N. Y., N. J., Pa., N. C., Fla., Ohio, Tenn., Ill.

1984. Scaphoideus jucundus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 34, 1889. Van Duzee, Can. Ent., xxi, p. 11, 1889. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 200, 1894. Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 195, 1900. Wirtner, Ann. Carn. Mus., iii, p. 224, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 524, 1905. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 227, 1909. Osborn, Ohio Nat., xi, p. 254, 1910. Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 23, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 114, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 56, 1916. Localities: Ont., Me., N. Y., N. J., Pa., Md., D. C., N. C., Fla., Tenn., Ia., Mo.

1985. Scaphoideus unicolor Osb.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 196, 1900 (as var. of consors). Osborn, Ohio Nat., xi, p. 255, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 57, 1916.

Localities: Mass., N. Y., D. C., W. Va., Ga., Fla., Ala., Texas

1986. Scaphoideus albonotatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 226, 1909. Osborn, Ohio Nat., xi, p. 255, 1910.

§albonotus Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914.

Locality: Fla.

1987. Scaphoideus consors Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 36, 1889.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 196, 1900.

Osborn, 20th Rept. N. Y. St. Ent., p. 523, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 226, 1909.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 23, 1915.

Localities: N. Y., Pa., Md., D. C., N. C., Fla., Ohio, Colo., Utah, Texas.

1988. Scaphoideus scalaris Van D.

Van Duzee, Ent. Am., vi, p. 51, 1890.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 198, 1900.

Slosson, Ent. News, xiii, p. 321, 1902.

Osborn, 20th Rept. N. Y. St. Ent., p. 523, 1905.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Osborn, Ohio Nat., ix, p. 464, 1909; xi, p. 255, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 114, 1915.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 56, 1916.

Localities: Me., N. H., N. Y., Pa., Fla., Ohio, Tenn., Ia., Kans., Mo., Ariz., Calif., Wash. (Mexico, Centr. Am.)

1989. Scaphoideus lobatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, pp. 199, 211, 1894.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 199, 1900.

Slosson, Ent. News, xiii, p. 321, 1902.

Wirtner, Ann. Carn. Mus., iii, p. 224, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 524, 1905.

Osborn, Ohio Nat., xi, p. 256, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 114, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 23, 1915.

Localities: Me., N. H., N. Y., N. J., Pa., N. C., Ohio, Ia.

1990. Scaphoideus ochraceus Osb.

Osborn, Proc. Ia. Acad. Sci., v, p. 242, 1898.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 199, 1900.

Wirtner, Ann. Carn. Mus., iii, p. 224, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 525, 1905. Osborn, Ohio Nat., xi, p. 258, 1910. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 57, 1916. Localities: N. H., N. Y., Pa., Tenn., Ia.

1991. Scaphoideus productus Osb.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 200, 1900.

Wirtner, Ann. Carn. Mus., iii, p. 224, 1904.

Osborn, Ohio Nat., xi, p. 258, 1910.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 115, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 23, 1915.

Localities: Me., Mass., N. Y., Pa., N. C., Ky., Ia., Kans., Mo.

1992. Scaphoideus carinatus Osb.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 201, 1900.
Osborn, 20th Rept. N. Y. St. Ent., p. 525, 1905.
Osborn, Ohio Nat., xi, p. 258, 1910.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 115, 1915.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 24, 1915.
Localities: Me., N. H., N. Y., N. J., N. C., Ohio.

1993. Scaphoideus nigricans Osb.

Osborn, Ohio Nat., xi, p. 258, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 24, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 59, 1916.

Localities: N. C., Tenn.

1994. Scaphoideus intricatus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 34, 1889.
Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 202, 1900.
Wirtner, Ann. Carn. Mus., iii, p. 224, 1904.
Osborn, 20th Rept. N. Y. St. Ent., p. 525, 1905.
Osborn, Ohio Nat., xi, p. 258, 1910.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 58, 1916.
Localities: N. H., N. Y., N. J., Pa., Md., Va., Ohio, Ky., Tenn., Mich., Ia., Neb., Kans.

1995. Scaphoideus luteolus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 210, 1894.
Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 203, 1900.
Wirtner, Ann. Carn. Mus., iii, p. 224, 1904.
Osborn, 20th Rept. N. Y. St. Ent., p. 524, 1905.
Osborn, Ohio Nat., xi, p. 259, 1910.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 116, 1915.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 58, 1916.
Localities: Me., N. Y., N. J., Pa., Ohio, Tenn., Ill., Ia.

1996. Scaphoideus immistus (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 306, 1831; Compl. Writ., ii, p. 382, *Jassus*.
Van Duzee, Can. Ent., xxi, p. 11, 1889, *Jassus*.
Uhler, Trans. Md. Acad. Sci., i, p. 33, 1889.

633

Provancher, Pet. Faune Ent. Can., iii, p. 276, 1890. Van Duzee, Psyche, v, p. 389, 1890. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894. Gillette and Baker, Hemip. Colo., p. 94, 1895. Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 204, 1900. Slosson, Ent. News, xiii, p. 321, 1902. Wirtner, Ann. Carn. Mus., iii, p. 224, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 525, 1905. Van Duzee, Can. Ent., xxxviii, p. 410, 1906. Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907. Van Duzee, Can. Ent., xl, p. 158, 1908. Osborn, Ohio Nat., xi, p. 259, 1910. Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910. Van Duzee, Can. Ent., xliv, p. 328, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 116, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 24, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 58, 1916.

a. var. minor Osb.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 205, 1900. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 59, 1916.

b. var. major Osb.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 205, 1900. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 59, 1916.

c. var. incisus Osb.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 206, 1900.

Localities: Quebec, Ont., Me., N. H., Vt., Mass., N. Y., N. J., Pa.,

D. C., W. Va., N. C., Fla., Ala., Ohio, Tenn., Mich., Ill., Ia.,

Mo., Kans., Colo., Texas, Calif.

1997. Scaphoideus melanotus Osb.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 206, 1900. Wirtner, Ann. Carn. Mus., iii, p. 224, 1904. Osborn, Ohio Nat., xi, p. 259, 1910. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 59, 1916. Localities: Pa., Md., Tenn., Texas.

1998. Scaphoideus obtusus Osb.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 207, 1900. †Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 225, 1909. Osborn, Ohio Nat., xi, p. 260, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914. Localities: N. Y., Fla., Ill., Ia.

1999. Scaphoideus cinerosus Osb.

Osborn, Jl. Cinc. Soc. Nat. Hist., xix, p. 208, 1900. Osborn, Ohio Nat., xi, p. 259, 1910. Localities: Ill., Ia.

2000. Scaphoideus opalinus Osb.

Osborn, 20th Rept. N. Y. St. Ent., p. 525, 1905. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 226, 1909. Osborn, Ohio Nat., xi, p. 260, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914.

Localities: N. Y., N. J., Fla.

2001. Scaphoideus fumidus Ball

Ball, Can. Ent., xxxiii, p. 8, 1901.

Osborn, Ohio Nat., xi, p. 254, 1910.

Localities: Colo., Ariz.

2002. Scaphoideus bicolor Ball

Ball, Ent. News, xx, p. 166, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914. Locality: Calif.

2003. Scaphoideus blandus Ball

Ball, Can. Ent., xxxiii, p. 7, 1901.

Osborn, Ohio Nat., xi, p. 256, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914.

Localities: Colo., Calif.

2004. Scaphoideus pellucidus Ball

Ball, Can. Ent., xli, p. 83, 1909.

Locality: Calif.

2005. Scaphoideus catalinus Ball

Ball, Can. Ent., xli, p. 82, 1909.

Locality: Ariz.

2006. Scaphoideus scrupulosus Ball

Ball, Can. Ent., xxxiv, p. 14, 1902.

Osborn, Ohio Nat., xi, p. 256, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914.

a. var. reductus Ball

Ball, Can. Ent., xli, p. 84, 1909.

Locality: Calif.

2007. Scaphoideus irroratus Osb.

Osborn, Ohio Nat., xi, p. 257, 1910.

Locality: Calif.

Genus Platymetopius Burm. Logotype undatus (DeG.)

Burmeister, Genera Ins., i, pl. 14, subgenus 4, 1838.

Flor, Rhyn. Livl., ii, p. 221, 1861.

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 506, 1866.

Kirschbaum, Cicad. v. Wiesbd., pp. 82, 146, 1868.

Fieber, Verh. Zool.-Bot. Ges. Wien, xix, p. 201, 1869.

Sahlberg, Cicad., pp. 72, 295, 1871.

Fieber, Cicad. d'Eur., i, p. 124, 1875; ii, pl. 13, 1876.

Signoret, Ann. Soc. Ent. Fr., ser. 5, ix, p. 52, 1879.

Berg, Hemip. Argent., p. 272, 1879.

Mayr, Tabellen, p. 35, 1884.

Edwards, Trans. Ent. Soc. Lond. for 1888, pp. 17, 26.

Provancher, Pet. Faune Ent. Can., iii, p. 274, 1889.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 299, 1892.

Melichar, Cicad. Mitt. Eur., p. 207, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 127, 1896.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 191, 1897.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 214, 1910 (monograph Am. species).

Proceps Mulsant and Rey, Ann. Soc. Linn. Lyons for 1855, p. 237.

2008. Platymetopius hyalinus Osb.

Osborn, Ent. News, xi, p. 501, 1900.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 218, 1910.

Localities: Pa., D. C.

2009. Platymetopius modestus Stål

Stål, Of. Vet. Akad. Forh., xi, p. 255, 1854.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 230, 1910.

Locality: "Carolina."

2010. Platymetopius pyrops (Crmb.)

Crumb, Ann. Ent. Soc. Am., viii, p. 191, 1915, Deltocephalus.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 53, 1916, Deltocephalus.

Locality: Tenn.

2011. Platymetopius nigriviridis Ball

Ball, Ent. News, xx, p. 163, 1909.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 218, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.

a. var. dixianus Ball

Ball, Ent. News, xx, p. 163, 1910.

Localities: Utah, Calif.

2012. Platymetopius majestus Ball

Ball, Ent. News, xx, p. 164, 1909.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 219, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.

Locality: Calif.

2013. Platymetopius elegans Van D.

Van Duzee, Ent. Am., vi, p. 94, 1890.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 219, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.

Locality: Calif.

2014. Platymetopius acutus (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 306, 1831; Compl. Writ., ii, p. 382,

Fitch, Homop. N. Y. St. Cab., p. 62, 1851, Jassus.

[Jassus.

Walker, List Homop., iii, p. 894, 1851; iv, p. 1163, 1852, Jassus.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 473, 1877.

Van Duzee, Can. Ent., xxi, p. 11, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 275, 1889.

Van Duzee, Psyche, v, p. 389, 1890.

Harrington, Ottawa Nat., vi, p. 32, 1892.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892.

Townsend, Can. Ent., xxiv, p. 197, 1892.

Davis, Mich. Agr. Exp. Sta., Bul. 102, p. 8, pl. 1, fig. 3, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 198, 1894.

Gillette and Baker, Hemip. Colo., p. 84, 1895.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 192, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 221, 1904.

Slosson, Ent. News, xvii, p. 326, 1906.

Van Duzee, Can. Ent., xxxviii, p. 410, 1906.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Van Duzee, Can. Ent., xl, p. 157, 1908.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 219, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 69, fig. 9, 1912.

Van Duzee, Can. Ent., xliv, p. 327, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 111, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 22, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 39, 1916.

a. var. dubius Van D.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 220, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 40, 1916.

†latus Van Duzee, Can. Ent., xl, p. 157, 1908.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., N. J., Pa., N. C., Ohio, Tenn., Mo., Kans., Colo., Utah, Calif., Br. Col.

2015. Platymetopius oregonensis Bak.

Baker, Can. Ent., xxxii, p. 49, 1900.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 220, 1910.

Localities: Colo., N. Mex., Utah, Calif., Ore.

2016. Platymetopius latus Bak.

Baker, Can. Ent., xxxii, p. 50, 1900.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 221, 1910.

Localities: Quebec, Ont.

2017. Platymetopius cuprescens Osb.

Osborn, 20th Rept. N. Y. St. Ent., p. 517, 1905.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 221, 1910.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 112, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 22, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 40, 1916.

Localities: Quebec, Ont., Me., N. Y., N. C., Tenn., Colo., Utah.

20171/2. Platymetopius trilineatus Ball

Ball, Ent. News, xxvii, p. 204, 1916.

Locality: Calif.

2018. Platymetopius slossoni Van D.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 222, 1910.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.
Localities: Fla., Calif.

2019. Platymetopius cinereus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 193, pl. 26, fig. 1, 1897. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 219, 1909. Van Duzee, Ann. Ent. Soc. Am., iii, p. 223, 1910. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 72, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 22, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 39, 1916.

Localities: N. C., Fla., Tenn., Ia., Neb., Kans., Ariz.

2020. Platymetopius angustatus Osb.

Osborn, 20th Rept. N. Y. St. Ent., p. 518, 1905. Van Duzee, Ann. Ent. Soc. Am., iii, p. 223, 1910. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 114, 1915. Localities: N. Y., Mo.

20201/2. Platymetopius parvus Lthr.

Lathrop, Ohio Jl. Sci., xvii, p. 122, 1917. Locality: S. C.

2021. Platymetopius fulvus Osb.

Osborn, 20th Rept. N. Y. St. Ent., p. 519, 1905. Van Duzee, Ann. Ent. Soc. Am., iii, p. 224, 1910. Localities: N. Y., Pa., Ohio.

2022. Platymetopius dorsalis Ball

Ball, Ent. News, xx, p. 164, 1909 (as var. of frontalis).Van Duzee, Ann. Ent. Soc. Am., iii, p. 224, 1910.Locality: Kans.

2023. Platymetopius frontalis Van D.

Van Duzee, Can. Ent., xxii, p. 112, 1890. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 198, 1894. Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 193, 1897. Wirtner, Ann. Carn. Mus., iii, p. 221, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 517, 1905. Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907. Van Duzee, Ann. Ent. Soc. Am., iii, p. 225, 1910. Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 71, fig. 10, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 113, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 22, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 40, 1916. Localities: Ont., Me., N. Y., N. J., Pa., D. C., N. C., Ga., Fla., Miss., Ohio, Tenn., Ill., Mo., Kans., Ia., Calif.

2024. Platymetopius nasutus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 64, 1907.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 225, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 53, 1914.

Localities: Colo., Calif. (West Indies.)

2025. Platymetopius loricatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 205, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 64, 1907; ix, p. 219, 1909.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 226, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

Localities: Fla., Colo., Calif. (Mexico, Centr. Am.)

2026. Platymetopius irroratus Van D.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 227, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

Localities: Ariz., Calif. (Mexico.)

2027. Platymetopius verecundus Van D.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 227, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 22, 1915.

†obscurus Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 219, 1909.

Localities: N. C., Fla.

20274. Platymetopius carolinus Lthr.

Lathrop, Ohio Jl. Sci., xvii, p. 123, 1917.

Locality: S. C.

20271/2. Platymetopius abbreviatus DeL.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 39, 1916. Locality: Tenn.

2028. Platymetopius scriptus Ball

Ball, Ent. News, xx, p. 165, 1909.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 228, 1910.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 42, 1916.

Localities: Tenn., Kans.

2029. Platymetopius magdalensis Prov.

Provancher, Pet. Faune Ent. Can., iii, p. 275, 1889.

Van Duzee, Can. Ent., xliv, p. 328, 1912.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 113, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 41, 1916.

obscurus Osborn, Ohio Nat., v, p. 274, 1905.

Osborn, 20th Rept. N. Y. St. Ent., p. 518, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 219, 1909.

Van Duzee, Can. Ent., xl, p. 157, 1909.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 229, 1910.

Localities: Quebec, Ont., Me., Mass., N. Y., Pa., Ga., Fla., Ohio, Tenn.

2030. Platymetopius brevis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 66, 1907. Van Duzee, Ann. Ent. Soc. Am., iii, p. 230, 1910.

a. var. torridus Ball

Ball, Ent. News, xxvii, p. 205, 1916.

Localities: Calif. (West Indies.)

203014. Platymetopius compactus Ball

Ball, Ent. News, xxvii, p. 176, 1916.

Locality: Calif.

20301/2. Platymetopius nigricollis Ball

Ball, Ent. News, xxvii, p. 205, 1916.

Localities: Utah, Calif.

2031. Platymetopius fuscifrons Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 206, 1894.

Van Duzee, Ann. Ent. Soc. Am., iii, p. 230, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

†DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 41, 1916.

abruptus Ball, Ent. News, xx, p. 165, 1909.

Localities: Tenn.(†), Ariz., Calif.

20311/2. Platymetopius bicolor DeL.

DeLong, Tenn. St. Bd. Ent., Bul., 17, p. 38, 1916. Locality: Tenn.

Genus **Deltocephalus** Burm. Logotype *pulicarius* (Fall.)

Burmeister, Genera Ins., 1, pl. 14, subgen. 3, 1838. Flor, Rhyn. Livl., ii, pp. 221, 223, 1861. Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 506, 1866. Kirschbaum, Cicad. v. Wiesbd., pp. 82, 123, 1868. Fieber, Verh. Zool.-Bot. Ges. Wien, xix, p. 203, 1869. Sahlberg, Cicad., pp. 72, 298, 1871. Fieber, Cicad. d'Eur., i, p. 124, 1875; ii, pl. 13, 1876. Berg, Hemip. Argent., p. 268, 1879. Mayr, Tabellen, p. 35, 1884. Edwards, Trans. Ent. Soc. Lond. for 1888, pp. 33, 42. Provancher, Pet. Faune Ent. Can., iii, pp. 273, 277, 1889. Van Duzee, Trans. Am. Ent. Soc., xix, p. 299, 1892. Melichar, Cicad. Mitt. Eur., p. 214, 1896. Edwards, Hemip. Homop. Brit. Isds., p. 144, 1896. Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 195, 1897. Matsumura, Termes. Fuzet., xxv, p. 390, 1902. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 56, 1907. Distant, Fauna Brit. Ind., Rhyn., iv, p. 380, 1908. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 42, 1916.

2032. Deltocephalus productus (Walk.)

Walker, List Homop., iii, p. 891, 1851, Jassus. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 77, 1898. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 116, 1915. Localities: Nov. Scot., Me., Mo.

2033. Deltocephalus bilineatus G. & B.

Gillette and Baker, Hemip. Colo., p. 85, 1895. Baker, Psyche, viii, p. 115, 1897. Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 200, 1897. Localities: N. H., Ia., Colo.

2033½. Deltocephalus luteocephalus S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 84, 1917. Locality: Wis.

2034. Deltocephalus imputans O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 75, 1898. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 43, 1916. Localities: Tenn., Ia., Kans.

2035. Deltocephalus areolatus Ball

Ball, Can. Ent., xxxi, p. 188, 1899.
Osborn, 20th Rept. N. Y. St. Ent., p. 520, 1905.
Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 25, 1915.
Localities: N. Y., N. J., D. C., Md., N. C., Kans., Ariz.

2036. Deltocephalus albidus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 201, pl. 23, fig. 1, 1897. Baker, Psyche, viii, p. 115, 1897. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915.

Localities: Ia., Mo.

[2037, see No. 2042]

2038. Deltocephalus slossoni Ball

Ball, Proc. Biol. Soc. Wash., xviii, p. 119, 1905.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.
Locality: Fla.

2039. Deltocephalus inflatus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 202, pl. 22, fig. 2, 1897. Baker, Psyche, viii, p. 115, 1898.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 220, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Localities: D. C., Fla., Ia., Kans., Colo.

2040. Deltocephalus flexulosus Ball

Ball, Can. Ent., xxxi, p. 189, 1899. Localities: Kans., Colo.

2041. Deltocephalus sandersi Osb.

Osborn, Proc. Dav. Acad. Sci., x, p. 164, 1907. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 46, 1916. Localities: Md., Va., Ga., Tenn.

2042. Deltocephalus pictus Osb.

Osborn, Proc. Dav. Acad. Sci., x, p. 165, 1907.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 44, 1916.

funabulus Crumb, Ann. Ent. Soc. Am., viii, p. 189, 1915.

Van Duzee, Check List Hemip., p. 70, No. 2037, 1916.

Localities: N. Y., Tenn.

2043. Deltocephalus visendus Crmb.

Crumb, Ann. Ent. Soc. Am., viii, p. 189, 1915. Locality: Fla.

2044. Deltocephalus reflexus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 203, pl. 22, fig. 1, 1897.

Baker, Psyche, viii, p. 115, 1897.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 24, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 44, 1916.

Localities: N. C., Tenn., Ia., Kans., Colo.

2045. Deltocephalus pectinatus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 205, pl. 22, fig. 2, 1897. Locality: Ia.

2046. Deltocephalus fraternus Ball

Ball, Can. Ent., xliii, p. 201, 1911.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Deltocephalus sp. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 220, 1909. Locality: Fla.

2047. Deltocephalus mendosus Ball

Ball, Can. Ent., xliii, p. 202, 1911.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914. Locality: Fla.

2048. Deltocephalus abbreviatus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 206, pl. 22, fig. 4, 1897.

Locality: Ia.

2049. Deltocephalus stylatus Ball

Ball, Can. Ent., xxxi, p. 190, 1899.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 45, 1916.

Localities: Tenn., Ia.

2050. Deltocephalus grammicus Ball

Ball, Can. Ent., xxxii, p. 204, 1900.

Localities: Neb., Colo.

2051. Deltocephalus configuratus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 511, 1879.

Van Duzee, Can. Ent., xxi, p. 11, 1889.

Slosson, Ent. News, v, p. 5, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 198, 1894.

Gillette and Baker, Hemip. Colo., p. 87, 1895.

Osborn and Ball, Ia. Agr. College, Exp. Sta. Bul. 34, p. 630, 1897.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 209, pl. 23, fig. 3, 1897.

Osborn, 20th Rept. N. Y. St. Ent., p. 521, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 80, fig. 16, 1912.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 122, 1915.

Localities: Ont., Me., N. H., N. Y., Ohio, Ill., Ia., N. D., S. D., Wyo, Colo., Mont.

2052. Deltocephalus ocellaris (Fall.)

Fallén, Hemip. Suec., Cicad., p. 33, 1826, Cicada.

Flor, Rhyn. Livl., ii, p. 237, 1861, Jassus.

Kirschbaum, Cicad. v. Wiesbd., p. 141, 1868, Jassus.

Fieber, Verh. Zool.-Bot. Ges. Wien, xix, p. 205, pl. 5, fig. 9, 1869.

Sahlberg, Cicad., p. 310, 1871.

Melichar, Cicad. Mitt. Eur., p. 223, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 151, pl. 17, fig. 3, 1896.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 207, 1897.

Localities: Colo. (Europe.)

2053. Deltocephalus sayi (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 61, 1851, Amblycephalus.

Walker, List Homop., iv, p. 1158, 1852, Jassus.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 511, 1878.

Van Duzee, Can. Ent., xxi, p. 11, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 280, 1889.

Van Duzee, Psyche, v, p. 390, 1890.

Harrington, Ottawa Nat., vi, p. 32, 1892.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892.

Southwick, Science, xix, p. 288, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 198, 1894.

Gillette and Baker, Hemip. Colo., p. 88, 1895.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 207, pl. 23, fig. 2, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 222, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 519, 1905.

Van Duzee, Can. Ent., xl, p. 158, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910.

Van Duzee, Can. Ent., xliv, p. 328, 1912.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 84, fig. 20, 1912.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 117, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 24, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 46, 1916.

Localities: Quebec, Ont., N. H., Me., Mass., N. Y., N. J., Pa., N. C., Miss., Ohio, Ky., Tenn., Ia., Kans., Mo., Colo., Dak.

2054. Deltocephalus misellus Ball

Ball, Can. Ent., xxxi, p. 191, 1899.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 117, 1915.

Localities: Me., Mo., Colo., Utah.

2055. Deltocephalus weedi Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 306, 1892.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 216, pl. 25, fig. 2, 1897.

Baker, Psyche, viii, p. 116, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 222, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 220, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 24, 1915.

DeLong, Tenn., St. Bd. Ent., Bul. 17, p. 52, 1916.

Localities: Pa., N. C., Fla., Miss., Ohio, Tenn., Mo., Kans., Ia.

20551/2. Deltocephalus interruptus DeL.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 51, 1916. Locality: Tenn.

2056. Deltocephalus micarius Ball

Ball, Can. Ent., xliii, p. 203, 1911.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914. Locality: Fla.

2057. Deltocephalus obtectus O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 78, 1898.

Osborn, 20th Rept. N. Y. St. Ent., p. 521, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 220, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 118, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 25, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 53, 1916.

Localities: Me., Mass., N. Y., N. J., N. C., Fla., Ohio, Tenn., Mo., Ia.

2058. Deltocephalus infumatus Osb.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 118, 1915.

Locality: Me.

2059. Deltocephalus compactus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 217, pl. 25, fig. 3, 1897.

Osborn, 20th Rept. N. Y. St. Ent., p. 521, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 24, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 52, 1916.

Localities: N. Y., D. C., N. C., Tenn., Ia., Wash.

2059 1/2. Deltocephalus nigriventer S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 85, 1917. Locality: Wis.

2060. Deltocephalus vinnulus Crmb.

Crumb, Ann. Ent. Soc. Am., viii, p. 192, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 54, 1916.

Locality: Tenn.

Osborn and Ball, Ia. Agr. College, Exp. Sta. Bul. 34, p. 630, 1897.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 209, pl. 23, fig. 3, 1897.

Osborn, 20th Rept. N. Y. St. Ent., p. 521, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 80, fig. 16, 1912.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 122, 1915.

Localities: Ont., Me., N. H., N. Y., Ohio, Ill., Ia., N. D., S. D., Wyo, Colo., Mont.

2052. Deltocephalus ocellaris (Fall.)

Fallén, Hemip. Suec., Cicad., p. 33, 1826, Cicada.

Flor, Rhyn. Livl., ii, p. 237, 1861, Jassus.

Kirschbaum, Cicad. v. Wiesbd., p. 141, 1868, Jassus.

Fieber, Verh. Zool.-Bot. Ges. Wien, xix, p. 205, pl. 5, fig. 9, 1869.

Sahlberg, Cicad., p. 310, 1871.

Melichar, Cicad. Mitt. Eur., p. 223, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 151, pl. 17, fig. 3, 1896.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 207, 1897.

Localities: Colo. (Europe.)

2053. Deltocephalus sayi (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 61, 1851, Amblycephalus.

Walker, List Homop., iv, p. 1158, 1852, Jassus.

Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 511, 1878.

Van Duzee, Can. Ent., xxi, p. 11, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 280, 1889.

Van Duzee, Psyche, v, p. 390, 1890.

Harrington, Ottawa Nat., vi, p. 32, 1892.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892.

Southwick, Science, xix, p. 288, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 198, 1894.

Gillette and Baker, Hemip. Colo., p. 88, 1895.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 207, pl. 23, fig. 2, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 222, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 519, 1905.

Van Duzee, Can. Ent., xl, p. 158, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910.

Van Duzee, Can. Ent., xliv, p. 328, 1912.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 84, fig. 20, 1912.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 117, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 24, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 46, 1916.

Localities: Quebec, Ont., N. H., Me., Mass., N. Y., N. J., Pa., N. C., Miss., Ohio, Ky., Tenn., Ia., Kans., Mo., Colo., Dak.

2054. Deltocephalus misellus Ball

Ball, Can. Ent., xxxi, p. 191, 1899.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 117, 1915.

Localities: Me., Mo., Colo., Utah.

2055. Deltocephalus weedi Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 306, 1892.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 216, pl. 25, fig. 2, 1897.

Baker, Psyche, viii, p. 116, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 222, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 220, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 24, 1915.

DeLong, Tenn., St. Bd. Ent., Bul. 17, p. 52, 1916.

Localities: Pa., N. C., Fla., Miss., Ohio, Tenn., Mo., Kans., Ia.

20551/2. Deltocephalus interruptus DeL.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 51, 1916. Locality: Tenn.

2056. Deltocephalus micarius Ball

Ball, Can. Ent., xliii, p. 203, 1911.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914. Locality: Fla.

2057. Deltocephalus obtectus O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 78, 1898.

Osborn, 20th Rept. N. Y. St. Ent., p. 521, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 220, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 118, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 25, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 53, 1916.

Localities: Me., Mass., N. Y., N. J., N. C., Fla., Ohio, Tenn., Mo., Ia.

2058. Deltocephalus infumatus Osb.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 118, 1915.

Locality: Me.

2059. Deltocephalus compactus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 217, pl. 25, fig. 3, 1897.

Osborn, 20th Rept. N. Y. St. Ent., p. 521, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 24, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 52, 1916.

Localities: N. Y., D. C., N. C., Tenn., Ia., Wash.

20591/2. Deltocephalus nigriventer S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 85, 1917.

Locality: Wis.

2060. Deltocephalus vinnulus Crmb.

Crumb, Ann. Ent. Soc. Am., viii, p. 192, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 54, 1916.

Locality: Tenn.

2061. Deltocephalus callidus Ball

Ball, Can. Ent., xxxi, p. 306, 1899. Locality: Wash.

2062. Deltocephalus apicatus Osb.

Osborn, Can. Ent., xxxii, p. 285, 1900.

Wirtner, Ann. Carn. Mus., iii, p. 222, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 520, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 120, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 50, 1916.

Localities: Me., Vt., Mass., N. Y., N. J., Pa., Md., D. C., Ohio, Tenn.

20621/2. Deltocephalus fumidus S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 86, 1917. Locality: Wis.

2063. Deltocephalus inimicus (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 305, 1831; Compl. Writ., ii, p. 382,

Fitch, Homop., N. Y. St. Cab., p. 61, 1851, Amblycephalus.

[Jassus.

Walker, List, Homop., iii, p. 895, 1851; iv, p. 1163, 1852, Jassus.

Walker, List Homop., iv, p. 1158, 1852, Tettigonia.

Forbes, 14th Rept. Ill. St. Ent., pp. 22, 67, 1884, Jassus.

Van Duzee, Can. Ent., xxi, p. 11, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 278, 1889.

Van Duzee, Psyche, v, p. 389, 1890.

Osborn, Iowa Agr. Exp. Sta., Bul. 13, p. 99, 1891.

Osborn, Iowa St. Agr. Soc., Rept. for 1892, p. 687.

Osborn, Insect Life, v, p. 113, 1892.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892.

Southwick, Science, xix, p. 288, 1892.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 30, p. 45, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894.

Osborn and Ball., Proc. Ia. Acad. Sci., iv, p. 215, pl. 24, fig. 3, 1897.

Baker, Psyche, viii, p. 116, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 222, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 523, 1905.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Van Duzee, Can. Ent., xl, p. 158, 1908.

Howard, Insect Book, p. 245, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 72, fig. 11, 1912.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 123, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 24, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 51, 1916.

6-punctatus Provancher, Nat. Can., iv, p. 378, 1872, Jassus.

Localities: Quebec, Ont., Me., N. Y., N. J., Pa., Del., Md., Va., N. C., Ohio, Tenn., Mich., Ind., Ill., Ia., Kans., Mo., N. D., S. D., Minn., Colo., Mont., Idaho, Wash.

2064. Deltocephalus arundineus Crmb.

Crumb, Ann. Ent. Soc. Am., viii, p. 191, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 47, 1916. Locality: Tenn.

2065. Deltocephalus flavicosta Stål

Stål, Rio. Jan. Hemip., ii, p. 53, 1862. Baker, Psyche, viii, p. 117, 1897. Wirtner, Ann. Carn. Mus., iii, p. 222, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 520, 1905. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 67, 1907. Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915. [harrisi Fitch MS], in collections. flavocostatus Van Duzee, Can. Ent., xxiv, p. 116, 1892. Weed, Can. Ent., xxiv, p. 279, 1892. Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 217, 1897. Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 25, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 49, 1916. retrorsus Uhler, Proc. Zool. Soc. Lond. for 1895, p. 78.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892.

[§retroversus Uhl. MS] Smith, Cat. Ins. N. J., edn. 2, p. 95, 1900. Localities: Conn., N. Y., N. J., Pa., D. C., Md., N. C., Ga., Fla., Miss., Tenn., Ia., Mo., Kans. (Neotropical.)

2066. Deltocephalus signatifrons Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 305, 1892. Gillette and Baker, Hemip. Colo., p. 89, 1895. Osborn and Ball, Ia. Agr. College Exp. Sta., Bul. 34, p. 635, 1897. Osborn, Proc. Ia. Acad. Sci., iv, p. 215, pl. 25, fig. 1, 1897. Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 47, 1916. Localities: Md., Tenn., Ia., Colo.

2067. Deltocephalus vinculatus Ball

Ball, Can. Ent., xxxi, p. 191, 1891. Locality: Colo.

2068. Deltocephalus cruciatus O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 77, 1898. Locality: Ia.

2069. Deltocephalus sexmaculatus G. & B.

Gillette and Baker, Hemip. Colo., p. 88, 1895. Baker, Psyche, viii, p. 116, 1897.

Locality: Colo.

2070. Deltocephalus blandus Gill.

Gillette, Colo. St. Agr. College Exp. Sta., Bul. 43, p. 26, 1898. Locality: Colo.

2071. Deltocephalus debilis Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 360, 1876. Van Duzee, Can. Ent., xxi, p. 11, 1889. Van Duzee, Psyche, v, p. 241, 1889. Harrington, Ottawa Nat., vi, p. 32, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 198, 1894. Gillette and Baker, Hemip. Colo., p. 87, 1895. Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 210, pl. 23, fig. 2, 1897. Baker, Psyche, viii, p. 117, 1897. Wirtner, Ann. Carn. Mus., iii, p. 222, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 520, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 121, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 49, 1916. †melsheimeri Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892. Localities: Ont., Me., N. H., N. Y., Pa., Tenn., Mo., Ia., Colo.

2072. Deltocephalus abdominalis (Fabr.)

Fabricius, Syst. Rhyng., p. 98, 1803, Cercopis (n.n. for bicolor Fabr.). Fallén, Hemip. Suec., Cicad., p. 31, 1826, Cicada. Zetterstedt, Fauna Lapp., p. 521, 1828, Cicada. Germar, Fauna Eur., fasc. xvii, p. 19, 1834, Jassus. Flor, Rhyn. Livl., ii, p. 249, 1861. Kirschbaum, Cicad. v. Wiesbd., p. 129, 1868. Fieber, Verh. Zool.-Bot. Ges. Wien, xix, p. 215, pl. 6, fig. 40, 1869. Sahlberg, Cicad., p. 328, 1871. Van Duzee, Psyche, v, p. 241, 1889. Melichar, Cicad. Mitt. Eur., p. 240, 1896. Baker, Psyche, viii, p. 117, 1897. Ashmead, Harriman Alaska Exped., viii, p. 132, 1904. Van Duzee, Can. Ent., xl, p. 158, 1908. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 121, 1915. ||bicolor Fabricius, Ent. Syst., iv, p. 40, 1794, Cicada. balteata Zetterstedt, Ins. Lapp., column 290, 1840, Cicada. juvenca Hardy, Proc. Tyneside Field Club, i, p. 425, 1846(1), Aphrodes. Localities: Quebec, Ont., Me., N. H., Alaska. (Europe.)

2073. Deltocephalus pascuellus (Fall.)

Fallén, Hemip. Suec., Cicad., p. 32, 1826, Cicada.
Flor, Rhyn. Livl., ii, p. 251, 1861.
Fieber, Verh. Zool.-Bot. Ges. Wien, xix, p. 216, 1869.
Sahlberg, Cicad., p. 325, 1871.
Horvath, Ann. Mus. Natl. Hung., vi, p. 6, 1908.

punctipes Zetterstedt, Ins. Lapp., column 292, 1840, Cicada.
fuscosignatus Dahlbom, Kong. Vet. Akad. Handl. for 1850, p. 195.
†minki Provancher, Pet. Faune Ent. Can., iii, p. 279, 1889.
Van Duzee, Ent. Am., vi, p. 96, 1890.
Baker, Psyche, viii, p. 117, 1897.
Osborn, 20th Rept. N. Y. St. Ent., p. 520, 1905.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905.

Slosson, Ent. News, xvii, p. 326, 1906.
Van Duzee, Can. Ent., xliv, p. 328, 1912.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 118, 1915.
Localities: Quebec, Ont., Me., N. H., N. Y. (Europe.)

2074. Deltocephalus parvulus Gill.

Gillette, Colo. Agr. Exp. Sta., Bul. 43, p. 23, 1898. Locality: Colo.

2075. Deltocephalus melsheimerii (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 61, 1851, Amblycephalus.

Walker, List Homop., iii, p. 895, 1851, Jassus; iv, p. 1152, 1852, Tettigonia.

Baker, Psyche, viii, p. 118, 1897.

[†]Slosson, Ent. News, ix, p. 251, 1898.

Wirtner, Ann. Carn. Mus., iii, p. 222, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 521, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905.

[†]Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Van Duzee, Can. Ent., xl, p. 158, 1908; xli, p. 383, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 119, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 48, 1916.

minimus Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 211, pl. 24, fig. 4, 1897.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 24, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 47, 1916.

Localities: Quebec, Ont., Me., N. H., N. Y., Pa., D. C., N. C., Tenn., Ia., Kans., Colo.

2076. Deltocephalus monticolor G. & B.

Gillette and Baker, Hemip. Colo., p. 88, 1895.
Osborn and Ball, Proc. In Acad Sci. iv p. 5

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 220, 1897. Locality: Colo.

2077. Deltocephalus collinus Boh.

Boheman, Kong. Vet. Akad. Handl. for 1850, p. 261.

Flor, Rhyn. Livl., ii, p. 257, 1861.

Kirschbaum, Cicad. v. Wiesbd., p. 135, 1868.

Fieber, Verh. Zool.-Bot. Ges. Wien, xix, p. 216, pl. 6, fig. 42, 1869.

Sahlberg, Cicad., p. 331, 1871.

Melichar, Cicad. Mitt. Eur., p. 242, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 264, pl. 29, figs. 4, 5, 1896.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 80, 1898.

aridellus Boheman, Kong. Vet. Akad. Handl. for 1850, p. 263.

Localities: Ia., Colo. (Europe.)

2078. Deltocephalus ordinatus Ball

Ball, Can. Ent., xxxi, p. 307, 1899.

Locality: Colo.

20781/2. Deltocephalus concinnus S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 86, 1917. Locality: Wis.

2079. Deltocephalus affinis G. & B.

Gillette and Baker, Hemip. Colo., p. 84, 1895.

Baker, Psyche, viii, p. 118, 1897.

Osborn, 20th Rept. N. Y. St. Ent., p. 522, 1905.

Van Duzee, Can. Ent., xl, p. 158, 1908; xli, p. 383, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 82, fig. 18, 1912.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 122, 1915.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.

†melsheimerii Van Duzee, Psyche, v, p. 390, 1890.

Harrington, Ottawa Nat., vi, p. 32, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 198, 1894.

Gillette and Baker, Hemip. Colo., p. 88, 1895.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 211, pl. 24, fig. 1, 1897.

Gillette, Psyche, ix, p. 171, 1901.

†debilis Osborn, Ia. Agr. College Exp. Sta., Bul. 13, p. 100, 1891.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 30, p. 45, 1893.

Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Ia., Kans., Colo., Calif., Br. Col.

2080. Deltocephalus unicoloratus G. & B.

Gillette and Baker, Hemip. Colo., p. 89, 1895.

Baker, Psyche, viii, p. 118, 1897.

§unicolorous Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 221, 1897.

Locality: Colo.

2081. Deltocephalus oculatus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 212, pl. 23, fig. 4, 1897. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 48, 1916.

Localities: Tenn., Ia., Colo.

2082. Deltocephalus littoralis Ball

Ball, Proc. Biol. Soc. Wash., xviii, p. 120, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 221, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Localities: N. Y., N. J., Fla.

2083. Deltocephalus sylvestris O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 213, pl. 25, fig. 4, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 222, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 519, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 554, 1905.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 119, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 25, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 49, 1916.

Localities: Ont., Me., N. Y., Pa., Md., D. C., N. C., Ohio, Tenn., Ia., Kans., Colo.

2084. Deltocephalus vicilinus Crmb.

Crumb, Ann. Ent. Soc. Am., viii, p. 193, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 54, 1916.

Locality: Tenn.

2085. Deltocephalus lividellus (Zett.)

Zetterstedt, Ins. Lapp., column 290, 1840, Cicada. Sahlberg, Cicad., p. 324, 1871.

Horvath, Ann. Mus. Natl. Hung., vi, pp. 6, 7, 1908.

frigidus Boheman, Kong. Vet. Akad. Handl. for 1845, p. 25.

Flor, Rhyn. Livl., ii, p. 244, 1861.

Fieber, Verh. Zool.-Bot. Ges. Wien, xix, p. 213, pl. 5, fig. 33, 1869.

Locality: Greenland.

2086. Deltocephalus cinerosus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 305, 1892.
§cinereus Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 214, 1897.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.
Locality: Calif.

2087. Deltocephalus bimaculatus G. & B.

Gillette and Baker, Hemip. Colo., p. 86, 1895. Baker, Psyche, viii, p. 117, 1897.

Locality: Colo.

2088. Deltocephalus flavo-virens G. & B.

Gillette and Baker, Hemip. Colo., p. 87, 1895.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 221, 1897, Thamnotettix.

Baker, Psyche, viii, p. 117, 1897.

Van Duzee, Can. Ent., xl, p. 159, 1908, Thamnotettix.

Localities: Quebec, Colo., Calif., Br. Col., Vanc. Isd.

2089. Deltocephalus simplex Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 304, 1892.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 221, 1897, Thamnotettix.

Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.

[simplex Van D.).

simplarius Osborn and Ball, Ohio Nat., ii, p. 249, 1902, Athysanus, (n.n. for Osborn, 20th Rept. N. Y. St. Ent., p. 528, 1905, Athysanus.

Localities: Mass., N. Y., N. J., Md.

2090. Deltocephalus osborni Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 304, 1892.

Van Duzee, Bul. Buf Soc. Nat. Sci., v, p. 198, 1894.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 220, 1897, Athysanus.

Osborn and Ball, Ohio Nat., ii, p. 249, pl. 17, fig. 4, 1902, Athysanus.

Osborn, 20th Rept. N. Y. St. Ent., p. 527, 1905, Athysanus.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 58, 1907.

Localities: N. Y., Ind., Neb., Ia., Colo.

20901/2. Deltocephalus escalantus (Ball)

Ball, Ent. News, xxvii, p. 175, 1916, Athysanus. Locality: Utah. 2091. Deltocephalus auratus G. & B.

Gillette and Baker, Hemip. Colo., p. 85, 1895.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 214, 1897. Locality: Colo.

2092. Deltocephalus paludosus Ball

Ball, Can. Ent., xxxi, p. 307, 1899.

Locality: Colo.

2093. Deltocephalus obesus O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 81, 1898.

Localities: Texas, Ariz. (Mexico.)

2094. Deltocephalus satur Ball

Ball, Can. Ent., xxxi, p. 309, 1899.

Locality: Colo.

2095. Deltocephalus castoreus Ball

Ball, Can. Ent., xxxi, p. 308, 1899.

Locality: Colo.

2096. Deltocephalus caperatus Ball

Ball, Can. Ent., xxxii, p. 343, 1900.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 221, 1909.

Localities: Fla. (?) Ia., Neb., Colo.

2097. Deltocephalus balli Van D.

Van Duzee, Check List Hemip., p. 71, 1916 (n.n. for nigrifrons Van D.).

†nigrifrons Van Duzee, Trans. Am. Ent. Soc., xxi, p. 293, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 218, 1897.

Baker, Psyche, viii, p. 116, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 222, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 68, 1907.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 74, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 122, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 25, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 50, 1916.

Localities: Me., N. Y., N. J., Pa., N. C., Tenn., Mo., Ia., Kans.

2098. Deltocephalus fuscinervosus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 207, 1894.

Baker, Psyche, viii, p. 116, 1897.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 80, fig. 15, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

Localities: Colo., Calif.

2099. Deltocephalus punctatus (O. & B.)

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 94, 1898, Athysanus. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.

Localities: Ia., Colo., Calif.

2100. Deltocephalus vanduzei G. & B.

Gillette and Baker, Hemip. Colo., p. 90, 1895.

Baker, Psyche, viii, p. 116, 1897.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.

artemesiae Gillette and Baker, Hemip. Colo., p. 91, 1895, Athysanus.

Osborn and Ball, Ohio Nat., ii, p. 256, 1902 (genus?).

Localities: Colo., Calif.

2101. Deltocephalus sonorus Ball

Ball, Can. Ent., xxxii, p. 344, 1900.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 220, 1909.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 79, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

Localities: Fla., Texas, Ariz.

2102. Deltocephalus gnarus Ball

Ball, Can. Ent., xxxii, p. 345, 1900.

Locality: Ia.

2103. Deltocephalus evansi Ashm.

Ashmead, Harriman Alaska Exped., viii, p. 132, 1904. Locality: Alaska.

2104. Deltocephalus harrimani Ashm.

Ashmead, Harriman Alaska Exped., viii, p. 132, 1904.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 83, 1912 (= affinis?).

Locality: Alaska.

2105. Deltocephalus concentricus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 208, 1894.

Gillette and Baker, Hemip. Colo., p. 87, 1895.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 221, 1907, Thamnotettix.

Baker, Psyche, viii, p. 115, 1897.

flavomarginatus Gillette and Baker, Hemip. Colo., p. 96, 1895, Thamno-

Baker, Psyche, viii, p. 115, 1897.

Localities: Colo., Calif.

2106. Deltocephalus cookei Gill.

Gillette, Colo. Agr. Exp. Sta., Bul. 43, p. 24, 1898.

Locality: Colo.

Genus Lonatura O. & B. Logotype catalina O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 83, 1898. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 62, 1907.

2107. Lonatura catalina O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 83, pl. 4, fig. 2, 1898. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 93, 1916.

Localities: Tenn., Ia., S. D.

2108. Lonatura minuta (Van D.)

Van Duzee, Ent. Am., vi, p. 96, 1890, Deltocephalus.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 220, 1897, Doratura.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 83, 1898.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

Locality: Calif.

2109. Lonatura megalopa O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 85, pl. 4, fig. 1, 1898. Locality: Ia.

2110. Lonatura salsura Ball

Ball, Can. Ent., xxxi, p. 310, 1899.

Locality: Colo.

2111. Lonatura bicolor Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 221, 1909. Locality: Fla.

2112. Lonatura noctivaga Ball

Ball, Can. Ent., xxxii, p. 342, 1900.

Localities: Neb., Colo.

2113. Lonatura nebulosa Ball

Ball, Can. Ent., xxxii, p. 341, 1900.

Locality: Colo.

DIVISION EUSCELIDARIA Van D.

Van Duzee, Check List Hemip., p. 71, 1916 (n.n. for Athysanini Van D.).
Athysanini Van Duzee, Trans. Am. Ent. Soc., xix, p. 288, 1892. (Tribe.)
Distant, Fauna Brit. Ind., Rhyn., iv, pp. 343, 351, 1908.
Distant, Trans. Linn. Soc. Lond., Zool., xiii, p. 47, 1909. [1907. (Tribe.)
Phyrnomorphusaria Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, pp. 24, 39,
Thamnotettixaria Distant, Fauna Brit. Ind., Rhyn., iv, p. 343, 1908.

Genus Aconura Leth. Logotype jakolevi Leth.

Lethierry, Compt. Rend. Soc. Ent. Belg., xix, p. lxxxv, 1876.

Melichar, Cicad. Mitt. Eur., p. 302, 1896.

Matsumura, Termes. Fuzet., xxv, p. 385, 1902.

Horvath, Ann. Mus. Natl. Hung., vi, p. 567, 1908.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 378, 1908.

Athysanella Baker, Psyche, viii, p. 185, 1898 (type magdalena Bak.).

2114. Aconura attenuata (Bak.)

Baker, Psyche, viii, p. 188, 1898, Athysanella.

Horvath, Ann. Mus. Natl. Hung., vi, p. 567, 1908.

Locality: Colo.

2115. Aconura magdalena (Bak.)

Baker, Psyche, viii, p. 185, 1898, Athysanella.

Horvath, Ann. Mus. Natl. Hung., vi, p. 567, 1908.

Localities: Colo., N. Mex.

2116. Aconura occidentalis (Bak.)

Baker, Psyche, viii, p. 186, 1898, Athysanella. Locality: Colo.

2117. Aconura acuticauda (Bak.)

Baker, Psyche, viii, p. 187, 1898, Athysanella.

Osborn, 20th Rept. N. Y. St. Ent., p. 529, 1905, Athysanella.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905, Athysanella.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 132, 1915, Athysanella.

Localities: Ont., Me., N. H., N. Y., Ill., Colo.

2118. Aconura robusta (Bak.)

Baker, Psyche, viii, p. 187, 1898, Athysanella.

Locality: Colo.

2119. Aconura incongrua (Bak.)

Baker, Psyche, viii, p. 188, 1898, Athysanella. Locality: Colo.

2120. Aconura minuta (Bak.)

Baker, Psyche, viii, p. 189, 1898, Athysanella.

Locality: Colo.

2121. Aconura argenteolus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 473, 1877, Deltocephalus.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 220, 1897, Deltocephalus; p. 232,

Baker, Psyche, viii, p. 119, 1897, Deltocephalus. [1897, Doratura.

Horvath, Ann. Mus. Natl. Hung., vi, p. 567, 1908.

Locality: Colo.

2122. Aconura labiata (Gill.)

Gillette, Colo. Agr. Exp. Sta., Bul. 43, p. 26, 1898, Deltocephalus.

a. var. rufa (Gill.)

Gillette, Colo. Agr. Exp. Sta., Bul. 43, p. 28, 1898, Deltocephalus.

Locality: Colo.

2123. Aconura atropuncta (Gill.)

Gillette, Colo. Agr. Exp. Sta., Bul. 43, p. 28, 1898, Deltocephalus. Locality: Colo.

Genus Nephotettix Mats.

Logotype apicalis Motsch.

Matsumura, Termes. Fuzet., xxv, p. 378, 1902.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 359, 1908.

2124. Nephotettix terebrans (G. & B.)

Gillette and Baker, Hemip. Colo., p. 102, 1895, Eutettix.

Baker, Psyche, viii, p. 119, 1897, Athysanus; p. 185, 1898, Athysanella.

Matsumura, Termes. Fuzet., xxv, p. 379, 1902.

Locality: Colo.

2125. Nephotettix curtipennis (G. & B.)

Gillette and Baker, Hemip. Colo., p. 92, 1898, Athysanus.

Baker, Psyche, viii, p. 119, 1897, Athysanus; p. 185, 1898, Athysanella.

Locality: Colo.

Genus **Driotura** O. & B. Logotype gammaroides Van D.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 87, 1898.

Osborn and Ball, Ohio Nat., ii, p. 256, 1902 (names gammaroides type).

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 58, 1907.

Horvath, Ann. Mus. Natl. Hung., ix, p. 596, 1911.

Oshanin, Kat. Palae. Hemip., p. 104, 1912 (names robusta pseudotype).

2126. Driotura gammaroides (Van D.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 209, 1894, Athysanus.

Van Duzee, Trans. Am. Ent. Soc., xxi, p. 314, 1894, Athysanus.

Gillette and Baker, Hemip. Colo., p. 93, 1895, Athysanus.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 89, pl. 4, fig. 3, 1898.

Osborn, 20th Rept. N. Y. St. Ent., p. 529, 1905.

Horvath, Ann. Mus. Natl. Hung., vi, p. 568, 1908, Anoterostemma.

Horvath, Ann. Mus. Natl. Hung., ix, p. 596, 1911.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 132, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 28, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 64, 1916.

a. var. flava O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 90, 1898.

b. var. fulva Ball

Ball, Can. Ent., xxxv, p. 231, 1903.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 64, 1916 (spelled fulvo).

Localities: Mass., N. Y., D. C., N. C., Tenn., Ia., Kans., Colo., Wyo., Utah.

2127. Driotura robusta O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 87, pl. 4, fig. 4, 1898.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 28, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 64, 1916.

a. var. vittata Ball

Ball, Can. Ent., xxxv, p. 231, 1903.

Localities: N. C., Tenn., Ia., Colo.

2128. Driotura ornata (Gill.)

Gillette, Colo. Agr. Exp. Sta., Bul. 43, p. 29, 1898, *Athysanus*. Osborn and Ball, Ohio. Nat., ii, p. 256, 1902.

Locality: Colo.

Genus Euscelis Brul.

Haplotype lineolatus Brul.

Brullé, Exped. Sci. Morée, iii, p. 109(?), 1832.

Horvath, Ann. Mus. Natl. Hung., vi, p. 9, 1908.

Van Duzee, Can. Ent., xlvi, p. 389, 1914.

Van Duzee, Check List Hemip., p. 71, 1916.

[= lineolatus Brul.).

Phrynomorphus Curtis, Ent. Mag., i, p. 194, 1833 (haplotype nitidus Curt. Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 116, 1840 (names

nitidus type).

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 325, 1906; iii, p. 59, 1907. Athysanus Burmeister, Genera Ins., i, pl. 14, 1838. Amyot and Serville, Hémip., p. 587, 1843.

Kirschbaum, Die Athysanus Arten, p. 3, 1858.

Flor, Rhyn. Livl., ii, p. 267, 1861.

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 505, 1866.

Kirschbaum, Cicad. v. Wiesbd., pp. 81, 102, 1868.

Sahlberg, Cicad., pp. 71, 260, 1871. [meister made argentatus type].

Scott, Ent. Mo. Mag., xii, p. 93, 1875 (states erroneously that Bur-

Fieber, Cicad. d'Eur., i, p. 122, 1875; ii, pl. 12, 1876.

Berg, Hemip. Argent., p. 265, 1879.

Mayr, Tabellen, p. 33, 1884.

Edwards, Trans. Ent. Soc. Lond. for 1888, pp. 33, 35.

Provancher, Pet. Faune Ent. Can., iii, p. 281, 1889.

Van Duzee, Psyche, vi, p. 307, 1892.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 299, 1892.

Van Duzee, Can. Ent., xxv, p. 285, 1893.

Melichar, Cicad. Mitt. Eur., p. 257, 1896.

Matsumura, Termes. Fuzet., xxv, p. 372, 1902.

Osborn and Ball, Ohio Nat., ii, p. 231, 1902 (names argentatus type).

Distant, Fauna Brit. Ind., Rhyn., iv, p. 343, 1908 (cites argentatus as DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 60, 1916. [type).

Opsius Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 505, 1866.

Subgenus Athysanus Burm.

Logotype argentatus Fabr.

Osborn and Ball, Ohio Nat., ii, p. 232, 1902.

Van Duzee, Can. Ent., xlvi, p. 389, 1915.

Limotettix Sahlberg, Cicad., p. 224, 1871. Van Duzee, Psyche, vi, p. 306, 1892 (type striola Fall.?).

Van Duzee, Trans. Am. Ent. Soc., xix, p. 300, 1892; xxi, p. 303, 1894.

2129. Euscelis magnus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 225, pl. 26, fig. 2, 1897, Athysanus. Osborn and Ball, Ohio Nat., ii, p. 273, 1902, Athysanus.

Localities: La., Texas, Ia., Neb., Kans., Colo., Wyo., S. D., Minn.

2130. Euscelis frigidus Ball

Ball, Ent. News, x, p. 172, 1899, Athysanus.

Osborn and Ball, Ohio Nat., ii, p. 233, 1902, Athysanus.

Locality: Colo.

2131. Euscelis exitiosus (Uhl.)

Uhler, Am. Ent., iii, p. 72, 1880, Cicadula.

Uhler, U. S. Dept. Agr., Rept. for 1879, p. 191, 1880, Cicadula.

Uhler, Stand. Nat. Hist., ii, p. 245, 1884, Cicadula.

Van Duzee, Psyche, v, p. 306, 1892, Limotettix.

Osborn, Iowa St. Agr. Soc., Rept. for 1892, p. 688, Cicadula.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892, Cicadula.

Van Duzee, Trans. Am. Ent. Soc., xxi, p. 304, 1894, Limotettix.

Gillette and Baker, Hemip. Colo., p. 100, 1895, Eutettix.

Osborn and Ball, Ohio Nat., ii, p. 234, pl. 16, fig. 2, 1902, Limottetix.

Wirtner, Ann. Carn. Mus., iii, p. 222, 1904, Athysanus.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907, Athysanus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 68, 1907, Athysanus.

Van Duzee, Can. Ent., xli, p. 128, 1909, Athysanus.

Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910, Athysanus.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 86, fig. 21, 1912, Athysanus.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914, Phrynomorphus.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914, Athysanus.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915, Athysanus.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 25, 1915, Athysanus.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 60, 1916, Athysanus.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.

Localities: N. Y., N. J., Pa., Md., D. C., N. C., S. C., Ga., Fla., Miss., Ohio, Tenn., Ind., Ia., Mo., Kans., Colo., Okla., Texas, Ariz., Calif. (West Indies, Bermudas.)

2132. Euscelis striolus (Fall.)

Fallén, Acta Holm, xxvii, p. 31, 1806, Cicada.

Flor, Rhyn. Livl., ii, p. 315, 1861, Jassus.

Kirschbaum, Cicad. v. Wiesbd., p. 87, 1868, Jassus.

Sahlberg, Cicad., p. 226, 1871, Limotettix.

Fieber, Kat. Eur. Cicad., p. 12, 1872, Athysanus.

Edwards, Trans. Ent. Soc. Lond. for 1888, p. 71, Limotettix.

Van Duzee, Can. Ent., xxi, p. 11, 1889; xxiii, p. 171, 1891, Athysanus.

Van Duzee, Psyche, vi, p. 306, 1892, Limotettix.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 200, 1894, Limotettix.

Melichar, Cicad. Mitt. Eur., p. 264, 1896, Athysanus.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 91, pl. 5, fig. 4, 1898, Athysanus.

Osborn and Ball, Ohio Nat., ii, p. 235, 1902, Athysanus.

Wirtner, Ann. Carn. Mus., iii, p. 223, 1904, Athysanus.

Osborn, 20th Rept. N. Y. St. Ent., p. 527, 1905, Athysanus.

Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910, Athysanus.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914, Athysanus.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 132, 1915, Athysanus.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.

frenatus Germar, Mag. d. Ent., iv, p. 86, 1821, Jassus.

Localities: Quebec, Ont., Me., N. Y., N. J., Pa., Ohio, Ill., Ia., Colo., Calif., Vanc. Isd.

2133. Euscelis paralellus (Van D.)

Van Duzee, Can. Ent., xxiii, p. 169, 1891, Athysanus.

Van Duzee, Psyche, vi, p. 306, 1892, Limotettix.

Osborn and Ball, Ohio Nat., ii, p. 235, 1902, Athysanus.

Van Duzee, Can. Ent., xxxviii, p. 410, 1906, Athysanus.

Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910, Athysanus.

Localities: Quebec, Ont., N. J., Ia., Colo.

Subgenus Euscelis Brullé

Van Duzee, Can. Ent., xlvi, p. 389, 1915.

Athysanus Sec. 1, Van Duzee, Psyche, vi, p. 307, 1892.

Athysanus Sec. A, Van Duzee, Can. Ent., xxv, p. 285, 1893.

Conosanus Osborn and Ball, Ohio Nat., ii, p. 236, 1902.

2134. Euscelis extrusus (Van D.)

Van Duzee, Can. Ent., xxv, p. 283, 1893, Athysanus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894, Athysanus.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 92, pl. 6, fig. 1, 1898, Athysanus. Osborn and Ball, Ohio Nat., ii, p. 237, 1902, Athysanus.
Wirtner, Ann. Carn. Mus., iii, p. 223, 1904, Athysanus.
Osborn, 20th Rept. N. Y. St. Ent., p. 527, 1905, Athysanus.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905, Athysanus.
Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910, Athysanus.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 127, 1915, Athysanus.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 61, 1916, Athysanus.
venosus Osborn, 20th Rept. N. Y. St. Ent., p. 526, 1905, Athysanus.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905, Athysanus.
Localities: Ont., Me., N. H., Conn., N. Y., N. J., Pa., Tenn., Mich., Ia., Kans., Colo.

2135. Euscelis alpinus (Ball)

Ball, Ent. News, x, p. 173, 1899, Athysanus.
Osborn and Ball, Ohio Nat., ii, p. 238, 1902, Athysanus.
Localities: N. H., Colo.

Gillette and Baker, Hemip. Colo., p. 93, 1895, Athysanus.

2136. Euscelis relativus (G. & B.)

Horvath, Ann. Mus. Natl. Hung., vi, p. 6, 1908, Athysanus.
Van Duzee, Can. Ent., xliv, p. 328, 1912, Athysanus.
†obsoletus Provancher, Pet. Faune Ent. Can., iii, p. 281, 1889, Athysanus.
Van Duzee, Psyche, vi, p. 307, 1892, Athysanus.
Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892, Athysanus.
Van Duzee, Can. Ent., xxv, p. 285, 1893, Athysanus.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894, Athysanus.
Van Duzee, Trans. Am. Ent. Soc., xxi, p. 295, 1894, Athysanus.
Osborn and Ball, Ohio Nat., ii, p. 239, 1902, Athysanus.
Osborn, 20th Rept. N. Y. St. Ent., p. 526, 1905, Athysanus.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 127, 1915, Athysanus.

21361/2. Euscelis shastus (Ball)

Localities: Ont., Me., R. I., N. Y., Ill., Ia., Colo., Vanc. Isd.

Ball, Ent News, xxvii, p. 174, 1916, Athysanus. Locality: Calif.

2136%. Euscelis deceptus S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 87, 1917. Localities: Me., Ill., Wis.

2137. Euscelis varus (Ball)

Ball, Can. Ent., xxxiii, p. 5, 1901, Athysanus.
Osborn and Ball, Ohio Nat., ii, p. 239, 1902, Athysanus.
Locality: Colo.

2138. Euscelis uhleri (Ball)

Ball, Can. Ent., xliii, p. 200, 1911, Athysanus.
Van Duzee, Can. Ent., xliv, p. 328, 1912, Athysanus.
†plutonius Provancher, Pet. Faune Ent. Can., iii, p. 282, 1889, Athysanus.
Harrington, Ottawa Nat., vi, p. 32, 1892, Athysanus.
Van Duzee, Can. Ent., xxv, p. 285, 1893, Athysanus.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894, Athysanus.

Osborn and Ball, Ohio Nat., ii, p. 240, pl. 16, fig. 3, 1902, Athysanus. Wirtner, Ann. Carn. Mus., iii, p. 223, 1904, Athysanus.
Osborn, 20th Rept. N. Y. St. Ent., p. 528, 1905, Athysanus.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905, Athysanus.
Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910, Athysanus.
Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915, Athysanus.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 126, 1915, Athysanus.
Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Pa., Ia., S. D., Neb., Kans., Mo.

2139. Euscelis anthracinus (Van D.)

Van Duzee, Can. Ent., xxvi, p. 136, 1894, Athysanus.

Gillette and Baker, Hemip. Colo., p. 91, 1895, Athysanus.
Osborn and Ball, Ohio Nat., ii, p. 241, 1902, Athysanus.
Osborn, 20th Rept. N. Y. St. Ent., p. 528, 1905, Athysanus.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905, Athysanus.
Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910, Athysanus.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 126, 1915, Athysanus.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 61, 1916, Athysanus.

[Schleroracus anthracinus Uhler MS in litt.]

[Conogonus.
[gagates Ashmead, MS] Osborn, Proc. Ia. Acad., Sci., i, pt. 2, p. 126, 1892,
Localities: Me., Mass., N. Y., N. J., D. C., Tenn., Ia., Kans., Colo.

2140. Euscelis viriosus (Ball)

Ball, Can. Ent., xlii, p. 266, 1910, Thamnotettix.Van Duzee, Check List Hemip., p. 72, 1916.Locality: Calif.

2141. Euscelis symphoricarpae (Ball)

Ball, Can. Ent., xxxiii, p. 5, 1901, Athysanus.
Osborn and Ball, Ohio Nat., ii, p. 241, pl. 16, fig. 4, 1902, Athysanus.
Localities: Mass., Colo

2141½. Euscelis clavatus (Ball)

Ball, Ent. News, xxvii, p. 173, 1916, Athysanus. Locality: Utah.

2142. Euscelis arctostaphyli (Ball)

Ball, Ent. News, x, p. 172, 1899, Athysanus.
Osborn and Ball, Ohio Nat., ii, p. 243, pl. 16, fig. 5, 1902, Athysanus.
Slosson, Ent. News, xiii, p. 321, 1902, Athysanus.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 129, 1915, Athysanus.
Localities: Quebec, Me., N. H., N. Y., Colo.

2143. Euscelis humidus (Osb.)

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 131, 1915, Athysanus. Locality: Me.

2144. Euscelis striatulus (Fall.)

Fallén, Hemip. Suec., Cicad., p. 45, 1826, Cicada. Flor, Rhyn. Livl., ii, p. 361, 1861, Jassus. Sahlberg, Cicad., p. 253, 1871, Limotettix. Melichar, Cicad. Mitt. Eur., p. 264, 1896, Athysanus. Edwards, Hemip. Homop. Brit. Isds., p. 172, pl. 19, fig. 9, 1896, Thamnotettix. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 91, pl. 5, fig. 3, 1898, Athysanus. plutonius Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 470, 1877, Jassus.

Ball, Can. Ent., xliii, p. 200, 1911, Athysanus.

†vaccinii Osborn and Ball, Ohio Nat., ii, p. 242, 1902, Athysanus.

Osborn, 20th Rept. N. Y. St. Ent., p. 528, 1905, Athysanus.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905, Athysanus.

Van Duzee, Can. Ent., xxxviii, p. 410, 1906, Athysanus.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 130, 1915, Athysanus.

Localities: Ont., Me., Mass., R. I., N. Y., N. J., Md., Ia., Kans., Colo. (Europe.)

2145. Euscelis vaccinii (Van D.)

Van Duzee, Ent. Am., vi, p. 135, 1890, Athysanus (striatulus or vaccinii).

Van Duzee, Can. Ent., xxv, p. 285, 1893, Athysanus.

Wirtner, Ann. Carn. Mus., iii, p. 223, 1904, Athysanus.

Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.

Localities: Quebec, Ont., Me., Mass., R. I., N. Y., N. J., Pa. [Probably not distinct from preceding.]

2146. Euscelis instabilis (Van D.)

Van Duzee, Can. Ent., xxv, p. 284, 1893, Athysanus.

Van Duzee, Mich. Agr. Exp. Sta., Bul. 102, p. 8, 1894, Athysanus.

Van Duzee, Exp. Sta. Record, v, p. 791, 1894, Athysanus (reprint of preceding).

Gillette and Baker, Hemip. Colo., p. 93, 1895, Athysanus.

Van Duzee, Can. Ent., xl, p. 158, 1908, Athysanus.

†striatulus Osborn and Ball, Ohio Nat., ii, p. 242, 1902, Athysanus.

Osborn, 20th Rept. N. Y. St. Ent., p. 528, 1905, Athysanus.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 128, 1915, Athysanus.

Localities: Quebec, Ont., Mich., Colo., Br. Col.

2147. Euscelis angustatus (Osb.)

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 130, 1915, Athysanus. Localities: Me., N. Y.

2148. Euscelis elongatus (Osb.)

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 129, 1915, Athysanus. †striatulus Van Duzee, Can. Ent., xxxviii, p. 410, 1906, Athysanus. Athysanus sp., Van. Duzee, Can. Ent., xl, p. 158, 1908.

Localities: Quebec., Ont., Me., Ore.(†).

2149. Euscelis dentatus (O. & B.)

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 95, 1898, Athysanus. Osborn and Ball, Ohio Nat., ii, p. 244, pl. 17, fig. 5, 1902, Athysanus. Locality: Colo.

2150. Euscelis acuminatus (Bak.)

Baker, Psyche, vii, Suppl., i, p. 25, 1896, Athysanus.
Osborn and Ball, Ohio Nat., ii, p. 256, 1902, Athysanus.
Locality: N. Mex.

Subgenus Conomellus O. & B.

Orthotype comma (Van D.)

Osborn and Ball, Ohio Nat., ii, p. 245, 1902.

Van Duzee, Can. Ent., xlvi, p. 389, 1915.

2151. Euscelis comma (Van D.)

Van Duzee, Can. Ent., xxiv, p. 114, 1892, Athysanus.

Gillette and Baker, Hemip. Colo., p. 92, 1895, Athysanus.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 223, 1897, Athysanus.

Osborn and Ball, Ohio Nat., ii, p. 246, pl. 17, fig. 1, 1902, Athysanus.

Slosson, Ent. News, xiii, p. 321, 1902, Athysanus.

Localities: N. H., Ia., Neb., Kans., Colo.

2152. Euscelis colon (O. & B.)

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 223, pl. 26, fig. 3, 1897, Athysanus. Osborn and Ball, Ohio Nat., ii, p. 247, pl. 17, fig. 2, 1902, Athysanus.

Localities: Ia., Minn.

2153. Euscelis sexvittatus (Van D.)

Van Duzee, Can. Ent., xxvi, p. 93, 1894, Athysanus.
Osborn and Ball, Ohio Nat., ii, p. 247, pl. 17, fig. 3, 1902, Athysanus.
Locality: Colo.

21531/2. Euscelis lassus (Ball)

Ball, Ent. News, xxvii, p. 175, 1916, Athysanus.

Locality: Calif.

2154. Euscelis texanus (O. & B.)

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 92, 1898, Athysanus.

Osborn and Ball, Ohio Nat., ii, p. 248, 1898, Athysanus.

Localities: La., Texas.

2155. Euscelis estacadus (Ball)

Ball, Can. Ent., xliii, p. 200, 1911, Athysanus.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 62, 1916, Athysanus.

Localities: Tenn., Texas.

Subgenus Stirellus O. & B.

Orthotype bicolor (Van D.)

Osborn and Ball, Ohio Nat., ii, p. 250, 1902.

Van Duzee, Can. Ent., xlvi, p. 389, 1915.

Athysanus Sec. 2, Van Duzee, Psyche, vi, p. 307, 1892.

Athysanus Sec. B, Van Duzee, Can. Ent., xxv, p. 285, 1893.

2156. Euscelis curtisli (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 61, 1851, Amblycephalus.

Walker, List Homop., iv, p. 1159, 1852; Suppl., p. 348, 1858, Tettigonia.

Provancher, Pet. Faune Ent. Can., iii, p. 278, 1889, Deltocephalus.

Van Duzee, Psyche, v, p. 290, 1890, Athysanus.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892, Athysanus.

Van Duzee, Can. Ent., xxv, p. 285, 1893, Athysanus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894, Athysanus.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 221, 1897, Athysanus.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 91, pl. 5, fig. 1, 1898, Athysanus.

Osborn and Ball, Ohio Nat., ii, p. 251, 1902, Athysanus.

Wirtner, Ann. Carn. Mus., iii, p. 223, 1904, Athysanus.

Osborn, 20th Rept. N. Y. St. Ent., p. 529, 1905, Athysanus.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905, Athysanus.

Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910, Athysanus. Van Duzee, Can. Ent., xliv, p. 328, 1912, Athysanus. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 91, fig. 22, 1912, Athysanus. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915, Athysanus. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 125, 1915, Athysanus. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 26, 1915, Athysanus. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 62, 1916, Athysanus. nervatus Provancher, Nat. Can., iv, p. 378, 1872, Jassus. Localities: Quebec, Ont., Me., N. H., Vt., N. Y., N. J., Pa., Ohio, Tenn., Mich., Ia., Mo.

2157. Euscelis bicolor (Van D.) Van Duzee, Can. Ent., xxiv, p. 114, 1892, Athysanus. Weed, Can. Ent., xxiv, p. 279, 1892, Athysanus. Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 222, 1897, Athysanus. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 91, pl. 5, fig. 2, 1897, Athysanus. Osborn and Ball, Ohio Nat., ii, p. 251, 1902, Athysanus. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 222, 1909, Athysanus. Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910, Athysanus. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 92, fig. 23, 1912, Athysanus. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914, Phrynomorphus. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915, Athysanus. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 26, 1915, Athysanus DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 62, 1916, Athysanus. virgulatus Uhler, Proc. Zool. Soc. Lond. for 1895, p. 78, Deltocephalus. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892, Deltocephalus. Smith, Cat. Ins. N. J., edn. 2, p. 95, 1900, Deltocephalus. Localities: N. J., D. C., Va., N. C., Ga., Fla., Miss., Ohio, Mich., Tenn., Ill., Ia., Neb., Kans. (Neotropical.)

2158. Euscelis obtutus (Van D.)

Van Duzee, Can. Ent., xxiv, p. 115, 1892, Athysanus (misprinted obtusus). Van Duzee, Can. Ent., xxiv, p. 156, 1892, Athysanus (spelling corrected). Weed, Can. Ent., xxiv, p. 279, 1892, Athysanus. Van Duzee, Can. Ent., xxv, p. 285, 1893, Athysanus. Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 222, pl. 21, fig. 2, 1897, Athysanus. Osborn and Ball, Ohio Nat., ii, p. 252, 1902, Athysanus. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 222, 1909, Athysanus. Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 93, fig. 24, 1912, Athysanus. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915, Athysanus. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 26, 1915, Athysanus. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 63, 1916, Athysanus. [morphus. hobtusus Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914, Phryno-Localities: Md., D. C., N. C., S. C., Ga., Fla., Miss., Tenn., Ia., Kans., Mo.

[Euscelis ignotus (Baker) MS]

Smith, Cat. Ins. N. J., edn. 2, p. 95, 1900, Athysanus. Locality: N. J.

2159. Euscelis villicus (Crmb.)

Crumb, Ann. Ent. Soc. Am., viii, p. 194, 1915, Athysanus. Locality: Tenn.

Genus Eutettix Van D. Orthotype lurida (Van D.)

Van Duzee, Psyche, vi, p. 307, 1892. Van Duzee, Trans. Am. Ent. Soc., xix, p. 300, 1892. Matsumura, Termes Fuzet., xxv, p. 380, 1902. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 331, 1906; iii, p. 53, 1907. Ball, Proc. Dav. Acad. Sci., xii, p. 27, 1907 (monograph). Distant, Fauna Brit. Ind. Rhyn., iv, pp. 351, 362, 1908. Van Duzee, Can. Ent., xli, p. 384, 1909 (citing lurida as type). DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 65, 1916.

2160. Eutettix luridus (Van D.)

Van Duzee, Can. Ent., xxii, p. 250, 1890, Thamnotettix. Van Duzee, Psyche, vi, p. 307, 1892. Osborn, 20th Rept. N. Y. St. Ent., p. 530, 1905. Ball, Proc. Dav. Acad. Sci., xii, p. 36, pl. i, fig. 4, 1907. Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914.

Localities: N. H., N. Y., N. J., Md., D. C., Ga., Fla., Mich., Ia.

2161. Eutettix marmoratus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 302, 1892.

Ball, Proc. Dav. Acad. Sci., xii, p. 35, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 66, 1916.

incerta Gillette and Baker, Hemip. Colo., p. 100, 1895.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Localities: Mass., N. Y., N. J., D. C., N. C., Fla., Ohio, Tenn., N. D., Colo.

2162. Eutettix southwicki (Van D.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 209, 1894. Osborn, 20th Rept. N. Y. St. Ent., p. 531, 1905. Ball, Proc. Dav. Acad. Sci., xii, p. 36, pl. 1, fig. 3, 1907. Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.

brunneus Osborn, 20th Rept. N. Y. St. Ent., p. 530, 1905. Localities: N. Y., N. J., Md., D. C., Ia., Colo. (?).

2163. Eutettix subseneus (Van D.)

Van Duzee, Ent. Am., vi, p. 77, 1890, Thamnotettix. Van Duzee, Psyche, vi, p. 307, 1892, Thamnotettix. Van Duzee, Trans. Am. Ent. Soc., xix, p. 303, 1892. Ball, Proc. Dav. Acad. Sci., xii, p. 37, pl. 1, fig. 5, 1907. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 139, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 22, 1915. *DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 66, 1916.

Localities: Me.(?), N. C.(?), Tenn.(?), Colo., Calif.

2164. Eutettix querci G. & B.

Gillette and Baker, Hemip. Colo., p. 101, 1895. Ball, Proc. Dav. Acad. Sci., xii, p. 37, pl. 1, fig. 5, 1907. Localities: D. C. (1), Colo., Utah.

2165. Eutettix tristis Ball

Ball, Proc. Dav. Acad. Sci., xii, p. 34, pl. 1, fig. 2, 1907.
Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.
Localities: N. J., Md., D. C., Ga., Fla.

2166. Eutettix bartschi Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 223, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914. Locality: Fla.

2167. Eutettix pictus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 301, 1892.
Ball, Proc. Dav. Acad. Sci., xii, p. 34, pl. 1, fig. 1, 1907.
Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 65, 1916.
magnus Osborn, Ent. News, xi, p. 395, 1900.
Localities: Pa., N. J., Md., D. C., Fla., Tenn., Ind., Ark.

2168. Eutettix slossoni Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 210, 1894; ix, p. 222, 1908. Ball, Proc. Dav. Acad. Sci., xii, p. 35, 1907. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914. Localities: Mass., N. J., D. C., Fla., Texas.

2169. Eutettix nitens Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 223, 1909. Locality: Fla.

2170. Eutettix johnsoni Van D.

Van Duzee, Can. Ent., xxvi, p. 137, 1894.
Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 232, 1897.
Wirtner, Ann. Carn. Mus., iii, p. 223, 1904.
Osborn, 20th Rept. N. Y. St. Ent., p. 531, 1905.
Ball, Proc. Dav. Acad. Sci., xii, p. 66, pl. 3, fig. 8, 1907, Mesamia.
Smith, Cat. Ins. N. J., edn. 3, p. 104, 1910.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 139, 1915.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 67, 1916.
Localities: Me., N. H., Mass., N. Y., N. J., Pa., Md., D. C.,

Localities: Me., N. H., Mass., N. Y., N. J., Pa., Md., D. C., N. C., Ohio, Tenn., Ia.

2171. Eutettix animanus Ball

Ball, Can. Ent., xli, p. 81, 1909, Mesamia. Locality: Colo.

anty. Colo.

2172. Eutettix auratus Ball

Ball, Can. Ent., xli, p. 81, 1909, Mesamia. Locality: D. C.

2173. Eutettix clarivida Van D.

Van Duzee, Can. Ent., xxvi, p. 138, 1894.
Gillette and Baker, Hemip. Colo., p. 100, 1895.
Ball, Proc. Dav. Acad. Sci., xii, p. 38, pl. 1, fig. 6, 1907.
Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915.
Localities: Mo., Colo., Utah.

2174. Eutettix osborni Ball

Ball, Proc. Dav. Acad. Sci., xii, p. 39, pl. 1, fig. 7, 1907. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915.

Localities: Mo., Texas, Calif.

2175. Eutettix insanus Ball

Ball, Can. Ent., xxxii, p. 203, 1900.

Ball, Proc. Dav. Acad. Sci., xii, p. 39, pl. 1, fig. 8, 1907.

a. var. coronatus Ball.

Ball, Can. Ent., xlviii, p. 127, 1916.

Localities: Colo., Utah, Calif.

2176. Eutettix pauperculus (Ball)

Ball, Can. Ent., xxxv, p. 228, 1903, Phlepsius.

Ball, Proc. Dav. Acad. Sci., xii, p. 40, pl. 1, fig. 9, 1907. Localities: Colo., Utah.

2177. Eutettix strictus Ball

Ball, Can. Ent., xxxii, p. 204, 1900.

Ball, Proc. Dav. Acad. Sci., xii, p. 41, pl. 1, fig. 10, 1907.

Localities: Colo., Texas, Ariz. (Mexico.)

2178. Eutettix tenellus (Bak.)

Gillette and Baker, Hemip. Colo., p. 100, 1895, Thamnotettix (a MS name).

Baker, Psyche, vii, Suppl., p. 24, 1896, Thamnotettix.

Ball, U. S. Dept. Agr., Bur. Ent., Bul. 66, pt. 4, p. 35, pl. 1, fig. 1, 1904.

Ball, Proc. Dav. Acad. Sci., xii, p. 41, pl. 1, fig. 11, pl. 4, figs. 4, 5, 1907.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

Essig, Inj. Benif. Ins. Calif., edn. 2, p. 64, 1915.

Localities: Colo., Utah, N. Mex., Ariz., Calif.

2179. Eutettix seminudus (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 307, 1831; Compl. Writ., ii, p. 383, Jassus.

Harris in Hitchcock, Geol. Mass., edn. 2, p. 580, 1835, Jassus.

Fitch, Homop. N. Y. St. Cab., p. 58, 1851, Bythoscopus.

Dimmock, Psyche, iv, p. 241, 18-, Bythoscopus.

Uhler, Stand. Nat. Hist., ii, p. 246, 1884, Thamnotettix.

Provancher, Pet. Faune Ent. Can., iii, p. 285, 1889, Thamnotettix.

Van Duzee, Psyche, v, p. 389, 1890, Athysanus.

Packard, 5th Rept. U. S. Ent. Comm., p. 513, 1890, Bythoscopus.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892, Thamnotettix.

Van Duzee, Psyche, vi, p. 307, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 223, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 529, 1905.

Ball, Proc. Dav. Acad. Sci., xii, p. 42, pl. 2, fig. 1, 1907.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Van Duzee, Can. Ent., xliv, p. 328, 1912.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 22, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 66, 1916.

Localities: Quebec, Ont., Mass., Conn., N. Y., Pa., Md., D. C., N. C., Miss., Ohio, Tenn., Ind., Ill., Ia., Mo., Kans., Texas.

2180. Eutettix cinctus O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 97, 1898.

Wirtner, Ann. Carn. Mus., iii, p. 223, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 530, 1905.

Ball, Proc. Dav. Acad. Sci., xii, p. 64, pl. 4, fig. 1, 1907, Mesamia.

Smith, Cat. Ins. N. J., edn. 3, p. 103, 1910, Mesamia.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 67, 1916.

†jucunda Van Duzee, Psyche, vi, p. 307, 1892.

Van Duzee, Trans. Am. Ent. Soc., xxi, p. 297, 1894.

Localities: N. Y., N. J., Pa., Md., D. C., Miss., Tenn., Ia., Colo., Texas.

2181. Eutettix strobi (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 58, 1851, Bythoscopus.

Walker, List Homop., iii, p. 876, 1851, Bythoscopus.

Fitch, Trans. N. Y. St. Agr. Soc., xvii, p. 739, 1857, Bythoscopus.

Rathvon in Mombert, Hist. Lanc. Co., Pa., p. 551, 1869, Bythoscopus.

Packard, 5th Rept. U. S. Ent. Comm., p. 802, 1890, Bythoscopus.

Van Duzee, Psyche, v, p. 390, 1890, Phlepsius.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 67, 1892; xxi, p. 299, 1894, Phlepsius.

Baker, Psyche, vii, Suppl., i, p. 24, 1896.

Wirtner, Ann. Carn. Mus., iii, p. 223, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 531, 1905.

Ball, Proc. Dav. Acad. Sci., xii, p. 44, pl. 2, fig. 2, pl. 4, fig. 3, 1907.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Ball, U. S. Dept. Agr., Bur. Ent., Bul. 66, pt. 4, p. 49, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 138, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 67, 1916.

Localities: Ont., Me., Mass., Conn., N. Y., N. J., Pa., D. C., N. C., Ohio, Tenn., Mo., Ia., Neb., Kans., Colo., Utah, Texas.

2182. Eutettix scitulus Ball

Ball, Can. Ent., xxxiii, p. 47, 1901.

Ball, Proc. Dav. Acad. Sci., xii, p. 45, pl. 2, fig. 3, 1907.

Ball, U. S. Dept. Agr., Bur. Ent., Bul. 66, pt. 4, p. 49, pl. 1, fig. 3, 1909.

†seminuda Gillette and Baker, Hemip. Colo., p. 102, 1895.

Baker, Psyche, vii, Suppl., i, p. 24, 1896.

Localities: Colo., Utah, N. Mex., Ariz.

2183. Eutettix pullatus Ball

Ball, Can. Ent., xxxiii, p. 48, 1901.

Ball, Proc. Dav. Acad. Sci., xii, p. 46, pl. 2, fig. 4, 1907.

Localities: Colo., Utah, N. Mex., Ariz.

2184. Eutettix perelegantis Ball

Ball, Can. Ent., xxxiii, p. 46, 1901.

Ball, Proc. Dav. Acad. Sci., xii, p. 47, pl. 2, fig. 5, 1907.

Localities: Colo., Utah.

2185. Eutettix mildredae Ball

Ball, Can. Ent., xxxiii, p. 45, 1901.

Ball, Proc. Dav. Acad. Sci., xii, p. 48, pl. 2, fig. 6, 1907. Localities: Colo., N. Mex., Ariz.

21851/2. Eutettix columbianus Ball

Ball, Can. Ent., xlviii, p. 125, 1916. Locality: Wash.

2186. Eutettix amandus Ball

Ball, Can. Ent., xli, p. 82, 1909. Locality: Ariz.

2187. Eutettix snowi Ball

Ball, Proc. Dav. Acad. Sci., xii, p. 49, pl. 2, fig. 7, 1907. Locality: Ariz.

2188. Eutettix saucius Ball

Ball, Can. Ent., xxxiii, p. 46, 1901.

Ball, Proc. Dav. Acad. Sci., xii, p. 49, pl. 2, fig. 8, 1907.
Localities: Colo., Utah, Calif.

21881/2. Eutettix nevada Ball

Ball, Can. Ent., xlviii, p. 126, 1916. Locality: Nevada.

2189. Eutettix pulchellus Bak.

Baker, Psyche, vii, Suppl., i, p. 24, 1896.

Ball, Proc. Dav. Acad. Sci., xii, p. 50, pl. 2, fig. 9, 1907.

a. var. scaber O. & B.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 96, 1898. Localities: Ia., N. Mex., Ariz.

2190. Eutettix albidus (Ball)

Ball, Can. Ent., xxxii, p. 203, 1900, Phlepsius.

Ball, Proc. Dav. Acad. Sci., xii, p. 51, pl. 2, fig. 10, 1907.
Localities: Colo., Utah, Ariz.

2191. Eutettix ziczac Crmb.

Crumb, Ann. Ent. Soc. Am., viii, p. 195, 1915. Locality: Texas.

2192. Eutettix pannosus Ball

Ball, Can. Ent., xxiv, p. 12, 1902.

Ball, Proc. Dav. Acad. Sci., xii, p. 51, pl. 2, fig. 11, 1907.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914. Locality: Calif.

21921/2. Eutettix rubidus Ball

Ball, Can. Ent., xlviii, p. 126, 1916.

Locality: Utah.

2193. Eutettix texanus Ball

Ball, Proc. Dav. Acad. Sci., xii, p. 52, 1907. Locality: Texas.

2194. Eutettix bicoloratus Ball

Ball, Can. Ent., xxxvii, p. 212, 1905.
 Ball, Proc. Dav. Acad. Sci., xii, p. 53, pl. 2, fig. 12, 1907.
 Localities: Ark., Utah.

Genus Phlepsius Fieb. Haplotype intricatus (H. S.)

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 503, 1866.
Fieber, Cicad. d'Eur., i, p. 122, 1875; ii, pl. 12, 1876.
Signoret, Ann. Soc. Ent. Fr., ser. 5, x, p. 68, 1880.
Mayr, Tabellen, p. 32, 1884.
Van Duzee, Trans. Am. Ent. Soc., xix, pp. 63, 300, 1892.
Melichar, Cicad. Mitt. Eur., p. 204, 1896.
Matsumura, Termes. Fuzet., xxv, p. 382, 1902.
Distant, Fauna Brit. Ind., Rhyn., iv, p. 346, 1908.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 68, 1916.
†Allygus Uhler, Stand. Nat. Hist., ii, p. 245, 1884.
Provancher, Pet. Faune Ent. Can., iii, p. 286, 1889.
Paraphlepsius Baker, Can. Ent., xxix, p. 158, 1897 (orthotype ramosus Bak.)
Parallygus Melichar, Homop. Ceylon, p. 179, 1903 (haplotoype divaricatus [Melich.).

2195. Phlepsius majestus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 229, pl. 26, fig. 6, 1897. Wirtner, Ann. Carn. Mus., iii, p. 224, 1904.
Osborn, 20th Rept. N. Y. St. Ent., p. 533, 1905.
Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 76, 1916.
Localities: N. Y., N. J., Pa., Miss., Ohio, Tenn., Ia., Kans.

2196. Phlepsius spatulatus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 78, 1892.

Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904.

personatus Baker, Can. Ent., xxx, p. 30, 1898.

†Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

Localities: Ia., Utah, Texas, Ariz., Calif.

2197. Phlepsius excultus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 467, 1877, Jassus.
Van Duzee, Trans. Am. Ent. Soc., xix, p. 80, 1892.
Osborn, 20th Rept. N. Y. St. Ent., p. 534, 1905.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 224, 1909.
Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. p. 23, 1915.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 77, 1916.
[infumatus and scalaris Uhler MS] in collections.
Localities: Mass., N. Y., N. J., Pa., N. C., Ga., Fla., Tenn., Ill., Kans., Minn., Colo., Texas.

ď

2198. Phlepsius neomexicanus Bak.

Baker, Psyche, vii, Suppl., i, p. 13, 1895. Locality: N. Mex.

2199. Phlepsius superbus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 81, 1892. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 23, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 77, 1916.

Localities: N. C., Ga., Tenn., Mo., Texas, Ariz., Nev., Calif.

22001/2. Phlepsius distinctus Lthr.

Lathrop, Ohio Jl. Sci., xvii, p. 129, 1917.

Locality: S. C.

2200. Phlepsius areolatus Bak.

Baker, Can. Ent., xxx, p. 30, 1898. Locality: Kans.

2201. Phlepsius decorus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 230, pl. 26, fig. 7, 1897. Wirtner, Ann. Carn. Mus., iii, p. 224, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 533, 1905.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 224, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 141, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 76, 1916.

Localities: Ont., Me., N. Y., N. J., Pa., Fla., Ohio, Tenn., Ia., Neb., Kans.

2202. Phlepsius ovatus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 79, 1892.
Gillette and Baker, Hemip. Colo., p. 94, 1895.
Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 75, 1916.
Localities: Tenn., Kans., Texas, Colo., Utah, Calif.

2203. Phlepsius graphicus Ball

Ball, Can. Ent., xxxii, p. 201, 1900. Localities: Neb., Colo.

2204. Phlepsius cumulatus Ball

Ball, Can. Ent., xxxii, p. 202, 1900.

Van Duzee, Trans. Am. Ent. Soc., xxix, p. 112, 1903.

a. var. arctostaphylae Ball

Ball, Can. Ent., xxxii, p. 202, 1900.

Localities: Colo., Utah, N. Mex.

2205. Phlepsius attractus Ball

Ball, Can. Ent., xli, p. 77, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914. Locality: Fla.

2206. Phlepsius floridanus Ball

Ball, Can. Ent., xli, p. 78, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914. Locality: Fla.

2207. Phlepsius utahnus Ball

Ball, Can. Ent., xli, p. 79, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914. Localities: Utah, Calif.

2208. Phlepsius tigrinus Ball

Ball, Can. Ent., xli, p. 80, 1909. Locality: D. C.

2209. Phlepsius costomaculatus (Van D.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 207, 1894, Allygus. Osborn, Ohio Nat., ix, p. 460, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914. pulchripennis Baker, Ent. News, ix, p. 65, 1898.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 225, 1909.

Localities: Fla., Texas. (Guatemala.)

2210. Phiepsius lippulus Ball

Ball, Can. Ent., xxxv, p. 227, 1903.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914.

Localities: Fla.

22101/2. Phlepsius carolinus Lthr.

Lathrop, Ohio Jl. Sci., xvii, p. 127, 1917.

Locality: S. C.

2211. Phlepsius franconianus Ball

Ball, Can. Ent., xxxv, p. 228, 1903.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 143, 1915.

Localities: Me., N. H.

2212. Phlepsius uhleri Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 67, 1892.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

Localities: N. J., Md.

2213. Phlepsius josea Ball

Ball, Can. Ent., xxxii, p. 347, 1900.

Locality: Colo.

2214. Phlepsius extremus Ball

Ball, Can. Ent., xxxiii, p. 10, 1901.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

Localities: Colo., Calif.

2215. Phlepsius maculatus Osb.

Osborn, Ohio Nat., v, p. 276, 1905. Locality: Ohio.

2216. Phlepsius maculellus Osb.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 141, 1915. Locality: Me.

2217. Phlepsius nigrifrons Ball

Ball, Can. Ent., xxxvii, p. 210, 1905. Locality: Ark.

2218. Phlepsius vanduzei Ball

Ball, Can. Ent., xxxiii, p. 9, 1901.

Localities: Colo., Utah.

2219. Phiepsius denudatus Ball

Ball, Can. Ent., xxxiii, p. 11, 1901.

Locality: Colo.

22194. Phlepsius loculatus Ball

Ball, Can. Ent., xlviii, p. 128, 1916. Localities: Utah, Calif.

s: Ctan, Cant.

22191/2. Phlepsius stellaris Ball

Ball, Can. Ent., xlviii, p. 129, 1916. Locality: Utah.

2220. Phiepsius lascivius Ball

Ball, Can. Ent., xxxii, p. 200, 1900.

Localities: Neb., Colo., Utah.

2221. Phlepsius altus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 228, pl. 26, fig. 5, 1897. Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 99, pl. 6, fig. 3, 1898. Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

mimus Baker, Ent. News, ix, p. 67, 1898.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 224, 1909.

Localities: N. J., Md., Fla., Ia., Neb., Kans.

2222. Phlepsius pallidus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 69, 1892. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915. Localities: Mo., Texas.

2223. Phlepsius incisus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 73, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894. Wirtner, Ann. Carn. Mus., iii, p. 223, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 533, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905. Osborn, Mc. Agr. Exp. Sta., Bul. 238, p. 143, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 71, 1916. Localities: Ont., Me., N. Y., Pa., Mich., Tenn.

22231/2. Phiepsius umbrosus S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 88, 1917. Locality: Wis.

2224. Phlepsius tubus Ball

Ball, Can. Ent., xli, p. 78, 1909. Locality: D. C.

2225. Phlepsius pusillus Bak.

Baker, Ent. News, ix, p. 66, 1898. Locality: Md.

2226. Phlepsius fuscipennis Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 70, 1892.
Southwick, Science, xix, p. 287, 1892.
Osborn, 20th Rept. N. Y. St. Ent., p. 532, 1905.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 225, 1909.
Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 71, 1916.
Localities: N. Y., N. J., Fla., Tenn.

2227. Phlepsius turpiculus Ball

Ball, Can. Ent., xxxii, p. 200, 1900. Localities: Ont., N. Y., Neb. Colo.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

22271/2. Phlepsius bifidus S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 89, 1917. Locality: Wis.

2228. Phlepsius irroratus (Say) Say, Jl. Acad. Sci. Phila., vi, p. 308, 1831; Compl. Writ., ii, p. 384, Jassus. Harris in Hitchcock, Geol. Mass., edn. 2, p. 580, 1835, Jassus. Fitch, Homop. N. Y. St. Cab., p. 62, 1851, Jassus. Walker, List Homop., iii, p. 894, 1851; iv, p. 1164, 1852, Jassus. Packard, Guide to Study of Insects, p. 532, 1869, Jassus. Rathvon in Mombert, Hist. Lanc. Co., Pa., p. 551, 1869, Jassus. Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 467, 1877; iv, p. 511, 1878, Jassus. Lintner, 1st Rept. N. Y. St. Ent., p. 331, 1882, Jassus. Uhler, Stand. Nat. Hist., ii, p. 245, 1884, Allygus. Van Duzee, Can. Ent., xxi, p. 11, 1889, Allygus. Van Duzee, Ent. Am., vi, p. 93, 1890. Van Duzee, Psyche, v, p. 389, 1890. Provancher, Pet. Faune Ent. Can., iii, p. 286, 1890, Allygus. Provancher, Nat. Can., xix, p. 248, 1890, Allygus. Van Duzee, Trans. Am. Ent. Soc., xix, p. 71, 1892. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894. Wirtner, Ann. Carn. Mus., iii, p. 223, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 533, 1905. Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Van Duzee, Can. Ent., xliv, p. 328, 1912.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 94, fig. 25, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 23, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 139, 1915.

Gibson, Can. Ent., xlviii, p. 178, 1916.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 72, 1916.

testudinarius Burmeister, Genera Ins., i, pl. 14, 1838, Jassus.

§inornatus Packard, U. S. Ent. Comm., Bul. 7, p. 80, 1881, Jassus (inoratus).

Packard, 5th Rept. U. S. Ent. Comm., p. 324, 1890, Jassus.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., N. C., Ohio, Tenn., Ill., Ia., Mo., Kans., Ark., Colo., Utah.

2229. Phlepsius latifrons Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 66, 1892.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 70, 1916.

Localities: Md., Tenn.

2230. Phlepsius collitus Ball

Ball, Can. Ent., xxxv, p. 227, 1903.

Osborn, Ohio Nat., v, p. 275, 1905.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 142, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 73, 1916.

Localities: Ont., Me., Mass., N. Y., N. J., D. C., N. C., Fla., Ohio, Tenn., Iowa.

22301/2. Phlepsius tullahomi DeL.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 73, 1916.

Locality: Tenn.

2231. Phlepsius truncatus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 72, 1892.

Wirtner, Ann. Carn. Mus., iii, p. 223, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 225, 1909.

Smith, Cat. Ins. N. J., edn. 2, p. 105, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 23, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 72, 1916.

Localities: Pa., N. C., Fla., Tenn., Ia.

2231 1/2. Phlepsius torridus Lthr.

Lathrop, Ohio Jl. Sci., xvii, p. 126, 1917.

Locality: S. C.

2232. Phlepsius cinereus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 68, 1892.

Gillette and Baker, Hemip. Colo., p. 94, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 69, 1907.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 70, 1916.

Localities: N. C., Fla., Miss., Tenn., Mo., Texas, Colo. Indies.)

2233. Phlepsius texanus Bak.

Baker, Can. Ent., xxx, p. 31, 1898. Locality: Texas.

2234. Phlepsius lobatus Osb.

Osborn, Proc. Ia. Acad. Sci., v, p. 247, 1898. Locality: Ia.

2235. Phlepsius punctiscriptus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 75, 1892. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 44, 1916. Localities: Fla., Tenn., Kans., Texas.

223514. Phlepsius tennessa DeL.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 75, 1916.
 similis Lathrop, Ohio Jl. Sci., xvii, p. 128, 1917.
 Localities: S. C., Tenn.

2236. Phlepsius apertus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 76, 1892.
Osborn, 20th Rept. N. Y. St. Ent., p. 532, 1905.
Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905.
Van Duzee, Can. Ent., xl, p. 158, 1908.
fGibson and Cogan, Ohio Jl. Sci., xvi, p. 75, 1915.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 140, 1915; Bul. 248, p. 79, 1916.
Localities: Quebec, Ont., Me., N. Y., Mo.(f), Br. Col.

2237. Phlepsius fulvidorsum (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 62, 1851, Jassus. Walker, List Homop., iii, p. 894, 1851, Jassus. Van Duzee, Psyche, v, p. 390, 1890. Van Duzee, Trans. Am. Ent. Soc., xix, p. 74, 1892. Southwick, Science, xix, p. 287, 1892. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894. Wirtner, Ann. Carn. Mus., iii, p. 223, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 532, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905. Van Duzee, Can. Ent., xl, p. 158, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 23, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 142, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 72, 1916. Localities: Quebec., Ont., Me., N. Y., N. J., Pa., N. C, Ohio, Tenn., Ia., Mont., Texas.

2238. Phlepsius optatus Crmb.

Crumb, Ann. Ent. Soc. Am., viii, p. 194, 1915.
 DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 70, 1916.
 Locality: Tenn.

2239. Phlepsius rileyi Bak.

Baker, Can. Ent., xxx, p. 32, 1898. Locality: Texas.

2240. Phlepsius fastuosus Ball

Ball, Can. Ent., xxxvii, p. 210, 1905. Locality: N. Mex.

2241. Phlepsius slossoni Ball

Ball, Can. Ent., xxxvii, p. 209, 1905.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914. Localities: N. C., Fla.

2242. Phlepsius nudus Ball

Ball, Can. Ent., xliii, p. 204, 1911.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914. Locality: Fla.

2243. Phlepsius occidentalis Bak.

Baker, Ent. News, ix, p. 66, 1898.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.

Localities: Calif., Wash.

2244. Phlepsius nebulosus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 77, 1892.

Osborn and Ball, Proc. Dav. Acad. Sci., vii, p. 100, pl. 6, fig. 4, 1898.

Osborn, 20th Rept. N. Y. St. Ent., p. 532, 1905.

Localities: N. H., Mass., N. Y., N. J., Fla., Miss., Ja., Dak., Neb., Colo., Manitoba.

2245. Phlepsius dentatus Bak.

Baker, Ent. News, ix, p. 65, 1898. Locality: Md.

2246. Phlepsius solidaginis (Walk.)

Walker, List Homop., iii, p. 847, 1851, Acocephalus.

Van Duzee, Can. Ent., xli, p. 384, 1909.

humidus Van Duzee, Trans. Am. Ent. Soc., xix, p. 76, 1892.

Southwick, Science, xix, p. 288, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 199, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 223, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 532, 1905.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 143, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 74, 1916.

Localities: Ont., Me., N. H., Conn., N. Y., N. J., Pa., Md., Tenn.

22461/2. Phlepsius brunneus DeL.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 74, 1916. Locality: Tenn.

2247. Phlepsius ramosus (Bak.)

Baker, Can. Ent., xxix, p. 158, 1897, Paraphlepsius. Localities: N. Y., Ohio.

> Genus Dorydiella Bak. Orthotype floridana Bak.

Baker, Can. Ent., xxix, p. 159, 1897.

2248. Dorydiella floridana Bak.

Baker, Can. Ent., xxix, p. 159, 1897. Localities: Mass., Fla.

> Genus Acinopterus Van D. Haplotype acuminatus Van D.

Van Duzee, Psyche, v, p. 307, 1892.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 299, 1892.

Van Duzee, Can. Ent., xli, p. 384, 1909 (type citation).

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 89, 1916.

2249. Acinopterus acuminatus Van D.

Van Duzee, Psyche, vi, p. 308, 1892.

Gillette and Baker, Hemip. Colo., p. 94, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 69, 1907; ix, p. 225, 1909.

Osborn, Ohio Nat., ix, p. 466, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 534, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 54, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 23, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 89, 1916.

a. var. inornatus (Bak.)

Baker, Psyche, vii, Suppl., i, p. 13, 1895, Phlepsius. variegatus Ball, Can. Ent., xxxv, p. 231, 1903.

b. var. viridis Ball

Ball, Can. Ent., xxxv, p. 231, 1903.

c. var. brunneus Ball

Ball, Can. Ent., xxxv, p. 231, 1903.

Localities: N. J., Pa., Md., D. C., N. C., Fla., Tenn., Colo., Utah, Ariz., Calif. (Neotropical.)

Genus Allygus Scott Logotype mixtus (Fabr.)

Fieber, Kat. Eur. Cicad., p. 13, 1872 (catalogue name).

Scott, Ent. Mo. Mag., xii, p. 169, Dec. 1875 (for mixtus and commutatus).

Fieber, Cicad. d'Eur., i, p. 123, 1875; ii, pl. 13, 1876.

Melichar, Cicad. Mitt. Eur., p. 251, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 164, 1896.

Van Duzee, Check List Hemip., p. 73, 1916.

†Jassus Mayr, Tabellen, p. 34, 1884.

Puton, Cat. Hemip. Palae., edn. 3, p. 84, 1886.

Matsumura, Termes. Fuzet., xxv, pp. 356, 401, 1902.

Oshanin, Verz. Palae. Hemip., ii, p. 135, 1906.

Oshanin, Kat. Palae. Hemip., p. 107, 1912 (names atomarius Fabr. type).

2250. Allygus gutturosus (Ball)

Ball, Can. Ent., xlii, p. 307, 1910, Thamnotettix.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914, Thamnotettix. Locality: Calif.

Genus Thamnotettix Zett. Logotype prasinus Fall.

Zetterstedt, Ins. Lapp., column 292, 1840.

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 505, 1866.

Stål, Hemip. Afr., iv, pp. 101, 122, 1866.

Kirschbaum, Cicad. v. Wiesbd., pp. 81, 82, 1868.

Stål, Hemip. Fabr., ii, p. 82, 1869.

Sahlberg, Cicad., pp. 70, 207, 1871.

Scott, Ent. Mo. Mag., xii, p. 21, 1875.

Fieber, Cicad. d'Eur., i, p. 122, 1875; ii, pl. 12, 1876.

Mayr, Tabellen, p. 33, 1884.

Fieber, Revue d'Ent., iv, p. 59, 1885 (monograph European species).

Edwards, Trans. Ent. Soc. Lond. for 1888, pp. 33, 62.

Woodworth, Psyche, v, p. 75, 1888.

Provancher, Pet. Faune Ent. Can., iii, p. 283, 1889.

Van Duzee, Psyche, vi, p. 306, 1892.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 300, 1892.

Melichar, Cicad. Mitt. Eur., p. 281, 1896.

Matsumura, Termes. Fuzet, xxv, p. 366, 1902.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 354, 1908.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 77, 1916.

†Cicadula Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 506, 1866.

2251. Thamnotettix kennicotti (Uhl.)

Uhler, Proc. Am. Ent. Soc., ii, p. 161, 1863, Jassus.

Uhler, Stand. Nat. Hist., ii, p. 246, 1884.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892.

Van Duzee, Psyche, vi, p. 306, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 200, 1894.

Slosson, Ent. News, vi, p. 5, 1895.

Gillette and Baker, Hemip. Colo., p. 98, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 225, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 534, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 26, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 134, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 79, 1916.

Localities: Me., N. H., Mass., N. Y., N. J., Pa., Md., D. C., N. C., Ohio, Tenn., Colo., Br. Col.

2252. Thamnotettix subcupraeus (Prov.)

Provancher, Nat. Can., iv, p. 277, 1872, Jassus.

Provancher, Pet. Faune Ent. Can., iii, p. 284, 1890.

Van Duzee, Can. Ent., xxxviii, p. 410, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 227, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910.

Van Duzee, Can. Ent., xliv, p. 328, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914.

Localities: Quebec., Ont., N. H., N. Y., N. J., Fla., Assiniboine.

2253. Thamnotettix brittoni Osb.

Osborn, Proc. Dav. Acad. Sci., x, p. 166, 1907.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 26, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 79, 1916.

Localities: Conn., N. C., Tenn.

2254. Thamnotettix osborni Ball

Ball, Can. Ent., xxxii, p. 337, 1900.

Localities: Neb., Colo.

2255. Thamnotettix schwarzi Ball

Ball, Cap. Ent., xliii, p. 197, 1911 (spelled schwartzi).

Localities: Utah, Ariz.

2256. Thamnotettix geminatus Van D.

Van Duzee, Ent. Am., vi, p. 79, 1890.

Gillette and Baker, Hemip. Colo., p. 98, 1895.

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 96, fig. 26, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.

†laeta Ashmead, Harriman Alaska Exped., viii, p. 134, 1904.

Localities: Colo., Calif., Wash., Alaska.

2257. Thamnotettix fasciaticollis (Stål)

Stål, Stet. Ent. Zeit., xxv, p. 86, 1864, Jassus.

Van Duzee, Psyche, vi, p. 306, 1892.

Localities: Calif. (1). (Mexico.)

2258. Thamnotettix kirkaldyi Ball

Ball, Can. Ent., xliii, p. 197, 1911.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914. Locality: Calif.

2259. Thamnotettix atropunctatus Van D.

Van Duzee, Ent. Am., vi, p. 91, 1890.

Van Duzee, Psyche, vi, p. 306, 1892.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914. Locality: Calif.

2260. Thamnotettix coquilletti Van D.

Van Duzee, Ent. Am., vi, p. 77, 1890.

Van Duzee, Psyche, vi, p. 306, 1892.

Van Duzee, Trahs. San Diego Soc. Nat. Hist., ii, p. 55, 1914.

Localities: Colo., Calif.

2261. Thamnotettix heidemanni Ball

Ball, Can. Ent., xxxii, p. 338, 1900.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1906.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914.

Localities: Colo., Calif.

2262. Thamnotettix cockerelli Ball

Ball, Can. Ent., xxxii, p. 339, 1900.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 134, 1915.

Localities: Me., Colo.

2263. Thamnotettix morsei Osb.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 134, 1915. Locality: Me.

2264. Thamnotettix graeculus Ball

Ball, Can. Ent., xxxiii, p. 6, 1901.

Locality: Colo.

2265. Thamnotettix clitellarius (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 309, 1831; Compl. Writ., ii, p. 384,

Harris in Hitchcock, Geol. of Mass., edn. 2, p. 580, 1835, Jassus. [Jassus.

Fitch, Homop. N. Y. St. Cab., p. 58, 1851, Bythoscopus.

Walker, List Homop., iii, p. 876, 1851, Bythoscopus; iv, p. 1164, 1852, Jassus.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, pp. 359, 365, 1856, Bythoscopus.

Uhler, Stand. Nat. Hist., ii, p. 246, 1884.

Saunders, Ins. Inj. to Fruits, p. 188, 1886, Bythoscopus.

Van Duzee, Psyche, v, p. 389, 1890.

Provancher, Pet. Faune Ent. Can., iii, p. 284, 1890.

Harrington, Ottawa Nat., vi, p. 32, 1892.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892.

Van Duzee, Psyche, vi, p. 306, 1893.

Cockerell, Trans. Am. Ent. Soc., xx, p. 365, 1893, Bythoscopus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 200, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 224, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 534, 1905.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

Van Duzee, Can. Ent., xliv, p. 328, 1912.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915.

Osborn, Me. Agr. Exp. Sta. Bul., 238, p. 134, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 26, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 78, 1916.

Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Pa., Ohio, Tenn., Mo., Kans., Colo.

2266. Thamnotettix eburatus Van D.

Van Duzee, Can. Ent., xxi, p. 10, 1889.

Wirtner, Ann. Carn. Mus., iii, p. 224, 1904 (spelled oburata).

Osborn, 20th Rept. N. Y. St. Ent., p. 534, 1905.

Van Duzee, Can. Ent., xxxviii, p. 410, 1906; xl, p. 159, 1908.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 133, 1915.

?citronellus Provancher, Pet. Faune Ent. Can., iii, p. 283, 1890 (not of 1872).

Van Duzee, Can. Ent., xliv, p. 328, 1912.

Localities: Ont., Me., N. Y., Pa. (?).

2267. Thamnotettix furculatus Osb.

Osborn, Ohio Nat., v, p. 275, 1905.

Locality: Ohio.

2268. Thamnotettix pasadena Ball

Ball, Can. Ent., xlvi, p. 212, 1914. Locality: Calif.

2269. Thamnotettix collaris Ball

Ball, Can. Ent., xxxiv, p. 15, 1902.

exquisitos Osborn, 20th Rept. N. Y. St. Ent., p. 534, 1905. Locality: N. Y.

2270. Thamnotettix mendicus Ball

Ball, Can. Ent., xxxiv, p. 16, 1902. Localities: Colo., Calif.

2271. Thamnotettix rupinatus Ball

Ball, Can. Ent., xliii, p. 199, 1911.

Locality: Calif.

2272. Thamnotettix lucidus Bak.

Baker, Psyche, vii, Suppl., i, p. 12, 1895.

Locality: N. Mex.

2273. Thamnotettix intricatus Ball

Ball, Can. Ent., xliii, p. 198, 1911.

Locality: Calif.

2274. Thamnotettix montanus Van D.

Van Duzee, Can. Ent., xxiv, p. 268, 1892.

Van Duzee, Psyche, vi, p. 306, 1892.

Gillette and Baker, Hemip. Colo., p. 99, 1895.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914.

Localities: Colo., Calif., Br. Col.

2275. Thamnotettix belli (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 471, 1877, Jassus.

Van Duzee, Psyche, vi, p. 306, 1892.

Gillette and Baker, Hemip. Colo., p. 94, 1895.

Osborn, 20th Rept. N. Y. St. Ent., p. 534, 1905.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 135, 1915.

[semipullatus Van D., MS] Van Duzee, Psyche, vi, p. 306, 1892.

sonorae Gillette and Baker, Hemip. Colo., p. 100, 1895.

Baker, Ent. News, viii, p. 54, 1897.

a. var gilletti Van D.

Van Duzee, Can. Ent., xxiv, p. 267, 1892.

Van Duzee, Psyche, vi, p. 306, 1892.

Gillette and Baker, Hemip. Colo., p. 98, 1895.

b. var. brunneus Osb.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 135, 1915.

Localities: Quebec, Ont., Me., N. Y., N. C., Mich., Colo., Ariz., Br. Col.

2276. Thamnotettix citrinifrons G. & B.

Gillette and Baker, Hemip. Colo., p. 95, 1895. Locality: Colo.

2277. Thamnotettix aureolus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 213, 1894.
§areolatus Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914
Locality: Calif.

2278. Thamnotettix aurantiacus (Prov.)

Provancher, Nat. Can., iv, p. 377, 1872, Jassus. Locality: Quebec.

2279. Thamnotettix rufescens Osb.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 135, 1915. Locality: Me.

2280. Thamnotettix flavocapitatus Van D.

Van Duzee, Ent. Am., vi, p. 80, 1890.
Gillette and Baker, Hemip. Colo., p. 96, 1895 (spelled flavicapitata)
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914.
Localities: Colo., Calif.

2281. Thamnotettix waldanus Ball

Ball, Can. Ent., xxxv, p. 229, 1903.
Van Duzee, Can. Ent., xxxviii, p. 410, 1906.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 133, 1915.
Localities: Ont., Me., Colo., Manitoba.

2282. Thamnotettix januatus Ball

Ball, Can. Ent., xlvi, p. 213, 1914.

Locality: Calif.

2283. Thamnotettix limbatus Van D.

Van Duzee, Ent. Am., vi, p. 92, 1890.Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914.Locality: Calif.

2284. Thamnotettix perspicillatus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 227, 1897. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 81, 1916. Localities: Ia., Tenn.

2285. Thamnotettix longulus G. & B.

Gillette and Baker, Hemip. Colo., p. 97, 1895.
Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 226, 1897.
Wirtner, Ann. Carn. Mus., iii, p. 225, 1904.
Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 82, 1916.
Localities: Pa., Tenn., Ia., Kans., Colo.

2286. Thamnotettix atridorsum Van D.

Van Duzee, Can. Ent., xxvi, p. 92, 1894. Gillette and Baker, Hemip. Colo., p. 94, 1895.

a. var. vescus Ball
 Ball, Can. Ent., xlii, p. 302, 1910.

b. var. vetulus Ball

Ball, Can. Ent., xlii, p. 302, 1910.

Localities: Colo., Utah, Calif.

2287. Thamnotettix titusi Ball

Ball, Can. Ent., xlii, p. 267, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914.

a. var. vivatus Ball

Ball, Can. Ent., xlii, p. 302, 1910.

Localities: Nev., Calif., Oreg.

2288. Thamnotettix vastulus Ball

Ball, Can. Ent., xlii, p. 268, 1910.

Locality: Calif.

2289. Thamnotettix vespertinus Ball

Ball, Can. Ent., xlii, p. 301, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914. Locality: Calif.

2290. Thamnotettix visalius Ball

Ball, Can. Ent., xlii, p. 301, 1910.

Van Duzee, Trans. San Diego So. Nat. Hist., ii, p. 55, 1914. Locality: Calif.

2291. Thamnotettix gloriosus Ball

Ball, Can. Ent., xlii, p. 303, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914. Locality: Calif.

2292. Thamnotettix chlamydatus (Prov.)

Provancher, Pet. Faune Ent. Can., ii, p. 339, 1890, Deltocephalus.

Van Duzee, Ottawa Nat., xxvi, p. 68, 1912.

Van Duzee, Can. Ent., xliv, p. 329, 1912, Athysanus.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 136, 1915.

infuscatus Gillette and Baker, Hemip. Colo., p. 98, 1895.

Osborn, 20th Rept. N. Y. St. Ent., p. 537, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905.

punctiscuta Gillette and Baker, Hemip. Colo., p. 99, 1895.

Baker, Ent. News, viii, p. 54, 1897.

Localities: Quebec, Me., N. H., N. Y., Mich., Colo.

2293. Thamnotettix vapidus Ball

Ball, Can. Ent., xlii, p. 305, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914. Locality: Calif.

2294. Thamnotettix dissimilatus Ball

Ball, Can. Ent., xlii, p. 306, 1910.

Locality: Calif.

2295. Thamnotettix ursinus Ball

Ball, Can. Ent., xlii, p. 307, 1910. Locality: Ore. 2296. Thamnotettix languidus Ball

Ball, Can. Ent., xxxiv, p. 17, 1902. Locality: Calif.

2297. Thamnotettix gemellus Ball

Ball, Can. Ent., xlii, p. 303, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914. Locality: Calif.

2298. Thamnotettix generosus Ball

Ball, Can. Ent., xlii, p. 304, 1910.

Locality: Calif.

2299. Thamnotettix gerulus Ball

Ball, Can. Ent., xlii, p. 304, 1910.

Localities: Calif., Ore.

2300. Thamnotettix bullatus Ball

Ball, Can. Ent., xxxiv, p. 17, 1902.

Locality: Calif.

2301. Thamnotettix glomerosus Ball

Ball, Can. Ent., xlii, p. 308, 1910.

Locality: Colo.

2302. Thamnotettix shermani Ball

Ball, Can. Ent., xxxv, p. 230, 1903.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 80, 1916.

Localities: N. C., Tenn.

230214. Thamnotettix flavotinctus DeL.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 82, 1916.

Locality: Tenn.

23021/2. Thamnotettix crumbi DeL.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 81, 1916.

Locality: Tenn.

2303. Thamnotettix orbonatus Ball

Ball, Can. Ent., xxxv, p. 229, 1903.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914. Locality: Fla.

2304. Thamnotettix caricis G. & B.

Gillette and Baker, Hemip. Colo., p. 95, 1895.

lutea Gillette and Baker, Hemip. Colo., p. 106, 1895, Cicadula.

Baker, Ent. News, viii, p. 54, 1897.

Locality: Colo.

2305. Thamnotettix melanogaster (Prov.)

Provancher, Nat. Can., iv, p. 378, 1872, Jassus.

Provancher, Pet. Faune Ent. Can., iii, p. 284, 1890.

Van Duzee, Psyche, vi, p. 306, 1892.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 200, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 225, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 537, 1905.

Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910.

Van Duzee, Can. Ent., xliv, p. 328, 1912.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 136, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 80, 1916.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., N. C., Ohio, Tenn.

2305½. Thamnotettix stramineus S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 90, 1917 (figures). Locality: Wis.

2306. Thamnotettix ciliatus Osb.

Osborn, Proc. Ia. Acad. Sci., v, p. 244, 1898.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 138, 1915.

Localities: Me., Ia., Colo.

2307. Thamnotettix decipiens Prov.

Provancher, Pet. Faune Ent. Can., iii, p. 285, 1890.

Van Duzee, Psyche, vi, p. 306, 1892.

Osborn, 20th Rept. N. Y. St. Ent., p. 536, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905.

Van Duzee, Can. Ent., xliv, p. 328, 1912.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 137, 1915.

Localities: Quebec, Me., N. Y., Utah, Br. Col.

2308. Thamnotettix smithi Van D.

Van Duzee, Can. Ent., xxiv, p. 266, 1892.

Van Duzee, Psyche, vi, p. 306, 1892.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 232, 1897.

Van Duzee, Can. Ent., xxxviii, p. 410, 1906.

Localities: Ont., N. J., Ia.

2309. Thamnotettix venditarius Ball

Ball, Can. Ent., xlii, p. 266, 1910.

Localities: Utah, Nev.

2310. Thamnotettix longiseta Van D.

Van Duzee, Can. Ent., xxiv, p. 266, 1892.

Van Duzee, Psyche, vi, p. 306, 1892.

Gillette and Baker, Hemip. Colo., p. 99, 1895.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 232, 1897.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.

Localities: Ia., Colo., Calif.

2311. Thamnotettix gladiolus Ball

Ball, Can. Ent., xliii, p. 309, 1910.

Locality: Colo.

2312. Thamnotettix fitchii Van D.

Van Duzee, Ent. Am., vi, p. 133, 1890.

Smith, N. J. Agr. Exp. Sta., Bul. K, p. 42, fig. 62, 1890.

Van Duzee, Psyche, vi, p. 306, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 200, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 225, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 535, 1905.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 105, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 26, 1915.

Osborn, Me. Agr. Exp. Sta., Bul., 238, p. 137, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 79, 1916.

[Cicadula 4-punctata Fitch MS] in collections.

Localities: Me., N. Y., N. J., Pa., N. C., Ohio, Tenn., Ill., Ia., Kans.

2313. Thamnotettix pallidulus Osb.

Osborn, Proc. Ia. Acad. Sci., v, p. 245, 1898.

Locality: Ia.

2314. Thamnotettix nigrifrons (Forbes)

Forbes, 14th Rept. Ill. St. Ent., p. 67, pl. 5, fig. 3, 1864, Cicadula.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 218, 1897 (part).

Osborn, U. S. Dept. Agr., Div. Ent., Bul. 108, p. 77, fig. 14, 1912 (part). perpunctata Van Duzee, Bul. Buf. Soc. Nat. Sci., v, pp. 200, 212, 1894.

Baker, Psyche, viii, p. 116, 1897.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 228, 1909.

Van Duzee, Can. Ent., xli, p. 128, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 25, 1915, Deltocephalus. Localities: Mass., Conn., N. Y., N. J., Pa., N. C., Fla., Miss., La.,

Ohio, Ill., Ia., Colo.

2315. Thamnotettix comatus (Ball)

Ball, Can. Ent., xxxii, p. 343, 1900, Deltocephalus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 69, 1907; ix, p. 228, 1909. §cornata Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914.

Localities: Fla. (West Indies, Mexico.)

2316. Thamnotettix colonus (Uhl.)

Uhler, Proc. Zool. Soc. Lond. for 1895, p. 80, Deltocephalus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 69, 1907.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 533, 1914.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 51, 1916, Deltocephalus.

villicus Crumb, Ann. Ent. Soc. Am., viii, p. 194, 1915, Athysanus.

Localities: Fla. (West Indies.)

2317. Thamnotettix emarginatus G. & B.

Gillette and Baker, Hemip. Colo., p. 96, 1895.

Locality: Colo.

2318. Thamnotettix inornatus Van D.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 303, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 200, 1894.

Osborn, 20th Rept. N. Y. St. Ent., p. 536, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905.

Van Duzee, Can. Ent., xxxviii, p. 410, 1906; xl, p. 159, 1908.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 137, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 81, 1916.

Localities: Quebec, Ont., Me., N. Y., Tenn., Ia., Colo., Br. Col.

23181/2. Thamnotettix mellus S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 91, 1917 (figures). Locality: Wis.

2319. Thamnotettix placidus Osb.

Osborn, 20th Rept. N. Y. St. Ent., p. 536, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 138, 1915. Localities: Me., N. Y.

2320. Thamnotettix cypraceus Osb.

Osborn, Proc. Ia. Acad. Sci., v, p. 245, 1898. Osborn, 20th Rept. N. Y. St. Ent., p. 538, 1905. Localities: N. Y., Ia.

23201/2. Thamnotettix vittipennis S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 91, 1917 (figures). Locality: Wis.

2321. Thamnotettix umbraticus Ball

Ball, Can. Ent., xlii, p. 309, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914. Locality: Calif.

2322. Thamnotettix chiragricus Ball

Ball, Can. Ent., xxxii, p. 337, 1900. Locality: Ariz.

2323. Thamnotettix(?) luctuosus Stål

Stål, Freg. Eugenes Resa, Ins., p. 292, 1859. Locality: Calif.

Genus Chlorotettix Van D. Orthotype unicolor (Fitch)

Van Duzee, Psyche, vi, p. 306, 1892. Van Duzee, Trans. Am. Ent. Soc., xix, p. 300, 1892. Van Duzee, Can. Ent., xli, p. 384, 1909 (type citation). DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 83, 1916.

2324. Chlorotettix unicolor (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 58, 1851, Bythoscopus.
Walker, List Homop., iv, p. 1161, 1852, Bythoscopus.
Uhler, Bul. U. S. Geol. Geog. Surv., iv, p. 511, 1878, Jassus.
Uhler, Stand. Nat. Hist., ii, p. 246, 1884, Grypotes.
Van Duzee, Can. Ent., xxi, p. 9, 1889, Grypotes.
Provancher, Pet. Faune Ent. Can., iii, p. 286, 1890, Jassus.
Van Duzee, Psyche, v, p. 390, 1890, Grypotes.
Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892, Grypotes.
Harrington, Ottawa Nat., vi, p. 32, 1892, Thamnotettix.
Southwick, Science, xix, p. 288, 1892, Athysanus.
Van Duzee, Psyche, vi, pp. 306, 308, 1892.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 200, 1894.
Gillette and Baker, Hemip. Colo., p. 103, 1895.
Gillette, Psyche, ix, p. 173, 1901.

Wirtner, Ann. Carn. Mus., iii, p. 225, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 538, 1905.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Van Duzee, Can. Ent., xl, p. 159, 1908; xli, p. 384, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910.

Van Duzee, Can. Ent., xliv, p. 328, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 144, 1915; Bul. 248, p. 76, 1916.

vanduzei Baker, Can. Ent., xxx, p. 219, 1898.

Localities: Quebec, Ont., Me., Mass., N. Y., N. J., Pa., D. C., Mo, Ia., Kans., Dak., Colo.

2325. Chlorotettix vacunus Crmb.

Crumb, Ann. Ent. Soc. Am., viii, p. 196, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 88, 1916.

Locality: Tenn.

2326. Chlorotettix spatulatus O. & B.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 225, pl. 26, fig. 4, 1897.

Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 27, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 86, 1916.

Localities: N. C., Fla., Tenn., Ia., Ohio, Neb., Kans., Colo.

2327. Chlorotettix tergatus (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 58, 1851, Bythoscopus.

Walker, List Homop., iv, p. 1161, 1852, Bythoscopus.

Uhler, Stand. Nat. Hist., ii, p. 246, 1884, Grypotes.

Van Duzee, Psyche, v, p. 390, 1890, Grypotes.

Southwick, Science, xix, p. 288, 1892, Athysanus.

Van Duzee, Psyche, vi, pp. 306, 309, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 200, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 225, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 538, 1905.

Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 144, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 84, 1916.

a. var. melanotus DeL.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 84, 1916.

Localities: Ont., Me., N. Y., N. J., Pa., Fla., Ohio, Tenn., Mich.

23271/2. Chlorotettix suturalis DeL.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 85, 1916. Locality: Tenn.

2328. Chlorotettix rugicollis Ball

Ball, Can. Ent., xxxv, p. 230, 1903.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 228, 1909

Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 85, 1916. Localities: N. J., Fla., Tenn., Texas.

2329. Chlorotettix viridius Van D.

Van Duzee, Psyche, vi, p. 309, 1892. Southwick, Science, xix, p. 288, 1892, Athysanus. Osborn, 20th Rept. N. Y. St. Ent., p. 538, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 71, 1907; ix, p. 228, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 26, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 86, 1916. §viridis Weed, Can. Ent., xxiv, p. 278, 1892. Localities: N. Y., N. J., D. C., N. C., Ga., Fla., Tenn., Mo. (West

2330. Chlorotettix nacreosus Crmb.

Crumb, Ann. Ent. Soc. Am., viii, p. 196, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 89, 1916. Locality: Tenn.

Indies.)

2331. Chlorotettix galbanatus Van D.

Van Duzee, Psyche, vi, p. 310, 1892. Southwick, Science, xix, p. 288, 1892, Athysanus. Wirtner, Ann. Carn. Mus., iii, p. 225, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 538, 1905. Tucker, Kans. Univ. Sci. Bul., iv, p. 67, 1907. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 228, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 143, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 26, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 88, 1916. †unicolor Baker, Can. Ent., xxx, p. 219, 1898.

Localities: Me., N. Y., N. J., Pa., N. C., Fla., Miss., Ohio, Tenn., Mo., Kans.

2332. Chlorotettix balli Osb.

Osborn, Proc. Ia. Acad. Sci., v, p. 246, 1898. Osborn, 20th Rept. N. Y. St. Ent., p. 539, 1905. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 87, 1916. Localities: N. Y., D. C., Ohio, Tenn., Ia.

2333. Chlorotettix minimus Bak.

Baker, Can. Ent., xxx, p. 220, 1898. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 71, 1907; ix, p. 228, 1909. Localities: Fla. (Neotropical.)

2334. Chlorotettix vividus Crmb.

Crumb, Ann. Ent. Soc. Am., viii, p. 197, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 88, 1916. Locality: Tenn.

23341/2. Chlorotettix borealis S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 92, 1917 (figures). Locality: Wis.

2335. Chlorotettix tunicatus Ball

Ball, Can. Ent., xxxii, p. 340, 1900.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 228, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 87, 1916.

Localities: Fla., Kans.

2336. Chlorotettix lusorius (O. & B.)

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 226, 1897, Thamnotettix.

Wirtner, Ann. Carn. Mus., iii, p. 225, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 539, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 556, 1905.

Slosson, Ent. News, xvii, p. 326, 1906.

Osborn, Me. Agr. Sta., Bul. 238, p. 144, 1915.

Localities: Quebec, Ont., Me., N. H., Mass., N. Y., Pa., Ohio, Ia.,

23361/2. Chlorotettix delta Ball

Ball, Ent. News, xxvii, p. 205, 1916.

Locality: Ariz.

2337. Chlorotettix necopinus Van D.

Van Duzee, Can. Ent., xxv, p. 282, 1893.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 228, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 76, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 27, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 84, 1916.

Localities: Miss., Fla., Tenn., Mo.

2338. Chlorotettix stolatus Ball

Ball, Can. Ent., xxxii, p. 341, 1900.

Locality: Colo.

2339. Chlorotettix nudatus Ball

Ball. Can. Ent., xxxii, p. 340, 1900.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 87, 1916.

Localities: Tenn., Ia.

23391/2. Chlorotettix iridescens DeL.

DeLong, Tenn. St. Bd. Ent., Bul. 17, pp. 83, 86, 1916. Locality: Tenn.

DIVISION JASSARIA (Van D.)

Van Duzee, Trans. Am. Ent. Soc., xix, p. 298, 1892, Jassini. (Tribe.)

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 324, 1906; iii, p. 73, 1907, Jas-Distant, Fauna Brit. Ind., Rhyn., iv, p. 321, 1908, Jassusaria. [sini. (Tribe.)

Distant, Trans. Linn. Soc., Zool., xiii, p. 46, 1909, Jassusaria.

Baker, Phil. Jl. Sci., x, Sec. D., p. 49, 1915. (Key.)

Coelididae Dohrn, Cat. Hemip., p. 84, 1859.

Genus Jassus Fabr. Orthotype nervosus Fabr.

Fabricius, Syst. Rhyng., p. 85, 1803. Stål, Hemip. Afr., iv, p. 119, 1866. Stål, Hemip. Fabr., ii, p. 78, 1869. Stål, Of. Vet. Akad. Forh., xxvii, p. 735, 1870. Spångberg, Of. Vet. Akad. Forh., xxxv, No. 8, p. 3, 1878. Berg, Hemip. Argent., p. 265, 1879. Uhler, Stand. Nat. Hist., ii, p. 245, 1884. Van Duzce, Trans. Am. Ent. Soc., xix, p. 300, 1892. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 74, 1907. Distant, Fauna Brit. Ind., Rhyn., iv, p. 327, 1908. Baker, Phil. Jl. Sci., x, Sec. D, p. 53, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 90, 1916. Coelidia Germar, Mag. d. Ent., iv, pp. 38, 75, 1821. Germar, Silb. Revue Ent., i, p. 181, 1833. Burmeister, Handb. d. Ent., ii, pp. 105, 113, 1835. Burmeister, Genera Ins., i, pl. 15, 1838. Amyot and Serville, Hémip., p. 583, 1843. Stål, Of. Vet. Akad. Forh., xix, p. 494, 1862. Deridna Walker, List Homop., Suppl., p. 319, 1858. Stål, Of. Vet. Akad. Forh., xix, p. 487, 1862.

2340. Jassus olitorius Say

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 310, 1831; Compl. Writ., ii, p. 385. Fitch, Homop. N. Y. St. Cab., p. 58, 1851, Coelidia. Walker, List Homop., iv, p. 1161, 1852, Coelidia. Uhler in Heilprin's Bermuda Isds., p. 154, 1889, Coelidia. Van Duzee, Psyche, v, p. 389, 1890. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892, Coelidia. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 200, 1894. Snow, Kans. Univ. Sci. Bul., ii, p. 350, 1904. Wirtner, Ann. Carn. Mus., iii, p. 225, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 539, 1905. Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 228, 1909. Van Duzee, Can. Ent., xli, p. 128, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 77, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 145, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 27, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 91, 1916. Qsubbifasciatus Say, Jl. Acad. Nat. Sci., Phila., vi, p. 310, 1831; Compl. Fitch, Homop. N. Y. St. Cab., p. 58, 1851, Coelidia. [Writ., ii, p. 385. Walker, List Homop., iv, p. 1161, 1852, Coelidia. Glover, U. S. Dept. Agr., Rept. for 1876, p. 32, Coelidia. Spångberg, Of. Vet. Akad. Forh., xxxv, No. 8, p. 16, 1878. Van Duzee, Psyche, v, p. 389, 1890 (as female of olitorius). Provancher, Pet. Faune Ent. Can., iii, p. 292, 1890, Idiocerus. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892, Coelidia.

Harrington, Ottawa Nat., vi, p. 31, 1892, Pediopsis. Southwick, Science, xix, p. 288, 1892.

fuscipennis Spängberg, Of. Vet. Akad. Forh., xxxv, No. 8, p. 20, 1878. §semifasciata Uhler, Stand. Nat. Hist., ii, p. 245, fig. 311, 1884, Coelidia. Localities: Ont., Me., N. Y., N. J., Pa., N. C., Fla., Mo., Kane

Ariz. (Bermudas.)

2341. Jassus borealis Spangb.

Spångberg, Of. Vet. Akad. Forh., xxxvi, No. 6, p. 24, pl. 16, fig. 8, 1879. Locality: "Am. Borealis."

2342. Jassus melanotus Spangb.

Spångberg, Of. Vet. Akad. Forh., xxxv, No. 8, p. 19, 1878. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 90, 1916. Localities: Ga., Tenn.

> Genus Neocoelidia G. & B. Orthotype tumidifrons G. & B.

Gillette and Baker, Hemip. Colo., p. 103, 1895. Baker, Can. Ent., xxx, p. 289, 1898. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 74, 1907. Baker, Philip. Jl. Sci., x, sec. D, p. 51, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 91, 1916.

2343. Neocoelidia tumidifrons G. & B.

Gillette and Baker, Hemip. Colo., p. 104, 1895. Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 183, 1897. Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 145, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 91, 1916. Localities: Me., N. J., Tenn., Fla., Ia., Colo., Texas.

2344. Neocoelidia candida Ball

Ball, Ent. News, xx, p. 166, 1909. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 55, 1914. Locality: Colo.

23441/2. Neocoelidia orovila Ball

Ball, Ent. News, xxvii, p. 206, 1916.

Locality: Calif.

2345. Neocoelidia lactipennis (Van D.)

Van Duzee, Ent. Am., vi, p. 49, 1890, Jassus. Locality: Calif.

234516. Neocoelidia ramona Ball

Ball, Ent. News, xxvii, p. 206, 1916. Locality: Calif.

2346. Neocoelidia reticulata Ball

Ball, Ent. News, xx, p. 167, 1909.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914. Localities: Colo., Utah, Calif.

2347. Neocoelidia pallida Bak.

Baker, Can. Ent., xxx, p. 290, 1898.

Localities: Ariz., Calif.

2348. Neocoelidia lineata Bak.

Baker, Can. Ent., xxx, p. 289, 1898.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914.

Localities: Colo., Calif., Ore.

2349. Neocoelidia compta Ball

Ball, Ent. News, xx, p. 167, 1909.

Locality: N. Mex.

2350. Neocoelidia barretti Bak.

Baker, Can. Ent., xxx, p. 291, 1898.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914.

pulchella Ball, Ent. News, xx, p. 168, 1909.

Localities: Calif. (Mexico.)

2351. Neocoelidia tripunctata Ball

Ball, Ent. News, xx, p. 168, 1909.

Locality: Ariz.

23511/2. Neocoelidia pentagona Ball

Ball, Ent. News, xxvii, p. 207, 1916.

Locality: Ore.

2352. Neocoelidia obscura Bak.

Baker, Can. Ent., xxx, p. 289, 1898.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914.

Localities: Texas, Ariz., Calif.

23521/2. Neocoelidia triunata Ball

Ball, Ent. News, xxvii, p. 207, 1916.

Locality: Utah.

Genus Paracoelidea Bak.

Orthotype tuberculata Bak.

Baker, Can. Ent., xxx, p. 292, 1898.

Baker, Philip. Jl. Sci., x, sec. D, p. 51, 1915.

2353. Paracoelidea tuberculata Bak.

Baker, Can. Ent., xxx, p. 292, 1898.

Osborn, 20th Rept. N. Y. St. Ent., p. 539, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 229, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 28, 1915.

Localities: Mass., N. Y., Md., D. C., N. C., Fla., Ala.

Genus **Tinobregmus** Van D. Haplotype vittatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 213, 1894.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 74, 1907.

Van Duzee, Can. Ent., xli, p. 384, 1909 (type citation).

Barker, Philip. Jl. Sci., x, sec. D, p. 51, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 92, 1916.

2354. Tinobregmus vittatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 214, 1894.

Baker, Can. Ent., xxx, p. 289, 1898.

Osborn, Ohio Nat., iv, p. 9, 1903.

Van Duzee, Can. Ent., xli, p. 128, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 27, 1915.

Localities: Va., N. C., Fla., La., Texas. (Bermudas.)

23541/2. Tinobregmus viridescens DeL.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 92, 1916 (spelled viridiscens).

Locality: Tenn.

2355. Tinobregmus pallidus Osb.

Osborn, Ohio Nat., xi, p. 261, 1910.

Locality: Texas.

DIVISION CICADULARIA (Van D.)

Van Duzee, Trans. Am. Ent. Soc., xix, p. 298, 1892, Cicadulini (Tribe).

Distant, Fauna Brit. Ind., Rhyn., iv, p. 366, 1908.

Van Duzee, Check List Hemip., p. 75, 1916.

(Tribe.)

Macrostelini Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 342, 1906.

Genus Cicadula Zett.

Logotype sexnotata Fall.

Zetterstedt, Ins. Lapp., column 296, 1840.

Fieber, Kat. Eur. Cicad., p. 10, 1872.

Fieber, Cicad. d'Eur., i, p. 119, 1875; ii, pl. 12, 1876.

Mayr, Tabellen, p. 31, 1884.

Fieber, Revue d'Ent., iv, p. 40, 1885 (monograph European spp.).

Woodworth, Psyche, v, p. 75, 1888 (names quadrinotata Fabr. type, valid?).

Provancher, Pet. Faune Ent. Can., iii, p. 287, 1890.

Edwards, Ent. Mo. Mag., xxvii, p. 27, 1891.

Van Duzee, Psyche, vi, p. 305, 1892.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 300, 1892.

Melichar, Cicad. Mitt. Eur., p. 307, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 180, 1896.

Matsumura, Termes. Fuzet., xxv, p. 361, 1902.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 366, 1908.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 93, 1916.

Macrosteles Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 504, 1866.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 358, 1906.

Thamnus Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 505, 1866.

Limotettix Sahlberg, Cicad., p. 224, 1871 (part).

2356. Cicadula punctifrons (Fall.)

Fallén, Hemip. Suec., Cicad., p. 42, 1826, Cicada.

Boheman, Kong. Vet. Akad. Handl. for 1847, p. 33, Thamnotettix.

Flor, Rhyn. Livl., ii, p. 328, 1861, Jassus.

Kirschbaum, Cicad. v. Wiesbd., p. 88, 1868, Thamnotettix.

Sahlberg, Cicad., p. 244, 1871, Limotettix.

Fieber, Revue d'Ent., iv, pp. 50, 58, 1885.

Edwards, Ent. Mo. Mag., xxvii, p. 31, 1891.

Van Duzee, Psyche, vi, p. 305, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 201, 1894.

Melichar, Cicad. Mitt. Eur., p. 34, pl. 11, figs. 1-4, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 185, pl. 21, fig. 3, 1896.

Osborn, 20th Rept. N. Y. St. Ent., p. 540, 1905.

Van Duzee, Can. Ent., xl, p. 159, 1908.

a. var. repleta Fieb.

Fieber, Revue d'Ent., iv, p. 49, 1885.

Horvath, Ann. Mus. Natl. Hung., vi, p. 566, 1908, Macrosteles.

americana Van Duzee, Can. Ent., xxiii, p. 169, 1891.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 201, 1894.

Slosson, Ent. News, xiii, p. 321, 1902.

Wirtner, Ann. Carn. Mus., iii, p. 226, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 540, 1905.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 93, 1916.


Localities: N. H., N. Y., Pa., Tenn., Ia., Colo.

2357. Cicadula laeta (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 360, 1876; iii, p. 473, 1877, Jassus.
Van Duzce, Can. Ent., xxiv, p. 268, 1892, Thamnotettix(?).
Van Duzee, Psyche, vi, p. 306, 1892, Thamnotettix.
Gillette and Baker, Hemip. Colo., p. 98, 1895, Thamnotettix.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.
vanduzei Gillette and Baker, Hemip. Colo., p. 103, 1895, Eutettix.
Localities: Colo., Calif.

2358. Cicadula variata (Fall.)

Fallén, Acta Holm, xxvii, p. 34, 1806, Cicada. Fallén, Hemip. Suec., Cicad., p. 48, 1826, Cicada. Herrich-Schaeffer, Nomen. Ent., i, p. 70, 1835, Jassus. Kirschbaum, Cicad. v. Wiesbd., p. 99, 1868, Thamnotettix. Sahlberg, Cicad., p. 250, 1871, Limotettix. Fieber, Revue d'Ent., iv, p. 51, 1885. Van Duzee, Psyche, vi, p. 305, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 200, 1894. Gillette and Baker, Hemip. Colo., p. 107, 1895. Slosson, Ent. News, vii, p. 265, 1896. Melichar, Cicad. Mitt. Eur., p. 312, 1896. Edwards, Hemip. Homop. Brit. Isds., p. 185, pl. 21, fig. 6, 1896. Wirtner, Ann. Carn. Mus., iii, p. 226, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 540, 1905. Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907. Van Duzee, Can. Ent., xl, p. 159, 1908. Smith, Cat. Ins. N. J., edn. 3, p. 107, 1910. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 145, 1915. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 94, 1916. fumatus Herrich-Schaeffer, Fauna Germ., fasc. 153, 5, 1838, Jassus. Localities: Quebec, Ont., Me., N. H., Conn., N. Y., N. J., Pa., Ohio, Tenn., Kans., Colo.



Falién, Acta Holm, xxvii, p. 34, 1906, Cicada. Fallén, Hemip. Suec., Cicad., p. 47, 1826, Cicada. Burmeister, Genera Ins., pl. 14, 1838, Jassus. Zetterstedt, Ins. Lapp., column 297, 1840. Stål, Stet. Ent. Zeit., xix, p. 194, 1858, Thamnotettix. Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 504, 1866, Macrosteles. Kirschbaum, Clead. v. Wiesbd., p. 95, 1868, Thamnotettiz. Sahlberg, Clead., p. 247, 1871, Limotettia. Fieber, Revue d'Ent., iv, p. 47, 1885. Edwards, Trans. Ent. Soc. Lond. for 1888, p. 76, Limotettiz. Woodworth, Psyche, v, p. 75, 1888. Provancher, Pet. Faune Ent. Can., iii, p. 287, 1890. Van Duzee, Psyche, vi, p. 305, 1892. Slosson, Ent. News, v, p. 5, 1894. Gillette and Baker, Hemip. Colo., p. 107, 1895. Wirtner, Ann. Carn. Mus., iii, p. 226, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 539, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 73, 1907. Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907. Van Duzee, Can. Ent., xl, p. 159, 1908. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 229, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910. Osborn, U. S. Dept. Agr., Bur. Ent., Bul. 108, p. 97, fig. 27, 1912. Van Duzee, Can. Ent., xliv, p. 328, 1912. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 77, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 147, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 27, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 248, p. 59, 1916. Von Duran Hale Calle Duhl Die Pas Took Bul t a 946 1018 Davis, Mich. Agr. Exp. Sta., Bul. 102, p. 8, pl. 1, fig. 1, 1893. Localities: Quebec, Ont., Me., N. H., Mass., Conn., N. Y., N. J., Pa., D. C., N. C., S. C., Ga., Fla., Ala., Miss., Ohio, Tenn., Mich., Ind., Ill., Tenn., N. D., S. D., Ia., Wyo., Mont., Kans., Ark., Okl., Colo., N. Mex., Texas, Ariz., Calif., Wash., Br. Col., Alaska.

2363. Cicadula pallida Osb.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 146, 1915. Locality: Me.

2364. Cicadula divisa (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 472, 1877, Jassus. Gillette and Baker, Hemip. Colo., p. 106, 1895. Slosson, Ent. News, xiii, p. 321, 1902. Wirtner, Ann. Carn. Mus., iii, p. 226, 1904. Localities: N. H., Pa., Colo.

2365. Cicadula fascifrons (Stål)

Stål, Stet., Ent. Zeit., xix, p. 194, 1858, Thamnotettix. Fieber, Revue d'Ent., iv, pp. 48, 57, 1885. Edwards, Ent. Mo. Mag., xxvii, p. 31, 1891. Ashmead, Harriman Alaska Exped., viii, p. 133, 1904. Matsumura, Termes. Fuzet., xxv, p. 363, 1910. warioni Lethierry, Soc. d'Hist. Nat. Moselle for 1879. Fieber, Revue d'Ent., iv, pp. 53, 58, 1885. Horvath, Termes Fuzet., xiv, p. 366, 1899. Locality: Alaska.

2366. Cicadula lineatifrons (Stål)

Stål, Stet. Ent. Zeit., xix, p. 195, 1858, Thamnotettix. Fieber, Revue d'Ent., iv, pp. 85, 109, 1885, Thamnotettix. Ashmead, Harriman Alaska Exped., viii, p. 134, 1904. Van Duzee, Can. Ent., xl, p. 159, 1909.

Localities: Quebec, Alaska.

2367. Cicadula ungae Ashm.

Ashmead, Harriman Alaska Exped., viii, p. 134, 1904. Locality: Alaska.

2368. Cicadula slossoni Van D.

Van Duzee, Can. Ent., xxv, p. 281, 1893. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 200, 1894. Osborn, 20th Rept. N. Y. St. Ent., p. 540, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 555, 1905. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 147, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 27, 1915.

Localities: Ont., Me., N. H., N. Y., N. C., Br. Col.

2369. Cicadula potoria Ball

Ball, Can. Ent., xxxii, p. 346, 1900. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 147, 1915. Localities: Me., N. Y., Ia.

[Cicadula macgillivrayi Baker M8]

Osborn, 20th Rept. N. Y. St. Ent., p. 541, 1905. Locality: N. Y.

Edwards, Trans. Ent. Soc. Lond. for 1888, p. 77. Van Duzee, Trans. Am. Ent. Soc., xix, p. 300, 1892. Baker, Can. Ent., xxviii, p. 35, 1896 (synopsis of Am. species). Melichar, Cicad. Mitt. Eur., p. 313, 1896. Edwards, Hemip. Homop. Brit. Isds., p. 190, 1896. Matsumura, Termes. Fuzet., xxv, p. 356, 1902.

2370. Balclutha punctata (Thunb.)

Thunberg, Acta Upsala, iv, p. 21, 1782, Cicada. Fallén, Hemip. Suec., Cicad., p. 55, 1826, Cicada. Walker, List Homop., iii, p. 877, 1851, Jassus. Flor, Rhyn. Livl., ii, p. 320, 1861, Jassus. Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 505, 1866, Gnathodus. Kirschbaum, Cicad. v. Wiesbd., p. 90, 1868, Thamnotettix. Sahlberg, Cicad., p. 204, 1871, Gnathodus. Edwards, Trans. Ent. Soc. Lond. for 1888, p. 77, Gnathodus. Provancher, Pet. Faune Ent. Can., iii, p. 301, 1890, Typhlocyba. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 201, 1894, Gnathodus. Baker, Can. Ent., xxviii, p. 41, 1896, Gnathodus. Melichar, Cicad. Mitt. Eur., p. 314, pl. 12, figs. 5-8, 1896, Gnathodus. Edwards, Hemip. Homop. Brit. Isds., p. 191, pl. 21, fig. 10, 1896, Gnathodus Matsumura, Termes. Fuzet., xxv, p. 358, 1902. Wirtner, Ann. Carn. Mus., iii, p. 225, 1904, Gnathodus. Osborn, 20th Rept. N. Y. St. Ent., p. 541, 1905, Gnathodus. Distant, Fauna Brit. Ind., Rhyn., iv, p. 368, 1908.

Van Duzee, Can. Ent., xliv, p. 329, 1912. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 77, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 149, 1915. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 27, 1915. Osborn, Me. Agr. Exp. Sta., Bul. 248, p. 79, 1916. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 96, 1916.

Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910.

clypeata Curtis, Brit. Ent., xiv, pl. 640, 1837, Eupteryx. spreta Zetterstedt, Ins. Lapp., column 298, 1840, Cicadula. [Typhlocyba vernalis Fitch MS] in collections. rosea Provancher, Nat. Can., iv, p. 378, 1872, Typhlocyba.

jacosa Provancher, Pet. Faune Ent. Can., iii, p. 300, 1890, Typhlocyba. Localities: Quebec, Ont., Me., N. H., N. Y., N. J., Pa., D. C., N. C. Van Duzee, 20th Rept. N. Y. St. Ent., p. 556, 1905, Gnathodus. Van Duzee, Can. Ent., xxxviii, p. 411, 1906.

Moore, Can. Ent., xxxix, p. 190, 1907.

Localities: Quebec, Ont., N. Y.

2372. Balclutha confusa (G. & B.)

Gillette and Baker, Hemip. Colo., p. 104, 1895, Gnathodus. Baker, Can. Ent., xxviii, p. 40, 1896, Gnathodus.

Localities: Colo., Texas.

2373. Balclutha impicta (Van D.)

Van Duzee, Can. Ent., xxiv, p. 113, 1892, Gnathodus.
Baker, Can. Ent., xxviii, p. 38, 1896, Gnathodus.
Wirtner, Ann. Carn. Mus., iii, p. 225, 1904, Gnathodus.
Osborn, 20th Rept. N. Y. St. Ent., p. 541, 1905, Gnathodus.
Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907, Gnathodus.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 229, 1909.
Smith, Cat. Ins. N. J., edn. 3, p. 106, 1910.
Gibson and Cogan, Ohio Jl. Sci., xvi, p. 77, 1915.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 149, 1915.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 96, 1916.

a. var. flavus (Bak.)

Baker, Can. Ent., xxviii, p. 38, 1896, Gnathodus.

b. var. medius (Bak.)

Baker, Can. Ent., xxviii, p. 38, 1896, Gnathodus.
 DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 96, 1916.
 Localities: Ont., Me., N. Y., N. J., Pa., Md., D. C., N. C., Fla., Ohio, Tenn., Ill., Mo., Kans., Calif., Wash.

2374. Balclutha occidentalis (Bak.)

Baker, Can. Ent., xxviii, p. 41, 1896, Gnathodus. Locality: Wash.

2375. Balclutha manitou (G. & B.)

Gillette and Baker, Hemip. Colo., p. 105, 1895, Gnathodus. Baker, Can. Ent., xxviii, p. 39, 1896, Gnathodus. Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907, Gnathodus. Locality: Colo.

2376. Balclutha livingstoni (Bak.)

Baker, Can. Ent., xxviii, p. 42, 1896, Gnathodus. Locality: Vanc. Isd.

Genus Eugnathodus Bak. Orthotype abdominalis (Van D.)

Baker, Invert. Pacifica, i, p. 1, 1903.

2377. Eugnathodus abdominalis (Van D.)

Van Duzee, Can. Ent., xxiv, p. 113, 1892, Gnathodus. Gillette and Baker, Hemip. Colo., p. 104, 1895, Gnathodus. Baker, Can. Ent., xxviii, p. 36, 1896, Gnathodus.

a. var. magnus Bak.

Baker, Invert. Pacifica, i, p. 2, 1903.

Localities: N. Y., N. J., Fla., Ohio, Tenn., Kans., Texas, Ill., Colo., Calif., Br. Col. (the var. from Nicaragua).

2378, Eugnathodus nevadensis Bak.

Baker, Invert. Pacifica, i, p. 1, 1903. Locality: Nev.

TRIBE TYPHLOCYBINI (Kirschb.)

Kirschbaum, Cicad. v. Wiesbd., p. 16, 1868, Subfam. Typhlocybidae. Sahlberg, Cicad., p. 69, 1871, Tribe Typhlocybides. Fieber, Kat. Europ. Cicad., p. 14, 1872, Typhlocybae. Fieber, Clead. d'Europ., i, p. 118, 1875, Typhlocybae. Fieber, Revue d'Ent., iii, p. 40, 1884 (monograph European species). Puton, Cat. Hemip. Palae., p. 86, 1886, Tribe Typhlocybini. Woodworth, Psyche, v, p. 211, 1889, Group Typhlocybini. Van Duzee, Trans. Am. Ent. Soc., xix, p. 298, 1892, Subfam. Typhiocybina. Melichar, Cicad. Mitt. Europ., p. 132, 1896, Suhfam. Typhlocybini. Oshanin, Verz. Palae. Hemip., ii, p. 187, 1907, Subfam. Typhlocybins. Distant, Fauna Br. Ind., Rhyn., iv, p. 399, 1908, Subfam. Typhlocybinae. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 229, 1909, Subfam. Typhlocybinas. Oshanin, Kat. Palae. Hemip., p. 111, 1912, Subfam. Typhlocybinas. [(Subfamily.) Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 149, 1915. Eupteryginae Kirkaldy, Haw. S. P. A., Exp. Sta. Bul. 1, p. 356, 1906.

DIVISION EMPOASCARIA Dist.

Distant, Fauna Br. Ind., Rhyn., iv, p. 399, 1908.

Genus Protalebra Bak. Orthotype curvilinca Gill.

Baker, Psyche, viii, p. 402, 1899.

2379. Protalebra brasiliensis Bak.

Baker, Psyche, viii, p. 405, 1899. Van Duzee, Bul. Buf. Soc. Nat. Scl., viii, No. 5, p. 76, 1907. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914. Locality: Fla.

```
Fieber, Revue d'Ent., iii, p. 40, 1884.
   Mayr, Tabellen, p. 36, 1884.
   Woodworth, Psyche, v, p. 213, 1889.
   Melichar, Cicad. Mitt. Europ., p. 316, 1896.
   Edwards, Hemip. Homop. Brit. Isds., p. 192, pl. 2, fig. 18, 1896.
   Gillette, Proc. U. S. Natl. Mus., xx, p. 710, 1898.
   Baker, Psyche, viii, p. 402, 1899.
     †Typhlocyba Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 392, 1856.
         Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 315, 1864.
     ||Compsus Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 507, 1866.
         Sahlberg, Cicad., p. 155, 1871.
                        2380. Alebra albostriella (Fall.)
   Fallén, Hemip. Suec., Cicad., p. 54, 1826, Cicada.
   Flor, Rhyn. Livl., ii, p. 382, 1861, Typhlocyba.
   Kirschbaum, Cicad. v. Wiesbd., p. 177, 1868, Typhlocyba.
   Sahlberg, Cicad., p. 156, 1871, Compsus.
   Fieber, Revue d'Ent., iii, p. 40, 1884.
   Melichar, Cicad. Mitt. Europ., p. 316, pl. 12, figs. 9, 10, 1896.
   Edwards, Hemip. Homop. Brit. Isds., p. 193, pl. 22, fig. 1, 1896.
   Gillette, Proc. U. S. Natl. Mus., xx, p. 713, 1898.
   Horvath, Ann. Mus. Natl. Hung., i, p. 556, 1903.
   Wirtner, Ann. Carn. Mus., iii, p. 226, 1904.
   Osborn, 20th Rept. N. Y. St. Ent., p. 541, 1905.
   DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 97, 1916.
      elegantula Zetterstedt, Fauna Lapp., i, p. 536, 1828, Cicada.
          Zetterstedt, Ins. Lapp., column 298, 1840, Cicadula.
      pallidula Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 315, 1864, Typhlocyba.
     §pallida Woodworth, Psyche, v, p. 213, 1889.
          Van Duzee, Trans. Am. Ent. Soc., xix, p. 309, 1894.
         Gillette, Proc. U. S. Natl. Mus., xx, p. 713, 1898.
         Oshanin, Verz. Palae. Hemip., ii, p. 187, 1907.
a. var. fulveola (H. S.)
   Herrich-Schaeffer, Fauna Germ., cxiv, No. 16, 1839, Typhlocyba.
   Flor, Rhyn. Livl, ii, p. 384, 1860, Typhlocyba.
   Sahlberg, Cicad., p. 158, 1871, Compsus.
   Fieber, Revue d'Ent., iii, p. 41, 1884.
```

Melichar, Cicad. Mitt. Europ., p. 317, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 193, pl. 22, fig. 2, 1896.

Gillette, Proc. U. S. Natl. Mus., xx, p. 714, 1898.

flavocephala Kupka, Ent. Nachr., xxv, p. 33, 1899.

aurea Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 315, 1864, Typhlocyba.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 201, 1894.

Gillette, Proc. U. S. Natl. Mus., xx, p. 713, 1898 (aurata).

Oshanin, Kat. Palae., Hemip., p. 111, 1912 (aureata).

Localities: Ont., Mass., N. Y., Pa., Va., N. C., Ohio, Tenn., Mich., nı.

2381. Alebra binotata (Walsh)

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 315, 1864, Typhlocyba. [May not be distinct from preceding.] Locality: Ill.

2382. Alebra fumida Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 714, 1898. Locality: N. Y.

> Genus Dikraneura Hardy Haplotype variata Hardy

Hardy, Trans. Tyneside Nat. Field Club, i, p. 423, 1850. Puton, Cat. Hémip. Palae., edn. 3, p. 86, 1886, Dicraneura.

Woodworth, Psyche, v, p. 213, 1889, Dicraneura.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 311, 1894, Dicraneura.

Melichar, Cicad. Mitt. Europ., p. 320, 1896, Dicrancura.

Gillette, Proc. U. S. Natl. Mus., xx, p. 715, 1898, Dicraneura.

Kirkaldy, Entomol., xxxiv, p. 6, 1901.

Chloroneura Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 315, 1864.

|| Notus Fieber, Verh. Zool.-Bot. Ges. Wien., xvi, p. 508, 1866. Sahlberg, Cicad., p. 162, 1871.

Dicranoneura Douglas, Ent. Mo. Mag., xii, p. 27, 1875.

2383. Dikraneura maculata Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 716, 1898. Localities:

2384. Dikraneura cruentata Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 717, 1898.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 150, 1915.

Localities: Me., N. Y., Colo., Vanc. Isds.

2385. Dikraneura unipuncta Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 718, 1898.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914.

Locality: Calif.

2386. Dikraneura mali (Prov.)

Provancher, Pet. Faune Ent. Can., iii, p. 298, 1890, Erythroneura.

Van Duzee, Can. Ent., xliv, p. 329, 1912.

communis Gillette, Proc. U. S. Natl. Mus., xx, p. 718, 1898.

Osborn, 20th Rept. N. Y. St. Ent., p. 542, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 556, 1905.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 150, 1915.

Localities: Quebec, Me., N. Y., Ohio, Mich., Ill., Colo.

2387. Dikraneura abnormis (Walsh)

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 316, 1864, Chloroneura. Woodworth, Psyche, v, p. 213, 1889.

Gillette, Proc. U. S. Natl. Mus., xx, p. 719, 1898.

Wirtner, Ann. Carn. Mus., iii, p. 226, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 77, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 28, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 98, 1916.

a. var. rufula Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 720, 1898.

Localities: Conn., Pa., D. C., N. C., Ga., Ill., Tenn., Mo., Kans., Texas.

23871/2. Dikraneura flavipennis (Zett.)

Zetterstedt, Fauna Lapp., p. 292, 1828, Cicada.

Zetterstedt, Ins. Lapp., column 292, 1840, Cicada.

Flor, Rhyn. Livl., ii, p. 388, 1861, Typhlocyba.

Kirschbaum, Cicad. v. Wiesbd., p. 180, 1868, Typhlocyba.

Sahlberg, Cicad., p. 163, 1871, Notus.

Fieber, Revue d'Ent., iii, p. 51, 1884, Notus.

Edwards, Trans. Ent. Soc. Lond. for 1888, p. 81.

Melichar, Cicad. Mitt. Eur., p. 323, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 195, pl. 22, fig. 4, 1896.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 232, 1897.

Osborn, 20th Rept. N. Y. St. Ent., p. 542, 1905.

orichalcea Dahlbom, Kong. Vet. Akad. Handl. for 1850, p. 183, Cicadula.

armata Buckton, Monog. Brit. Cicad., ii, p. 107, pl. 63, fig. 3, 1891.

Localities: N. Y., Ia. (Europe.)

2388. Dikraneura cockerellii Gill.

Gillette, Psyche, vii, Suppl., 1, p. 14, 1895.

Cockerell, N. Mex. Agr. Exp. Sta., Bul. 19, p. 114, 1896

Gillette, Proc. U. S. Natl. Mus., xx, p. 720, 1898.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914

Localities: N. Mex., Calif.

2389. Dikraneura kunzei Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 721, 1898.

Locality: Ariz.

2390. Dikraneura sanguinea (G. & B.)

Gillette and Baker, Hemip. Colo., p. 112, 1895, Typhlocyba. Locality: Colo.

2391. Dikraneura tricolor Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914. Locality: Calif.

2392. Dikraneura carneola (Stål)

Stål, Stet. Ent. Zeit., xix, p. 196, 1858, Typhlocyba.

Fieber, Kat. Europ. Cicad., p 14, 1872, Notus.

Fieber, Revue d'Ent., iii, p. 43, 1884, Erythria.

Gillette, Proc. U. S. Natl. Mus., xx, p. 722, 1898.

Ashmead, Harriman Alaska Exped., viii, p. 134, 1904.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 151, 1915.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.

§carinata Woodworth, Psyche, v, p. 213, 1889.

Van Duzee, Trans. Am. Ent. Soc., xxi, p. 311, 1894.

Localities: Me.(?), Ariz., Calif., Wash., Vanc. Isd., Alaska.

2393. Dikraneura fieberi (Loew)

Loew in Then, Kat. Ostr. Cicad., p. 39, 1886, Notus.

Melichar, Cicad. Mitt. Eur., p. 325, 1896.

Gillette, Proc. U. S. Natl. Mus., xx, p. 722, 1898.

Wirtner, Ann. Carn. Mus., iii, p. 226, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 542, 1905.

Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 151, 1915.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 28, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 98, 1916.

†forcipatus Fieber, Revue d'Ent., iii, p. 53, 1884, Notus.

Localities: Me., Mass., N. Y., N. J., Pa., D. C., N. C., Ohio, Tenn., Ill., Ia., Kans. (Palaearctic.)

Genus Empoasca Walsh Logotype viridescens Walsh

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 315, 1864.

Woodworth, Psyche, v, p. 213, 1889.

Van Duzee, Trans. Am. Ent. Soc., xix, p. 309, 1894.

Gillette, Proc. U. S. Natl. Mus., xx, p. 724, 1898.

Distant, Fauna Br. Ind., Rhyn., iv, p. 401, 1908 (names viridescens type).

||Chloria Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 508, 1866.

Kybos Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 508, 1866.

Fieber, Revue d'Ent., iii, p. 65, 1884.

†Cicadula Sahlberg, Cicad., p. 158, 1871.

Horvath, Ann. Mus. Natl. Hung., vi, p. 566, 1908.

Chlorita Fieber, Kat. Europ. Cicad., p. 14, 1872 (n.n. for Chloria Fieb.).

Cybus Douglas, Ent. Mo. Mag., xii, p. 26, 1875 (emendation of Kybos).

2394. Empoasca trifasciata Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 726, 1898.

Osborn, 20th Rept. N. Y. St. Ent., p. 542, 1905.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 99, 1916.

Localities: N. Y., Ohio, Tenn., Ill., Ia., Kan.

2395. Empoasca smaragdula (Fall.)

Fallén, Acta Holm. for 1806, p. 37, Cicada.

Fallén, Hemip. Suec., Cicad., p. 53, 1826, Cicada.

Zetterstedt, Ins. Lapp., column 298, 1840, Cicadula.

Flor, Rhyn. Livl., ii, p. 393, 1861, Typhlocyba.

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 508, 1866, Kybos.

Kirschbaum, Cicad. v. Wiesbd., p. 178, 1868, Typhlocyba.

Sahlberg, Cicad., p. 159, 1871, Cicadula.

Fieber, Revue d'Ent., iii, p. 66, 1884, Kybos.

Van Duzee, Psyche, v, p. 241, 1889, Kybos.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 201, 1894, Kybos.

Gillette and Baker, Hemip. Colo., p. 110, 1895.

Melichar, Cicad. Mitt. Europ., p. 327, pl. 12, figs. 22-25, 1896, Kybos.

Edwards, Hemip. Homop. Brit. Isds., p. 197, pl. 22, fig. 8, 1896, Kybos.

Gillette, Proc. U. S. Natl. Mus., xx, p. 725, 1898.

Wirtner, Ann. Carn. Mus., iii, p. 226, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 542, 1905.

Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 77, 1915.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 152, 1915.

viridipes Curtis, Brit. Ent., xiv, pl. 640, 1837, Eupteryx.

Localities: Ont., Me., N. Y., Pa., Mo., Colo., Calif. (Palaearctic.)

2396. Empoasca aureoviridis (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 474, 1877, Typhlocyba.

Woodworth, Psyche, v, p. 213, 1889.

Gillette, Proc. U. S. Natl. Mus., xx, p. 730, 1898.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 100, 1916.

Localities: Tenn., Colo.

2397. Empoasca unicolor Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 731, 1898.

Van Duzee, Can. Ent., xxxviii, p. 411, 1906; xl, p. 159, 1908.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 152, 1915.

Localities: Quebec, Ont., Me., N. H., N. Y., D. C., Fla., Ohio, Mich., Colo.

2398. Empoasca obtusa Walsh

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 316, 1864.

Gillette and Baker, Hemip. Colo., p. 109, 1895.

Gillette, Proc. U. S. Natl. Mus., xx, p. 733, 1898.

Slosson, Ent. News, xiii, p. 321, 1902.

Wirtner, Ann. Carn. Mus., iii, p. 226, 1904.

Osborn, 20th Rept. N. Y. St. Ent., p. 542, 1905.

Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907.

Van Duzee, Can. Ent., xl, p. 159, 1908.

Webster, Ent. News, xxi, p. 265, 1910 (habits).

Smith, Cat. Ins. N. J., edn. 3, p. 107, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 153, 1915.

Leonard, Ent. News, xxvii, p. 49, 1916.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 100, 1916.

Localities: Quebec, Me., N. H., N. Y., N. J., Pa., D. C., Ohio, Tenn., Ill., Ia., Kans., Colo.

2399. Empoasca maligna (Walsh)

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 317, 1864, Chloroneura. Woodworth, Psyche, v, p. 213, 1889.

Localities: Ill.

2400. Empoasca unica (Prov.)

Provancher, Pet. Faune Ent. Can., iii, p. 340, 1890, Typhlocyba. Van Duzee, Can. Ent., xliv, p. 329, 1912.

splendida Gillette, Proc. U. S. Natl. Mus., xx, p. 731, 1898.

Wirtner, Ann. Carn. Mus., iii, p. 226, 1904.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 28, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 100, 1916.

Localities: Quebec, Ont., N. Y., Pa., Md., N. C., Tenn., Brit. Col.

2401. Empoasca atrolabes Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 736, 1898.

Osborn, 20th Rept. N. Y. St. Ent., p. 542, 1905.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 556, 1905.

Van Duzee, Can. Ent., xxxviii, p. 411, 1906; xl, p. 159, 1908.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 152, 1915.

Localities: Quebec, Ont., Me., N. Y., Mich., Colo.

2402. Empoasca albolinea Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 732, 1898.

Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907.

Localities: Va., Ill., Kan.

2403. Empoasca denticula Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 734, 1898.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 101, 1916.

Localities: Colo., Tenn.

2404. Empoasca pergandei Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 735, 1898.

Wirtner, Ann. Carn. Mus., iii, p. 226, 1904.

Localities: Mass., Pa.

2405. Empoasca incisa Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 735, 1898.

Localities: Colo.

2406. Empoasca coccinea (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 63, 1851, Empoa.

Osborn, 20th Rept. N. Y. St. Ent., p. 544, 1905, Typhlocyba.

Localities: N. Y., Pa.

2407. Empoasca clypeata G. & B.

Gillette and Baker, Hemip. Colo., p. 108, 1895.

Gillette, Proc. U. S. Natl. Mus., xx, p. 727, 1898.

Localities: Colo.

2408. Empoasca livingstoni Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 728, 1898.

Localities: Wash., Van. Isd.

2409. Empoasca nigra G. & B.

Gillette and Baker, Hemip. Colo., p. 108, 1895.

Gillette, Proc. U. S. Natl. Mus., xx, p. 728, 1898.

Localities: Colo.

2410. Empoasca pulchella G. & B.

Gillette and Baker, Hemip. Colo., p. 109, 1895.

Gillette, Proc. U. S. Natl. Mus., xx, p. 729, 1898.

Localities: Colo.

2411. Empoasca pura (Stål)

Stål, Stet. Ent. Zeit., xix, p. 195, 1858, Typhlocyba.

Fieber, Revue d'Ent., iii, p. 58, 1884, Chlorita.

Woodworth, Psyche, v, p. 213, 1889.

Gillette and Baker, Hemip. Colo., p. 110, 1895.

Gillette, Proc. U. S. Natl. Mus., xx, p. 734, 1898.

Ashmead, Harriman Alaska Exped., viii, p. 135, 1904, Chloroneura.

Localities: Vanc. Isd., Alaska.

2412. Empoasca radiata Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 738, 1898.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 77, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 101, 1916.

Localities: Colo., Tenn., Mo.

2413. Empoasca robusta Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 739, 1898. Locality: Calif.

2414. Empoasca nigroscuta G. & B.

Gillette and Baker, Hemip. Colo., p. 108, 1895. Gillette, Proc. U. S. Natl. Mus., xx, p. 739, 1898.

a. var. typhlocyboides G. & B.

Gillette and Baker, Hemip. Colo., p. 110, 1895. Gillette, Proc. U. S. Natl. Mus., xx, p. 740, 1898.

Localities: Colo., Utah.

2415. Empoasca pallida Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 741, 1898. Locality: N. C.

2416. Empoasca snowi Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 741, 1898. Locality: N. Mex.

2417. Empoasca aspersa G. & B.

Gillette and Baker, Hemip. Colo., p. 107, 1895. Horvath, Ann. Mus. Natl. Hung., vi, p. 566, 1908, Cicadula. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914. †tessellata Gillette, Proc. U. S. Natl. Mus., xx, p. 742, 1898. Localities: Colo., Utah, Calif.

2418. Empoasca alboneura Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 743, 1898. Osborn, 20th Rept. N. Y. St. Ent., p. 543, 1905.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 101, 1916.

Localities: N. Y., D. C., Va., Miss., Tenn., Neb., Kan., Colo., Calif.

2419. Empoasca alboscripta Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914. Locality: Calif.

2420. Empoasca tumida Gill.

Gillette, Proc. U. S. Natl. Mus., xx, p. 744, 1898. Locality: Colo.

2421. Empoasca mali (LeB.)

LeBaron, Prairie Farmer, xiii, p. 330, 1853, Tettigonia. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 126, 1892. Gillette, Proc. U. S. Natl. Mus., xx, p. 744, 1898. Wirtner, Ann. Carn. Mus., iii, p. 226, 1904. Osborn, 20th Rept. N. Y. St. Ent., p. 543, 1905. Van Duzee, Can. Ent., xxxviii, p. 411, 1906. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 76, 1907. Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 229, 1909. Webster, Ent. News, xxi, p. 266, 1910 (habits). Smith, Cat. Ins. N. J., edn. 3, p. 107, 1910.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 201, 1894.
 Localities: Ont., Me., N. Y., N. J., Pa., D. C., Va., N. C., S. C., Flamiss., Ohio, Ky., Tenn., Mich., Ind., Ill., Mo., Kans., Cali (West Indies.)

2422, Empoasca flavescens (Fabr.)

Fabricius, Ent. Syst., iv. p. 46, 1794, Cicada. Fabricius, Syst. Rhyng., p. 79, 1803, Cicada. Fallén, Hemip. Suec., Cicad., p. 53, 1826, Cicada. Flor, Rhyn. Livl., ii, p. 394, 1861, TypMocyba. Kirschbaum, Cicad. v. Wiesbd., p. 178, 1868, Typhlocyba. Sahlberg, Cicad., p. 161, 1871, Cicadula. Fieber, Revue d'Ent., iii, p. 57, 1884, Chlorita. Melichar, Cicad. Mitt. Eur., p. 326, 1896, Chlorita. Gillette, Proc. U. S. Natl. Mus., xx, p. 745, 1898. Osborn, 20th Rept. N. Y. St. Ent., p. 543, 1905. Van Duzee, 20th Rept. N. Y. St. Ent., p. 556, 1905. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 76, 1907. Distant, Fauna Brit. Ind., Rhyn., iv, p. 405, 1908. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 229, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 102, 1916.

Localities: N. Y., D. C., Miss., Fla., Mich., Tenn., Ill., Ia., Kan Colo., N. Mex., Calif. (West Indies, Palaearctic.)

2423. Empoasca viridescens Walsh

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 316, 1864.
Gillette and Baker, Hemip. Colo., p. 111, 1895.
Gillette, Proc. U. S. Natl. Mus., xx, p. 347, 1898.
Osborn, 20th Rept. N. Y. St. Ent., p. 543, 1905.
Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 56, 1914.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 28, 1915.
consobrina Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 316, 1864.
Localities: N. Y., N. C., Ga., Fla., Miss., Ill., Kans., Colo., Ark

Calif. 2424. Empoasca birdii Godg.

2425. Empoasca malefica (Walsh)

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 317, 1864, Chloroneura Locality: Ill.

DIVISION TYPHLOCYBARIA Dist.

Distant, Fauna Br. Ind., Rhyn., iv, p. 408, 1908.

Genus Typhlocyba Germ. Logotype aurata (Linn.)

Germar, Silb. Revue Ent., i, p. 180, 1833.

Burmeister, Handb. d. Ent., ii, p. 107, 1835.

Blanchard, Hist. des Ins., Hémip., p. 199, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 117, 1840 (names ulmi Linn.

Burmeister, Genera Ins., i, pl. 13, 1841.

[pseudotype)

Spinola, Tavola Sinot., p. 59, 1850.

Flor, Rhyn. Livl., ii, p. 369, 1861.

Kirschbaum, Cicad. v. Wiesbd., pp. 16, 176, 1868.

Fieber, Kat. Europ. Cicad., p. 14, 1872.

Fieber, Revue d'Ent., iii, p. 92, 1884.

Eupteryx Curtis, Ent. Mag., i, p. 192, 1833 (orthotype picta Fabr.).

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 509, 1866.

Marshall, Ent. Mo. Mag., iii, p. 197, 1867.

Sahlberg, Cicad., p. 189, 1871.

Douglas, Ent. Mo. Mag., xi, p. 198, 1875.

Lethierry, Revue d'Ent., iii, p. 92, note, 1884.

Puton, Cat. Hemip. Palae., edn. 3, p. 87, 1886.

Woodworth, Psyche, v, p. 213, 1889.

Melichar, Cicad. Mitt. Europ., p. 328, 1896.

Gillette, Proc. U. S. Natl. Mus., xx, p. 748, 1898.

Distant, Fauna Brit. Ind., Rhyn., iv, p. 416, 1908 (names atropunctata

Oshanin, Verz. Palae. Hemip., ii, p. 198, 1908.

[Goeze type).

Oshanin, Kat. Palae. Hemip., p. 112, 1912.

2426. Typhlocyba collina Flor

Flor, Rhyn. Livl., ii, p. 433, 1861.

Kirschbaum, Cicad. v. Wiesbd., p. 196, 1868.

Fieber, Revue d'Ent., iii, p. 109, 1884, (as var. of melissae Curt.).

Melichar, Cicad. Mitt. Europ., p. 340, 1896, Eupteryx.

Edwards, Hemip. Homop. Brit. Isds., p. 204, pl. 23, fig. 4, 1896, Eupteryx.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 511, 1912, Eupteryx.

quinquemaculata Baker, Invert. Pacifica, i, p. 8, 1903, Eupteryx.

Localities: N. Y., Calif.

2427. Typhlocyba vanduzei (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 748, 1898, Eupteryx.

Wirtner, Ann. Carn. Mus., iii, p. 227, 1904, Eupteryx.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 556, 1905, Eupteryx.

Localities: N. Y., Pa.

2428. Typhlocyba nigra (Osb.)

Osborn, 20th Rept. N. Y. St. Ent., p. 543, 1905, Eupteryx.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 155, 1915, Eupteryx.

Localities: Me., N. Y., Ohio.

2429. Typhlocyba flavoscuta (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 749, 1898, Eupteryx. Wirtner, Ann. Carn. Mus., iii, p. 227, 1904, Eupteryx. Osborn, 20th Rept. N. Y. St. Ent., p. 544, 1905, Eupteryx. Van Duzee, 20th Rept. N. Y. St. Ent., p. 556, 1905, Eupteryx. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 229, 1909, Eupteryx. Smith, Cat. Ins. N. J., edn. 3, p. 107, 1910, Eupteryx. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 535, 1914.

Localities: Quebec, N. H., N. Y., N. J., Pa., Fla.

Genus Empoa Fitch Logotype querci Fitch

Fitch, Homop. N. Y. St. Cab., p. 63, 1851. Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 315, 1864. Anomia Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 509, 1866. Fieber, Revue d'Ent., iii, p. 120, 1884. †Typhlocyba Sahlberg, Cicad., p. 172, 1871 (part). Douglas, Ent., Mo. Mag., xi, p. 198, 1875 (names lineatella Fall. pseudo-Lethierry, Revue d'Ent., iii, p. 120, note, 1884. [type). Puton, Cat. Hemip. Palae., edn. 3, p. 88, 1886 (part). Woodworth, Psyche, v, p. 213, 1889 (part). Van Duzee, Trans. Am. Ent. Soc., xix, p. 311, 1894 (part). Melichar, Cicad. Mitt. Eur., p. 341, 1896 (part). Gillette, Proc. U. S. Natl. Mus., xx, p. 750, 1898 (part). Distant, Fauna Brit. Ind., Rhyn., iv, p. 409, 1908 (names quercus Fitch Oshanin, Verz. Palae. Hemip., ii, p. 208, 1908. [type. Oshanin, Kat. Palae. Hemip., p. 113, 1912.

2430. Empoa querci Fitch

Fitch, Homop. N. Y. St. Cab., p. 63, 1851.

Woodworth, Psyche, v, p. 214, 1889, Typhlocyba.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 202, 1894, Typhlocyba.

Slosson, Ent. News, vii, p. 265, 1896, Typhlocyba.

Gillette, Proc. U. S. Natl. Mus., xx, p. 766, 1898, Typhlocyba.

Osborn, 20th Rept. N. Y. St. Ent., p. 545, 1905, Typhlocyba.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 556, 1905, Typhlocyba.

Smith, Cat. Ins. N. J., edn. 3, p. 107, 1910, Typhlocyba.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 57, 1914.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 157, 1915, Typhlocyba.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 109, 1916, Typhlocyba.

Localities: Ont., Me., N. H., N. Y., Ohio, Tenn.

a. var. gillettei n.n.

bifasciata Gillette and Baker, Hemip. Colo., p. 111, 1895, Typhlocyba. Slosson, Ent. News, vii, p. 265, 1896, Typhlocyba. Gillette, Proc. U. S. Natl. Mus., xx, p. 766, 1898, Typhlocyba. Wirtner, Ann. Carn. Mus., iii, p. 228, 1904, Typhlocyba. Van Duzee, Can. Ent., xl, p. 160, 1908, Typhlocyba. Smith, Cat. Ins. N. J., edn. 3, p. 107, 1910, Typhlocyba.

b. var. 6-notata Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 57, 1914. Locality: Calif.

c. var. morgani (DeL.)

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 104, 1916, Typhlocyba.

Localities: Tenn., Ohio.

24301/2. Empoa nitidula (Fabr.)

Fabricius, Ent. Syst., iv, p. 46, 1794, Cicada.

Fabricius, Syst. Rhyng., p. 79, 1803, Cicada.

Flor, Rhyn. Livl., ii, p. 407, 1861, Typhlocyba. Kirschbaum, Cicad. v. Wiesbd., p. 185, 1868, Typhlocyba.

Sahlberg, Cicad., p. 177, 1871, Typhlocyba.

Fieber, Revue d'Ent., iii, p. 123, 1884, Anomia.

Edwards, Hemip. Homop. Brit. Isds., p. 219, pl. 25, fig. 5, 1896, Typhlocyba.

Oshanin, Verz. Palae. Hemip., ii, p. 209, 1906, Typhlocyba.

Slosson, Ent. News, xvii, p. 326, 1906, Typhlocyba.

bifasciata Boheman, Of. Vet. Akad. Forh., ix, p. 79, 1852, Typhlocyba.

Localities: N. H. (Europe.)

2430%. Empoa aureotecta S. & D.

Sanders and DeLong, Ann. Ent. Soc. Am., x, p. 93, 1917 (figures). Locality: Wis.

.2431. Empoa australis (Walsh)

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 317, 1864, Erythroneura. Woodworth, Psyche, v, p. 214, 1889.

Locality: Ill.

2432. Empoa flavomarginata (G. & B.)

Gillette and Baker, Hemip. Colo., p. 111, 1895, Typhlocyba.

Gillette, Proc. U. S. Natl. Mus., xx, p. 768, 1898, Typhlocyba.

Locality: Colo.

2433. Empoa ulmi (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 439, 1758, Cicada.

Linnaeus, Fauna Suec., edn. 2, No. 900, 1761, Cicada.

Linnaeus, Syst. Nat., edn. 12, ii, p. 711, 1767, Cicada.

Fabricius, Ent. Syst., iv, p. 45, 1794, Cicada.

Fabricius, Syst. Rhyng., p. 78, 1803, Cicada.

Fallén, Hemip. Suec., Cicad., p. 49, 1826, Cicada.

Burmeister, Handb. d'Ent., ii, p. 107, 1835, Typhlocyba.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 117, 1840, Typhlocyba.

Flor, Rhyn. Livl., ii, p. 411, 1861, Typhlocyba.

Kirschbaum, Cicad. v. Wiesbd., p. 186, 1868, Typhlocyba.

Sahlberg, Cicad., p. 176, 1871, Typhlocyba.

Fieber, Revue d'Ent., iii, p. 127, 1884, Anomia.

Melichar, Cicad. Mitt. Europ., p. 348, pl. 12, figs. 31, 32, 1896, Typhlocyba.

Edwards, Hemip. Homop. Brit. Isds., p. 213, pl. 24, fig. 8, 1896, Typhlocyba.

Gillette, Proc. U. S. Natl. Mus., xx, p. 769, 1898, Typhlocyba.

Osborn, 20th Rept. N. Y. St. Ent., p. 545, 1905.

Localities: Mass., R. I., N. Y., Ia.

2434. Empoa commissuralis (Stål)

Stål, Stet. Ent. Zeit., xix, p. 196, 1858, Typhlocyba.
Fieber, Revue d'Ent., iii, p. 67, 1884, Kybos.
Woodworth, Psyche, v, p. 214, 1889, Typhlocyba.
Gillette, Proc. U. S. Natl. Mus., xx, p. 769, 1898, Typhlocyba.
Ashmead, Harriman Alaska Exped., viii, p. 135, 1904, Empoasca.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 57, 1914.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 158, 1915, Typhlocyba.
Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 249, 1916.
Localities: Me., Colo., Calif., Vanc. Isd., Alaska.

2435. Empos tenerrims (H. S.) Herrich-Schaeffer, Fauna Germ., cxxiv, No. 10a; clxiv, No. 16, 1834, Typhlo-Kirschbaum, Cicad. v. Wiesbd., p. 185, 1868, Typhlocyba. [cyba. Sahlberg, Cicad., p. 178, 1871, Typhlocyba. Melichar, Cicad. Mitt. Europ., p. 349, 1896, Typhlocyba. Edwards, Hemip. Homop. Brit. Isds., p. 214, pl. 24, fig. 9, 1896, Typhlocyba. Gillette, Proc. U. S. Natl. Mus., xx, p. 770, 1898, Typhlocyba. Slosson, Ent. News, ix, p. 251, 1898, Typhlocyba. Osborn, 20th Rept. N. Y. St. Ent., p. 544, 1905, Typhlocyba. Van Duzee, 20th Rept. N. Y. St. Ent., p. 556, 1905, Typhlocyba. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 57, 1914. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 158, 1915, Typhlocyba. rubi Hardy, Trans. Tyneside Nat. Field Club, i, p. 417, 1850, Typhlocyba. misella Boheman, Kong. Vet. Akad. Handl. for 1851, p. 122, Typhlocyba. Localities: Quebec, Ont., Me., N. H., N. Y., Mich., Colo.

2436. Empoa lethierryi (Edwds.)

Edwards, Ent. Mo. Mag., xvii, p. 224, 1881, Typhlocyba.

Melichar, Cicad. Mitt. Europ., p. 346, 1896, Typhlocyba.

Edwards, Hemip. Homop. Brit. Isds., p. 216, pl. 30, fig. 8, 1896, Typhlocyba.

Gillette, Proc. U. S. Natl. Mus., xx, p. 771, 1898, Typhlocyba.

Wirtner, Ann. Carn. Mus., iii, p. 228, 1904, Typhlocyba.

Osborn, Me., Agr. Exp. Sta., Bul. 238, p. 157, 1915, Typhlocyba.

†rosae Kirschbaum, Cicad. v. Wiesbd., p. 184, 1868, Typhlocyba.

||sulphurella Lethierry, Cat. Hemip., Dept. Nord., pp. 74, 79, Anomia.

Fieber, Revue d'Ent., iii, p. 124, 1884, Anomia.

Localities: Me., N. Y., Pa., Mich., Ia.

2437. Empoa rosae (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 439, 1758, Cicada.
Linnaeus, Fauna Suec., edn. 2, No. 902, 1761, Cicada.
Geoffroy, Hist. Abreg. des Ins., i, p. 428, 1762, Cicada (Tettigonia).
Linnaeus, Syst. Nat., edn. 12, ii, p. 712, 1767, Cicada.
Fabricius, Syst. Ent., p. 687, 1775, Cicada.
Fabricius, Ent. Syst., iv, p. 45, 1794, Cicada.
Walckenaer, Fauna Paris., ii, p. 328, 1802, Cicada.
Burmeister, Handb. d. Ent., ii, p. 107, 1835, Typhlocyba.
Zetterstedt, Ins. Lapp., column 300, 1840, Cicadula.
Burmeister, Genera Ins., i, pl. 13, 1841, Typhlocyba.
Flor, Rhyn. Livl., ii, p. 407, 1861, Typhlocyba.
Kirschbaum, Cicad. v. Wiesbd., p. 184, 1868, Typhlocyba.

Sahlberg, Cicad., p. 180, 1871, Typhlocyba. Fieber, Revue d'Ent., iii, p. 124, 1884, Anomia. Provancher, Pet. Faune Ent. Can., iii, p. 299, 1890. Gillette and Baker, Hemip. Colo., p. 112, 1895, Typhlocyba. Melichar, Cicad. Mitt. Europ., p. 345, 1896, Typhlocyba. Edwards, Hemip. Homop., Brit. Isds., p. 216, 1896, Typhlocyba. Gillette, Proc. U. S. Natl. Mus., xx, p. 771, 1898, Typhlocyba. Wirtner, Ann. Carn. Mus., iii, p. 228, 1904, Typhlocyba. Osborn, 20th Rept. N. Y. St. Ent., p. 545, 1905, Typhlocyba. Van Duzee, 20th Rept. N. Y. St. Ent., p. 556, 1905, Typhlocyba. Tucker, Kans. Univ. Sci. Bul., iv, p. 69, 1907, Typhlocyba. Webster, Ent. News, xxi, p. 267, 1910, Typhlocyba (habits). Smith, Cat. Ins. N. J., edn. 3, p. 107, Typhlocyba. Van Duzee, Can. Ent., xliv, p. 329, 1912, Typhlocyba. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 158, 1915, Typhlocyba. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 109, 1916, Typhlocyba. ||rosae Harris, Rept. Ins. Mass., edn. 2, p. 182, 1852, Tettigonia (as new). Harris, Treat. Ins. Injur. Veg., edn. 3, p. 229, 1862, Tettigonia. Woodworth, Psyche, v, p. 214, 1889, Typhlocyba. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 202, 1894, Typhlocyba. Van Duzee, Trans. Am. Ent. Soc., xix, p. 313, 1894, Typhlocyba. pteridis Dahlbom, Kongl. Vet. Akad. Handl. for 1850, p. 179, Typhlocyba. †lactea Douglas, Ent. Mo. Mag., xii, p. 77, 1875, Typhlocyba. Localities: Quebec, Ont., Me., Vt., Mass., N. Y., Pa., D. C., Ohio,

Tenn., Mich., Kans., Ia., Colo., Calif., Vanc. Isd. 2438. Empos fabae (Harr.)

Harris, Rept. Ins. Mass., p. 186, 1841, Tettigonia.
Harris, Treat. Ins. Injur. Veg., edn. 3, p. 230, 1862, Tettigonia.
Fitch, Homop. N. Y. St. Cab., p. 63, 1851, Erythroneura.
Woodworth, Psyche, v, p. 213, 1889, Empoasca.
Localities: Mass., N. Y., Ohio.

2439. Empoa albicans Walsh

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 316, 1864. Woodworth, Psyche, v, p. 214, 1879, Typhlocyba. Locality: Ill.

Fitch, Homop. N. Y. St. Cab., p. 62, 1851.

Genus Erythroneura Fitch Logotype tricincta Fitch

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 392, 1856.
Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 315, 1864.
Provancher, Pet. Faune Ent. Can., iii, p. 297, 1890 (in part).
Oshanin, Kat. Palae. Hemip., p. 114, 1912 (names tricincta type).
Zygina Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 509, 1866.
Fieber, Cicad. d. Europ., i, p. 129, 1875; ii, p. 13, 1876.
Fieber, Revue d'Ent., iii, p. 150, 1884 (synop. of species).
Mayr, Tabellen, p. 40, 1884.
Melichar, Cicad. Mitt. Europ., p. 351, 1896.
Edwards, Hemip. Homop. Brit. Isds., p. 219, 1896.
Oshanin, Verz. Palae. Hemip., ii, p. 216, 1908.
Idia Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 509, 1866.



Gibson and Cogan, Chio Ji. Sci., xvi, p. 77, 1915, Typhlocyba.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 106, 1916, Typhlocyba.
Localities: N. Y., N. J., Pa., Tenn., Miss., Ill., Mo., Is., Kan.

2441. Erythroneura tricincta Fitch
Fitch, Homop. N. Y. St. Cab., p. 63, 1851.
Fitch, Trans. N. Y. St. Agr. Soc., xvi, pp. 392, 436, 1856.
Woodworth, Psyche, v, p. 213, 1889, Typhlocyba.
Gillette, Proc. U. S. Natl. Mus., xx, p. 753, 1898, Typhlocyba.
Van Duzee, Bul. Buf. Soc. Nat. Sei., v, p. 201, 1894, Typhlocyba.
Gillette and Baker, Hemip. Colo., p. 113, 1895, Typhlocyba.
Gillette, Proc. U. S. Natl. Mus., xx, p. 753, 1898, Typhlocyba.

Slosson, Ent. News, xiii, p. 321, 1902, Typhlocyba.
Wirtner, Ann. Carn. Mus., iii, p. 227, 1904, Typhlocyba.
Osborn, 20th Rept. N. Y. St. Ent., p. 544, 1905, Typhlocyba.

Tucker, Univ. Kans. Sci. Bul., iv, p. 69, 1907, Typhlocyba. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 77, 1915, Typhlocyba. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 28, 1915, Typhlocyba.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 104, 1916, Typhlocyba.

Localities: Ont., N. H., N. Y., Pa., Md., N. C., Ohio, Tenn., Il

Mo., Ia., Kau., Colo.

2442. Brythroneura tunicarubra (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 752, 1898, Typhlocyba. Wirtner, Ann. Carn. Mus., iii, p. 227, 1904, Typhlocyba. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 106, 1916, Typhlocyba. Localities: Pa., Mich., Tenn.

2443. Erythroneura hartii (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 754, 1898, Typhlocyba.
 Wirtner, Ann. Carn. Mus., iii, p. 227, 1904, Typhlocyba.
 Localities: Pa., Itl.

2444. Erythroneura rubroscuta (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 755, 1898, Typhlocyba.

Localitics: Ill., Kan.

24441/2. Erythroneura osborni (DeL.)

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 103, 1916, Typhlocyba.
Locality: Tenn.

Woodworth, Psyche, v, p. 213, 1889, Typhlocyba.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 201, 1894, Typhlocyba.

Gillette and Baker, Hemip. Colo., p. 111, 1895, Typhlocyba.

Gillette, Proc. U. S. Natl. Mus., xx, p. 759, 1898, Typhlocyba.

Slingerland, Cornell Univ. Agr. Exp. Sta., Bul. 215, 1904, Typhlocyba.

Wirtner, Ann. Carn. Mus., iii, p. 227, 1904, Typhlocyba.

Osborn, 20th Rept. N. Y. St. Ent., p. 545, 1905, Typhlocyba.

Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907, Typhlocyba.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 229, 1909, Typhlocyba.

Smith, Cat. Ins. N. J., edn. 3, p. 107, 1910, Typhlocyba.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 77, 1915, Typhlocyba.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 156, 1915, Typhlocyba.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 28, 1915, Typhlocyba.

Essig, Inj. Benef. Ins. Calif., edn. 2, p. 64, 1915.

DeLong, Tenn. St. Bd. Ent., Bul. 106, 1916, Typhlocyba.

a. var. vitifex Fitch

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 392, 1856.

Woodworth, Psyche, v, p. 213, 1889, Typhlocyba.

Provancher, Pet, Faune Ent. Can., iii, p. 299, 1890, Typhlocyba.

Townsend, Can. Ent., xxiv, p. 196, 1892, Typhlocyba.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 201, 1894, Typhlocyba.

Gillette and Baker, Hemip. Colo., p. 113, 1895, Typhlocyba.

Van Duzee, Can. Ent., xliv, p. 329, 1912.

b. var. ziczac Walsh

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 317, 1864.
Woodworth, Psyche, v, p. 214, 1889, Typhlocyba.
Gillette, Proc. U. S. Natl. Mus., xx, p. 761, 1898, Typhlocyba.
Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907, Typhlocyba.
Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 156, 1915, Typhlocyba.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 107, 1916, Typhlocyba.

c. var. vitis (Harr.)

Harris, Encyc. Am., viii, p. 43, 1831, Tettigonia. Harris, Rept. Ins. Mass., p. 184, 1841, Tettigonia. Fitch, Homop. N. Y. St. Cab., p. 63, 1851. Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 391, 1856. Harris, Treat. Ins. Inj. Veg., edn. 3, p. 227, 1862, Tettigonia. Saunders, Ins. Inj. to Fruits, p. 286, fig. 297, 1883. Uhler, Stand. Nat. Hist., ii, p. 246, 1884. Woodworth, Psyche, v, p. 213, 1889, Typhlocyba. Provancher, Pet. Faune Ent. Can., iii, p. 298, 1890. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 201, 1894, Typhlocyba. Gillette and Baker, Hemip. Colo., p. 113, 1895, Typhlocyba. Gillette, Proc. U. S. Natl. Mus., xx, p. 761, 1898, Typhlocyba. Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907, Typhlocyba. Van Duzee, Can Ent., xliv, p. 329, 1912. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 78, 1915, Typhlocyba. Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 156, 1915, Typhlocyba. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 107, 1916, Typhlocyba.

d. var. basilaris (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 344, 1825; Compl. Writ., ii, p. 260, Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 317, 1864. [Tettigonia.

Gillette, Proc. U. S. Natl. Mus., xx, p. 760, 1898, Typhlocyba.
Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907, Typhlocyba.
Gibson and Cogan, Ohio Jl. Sci., xvi, p. 78, 1915, Typhlocyba.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 107, 1916, Typhlocyba.
affinis Fitch, Homop. N. Y. St. Cab., p. 63, 1851.

Woodworth, Psyche, v, p. 213, 1889, Typhlocyba. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 201, 1894, Typhlocyba.

e. var. infuscata (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 764, 1898, Typhlocyba. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 108, 1916, Typhlocyba.

f. var. rubra (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 764, 1898, Typhlocyba. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 108, 1916, Typhlocyba.

g. var. maculata (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 764, 1898, Typhlocyba. Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907, Typhlocyba.

h. var. scutelleris (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 764, 1898, Typhlocyba. Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907, Typhlocyba. Gibson and Cogan, Ohio Jl. Sci., xvi, p. 78, 1915, Typhlocyba. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 108, 1916, Typhlocyba.

i. var. octo-notata Walsh

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 318, 1864. Woodworth, Psyche, v, p. 213, 1889, Typhlocyba. Gillette, Proc. U. S. Natl. Mus., xx, p. 762, 1898, Typhlocyba. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 107, 1916, Typhlocyba.

j. var. coloradensis (Gill.)

Gillette, Colo. Agr. Exp. Sta., Bul. 19, p. 16, 1892, Typhlocyba. Gillette and Baker, Hemip. Colo., p. 113, 1895, Typhlocyba. Gillette, Proc. U. S. Natl. Mus., xx, p. 763, 1898, Typhlocyba. Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907, Typhlocyba. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 57, 1914. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 108, 1916, Typhlocyba.

k. var. apicalis (DeL.)

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 108, 1916, Typhlocyba.
Localities: Quebec. Ont., Me., Mass., N. Y., N. J., Pa., Md., D. C.,
N. C., Fla., Miss., Ohio, Tenn., Mich., Ill., Mo., Neb., Kans.,
Colo., N. Mex., Texas, Ariz., Calif., Br. Col.

2446. Erythroneura illinoiensis (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 758, 1898, Typhlocyba.
Osborn, 20th Rept. N. Y. St. Ent., p. 545, 1905, Typhlocyba.
Gibson and Cogan, Ohio Jl. Sci., xvi, p. 77, 1915, Typhlocyba.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 28, 1915, Typhlocyba.
DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 109, 1916, Typhlocyba.
Localities: N. C., Miss., Tenn., Mich., Ill., Mo.

2447. Eurythroneura obliqua (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv. p. 342, 1825; Compl. Writ., ii, p. 259, Fitch, Homop. N. Y. St. Cab., p. 63, 1851. [Tettigonia.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 435, 1856.

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 317, 1864.

Woodworth, Psyche, v, p. 213, 1889, Typhlocyba.

Provancher, Pet. Faune Ent. Can., iii, p. 340, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 201, 1894, Typhlocyba.

Gillette and Baker, Hemip. Colo., p. 112, 1895, Typhlocyba.

Gillette, Proc. U. S. Natl. Mus., xx, p. 756, 1898, Typhlocyba.

Wirtner, Ann. Carn. Mus., iii, p. 227, 1904, Typhlocyba.

Osborn, 20th Rept. N. Y. St. Ent., p. 545, 1905, Typhlocyba.

Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907, Typhlocyba.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 57, 1914.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 77, 1915, Typhlocyba.

Osborn, Me. Agr. Exp. Sta., Bul. 238, p. 155, 1915, Typhlocyba.

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 105, 1916, Typhlocyba.

a. var. dorsalis (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 757, 1898, Typhlocyba. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 57, 1914. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 105, 1916, Typhlocyba.

b. var. noevus (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 757, 1898, Typhlocyba. Tucker, Kans. Univ. Sci. Bul., iv, p. 68, 1907, Typhlocyba. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 105, 1916, Typhlocyba.

c. var. fumida (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 758, 1898, Typhlocyba. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 57, 1914. DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 105, 1916, Typhlocyba.

d. var. clavata (DeL.)

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 105, 1916, Typhlocyba.

Localities: Quebec, Ont., Me., N. Y., Pa., D. C., Ohio, Tenn., Mich.,

Ill., Mo., Kans., Ia., Colo., Calif.

2447½. Erythroneura nigridorsum (DeL.)

DeLong, Tenn. St. Bd. Ent., Bul. 17, p. 110, 1916, Typhlocyba.

Locality: Tenn.

2448. Erythroneura vulnerata Fitch

Fitch, Homop. N. Y. St. Cab., p. 62, 1851.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 392, 1856.

Walsh, Proc. Bost. Soc. Nat. Hist., ix, p. 317, 1864.

Woodworth, Psyche, v, p. 213, 1889, Typhlocyba.

Provancher, Pet. Faune Ent. Can., iii, p. 299, 1890.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 125, 1892, Typhlocyba.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 201, 1894, Typhlocyba.

Gillette and Baker, Hemip. Colo., p. 113, 1895, Typhlocyba.

Gillette, Proc. U. S. Natl. Mus., xx, p. 764, 1898, Typhlocyba.

Wirtner, Ann. Carn. Mus., iii, p. 227, 1904, Typhlocyba.

Osborn, 20th Rept. N. Y. St. Ent., p. 545, 1905, Typhlocyba.

Tucker, Kans. Univ. Sci. Bul., iv, p. 69, 1907, Typhlocyba.

Van Duzee, Can. Ent., xliv, p. 329, 1912.

Gibson and Cogan, Ohio Jl. Sci., xvi, p. 78, 1915, Typhlocyba.



2450, Erythroneura crevecceuri (Gill.)

Gillette, Proc. U. S. Natl. Mus., xx, p. 767, 1898, Typhlocyba. Localities: N. Y., N. C., Ohio, Kans.

2451, Erythroneura rubricata (Van D.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 229, 1909, Typklocyba. Locality: Fla.

Family FULGORIDAE (Latr.)

Latreille, Genera Crust Ins., iii, p. 163, 1807, Fulgorellae. Leach in Brewster's Edinby. Encyc., ix, p. 124, 1915, Fulgorida. Germar, Mag. d. Ent., iii, p. 179, 1818, Fulgorellae. Latreille, Fam. Nat. Règne Animal, p. 427, 1825, Fulgorellae. Fallén, Hemip. Suec., Cicad., p. 68, 1826, Fulgorides. Latreille in Cuvier, Règne Animal, edn. 2, v. p. 215, 1829, Fulgorelles. Burmeister, Handb. d. Ent., ii, pp. 102, 144, 1835, Fulgorina. Latreille in Cuvier's Animal Kingd., Lond. edn., iv, p. 174, 1836, Fulgorelle Spinola, Ann. Soc. Ent. Fr., viii, pp. 133, 202, 1839, Fulgorellae. Westwood, Intr. Mod. Classif. Ins., ii, p. 427; Synop., p. 115, 1840. Blanchard, Hist. des Ins., Hémip., p. 167, 1840, Fulgoriens. Spinola, Tavola Sinot., pp. 27, 50, 1850, Fulgoritae. Walker, List Homop., ii, p. 261, 1851, Fulgorina. Stål, Stet. Ent. Zeit., xix, p. 233, 1858, Fulgorina. Flor, Rhyn. Livl., ii, p. 11, 1861, Fulgorina. Stål, Hemip. Afr., iv, p. 128, 1866, Fulgorida. Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 497, 1866. Kirschbaum, Cicad. v. Wiesbd., p. 9, 1868, Fulgorina. Sahlberg, Cicad., pp. 73, 376, 1871, Fulgorina. Fieber, Kat. Eur. Cicad., p. 2, 1872, Fulgorida. Fieber, Cicad. d'Eur., i, p. 41, 1875, Fulgorida. Berg, Hemip. Argent., p. 213, 1879. Distant, Biol. Centr. Am., Homop., i, p. 21, 1883. Uhler, Stand. Nat. Hist., ii, p. 229, 1884. Ashmead, Ent. Am., v, pp. 1, 21, 1889. (Keys.) Provancher, Pet. Faune Ent. Can., iii, p. 215, 1889. Hansen, Ent. Tidskr., xi, p. 65, 1890 (Kirkaldy transl. Entomol., xxxiii, 1 Melichar, Cicad. Mitt. Eur., pp. 1, 17, 1896.

Swezey, Ohio Dept. Agr., Div. Nurs. Orch. Insp., Bul. 3, 1904 (catalogue).

Oshanin, Verz. Palae. Hemip., ii, p. 224, 1906.

Distant, Fauna Brit. Ind., Rhyn., iii, p. 175, 1906

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 467, 1907 (synopses).

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 296, 1906; iii, pp. 9, 91, 96,

[1907, Fulgoroidea. (Superfamily.)

Horvath, Ann. Mus. Natl. Hung., ix, p. 30, 1911.
Oshanin, Kat. Palae. Hemip., p. 114, 1912, Fulgoroideae. (Superfamily.)
Subtericornes Amyot and Serville, Hémip., pp. liv, 483, 1843.

Subfamily FULGORINAE (Spin.)

Spinola, Ann. Soc. Ent. Fr., viii, p. 202, 206, 1839, Fulgoridea. Amyot and Serville, Hémip., pp. lv, 488, 1843, Fulgorides. (Groupe.) Walker, List Homop., ii, p. 262, 1851, Fulgoroides. Stål, Hemip. Afr., iv, pp. 129, 131, 1866, Fulgorida. Stål, Of. Vet. Akad. Forh., xxvii, p. 740, 1870, Fulgorina. Berg, Hemip. Argent., p. 213, 1879, Fulgorina. Distant, Biol. Centr. Am., Homop., i, p. 22, 1883. Uhler, Stand. Nat. Hist., ii, p. 229, 1884, Fulgorida. Ashmead, Ent. Am., v, p. 2, 1889. Distant, Fauna Brit. Ind., Rhyn., iii, pp. 175, 178, 1906. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 296, 1906; iii, pp. 10, 95, 1907. Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 467, 1907, Fulgorida. Oshanin, Verz. Palae. Hemip., ii, p. 224, 1908, Fulgorina. Oshanin, Kat. Palae. Hemip., p. 114, 1912, Fulgoridae. (Family.) Lystroides Spinola, Ann. Soc. Ent. Fr., viii, pp. 202, 240, 1839. Walker, List Homop., ii, p. 273, 1851. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul. 12, p. 11, 1913, Lystrinae. Eufulgoridae Haglund, Of. Vet. Akad. Forh., lvi, No. 2, p. 59, 1899.

Genus Scolopsella Ball

Orthotype reticulata Ball

Ball, Proc. Biol. Soc. Wash., xviii, p. 118, 1905. Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 469, 1907. Mclichar, Abh. Zool.-Bot. Ges. Wien, vii, p. 171, 1912.

2452. Scolopsella reticulata Ball

Ball, Proc. Biol. Soc. Wash., xviii, p. 118, 1905.
Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 471, 1907.
Melichar, Abh. Zool.-Bot. Ges. Wien, vii, p. 171, 1912.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 34, 1914.
Localities: Ariz., Calif.

Genus Amycle Stål Logotype amabilis (Westw.)

Stål, Stet. Ent. Zeit., xxii, p. 148, 1861.
Stål, Berl. Ent. Zeit., vi, p. 305, 1862 (subgen. of Cyrpoptus Stål).
Stål, Hemip. Afr., iv, p. 136, 1866.
Stål, Stet. Ent. Zeit., xxxi, p. 291, 1870.
Distant, Biol. Centr. Am., Homop., i, p. 25, 1887.

2453. Amycle vernalis Manee

Manee, Ent. News, xxi, p. 117, 1910.

Locality: Ga.

2454. Amycle saxatilis Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 33, 1914.
Locality: Calif.

Genus Calyptoproctus Spin. Orthotype elegans Lep. & Serv.

Duponchel, Revue Zool., ii, p. 201, 1839 (nomen nudum; names lystroides Spinola, Ann. Soc. Ent. Fr., viii, p. 266, 1839. [Spin. pseudotype).

Amyot and Serville, Hémip., p. 501, 1843.

Stål, Hemip. Afr., iv, p. 137, 1866.

Stål, Stet. Ent. Zeit., xxxi, p. 293, 1870.

Distant, Biol. Centr. Am., Homop., i, p. 36, 1887.

Ashmead, Ent. Am., v, p. 22, 1889.

[pseudotype).

Distant, Ann. Mag. Nat. Hist., ser. 7, xviii, p. 195, 1906 (names stigma Paralystra White, Ann. Zool. Bot., xviii, p. 25, 1846 (type emma Wht.).

2455. Calyptoproctus marmoratus Spin.

Spinola, Ann. Soc. Ent. Fr., viii, p. 271, 1839.

Amyot and Serville, Hémip., p. 501, 1843.

Locality: "N. Am."

Genus Cyrpoptus Stål Haplotype suavis Stål

Stål, Berl. Ent. Zeit., vi, p. 304, 1862. Stål, Stet. Ent. Zeit., xxxi, p. 292, 1870.

Distant, Biol. Centr. Am., Homop., i, p. 35, 1887.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul. 12, p. 11, 1913.

2456. Cyrpoptus belfragei Stål

Stål, Berl. Ent. Zeit., xiii, p. 240, 1869.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 185, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 10, 1915.

Localities: N. C., Fla., Ohio, Mo., Texas.

2457. Cyrpoptus reineckei Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 185, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914. Locality: Fla.

2458. Cyrpoptus nubeculosus Stål

Stål, Berl. Ent. Zeit., xiii, p. 240, 1869.
 Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 185, 1909.
 Localities: Texas. (Mexico.)

Genus **Poblicia** Stål Orthotype misella (Stål)

Stål, Hemip. Afr., iv, p. 138, 1866 (nomen nudum). Stål, Berl. Ent. Zeit., x, p. 390, 1867 (valid here).

Stål, Stet. Ent. Zeit., xxxi, p. 290, 1870. Distant, Biol. Centr. Am., Homop., i, p. 31, 1887.

2459. Poblicia misella (Stål)

Stål, Stet. Ent. Zeit., xxiv, p. 239, 1863; xxv, p. 49, 1864, Poeocera.
 Uhler, Stand. Nat. Hist., ii, p. 230, 1884, Poeocera.
 Distant, Biol. Centr. Am., Homop., i, p. 31, pl. 5, fig. 6, 1887.
 Localities: Ariz. (Mexico.)

2460. Poblicia fuliginosa (Oliv.)

Olivier, Encyc. Meth., vi, p. 574, 1791, Fulgora. Uhler, Stand. Nat. Hist., ii, p. 230, 1884, Poecocera. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 10, 1915. Localities: N. C., Ga., Ohio, Mo., Texas, Ariz.

2461. Poblicia thanatophana Kirk.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iv, p. 61, 1907. Locality: Ariz.

Subfamily DICTYOPHORINAE (Spin.)

Spinola, Ann. Soc. Ent. Fr., viii, pp. 202, 283, 1839, Dyctiophoroides.

Walker, List Homop., ii, p. 303, 1851, Dyctiophoroides (part).

Stål, Hemip. Afr., iv, p. 129, 1866, Dictyopharida.

Berg, Hemip. Argent., p. 217, 1879, Dictyopharida.

Distant, Biol. Centr. Am., Homop., i, p. 38, 1887.

Melichar, Homop. Fauna Ceyl., p. 17, 1903.

Distant, Fauna Brit. Ind., Rhyn., iii, pp. 176, 236, 1906. [tyopharini. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 296, 1906; iii, p. 10, 1907, Dic-Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 468, 1908, Dictyopharida.

Matsumura, Trans. Sapp. Nat. Hist. Soc., iii, p. 100, 1910. [(Key.) Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 1, 1912.

Pseudophanides Amyot and Serville, Hémip., pp. 1vi, 502, 1843 (part).

†Fulgorinae Kirkaldy, Haw. S. P. A., Exp. Sta. Bul. 12, pp. 11, 12, 1913.

TRIBE DICTYOPHORINI Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, pp. 6, 28, 191, 1912.

Genus Dictyophora Germ. Logotype europaea Linn.

Germar, Silb. Revue Ent., i, p. 175, 1833.

Duponchel, Revue Zool., ii, p. 202, 1839 (names proboscidea Spin. pseudotype).

Spinola, Ann. Soc. Ent. Fr., viii, p. 290, 1839.

Kirschbaum, Cicad. v. Wiesbd., pp. 12, 50, 1868.

Melichar, Abh. k. k. Zool. Bot. Ges. Wien, vii, p. 114, 1912.

Pseudophana Burmeister, Handb. d. Ent., ii, p. 159, 1835.

Amyot and Serville, Hémip., p. 506, 1843.

Chianthus Kolenati, Bul. Soc. Imp. Mosc., xxx, p. 427, 1857.

†Dictyophara Stâl, Hemip. Afr., iv, p. 154, 1866.

Fieber, Cicad. d'Eur., i, p. 70, 1875; ii, p. 209, 1876.

Berg, Hemip. Argent., p. 217, 1879.

Distant, Biol. Centr. Am., Homop., i, p. 39, 1887.

Ashmead, Ent. Am., v, p. 21, 1889.

Melichar, Cicad. Mitt. Eur., pp. 18, 33, 1896. [as type). Distant, Fauna Brit. Ind., Rhyn., iii, pp. 237, 241, 1906 (gives europaea Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 469, 1908. Van Duzee, Can. Ent., xlvi, p. 387, 1914.

Van Duzee, Check List Hemip., p. 78, 1916.

Avephora Bierman, Notes Leyden Mus., xxxiii, p. 12, 1911.

Tropidophora Bierman, Notes Leyden Mus., xxxiii, p. 15, 1911.

†Fulgora Kirkaldy, Haw. S. P. A., Exp. Sta. Bul. 12, p. 11, 1913 (names [europaea pseudotype).

2462. Dictyophora microrhina Walk.

Walker, List Homop., ii, p. 315, 1851.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 469, 1907.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 94, 1910.

Melichar, Abh. k. k. Zool. Bot. Ges. Wien, vii, p. 71, 1912, Nersia.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914, Nersia.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 10, 1915.

Localities: N. Y., N. J., N. C., Fla., La., Kans.

2463. Dictyophora lingula Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 470, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 186, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 94, 1910.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 71, 1912, Nersia.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 526, 1914, Nersia.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 10, 1915.

Localities: N. J., N. C., Fla.

2464. Dictyophora florens (Stål)

Stål, Rio Jan. Hemip., ii, p. 64, 1861, Nersia.
Distant, Biol. Centr. Am., Homop., i, p. 41, pl. 6, fig. 8, 1887.
Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 470, 1908.
Melichar, Abh. k. k. Zool. Bot. Ges. Wien, vii, p. 72, 1912, Nersia.
nigromarginata Signoret, Ann. Soc. Ent. Fr., ser. 4, ii, p. 586, 1862.
Localities: Kans. (Neotropical.)

2465. Dictyophora dioxys (Walk.)

Walker, List Homop., Suppl., p. 61, 1858, Nersia.
Kirkaldy, Can. Ent., xli, p. 391, 1909.
curviceps Stål, Rio Jan. Hemip., ii, p. 64, 1861, Nersia.
Distant, Biol. Centr. Am., Homop., i, p. 40, pl. 6, fig. 4, 1887.
Melichar, Abh. k. k. Zool. Bot. Ges. Wien, vii, p. 74, 1912, Nersia.
Localities: Md., Miss. (Neotropical.)

Genus Scolops Schaum Type sulcipes (Say)

Schaum, Ersch and Grube, Encyc., li, Article Fulgoridae, 1850. Stål, Hemip. Afr., iv, p. 151, 1866.
Ashmead, Ent. Am., v, p. 21, 1889.
Provancher, Pet. Faune Ent. Can., iii, p. 219, 1889.
Uhler, Trans. Md. Acad. Sci., i, p. 401, 1900.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 471, 1908. Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 162, 1912 (monograph). Ornithissus Fowler, Biol. Centr. Am., Homop., i, p. 121, 1904. [236, 1906. Melichar, Monog. Issiden, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p.

Subgenus Scolops Schaum ...

Van Duzee, Check List Hemip., p. 78, 1916.

2466. Scolops sulcipes (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 335, 1825; Compl. Writ., ii, p. 254, Ful-Uhler, Hayden's Surv. Terr. for 1870, p. 471, 1872. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 349, 1876; iii, p. 458, 1877; iv, p. Uhler, Wheeler's Rept. Chief Eng. for 1877, p. 1333. [510, 1878. Uhler, Stand. Nat. Hist., ii, p. 230, fig. 305, 1884. Provancher, Pet. Faune Ent. Can., iii, p. 219, 1889. Van Duzee, Psyche, v, p. 389, 1890. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 189, 1894. Gillette and Baker, Hemip. Colo., p. 68, 1895. Uhler, Trans. Md. Acad. Sci., i, p. 402, 1900. Wirtner, Ann. Carn. Mus., iii, p. 214, 1904. Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905. Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907. Smith, Cat. Ins. N. J., edn. 3, p. 94, 1910. Van Duzee, Can. Ent., xliv, p. 325, 1912. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 11, 1915.

?pungens Germar, Thon's Ent. Archiv., ii, p. 47, 1830, Flata.

Walker, List Homop., ii, p. 309, 1851, Dictyophora. Burmeister, Handb. d. Ent., ii, p. 160, 1835, Pseudophana. Westwood, Trans. Linn. Soc. Lond., xviii, p. 150, 1837, Flata. Uhler, Trans. Md. Acad. Sci., i, p. 408, 1900. Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 167, 1912.

Localities: Quebec, Ont., Me., R. I., Conn., N. Y., N. J., Pa., Md., Va., N. C., Fla., Ohio, Ill., Ia., Manitoba, Minn., Dak., Neb., Kans., Colo., Utah, N. Mex., Texas, Ariz., Ore., Wash.

2467. Scolops osborni Ball

Ball, Can. Ent., xxxiv, p. 147, 1902. Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 166, 1912. Localities: Ia., Kans.

2468. Scolops spurcus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 403, 1900. Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907. Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 168, 1912. Localities: N. J., Md., D. C., Mo., Kans.

2469. Scolops desiccatus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 407, 1900. Osborn, Ohio Nat., iv, p. 100, 1904. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 186, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 94, 1910. Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 165, 1912. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 11, 1915. Localities: N. J., D. C., N. C., Fla., Ohio, Ind., Texas.

2470. Scolops perdix Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 405, 1900.

Smith, Cat. Ins. N. J., edn. 3, p. 94, 1910.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 167, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 11, 1915.

Localities: Mass., N. Y., N. J., Md., D. C., N. C., Colo., Ariz.

2471. Scolops uhleri Ball

Ball, Can. Ent., xxxiv, p. 148, 1902.

Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 169, 1912.

Localities: Colo., Utah, Ariz.

2472. Scolops pallidus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 404, 1900.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 167, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 35, 1914.

Localities: Colo.(?), Utah(?), Calif.

2473. Scolops cockerelli (Fowl.)

Fowler, Biol. Centr. Am., Homop., i, p. 122, pl. 12, fig. 14, 1904, Ornithissus.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 236, 1906, Ornithissus.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iv, p. 62, 1907.

Localities: Ariz. (Mexico.)

2474. Scolops vanduzei Bail

Ball, Can. Ent., xxxiv, p. 150, 1902.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 169, 1912.

Locality: Neb.

2475. Scolops maculosus Ball

Ball, Can. Ent., xxxiv, p. 148, 1902.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 166, 1912.

Locality: Colo.

2476. Scolops viridis Ball

Ball, Can. Ent., xxxiv, p. 149, 1902.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 170, 1912. Locality: Colo.

2477. Scolops angustatus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 350, 1876.

Gillette and Baker, Hemip. Colo., p. 68, 1895.

Uhler, Trans. Md. Acad. Sci., i, p. 406, 1900.

Smith, Cat. Ins. N. J., edn. 3, p. 94, 1910.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 164, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 11, 1915.

Localities: Mass., Conn., N. Y., N. J., Md., D. C., N. C., Ga., Fla., Ohio, Ind., Ia., Dak., Neb., Minn., Colo.

2478. Scolops robustus Ball

Ball, Can. Ent., xxxiv, p. 150, 1902.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 168, 1912.

Locality: Colo.

2479. Scolops abnormis Ball

Ball, Can. Ent., xxxiv, p. 149, 1902.Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 164, 1912.Locality: Calif.

2480. Scolops hesperius Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 349, 1876.
Uhler, Trans. Md. Acad. Sci., i, p. 404, 1900.
Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 165, 1912.
Localities: Texas, Colo., Idaho, Calif.

2481. Scolops grossus Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 350, 1876.
Gillette and Baker, Hemip. Colo., p. 68, 1895.
Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 233, 1896.
Uhler, Trans. Md. Acad. Sci., i, p. 408, 1900.
Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.
Smith, Cat. Ins. N. J., edn. 3, p. 94, 1910.
Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 165, 1912.
Localities: N. J., Kans., Colo., Idaho, Texas, Calif.

Subgenus Belonocharis Uhl. Haplotype fumida Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 145, 1891 (as genus). Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 161, 1912 (as genus). Van Duzee, Check List Hemip., p. 78, 1916.

2482. Scolops fumidus Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 146, 1891.Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 161, 1912.Locality: Calif.

2483. Scolops piceus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 35, 1914. Locality: Calif.

Genus **Phylloscelis** Germ. Logotype atra Germ.

Germar, Zeit. f. Ent., i, p. 191, 1839.

Stål, Hemip. Afr., iv, p. 151, 1866.

Uhler, Stand. Nat. Hist., ii, p. 231, 1884.

Osborn, Ohio Nat., iv, p. 93, 1904.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, pp. 100, 178, 1906.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 469, 1907.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 172, 1912 (names atra type).

2484. Phylloscelis atra Germ.

Germar, Zeit. f. Ent., i, p. 192, 1839.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 352, 1876.
Uhler, Stand. Nat. Hist., ii, p. 231, 1884.
Osborn, Ohio Nat., iv, pp. 93, 100, 1904.
Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 179, 1906.

Tucker, Kans. Univ. Sci. Bul., iv., p. 64, 1907.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 472, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 187, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 173, 1912.

Slingerland and Crosby, Manual Fruit Ins., p. 472, figs. 392, 393, 1914.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 10, 1915.

a. var. albovenosa Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 179, fig. 39, 1906; vii, [p. 174, 1912.

Localities: Miss., N. Y., N. J., Pa., Md., D. C., Va., N. C., Ga., Fla., Ohio, Ill., Kans., Mo., Ark., Okla., Texas.

2485. Phylloscelis pallescens Germ.

Germar, Zeit f. Ent., i, p. 192, 1839.

Uhler, Stand. Nat. Hist., ii, p. 231, 1884.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 178, 1906.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 471, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 187, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Melichar, Abh. k. k. Zool. Bot. Ges. Wien, vii, p. 173, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 10, 1915.

Localities: Mass., N. Y., N. J., Pa., N. C., Fla., Ia., Ark., Texas.

TRIBE ORGERIINI (Oshan.)

Oshanin, Ann. Mus. Zool., Acad. Imp. Sci. St. Petersb., xii, p. 472, 1908, Orge-Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 179, 1912, Orgerini. [riaria. Oshanin, Revue Russe d'Ent., xiii, p. 3, 1913. (Key to palaearctic genera.) Oshanin, Faune de la Russie, Hémip., iii, pt. 1, p. 8, 1913.

Genus **Orgerius** Stål Haplotype *rhyparus* Stål

Stål, Freg. Eugen. Resa, Ins., p. 273, 1859.

Stål, Hemip. Afr., iv, p. 152, 1866.

Fieber, Cicad. d'Eur., i, p. 74, 1875.

Ashmead, Ent. Am., v, p. 6, 1889.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 469, 1908.

Oshanin, Ann. Mus. Zool. Acad. Imp. Sci. St. Petersb., xii, p. 473, 1908.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 197, 1912.

Horvath, Ann. Mus. Natl. Hung., xi, p. 452, 1913.

Nymphorgerius Oshanin, Revue Russe d'Ent., xiii, p. 3, 1913. Oshanin. Faune de la Russie, Hémip., iii, pp. 12, 48, 1913.

(Genus Ranissus Fieb. now considered distinct.)

2486. Orgerius rhyparus Stål

Stål, Freg. Eugen. Resa, Ins., p. 274, 1859.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 352, 1876.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 199, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 34, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 245, 1916. Locality: Calif.

2487. Organius minor Ball

Ball, Proc. Biol. Soc. Wash., xxii, p. 202, 1909.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 208, 1912.

†rhyparus Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 472, 1908.

Localities: Colo., Calif.

2488. Organius erectus Ball

Ball, Proc. Biol. Soc. Wash., xxii, p. 202, 1909.

.Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 209, 1912. Locality: Calif.

2489. Orgerius compressus Ball

Ball, Proc. Biol. Soc. Wash., xxii, p. 202, 1909.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 209, 1912. Locality: Utah.

Genus Orgamara Ball Orthotype acuta Ball

Ball, Proc. Biol. Soc. Wash., xxii, p. 198, 1909.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 193, 1912.

2490. Orgamara acuta Ball

Ball, Proc. Biol. Soc. Wash., xxii, p. 198, 1909.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 193, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 35, 1914.

Localities: Calif. (Mexico.)

2491. Orgamara reducta Ball

Ball, Proc. Biol. Soc. Wash., xxii, p. 198, 1909.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 193, 1912. Locality: Calif.

2492. Orgamara obesa Ball

Ball, Proc. Biol. Soc. Wash., xxii, p. 199, 1909.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 194, 1912. Locality: Utah.

2493. Orgamara bipunctata Ball

Ball, Proc. Biol. Soc. Wash., xxii, p. 199, 1909.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 194, 1912.

Locality: Utah.

2494. Orgamara obscura Ball

Ball, Proc. Biol. Soc. Wash., xxii, p. 200, 1909.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 194, 1912.

Locality: Idaho.

2495. Orgamara albida Ball

Ball, Proc. Biol. Soc. Wash., xxii, p. 200, 1909.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 194, 1912.

Locality: Calif.

Genus Timodema Ball Orthotype miracula Ball

Ball, Proc. Biol. Soc. Wash., xxii, p. 201, 1909.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 195, 1912.

2496. Timodema miracula Ball

Ball, Proc. Biol. Soc. Wash., xxii, p. 201, 1909.
Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 195, 1912.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 34, 1914.
Locality: Calif.

Genus Ticida Uhl. Haplotype cingulata Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 143, 1891.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 234, 1906.

Van Duzee, Can. Ent., xlvi, p. 387, 1914.

Loxophora Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, pp. 469, 472, 1908.
 Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 210, 1912.

2497. Ticida cingulata Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 144, 1891.

[1912.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 234, 1906; vii, p. 196, transversa Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 473, 1908.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 210, 1912.

Localities: Colo., Utah.

Subfamily ACHILINAE (Stål)

Stål, Hemip. Afr., iv, p. 130, 1866, Achilida.
Stål, Of. Vet. Akad. Forh., xxvii, p. 784, 1870, Achilina.
Ashmead, Ent. Am., v, p. 23, 1889, Achilini. (Tribe.)
Fowler, Biol. Centr. Am., Homop., i, p. 103, 1904, Achilina.
Distant, Fauna Brit. Ind., Rhyn., iii, pp. 176, 286, 1906.
Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 35, 1907.
Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 296, 1906, Achilidac.
Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, pp. 10, 95, 115, 1907, Achilini.
Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 468, 1908, Achilida. [(Tribe.)

Genus Elidiptera Spin. Logotype callosa Spin.

Duponchel, Revue Zool., ii, p. 202, 1839 (nomen nudum; names callosa Spin. Spinola, Ann. Soc. Ent. Fr., viii, p. 304, 1839. [type). Spinola, Tavola Sinot., p. 52, 1850.

Van Duzee, Can. Ent., xlii, p. 262, 1910 (list of species).

Horvath, Ann. Mus. Natl. Hung., ix, p. 31, 1911, Achilidae.

Van Duzee, Check List Hemip., p. 79, 1916 (type written collaris by error).

#Helicoptera Amyot and Serville, Hémip., p. 526, 1843.

Stål, Hemip. Afr., iv, pp. 182, 184, 1866.

Sahlberg, Cicad., p. 387, 1871.

Fieber, Cicad. d'Eur., i, p. 64, 1875; ii, p. 159, 1876.

Uhler, Stand. Nat. Hist., ii, p. 239, 1884.

Ashmead, Ent. Am., v, p. 23, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 219, 1889.

Fowler, Biol. Centr. Am., Homop., i, pp. 103, 106, 1904.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 475, 1908. (Key.)

Oshanin, Kat. Palae. Hemip., p. 120, 1912 (names cincticeps pseudo-

[type).

2498. Elidiptera colorata Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 476, 1908. Van Duzee, Can. Ent., xlii, p. 262, 1910.

Locality: N. Y.

2499. Elidiptera opaca (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 239, 1830; Compl. Writ., ii, p. 374, Flata. Uhler, Stand. Nat. Hist., ii, p. 239, 1884, Helicoptera.

Van Duzee, Psyche, v, p. 389, 1890, Helicoptera.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 192, 1894, Helicoptera.

Wirtner, Ann. Carn. Mus., iii, p. 213, 1904, Helicoptera.

Van Duzee, Proc. Acad. Nat. Sci., Phila., lix, p. 476, 1908, Helicoptera.

Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Van Duzee, Can. Ent., xlii, p. 262, 1910; xliv, p. 325, 1912.

vestita Provancher, Pet. Faune Ent. Can., iii, p. 221, 1889, Helicoptera.

pinorum Manee, Ent. News, xxi, p. 117, 1910, Helicoptera.

Localities: Ont., N. H., N. Y., N. J., Pa., Md., N. C., Ga., Ind.

2500. Elidiptera pallida (Say)

Say, Jl. Acad. Nat. Sci. Phila, vi, p. 240, 1830; Compl. Writ., ii, p. 374, Flata. Van Duzee, Psyche, v, p. 389, 1890, Helicoptera.

Wirtner, Ann. Carn. Mus., iii, p. 213, 1904, Helicoptera.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 477, 1908, Helicoptera.

Van Duzee, Can. Ent., xlii, p. 262, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Localities: N. H., N. Y., N. J., Pa., D. C., Fla.

2501. Elidiptera henshawi Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 83, 1910.

Localities: Calif., Wash.

2502. Elidiptera slossoni Van D.

Van Duzee, Proc. Acad. Nat. Sci., Phila., lix, p. 478, 1908, Helicoptera.
Locality: N. H.

25021/2. Elidiptera woodworthi Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 245, 1916. Locality: Calif.

2503. Elidiptera septentrionalis Prov.

Provancher, Pet. Faune Ent. Can., iii, p. 220, 1889, Helicoptera.

Slosson, Ent. News, vi, p. 5, 1895, Helicoptera.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 478, 1908, Helicoptera.

Van Duzee, Can. Ent., xlii, p. 262, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Van Duzee, Can. Ent., xliv, p. 325, 1912.

Localities: Quebec, N. H., N. J.

2504. Elidiptera floridae (Walk.)

Walker, List Homop., ii, p. 326, 1851, Monopsis.

Gillette and Baker, Hemip. Colo., p. 69, 1895, Helicoptera.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 83, 1910, Helicoptera (with doubt).

Van Duzee, Can. Ent., xlii, p. 262, 1910. Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

Localities: R. I., N. J., Fla., Colo. (?).

2505. Elidiptera variegata Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 479, 1908, Helicoptera.

Van Duzee, Can. Ent., xlii, p. 263, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Localities: Ont., N. H., N. J., N. C.

2506. Elidiptera fusiformis Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 82, 1910.

Locality: Calif.

Genus Catonia Uhl. Logotype nava Say

Uhler, Proc. Zool. Soc. Lond. for 1895, p. 61.

Van Duzee, Proc. Acad. Sci. Phila., lix, p. 480, 1908. (Key.)

Van Duzee, Can. Ent., xlii, pp. 261, 263, 1910. (Key and list.)

Van Duzee, Check List Hemip., p. 79, 1916 (gives nava as type).

2507. Catonia nava (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 238, 1830; Compl. Writ., ii, p. 373, Flata.

Walker, List Homop., ii, p. 469, 1851 (Poeciloptera noeva).

Van Duzee, Psyche, v, p. 389, 1890, Phypia.

Uhler, Proc. Zool. Soc. Lond. for 1895, p. 62.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 481, 1908.

Van Duzee, Can. Ent., xlii, p. 261, 1910.

Localities: Ont., N. Y., Md., Ohio, Ind., Ia.

2508. Catonia cinctifrons (Fitch)

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 451, 1856, Cixius.

Uhler, Proc. Zool. Soc. Lond. for 1895, p. 62.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 481, 1908.

Van Duzee, Can. Ent., xlii, p. 261, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 13, 1915.

Localities: N. Y., N. J., Pa., Md., N. C.

2509. Catonia bicinctura Van D.

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 119, 1915.

Locality: Fla.

2510. Catonia picta Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 481, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 187, 1909.

Van Duzee, Can. Ent., xlii, p. 261, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 13, 1915.

Localities: N. J., N. C., Ga., Fla.

2511. Catonia grisea Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 482, 1908.

Van Duzee, Can. Ent., xlii, p. 261, 1910.

Localities: Ont., N. Y.

251114. Catonia nemoralis Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 246, 1916. Locality: Calif.

2512. Catonia pumila Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 483, 1908.

Van Duzee, Can. Ent., xlii, p. 261, 1910.

Localities: N. Y., Ohio.

2513. Catonia maculifrons Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 491, 1912. Locality: Ariz.

2514. Catonia impunctata (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 46, 1851, Cixius.

Van Duzee, Psyche, v, p. 390, 1890, Myndus.

Osborn, Proc. Ia. Acad. Sci., v, p. 235, 1897, Myndus.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 482, 1908.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 85, 1910.

Van Duzee, Can. Ent., xlii, pp. 261, 263, 1910.

Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 13, 1915.

Localities: R. I., N. Y., N. J., Pa., N. C., Ia.

2515. Catonia dimidata Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 85, 1910.

Van Duzee, Can. Ent., xlii, p. 261, 1910.

†impunctata var. a, Fitch, Homop. N. Y. St. Cab., p. 46, 1851, Cixius.

†impunctata female, Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 482, Localities: R. I., N. Y.

2516. Catonia irrorata Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 35, 1914. Locality: Calif.

2517. Catonia fusca Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 481, 1908.

Van Duzee, Can. Ent., xlii, p. 261, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 36, 1914. Locality: Calif.

2518. Catonia nervata Van D.

Van Duzee, Can. Ent., xlii, pp. 262, 265, 1910.

Locality: Calif.

2519. Catonia rubella Van D.

Van Duzee, Can. Ent., xlii, pp. 262, 264, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 36, 1914. Locality: Calif.

2520. Catonia costata Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 86, 1910.

Van Duzee, Can. Ent., xlii, p. 262, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 36, 1914.

Locality: Calif.

2521. Catonia cara Van D.

Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 86, 1910. Van Duzee, Can. Ent., xlii, p. 262, 1910. Locality: Calif.

2521 1/2. Catonia succinea Van D.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 247, 1916. Locality: Calif.

2522. Catonia majuscula Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 492, 1912. Locality: Ariz.

2523. Catonia producta Van D.

Van Duzee, Pomona Jl. Ent. Zool., vii, p. 120, 1915. Locality: Calif.

Subfamily CIXIINAE (Spin.)

Spinola, Ann. Soc. Ent. Fr., viii, pp. 202, 311, 1839, Cixioides. Spinola, Tavola Sinot., p. 52, 1850, Cixioideae (part). Walker, List Homop., ii, p. 335, 1851, Cixioides (part). Stål, Hemip. Afr., iv, p. 129, 1866, Cixiida. Stål, Of. Vet. Akad. Forh., xxvii, p. 746, 1870, Cixiina. Sahlberg, Cicad., pp. 73, 377, 1871, Cixiides. Berg, Hemip. Argent., p. 219, 1879, Cixiina. Uhler, Stand. Nat. Hist., ii, p. 240, 1884, Cixiida. Ashmead, Ent. Am., v, p. 2, 1889. Melichar, Homop. Fauna Ceylon, p. 30, 1903, Cixiidae. Fowler, Biol. Centr. Am., Homop., i, p. 80, 1904, Cixiidae. Distant, Fauna Brit. Ind., Rhyn., iii, pp. 176, 255, 1906. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 296, 1906. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, pp. 10, 95, 106, 1907, Cixiini. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 33, 1907. Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, pp. 468, 484, 1908, Cixiida. (Key.) Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 187, 1909. Oshanin, Kat. Palae. Hemip., p. 114, 1912, Cixiidae.

Genus Bothriocera Burm. Haplotype tinealis Burm.

Burmeister, Handb. d. Ent., ii, p. 146, 156, 1835.
Stål, Hemip. Afr., iv, p. 164, 1866.
Fowler, Biol. Centr. Am., Homop., i, p. 82, 1904.
Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 484, 1908.
Adana Stål, Of. Vet. Akad. Forh., xiii, p. 162, 1856.
Stål, Hemip. Afr., iv, p. 164, note, 1866.

2524. Bothriocera tinealis Burm.

Burmeister, Handb. d. Ent., ii, p. 156, 1835.

Fowler, Biol. Centr. Am., Homop., i, p. 82, pl. 9, figs. 11, 12, 1904.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 484, 1908.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 11, 1915.

a. var. westwoodi Stål

Stål, Of. Vet. Akad. Forh., xiii, p. 163, 1856, Adana.

Stål, Stet. Ent. Zeit., xxv, p. 50, 1864.

Fowler, Biol. Centr. Am., Homop., i, p. 82, 1904.

†signoreti Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 33, 1907.

Localities: N. C., Fla. (West Indies.)

2525. Bothriocera signoreti Stål

Stål, Stet. Ent. Zeit., xxv, p. 50, 1864.

Uhler, Stand. Nat. Hist., ii, p. 240, 1884.

Uhler, Proc. Zool. Soc. Lond. for 1895, p. 60.

Fowler, Biol. Centr. Am., Homop., i, p. 82, pl. 9, fig. 13, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 33, 1907.

Localities: Md., Ga., Fla., Texas. (Mexico.)

(May not be distinct from preceding.)

2526. Bothriocera undata (Fabr.)

Fabricius, Syst. Rhyng., p. 101, 1803, Issus.

Germar, Thon's Archiv. Ent., ii, p. 51, 1830, Issus.

Walker, List Homop., ii, p. 372, 1851, Issus.

Stål, Hemip. Fabr., ii, p. 93, 1869.

Uhler, Proc. Zool. Soc. Lond. for 1895, p. 60.

Swezey, Ohio Dept. Agr., Div. Nurs. Orch. Insp., Bul. 3, p. 22, 1904.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 485, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 187, 1909.

Localities: Fla. (West Indies.)

2527. Bothriocera(?) bicornis (Fabr.)

Fabricius, Syst. Rhyng., p. 101, 1803, Issus.

Germar, Thon's Archiv. Ent., ii, p. 51, 1830, Issus.

Walker, List Homop., ii, p. 372, 1851, Issus.

Uhler, Proc. Zool. Soc. Lond. for 1895, p. 60.

Localities: N. J., Md., N. C., Fla., Texas. (Neotropical.)

(North American localities may refer to undata.)

Genus Oliarus Stål Logotype walkeri (Stål)

Stål, Berl. Ent. Zeit., vi, p. 306, 1862.

Stål, Hemip. Afr., iv, pp. 164, 166, 1866.

Sahlberg, Cicad., p. 384, 1871.

Fieber, Cicad. d'Eur., i, p. 69, 1875; ii, p. 187, 1876.

Mayr, Tabellen, p. 17, 1884.

Ashmead, Ent. Am., v, p. 25, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 222, 1889.

Edwards, Hemip. Homop. Brit. Isds., p. 23, 1896.

Melichar, Cicad. Mitt. Eur., pp. 19, 29, 1896, Oliarius.

Kirkaldy, Fauna Hawai., iii, p. 119, 1902.

Fowler, Biol. Centr. Am., Homop., i, p. 92, 1904.

[type).

Distant, Fauna Brit. Ind., Rhyn., iii, pp. 255, 256, 1906 (names walkeri Stål Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, pp. 396, 397, 1906; iii, pp. 106, 107, Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 485, 1908. (Key.) [1907.

Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 76, 1909.

Oshanin, Kat. Palae. Hemip., p. 116, 1912 (names pallens Germ. type).

Pentastira Kirschbaum, Cicad. v. Wiesbd., pp. 11, 44, 1868.

Pentastiridius Kirschbaum, Cicad. v. Wiesbd., pp. 11, 45, 1868.

2528. Oliarus quinquelineatus (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 241, 1830; Compl. Writ., ii, p. 375, Flata. Fitch, Homop. N. Y. St. Cab., p. 46, 1851, Cixius.

Walker, List Homop., ii, p. 470, 1851, *Poeciloptera*; Suppl., p. 135, 1858, *Cixius*. Van Duzee, Can. Ent., xxi, p. 7, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 223, 1889.

Van Duzee, Psyche, v, p. 389, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 190, 1894.

Osborn, Ohio Nat., iv, p. 100, 1904.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 486, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Van Duzee, Can. Ent., xliv, p. 325, 1912.

[1902, Flata.

§quadrilineata Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 230, Localities: Quebcc, Ont., N. Y., N. J., Ohio, Fla., Colo.

2529. Oliarus placitus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 493, 1912. Localities: Ga., Fla.

2530. Oliarus vicarius (Walk.)

Walker, List Homop., ii, p. 343, 1851, Cixius.

PUhler, Bul. U. S. Geol. Geog. Surv., iii, p. 458, 1877, Cixius.

PGillette and Baker, Hemip. Colo., p. 69, 1895, Cixius.

Distant, Ann. Mag. Nat. Hist., ser. 7, xix, p. 280, 1907.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 486, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 187, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

Localities: Md.(?), Ga., Fla., Texas(?), Colo.(?).

2531. Oliarus franciscanus (Stål)

Stål, Freg. Eugen. Resa., Ins., p. 273, 1859, Cixius.

Stål, Berl. Ent. Zeit., vi, p. 306, 1862.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 352, 1876, Cixius.

Gillette and Baker, Hemip. Colo., p. 69, 1895.

Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 22, 1908.

complectus Ball, Can. Ent., xxxiv, p. 152, 1902.

Wirtner, Ann. Carn. Mus., iii, p. 215, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 33, 1907.

Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 488, 1908.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 188, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 37, 1914.

Localities: Mass., N. Y., N. J., Pa., Md., D. C., Fla., Ohio, Kans., Colo., Ariz., Calif. (West Indies.)

2532. Oliarus aridus Ball

Ball, Can. Ent., xxxiv, p. 151, 1902.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 486, 1908.

breviceps Fowler, Biol. Centr. Am., Homop., i, p. 94, pl. 10, fig. 19, 1905. Localities: Kans., Colo., Calif. (Mexico.)

2533. Oliarus californicus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 36, 1914. Locality: Calif.

2534. Oliarus sementinus Ball

Ball, Can. Ent., xxxiv, p. 152, 1902.

Locality: Colo.

2535. See 2531

2536. Oliarus fidus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 37, 1914. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 247, 1916.

Locality: Calif.

2537. Oliarus slossoni Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 494, 1912 (n.n. for hyalinus Van D.). Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

||hyalinus Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 487, 1908.

Locality: Fla.

(May pertain to genus Iolania Kirk.)

2538. Oliarus difficilis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 494, 1912. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

Locality: Fla.

2539. Oliarus pima Kirk.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iv, p. 62, 1907. Locality: Ariz.

2540. Oliarus humilis (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 241, 1830; Compl. Writ., ii, p. 376, Walker, List Homop., ii, p. 470, 1851, Poeciloptera. [Flata.

Van Duzee, Psyche, v, p. 389, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 190, 1894.

Osborn, Ohio Nat., iv, p. 100, 1904.

Wirtner, Ann. Carn. Mus., iii, p. 215, 1904.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 488, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Localities: Ont., N. Y., N. J., Pa., Ohio.

2541. Oliarus cinnamomeus Prov.

Provancher, Pet. Faune Ent. Can., iii, p. 223, 1889.

Van Duzee, Proc. Acad. Nat. Sci., Phila., lix, p. 488, 1908.

Van Duzee, Can. Ent., xliv, p. 325, 1912.

Localities: N. H., Mass., N. Y., Vanc. Isd.

Genus Monorachis Uhl. Haplotype sordulentus Uhl.

Uhler, Proc. Ent. Soc. Wash., iv, p. 509, 1901.

2542. Monorachis sordulentus Uhl.

Uhler, Proc. Ent. Soc. Wash., iv, p. 510, 1901.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 484, 1908.

aspersa Fowler, Biol. Centr. Am., Homop., i, p. 87, 1904, Metabrixia? Localities: Fla. (Mexico.)

Genus Platycixius Van D. Orthotype calvus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 37, 1914.

2543. Platycixius calvus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 38, 1914. Locality: Calif.

Genus Cixius Latr.

Logotype nervosus (Linn.)

Latreille, Hist. Nat. Crust. Ins., xii, p. 310, 1804.

Latreille, Genera Crust. Ins., iii, p. 166, 1807.

Leach in Brewster's Edinbg. Encyc., ix, p. 125, 1815.

Latreille in Cuvier, Règne Animal, edn. 2, v, p. 216, 1829.

Curtis, Brit. Ent., xiv, pl. 673, 1837 (names nervosus type).

Duponchel, Revue Zool., ii, p. 203, 1839 (names servillei Spin. pseudotype).

Spinola, Ann. Soc. Ent. Fr., viii, p. 323, 1839.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 115, 1840 (names cunicularius

Blanchard, Hist. des. Ins., Hémip., p. 173, 1840.

[pseudotype).

Zetterstedt, Ins. Lapp., column 303, 1840.

Amyot and Serville, Hémip., p. 507, 1843.

Spinola, Tavola Sinot., p. 52, 1850.

Walker, List. Homop., ii, p. 339, 1851.

Flor, Rhyn. Livl., ii, p. 15, 1861.

Stål, Hemip. Afr., iv, pp. 164, 169, 1866.

Kirschbaum, Cicad. v. Wiesbd., pp. 11, 46, 1868.

Sahlberg, Cicad., pp. 73, 377, 1871.

Fieber, Cicad. d'Eur., i, p. 68, 1875; ii, p. 166, 1876.

Mayr, Tabellen, p. 16, 1884.

Ashmead, Ent. Am., v, p. 25, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 221, 1889.

Edwards, Trans. Ent. Soc. Lond. for 1888, p. 51.

Melichar, Cicad. Mitt. Eur., pp. 18, 21, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 24, 1896.

Fowler, Biol. Centr. Am., Homop., i, pp. 80, 96, 1904.

Distant, Fauna Brit. Ind., Rhyn., iii, p. 259, 1906.

Van Duzee, Can. Ent., xxxviii, p. 408, 1906. (Key.)

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, pp. 484, 488, 1908. (Key.)

†Flata Germar, Silb. Revue Ent., i, p. 175, 1833.

‡Cixia Burmeister, Handb. d. Ent., ii, p. 156, 1835.

2544. Cixius dorsivittatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 188, 1909 (n.n. for dorsalis Van D.). Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

||dorsalis Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 491, 1908. Locality: Fla.

2545. Cixius misellus Van D.

Van Duzee, Check List Hemip., p. 79, 1916 (n.n. for stigmatus Van D. 1906). †stigmatus Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 352, 1876.

Uhler, Stand. Nat. Hist., ii, p. 240, 1884.

Van Duzee, Can. Ent., xxi, p. 7, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 222, 1889.

Van Duzee, Psyche, v, p. 389, 1890.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 190, 1894.

Gillette and Baker, Hemip. Colo., p. 68, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 215, 1904.

Van Duzee, Can. Ent., xxxviii, p. 408, 1906 (species defined).

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 490, 1908.

Van Duzee, Can. Ent., xl, p. 114, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 95, 1910.

Van Duzee, Can. Ent., xliv, p. 325, 1912.

Localities: Quebec, Ont., N. H., Mass., R. I., N. Y., N. J., Pa., N. C., Ga., Mich., Ill., Colo., Texas.

2546. Cixius basalis Van D.

Van Duzee, Proc. Acad. Nat. Sci., Phila., lix, p. 489, 1908.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 248, 1916.

Localities: Quebec, Ont., N. H., Mass., R. I., N. Y., Ga., Colo., Texas, Calif., Brit. Col.

2547. Cixius coloepium Fitch

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 452, 1856.

Van Duzee, Psyche, v, p. 388, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 190, 1894.

Slosson, Ent. News, viii, p. 240, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 214, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.

Van Duzee, Can. Ent., xxxviii, p. 408, 1906.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 490, 1908.

Localities: Ont., N. H., N. Y., Pa., Ohio, Colo.

2548. Cixius pini Fitch

Fitch, Homop. N. Y. St. Cab., p. 45, 1851.

Van Duzee, Can. Ent., xxi, p. 7, 1889.

Van Duzee, Psyche, v, p. 388, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 190, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 214, 1904.

Van Duzee, Can. Ent., xxxviii, p. 408, 1906.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 490, 1908.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 11, 1915.

Localities: Quebec, Ont., Mass., N. Y., Pa., N. C.

2549. Cixius stigmatus (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 336, 1825; Compl. Writ., ii, p. 255, Fitch, Homop. N. Y. St. Cab., p. 45, 1851. [Flata. Walker, List Homop., ii, p. 469, 1851, Poeciloptera; iv, p. 1135, 1852.

Osborn, Ohio Nat., iv, p. 100, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 11, 1915.
lepidus Van Duzee, Trans. Am. Ent. Soc., xxxvi, p. 87, 1910.
Localities: Mo., Kans., Colo.

2550. Cixius cultus Ball

Ball, Can. Ent., xxxiv, p. 151, 1902.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 37, 1914.
Localities: Kans., Colo., Calif.

Cixius albicinctus Germ.

Smith, Cat. Ins. N. J., edn. 2, p. 88, 1900. Wirtner, Ann. Carn. Mus., iii, p. 215, 1904. Localities: N. J., Pa. (Europe.) (Probably an erroneous determination.)

> Genus Microledrida Fowl. Haplotype asperata Fowl.

Fowler, Biol. Centr. Am., Homop., i, p. 99, 1904.

2551. Microledrida fuscata Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 38, 1914. Locality: Calif.

> Genus Oeclidius Van D. Haplotype nanus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 40, 1914.

2552. Oeclidius nanus Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 40, 1914. Locality: Calif.

Genus Oecleus Stål Logotype seminiger Stål

Stål, Berl. Ent. Zeit., vi, p. 306, 1862.
Stål, Hemip. Afr., iv, p. 165, 1866.
Fowler, Biol. Centr. Am., Homop., i, pp. 80, 84, 1904.
Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 484, 1908.

2553. Oecleus decens Stål

Stål, Berl. Ent. Zeit., vi, p. 307, 1862.
Townsend, Psyche, vi, p. 353, 1892.
Townsend, Can. Ent., xxiv, p. 197, 1892; xxvi, p. 316, 1894.
Fowler, Biol. Centr. Am., Homop., i, p. 90, pl. 10, figs. 6, 7, 1904.
Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 40, 1914.
Localities: N. Mex., Calif. (Mexico.)

2554. Oecleus borealis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 495, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

†decens Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 188, 1909.

†Smith, Cat. Ins. N. J., edn. 3, p. 96, 1910.

Localities: N. Y., N. J., D. C., Fla.

2555. Oecleus obtusus Ball

Ball, Can. Ent., xxxiv, p. 155, 1902.

Localities: Kans., Colo., Utah, Ariz.

2556. Oecleus lineatus Ball

Ball, Can. Ent., xxxiv, p. 154, 1902.

Locality: Ariz.

2557. Oecleus excavatus Ball

Ball, Can. Ent., xxxiv, p. 155, 1902. Locality: Colo.

00101

2558. Oecleus campestris Ball

Ball, Can. Ent., xxxiv, p. 156, 1902.

Locality: Colo.

2559. Oecleus pellucens Fowl.

Fowler, Biol. Centr. Am., Homop., i, p. 90, pl. 10, figs. 8, 9, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 497, 1912.

Localities: Ariz. (Mexico.)

2560. Oecleus capitulatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 495, 1912 (misprinted capitualatus). Locality: Ariz.

2561. Oecleus snowi Ball

Ball, Proc. Biol. Soc. Wash., xviii, p. 117, 1905.

Snow, Kans. Univ. Sci. Bul., ii, p. 349, 1904.

Locality: Ariz.

2562. Oecleus fulvidorsum Ball

Ball, Can. Ent., xxxiv, p. 157, 1902.

Localities: Colo., Ariz.

2563. Oecleus quadrilineatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 496, 1912. Locality: Ariz.

2564. Oecleus nervosus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 496, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 40, 1914.

Locality: Calif.

Genus Myndus Stål

Logotype musivus (Germ.)

Stål, Berl. Ent. Zeit., vi, p. 307, 1862.

Stål, Hemip. Afr., iv, p. 165, 1866.

Fieber, Cicad. d'Eur., i, p. 61, 1875; ii, p. 157, 1876.

Mayr, Tabellen, p. 16, 1884.

Ashmead, Ent. Am., v, p. 4, 1889.

Melichar, Cicad. Mitt. Eur., pp. 18, 20, 1896.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 484, 1908.

Entithena Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 499, 1866.

2565. Myndus pictifrons Stål

Stål, Berl. Ent. Zeit., vi, p. 307, 1862.

Osborn, Ohio Nat., iv, p. 100, 1904.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, 491, 1908.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 11, 1915.

Localities: N. Y., N. J., D. C., N. C., Ohio.

2566. Myndus sordidipennis Stål

Stål, Berl. Ent. Zeit., vi, p. 308, 1862.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 491, 1908.

Smith, Cat. Ins. N. J., edn. 3, p. 96, 1910.

†impunctatus Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 190, 1894.

Gillette and Baker, Hemip. Colo., p. 69, 1895.

Wirtner, Ann. Carn. Mus., iii, p. 215, 1904.

Localities: Ont., N. Y., N. J., Pa., Ga., Colo.

2567. Myndus delicatus Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 492, 1908. Locality: Fla.

2568. Myndus impiger Ball

Ball, Can. Ent., xxxiv, p. 153, 1902.

Myndus sp., Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.

Locality: Colo.

2569. Myndus slossoni Ball

Ball, Can. Ent., xxxiv, p. 154, 1902.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 188, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

Localities: Ga., Fla.

2570. Myndus enotatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 188, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

Localities: Ga., Fla.

2571. Myndus lunatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 189, 1909.

Locality: Fla.

2572. Myndus viridis Ball

Ball, Can. Ent., xxxiv, p. 153, 1902.

Osborn, Ohio Nat., iv. p. 100, 1904.

Smith, Cat. Ins. N. J., edn. 3, p. 96, 1910.

Localities: N. J., Ohio, Ia., Colo.

2573. Myndus pusillus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 190, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

Locality: Fla.

2574. Myndus fulvus Osb.

Osborn, Ohio Nat., iv. p. 46, 1903; p. 100, 1904. Localities: Mass., Conn., Ohio.

2575. Myndus radicis Osb.

Osborn, Ohio Nat., iv, p. 42, 1903; p. 100, 1904. Locality: Ohio.

2576. Myndus occidentalis Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 39, 1914. Locality: Calif.

Subfamily TROPIDUCHINAE (Stål)

Stål, Hemip. Afr., iv, pp. 130, 186, 1866, Tropiduchida.
Stål, Of. Vet. Akad. Forh., xxvii, p. 748, 1870, Tropiduchina.
Berg, Hemip. Argent., p. 227, 1879, Tropiduchina.
Ashmead, Ent. Am., v, p. 23, 1889, Tropiduchini (Tribe).
Fowler, Biol. Centr. Am., Homop., i, p. 103, 1904, Tropiduchina.
Distant, Fauna Brit. Ind., Rhyn., iii, pp. 177, 272, 1906.
Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 35, 1907.
Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, pp. 9, 92, 1907.
Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, pp. 468, 474, 1908, Tropiduchida.
Horvath, Ann. Mus. Natl. Hung., ix, p. 31, 1911.
Melichar, Verh. Naturf. Vereins Brünn, liii, p. 1, 1914.

Eutropistidae Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 296, 1906.

Genus **Neurotmeta** Guer. Haplotype sponsa Guer.

Guerin in La Sagra, Hist. de Cuba, Ins., p. 180, 1856.
Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, vii, p. 174, 1912.
†Tangia Stål, Berl. Ent. Zeit., iii, p. 317, 1859.

Stål, Hemip. Afr., iv, p. 186, 1866. [Walk. type). Melichar, Verh. Naturf. Vereins. Brunn, liii, p. 100, 1914 (names viridis

2577. Neurotmeta sponsa Guer.

Guerin in La Sagra, Hist. de Cuba, Ins., p. 180, 1856, Pseudophana (suggests [a n.gen., Neurotmeta for this species). Uhler, Stand. Nat. Hist., ii, p. 231, 1884, Tangia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 35, 1907, Tangia.

Melichar, Verh. Naturf. Vereins Brünn, liii, p. 101, 1914, Tangia.

Localities: Fla. (West Indies.)

Genus Monopsis Spin. Haplotype tabida Spin.

Spinola, Ann. Soc. Ent. Fr., viii, p. 302, 1839.

Amyot and Serville, Hémip., p. 507, 1843.

Stål, Hemip. Afr., iv, p. 188, 1866.

Ashmead, Ent. Am., v, p. 21, 1889.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 98, 1907.

Melichar, Verh. Naturf. Vereins Brünn, liii, p. 81, 1914.

2578. Monopsis tabida Spin.

Spinola, Ann. Soc. Ent. Fr., viii, p. 304, pl. 10, fig. 4, 1839. Amyot and Serville, Hémip., p. 507, 1843. Walker, List Homop., ii, p. 325, 1851.

Uhler, Stand. Nat. Hist., ii, p. 232, 1884. Southwick, Science, xix, p. 357, 1892. Melichar, Verh. Naturf. Vereins Brünn, liii, p. 82, 1894. Locality: Fla. (perhaps oriental).

> Genus Pelitropis Van D. Haplotype rotulata Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 474, 1908. Melichar, Verh. Naturf. Vereins Brünn, liii, p. 81, 1914.

2579. Pelitropis rotulata Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 474, 1908. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 187, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914. Melichar, Verh. Naturf. Vereins Brünn, liii, p. 81, 1914. Locality: Fla.

Subfamily ISSINAE (Spin.)

Spinola, Ann. Soc. Ent. Fr., viii, p. 204, 1839, Issites. Amyot and Serville, Hémip., pp. lvii, 516, 1843, Issides (Groupe). Walker, List Homop., ii, p. 361, 1851, Issoides and Issites (part). Stål, Of. Vet. Akad. Forh., xviii, p. 207, 1861, Issida. Stål, Hemip. Afr., iv, pp. 131, 202, 1866, Issida. Stål, Of. Vet. Akad. Forh., xxvii, p. 754, 1870, Issina. Sahlberg, Cicad., p. 73, 1871, Issides. Fieber, Kat. Eur. Cicad., p. 4, 1872, Issidae. Fieber, Cicad. d'Eur., i, p. 75, 1875, Issida. Berg, Hemip. Argent., p. 228, 1879, Issina. Uhler, Stand. Nat. Hist., ii, p. 233, 1884, Issida. Ashmead, Ent. Am., v, p. 5, 1889. Melichar, Cicad. Mitt. Eur., p. 18, 1896, Issini. Fowler, Biol. Centr. Am., Homop., i, p. 113, 1904, Issidae. Swezey, Ohio Dept. Agr., Div. Nurs. Orch. Insp., Bul. 3, p. 11, 1904. Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 1, 1906, Issiden. Distant, Fauna Brit. Ind., Rhyn., iii, pp. 177, 332, 1906. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 296, 1906. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 36, 1907. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, pp. 9, 94, 102, 1907. Oshanin, Verz. Palae. Hemip., ii, p. 253, 1907, Issina. Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 468, 1908, Issida. Horvath, Ann. Mus. Natl. Hung., ix, p. 32, 1911, Issidae. [tribes.) Matsumura, Trans. Sapporo Nat. Hist. Soc., vi, p. 85, 1916, Issiden. (Key to

TRIBE CALISCELINI (A. & S.)

Amyot and Serville, Hémip., pp. lvii, 509, 1843, Caloscélides. Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, pp. 3, 4, 1906, Caliscelidae. Matsumura, Trans. Sapporo Nat. Hist. Soc., vi, p. 88, 1916.

Genus Fitchiella n.n. Haplotype robertsoni (Fitch)

|| Naso Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 396, 1856. Uhler, Stand. Nat. Hist., ii, p. 234, 1884. Ashmead, Ent. Am., v, p. 6, 1889. Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 17, 1906.

2580. Fitchiella robertsoni (Fitch)

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 396, 1856, Naso.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 352, 1876, Naso.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 18, 1906, Naso.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 191, 1909, Naso.

Localities: N. Y., Md., Fla., Ind., Ill., Kans., Ark., Okla., Texas. (Central Am.)

2581. Fitchiella fitchi (Melich.)

Melichar, Abh. k. k. Zool. Bot. Ges. Wien, iii, pt. 4, p. 19, fig. 4, 1906, Naso. Localities: Kans., Colo.

2582. Fitchiella melichari (Ball)

Ball, Proc. Biol. Soc. Wash., xxiii, p. 42, 1910, Naso. Locality: Ariz.

Genus Bruchomorpha Newm. Haplotype oculata Newm.

Newman, Ent. Mag., v, p. 399, 1838.

Stål, Of. Vet. Akad. Forh., xviii, p. 207, 1861.

Stål, Hemip. Afr., iv, p. 203, 1866.

Ashmead, Ent. Am., v, p. 6, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 252, 1889.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 20, 1906.

Embolonia Provancher, Pet. Faune Ent. Can., iii, p. 253, 1889. Lallemand, Genera Ins., fasc. 143, p. 67, 1913.

2583. Bruchomorpha oculata Newm.

Newman, Ent. Mag., v, p. 399, 1838.

Walker, List Homop., ii, p. 395, 1851.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 352, 1876.

Van Duzee, Can. Ent., xxi, p. 7, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 253, 1889.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 193, 1894.

Gillette and Baker, Hemip. Colo., p. 70, 1895.

Osborn, Ohio Nat., i, p. 11, 1900.

Wirtner, Ann. Carn. Mus., iii, p. 213, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 552, 1905.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 22, 1906.

Smith, Cat. Ins. N. J., edn. 3, p. 96, 1910.

Van Duzee, Can. Ent., xliv, p. 327, 1912.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 14, 1915.

§ocellata Uhler, Hayden's Surv. Terr., Rept. for 1870, p. 472, 1872.

americanus Provancher, Natl. Can., iv, p. 350, 1872, Cephalelus.

tricarinata Provancher, Pet. Faune Ent. Can., iii, p. 254, 1889, Embolonia. Lallemend, Genera Ins., fasc. 143, p. 67, 1913.

Localities: Quebec, One., N. Y., N. J., Pa., Md., Va., N. C., Ill., Wis., Ia., Neb., Okla., Colo., Texas.

2584. Bruchomorpha pallidipes Stål

Stål, Berl. Ent. Zeit., vi, p. 309, 1862.

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 459, 1877.

Gillette and Baker, Hemip. Colo., p. 70, 1895.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 25, 1906.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 190, 1909.

Localities: Va., S. C., Fla., Kans., Colo.

2585. Bruchomorpha dorsata Fitch

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 396, 1856.
Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 352, 1876.
Uhler, Stand. Nat. Hist., ii, p. 234, 1884.
Van Duzee, Psyche, v, p. 388, 1890.
Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 125, 1892.
Osborn, Ohio Nat., iv, p. 100, 1904.
Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 23, 1906.

Smith, Cat. Ins. N. J., edn. 3, p. 96, 1910. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., xii, p. 26, 1913.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 14, 1915.

flavo-vittata Stål, Berl. Ent. Zeit., vi, p. 309, 1862.

Localities: N. Y., N. J., N. C., Ohio, Wis., Ia., Kans., Mo., Ark., Okla., Colo., Texas. (Mexico.)

2586. Bruchomorpha suturalis Melich.

Melichar, Abh. k. k. Zool. Bot. Ges. Wien, p. 24, 1906. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 190, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 14, 1915. Localities: N. C., Fla., Colo., Texas.

2587. Bruchomorpha mormo Kirk.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iv, p. 64, 1907; iii, p. 105, 1907. Kirkaldy, Can. Ent., xxxix, p. 249, 1907. Locality: Ariz.

2588. Bruchomorpha tristis Stål

Stål, Berl. Ent. Zeit., vi, p. 309, 1862.
Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 23, 1906.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 191, 1909.
Smith, Cat. Ins. N. J., edn. 3, p. 96, 1910.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 14, 1915.
Localities: Ont., N. Y., N. J., D. C., N. C., Fla., Wis., Texas, Calif. (Central Am.)

2589. Bruchomorpha nasuta Stål

Stål, Berl. Ent. Zeit., vi, p. 310, 1862.
 Melichar, Abh. k. k. Zool. Bot. Ges. Wien, iii, pt. 4, p. 22, 1906.
 Localities: Pa., Wis.

2590. Bruchomorpha jocosa Stål

Stål, Berl. Ent. Zeit., vi, p. 310, 1862.
Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 25, 1906.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 191, 1909.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.
Localities: S. C., Fla., Kans., Texas.

Genus Aphelonema Uhl. Haplotype simplex Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 356, 1876.

Ashmead, Ent. Am., v, p. 5, 1889.

Oshanin, Kat. Palae. Hemip., p. 121, 1912.

|| Peltonotus Mulsant and Rey, Ann. Soc. Linn. Lyons, ii, p. 206, 1855.

Stål, Of. Vet. Akad. Forh., xviii, p. 207, 1861.

Stål, Hemip. Afr., iv, p. 203, 1866.

Fieber, Cicad. d'Eur., i, p. 73, 1875; ii, p. 224, 1876.

Mayr, Tabellen, p. 17, 1884.

Mayr, Taoenen, p. 17, 1884.

Melichar, Cicad. Mitt. Eur., pp. 19, 36, 1896. [tonotus M. & R.).

Peltonotellus Puton, Cat. Hemip. Palae., edn. 3, p. 70, 1886 (n.n. for Pel-Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, pp. 5, 28, 1906.

2591. Aphelonema histrionica (Stål)

Stål, Berl. Ent. Zeit., vi, p. 310, 1862, Peltonotus.

Van Duzee, Can. Ent., xxi, p. 8, 1889, Peltonotus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 193, 1894, Peltonotus.

Osborn, Proc. Ia. Acad. Sci., v, p. 235, 1897, Peltonotus.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905, Peltonotellus.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 33, 1906, Peltonotellus. Localities: Ont., Mass., N. Y., Wis., Ia., Nevada.

2592. Aphelonema rugosa (Ball)

Ball, Can. Ent., xxxiv, p. 263, 1902, Peltonotellus.

[tellus).

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 34, fig. 8, 1906, Peltono-Localities: Md., Ia., Kans., Colo., Dak., Brit. Am.

2593. Aphelonema bivittata (Ball)

Ball, Can. Ent., xxxiv, p. 263, 1902, Peltonotellus.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 35, 1906, Peltonotellus. Localities: Ia., Neb., Kans., Colo.

2594. Aphelonema simplex Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 356, 1876.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 34, 1906.

Smith, Cat. Ins. N. J., edn. 3, p. 96, 1910.

Localities: N. J., Md., Ia., Dak., Kans.

2595. Aphelonema decorata (Van D.)

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 492, 1908, Peltonotellus.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 191, 1909; x, p. 500, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 527, 1914.

Locality: Fla.

2596. Aphelonema obscura Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 499, 1912.

Locality: Ga.

TRIBE ISSINI (Spin.)

Spinola, Ann. Soc. Ent. Fr., viii, p. 205, 1839, Issoides.

Amyot and Serville, Hémip., pp. lvii, 516, 1843, Issides.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, pp. 3, 100, 1906, Issidae.

Genus Hysteropterum A. & S. Logotype immaculatus (H. S.)

Amyot and Serville, Hémip., p. 519, 1843.

Fieber, Cicad. d'Eur., i, p. 78, 1875.

Ashmead, Ent. Am., v, p. 5, 1889.

Melichar, Cicad. Mitt. Eur., pp. 19, 44, 1896.

Fowler, Biol. Centr. Am., Homop., i, pp. 113, 119, 1904.

[type).

Distant, Fauna Brit. Ind., Rhyn., iii, pp. 333, 341, 1906 (names immaoulatum Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, pp. 101, 116, 1906.

2597. Hysteropterum cornutum Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 147, 1906.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 493, 1908.

Localities: Colo., Utah, Calif.

2598. Hysteropterum unum Ball

Ball, Proc. Biol. Soc. Wash., xxiii, p. 43, 1910.
Locality: Colo.

2599. Hysteropterum punctiferum Walk.

Walker, List. Homop., ii, p. 376, 1851.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 148, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 191, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914.

aciculatus Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 353, 1876, Issus.

Localities: Fla., Colo., Texas.

2600. Hysteropterum auroreum (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 352, 1876, Issus.

Dyar, Proc. Ent. Soc. Wash., v, p. 43, 1902, Issus (parasitized).

Melichar, Abh. k. k. Zool. Bot. Ges. Wien, iii, pt. 4, p. 148, 1906.

Locality: Texas.

Genus **Tylana** Stål Logotype *oristata* (Fabr.)

Stål, Of. Vet. Akad. Forh., xviii, p. 208, 1861 (nomen nudum here).

Stål, Rio Jan. Hemip., ii, p. 67, 1862 (valid here).

Stål, Hemip. Afr., iv, p. 213, 1866.

Stål, Of. Vet. Akad. Forh., xxvii, p. 762, note, 1870.

Uhler, Stand. Nat. Hist., ii, p. 234, 1884.

Ashmead, Ent. Am., v, p. 5, 1889.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 198, 1906.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, pp. 102, 105, 1907.

Distant, Ann. Mag. Nat. Hist., ser. 8, iv, p. 76, 1909 (names cristata type).

2601. Tylana ustulata Uhl.

Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 354, 1876.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 202, 1906.

Localities: Colo., Ariz.

Genus Misodema Melich.

Haplotype reticulata (Melich.)

Melichar, Wien. Ent. Zeit., xxvi, p. 324, 1907 (n.n. for Rileya Melich.).
||Rileya Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 161, 1906.
.Van Duzee, Check List Hemip., p. 81, 1916.

2602. Misodema reticulata (Melich.)

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 161, 1906, Rileya. Van Duzee, Check List Hemip., p. 81, 1916, Rüeya.

Localities: Texas. (Mexico.)

Genus Dictyssa Melich. Logotype areolata Melich.

Melichar, Abh. k. k. Zool. Bot. Ges. Wien, iii, pt. 4, p. 163, 1906.

2603. Dictyssa fusca Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 163, 1906. Locality: Calif.

2604. Dictyssa marginepunctata Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 164, 1906. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 41, 1914. Locality: Calif.

2605. Dictyssa clathrata Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 164, 1906. Locality: Calif.

2606. Dictyssa areolata Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 164, 1906. Locality: Calif.

2607. Dictyssa ovata Ball

Ball, Proc. Biol. Soc. Wash., xxiii, p. 44, 1910.

Localities: Calif. (Mexico.)

2608. Dictyssa fenestrata Ball

Ball, Proc. Biol. Soc. Wash., xxiii, p. 44, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 41, 1914. Locality: Calif.

2609. Dictyssa transversa Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 41, 1914. Locality: Calif.

2610. Dictyssa mutata Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 165, 1906. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 41, 1914. Locality: Calif.

2611. Dictyssa obliqua Ball

Ball, Proc. Biol. Soc. Wash., xxiii, p. 45, 1910.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 41, 1914.

Localities: Calif. (Mexico.)

2612. Dictyssa semivitrea (Prov.)

Provancher, Pet. Faune Ent. Can., iii, p. 218, 1889, Hysteropterum. Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 165, 1906.

Van Duzee, Can. Ent., xliv, p. 325, 1912, Hysteropterum. Locality: Calif.

Genus Naethus Stal

Haplotype vitripennis (Stål)

Stål, Of. Vet. Akad. Forh., xvii, p. 208, 1861 (nomen nudum here). Stål, Rio Jan. Hemip., ii, p. 67, 1862 (valid here).

Ashmead, Ent. Am., v, p. 5, 1889.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 166, 1906.

2614. Naethus grossus Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 167, 1906. Locality: Calif.

2615, Naethus maculatus Melich.

Melichar, Abh. k. k. Zool.-Bot. Gee. Wien, iii, pt. 4, p. 167, 1906. Locality: Calif.

2616. Naethus fenestratus Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 167, 1906. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 41, 1914. Locality: Calif.

2617. Naethus nigronervosus Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 168, 1906. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 41, 1914. Localities: Ariz., Calif.

2618. Naethus vitripennis (Stäl)

Stål, Of. Vet. Akad. Forh., zi, p. 247, 1854, Hysteropterum. Stål, Freg. Eugen. Resa, Ins., p. 279, 1859, Hysteropterum. Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 356, 1876. Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 168, fig. 30, 1906. Localities: Ariz., Calif.

> Genus Dictyobia Uhl. Haplotype permutata Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 39, 1889. Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 169, 1906.

2619. Dictyobia permutata Uhl.

2620. Dictyobia atra Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 42, 1914. Locality: Calif.

2621. Dictyobia combinata Ball

Ball, Proc. Biol. Soc. Wash., xxiii, p. 43, 1910.
Locality: Calif.

Genus Dictyonia Uhl. Haplotype obscura Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 40, 1889.

2622. Dictyonia obscura Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 41, 1889. Locality: Calif.

> Genus **Dyctidea** Uhl. Logotype angustata Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 37, 1889.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 170, 1906.

2623. Dyctidea angustata Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 37, 1889.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 170, fig. 37, 1906. Locality: Calif.

2624. Dyctidea intermedia Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 38, 1889.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 171, 1906. Locality: Calif.

Genus Danepteryx Uhl. Haplotype manca Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 42, 1889.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 174, 1906.

2625. Danepteryx manca Uhl.

Uhler, Trans. Md. Acad. Sci., i, p. 42, 1889.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 174, fig. 35, 1906.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 42, 1914.

Locality: Calif.

2626. Danepteryx lurida Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 175, 1906. Locality: Calif.

2627. Danepteryx barbarae Kirk.

Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 23, 1908. Locality: Calif.

2628. Danepteryx artemesiae Kirk.

Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 23, 1908. Locality: Calif.

-----Fabricius, Syst. Bhyng., p. 99, 1803. Germar, Mag. d. Ent., iii, p. 201, 1818. Duponchel, Revue Zool., ii, p. 24, 1839 (names pectinipennie Guer. pseudotype Spinola, Ann. Soc. Ent. Fr., viii, p. 343, 1839. Amyot and Serville, Hémip., p. 518, 1843. Walker, List Homop., ii, p. 361, 1851. Stål, Of. Vet. Akad. Forh., zvii, p. 208, 1861. Stål, Rio Jan. Hemip., ii, p. 67, 1862. Stål, Hemip. Afr., iv, p. 361, 1866. Kirschbaum, Cicad. v. Wiesbd., p. 12, 1868. Sahlberg, Cicad., p. 394, 1871. Fieber, Cicad. d'Eur., i, p. 77, 1875; ii, p. 244, 1876. Mayr, Tabellen, p. 18, 1884. Uhler, Stand. Nat. Hist., ii, p. 234, 1884. Ashmead, Ent. Am., v, p. 5, 1889. Melichar, Cicad. Mitt. Eur., p. 40, 1896. Edwards, Hemip. Homop. Brit. Isds., p. 22, pl. 1, fig. 14, 1896. Melichar, Abh. k. k. Zool. Bot. Ges. Wien, iii, pt. 4, p. 184, 1906. Matsumura, Trans. Sapporo Nat. Hist. Soc., vi, p. 105, 1916. 2630. Issus servillei Spin.

Spinola, Ann. Soc. Ent. Fr., viii, p. 351, 1839. Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 192, 1906. Locality: N. Am.''

Genus Thionia Stål Logotype longipennis (Spin.)

Stål, Berl. Ent. Zeit., iii, p. 321, 1859.
Stål, Of. Vet. Akad. Forh., xviii, p. 209, 1861.
Stål, Hemip. Afr., iv, p. 207, 1866.
Stål, Of. Vet. Akad. Forh., xvii, p. 760, note, 1870.
Ashmead, Ent. Am., v, p. 5; 1889.
Fowler, Biol. Centr. Am., Homop., i, pp. 114, 122, 1904.
Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 268, 1906.

2631. Thionis simplex (Germ.)

Germar, Thon's Ent. Archiv., ii, p. 51, 1830, Issue.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 273, 1906.

2632. Thionia elliptica (Germ.)

Germar, Thon's Ent. Archiv., ii, p. 51, 1830, Issus.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 277, 1906.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 14, 1915.

patulifrons Walker, Ins. Saund., Homop., p. 45, 1858, Issus. Localities: N. J., D. C., N. C., Ga., Ky., Mo.

2633. Thionia transversalis Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 281, 1906. Locality: "N. Am."

2634. Thionia bullata (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 240, 1830; Compl. Writ., ii, p. 375, Flata. Walker, List Homop., ii, p. 470, 1851, Poeciloptera.

Van Duzee, Psyche, v, p. 389, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 193, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 214, 1904.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 282, 1906.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 494, 1908.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 14, 1915.

conspersus Walker, List Homop., ii, p. 365, 1851, Issus.

Uhler, Stand. Nat. Hist., ii, p. 234, 1894, Tylana.

Localities: Ont., N. Y., N. J., Pa., D. C., N. C., Ga., Fla., Ohio.

2635. Thionia ocellata Melich.

Melichar, Abh. k. k. Zook-Bot. Ges. Wien, iii, pt. 4, p. 283, 1906. Locality: "N. Am."

2636. Thionia producta Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 494, 1908. Locality: Colo.

Genus Picumna Stål Logotype varians Stål

Stål, Stet. Ent. Zeit., xxv, p. 52, 1864.

Stål, Hemip. Afr., iv, p. 207, 1866.

Stål, Of. Vet. Akad. Forh., xxvii, p. 760, 1870.

Fowler, Biol. Centr. Am., Homop., i, pp. 114, 127, 1904.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 289, 1906.

2637. Picumna ovatipennis (Walk.)

Walker, List Homop., Suppl., p. 88, 1858, Issus.

Fowler, Biol. Centr. Am., Homop., i, p. 128, pl. 12, fig. 29, 1904.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 290, 1906.

Genus Issomorphus Melich. Logotype maculatus Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 292, 1906.

2638. Issomorphus maculatus Melich.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, ii, pt. 4, p. 293, 1906. Locality: N. Mex.

Subfamily ACANALONIINAE (A. & S.)

Amyot and Serville, Hémip., pp. lviii, 520, 1843, Acanonides.

Stål, Rio Jan. Hemip., ii, p. 68, 1862, Acanalonidae.

Stål, Hemip. Afr., iv, p. 131, 1866, Acanoniida.

Stål, Hemip. Fabr., ii, p. 106, 1869, Acanoniida.

Berg, Hemip. Argent., p. 228, 1879, Acanoniina.

Ashmead, Ent. Am., v, p. 2, 1889, Acanoniinae.

Fowler, Biol. Centr. Am., Homop., i, p. 45, 1900.

Melichar, Ann. k. k. Natl. Hofm. Wien, xvi, pp. 179, 181, 1901, Acanaloniidae.

Swezey, Ohio Dept. Agr., Div. Nurs. Orch. Insp., Bul. 3, p. 9, 1904.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, pp. 468, 495, 1908, Acanalonida.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 192, 1909. [pp. 9, 94, 1907.

Amphiscepinae Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 296, 1906, iii,

Genus Acanalonia Spin. Haplotype servillei Spin.

Spinola, Ann. Soc. Ent. Fr., viii, p. 447, 1839.

Stål, Rio Jan. Hemip., ii, p. 68, 1862.

Fowler, Biol. Centr. Am., Homop., i, p. 46, 1900.

Melichar, Ann. k. k. Natl. Hofm. Wien, xvi, p. 183, 1901.

Distant, Ann. Mag. Nat. Hist., ser. 8, v, p. 297, 1910.

Acanonia Amyot and Serville, Hémip., p. 520, 1843.

Stål, Of. Ver. Akad. Forh., xix, p. 491, 1862.

Stål, Hemip. Fabr., ii, p. 106, 1869.

Berg, Hemip. Argent., p. 228, 1879.

Ashmead, Ent. Am., v, p. 2, 1889.

†Amphiscepa Uhler, Stand. Nat. Hist., ii, p. 235, 1884.

Melichar, Ann. k. k. Natl. Hofm. Wien, xvi, p. 182, 1901.

Melichar, Abh. k. k. Zool.-Bot. Ges. Wien, iii, pt. 4, p. 215, 1906.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 94, 1907; iv, p. 65, 1907. [The true *Amphiscepa* Germ. is an Issid genus and has for type nodipennis Germ., and of which *Issocepa* Melich. is a synonym. There has never been a genus *Amphiscepa* Say as stated by Melichar.]

2639. Acanalonia bivittata (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 335, 1825; Compl. Writ., ii, p. 255, Flata. Walker, List Homop., ii, p. 469, 1851, Poeciloptera.

Stål, Berl. Ent. Zeit., vi, p. 311, 1862, Acanonia.

Uhler, Stand. Nat. Hist., ii, p. 235, 1884, Amphiscepa.

Van Duzee, Psyche, v, p. 389, 1890, Amphiscepa.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892, Amphiscepa.

Townsend, Can. Ent., xxvi, p. 312, 1894, Acanonia.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvi, p. 183, 1901, Amphiscepa.

Swezey, Ohio Nat., iii, p. 354, 1903 (life history).

Wirtner, Ann. Carn. Mus., iii, p. 213, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907, Amphiscepa.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iv, p. 65, 1907, Amphiscepa.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 192, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 96, 1910.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., xii, p. 19, 1913, Amphiscepa.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 15, 1915, Amphiscepa. malina Germar, Thon's Ent. Archiv., ii, p. 52, 1830, Amphiscepa. nana Walker, List Homop., ii, p. 466, 1851, Poeciloptera. Stål, Of. Vet. Akad. Forh., xix, pp. 489, 491, 1862, Acanonia.

a. var. rubescens (Melich.)

Melichar, Ann. k. k. Natl. Hofms. Wien, xvi, p. 183, 1901, Amphiscepa.

Localities: Ont., N. Y., N. J., Pa., D. C., Va., N. C., Ga., Fla., Ohio,
Wisc., Minn., Ia., Kans., Mo., Ark., Texas, Ariz. (Mexico.)

2640. Acanalonia pumila (Van D.)

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 495, 1908, Amphiscepa. Van Duzee, Can. Ent., xli, p. 127, 1909, Amphiscepa. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 192, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914.

Localities: Fla. (Bermudas.)

2641. Acanalonia immaculata (Kirk.)

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iv, p. 65, 1907; xii, p. 19, 1913, Localities: Ariz. (Mexico.) [Amphiscepa.

2642. Acanalonia latifrons (Walk.)

Walker, List Homop., ii, p. 457, 1851, Poeciloptera.
Stål, Of. Vet. Akad. Forh., xix, p. 491, 1862, Acanonia.
Melichar, Ann. k. k. Natl. Hofms. Wien, xvi, p. 186, 1901.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 192, 1909.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 14, 1915.
Localities: N. C., Ga., Fla., La.

2643. Acanalonia servillei Spin.

Spinola, Ann. Soc. Ent. Fr., viii, p. 448, pl. 16, fig. 2, 1839.

Amyot and Serville, Hémip., p. 520, 1843, Acanonia.

Guerin in La Sagra, Hist. de Cuba, Ins., p. 179, 1857, Acanonia.

Uhler, Proc. Zool. Soc. Lond. for 1895, p. 73, Acanonia.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvi, p. 186, 1901.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 38, 1907.

lata Walker, List Homop., ii, p. 462, 1851, Pocciloptera.

Stål, Of. Vet. Akad. Forh., xix, p. 491, 1862, Acanonia.

robusta Walker, List Homop., ii, p. 449, 1851, Pocciloptera.

Stål, Of. Vet. Akad. Forh., xix, p. 491, 1862, Acanonia.

quadrata Walker, List Homop., ii, p. 460, 1851, Pocciloptera.

Stål, Of. Vet. Akad. Forh., xix, p. 491, 1862, Acanonia.

Localities: Pa., Fla.

2644. Acanalonia concinnula Fowl.

Fowler, Biol. Centr. Am., Homop., i, p. 49, pl. 7, fig. 9, 1900.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvi, p. 187, 1901.

Localities: Texas. (Mexico.)

2645. Acanalonia mollicula Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 42, 1914. Locality: Calif.

2646. Acanalonia clypeata Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 496, 1908. Localities: Utah, Nevada.

2647. Acanalonia conica (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 238, 1830; Compl. Writ., ii, p. 373, Flata. Murtfeldt, U. S. Dept. Agr., Div. Ent., Bul. 13, p. 61, 1887, Flata (larvae). Van Duzee, Psyche, v, p. 389, 1890, Flata.

Ashmead in Smith, Cat. Ins. N. J., edn. 1, p. 438, 1890, Flata.

Forbes and Hart, Ill. Agr. Exp. Sta., Bul. 60, p. 431, 1900, Chlorochara.

Howard, Insect Book, p. 236, 1901, Chlorochara.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvi, p. 189, 1901.

Osborn, Ohio Nat., iv, p. 100, 1904, Chlorochara.

Swezey, Ohio Dept. Agr., Div. Nurs. Orch. Inspect., Bul. 3, p. 7, 1904, Chloro-Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 14, 1915. [chara.

?panimae Fowler, Biol. Centr. Am., Homop., i, p. 47, pl. 7, fig. 2, 1900.

Localities: Va., N. C., Miss., La., Ohio, Ky., Ind., Ill., Mo., Ark., Texas.

Subfamily FLATINAE (Spin.)

Spinola, Ann. Soc. Ent. Fr., viii, pp. 204, 387, 1839, Flatoides.

Amyot and Serville, Hémip., pp. lviii, 521, 1843, Flatides.

Walker, List Homop., ii, p. 403, 1851, Flatoides.

Stål, Rio Jan. Hemip., ii, p. 68, 1862, Flatidae.

Stål, Hemip. Afr., iv, pp. 131, 235, 1866, Flatida.

Stål, Of. Vet. Akad. Forh., xxvii, p. 771, 1870, Flatina.

Berg, Hemip. Argent., p. 229, 1879, Flatina.

Uhler, Stand. Nat. Hist., ii, p. 236, 1884, Flatida.

Ashmead, Ent. Am., v, p. 2, 1889.

Fowler, Biol. Centr. Am., Homop., i, pp. 45, 50, 1900.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvi, p. 194, 1901, Flatidae.

Distant, Fauna Brit. Ind., Rhyn., iii, p. 397, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 37, 1907.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 467, 1908, Flatida.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 193, 1909.

Horvath, Ann. Mus. Natl. Hung., ix, p. 33, 1911, Flatidae.

Poekülopterinae Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 296, 1906; [iii, pp. 9, 93, 1907.

TRIBE FLATINI (Melich.)

Melichar, Ann. k. k. Natl. Hofms. Wien, xvi, pp. 179, 194, 1901, Flatinae.

[(Gruppe.)

Poekillopterini Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, pp. 9, 93, 1907.

Genus Carthaea Stål Haplotype caudata Stål

Stål, Rio Jan. Hemip., ii, pp. 68, 69, 1862.

Stål, Hemip. Afr., iv, p. 236, 1866.

[Fabr. pseudotype).

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 30, 1902 (names emortua

2648. Carthaea ricanoides (Spin.)

Spinola, Ann. Soc. Ent. Fr., viii, p. 442, 1839, Poeciloptera. Fowler, Biol. Centr. Am., Homop., i, p. 69, 1900, Bladina.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 33, 1902. Localities: Calif.(?). (Mexico.)

Genus Ormenis Stål

Logotype rufo-terminata Stål = perfecta (Walk.)

Stål, Rio Jan. Hemip., ii, pp. 68, 69, 1862.
Stål, Hemip. Afr., iv, pp. 236, 243, 1866.
Uhler, Stand. Nat. Hist., ii, p. 236, 1884.
Ashmead, Ent. Am., v, p. 3, 1889.
Fowler, Biol. Centr. Am., Homop., i, pp. 50, 55, 1900.
Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 64, 1902.
Distant, Ann. Mag. Nat. Hist., ser. 8, v, p. 313, 1910 (names perfecta Walk. Jacobi, Deut. Ent. Zeit. for 1915, p. 173. [type).

2649. Ormenis pruinosa (Say)

Say, Jl. Acad. Nat. Sci. Phila., vi, p. 237, 1830; Compl. Writ., ii, p. 373, Flata. Fitch, Homop. N. Y. St. Cab., p. 47, 1851, Poeciloptera. Walker, List Homop., ii, p. 469, 1851, Poeciloptera. Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 436, 1856, Poeciloptera. Riley, 5th Rept. Nox. Ins. Mo., p. 122, 1873, Poeciloptera (egg laying). Saunders, Ins. Inj. to Fruits, p. 357, 1883, Poeciloptera. Cooke, Inj. Ins. Orch. and Vineyard, p. 225, 1883, Pocolloptera. Uhler, Stand. Nat. Hist., ii, p. 237, 1884. [(larvae). Murtfeldt, U. S. Dept. Agr., Div. Ent., Bul. 13, p. 61, 1887, Poeciloptera Packard, 5th Rept. U. S. Ent. Comm., pp. 281, 425, 1890, Poeodoptera. Van Duzee, Psyche, v, p. 389, 1890. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 193, 1894. Murtfeldt, U. S. Dept. Agr., Div. Ent., Bul. 32, p. 38, 1894. Townsend, Can. Ent., xxvi, p. 316, 1894. Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 71, pl. 5, fig. 7, 1902. Wirtner, Ann. Carn. Mus., iii, p. 213, 1904. Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 193, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 96, 1910. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 15, 1915. ?farinosa Walker, Ins. Saund., Homop., p. 55, 1858, Poeciloptera. Localities: Ont., Mass., N. Y., N. J., Pa., Md., N. C., Fla., Miss., Ohio, Mich., Minn., Ia., Neb., Kans., Mo., Ark., Texas, Ariz., Calif. (West Indies, Mexico.)

2650. Ormenis conformis Melich.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 73, 1902. Locality: N. Mex.

2651. Ormenis infuscata Stål

Stål, Stet. Ent. Zeit., xxv, p. 55, 1864.

Fowler, Biol. Centr. Am., Homop., i, p. 56, 1900.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 77, 1902.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 43, 1914.

Localities: Ariz., Calif. (Mexico, Centr. Am.)

2652. Ormenis saucia Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 498, 1912. Localities: Utah, Nevada.

2653. Ormenis venusta Melich.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 84, 1902. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 15, 1915. Localities: N. C., Ga., Texas.

2654. Ormenis pauperata Melich.

Melichar, Ann. k. k. Natl. Hofms., Wien, xvii, p. 85, 1902. Locality: Texas.

2655. ?Ormenis conformata Melich.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 87, 1902. Locality: "America."

2656. Ormenis septentrionalis (Spin.)

Spinola, Ann. Soc. Ent. Fr., viii, p. 436, 1839, Poeciloptera.

Uhler, Stand. Nat. Hist., ii, p. 237, 1884.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 88, 1902.

Swezey, Ohio Nat., iii, p. 355, 1903 (life history).

Wirtner, Ann. Carn. Mus., iii, p. 213, 1904, Poeciloptera.

Smith, Cat. Ins. N. J., edn. 3, p. 96, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 15, 1915.

Localities: N. Y., N. J., Pa., Md., D. C., N. C., Ga., Ohio, Kans.

2657. Ormenis barberi Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 498, 1912.

Locality: Ariz.

2658. Ormenis chloris Melich.

Melichar, Ann. k. k. Natl. Hofms. Wien, xv, ii, p. 89, pl. 4, fig. 18, 1902. Locality: N. Am.

2659. Ormenis relicta (Fabr.)

Fabricius, Syst. Rhyng., p. 52, 1803, Flata.

Stål, Hemip. Fabr., ii, p. 111, 1869.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 92, 1902.

Locality: "N. Am." (Fabr. and Stål, or S. Am., Melich).

2660. Ormenis contaminata Uhl.

Uhler, Proc. Zool. Soc. Lond. for 1895, p. 71.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 93, pl. 5, fig. 9, 1902. Localities: Texas, Ariz., Calif. (West Indies, Mexico.)

2661. Ormenia proxima (Walk.)

Walker, List Homop., ii, p. 459, 1851, Poeciloptera.

Stål, Of. Vet. Akad. Forh., xix, p. 490, 1862.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 100, 1902. Locality: Fla.

2662. Ormenis rufifascia (Walk.)

Walker, List Homop., ii, p. 458, 1851, Poeciloptera.

Stål, Of. Vet. Akad. Forh., xix, p. 490, 1862.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 101, 1902. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 193, 1909. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914. Locality: Fla.

Genus Mistharnophantia Kirk. Haplotype sonorana Kirk.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iv, p. 65, 1907.

2663. Mistharnophantia sonorana Kirk.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iv, p. 66, 1907. Locality: Ariz.

Genus Cyarda Walk. Haplotype difformis Walk.

Walker, List Homop., Suppl., p. 121, 1858.

Stål, Hemip. Afr., iv, p. 237, 1866.

Stål, Berl. Ent. Zeit., x, p. 394, 1867 (names acuminipennis Spin. pseudotype). Uhler, Stand. Nat. Hist., ii, p. 238, 1884.

Ashmead, Ent. Am., v, p. 3, 1889.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 133, 1902. [Stål of 1866). Gelastophantia Kirkaldy, Entomol., xxxvii, p. 280, 1904 (n.n. for Cyarda

2664. Cyarda melichari Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 40, 1907 (n.n. for †punctata Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 496, 1908.

[Melich.].

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 193, 1908.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 15, 1915.

†punctata Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 135, pl. 7, fig. 17, Localities: N. C., Fla. (West Indies.) [1902 (not of Walker).

Genus **Rhynchopteryx** Van D. Orthotype caudata Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 43, 1914.

2665. Rhynchopteryx caudata Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 43, 1914. Locality: Calif.

TRIBE FLATOIDINI (Melich.)

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, pp. 179, 199, 1901, Flatoidinae.
Distant, Fauna Brit. Ind., Rhyn., iii, p. 449, 1906, Flatoidesaria. (Division.)
Phalaenomorphini Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, pp. 9, 93, [1907.

Genus **Flatoides** Guer. Haplotype tortrix Guer.

Guerin, Icon. Règne Animal, Ins., p. 362, 1843 (antedates Am. & Serv.). Stål, Of. Vet. Akad. Forh., xix, p. 489, 1862. Stål, Hemip. Afr., iv, pp. 237, 248, 1866. Fowler, Biol. Centr. Am., Homop., i, p. 60, 1900. Distant, Fauna Brit. Ind., Rhyn., iii, p. 459, 1906.

Phalaenomorpha Amyot and Serville, Hémip., p. 525, 1843. †Elidiptera Walker, List Homop., ii, p. 328, 1851. †Cyarda Stål, Of. Vet. Akad. Forh., xix, p. 490, 1862.

2666. Flatoides punctatus (Walk.)

Walker, List Hemip., ii, p. 332, 1851, Elidiptera.
Uhler, Stand. Nat. Hist., ii, p. 238, 1884, Dascalia.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 193, 1909.
Distant, Ann. Mag. Nat. Hist., ser. 8, v, p. 319, 1910.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914.
Locality: Fla.

2667. Flatoides acutus (Uhl.)

Uhler, Proc. Ent. Soc. Wash., iv, p. 514, 1901, Dascalia.
†grisea Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 41, 1907, Dascalia.

2668. Flatoides signatus Melich.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 219, 1902. Locality: N. Am.

2669. Flatoides scabrosus Melich.

Melichar, Ann. k. k. Natl. Hofms. Wien, xvii, p. 220, pl. 6, fig. 4, 1902. Localities: "Ga." (Brazil.)

2670. Flatoides fuscus Van D.

Van Duzee, Proc. Acad. Nat. Sci. Phila., lix, p. 497, 1908. Locality: Ariz.

Subfamily DERBINAE (Spin.)

Spinola, Ann. Soc. Ent. Fr., viii, pp. 205, 377, 1839, Derboides.

Amyot and Serville, Hémip., pp. lvii, 512, 1843, Derbides.

Walker, List Homop., ii, p. 396, 1851, Derboides.

Stål, Hemip. Afr., iv, pp. 130, 192, 1866, Derbida.

Stål, Of. Vet. Akad. Forh., xxvii, p. 750, 1870, Derbina.

Uhler, Stand. Nat. Hist., ii, p. 232, 1884, Derbida.

Ashmead, Ent. Am., v, p. 23, 1889, Derbini. (Tribe.)

Fowler, Biol. Centr. Am., Homop., i, p. 70, 1900, Derbidae.

Distant, Fauna Brit. Ind., Rhyn., iii, pp. 177, 295, 1906.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 36, 1907.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 296, 1906; iii, pp. 10, 95, 163, Horvath, Ann. Mus. Natl. Hung., ix, p. 31, 1911, Derbidae. [1907, (Derbidae). Muir, Haw. S. P. A., Exp. Sta. Bul., xii, p. 28, 1913. (Keys.)

Genus Cyclokara Muir Orthotype girdlestoni Muir

Muir, Haw. S. P. A., Exp. Sta. Bul., xii, pp. 32, 33, 1912.

2671. Cyclokara vanduzei (Ball)

Ball, Can. Ent., xxxiv, p. 260, 1902, Patara.
 Cyclokara vanduzei Muir in litt.
 Localities: N. Y., Pa., Ohio.

Genus Lamenia Stål Haplotype caliginea Stål

Stål, Freg. Eugen. Resa, Ins., p. 277, 1859.

Stål, Hemip. Afr., iv, p. 193, 1866.

Ashmead, Ent. Am., v, p. 4, 1889.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 403, 1906; iii, pp. 164, 169, 1907. Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 500, 1912 (synopsis).

Herpis Stål, Rio Jan. Hemip., ii, p. 8, 1862.

Muir, Can. Ent., xlv, p. 112, 1913.

Cedusa Fowler, Biol. Centr. Am., Homop., i, p. 112, 1904.

Muir, Haw. S. P. A., Exp. Sta. Bul., xii, p. 35, 1913.

2672. Lamenia vulgaris (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 47, 1851, Poeciloptera.

Uhler, Stand. Nat. Hist., ii, p. 233, 1884.

Van Duzee, Can. Ent., xxi, p. 7, 1889.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 193, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 214, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.

Van Duzee, Can. Ent., xli, p. 381, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 501, 1912.

Muir, Haw. S. P. A., Exp. Sta. Bul., xii, p. 35, 1913.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 13, 1915.

¶fitchi Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 403, 1906.

Localities: Quebec, Ont., N. Y., N. J., Pa., D. C., Va., N. C., Ga.,

Ohio, Ill., Ia., Kans., Texas.

2673. Lamenia obscura Ball

Ball, Can. Ent., xxxiv, p. 262, 1902.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 195, 1909; x, p. 502, 1912.

†vulgaris Van Duzee, Can. Ent., xxiii, p. 169, 1891.

Localities: Ont., Me., Mass., N. Y., N. J., N. C., Fla., Kans., Colo.

2674. Lamenia californica Van D.

Van Duzee, Can. Ent., xxiii, p. 169, 1891.

Gillette and Baker, Hemip. Colo., p. 70, 1895.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 502, 1912.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 44, 1914.

Localities: Colo., Ariz., Calif.

2675. Lamenia praecox Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 502, 1912. Locality: Ariz.

2676. Lamenia edentula Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 503, 1912. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 14, 1915.

Localities: N. J., N. C., Ga.

2677. Lamenia maculata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 503, 1912. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 14, 1915. Localities: Ont., N. C.

> Genus Cenchrea Westw. Orthotype dorsalis Westw.

Westwood, Trans. Linn. Soc. Lond., xix, p. 15, 1842. Ashmead, Ent. Am., v, p. 25, 1889. Kirkaldy, Proc. Haw. Ent. Soc., ii, p. 80, 1909.

2678. Cenchrea uhleri Ball

Ball, Can. Ent., xxxiv, p. 261, 1902. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 36, 1907. Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910. Localities: N. J., Md., D. C., Kans.

2679. Cenchrea heidemanni Ball

Ball, Can. Ent., xxxiv, p. 261, 1902. Localities: D. C., Kans.

2680. Cenchrea fulva Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 195, 1909. Locality: Fla.

Genus **Amalopota** Van D. Haplotype *uhleri* Van D.

Van Duzee, Can. Ent., xxi, p. 176, 1889; xli, p. 384, 1909. Muir, Haw. S. P. A., Exp. Sta. Bul., xii, p. 43, 1913.

2681. Amalopota uhleri Van D.

Van Duzee, Can. Ent., xxi, p. 178, 1889.
 Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 192, 1894.
 Localities: Ont., N. Y., Ill.

2682. Amalopota fitchi Van D.

Van Duzee, Can. Ent., xxv, p. 280, 1893.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 192, 1894.
Wirtner, Ann. Carn. Mus., iii, p. 214, 1904.
Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.
Van Duzee, Can. Ent., xli, p. 381, 1909.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 13, 1915.
Localities: N. Y., Pa., N. C., Kans.

Genus Anotia Kby. Haplotype bonnetii Kby.

Kirby, Trans. Linn. Soc. Lond., xiii, p. 20, 1819.

Germar, Silb. Revue Ent., i, p. 176, 1833.

Burmeister, Handb. d. Ent., ii, p. 153, 1835.

Duponchel, Revue Zool., ii, p. 205, 1839 (names coccinea Guer. pseudotype).

Spinola, Ann. Soc. Ent. Fr., viii, p. 384, 1839.

Westwood, Trans. Linn. Soc. Lond., xix, p. 12, 1842.

Blanchard, Hist. des Ins., Hémip., p. 175, 1840.

Fowler, Biol. Centr. Am., Homop., i, p. 77, 1904. Muir, Haw. S. P. A., Exp. Sta. Bul., xii, p. 43, 1913.

2683. Anotia bonnetii Kby.

Kirby, Trans. Linn. Soc. Lond., xiii, p. 21, pl. 1, fig. 15, 1819.
Burmeister, Handb. d. Ent., ii, p. 153, 1835.
Spinola, Ann. Soc. Ent. Fr., viii, p. 385, 1839.
Blanchard, Hist. des Ins., Hémip., p. 176, 1840.
Fitch, Homop. N. Y. St. Cab., p. 47, 1851.
Van Duzee, Can. Ent., xli, p. 381, 1909.
Localities: Ont., N. Y., Ga., Kans.

2684. Anotia westwoodi Fitch

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 394, 1856. Uhler, Stand. Nat. Hist., ii, p. 232, 1884. Van Duzee, Psyche, v, p. 388, 1890.

Localities: N. Y., Ohio, Kans.

2685. Anotia burnetii Fitch

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 395, 1856. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 13, 1915. Localities: N. Y., N. C., Ill.

2686. Anotia robertsoni Fitch

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 395, 1856. Locality: Ark.

2687. Anotia sayi Ball

Ball, Can. Ent., xxxiv, p. 259, 1902. Locality: N. Y.

2688. Anotia kirkaldyi Ball

Ball, Can. Ent., xxxiv, p. 259, 1902 (spelled Kirkaldayi).
Wirtner, Ann. Carn. Mus., iii, p. 214, 1904.
Tucker, Kans. Univ. Sci. Bul., iv, p. 64, 1907.
Localities: Pa., Ia., Kans.

Genus Otiocerus Kby. Logotype stollii Kby.

Kirby, Trans. Linn. Soc. Lond., xiii, p. 13, 1819.

Latreille in Cuvier, Règne Animal, edn. 2, v, p. 216, 1829.

Germar, Silb. Revue Ent., i, p. 176, 1833.

Burmeister, Hand. d. Ent., ii, p. 152, 1835.

Duponchel, Revue Zool., ii, p. 205, 1839 (names stollii type).

Spinola, Ann. Soc. Ent. Fr., viii, p. 380, 1839.

Blanchard, Hist. des Ins., Hémip., p. 176, 1840.

Westwood, Trans. Linn. Soc. Lond., xix, p. 12, 1842.

Amyot and Serville, Hémip., p. 513, 1843.

Stål, Hemip. Afr., iv, p. 192, 1866.

Ashmead, Ent. Am., v, p. 24, 1889, Otiocera.

Van Duzee, Can. Ent., xxi, p. 158, 1889.

Fowler, Biol. Centr. Am., Homop., i, p. 74, 1900.

Kirkaldy, Entomol., xxxiv, p. 219, 1901 (cites stollii as type).

Kirkaldy, Entomol., xl, p. 255, 1907 (names coqueberti pseudotype).

Muir, Haw. S. P. A., Exp. Sta. Bul., xii, p. 43, 1913.

Van Duzee, Can. Ent., xlvi, p. 387, 1914.

[stolli Kby.)

Cobax Germar, Mag. d. Ent., iv, p. 1, 1821 (haplotype winthemi Germ. = ||Hynnis Burmeister, Handb. d. Ent., ii, p. 153, 1835 (haplotype rosea Burm. Blanchard, Hist. des Ins., Hémip., p. 175, 1840. [=degeeri Kby.).

†Amphiscepa Provancher, Pet. Faune Ent. Can., iii, p. 217, 1889.

Apache, Kirkaldy, Entomol., xxxiv, p. 6, 1901 (n.n. for Hynnis Burm.).

2689. Otiocerus degeerii Kby.

Kirby, Trans. Linn. Soc. Lond., xiii, p. 16, 1819.

Fitch, Homop. N. Y. St. Cab., p. 46, 1851.

Uhler, Stand. Nat. Hist., ii, p. 232, 1884.

Van Duzee, Can. Ent., xxi, pp. 7, 159, 1889.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 192, 1894.

Wirtner, Ann. Carn. Mus., iii, p. 214, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 195, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910.

Van Duzee, Can. Ent., xliv, p. 325, 1912.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914.

rosea Burmeister, Handb. d. Ent., ii, p. 154, 1835, Hynnis.

Blanchard, Hist. des Ins., Hémip., p. 175, 1840, Hynnis.

†coquebertii Provancher, Pet. Faune Ent. Can., iii, p. 217, 1889, Amphiscepa.
Localities: Ont., N. Y., N. J., Pa., Md., N. C., Ga., Fla., Ia., Kans.,
Mo., Wash.

2690. Otiocerus stollii Kby.

Kirby, Trans. Linn. Soc. Lond., xiii, p. 16, 1819.

Burmeister, Handb. d. Ent., ii, p. 153, 1835.

Signoret, Ann. Soc. Ent. Fr., viii, p. 383, 1839.

Blanchard, Hist. des Ins., Hemip., p. 176, 1840.

Walker, List Homop., ii, p. 401, 1851.

Van Duzee, Can. Ent., xxi, p. 159, 1889.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 192, 1894.

winthemi Germar, Mag. d. Ent., iv, pp. 5, 446, 1821, Cobax.

Localities: N. Y., Pa., Ga., Ohio, Ia.

2691. Otiocerus abbotii Kby.

Kirby, Trans. Linn. Soc. Lond., xiii, p. 17, 1819.

Fitch, Homop. N. Y. St. Cab., p. 46, 1851.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914.

Localities: N. Y., Ga., Fla.

2692. Otlocerus francilloni Kby.

Kirby, Trans. Linn. Soc. Lond., xiii, p. 17, 1819.

Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910.

Localities: N. J., Ga.

2693. Otiocerus coquebertii Kby.

Kirby, Trans. Linn. Soc. Lond., xiii, p. 18, pl. 1, fig. 14, 1819. Westwood, Trans. Linn. Soc. Lond., xix, p. 12, pl. 2, fig. 5, 1842. Fitch, Homop. N. Y. St. Cab., p. 46, 1851. Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 393, 1856. Uhler, Stand. Nat. Hist., ii, p. 232, 1884. Van Duzee, Can. Ent., xxi, pp. 7, 159, 1889. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 192, 1894. Lugger, 6th Rept. Minn. St. Ent., p. 117, 1900. Wirtner, Ann. Carn. Mus., iii, p. 214, 1904. Van Duzee, Can. Ent., xxxviii, p. 408, 1906. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 13, 1915.

Localities: Ont., N. H., N. Y., Pa., N. C., Ga., Ill., Minn., Texas.

2694. Otiocerus reaumurii Kby.

Kirby, Trans. Linn. Soc. Lond., xiii, p. 18, 1819. Locality: Ga.

2695. Otlocerus signoretii Fitch

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 394, 1856. Van Duzee, Can. Ent., xxi, p. 176, 1889. Van Duzee, Psyche, v, p. 388, 1890. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 192, 1894. Localities: N. Y., Ia., Mo., Ark., Texas.

2696. Otiocerus wolfii Kby.

Kirby, Trans. Linn. Soc. Lond., xiii, p. 19, 1819. Fitch, Homop. N. Y. St. Cab., p. 46, 1851. Van Duzee, Can. Ent., xxi, p. 176, 1889. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 192, 1894. Wirtner, Ann. Carn. Mus., iii, p. 214, 1904. Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910.

Localities: N. Y., Pa., Ga., Ohio, Ia.

2697. Otiocerus amyotii Fitch

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 394, 1856. Van Duzee, Psyche, v, p. 388, 1890. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892. Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910. †stollii Amyot and Serville, Hémip., p. 514, 1843.

Localities: N. Y., Pa., Ga., Ohio, Ia.

2698. Otlocerus kirbyii Fitch

Fitch, Homop. N. Y. St. Cab., p. 46, 1851. Van Duzee, Psyche, v, p. 388, 1890.

Locality: N. Y.

2699. Otiocerus schellenbergii Kby.

Kirby, Trans. Linn. Soc. Lond., xiii, p. 18, 1819. Localities: N. Y., Ga.

Subfamily DELPHACINAE (Spin.)

Spinola, Ann. Soc. Ent. Fr., viii, p. 329, 1839, Delphacoides. Amyot and Serville, Hémip., pp. lvii, 510, 1843, Delphacoides. Stål, Hemip. Afr., iv, pp. 131, 175, 1866, Delphacoida. Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 517, 1866, Delphacoini.

Kirschbaum, Cicad. v. Wiesbd., p. 10, 1868, Delphacidae.

Stål, Of. Vet. Akad. Forh., xxvii, p. 747, 1870, Delphacina. Fieber, Cicad. d'Eur., i, p. 57, 1875, Delphacini.

Uhler, Stand. Nat. Hist., ii, p. 240, 1884, Delphacida.

Ashmead, Ent. Am., v, p. 2, 1889.

Melichar, Cicad. Mitt. Eur., p. 18, 1896, Delphacini.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 225, 1897, Delphacidae (monograph).

Fowler, Biol. Centr. Am., Homop., i, p. 130, 1905, Delphacidae.

Distant, Fauna Brit. Ind., Rhyn., iii, pp. 178, 465, 1906.

Horvath, Ann. Mus. Natl. Hung., ix, p. 30, 1911, Delphacidae.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 557, 1914, Delphacidae (monograph).

Van Duzee, Psyche, xxi, p. 163, 1914 (review of Crawford paper).

Muir, Can. Ent., xlvii, pp. 208, 267, 296, 317, 1915 (synopsis).

Asiracinae Kirkaldy, Jl. Bombay Nat. Hist. Soc., xiv, p. 52, 1902.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 296, 1906; iii, pp. 10, 95, [123, 1907, Asiracidae.

Genus Copicerus Swartz Haplotype irroratus Swartz

Swartz, Kongl. Vet. Nya Handl., xxiii, p. 180, 1802.

Stål, Of. Vet. Akad. Forh., xiv, p. 53, 1857.

Stål, Ann. Soc. Ent. Fr., ser. 3, v, p. 337, 1858.

Stål, Hemip. Afr., iv, p. 175, 1866.

Ashmead, Ent. Am., v, p. 25, 1889.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, pp. 228, 230, 1897.

Fowler, Biol. Centr. Am., Homop., i, p. 130, 1905.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 564, 1914.

Holotus Guerin in La Sagra, Hist. de Cuba, Ins., p. 180, 1857.

Jerala Walker, List Homop., Suppl., p. 85, 1858.

2700. Copicerus irroratus Swartz

Swartz, Kong. Vct. Nya Handl., xxiii, p. 181, pl. 6, fig. 2, 1802 (spelled Stål, Of. Vct. Akad. Forh., xiv, p. 53, 1857. [irocatus).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 230, 1897.

Fowler, Biol. Centr. Am., Homop., i, p. 130, pl. 13, figs. 1, 2, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 43, 1907.

Crawford, Proc. U. S. Natl., xlvi, p. 564, 1914.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914.

thoracicus Guerin in La Sagra, Hist. de Cuba, Ins., p. 180, pl. 13, fig. 17, singula Walker, List Homop., Suppl., p. 85, 1858, Jerala. [1857, Holotus.

Stål, Of. Vet. Akad. Forh., xix, p. 488, 1858, Jerala.

Localities: Fla. (West Indies.)

Genus Stenocranus Fieb.

Logotype lineola (Germ.) = minutus (Fabr.)

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 519, 1866.

Fieber, Cicad. d'Eur., i, p. 83, 1875; ii, pl. 7, 1876; iii, p. 10, 1878.

Mayr, Tabellen, p. 19, 1884.

Ashmead, Ent. Am., v, p. 27, 1889.

Melichar, Cicad. Mitt. Eur., p. 56, 1896.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 230, 1897.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 126, 1907.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 587, 1914. Muir, Can. Ent., xlvii, p. 299, 1915. §Stenocarenus Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, pl. 8, fig. 3, 1866.

Sahlberg, Cicad., p. 413, 1871 (part).

2701. Stenocranus dorsalis (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 46, 1851, Delphax. Walker, List Homop., iv, p. 1136, 1852, Delphax. Van Duzee, Psyche, v, p. 28, 1888, Liburnia; p. 390, 1890. Harrington, Ottawa Nat., vi, p. 31, 1892. Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894. Gillette and Baker, Hemip. Colo., p. 69, 1895. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 231, 1897. Wirtner, Ann. Carn. Mus., iii, p. 215, 1904. Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905. Slosson, Ent. News, xvii, p. 326, 1906. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 196, 1909. Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910. Van Duzee, Can. Ent., xliv, p. 325, 1912. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 588, 1914. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 12, 1915.

unipunctata Provancher, Nat. Can., iv, p. 319, 1872, Delphax. Provancher, Pet. Faune Ent. Can., iii, p. 224, 1889, Delphax.

a. var. vittatus (Stål)

Stål, Berl. Ent. Zeit., vi, p. 315, 1862, Delphax.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 592, 1914.

lautus Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 231, 1897.

Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 12, 1915.

Van Duzee, Check List Hemip., p. 83, 1916.

Localities: Quebec, Ont., N. H., N. J., Pa., D. C., Va., N. C., S. C., Fla., Ohio, Ill., Ia., Neb., Colo.

2702. Stenocranus similis Craw,

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 590, 1914. Locality: Ala.

2703. Stenocranus felti Van D.

Van Duzee, Trans. Am. Ent. Soc. xxxvi, p. 88, 1910. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 591, 1914. Localities: N. H., N. Y.

2704. Stenocranus palaetus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 232, 1897; ix, p. 196, 1909. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 591, 1914. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914. Locality: Fla.

2705. Stenocranus saccharivorus (Westw.)

Westwood, Mag. Nat. Hist., vi, p. 413, 1833, Delphax. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 232, 1897. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 409, 1906; iii, p. 139, 1907. Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 43, 1907; ix, p. 196, 1909. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 589, 1914. Van Duzee, Psyche, xxi, p. 165, 1914.

Localities: Fla. (West Indies, Hawaiian Isds.)

Genus **Kelisia** Fieb. Haplotype *guttula* (Germ.)

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 519, 1866.
Sahlberg, Cicad., p. 416, 1871.
Fieber, Cicad. d'Eur., i, p. 83, 1875; ii, pl. 7, 1876; iii, p. 13, 1878.
Mayr, Tabellen, p. 18, 1884.
Ashmead, Ent. Am., v, p. 27, 1889.
Melichar, Cicad. Mitt. Eur., pp. 50, 58, 1896.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, pp. 229, 232, 1897.

2706. Kelisia axialis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894 (nomen nudum). Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 232, 1897 (described). Osborn, Proc. Ia. Acad. Sci., v, p. 235, 1897.
Osborn, Ohio Nat., iv, p. 100, 1904.
Wirtner, Ann. Carn. Mus., iii, p. 215, 1904.
Crawford, Proc. U. S. Natl. Mus., xlvi, p. 613, 1914, Megamelus.
Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 12, 1915.
Localities: Ont., N. Y., Pa., Md., N. C., Ohio, Ia.

2707. Kelisia crocea Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 233, 1897.
Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 233, 1897, Stenocranus.
Osborn, Proc. Ia. Acad. Sci., v, p. 235, 1897.
Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.
Crawford, Proc. U. S. Natl. Mus., xlvi, p. 591, 1914.
Van Duzee, Psyche, xxi, p. 165, 1914.
Localities: Mass., Ia., Kans.

2708. Kelisia salina Ball

Ball, Can. Ent., xxxiv, p. 264, 1902.

Muir, Can. Ent., xlvii, p. 299, 1915.

Locality: Colo.

2709. Kelisia parvula Ball

Ball, Can. Ent., xxxiv, p. 264, 1902.
 Crawford, Proc. U. S. Natl. Mus., xlvi, p. 631, 1914.
 Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914.
 Localities: Fla., Ia., Kans.

Genus **Megamelanus** Ball Orthotype bicolor Ball

Ball, Can. Ent., xxxiv, p. 265, 1902. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 592, 1914.

2710. Megamelanus bicolor Ball

Ball, Can. Ent., xxxiv, p. 265, 1902. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 592, 1914. Localities: Colo., Calif.

2711. Megamelanus frontalis Crawf.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 593, 1914. Locality: Colo.

2712. Megamelanus elongatus Ball

Ball, Proc. Biol. Soc. Wash., xviii, p. 118, 1905.
Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 196, 1909.
Crawford, Proc. U. S. Natl. Mus., xlvi, p. 593, 1914, Megamelus.
Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914.
Localities: Fla., La.

2713. Megamelanus spartini Osb.

Osborn, Ohio Nat., v, p. 375, 1905 Van Duzec, Bul. Buf. Soc. Nat. Sci., ix, p. 197, 1909. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 593, 1914, *Megamelus*. Barber, Bul. Am. Mus. Natl. Mus., xxxiii, p. 528, 1914. Localities: N. Y., Fla.

2714. Megamelanus rufivittatus Ball

Ball, Proc. Biol. Soc. Wash., xxviii, p. 119, 1905.Crawford, Proc. U. S. Natl. Mus., xlvi, p. 593, 1914.Locality: Ga.

Genus **Prokelisia** Osb. Haplotype *setigera* Osb.

Osborn, Ohio Nat., v, p. 373, 1905. Muir, Can. Ent., xlvii, p. 300, 1915.

2715. Prokelisia setigera Osb.

Osborn, Ohio Nat., v, p. 373, 1905. Locality: La.

2716. Prokelisia marginata (Van D.)

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 234, 1897, Megamelus. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 197, 1909, Megamelus. Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910, Megamelus. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 609, 1914, Megamelus. Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914, Megamelus. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 44, 1914, Megamelus. Van Duzee, Check List Hemip., p. 83, 1916.

Localities: Mass., N. Y., N. J., Fla., Calif.

Genus Megamelus Fieb. Haplotype notulus (Germ.)

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 519, 1866.
Sahlberg, Cicad., pp. 74, 411, 1871.
Fieber, Cicad. d'Eur., i, p. 82, 1875; ii, pl. 7, 1876; iii, p. 7, 1878.
Mayr, Tabellen, p. 18, 1884.
Ashmead, Ent. Am., v, p. 26, 1889.
Melichar, Cicad. Mitt. Eur., pp. 49, 55, 1896.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, pp. 229, 233, 1897.
'Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 127, 1907.
Crawford, Proc. U. S. Natl. Mus., xlvi, p. 602, 1914 (in part).

Van Duzee, Psyche, xxi, p. 165, 1914. Muir, Can. Ent., xlvii, p. 301, 1915.

2717. Megamelus notulus (Germ.)

Germar, Thon's Ent. Archiv., ii, p. 57, 1830, Delphax. Stål, Of. Vet. Akad. Forh., xi, p. 192, 1854, Delphax.

Walker, List Homop., Suppl., p. 323, 1858, Delphax.

Flor, Rhyn. Livl., ii, p. 45, 1861, Delphax.

Marshall, Ent. Mo. Mag., i, p. 266, 1865.

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 519, pl. 8, fig. 2, 1866.

Sahlberg, Cicad., p. 412, 1871.

Scott, Ent. Mo. Mag., vii, p. 25, 1871, Liburnia.

Fieber, Cicad. d'Eur., iii, p. 9, 1878.

Melichar, Cicad. Mitt. Eur., p. 55, pl. 4, figs. 1-8, 1896.

Edwards, Hemip. Homop. Brit. Isds., p. 38, pl. 4, figs. 3, 4, 1896, Liburnia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 233, 1897.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 609, 1914.

truncatipennis Boheman, Of. Vet. Akad. Forh., iv, p. 266, 1847, Delphax. Boheman, Kongl. Vet. Akad. Handl. for 1847, p. 46, 1847, Delphax.

Stål, Of. Vet. Akad. Forh., xi, p. 190, 1854, Delphax. Kirschbaum, Cicad. v. Wiesbd., p. 20, 1868, Delphax.

†lineola Stål, Of. Vet. Akad. Forh., xi, p. 190, 1854, Delphax.

†albosignatus Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 192, 1894; p. 259, [1897, Achorotile (young).

a. var. flavus Crawf.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 609, 1914.

Localities: Ont., N. H., Mass., N. Y., Colo. (Europe.)

2718. Megamelus piceus Van D.

Van Duzee, Mich. Agr. Exp. Sta., Bul. 102, p. 8, pl. 1, fig. 5, 1894.

Van Duzee, Exp. Sta. Record, v, p. 792, 1894.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, pp. 190, 234, 1897.

Localities: N. Y., Mich.

2719. Megamelus constrictus Crawf.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 610, 1914.

a. var. minutus Crawf.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 610, 1914. Localities: Colo., Calif.

----**,** -----

2720. Megamelus angulatus Osb.

Osborn, Ohio Nat., v, p. 374, 1905.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 629, 1914.

Locality: Del.

2721. Megamelus davisi Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 235, 1897. Locality: Mich.

Genus Macrotomella Van D. Haplotype carinata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 44, 1907.

Van Duzee, Psyche, xxi, p. 164, 1914.

Muir, Can. Ent., xlvii, p. 298, 1915.

2722. Macrotomella carinata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 44, 1907; ix, p. 197, 1909. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 583, 1914, Jassidaeus.

Localities: Fla. (West Indies.)

Genus Pissonotus Van D.

Orthotype marginatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, pp. 228, 236, 1897. Muir, Can. Ent., xlvii, p. 301, 1915.

2723. Pissonotus marginatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 190, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 236, 1897 (described).

Osborn, Proc. Ia. Acad. Sci., v, p. 235, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 215, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 198, 1909.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 596, 1914, Dicranotropis.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 44, 1914.

Localities: Quebec, Ont., N. Y., Pa., Fla., Ohio, Ia., Calif.

2724. Pissonotus basalis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 190, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 238, 1897 (described).

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 198, 1909.

Van Duzee, Psyche, xxi, p. 165, 1914.

Localities: N. Y., Fla., Texas(?).

2725. Pissonotus binotatus Spnr.

Spooner, Can. Ent., xliv, p. 239, 1912.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 601, 1914, Dicranotropis.

Locality: Ga.

2726. Pissonotus ater Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 190, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 237, 1897 (described).

Osborn, Proc. Ia. Acad. Sci., v, p. 235, 1897.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 198, 1909.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 600, 1914, Dicranotropis.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 528, 1914.

Localities: N. Y., D. C., Fla., Ia.

2727. Pissonotus divaricatus Spnr.

Spooner, Can. Ent., xliv, p. 236, 1912.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 600, 1914, Dicranetre pis.

Locality: N. Y.

2728. Pissonotus pallipes Van D.

Gillette and Baker, Hemip. Colo., p. 69, 1895 (nomen nudum).

Baker, Ent. News, viii, p. 53, 1897 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 238, 1897 (described).

Wirtner, Ann. Carn. Mus., iii, p. 215, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 599, 1914, Dicranctropis.

Localities: N. H., N. Y., Pa., Fla., Miss., Kans., Colo., Calif.

2729. Pissonotus variegatus Spnr.

Spooner, Can. Ent., xliv, p. 235, 1912.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 600, 1914, Dicranotropis. Locality: Texas.

2730. Pissonotus metzaria (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 611, 1914, Megamelus. Locality: Wyo.

2731. Pissonotus delicatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 237, 1897.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 44, 1907; ix, p. 198, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 596, 1914, Dicranotropis.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 44, 1914.

Localities: N. J., D. C., Fla., Miss., Colo., Calif. (Jamaica.)

2732. Pissonotus guttatus Spnr.

Spooner, Can. Ent., xliv, p. 233, 1912.

Crawford, Proc. U. S Natl. Mus., xlvi, p. 600, 1914, Dicranotropis.

Localities: Ont., N. Y., D. C.

2733. Pissonotus dorsalis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 190, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 239, 1897 (described).

Osborn, Ohio Nat., iv, p. 100, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 599, 1914, Dioranotropis.

Localities: N. Y., Ohio.

2734. Pissonotus frontalis (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 597, 1914, Dioranotropis.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 44, 1914.

Localities: Calif., Ore.

2735. Pissonotus brunneus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 190, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 239, 1897 (described).

Osborn, Proc. Ia. Acad. Sci., v, p. 235, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 215, 1904.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 198, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 599, 1914, Dicranotropis.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 12, 1915.

Localities: Ont., Mass., N. Y., N. J., Pa., N. C., Fla., Ohio, Ia.

2736. Pissonotus piceus Spnr.

Spooner, Can. Ent., xliv, p. 238, 1912.

Locality: N. Y.

2737. Pissonotus aphidioides Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 190, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 239, 1897 (described).

Osborn, Proc. Ia. Acad. Sci., v, p. 235, 1897.

Osborn, Ohio Nat., iv, p. 100, 1904.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 597, 1914, Dicranotropis.

Localities: Ont., N. Y., Ohio, Ia.

Genus Peregrinus Kirk. Orthotype maidis Ashm.

Kirkaldy, Entomol., xxxvii, p. 175, 1904.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 407, 1906; iii, pp. 127, 132, 1907.

Kirkaldy, Fauna Hawai., ii, p. 577, 1910.

Muir, Can. Ent., xlvii, p. 299, 1915.

2738. Peregrinus maidis (Ashm.)

Ashmead, Psyche, v, p. 323, 1890, Delphax.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 240, 1897, Dicranotropis.

Swezey, Ohio Dept. Agr., Div. Nurs. Orch. Inspect., Bul. 3, p. 35, 1904,

Kirkaldy, Entomol., xxxvii, p. 176, 1904. [Dicranotropis.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., i, p. 407, 1906, iii, p. 132, pl. 10, fig. [14, pl. 12, figs. 7, 8, 1907.

Kirkaldy, Ann. Soc. Ent. Belg., li, pp. 127, 301, 1907.

Kirkaldy, Entomol., xl, p. 283, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 43, 1907.

Distant, Ann. Soc. Ent. Belg., li, p. 221, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 197, 1909.

Kirkaldy, Fauna Hawai., ii, p. 577, 1910.

Melichar, Notes Leyden Mus., xxxvi, p. 111, 1913.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 595, 1914, Dicranotropis.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 12, 1915.

Muir, Can. Ent., xlix, p. 147, 1917.

psylloides Lethierry, India Mus. Notes, iii, p. 105, 1896, Delphax.

Melichar, Homop. Fauna Ceyl., p. 101, pl. 2, fig. 22, 1903, Liburnia.

Distant, Fauna Brit. Ind., Rhyn., iii, p. 484, 1906, Liburnia. [luoya. simplicia Distant, Fauna Brit. Ind., Rhyn., iii, p. 468, fig. 255, 1906, Punda-Localities: N. C., Fla., Texas. (West Indies, Hawaiian Isds., Aus-

tralia, India.)

Genus Phyllodinus Van D. Haplotype nervatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 240, 1897. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 583, 1914. Muir, Can. Ent., xlvii, p. 297, 1915.

2739. Phyllodinus nervatus Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894, Eurysa (nomen nudum). Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 241, 1897 (described).

Wirtner, Ann. Carn. Mus., iii, p. 215, 1904.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 584, 1914.

Localities: Quebec, Ont., N. H., N. Y., Pa., Ohio.

2740. Phyllodinus nitens Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 198, 1909.

Van Duzee, Psyche, xxi, p. 164, 1914.

Locality: Fla.

2741. Phyllodinus koebelei Osb.

Osborn, Ohio Nat., iv, p. 44, 1903; iv, p. 100, 1904. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 585, 1914. Localities: D. C., Ohio.

2742. Phyllodinus fuscous Osb.

Osborn, Ohio Nat., iv, p. 46, 1903; iv, p. 100, 1904. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 585, 1914. Locality: Ohio.

2743. Phyllodinus flabellatus Ball

Ball, Can. Ent., xxxv, p. 232, 1903.

Wirtner, Ann. Carn. Mus., iii, p. 216, 1904.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 584, 1914.

Localities: N. Y., N. J., Pa., D. C.

Genus Kormus Fieb.

Haplotype artemisiae Fieb.

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 520, 1866. Fieber, Cicad. d'Eur., i, p. 87, 1875; ii, pl. 7, 1876; iii, p. 32, 1878. Mayr, Tabellen, p. 20, 1884. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 586, 1914. Muir, Can. Ent., xlvii, p. 298, 1915.

2744. Kormus californicus Crawf.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 586, 1914. Locality: Calif.

Genus Laccocera Van D. Orthotype vittipennis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 241, 1897 (misprinted *Laccocara* on Crawford, Proc. U. S. Natl. Mus., xlvi, p. 579, 1914. [p. 229). Muir, Can. Ent., xlvii, p. 297, 1915.

2745. Laccocera vittipennis Van D.

Slosson, Ent. News, vi, p. 5, 1895 (Delphacinus vittipennis Van D. MS).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 242, 1897 (described).

Osborn, Proc. Ia. Acad. Sci., v, p. 235, 1897.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.

Van Duzee, Ottawa Nat., xxvi, p. 69, 1912.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 580, 1914. [Delphacinus. [vittatus Van D. MS] Gillette and Baker, Hemip. Colo., p. 69, 1895, Localities: Quebec, Ont., N. H., N. Y., Ia., Colo., Nev.

2746. Laccocera zonata Van D.

Gillette and Baker, Hemip. Colo., p. 69, 1895 (Delphacinus zonatus Van D. MS). Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 243, 1897 (described).

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 581, 1914.

a. var. flava Crawf.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 581, 1914. Localities: Colo., Nev.

2747. Laccocera bicornata Crawf.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 582, 1914. Locality: Colo.

2748. Laccocera obesa Van D.

Gillette and Baker, Hemip. Colo., p. 69, 1895 (Delphacinus obesus Van D. MS).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 244, 1897 (described).

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 582, 1914.

Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 248, 1916.

Localities: Colo., Nev., Calif.

Genus Bostaera Ball Orthotype nasuta Ball

Ball, Can. Ent., xxxiv, p. 266, 1902.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 577, 1914.

Van Duzee, Psyche, xxi, p. 164, 1914.

Muir, Can. Ent., xlvii, p. 296, 1915.

[type apacheanus Kirk.).

Cochise Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iv, p. 63, 1907 (Haplo-Crawford, Proc. U. S. Natl. Mus., xlvi, p. 576, 1914.

2749. Bostaera nasuta Ball

Ball, Can. Ent., xxxiv, p. 266, 1902.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 200, 1909.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 12, 1915.

apacheanus Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iv, p. 64, 1907, Cochise.

Muir, Proc. Haw. Ent. Soc., ii, p. 239, pl. 6, fig. 3, 1913.

Localities: N. C., Fla., Colo., Ariz.

Genus Stobaera Stål

Haplotype concinna Stål

Stål, Berl. Ent. Zeit., iii, p. 327, 1859.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 244, 1897.

Muir, Proc. Haw. Ent. Soc., ii, p. 241, 1913.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 571, 1914.

Muir, Can. Ent., xlvii, p. 297, 1915.

Gonioloium Fowler, Biol. Centr. Am., Homop., i, p. 132, 1905.

2750. Stobaera concinna (Stål)

Stål, Of. Vet. Akad. Forh., xi, p. 246, 1854, Delphax.

Stål, Berl. Ent. Zeit., iii, p. 327, 1859.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 246, 1897.

Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910.

Muir, Proc. Haw. Ent. Soc., ii, p. 241, 1913.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 44, 1914.

granulosum Fowler, Biol. Centr. Am., Homop., i, p. 132, pl. 13, fig. 7, 1905,

Muir, Proc. Haw. Ent. Soc., ii, p. 242, 1913.

[Gonioloium.

Localities: N. J., Fla., Calif. (Mexico.)

2751. Stobaera tricarinata (Say)

Say, Jl. Acad. Nat. Sci. Phila., iv, p. 237, 1825; Compl. Writ., ii, p. 255, Uhler, Bul. U. S. Geol. Geog. Surv., i, p. 352, 1876, Delphax. [Delphax.

Van Duzee, Psyche, v, p. 389, 1890, Delphax.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892, Delphax.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894, Conomelus?

Gillette and Baker, Hemip. Colo., p. 69, 1895, Conomelus.

Slosson, Ent. News, vii, p. 265, 1896.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 245, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 216, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910.

Van Duzee, Can. Ent., xliv, p. 329, 1912.

Muir, Proc. Haw. Ent. Soc., ii, p. 241, 1913.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 572, 1914 (part).

Van Duzee, Psyche, xxi, p. 164, 1914.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 44, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 12, 1915.

bifasciata Provancher, Pet. Faune Ent. Can., iii, p. 337, 1890, Delphaz.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 246, 1897.

Localities: Quebec, Ont., N. H., N. Y., N. J., Pa., Va., N. C., Ala., Miss., Ohio, Ky., Ill., Ia., Minn., Neb., Kans., Mo., Ark., Texas, Colo., Ariz., Calif.

2752. Stobaera affinis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 199, 1909. Locality: Fla.

2753. Stobaera pallida Osb.

Osborn, Ohio Nat., v, p. 375, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 200, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 575, 1914.

Localities: N. Y., Md., Del., Fla.

2754. Stobaera minuta Osb.

Osborn, Ohio Nat., v, p. 376, 1905.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 44, 1914.

Localities: La., Calif.

2755. Stobaera 4-pustulata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 200, 1909.

foveatus Spooner, Can. Ent., xliv, p. 234, 1912, Pissonotus.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 600, 1914, Dioranotropis.

Localities: Fla., Texas.

2756. Stobaera nigripennis Crawf.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 576, 1914.

Locality: Calif.

2757. Stobaera bilobata Van D.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 44, 1914.

Locality: Calif.

Genus Liburniella Crawf.

Orthotype ornata (Stål)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 585, 1914.

Van Duzee, Psyche, xxi, p. 165, 1914.

2758. Liburniella ornata (Stål)

Stål, Berl. Ent. Zeit., vi, p. 315, 1862, Delphax.

Osborn, Proc. Ia. Acad. Sci., i, pt. 2, p. 127, 1892, Liburnia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894; p. 247, 1897, Liburnia.

Wirtner, Ann. Carn. Mus., iii, p. 216, 1904, Liburnia. Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907, Liburnia. Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 203, 1909, Liburnia. Van Duzee, Can. Ent., xli, p. 128, 1909, Liburnia. Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910, Liburnia. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 586, 1914. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 12, 1915, Liburnia. Localities: Ont., N. Y., N. J., Pa., D. C., N. C., S. C., Fla., Miss., Ohio, Ky., Ill., Minn., Ia., Kans. (Bermudas.) Genus Liburnia Stål Logotype pellucida (Fabr.) Stål, Hemip. Afr., iv, pp. 176, 179, 1866 (n.n. for Delphax Auct.). Scott, Ent. Mo. Mag., vii, pp. 23, 25, 1870. Sahlberg, Cicad., p. 422, 1871. Fieber, Kat. Eur. Cicad., p. 5, 1872. Fieber, Cicad. d'Eur., i, p. 89, 1875; ii, pl. 8, 1876; iv, p. 1, 1879. Berg, Hemip. Argent., p. 223, 1879.

Edwards, Trans. Ent. Soc. Lond. for 1886, p. 51.

Melichar, Cicad. Mitt. Eur., p. 69, 1896.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 246, 1897.

Kirkaldy, Entomol., xxxv, p. 167, 1902.

Fowler, Biol. Centr. Am., Homop., i, p. 133, 1905.

[type).

Distant, Fauna Brit. Ind., Rhyn., iii, p. 480, 1906 (names monoceros pseudo-Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 504, 1912 (discussion of type).

Van Duzee, Psyche, xxi, p. 166, 1914 (names pellucida type).

Bergroth, Can. Ent., xlvii, p. 215, 1915 (cites pellucida as type).

Muir, Can. Ent., xlvii, p. 300, 1915.

Muir, Proc. Haw. Ent. Soc., iii, p. 333, 1917 (names vitticollis type).

†Asiraca Latreille, Hist. Nat. Crust. Ins., xii, p. 316, 1804 (in part).

†Delphax Latreille, Genera Crust. Ins., iii, p. 168, 1807.

Latreille, Consid. Général, pp. 263, 434, 1810 (names striata pseudotype).

Leach in Brewster's Edinbg. Encyc., ix, p. 125, 1815.

Germar, Mag. d. Ent., iii, p. 205, 1818.

Fallén, Hemip. Suec., Cicad., p. 73, 1826 (part).

Zetterstedt, Fauna Lapp., p. 547, 1828.

Germar, Silb. Revue Ent., i, p. 176, 1833.

Duponchel, Revue Zool., ii, p. 204, 1839 (names limbata pseudotype).

Spinola, Ann. Soc. Ent. Fr., viii, p. 329, 1839.

Blanchard, Hist. des Ins., Hémip., p. 177, 1840.

Amyot and Serville, Hémip., p. 512, 1843.

Stål, Of. Vet. Akad. Forh., xi, p. 189, 1854.

Flor, Rhyn. Livl., ii, p. 25, 1861.

Stål, Rio Jan. Hemip., ii, p. 7, 1862.

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, pp. 520, 524, 1866.

Mayr, Tabellen, p. 20, 1884.

Puton, Cat. Hemip. Palae., edn. 3, p. 73, 1886.

Ashmead, Ent. Am., v, p. 26, 1889.

Provancher, Pet. Faune Ent. Can., iii, p. 223, 1889.

Matsumura, Schrift. Nat. Ges. Danzig, xi, p. 76, 1906.

Oshanin, Verz. Palae. Hemip., ii, p. 312, 1907. [genus).

Delphacodes Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 524, 1866 (sub-

2760. Liburnia weedi Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 252, 1897; ix, p. 202, 1907.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Localities: Ga., Fla., Miss.

2761. Liburnia humilis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 48, 1907; ix, p. 202, 1909.

Localities: Fla. (Jamaica.)

2762. Liburnia laminalis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 251, 1897; ix, p. 201, 1909.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 624, 1914, Megamelus.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 13, 1915.

Localities: N. Y., N. C., Fla., Ohio.

2763. Liburnia lateralis Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 253, 1897 (described).

Localities: Ont., N. H., N. Y.

2764. Liburnia kilmani Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 253, 1897 (described).

Osborn, Ohio Nat., iv, p. 100, 1904.

The second secon

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 13, 1915.

Localities: N. Y., N. C., Ohio.

2765. Liburnia culta Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 47, 1907.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 628, 1914, Megamelus.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Localities: Fla. (Jamaica.)

2766. Liburnia pellucida (Fabr.)

Fabricius, Ent. Syst., iv, p. 7, 1794, Fulgora.

Fabricius, Syst. Rhyng., p. 84, 1803, Delphax.

Germar, Mag. d. Ent., iii, p. 212, 1818, Delphax.

Fallén, Hemip. Suec. Cicad., p. 76, 1826, Delphax.

```
Flor, Rhyn. Livl., ii, p. 65, 1861, Delphax.
   Marshall, Ent. Mo. Mag., i, p. 273, 1865, Delphax.
   Scott, Ent. Mo. Mag., vii, p. 27, 1870.
   Sahlberg, Cicad., p. 436, 1871.
   Fieber, Cicad. d'Eur., iv, p. 4, 1879.
   Edwards, Trans. Ent. Soc. Lond. for 1886, p. 78.
   Harrington, Ottawa Nat., vi, p. 31, 1892.
   Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894.
   Melichar, Cicad. Mitt. Eur., p. 75, pl. 5, fig. 16, 1896.
   Edwards, Hemip. Homop. Brit. Isds., p. 58, pl. 6, fig. 8, 1896.
   Van Duzee, Bul. Buf. Soc. Nat. Sci., v. p, 247, 1897.
   Kirkaldy, Entomol., xxxiv, p. 338, 1901, Embolophora.
   Osborn, Ohio Nat., iv, p. 100, 1904.
   Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.
   Slosson, Ent. News, xvii, p. 326, 1906.
   Van Duzee, Can. Ent., xl, p. 114, 1908.
   Smith, Cat. Ins. N. J., edn. 3, p. 98, 1910.
   Crawford, Proc. U. S. Natl. Mus., xlvi, p. 615, 1914, Megamelus.
   Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 12, 1915.
      marginata Fabricius, Ent. Syst., iv, p. 7, 1794, Fulgora.
          Fabricius, Syst. Rhyng., p. 84, 1803, Delphax.
          Germar, Mag. d. Ent., iii, p. 215, 1818, Delphax.
      flavescens Fabricius, Ent. Syst., iv, p. 7, 1794, Fulgora.
          Fabricius, Syst. Rhyng., p. 84, 1803, Delphax.
          Germar, Mag. d. Ent., iii, p. 213, 1818, Delphax.
      striata Fabricius, Ent. Syst., iv, p. 7, 1794, Fulgora.
          Fabricius, Syst. Rhyng., p. 84, 1803, Delphax.
          Germar, Mag. d. Ent., iii, p. 214, 1818, Delphax.
      dispar, Fallén, Acta Holm for 1806, p. 126, Delphax.
          Fallén, Hemip. Suec., Cicad., p. 74, 1826, Delphax.
          Zetterstedt, Fauna Lapp., p. 548, 1828, Delphax.
          Herrich-Schaeffer, Nomen. Ent., i, p. 106, 1835, Delphax.
          Fieber, Cicad. d'Eur., iv, p. 8, 1879.
      dubia Kirschbaum, Cicad. v. Wiesbd., p. 26, 1826, Delphax.
      piceola Kirschbaum, Cicad. v. Wiesbd., p. 30, 1826, Delphax.
      suturalis Curtis, Brit. Ent., xiv, pl. 657, 1837, Delphax.
a. var. obscura Fieb.
   Fieber, Cicad. d'Eur., iv, p. 3, 1879.
      pellucida var. g, Sahlberg, Cicad., p. 438, 1871.
b. var. fascicollis (Rev)
   Rey, Revue d'Ent., x, p. 244, 1891, Delphax.
c. var. variicollis (Rey)
   Rey, Echange, x, p. 14, 1894, Delphax.
   Oshanin, Verz. Palae. Hemip., iii, p. 185, 1910, Delphax.
             Localities: Quebec, Ont., N. H., N. Y., N. J., N. C., Ohio, Colo.,
                 Brit. Col., Alaska. (Palaearctic.)
              [The varieties have not been worked up in this country.]
```

2767. Liburnia consimilis Van D.

Gillette and Baker, Hemip. Colo., p. 69, 1895 (nomen nudum). Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 249, 1897. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 616, 1914, Megamelus. Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 45, 1914. Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 13, 1915.

Localities: N. C.(?), Colo., Calif., Nev., Brit. Col.

2768. Liburnia puella Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 250, 1897 (described).

Osborn, Proc. Ia. Acad. Sci., v, p. 235, 1897.

Wirtner, Ann. Carn. Mus., iii, p. 216, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.

Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 160, 1907.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 202, 1909.

Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 625, 1914, Megamelus.

Metcalfe, Jl. Elisha Mitchell Sci. Soc., xxxi, p. 12, 1915.

Muir, Proc. Haw. Ent. Soc., iii, p. 337, 1917.

Localities: Quebec, Ont., N. Y., N. J., Pa., N. C., Fla., Miss., Ohio, Ky., Ill., Ia. (Hawaiian Isds., Australia).

2769. Liburnia basivitta Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 202, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 626, 1914, Megamelus.

Localities: Mass., N. Y., Ga., Fla., Ohio.

2770. Liburnia pacifica (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 626, 1914, Megamelus. Localities: Ariz., Calif.

2771. Liburnia osborni Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 250, 1897 (described).

Osborn, Proc. Ia., Acad. Sci., v, p. 235, 1897.

Osborn, Ohio Nat., iv, p. 100, 1904.

Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.

Smith, Cat. Ins. N. J., edn. 3, p. 98, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Localities: N. Y., N. J., Fla., Ohio, Mich., Ill., Ia., Colo.

2772. Liburnia arvensis (Fitch)

Fitch, Homop. N. Y. St. Cab., p. 46, 1851, Delphax.

Van Duzee, Psyche, v, p. 390, 1890.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 248, 1897.

Locality: N. Y.

2773. Liburnia campestris Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 254, 1897 (described).

Swezey, U. S. Dept. Agr., Div. Ent., Bul. 46, p. 43, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 617, 1914, Megamelus.

Localities: Quebec, Ont., N. H., Mass., N. Y., Pa., D. C., Miss., Ohio, Mich., Kans., Calif.

2774. Liburnia furcata (Prov.)

Provancher, Nat. Can., iv, p. 320, 1872, Delphax.

Provancher, Pet. Faune Ent. Can., iii, p. 225, 1889, Delphax.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894; p. 248, 1897.

Nan Duzee, Can. Ent., xxxviii, p. 408, 1906; xliv, p. 325, 1912.

Localities: Quebec, Ont., N. H., N. Y.

2775. Liburnia magna (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 627, 1914, Megamelus. Locality: Colo.

2776. Liburnia detecta Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 248, 1897.

Smith, Cat. Ins. N. J., edn. 3, p. 97, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

circumcincta Van Duzee, Bul. Buf. Soc. Nat. Sci., ix, p. 203, 1909.

Van Duzee, Can. Ent., xli, p. 128, 1909.

Van Duzee, Check List Hemip., p. 84, No. 2777, 1916.

Localities: Mass., N. Y. N. J., Ga., Fla. (Bermudas.)

(2777 see No. 2776.)

2778. Liburnia tuckeri Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., x, p. 506, 1912. Localities: Ga., Fla., Texas, Calif.

2779. Liburnia foveata Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 192, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 257, 1897 (described).

Smith, Cat. Ins. N. J., edn. 3, p. 98, 1910.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Localities: N. Y., N. J.

2780. Liburnia lutulenta Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 252, 1897 (described).

Osborn, Ohio Nat., iv, p. 100, 1904.

Swezey, U. S. Dept. Agr., Div. Ent., Bul. 46, p. 45, 1904.

Van Duzee, 20th Rept. N. Y. St. Ent., p. 553, 1905.

Slosson, Ent. News, xvii, p. 326, 1906.

Tucker, Kans. Univ. Sci. Bul., iv, p. 65, 1907.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 617, 1914, Megamelus.

Localities: Quebec, Ont., N. H., Mass., N. Y., Ohio, Minn., Kans., Colo.

2781. Liburnia obscurella (Bohm.)

Boheman, Kongl. Vet. Akad. Handl. for 1847, p. 53, Delphax.

Stål, Of. Vet. Akad. Forh., xi, p. 195, 1854, Delphax.

Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, pl. 8, fig. 29, 1866, Delphax.

Scott, Ent. Mo. Mag., vii, p. 28, 1870.

Sahlberg, Cicad., p. 443, 1871.

Fieber, Cicad. d'Eur., iv, p. 20, 1879.

Edwards, Trans. Ent. Soc. Lond. for 1886, p. 80.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894.

Melichar, Cicad. Mitt. Eur., p. 82, pl. 5, figs. 22, 23, 1896. Edwards, Hemip. Homop. Brit. Isds., p. 60, 1896. Localities: N. Y. (Europe.)

2782. Liburnia magnistyla (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 627, 1914, Megamelus. Locality: Ariz.

2783. Liburnia hemiptera (Germ.)

Germar, Mag. d. Ent., iii, p. 217, 1818, Delphax. Stål, Of. Vet. Akad. Forh., xi, p. 193, 1854, Delphax. Stål, Stet. Ent. Zeit., xix, p. 192, 1858, Delphax.

Ashmead, Harriman Alaska Exped., viii, p. 131, 1904, Delphax.

Localities: Alaska. (Europe.)

(This species is not recognized by Oshanin.)

2784. Liburnia steinegeri (Ashm.)

Ashmead, Fur Seals and Fur Seal Isds., iv, p. 340, 1899, Delphax. Ashmead, Harriman Alaska Exped., viii, p. 130, 1904, Delphax. Locality: Alaska.

2785. Liburnia incerta Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 192, 1894 (nomen nudum). Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 258, 1897. Localities: N. Y., Ohio.

2786. Liburnia magnifrons (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 614, 1914, Megamelus. Van Duzee, Univ. Calif. Publ., Div. Ent. Tech Bul., i, p. 248, 1916. Localities: Colo., Calif.

2787. Liburnia vanduzeei (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 622, 1914, Megamelus. Locality: Mass.

2788. Liburnia kormusi (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 614, 1914, Megamelus. Locality: Nev.

2789. Liburnia occlusa Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 256, 1897. Osborn, Ohio Nat., iv, p. 100, 1904.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 619, 1914, Megamelus.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 45, 1914.

Localities: Ohio, Calif.

2790. Liburnia lineatipes Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 191, 1894 (nomen nudum). Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 255, 1897 (described). Osborn, Ohio Nat., iv, p. 100, 1904.

Van Duzee, Trans. San Diego Soc. Nat. Hist., ii, p. 45, 1914. Localities: Ont., N. Y., Ohio, Calif.

2791. Liburnia indistincta (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 619, 1914, Megamelus. Locality: Colo.

2792. Liburnia nigridorsum (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 620, 1914, Megamelus. Weiss, Ent. News, xxvii, p. 215, 1917.

Localities: N. J., Colo.

2793. Liburnia dolera Spnr.

Spooner, Can. Ent., xliv, p. 240, 1912.

Locality: N. Y.

2794. Liburnia nigrigaster (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 621, 1914, Megamelus. Locality: Colo.

2795. Liburnia gillettei Van D.

Gillette and Baker, Hemip. Colo., p. 69, 1895 (nomen nudum).

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 258, 1897 (described).

Osborn, Ohio Nat. iv, p. 100, 1904.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 616, 1914, Megamelus.

Localities: Ohio, Colo., Wyo., Nev.

2796. Liburnia albolineosa Fowl.

Fowler, Biol. Centr. Am., Homop., i, p. 135, pl. 13, fig. 14, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 47, 1907; ix, p. 203, 1909.

Van Duzee, Can. Ent., xli, p. 128, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 610, 1914, Megamelus.

Localities: Fla. (Bermudas, West Indies, Mexico.)

2797. Liburnia teapae Fowl.

Fowler, Biol. Centr. Am., Homop., i, p. 135, pl. 13, fig. 13, 1905.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 46, 1907.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 618, 1914, Megamelus.

Localities: Fla. (West Indies, Mexico.)

2798. Liburnia seminigra (Stål)

Stål, Of. Vet. Akad. Forh., xi, p. 246, 1854, Delphax.

Stål, Freg. Eugen. Resa, Ins., p. 275, 1859, Delphax.

Stål, Rio Jan. Hemip., ii, p. 7, 1862, Delphax.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 45, 1907; ix, p. 203, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.

Localities: Fla., Colo. (Neotropical.)

2799. Liburnia analis (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 620, 1914, Megamelus. Locality: Wis.

2800. Liburnia andromeda Van D.

Van Duzee, Bul. Buf. Soc. Nat. Sci., viii, No. 5, p. 46, 1907; ix, p. 203, 1909.

Barber, Bul. Am. Mus. Nat. Hist., xxxiii, p. 529, 1914.


Crawford, Proc. U. S. Natl. Mus., xlvi, p. 628, 1914, Mcgamelus.

Localities: Pa., Fla. (Neotropical.)

2801. Liburnia rotundata (Crawf.)

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 618, 1914, Megamelus.

Locality: Ala.



Haplotype albosignata Dahlb.
Fieber, Verh. Zool.-Bot. Ges. Wien, xvi, p. 521, 1866.
Scott, Ent. Mo. Mag., vii, p. 195, 1870.
Sahlberg, Cicad., p. 472, 1871 (as subgenus of Ditropis).
Fieber, Cicad. d'Eur., i, p. 92, 1875; ii, pl. 8, 1876; iv, p. 88, 1879.
Ashmead, Ent. Am., v, p. 27, 1889.
Melichar, Cicad. Mitt. Eur., pp. 51, 99, 1896.
Van Duzee, Bul. Buf. Soc. Nat. Sci., v, pp. 230, 259, 1897.
Crawford, Proc. U. S. Natl. Mus., xlvi, p. 578, 1914.

Muir, Can. Ent., xlvi, p. 297, 1915. (2804 see No. 2717.)

2805, Achorotile fovesta Spnr.

Spooner, Can. Ent., xliv, p. 241, 1912. Locality: Calif.

> Genus Criomorphus Curt. Haplotype albomarginatus Curt.

Curtis, Ent. Mag., i, p. 195, 1833. Kirkaldy, Haw. S. P. A., Exp. Sta. Bul., iii, p. 131, 1907. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 260, 1897. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 583, 1914.

Muir, Can. Ent., xlvii, p. 298, 1915.

Ditropis Fieber, Verh. Zool.-Bot. Ges. Wien, pl. 8, fig. 18, 1866.
Kirschbaum, Cicad. v. Wiesbd., p. 41, 1868.

[Muir considers Eurybregma distinct.]

2806. Criomorphus inconspicuus (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., iii, p. 458, 1877, Stiroma. Gillette and Baker, Hemip. Colo., p. 70, 1895, Stiroma. Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 260, 1897, Stiroma. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 583, 1914, Jassideus.

Localities: N. Y.(?), Colo.

Genus Pentagramma Van D. Orthotype vittatifrons Uhl.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 260, 1897. Crawford, Proc. U. S. Natl. Mus., xlvi, p. 565, 1914.

2807. Pentagramma vittatifrons (Uhl.)

Uhler, Bul. U. S. Geol. Geog. Surv., i, p 351, 1876; iv, p 510, 1878, Liburnia.
Uhler, Stand. Nat. Hist., ii, p. 241, 1884, Liburnia.

Osborn and Ball, Proc. Ia. Acad. Sci., iv, p. 233, 1896, Liburnia.

Van Duzee, Bul. Buf. Soc. Nat. Sci., v, p. 260, 1897.

Osborn, Proc. Ia. Acad. Sci., v, p. 235, 1897.

Smith, Cat. Ins. N. J., edn. 3, p. 98, 1910.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 567, 1914.

Localities: Mass., N. Y., N. J., Md., Ill., Ia., Dak., Mont.

2808. Pentagramma minore Crawf.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 567, 1914. Locality: Wyo.

SECTION HYMENELYTRATA Fall.

Fallén, Spec. Nova Hemip., Disp. Meth. Exhib., p. , 1814. Latreille, Fam. Nat. Règne Animal, p. 428, Hemelytra.

Fallén, Hemip. Suec., Cimic., preface, 1829.

SERIES STERNORHYNCHA (A. & S.)

Amyot and Serville, Hémip., pp. lxvi, 588, 1843, Sternorhynchi. (Section.) Fieber, Genera Hydrocoridum, p. 10, 1851.

Flor, Rhyn. Livl., ii, pp. 5, 436, 1861.

Provancher, Pet. Faune Ent. Can., iii, p. 302, 1890, Sternorhynques.

Oshanin, Verz. Palae. Hemip., ii, p. 338, 1907. (Section.)

Oshanin, Kat. Palae. Hemip., p. 125, 1912.

Van Duzee, Check List Hemip., p. 85, 1896. (Section.)

Phytothelga Dumeril, Zool. Analyt., p. , 1906.

Dimera Westwood, Intr. Mod. Classif. Ins., ii, p. 434, 1840.

Kirkaldy, Fauna Hawai., iii, p. 113, 1902. (Tribe.)

SUBSERIES PHYTOPHTHIRES Burm.

Burmeister, Handb. d. Ent., ii, pp. 55, 84, 1835.

Walker, List Homop., iv, p. 909, 1852.

Flor, Rhyn. Livl., ii, pp. 5, 436, 1861.

Oshanin, Verz. Palae. Hemip., ii, p. 338, 1907.

Aphidiens Latreille in Cuvier, Règne Animal, edn. 2, v, p. 224, 1829.

Family CHERMIDAE (Fall.)

Fallén, Spec. Nova Hemip. Disp. Meth. Exhib., p. , 1814, Chermides. Billberg, Enum. Ins. Coll. Billbg., p. , 1820, Chermides. Kirkaldy, Entomol., xxxvii, p. 255, 1904. Kirkaldy, Fauna Hawai., ii, p. 598, 1910. Van Duzee, Check List Hemip., p. 85, 1916. Psyllidae Latreille, Genera Crust. Ins., iii, p. 168, 1807. Latreille, Consid. Gén., pp. 264, 434, 1810. Latreille, Fam. Nat. Règne Animal, p. 428, 1825, Psyllides. Burmeister, Handb. d. Ent., ii, p. 95, 1835, Psyllodes. Blanchard, Hist. des Ins., Hémip., p. 201, 1840, Psylliens. Westwood, Intr. Mod. Classif. Ins., ii, p. 435; Synop., p. 117, 1840. Hartig, Germar's Zeit. f. Ent., iii, p. 370, 1841, Psyllodes. Amyot and Serville, Hémip., pp. lxvi, 590, 1843, Psyllides. Walker, List Homop., iv, p. 909, 1852. Dohrn, Cat. Hemip., p. 94, 1859. Flor, Rhyn. Livl., ii, p. 438, 1861, Psyllodea. Scott, Trans. Ent. Soc. Lond. for 1876, p. 526 (monograph British Thomas, 8th Rept. Ill. St. Ent., p. 12, 1879. [species). Uhler, Stand. Nat. Hist., ii, p. 223, 1884. Puton, Cat. Hémip. Palae., edn. 3, p. 90, 1886, Psyllides. Provancher, Pet. Faune Ent. Can., iii, p. 302, 1890. Kirkaldy, Faune Hawai., iii, p. 113, 1902. Oshanin, Verz. Palae. Hemip., ii, p. 338, 1907. Patch, Ann. Ent. Soc. Am., ii, p. 117, 1909 (venation). Crawford, Pomona Jl. Ent., ii, p. 228, 1910; iii, p. 480, 1911.

Subfamily LIVIINAE Löw

Aulmann, Psyllidarum Catalogus, Berlin, 1913 (catalogue world species). Crawford, U. S. Natl. Mus., Bul. 85, 1914 (monograph Am. species).

Löw, Verh. Zool.-Bot. Ges. Wien, xxviii, pp. 605, 606, 1878. Scott, Trans. Ent. Soc. Lond. for 1882, p. 462, Livillinae. Puton, Cat. Hémip. Palae., edn. 3, p. 90, 1886, Liviaria. Edwards, Hemip. Homop. Brit. Isds., p. 227, 1896, Liviidae. Oshanin, Kat. Palae. Hemip., p. 125, 1912, Liviaria. (Tribe.) Aulmann, Psyllid. Cat., p. 75, 1913. Crawford, U. S. Natl. Mus., Bul. 85, p. 19, 1914.

Oshanin, Kat. Palae. Hemip., p. 125, 1912.

TRIBE LIVIINI Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 19, 1914.

Latreille, in Cuvier, Règne Animal, edn. 2, v. 225, 1829.

Genus Livia Latr.

Haplotype juncorum (Linn.)

Latreille, Hist. Nat. Crust. Ins., iii, p. 266, 1802 (juncorum only species).

Latreille, Hist. Nat. Crust. Ins., xii, p. 374, 1804.

Latreille, Genera Crust. Ins., iii, p. 170, 1807.

Latreille, Consid. Gén., pp. 265, 434, 1810 (names juncorum type).

Latreille, in Cuvier, Règne Animal, iii, p. 410, 1817 (no species mentioned).

Leach, in Brewster's Edinbg. Encyc., Am. edn., viii, p. 714, 1832.

Curtis, Brit. Ent., vi, pl. 492, 1834.

Burmeister, Handb. d. Ent., ii, p. 96, 1835.

Blanchard, Hist. des Ins., Hémip., p. 202, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 117, 1840.

Hartig, in Germar's Zeit. f. Ent., iii, p. 375, 1841.

Amyot and Serville, Hémip., p. 596, 1843.

Walker, List Homop., iv, p. 909, 1852.

Flor, Rhyn. Livl., ii, p. 540, 1861.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 380, 1871.

Scott, Trans. Ent. Soc. Lond. for 1876, p. 565.

Löw, Verh. Zool.-Bot. Ges. Wien, xxvii, p. 606, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 307, 1890.

Edwards, Hemip. Homop. Brit. Isds., p. 227, 1896.

Crawford, U. S. Natl. Mus., Bul. 85, p. 19, 1914.

Diraphia Illiger, Mag. d. Insektk., i, p. 284, 1802 (nomen nudum?).

Waga, Ann. Soc. Ent. Fr., xi, p. 275, 1842 (characterized). Haplotype Amyot and Serville, Hémip., p. 596, 1843. [limbata Waga.

Walker, List Homop., iv, p. 911, 1852.

Thomas, 8th Rept. Ill. St. Ent., p. 13, 1879.

2809. Livia coloradensis Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 20, 1914 (figures).

Host: (1)

Localities: Ark., Colo.

2810. Livia maculipennis (Fh.)

Fitch, Trans. N. Y. St. Agr. Soc., xvii, p. 740, 1857 (1858), Diraphia.

Thomas, 8th Rept. Ill. St. Ent., p. 14, 1879, Diraphia.

Riley, Proc. Biol. Soc. Wash., ii, p. 68, 1884.

Smith, Cat. Ins. N. J., edn. 3, p. 108, 1910.

Patch, Psyche, xix, p. 6, 1912.

Crawford, U. S. Natl. Mus., Bul. 85, p. 21, 1914 (figures).

Patch, Psyche, xxiii, p. 21, 1916 (gall on Juncus).

bifasciata Provancher, Pet. Faune Ent. Can., iii, p. 308, 1890.

Hosts: Juncus, Pinus, Caltha.

Localities: Quebec, N. H., Mass., N. Y., N. J., Pa., D. C., Ala.

2811. Livia marginata Patch

Patch, Psyche, xix, p. 8, 1912.

Crawford, U. S. Natl. Mus., Bul. 85, p. 21, 1914.

Host: (?)

Localities: N. H., Conn.

2812. Livia vernalis Fh.

Fitch, Homop. N. Y. St. Cab., p. 64, 1851.

Walker, List. Homop., iv, p. 910, 1852.

Fitch, Trans. N. Y. St. Agr. Soc., xvii, p. 739, 1857 (1858), Diraphia.

Thomas, 8th Rept. Ill. St. Ent., p. 14, 1879, Diraphia.

Riley, Proc. Biol. Soc. Wash., ii, p. 68, 1884.

Packard, 5th Rept. U. S. Ent. Comm., p. 803, 1890, Diraphia.

Gillette and Baker, Hemip. Colo., p. 115, 1895.

Snow, Kans. Univ. Sci. Bul., ii, p. 350, 1904 (mention).



Latreille, Fam. Nat. Règne Animal, p. 428, 1825, Psyllides. Burmeister, Handb. d. Ent., ii, p. 95, 1835, Psyllodes. Blanchard, Hist. des Ins., Hémip., p. 201, 1840, Psylliens. Westwood, Intr. Mod. Classif. Ins., ii, p. 435; Synop., p. 117, 1840. Hartig, Germar's Zeit. f. Ent., iii, p. 370, 1841, Psyllodes. Amyot and Serville, Hémip., pp. lxvi, 590, 1843, Psyllides. Walker, List Homop., iv, p. 909, 1852. Dohrn, Cat. Hemip., p. 94, 1859. Flor, Rhyn. Livl., ii, p. 438, 1861, Psyllodea. Scott, Trans. Ent. Soc. Lond. for 1876, p. 526 (monograph British Thomas, 8th Rept. Ill. St. Ent., p. 12, 1879. [species] Uhler, Stand. Nat. Hist., ii, p. 223, 1884. Puton, Cat. Hémip. Palae., edn. 3, p. 90, 1886, Psyllides. Provancher, Pet. Faune Ent. Can., iii, p. 302, 1890. Kirkaldy, Faune Hawai., iii, p. 113, 1902. Oshanin, Verz. Palae. Hemip., ii, p. 338, 1907. Patch, Ann. Ent. Soc. Am., ii, p. 117, 1909 (venation). Crawford, Pomona Jl. Ent., ii, p. 228, 1910; iii, p. 480, 1911. Oshanin, Kat. Palae. Hemip., p. 125, 1912. Aulmann, Psyllidarum Catalogus, Berlin, 1913 (catalogue world apecies Crawford, U. S. Natl. Mus., Bul. 85, 1914 (monograph Am. species).

Subfamily LIVIINAE Löw

Löw, Verh. Zool.-Bot. Ges. Wien, xxviii, pp. 605, 606, 1878. Scott, Trans. Ent. Soc. Lond. for 1882, p. 462, Livilinae. Puton, Cat. Hémip. Palae., edn. 3, p. 90, 1886, Liviaria. Edwards, Hemip. Homop. Brit. Isds., p. 227, 1896, Lividae. Oshanin, Kat. Palae. Hemip., p. 125, 1912, Liviaria. (Tribe.) Aulmann, Psyllid. Cat., p. 75, 1913. Crawford, U. S. Natl. Mus., Bul. 85, p. 19, 1914.

TRIBE LIVIINI Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 19, 1914.

Genus Livis Latr. Haplotype juncorum (Linn.) Leach, in Brewster's Edinbg. Encyc., Am. edn., viii, p. 714, 1832. Curtis, Brit. Ent., vi, pl. 492, 1834.

Burmeister, Handb. d. Ent., ii, p. 96, 1835.

Blanchard, Hist. des Ins., Hémip., p. 202, 1840.

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 117, 1840.

Hartig, in Germar's Zeit. f. Ent., iii, p. 375, 1841.

Amyot and Serville, Hémip., p. 596, 1843.

Walker, List Homop., iv, p. 909, 1852.

Flor, Rhyn. Livl., ii, p. 540, 1861.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 380, 1871.

Scott, Trans. Ent. Soc. Lond. for 1876, p. 565.

Löw, Verh. Zool.-Bot. Ges. Wien, xxvii, p. 606, 1878.

Provancher, Pet. Faune Ent. Can., iii, p. 307, 1890.

Edwards, Hemip. Homop. Brit. Isds., p. 227, 1896.

Crawford, U. S. Natl. Mus., Bul. 85, p. 19, 1914.

Diraphia Illiger, Mag. d. Insektk., i, p. 284, 1802 (nomen nudum?).

Waga, Ann. Soc. Ent. Fr., xi, p. 275, 1842 (characterized). Haplotype Amyot and Serville, Hémip., p. 596, 1843. [limbata Waga.

Walker, List Homop., iv, p. 911, 1852.

Thomas, 8th Rept. Ill. St. Ent., p. 13, 1879.

2809. Livia coloradensis Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 20, 1914 (figures).

Host: (?)

Localities: Ark., Colo.

2810. Livia maculipennis (Fh.)

Fitch, Trans. N. Y. St. Agr. Soc., xvii, p. 740, 1857 (1858), Diraphia.

Thomas, 8th Rept. Ill. St. Ent., p. 14, 1879, Diraphia.

Riley, Proc. Biol. Soc. Wash., ii, p. 68, 1884.

Smith, Cat. Ins. N. J., edn. 3, p. 108, 1910.

Patch, Psyche, xix, p. 6, 1912.

Crawford, U. S. Natl. Mus., Bul. 85, p. 21, 1914 (figures).

Patch, Psyche, xxiii, p. 21, 1916 (gall on Juncus).

bifasciata Provancher, Pet. Faune Ent. Can., iii, p. 308, 1890.

Hosts: Juncus, Pinus, Caltha.

Localities: Quebec, N. H., Mass., N. Y., N. J., Pa., D. C., Ala.

2811. Livia marginata Patch

Patch, Psyche, xix, p. 8, 1912.

Crawford, U. S. Natl. Mus., Bul. 85, p. 21, 1914.

Host: (?)

Localities: N. H., Conn.

2812. Livia vernalis Fh.

Fitch, Homop. N. Y. St. Cab., p. 64, 1851.

Walker, List. Homop., iv, p. 910, 1852.

Fitch, Trans. N. Y. St. Agr. Soc., xvii, p. 739, 1857 (1858), Diraphia.

Thomas, 8th Rept. Ill. St. Ent., p. 14, 1879, Diraphia.

Riley, Proc. Biol. Soc. Wash., ii, p. 68, 1884.

Packard, 5th Rept. U. S. Ent. Comm., p. 803, 1890, Diraphia.

Gillette and Baker, Hemip. Colo., p. 115, 1895.

Snow, Kans. Univ. Sci. Bul., ii, p. 350, 1904 (mention).

Smith, Cat. Ins. N. J., edn. 3, p. 108, 1910.

Patch, Psyche, xix, p. 7, 1912.

Crawford, U. S. Natl. Mus., Bul. 85, p. 22, 1914 (figures).

Weiss, Ent. News, xxvii, p. 163, 1916.

femoralis Fitch, Homop. N. Y. St. Cab., p. 64, 1851.

Fitch, Trans. N. Y. St. Agr. Soc., xvii, p. 740, 1857 (1858), Diraphia. Thomas, 8th Rept. Ill. St. Ent., p. 14, 1879, Diraphia.

calamorum Fitch, Trans. N. Y. St. Agr. Soc., xvii, p. 740, 1857 (1858),
Thomas, 8th Rept. Ill. St. Ent., p. 14, 1879, Diraphia. [Diraphia.

saltatrix Provancher, Pet. Faune Ent. Can., iii, p. 307, 1890.

Hosts: Pinus, Calamus.

Localities: Quebec, Conn., N. Y., N. J., Pa., D. C., Va., Mich., La., Colo., Ariz.

28121/2. Livia viridescens (Prov.)

Provancher, Nat. Can., iv, p. 379, 1872, Diraphia.

Host: (1)

Locality: Quebec.

2813. Livia caricis Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 23, 1914 (figures).

Host: Carex.

Localities: Me., Pa., Ill., Colo., N. Mex., Utah, Calif., Ore., Brit. Col.

TRIBE APHALARINI (Löw)

Löw, Verh. Zool. Bot. Ges. Wien, xviii, p. 605, 1878, Aphalarinae. Puton, Cat. Hémip. Palae., edn. 3, p. 90, 1886, Aphalararia. Edwards, Hemip. Homop. Brit. Isds., p. 22, 1896, Aphalaridae. Kuwayama, Trans. Sapporo Nat. Hist. Soc., ii, p. 15, 1907. Oshanin, Kat. Palae. Hemip., p. 126, 1912, Aphalararia. Aulmann, Psyllid. Cat., p. 61, 1913, Aphalarinae. Crawford, U. S. Natl. Mus., Bul. 85, p. 24, 1914.

Genus Aphalara Först.

Logotype calthae (Linn.)

Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 67, 1848.

Walker, List Homop., iv, p. 929, 1852 (listed).

Flor, Rhyn. Livl., ii, p. 530, 1861.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 380, 1871.

Scott, Trans. Ent. Soc. Lond. for 1876, p. 559.

Löw, Verh. Zool.-Bot. Ges. Wien, xxviii, p. 607, 1878; xxxii, p. 3, 1882.

Edwards, Hemip. Homop. Brit. Isds., p. 229, 1896.

Crawford, Pomona Jl. Ent., iii, p. 492, 1911. (Key.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 24, 1914. (Key.)

Subgenus Aphalara Först.

Crawford, U. S. Natl. Mus., Bul. 85, p. 25, 1914 (implied).

2814. Aphalara exilis (W. & M.)

Weber and Mohr, Naturh. Reise d. eine Theil Schwedens, p. 65, pl. 1, fig. 2, Fallén, Hemip. Suec., Cicad., p. 80, 1826, Chermes. [1804, Tettigonia. Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 89, 1848. Flor, Rhyn. Livl., ii, p. 532, 1861.

```
Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 402, 1871.
Scott, Trans. Ent. Soc. Lond. for 1876, p. 560, pl. 9, fig. 10.
Thomson, Opusc. Ent., viii, p. 840, 1877.
Douglas, Ent. Mo. Mag., xv, p. 255, 1879 (mention).
Strand, Ent. Tidskr., xxiii, p. 270, 1902.
```

rumicis, Boheman, Vet. Akad. Handl. for 1850, p. 177, Psylla.

Reuter, Medd. Fauna Flora Fenn., i, p. 72, 1876, Psylla.

Hosts: Rumex, Pinus.

Localities: "E. St." (Europe.)

2815. Aphalara calthae (Linn.)

Linnaeus, Fauna Suec., edn. 2, p. 263, no. 1005, 1761, Chermes.

Linnaeus, Syst. Nat., edn. 12, ii, p. 738, 1867, Chermes.

Fabricius, Syst. Ent., p. 741, 1775, Chermes.

Goeze, Ent. Beytr., ii, p. 321, 1778, Chermes.

Gmelin, in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2212, 1788, Chermes.

Fabricius, Ent. Syst., iv, p. 222, 1794, Chermes.

Fabricius, Syst. Rhyng., p. 304, 1803, Chermes.

Blanchard, Hist. des Ins., Hémip., p. 210, 1840, Chermes.

Walker, List Homop., iv, p. 921, 1852, Psylla?

Thomson, Opusc. Ent., viii, p. 840, 1877.

Löw, Verh. Zool.-Bot. Ges. Wien, xxxii, p. 233, 1882; xxxvi, p. 149, 1886.

Edwards, Hemip. Homop. Brit. Isds., p. 232, 1896.

Crawford, Pomona Jl. Ent., iii, p. 495, 1911.

Crawford, U. S. Natl. Mus., Bul. 85, p. 27, 1914 (figures).

polygoni Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 90, 1848.

Flor, Rhyn. Livl., ii, p. 534, 1861.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 402, 1871.

Scott, Trans. Ent. Soc. Lond. for 1876, p. 561.

Douglas, Ent. Mo. Mag., xv, p. 255, 1879 (mention).

Mally, Proc. Ia. Acad. Sci., ii, pl. 15, figs. 1-3, 1895 (larvae).

Patch, Me. Agr. Exp. Sta., Bul. 195, p. 235, 1911; Bul. 202, p. 216, 1912. ulicis Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 96, 1848.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 402, 1871.

Hosts: Caltha, Rumex, Polygonum, Ulex, Pinus.

Localities: Me., Mass., D. C., Ill., Ia., La., Wyo., Colo., Utah, N. Mex., Calif., Ore., Wash. (Cuba, Mexico, Europe.)

28151/2. Aphalara nubifera Patch

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 216, 1912.

Host: Sisymbrium. Locality: Colo.

2816. Aphalara ||rumicis Mally

Mally, Proc. Ia. Acad. Sci., ii, p. 166, 1895 (as var. of exilis).

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 217, 1912.

Crawford, U. S. Natl. Mus., Bul. 85, p. 29, 1914 (figures).

†maculipennis Crawford, Pomona Jl. Ent., iii, p. 496, 1911.

[Probably identical with maculipennis Löw as suggested by Crawford; if not Mally's name is preoccupied by rumicis Boheman and must be changed.]

Hosts: Rumex, Sophia.

Localities: Ia., Mo., Wyo., Colo., Texas, Calif., Ore.

2817. Aphalara artemisiae Först.

Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 96, 1848.

Flor, Rhyn. Livl., ii, p. 537, 1861.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 402, 1871.

Scott, Ent. Mo. Mag., xiii, p. 67, 1876; p. 282, 1877.

Thomson, Opusc. Ent., viii, p. 841, 1877.

Edwards, Ent. Mo. Mag., xliv, p. 86, 1908.

Crawford, Pomona Jl. Ent., ii, p. 496, 1911.

Crawford, U. S. Natl. Mus., Bul. 85, p. 29, 1914.

malachitica Dahlbom, Kong. Vet. Akad. Handl. for 1850, p. 177, Psylla.

Host: Artemisia.

Localities: Colo., Utah. (Europe.)

2818. Aphalara angustipennis Crawf.

Crawford, Pomona Jl. Ent., iii, p. 499, 1911 (as var. of artemisiae).

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 218, 1912 (figures).

Crawford, U. S. Natl. Mus., Bul. 85, p. 30, 1914 (figures).

Host: Artemisia.

Localities: Md., S. D., Colo., Utah, Calif., Ore., Wash.

2819. Aphalara viridis Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 30, 1914.

Host: (?)

Locality: Ariz.

2820. Aphalara pinicola Crawf.

Crawford, U. S. National Mus., Bul. 85, p. 31, 1914.

Host: Pinus.

Locality: Calif

2821. Aphalara suaedae Crawf.

Cockerell, Am. Nat., xxxiv, p. 290, 1900 (A. suedae Schw. MS).

Crawford, U. S. Natl. Mus., Bul. 85, p. 31, fig. 110, 1914 (described).

Host: Suaeda.

Localities: N. Mex., Calif.

2822. Aphalara veaziei Patch

Patch, Me. Agr. Exp. Sta., Bul. 187, p. 16, 1911.

Crawford, U. S. Natl. Mus., Bul. 85, p. 31, 1914 (figures).

communis Crawford, Pomona Jl. Ent., iii, p. 499, 1911 (figures).

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 218, 1912.

a. var. metzaria Crawf.

Crawford, Pomona Jl. Ent., iii, p. 499, 1911 (as var. of communis).

Host: Aster.

Localities: Ont., Md., D. C., Va., W. Va., Wis., S. D., Neb., Wyo., Colo., Utah, Texas, Ariz., Calif., Wash.

2823. Aphalara caudata Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 33, 1914.

Host: (?)

Locality: Calif.

1.1

2824. Aphalara pulchella Crawf.

Crawford, Pomona Jl. Ent., iii, p. 500, 1911.

Crawford, U. S. Natl. Mus., Bul. 85, p. 33, 1914 (figures).

Host: (1)

Locality: Calif.

2825. Aphalara picta (Zett.)

Zetterstedt, Fauna Lapp., p. 553, 1828, Chermes.

Zetterstedt, Ins. Lapp., column 308, 1840, Chermes.

Flor, Rhyn. Livl., ii, p. 539, 1861.

Scott, Trans. Ent. Soc. Lond. for 1876, p. 563, pl. 9, fig. 9.

Löw, Verh. Zool.-Bot. Ges. Wien, xxvi, pl. 2, figs. 36-40, 1876; xxix, p. 562,

Reuter, Ent. Tidskr., ii, p. 15, 1881 (in Swedish). [pl. 15, figs. 14, 15, 1879. Löw, Verh. Zool.-Bot. Ges. Wien, xxxii, p. 256, 1882; xxxvi, p. 150, 1886.

Edwards, Hemip. Homop. Brit. Isds., p. 230, 1896.

Crawford, Pomona Jl. Ent., iii, p. 501, 1911.

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 217, 1912 (note).

Crawford, U. S. Natl. Mus., Bul. 85, p. 33, 1914 (figures).

flavipennis Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 89, 1848.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 402, 1871.

Löw, Verh. Zool.-Bot. Ges. Wien, xxiii, p. 141, 1873.

sonchi Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 96, 1848.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 402, 1871.

alpigena Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 402, 1871.

†nervosa Thomson, Opusc. Ent., viii, p. 840, 1877.

Hosts: Chrysanthemum, Leontodon, Hypochaeris.

Localities: Mo., Colo. (Europe.)

2826. Aphalara fascipennis Patch

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 217, 1912.

Crawford, U. S. Natl. Mus., Bul. 85, p. 34, 1914.

Host: (?)

Localities: Ont., N. H., Mass., N. Y.

2827. Aphalara alaskensis Ashm.

Ashmead, Harriman Alaska Exped., viii, p. 136, 1904.

Crawford, U. S. Natl. Mus., Bul. 85, p. 35, 1914 (figures).

Host: (?)

Localities: Colo., Wash., Alaska.

2828. Aphalara schwarzi Ashm.

Ashmead, Harriman Alaska Exped., viii, p. 135, 1904.

Crawford, U. S. Natl. Mus., Bul. 85, p. 36, 1914 (noticed).

Aphalara sp. Schwarz, Proc. Wash. Acad. Sci., ii, p. 539, 1900.

Host: (?)

Locality: Alaska.

2829. Aphalara nebulosa (Zett.)

Zetterstedt, Fauna Lapp., p. 551, 1828, Chermes.

Zetterstedt, Ins. Lapp., column 307, 1840, Chermes. Reuter, Medd. Soc. Fauna Flora Fenn., i, pp. 73, 77, 1876.

Löw, Verh. Zool.-Bot. Ges. Wien, xxix, p. 566, 1879.

Dow, vern. 2001. Dot. Ges. Wien, 2212, p. 500, 1518.

Reuter, Ent. Tidskr., ii, p. 152, 1881 (in Swedish).



[The typical form European, not yet found here.]

Subgenus Anomocera Crawf. Orthotype minutissima Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 36, 1914.

2830. Aphalara minutissima Crawf.

Crawford, Pomona Jl. Ent., iii, p. 500, 1911 (figures). Crawford, U. S. Natl. Mus., Bul. 85, p. 37, 1914 (figures).

Host: Artemisia.

Localities: Neb., Utah, Nev., Calif.

2831. Aphalara anomala Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 87, 1914.

Host: (1) Locality: Calif.

> Genus Aphalaroida Crawf. Orthotype pithecolobia Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 38, 1914.

2832. Aphalaroida pithecolobia Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 39, 1914 (figures). Host: Pithecolobium.

Locality: Texas.

2833. Aphalaroida spinifera Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 40, fig. 399, 1914. Hosts: Prosopis, Phorodendron.

Localities: Ariz., Calif.

2834. Aphalaroida prosopis Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 40, fig. 404, 1914.

Host: Prosopis. Locality: Ariz.

2835. Aphalaroida inermis Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 41, fig. 398, 1914.

Hosts: Prosopis, Mimosa. Localities: Texas, Ariz., Calif.

none kus a sa a mono

Subfamily PAUROPSYLLINAE Crawf.

789

Crawford, U. S. Natl. Mus., Bul. 85, p. 42, 1914.

Genus Paurocephala Crawf. Orthotype psylloptera Crawf.

Crawford, Phil. Jl. Sci., viii, sec. D, p. 293, 1913. Crawford, U. S. Natl. Mus., Bul. 85, p. 42, 1914.

2837. Paurocephala ilecis (Ashm.)

Ashmead, Can. Ent., xiii, p. 225, 1883, Psylla. Riley, Proc. Biol. Soc. Wash., ii, p. 69, 1884, Aphalara (üicis). Crawford, Pomona Jl. Ent., iii, p. 632, 1911, Psyllopa (üicis).

Crawford, U. S. Natl. Mus., Bul. 85, p. 43 (figures), 1914 (ilicis).

Host: Ilex.

Localities: Ga., Fla.

Genus **Heteropsylla** Crawf. Orthotype texana Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 44, 1914.

2838. Heteropsylla texana Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 45, 1914 (figures).

Hosts: Pithecolobium, Sphaeralcea, Monarda, Chrysopsis, Acacia, Tamarix, Celtis, Prosopis.

Localities: Kans., Colo., Texas, Ariz.

2839. Heteropsylla mimosae Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 48, 1914.

Host: Mimosa.

Locality: Texas.

Genus Calophya Löw Haplotype *rhois* Löw

Löw, Verh. Zool.-Bot. Ges. Wien, xxviii, pp. 598, 608, 1878. Schwarz, Proc. Ent. Soc. Wash., vi, p. 240, 1904. Kieffer, Ann. Soc. Sci. Bruxelles, xxix, p. 162, 1905. Crawford, U. S. Natl. Mus., Bul. 85, p. 49, 1914.

2840. Calophya californica Schw.

Schwarz, Proc. Ent. Soc. Wash., vi, p. 242, 1904.

Crawford, U. S. Natl. Mus., Bul. 85, p. 50, 1914 (figures).

Host: Rhus integrifolia.

Locality: Calif.

2841. Calophya flavida Schw.

Schwarz, Proc. Ent. Soc. Wash., vi, p. 243, 1904.

Crawford, U. S. Natl. Mus., Bul. 85, p. 50, fig. 419, 1914.

Host: Rhus glabra.

Localities: Mass., D. C., Mo.

2842. Calophya dubia Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 51, fig. 420, 1914.

Host: (?)
Locality: Colo.



Riley, Proc. Biol. Soc. Wash., ii, p. 69, 1884 (n.n. for rhois Glever).
Schwarz, Proc. Ent. Soc. Wash., vi, p. 244, 1904 (described).
Crawford, U. S. Natl. Mus., Bul. 85, p. 53, 1914 (figures).
†rhois Glover, U. S. Dept. Agr., Rept. for 1876, p. 33, 1877, Psylla.
Host: Rhus copallina.
Localities: Pa., D. C., Va., N. C., Ga.

[Calophya vitreipennis Riley MS]
Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884 (name only).
Locality: Ariz.

Subfamily CHERMINAE Van D.

Van Duzee, Check List Hemip., p. 86, 1916 (n.n. for Carsidarinae Crawf.).

Prionocnemidae Scott, Trans. Ent. Soc. Lond. for 1882, p. 466.

Scott, Proc. Linn. Soc. N. S. Wales, xxvi, p. 286, 1901, Prionocnemia Kieffer, Zeit. f. Wissen. Ins. Biol., ii, p. 387, 1906, Prionocneminae.

Phacosemini Kieffer, Zeit. f. Wissen. Ins. Biol., ii, p. 387, 1906.

Carsidarinae Crawford, Pomona Jl. Ent., iii, p. 481, 1911 (n.n. for Prion Crawford, U. S. Natl. Mus., Bul. 85, pp. 18, 53, 1914. [nemidae Scottiacreminae Aulmann, Psyllid. Cat., p. 79, 1913 (part).

Genus Rhinopsylla Rîley Haplotype schwarzii Rîley

Biley, Proc. Biol. Soc. Wash., ii, p. 77, 1884. Crawford, Pomona Jl. Ent., iii, pp. 440, 483, 1911. Crawford, U. S. Natl. Mus., Bul. 85, p. 59, 1914.

2845. Rhinopsylla schwarzii Riley
Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884 (nomen nudum).
Riley, Proc. Biol. Soc. Wash., ii, p. 77, 1884.
Crawford, Pomona Jl. Ent., iii, p. 441, 1911.
Crawford, U. S. Natl. Mus., Bul. 85, p. 59, 1914.
Host: (†)
Locality: Fla

2846. Rhinopsylla athenae Crawf.
Crawford, U. S. Natl. Mus., Bul. 85, p. 60, 1914 (figures).
Host: (%)
Locality: Ga.

a. var. proxima Crawf.

Orawford, Pomona Jl. Ent., iii, p. 491, 1911 (name only).

Crawford, U. S. Natl. Mus., Bul. 85, p. 62, 1914.

Host: (?)
Locality: Colo.

Subfamily TRIOZINAE (Put.)

Puton, Cat. Hémip. Palae., edn. 2, p. 91, 1875, Triozaria.

Löw, Verh. Zool.-Bot. Ges. Wien, xxviii, pp. 605, 609, 1879.

Puton, Cat. Hémip. Palae., edn. 3, p. 93, 1886, Triozaria.

Edwards, Hemip. Homop. Brit. Isds., p. 250, 1896, Triozidae.

Kuwayama, Trans. Sapporo Nat. Hist. Soc., iii, p. 53, 1908.

Crawford, Pomona Jl. Ent., ii, pp. 228, 347, 1910; iii, p. 422, 1911.

Crawford, U. S. Natl. Mus., Bul. 85, p. 64, 1914.

Genus Kuwayama Crawf. Orthotype medicaginis Crawf.

Crawford, Pomona Jl. Ent., iii, p. 503, 1911 (n.n. for Epitrioza Crawf.).

Crawford, U. S. Natl. Mus., Bul. 85, p. 65, 1914.

|| Epitrioza Crawford, Pomona Jl. Ent., iii, p. 452, 1911.

2848. Kuwayama medicaginis (Crawf.)

Crawford, Pomona Jl. Ent., ii, p. 229, 1910, Paratrioza.

Crawford, Pomona Jl. Ent., iii, p. 452, 1911, Epitrioza.

Crawford, U. S. Natl. Mus., Bul. 85, p. 66, 1914 (figures).

Host: Medicago.

Localities: N. Mex. (not Colo.), Calif.

2849. Kuwayama dorsalis Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 67, fig. 415, 1914.

Host: (1)

Locality: Ariz.

Genus Leuronota Crawf.

Orthotype maculata (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 67, 1914.

2850. Leuronota maculata (Crawf.)

Crawford, Pomona Jl. Ent., ii, p. 349, 1910, Trioza.

Crawford, Pomona Jl. Ent., iii, p. 446, 1911, Allotrioza (mention).

Crawford, U. S. Natl. Mus., Bul. 85, p. 68, 1914 (figures).

Hosts: Condalia, Colubrina.

Localities: Texas, Ariz.

2851. Leuronota longipennis Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 69, 1914 (figures).

Host: (?)

Locality: Fla.

Genus Paratrioza Crawf.

Logotype ocellata Crawf. = cockerelli (Sulc.)

Crawford, Pomona Jl. Ent., ii, pp. 228, 229, 1910.

Crawford, Pomona Jl. Ent., iii, p. 446, 1911 (names ocellata type).

Crawford, U. S. Natl. Mus., Bul. 85, p. 70, 1914. [arbolensis Crawf.).

Allotrioza Crawford, Pomona Jl. Ent., iii, pp. 423, 442, 1911 (orthotype

2852. Paratrioza cockerelli (Sulc.)

Sulc, Acta Soc. Ent. Bohemiae, vi, p. 102, 1909, Trioza.

Crawford, Pomona Jl. Ent., iii, p. 448, 1911.

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 231, 1912.

Crawford, U. S. Natl. Mus., Bul. 85, p. 71, 1914 (figures).

pulchella Crawford, Pomona Jl. Ent., ii, p. 229, 1910.

ocellata Crawford, Pomona Jl. Ent., ii, p. 229, 1910; iii, pp. 447, 628, 1911. nigra Crawford, Pomona Jl. Ent., iii, p. 448, 1911.

flava Crawford, Pomona Jl. Ent., ii, p. 229, 1910; iii, p. 448, 1911.

Hosts: Capsicum, Solanum, Purshia, Thuja, Picea, Pinus, Medicago. Localities: Colo., Utah, N. Mex., Ariz., Calif.

2853. Paratrioza arbolensis Crawf.

Crawford, Pomona Jl. Ent., ii, p. 229, 1910.

Crawford, Pomona Jl. Ent., iii, p. 444, 1911, Allotrioza.

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 231, 1912, Allotrioza (mention).

Crawford, U. S. Natl. Mus., Bul. 85, p. 72, 1914 (figures).

Host: Shepherdia.

Locality: Colo.

2854. Paratrioza maculipennis (Crawf.)

Crawford, Pomona Jl. Ent., ii, pp. 230, 237, 1910, Trioza.

Crawford, Pomona Jl. Ent., iii, p. 450, fig. 153, 1911.

Crawford, U. S. Natl. Mus., Bul. 85, p. 73, fig. 392, 1914.

Hosts: Ceanothus, Convolvulus.

Locality: Calif.

Genus Trioza Först.

Logotype urticae (Linn.)

Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 67, 1848.

Flor, Rhyn. Livl., ii, p. 484, 1861.

Frauenfeld, Verh. Zool.-Bot. Ges. Wien, xvii, p. 804, 1867 (venation figured).

Scott, Trans. Ent. Soc. Lond. for 1876, p. 551.

Löw, Verh. Zool.-Bot. Ges. Wien, xxviii, p. 609, 1879.

Edwards, Hemip. Homop. Brit. Isds., p. 253, 1896. [Am. species.)

Crawford, Pomona Jl. Ent., ii, p. 229, 1910; iii, p. 423, 1911. (Keys to

Oshanin, Kat. Palae. Hemip., p. 128, 1912 (names urticae type).

Crawford, U. S. Natl. Mus., Bul. 85, p. 74, 1914. (Key.) [nudum).

Phylloplecta Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884 (nomen

2855. Trioza bakeri Crawf.

Crawford, Pomona Jl. Ent., ii, pp. 230, 235, figs. 98, 99, 1910; iii, p. 424, 1911. Crawford, U. S. Natl. Mus., Bul. 85, p. 77, 1914.

montana Crawford, Pomona Jl. Ent., iii, p. 631, 1911.

Host: Pinus. Locality: Calif.

2856. Trioza breviantennata Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 78, 1914 (figures).

Host: (?)

Locality: Calif.

2857. Trioza diospyri (Ashm.)

Ashmead, Can. Ent., xiii, p. 222, fig. 12, 1881, *Psylla*. Riley, Proc. Biol. Soc. Wash., ii, p. 70, 1884 (mention).

Forbes, 14th Rept. Ill. St. Ent., p. 99, 1885. Crawford, Pomona Jl. Ent., ii, p. 352, 1910 (figures). Smith, Cat. Ins. N. J., edn. 3, p. 110, 1910. Crawford, Pomona Jl. Ent., iii, p. 424, 1911. Patch, Me. Agr. Exp. Sta., Bul. 202, p. 226, 1912. Crawford, U. S. Natl. Mus., Bul. 85, p. 78, 1914 (figures). latipennis Crawford, Pomona Jl. Ent., ii, p. 230, 1910. Host: Diospyros. Localities: Va., Ga., Fla., Texas. 2858. Trioza collaris Crawf. Crawford, Pomona Jl. Ent., ii, pp. 229, 347, 1910 (figures). Patch, Me. Agr. Exp. Sta., Bul. 202, p. 225, 1912 (figures). Crawford, U. S. Natl. Mus., Bul. 85, p. 81, 1914 (figures). Host: (1) Locality: Calif. 2859. Trioza longistylus Crawf. Crawford, Pomona Jl. Ent., ii, p. 233, 1910; iii, pp. 424, 434, 1911 (figures). Patch, Me. Agr. Exp. Sta., Bul. 202, p. 227, 1912 (figures). Crawford, U. S. Natl. Mus., Bul. 85, p. 82, 1914 (figures). Host: (1) Locality: Colo. 2860. Trioza quadripunctata Crawf. Crawford, Pomona Jl. Ent., ii, p. 233, 1910; iii, pp. 425, 433, 1911 (figures). Patch, Me. Agr. Exp. Sta., Bul. 202, p. 229, 1912 (figures). Crawford, U. S. Natl. Mus., Bul. 85, p. 82, 1914 (figures). Host: (?) Localities: N. Y., Colo., Mont., Calif. 2861. Trioza albifrons Crawf. Crawford, Pomona Jl. Ent., ii, pp. 231, 355, 1910 (figures). Crawford, Pomona Jl. Ent., iii, pp. 426, 438, 1911 (figures). Crawford, U. S. Natl. Mus., Bul. 85, p. 83, 1914 (figures). rotundipennis Crawford, Pomona Jl. Ent., ii, pp. 231, 236, 1910 (figures). Crawford, Pomona Jl. Ent., iii, pp. 425, 427, 1911 (figures). Host: Urtica. Localities: Mont., Calif. 2862. Trioza urticae (Linn.) Linnaeus, Syst. Nat., edn. 10, i, p. 454, 1758, Chermes. Linnaeus, Fauna Suec., edn. 2, p. 263, No. 1006, 1761, Chermes. Linnaeus, Syst. Nat., edn. 12, ii, p. 738, 1767, Chermes. DeGeer, Mémoires, iii, p. 134, pl. 9, figs. 17, 18, 19, 1773, Chermes. Fabricius, Syst. Ent., p. 741, 1775, Chermes. Goeze, Ent. Beytr., ii, p. 322, 1778, Chermes. Fabricius, Spec. Ins., ii, p. 391, 1781, Chermes. Retzius, Genera et. Spec. Ins., p. 79, 1783, Chermes. Fabricius, Mant. Ins., ii, p. 318, 1787, Chermes. Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2212, 1788, Chermes. Fabricius, Ent. Syst., iv, p. 222, 1894, Chermes. Fabricius, Syst. Rhyng., p. 304, 1803, Chermes.

```
Zetterstedt, Fauna Lapp., 1828, Chermes.
Burmeister, Handb. d. Ent., ii, p. 98, 1835, Psylla.
Zetterstedt, Ins. Lapp., column 308, 1840, Chermes.
Blanchard, Hist. Nat. des Ins., Hémip., p. 202, 1840, Psylla.
Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 82, 1848.
Walker, List Homop., iv, p. 924, 1852.
Flor, Rhyn. Livl., ii, p. 505, 1861.
Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 386, 1871.
Scott, Trans. Ent. Soc. Lond. for 1876, p. 553, pl. 9, fig. 2.
Löw, Verh. Zool.-Bot. Ges. Wien, xxvii, p. 141, 1877.
Scott, Ent. Mo. Mag., xvii, p. 278, 1880.
Löw, Verh. Zool.-Bot. Ges. Wien, xxxii, p. 253, 1882; xxxviii, p. 23, 1888.
Edwards, Hemip. Homop. Brit. Isds., p. 256, 1896.
Crawford, U. S. Natl. Mus., Bul. 85, p. 84, 1914 (notice).
   eupoda Hartig in Germar's Zeit. f. Ent., iii, p. 374, 1841, Psylla.
       Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 82, 1848.
      Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 389, 1871.
   protensa Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 82, 1848.
      Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 389, 1871.
   forcipata Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 84, 1848.
      Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 389, 1871.
   crassinervis Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 83, 1848.
      Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 387, 1871.
   bicolor Meyer-Dür, Mitth. Schw. Ent. Ges., iii, pp. 389, 391, 1871.
          Host: Urtica.
          Localities: "E. St."
                                  (Europe.)
```

2863. Trioza frontalis Crawf.

Crawford, Pomona Jl. Ent., ii, pp. 230, 353, 1910 (figures); iii, p. 426, 1911. Crawford, U. S. Natl. Mus., Bul. 85, p. 84, 1914 (figures).

similis Crawford, Pomona Jl. Ent., ii, pp. 231, 352, 1910 (figures).

fovealis Crawford, Pomona Jl. Ent., ii, p. 233, 1910. [similis).

Crawford, Pomona Jl. Ent., iii, pp. 426, 438, 1911 (figures; as var. of

a. var. sulcata Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 85, 1914.

Host: Amelanchier. Localities: Colo., Calif.

2864. Trioza albiventris Först.

Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 84, 1848.
Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 388, 1871.
Scott, Trans. Ent. Soc. Lond. for 1876, p. 558, pl. 9, fig. 5.
Löw, Verh. Zool.-Bot. Ges. Wien, xxvii, p. 138, 1877; xxix, p. 582, 1879.
Löw, Wien, Ent. Zeit., i, p. 214, 1882.
Edwards, Hemip. Homop. Brit. Isds., p. 254, pl. 28, fig. 9, 1896.
sanguinosa Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 85, 1848.
Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 388, 1877.
Löw, Verh. Zool.-Bot. Ges. Wien, xxvii, p. 138, 1877.
vitreipennis Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 98, 1848.
Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 388, 1877.

hypoleuca Thomson, Opusc. Ent., viii, p. 828, 1877.

Hosts: Salix, Betula, Pinus. Localities: "S. St." (Europe.)

2865. Trioza obtusa Patch

Patch, Me. Agr. Exp. Sta., Bul. 187, p. 18, 1911. Crawford, U. S. Natl. Mus., Bul. 85, p. 85, 1914.

Host: Amelanchier.

Localities: Me., Md., D. C.

2866. Trioza lobata Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 86, 1914 (figures).

Host: Ceanothus.

Localities: Ariz., Calif.

2867. Trioza tripunctata (Fh.)

Fitch, Homop. N. Y. St. Cab., p. 64, 1851, Psylla.

Thomas, 8th Rept. Ill. St. Ent., p. 18, 1879, Psylla.

Riley, Am. Ent., iii, p. 62, note, 1880, Psylla.

Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884, Phylloplecta (mention).

Riley, Proc. Biol. Soc. Wash., ii, p. 70, 1884 (mention).

Löw, Verh. Zool.-Bot. Ges. Wien, xxxvi, p. 163, 1888 (synonomy).

Riley in Lintner, 9th Rept. N. Y. St. Ent., p. 411, 1893 (mention).

Mally, Proc. Ia. Acad. Sci., ii, p. 154, 1895 (mention).

Van Duzee, 20th Rept. N. Y. St. Ent., p. 556, 1905.

Smith, Cat. Ins. N. J., edn. 3, p. 110, 1910.

Crawford, Pomona Jl. Ent., ii, pp. 231, 232, 1910; iii, pp. 424, 429, 430, 1911

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 230, 1912. [(figures).

Crawford, U. S. Natl. Mus., Bul. 85, p. 87, 1914 (figures).

rubi Walsh and Riley, Am. Ent., i, p. 225, 1869, Psylla.

Thomas, 8th Rept. Ill. St. Ent., p. 17, 1879, Psylla.

Fuller, Am. Ent., iii, p. 62, 1880, Psylla.

[Psylla.

§tripuncta Riley in Packard, 5th Rept. U. S. Ent. Comm., p. 805, 1890,

Hosts: Rubus, Pinus.

Localities: Ont., Me., N. H., N. Y., N. J., D. C., Va., Fla.
[This is not Trioza tripunotata Löw, 1877]

2868. Trioza arizonae Aulm.

Aulmann, Ent. Rundsch., xxix, p. 144, 1912 (n.n. for marginata Crawf.). Aulmann, Psyllid. Cat., p. 39, 1913.

Crawford, U. S. Natl. Mus., Bul. 85, p. 88, 1914 (figures).

marginata Crawford, Pomona Jl. Ent., ii, pp. 232, 356, 1910 (figures).

Crawford, Pomona Jl. Ent., iii, pp. 424, 427, 1911.

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 228, 1912 (figures).

Host: (?)

Locality: Ariz.

2869. Trioza maura Först.

Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 94, 1848. Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 387, 1871.

Löw, Wien. Ent. Zeit., i, p. 214, 1882.

Löw, Verh. Zool.-Bot. Ges. Wien, xxxii, p. 242, 1882.

Sulc, Sitz-Ber. Bohm. Ges. Wissen., v, p. 10, 1911 (figures).

[Crawf.).

```
Patch, Me. Agr. Exp. Sta., Bul., p. 228, 1912.
Crawford, U. S. Natl. Mus., Bul. 85, p. 89, 1914 (figures).
   helvetina Meyer-Dür, Mitth. Schw. Ent. Ges., iii, pp. 388, 391, 1871.
   nigrifrons Crawford, Pomona Jl. Ent., ii, pp. 230, 351, 1910 (figures).
   fulvida Crawford, Pomona Jl. Ent., ii, pp. 231, 358, 1910 (figures).
  ||similis Crawford, Pomona Jl. Ent., ii, pp. 231, 359, 1910 (as var. of fulvida).
   aurantiaca Crawford, Pomona Jl. Ent., ii, pp. 231, 360, 1910 (figures).
      Crawford, Pomona Jl. Ent., iii, pp. 426, 428, 628, 1911.
  #frontalis Crawford, Pomona Л. Ent., ii, p. 232, 1910 (as var. of aurantiaca).
         Host: Salix.
         Localities: Ill., Colo., Utah, N. Mex., Nev., Calif., Ore., Wash.
             (Europe.)
                     28694. Trioza forcipula Patch
Patch, Me. Agr. Exp. Sta., Bul. 202, p. 227, 1912.
         Host: Ulmus.
         Localities: Ont., N. Y., Colo.
                    28691/2. Trioza pyrifoliae Forbes
Forbes, 14th Rept. Ill. St. Ent., p. 98, 1885.
Mally, Proc. Ia. Acad. Sci., ii, p. 154, 1895 (mention).
         Host: Pyrus.
         Locality: Ill.
                      2870. Trioza nigrilla Crawf.
Crawford, Pomona Jl. Ent., iii, p. 503, 1911 (n.n. for nigra Crawf.).
  ||salicis Mally, Proc. Ia. Acad. Sci., ii, p. 161, 1895.
      Crawford, Pomona Jl. Ent., iii, pp. 426, 428, 432, 1911 (figures).
      Aulmann, Psyllid. Cat., p. 53, 1913 (listed).
      Crawford, U. S. Natl. Mus., Bul. 85, p. 91, 1914 (figures).
      Van Duzee, Check List Hemip., p. 86, No. 2870, 1916.
   minuta Crawford, Pomona Jl. Ent., ii, p. 232, 1910.
      Crawford, Pomona Jl. Ent., iii, pp. 425, 427, 432, 1911 (figures).
  assimilis Crawford, Pomona Jl. Ent., ii, p. 233, 1910.
      Crawford, Pomona Jl. Ent., iii, pp. 426, 429, 438, 1911 (figures).
  ||nigra Crawford, Pomona Jl. Ent., ii, pp. 232, 258, 1910 (figures).
      Crawford, Pomona Jl. Ent., iii, pp. 427, 428, 1911.
                                                            [minuta Crawf.).
  similis Crawford, Pomona Jl. Ent., iii, pp. 425, 427, 433, 1911 (as var. of
  flori Crawford, Pomona Jl. Ent., iii, p. 503, 1911 (n.n. for assimilis Crawf.).
   dubia Patch, Me. Agr. Exp. Sta., Bul. 202, p. 226, 1912.
   pomonae Aulmann, Ent. Rundsch., xxix, p. 144, 1912 (n.n. for assimilis
      Aulmann, Psyllid. Cat., p. 51, 1913 (listed).
                                                                     [Crawf.).
  louisianae Aulmann, Ent. Rundsch., xxix, p. 144, 1912 (n.n. for nigra
```

Localities: D. C., Ia., Colo., Nev. Calif. Wash.

2871. Trioza varians Crawf.

Crawford, Pomona Jl. Ent., ii, pp. 231, 361, 1910 (figures). Crawford, Pomona Jl. Ent., iii, pp. 425, 427, 628, 1911. Crawford, U. S. Natl. Mus., Bul. 85, p. 91, 1914 (figures).

Aulmann, Psyllid. Cat., p. 48, 1913 (listed).

Host: Salix.

Host: Salix.

Localities: Colo., Utah, Calif., Albta., Brit. Col.

2872. Trioza longicornis Crawf.

Crawford, Pomona Jl. Ent., ii, pp. 231, 359, 1910 (figures).

Crawford, Pomona Jl. Ent., iii, pp. 425, 427, 1911.

Crawford, U. S. Natl. Mus., Bul. 85, p. 92, 1914 (figures).

Host: (1)

Locality: Vanc. Isd.

.2873. Trioza stylifera Patch

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 229, 1912 (figures).

Crawford, U. S. Natl. Mus., Bul. 85, p. 93, 1914 (figures).

Host: (?)

Locality: Ont.

2874. Trioza alymeriae Patch

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 225, 1912.

Crawford, U. S. Natl. Mus., Bul. 85, p. 93, 1914.

Host: Vaccinium(?) ("Bilberry").

Locality: Quebec.

2875. Trioza alacris Flor

Flor, Bul. Soc. Imp. Nat. Moscou, xxxiv, pp. 380, 386, 393, 398, 1861.

Löw, Verh. Zool.-Bot. Ges. Wien, xxxii, p. 230, 1882; xxxvi, p. 166, 1886.

Thomas, Zeit. f. Pflanzenkr., viii, p. 92, 1891.

Dickel, Zeit. f. Wissen. Ins. Biol., i, p. 402, 1905.

Sulc, Sitz.-Ber. Kon. Böhm. Ges. Wissen. Prag, xix, p. 49, 1912.

Crawford, Bul. Calif. St. Comm. Hort., i, p. 86, 1912.

Crawford, U. S. Natl. Mus., Bul. 85, p. 94, 1914 (figures).

Essig, Inj. Benif. Ins. Calif., edn. 2, p. 68, 1915.

Weiss, Can. Ent., xlix, p. 73, 1917.

[(nomen nudum).

lauri, Targioni-Tozetti, Resoc. Soc. Ent. Ital. (Atti xi), p. 19, 1879

Host: Laurus.

Localities: N. J., Calif. (Europe.)

2876. Trioza viridis Crawf.

Crawford, Pomona Jl. Ent., ii, pp. 230, 350, 1910 (figures).

Crawford, Pomona Jl. Ent., iii, p. 446, 1911, Allotrioza (mention).

Crawford, U. S. Natl. Mus., Bul. 85, p. 95, 1914 (figures).

Host: (?)

Locality: Calif.

2877. Trioza magnoliae (Ashm.)

Ashmead, Can. Ent., xiii, p. 224, 1881, Psylla.

Riley, Proc. Biol. Soc. Wash., ii, p. 70, 1884 (mention).

Crawford, Pomona Jl. Ent., ii, p. 228, 1910 (mention).

Crawford, Pomona Jl. Ent., iii, p. 445, 1911, Allotrioza (figures).

Crawford, U. S. Natl. Mus., Bul. 85, p. 96, 1914 (figures).

Host: Maguolia.

Localities: Ga., Fla.

[Trioza sanguinosa Riley MS]

Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884.

§sanguinea Aulmann, Psyllid. Cat., p. 54, 1913.

Host: Pinus.

Locality: (1)

Genus Neotriozella Crawf. Orthotype immaculata Crawf.

Crawford, Pomona Jl. Ent., iii, p. 503, 1911 (n.n. for Neotrioza Crawf.). Crawford, U. S. Natl. Mus., Bul. 85, p. 98, 1914.

|| Neotrioza Crawford, Pomona Jl. Ent., iii, pp. 423, 450, 1911.

2878. Neotriozella immaculata (Crawf.)

Crawford, Pomona Jl. Ent., ii, p. 233, 1910, Trioza.

Crawford, Pomona Jl. Ent., iii, p. 450, 1911, Neotrioza (figures); p. 503, 1911. Crawford, U. S. Natl. Mus., Bul. 85, p. 98, 1914 (figures).

ottawanensis Patch, Me. Agr. Exp. Sta., Bul. 202, p. 231, 1912.

Host: Pinus.

Localities: Ont., Nov. Scot., D. C., Ill., Ia.

2879. Neotriozella sculptoconus Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 99, 1914.

Host: (1)

Locality: Calif.

2880. Neotriozella laticeps (Crawf.)

Crawford, Pomona Jl. Ent., ii, p. 233, 1910, Trioza.

Crawford, Pomona Jl. Ent., iii, p. 451, 1911, Neotrioza (figures); p. 503, 1911.

Crawford, U. S. Natl. Mus., Bul. 85, p. 100, 1914 (figures).

Host: (1) Locality: La.

Genus Ceropsylla Riley Haplotype sideroxyli Riley

Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884 (nomen nudum).

Riley, Proc. Biol. Soc. Wash., ii, p. 76, 1884 (described).

Crawford, Pomona Jl. Ent., ii, p. 229, 1910; iii, p. 423, 1911.

Crawford, U. S. Natl. Mus., Bul. 85, p. 100, 1914.

[Crawf.).

Triozoida Crawford, Pomona Jl. Ent., iii, p. 491, 1911 (orthotype johnsoni

2881. Ceropsylla sideroxyli Riley

Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884 (nomen nudum).

Riley, Proc. Biol. Soc. Wash., ii, p. 76, 1884 (described).

Crawford, U. S. Natl. Mus., Bul. 85, p. 101, 1914 (figures).

Host: Sideroxylon.

Locality: Fla.

2882. Ceropsylla californica Crawf.

Crawford, Pomona Jl. Ent., ii, pp. 232, 234, 1910, Trioza (figures).

Crawford, Pomona Jl. Ent., iii, pp. 423, 427, 1911, Trioza; p. 492, 1911. Crawford, U. S. Natl. Mus., Bul. 85, p. 102, 1910.

Triozoida.

Host: Salix.

Localities: Colo., Calif.

Genus Hemitrioza Crawf. Orthotype sonchi Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 104, 1914.

2883. Hemitrioza sonchi Crawf.

Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884, Trioza (nomen nudum). Aulmann, Psyllid. Cat., p. 55, 1913 (nomen nudum).

Crawford, U. S. Natl. Mus., Bul. 85, p. 104, fig. 402, 1914 (described).

Host: Sonchus.

Localities: D. C., Va., Ga.

Subfamily PSYLLIINAE Van D.

Van Duzee, Check List Hemip., p. 87, 1916 (n.n. for Psyllinae Put.). Psyllaria Puton, Cat. Hemip. d'Eur. et Méd., p. 91, 1875.

Löw, Verh. Zool.-Bot. Ges. Wien, xxviii, pp. 605, 607, 1878, Psyllinae.

Edwards, Hemip. Homop. Brit. Isds., p. 233, 1896, Psyllidae.

Oshanin, Verz. Palae. Hemip., ii, p. 349, 1907, Psyllaria.

Oshanin, Kat. Palae. Hemip., p. 126, 1912, Psyllaria. (Tribe.)

Aulmann, Psyllid. Cat., p. 5, 1913, Psyllinae.

Crawford, U. S. Natl. Mus., Bul. 85, pp. 18, 105, 1914, Psyllinae.

TRIBE PACHYPSYLLINI Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 106, 1914.

Genus Crawfordiella Van D.

Orthotype mira Crawf.

Van Duzee, Check List Hemip., p. 87, 1916 (n.n. for Uhleria Crawf.). ||Uhleria Crawford, U. S. Natl. Mus., Bul. 85, p. 106, 1914.

2884. Crawfordiella mira (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 107, 1914, Uhleria (figures). Van Duzee, Check List Hemip., p. 87, 1916.

Host: (1)

Locality: "U. S."(1).

Genus Tetragonocephala Crawf.

Orthotype flava Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 107, 1914.

2885. Tetragonocephala flava Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 108, 1914 (figures).

Host: (?)

Locality: Texas.

Genus Pachypsylla Riley

Logotype venusta (O.-S.)

Riley, Can. Ent., xv, p. 157, 1883 (described).

Riley, Proc. Biol. Soc. Wash., ii, p. 71, 1884 (indicates venusta as typical).

Riley in Packard, 5th Rept. U. S. Ent. Comm., p. 614, 1890 (monograph,

Crawford, U. S. Natl. Mus., Bul. 85, p. 108, 1914. [names venusta type).

Subgenus Pachypsylla Riley

Van Duzee, Check List Hemip., p. 87, 1916.

2886. Pachypsylla venusta (O.-S.)

Osten-Sacken, Stet. Ent. Zeit., xxii, p. 422, 1861, Psylla.

Riley, Can. Ent., xv, p. 157, fig. 6, 1883 (gall).

Riley, Proc. Biol. Soc. Wash., ii, p. 72, 1884 (redescribed). [Pachypsylla, sec. 1).

Riley in Packard, 5th Rept. U. S. Ent. Comm., p. 615, 1890 (as type of

```
Riley, in Packard, 5th Rept. U. S. Ent. Comm., pp. 616, 617, fig. 201, 1890
Beutenmuller, Bul. Am. Mus. Nat. Hist., iv, p. 274, 1892 (gall only). [(gall).
Townsend, Can. Ent., xxiv, p. 194, 1892.
Mally, Proc. Ia. Acad. Sci., i, pt. 4, p. 137, 1893.
Beutenmuller, Am. Mus. Jl., iv, p. 120, 1904.
Smith, Cat. Ins. N. J., edn. 3, p. 109, 1910.
Crawford, U. S. Natl. Mus., Bul. 85, p. 109, 1914 (figures). [(nomen nudum).
   celtidis-grandis Riley, Johnson's Universal Cyclopedia, ii, p. 415, 1876
   tridentata Patch, Me. Agr. Exp. Sta., Bul. 202, p. 224, 1912.
         Host: Celtis.
         Localities: N. J., Kans., Colo., Texas, N. Mex.
                2887. Pachypsylla celtidis-mamma Riley
Riley, Johnson's Universal Cyclopedia, ii, p. 415, 1876 (nomen nudum).
Fyles, Can. Ent., xiv, p. 198, 1882 (gall mite without name).
Riley, Can. Ent., xv, p. 158, fig. 7, 1883 (gall only).
Fletcher, 13th Rept. Ent. Soc. Ont., p. 79, 1883, Psylla.
Riley, Proc. Biol. Soc. Wash., ii, p. 73, 1884 (described).
Riley in Packard, 5th Rept. U. S. Ent. Comm., p. 615 (as type of Packypsylla
                                            [sec. 2; p. 619, 1890 (described).
Beutenmuller, Bul. Am. Mus. Nat. Hist., iv, p. 275, 1892 (gall only).
Mally, Proc. Ia. Acad. Sci., i, pt. 4, p. 131, 1893 (life history, variations in
Cook, Ohio Nat., iii, p. 426, 1903.
Cook, Ind. Dept. Geol., 29th Rept., p. 844, 1904.
Stough, Kans. Univ. Sci. Bul., v, p. 121, 1910 (anatomy).
Smith, Cat. Ins. N. J., edn. 3, p. 109, 1910.
Crawford, U. S. Natl. Mus., Bul. 85, p. 110, 1914 (figures).
Weiss, Ent. News, xxvii, p. 163, 1916 (mention).
                                                                [(name only).
  ?celtidis-asteriscus Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884
      Riley in Packard, 5th Rept. U. S. Ent. Comm., p. 618, 1890 (gall de-
                                                                    [scribed).
  ?celtidis-umbillious Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884
                                                                [(name only).
      Riley in Packard, 5th Rept. U. S. Ent. Comm., p. 619, 1884 (gall de-
  ?celtidis-pubescens Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884
                                                                [(name only).
      Riley in Packard, 5th Rept. U. S. Ent. Comm., p. 620, 1884 (gall de-
                                                                     [scribed.
  ?celtidis-globulus Riley in Packard, 5th Rept. U. S. Ent. Comm., p. 621,
                                                      [1890 (gall described).
      Aulmann, Psyllid. Cat., p. 30, 1913 (spelled globulosus).
  ?celtidis-curcurbita Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884
                                                                [(name only).
      Riley in Packard, 5th Rept. U. S. Ent. Comm., pp. 621, 622, 1890 (gall
                                                                  [described).
      Beutenmuller, Bul. Am. Mus. Nat. Hist., iv, p. 276, 1892 (figures).
         Smith, Cat. Ins. N. J., edn. 3, p. 109, 1910.
        [These five "species" are nomina nuda in entomology and are mean-
            ingless in botany. Crawford is probably correct in placing them
            as synonyms of c.-mamma.]
         Host: Celtis.
         Localities: Ont., N. Y., N. J., Ind., Ia., Kans., Colo., Texas.
```

2888. Pachypsylla rohweri Ckl.

Cockerell, Ent. News, xxi, p. 180, 1910.

Host: Celtis. Locality: Colo.

2889. Pachypsylla celtidis-vesiculum Crawf.

Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884 (name only).

Riley in Packard, 5th Rept. U. S. Ent. Comm., p. 618, 1890 (gall described).

Beutenmuller, Bul. Am. Mus. Nat. Hist., iv, p. 275, 1892 (gall).

Beutenmuller, Am. Mus. Jl., iv, p. 120, 1904 (gall).

Jarvis, 37th Rept. Ent. Soc. Ont., p. 65, 1906 (gall).

Smith, Cat. Ins. N. J., edn. 3, p. 109, 1910 (listed).

Crawford, U. S. Natl. Mus., Bul. 85, p. 112, 1913 (described and figured).

Host: Celtis.

Localities: N. Y., N. J., Ia.

Subgenus Blastophysa Riley

Haplotype celtidis-gemma Riley

Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884 (nomen nudum).

Riley, Proc. Biol. Soc. Wash., ii, p. 75, 1884 (characterized).

Riley in Packard, 5th Rept. U. S. Ent. Comm., p. 615, 1890 (3d section;; [names c.-gemma type).

2890. Pachypsylla celtidis-gemma Riley

Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884 (nomen nudum).

Riley, Proc. Biol. Soc. Wash., ii, p. 74, 1884 (described).

Riley in Packard, 5th Rept. U. S. Ent. Comm., p. 618, 1890.

Beutenmuller, Bul. Am. Mus. Nat. Hist., iv, p. 275, 1892.

Mally, Proc. Ia. Acad. Sci., i, pt. 4, p. 138, 1893.

Smith, Cat. Ins. N. J., edn. 3, p. 109, 1910.

Crawford, U. S. Natl. Mus., Bul. 85, p. 112, 1914 (figures).

Host: Celtis.

Localities: N. Y., D. C., Va., Ia., Mo., La., Texas.

2891. Pachypsylla dubia Patch

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 224, 1912 (figures).

Crawford, U. S. Natl. Mus., Bul. 85, p. 113, 1914.

Host: Celtis.

Locality: N. Y.(?).

2892. Pachypsylla pallida Patch

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 225, 1912 (figures).

Crawford, U. S. Natl. Mus., Bul. 85, p. 113, 1914.

Host: Celtis.

Locality: Ariz.

2893. Pachypsylla interneris Mally

Mally, Proc. Ia. Acad. Sci., i, pt. 4, p. 138, 1893.

Crawford, U. S. Natl. Mus., Bul. 85, p. 113, 1914.

Host: Celtis. Locality: Ia.

[Pachypsylla celtidis-minuta Riley MS]

Mally, Proc. Ia. Acad. Sci., i, pt. 4, p. 137, 1893.

Host: Celtis.

Locality: Ia.

TRIBE EUPHYLLURINI Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, pp. 106, 114, 1914.

Genus Katacephala Crawf. Orthotype grandiceps Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 114, 1914.

2894. Katacephala grandiceps Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 114, 1914 (figures).

Host: (1)

Localities: Fla. (Bahamas.)

Genus Euphyllura Först. Logotype phillyrae Först.

Förster, Verh. Natw. Ver. Preuss, Rheinl., v, p. 93, 1848. Flor, Bul. Soc. Nat. Moscou, xxxiv, pp. 337, 416, 1861. Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 380, 1871. Löw, Verh. Zool.-Bot. Ges. Wien, xxviii, p. 607, 1878. Schwarz, Proc. Ent. Soc. Wash., vi, p. 234, 1904. (Key.) Crawford, U. S. Natl. Mus., Bul. 85, p. 115, 1914.

2895. Euphyllura arctostaphyli Schw.

Schwarz, Proc. Ent. Soc. Wash., vi, p. 235, fig. 6, 1904. Crawford, U. S. Natl. Mus., Bul. 85, p. 116, 1914 (figures).

a. var. niveipennis Schw.

Schwarz, Proc. Ent. Soc. Wash., vi, p. 236, 1904.

Host: Arctostaphylos.

Localities: Wyo., Colo., Ariz., Calif., Wash.

2896. Euphyllura arbuti Schw.

Schwarz, Proc. Ent. Soc. Wash., vi, p. 237, fig. 7, 1904. Crawford, U. S. Natl. Mus., Bul. 85, p. 117, fig. 6, 1914.

Host: Arbutus menziezei.

Locality: Calif.

2897. Euphyllura arbuticola Crawf.

Crawford, U. S. Natl. Mus., Bul., 85, p. 118, 1914.

Host: Arbutus arizonica.

Locality: Ariz.

TRIBE ARYTAININI Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, pp. 106, 118, 1914.

Genus Euphalerus Schw. Haplotype nidifex Schw.

Schwarz, Proc. Ent. Soc. Wash., vi, p. 238, 1904. Crawford, U. S. Natl. Mus., Bul. 85, p. 118, 1914.

2898. Euphalerus nidifex Schw.

Schwarz, Proc. Ent. Soc. Wash., vi, pp. 153, 239, fig. 8, 1904. Crawford, U. S. Natl. Mus., Bul. 85, p. 119, 1914.

Host: Piscidia.

Localities: Fla. (Neotropical.)

2899. Euphalerus rugipennis Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 120, 1914 (figures).

a. var. immaculatus Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 121, 1914.

Host: Ceanothus.

Localities: Ariz., Calif.

2900. Euphalerus vermiculosus Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 121, 1914 (figures).

Host: Ceanothus. Locality: Calif.

2901. Euphalerus propinquus Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 122, 1914 (figures).

Host: Ceanothus. Locality: Ariz.

Genus Arytaina Först. Logotype genistae Latr.

Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 67 (p. 69 Crawf.), 1848. Oshanin, Kat. Palae. Hemip., p. 128, 1912 (names genistae type).

Crawford, U. S. Natl. Mus., Bul. 85, p. 122, 1914.

‡Arytaena Scott, Trans. Ent. Soc. Lond. for 1876, p. 528.

Löw, Verh. Zool.-Bot. Ges. Wien, xxviii, pp. 596, 609, 1878.

Edwards, Hemip. Homop. Brit. Isds., p. 250, 1896.

Kieffer, Ann. Soc. Sci. Bruxelles, xxix, p. 165, 1905.

‡Ataenia Thomson, Opusc. Ent., viii, p. 828, 1877 (as subgenus).

Psyllopa Crawford, Pomona Jl. Ent., iv, p. 684, 1912 (nomen nudum).

2902. Arytaina robusta Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 123, 1914 (figures).

Host: Ceanothus.

Localities: Colo., Ariz., Calif., Wash.

2903. Arytaina fuscipennis Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 125, 1914 (figures).

Host: Ceanothus.

Localities: Colo., Nev., Calif.

2904. Arytaina genistae (Latr.)

Latreille, Hist. Nat. Crust. Ins., xii, p. 382, 1804, Psylla.

Guerin and Percheron, Genera des Ins., pt. 4, No. 8, pl. 4, 1835, Psylla.

Guerin, Icon. Règne Animal, p. 375, 1843, Psylla.

Burmeister, Zool. Handatlas, pl. 29, fig. 28, 1843; edn. 2, p. 139, pl. 31, fig. 28,

Thomson, Opusc. Ent., viii, p. 828, 1877, Ataenia.

[1860, Psylla.

Löw, Verh. Zool. Bot. Ges. Wien, xxvii, p. 125, 1877; xxviii, p. 597, pl. 9, figs.

Scott, Ent. Mo. Mag., xvii, pp. 132, 1880 (young). [11, 12, 1878.

Löw, Verh. Zool.-Bot. Ges. Wien, xxxviii, p. 19, 1888 (food habits).

Edwards, Hemip. Homop. Brit. Isds., p. 250, pl. 27, fig. 7, 1896.

Sulc, Acta Soc. Ent. Bohemiae, ii, p. 4, 1905.

Crawford, U. S. Natl. Mus., Bul. 85, p. 125, 1914 (figures).

ulicis Curtis, Brit. Ent., xii, pl. 565, 1835, Psylla.

Scott, Trans. Ent. Soc. Lond. for 1876, p. 529, pl. 8, fig. 1.

spartii Hartig in Germar's Zeit. f. Ent., iii, p. 375, 1841, Psylla. Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 69, 1848.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 405, 1871.

magna Crawford, Pomona Jl. Ent., iii, p. 628, fig. 209, B. D., 1911, Psyllopa.

Hosts: Ulex, Sarothamnus, Spartium.

Localities: Mass. (Europe.)

2905. Arytaina ribesiae (Crawf.)

Crawford, Pomona Jl. Ent., iii, p. 630, 1911, Psyllopa.

Crawford, U. S. Natl. Mus., Bul. 85, p. 126, 1914 (figures).

Hosts: Ribes, Ceanothus.

Localities: Colo., Utah, Ariz., Calif.

2906. Arytaina assimilis Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 127, 1914 (figures).

Host: Ceanothus. Locality: Calif.

2907. Arytaina minuta Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 128, 1914 (figures).

Host: Ceanothus. Locality: Calif.

2908. Arytaina chelifer Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 128, 1914 (figures).

Host: Purshia.

Localities: Utah, Ariz.

2909. Arytaina amorphae (Mally)

Mally, Proc. Ia. Acad. Sci., ii, p. 159, 1895, Psylla.

Crawford, U. S. Natl. Mus., Bul. 85, p. 129, 1914 (figures).

tiliois Crawford, Pomona Jl. Ent., iv, p. 684, 1912.

floridensis Crawford, Pomona Jl. Ent., iii, p. 629, 1911, Psyllopa.

Host: Amorpha. Localities: Ia., Neb.

2910. Arytaina ceanothae Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 130, 1914 (figures).

Host: Ceanothus. Locality: Calif.

2911. Arytaina aculeata Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 131, 1914.

Host: Ceanothus. Locality: Calif.

2912. Arytaina pubescens Crawf.

Crawford, U. S. Natl. Mus., Bul. 85, p. 131, 1914 (figures).

Host: Purshia.

Localities: Nev., Calif.

Genus **Psyllopsis** Löw

Logotype fraxinicola (Först.)

Löw, Verh. Zool. Bot. Ges. Wien, xxviii, pp. 587, 606, 1878. Edwards, Hemip. Homop. Brit. Isds., p. 233, 1896.

Oshanin, Kat. Palae. Hemip., p. 126, 1912 (names fraxinicolor Först. type). Crawford, U. S. Natl. Mus., Bul. 85, p. 132, 1914.

2913. Psyllopsis fraxinicola (Först.)

Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 73, 1848, Psylla.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, pp. 398, 399, 1871, Psylla.

Scott, Trans. Ent. Soc. Lond. for 1876, p. 544, pl. 8, fig. 4, Psylla.

Thomson, Opusc. Ent., viii, p. 829, 1877, Psylla.

Löw, Verh. Zool.-Bot. Ges. Wien, xxvii, p. 138, 1877, Psylla; xxviii, p. 588, 1878.

Löw, Wien. Ent. Zeit., i, p. 211, 1882.

Edwards, Hemip. Homop. Brit. Isds., p. 234, 1896.

Smith, Cat. Ins. N. J., edn. 3, p. 108, 1910.

Felt, 26th Rept. N. Y. St. Ent., p. 39, 1911.

Crawford, U. S. Natl. Mus., Bul. 85, p. 132, 1914 (figures).

viridula Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 74, 1848, Psylla.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 339, 1871, Psylla.

unicolor Flor, Rhyn. Livl., ii, p. 479, 1861, Psylla.

Flor, Bul. Soc. Nat. Moscou, xxxiv, pp. 340, 347, 353, 1861, Psylla.

chlorogenes Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 399, 1871, Psylla.

Hosts: Fraxinus, Corylus, Juglans.

Localities: N. Y., D. C., Calif. (Europe.)

TRIBE PSYLLIINI Van D.

Van Duzee, Check List Hemip., p. 88, 1916 (n.n. for Psyllini Crawf.).

Psyllini Crawford, U. S. Natl. Mus., Bul. 85, pp. 106, 134, 1914.

Genus Psyllia Kirk. Logotype pyri (Linn.)

Kirkaldy, Wien. Ent. Zeit., xxiv, p. 268, 1905 (n.n. for *Psylla* Auct.). Van Duzee, Check List Hemip., p. 88, 1916.

†Psylla Löw, Verh. Zool.-Bot. Ges. Wien, xxviii, pp. 600, 608, 1878.

Edwards, Hemip. Homop. Brit. Isds., p. 235, 1896.

Kieffer, Ann. Soc. Sci. Bruxelles, xxix, p. 164, 1905.

Oshanin, Verz. Palae. Hemip., ii, p. 350, 1907.

Oshanin, Kat. Palae. Hemip., p. 127, 1912 (names pyri Linn. type).

Crawford, U. S. Natl. Mus., Bul. 85, p. 135, 1914 (names alni Linn.

type).

805

2914. Psyllia fibulata (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 140, 1914, Psylla (figures).

Host: (?)

Locality: Colo.

2915. Psyllia sinuata (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 140, 1914, Psylla (figures).

Host: (?)

Localities: Colo., Labrador(?).

2916. Psyllia parallela (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 141, 1914, Psylla.

Host: (1)

Locality: Calif.

2917. Psyllia maculata (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 141, 1914, *Psylla* (figures). Host: (†)

Locality: Colo.

2918. Psyllia breviata (Patch)

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 220, 1912, Psylla (figures). Crawford, U. S. Natl. Mus., Bul. 85, p. 141, fig. 133, 1914, Psylla.

Host: Pinus.

Localities: Ont., Mich., Calif.

2919. Psyllia coryli (Patch)

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 223, 1912, Psylla (figures).

Crawford, U. S. Natl. Mus., Bul. 85, p. 143, 1914, Psylla.

Host: Corylus(?). Locality: Colo.

2920. Psyllia minuta (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 142, 1914, Psylla (figures).

Host: Purshia.

Localities: Utah, Ariz., Nev., Calif.

2921. Psyllia alba (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 143, 1914, Psylla (figures).

Host: Salix.

Localities: Texas, N. Mex., Nev., Calif.

2922. Psyllia pyricola (Först.)

Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 77, 1848, Psylla.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 396, 1871, Psylla.

Scott, Ent. Mo. Mag., xix, p. 205, 1883, Psylla.

Riley, Proc. Biol. Soc. Wash., ii, p. 69, 1884, Psylla.

Löw, Verh. Zool.-Bot. Ges. Wien, xxxvi, p. 156, 1886, Psylla.

Schwarz, Can. Ent., xxiii, p. 231, 1891, Psylla.

Riley(?), Insect Life, iv, pp. 127, 225, 1891, Psylla (transl. of Löw, 1886).

Slingerland, Insect Life, v, p. 100, 1892, Psylla.

Slingerland, Cornell Agr. Exp. Sta., Bul. 44, 1892; Bul. 108, 1896, Psylla.

Riley and Howard, Insect Life, v, pp. 200, 226, 1893, Psylla.

Lintner, 9th Rept. N. Y. St. Ent., p. 317, 1893, Psylla (bibliography).

Marlatt, Insect Life, vii, p. 175, 1894, Psylla.

Marlatt, U. S. Dept. Agr., Bur. Ent., Circ. 7, 1895, Psylla.

Edwards, Hemip. Homop. Brit. Isds., p. 240, pl. 27, fig. 2, 1896, Psylla.

Smith, Cat. Ins. N. J., edn. 3, p. 109, 1910, Psylla.

Patch, Me. Agr. Exp. Sta., Bul. 187, p. 11, 1911; Bul. 202, p. 221, 1912, Psylla.

Crawford, U. S. Natl. Mus., Bul. 85, p. 144, 1914, Psylla (figures).

Essig, Inj. Benef. Ins. Calif., edn. 2, p. 67, 1915, Psylla.

†pyri Curtis, Brit. Ent., xii, pl. 565, 1836, Psylla.

Curtis, Gardner's Chronicle for 1840, p. 156, Psylla.

Harris, Treat. Ins. Inj. Veg., edn. 2, p. 201, 1852, Psylla.

Fitch, Trans. N. Y. St. Agr. Soc., xvi, p. 353, 1856, Psylla.

Uhler, U. S. Comm. Patents, Rept. for 1860, p. 314, 1861, Psylla.

Harris, Treat. Ins. Inj. Veg., edn. 3, p. 231, 1862, Psylla.

Packard, Guide to Study of Ins., p. 531, 1869, Psylla.

Walsh and Riley, Am. Ent., i, p. 225, 1869, Psylla. LeBaron, 2d Rept. Nox. Ins. Ill., p. 134, 1872, Psylla. Thomas, 8th Rept. Ill. St. Ent., p. 16, 1879, Psylla. Ashmead, Can. Ent., xiii, p. 220, 1881, Psylla. Cooke, Inj. Ins. Orch. and Vineyard, p. 117, 1883, Psylla. Riley, Proc. Am. Assoc. Adv. Sci., xxxii, p. 319, 1884, Psylla. apiophila Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 78, 1848, Psylla. Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 396, 1871, Psylla. Löw, Verh. Zool.-Bot. Ges. Wien, xxvii, p. 137, 1877, Psylla. notata Flor, Bul. Soc. Nat. Moscou, xxxiv, p. 365, 1861, Psylla. †pyrisuga Barnard, Proc. Am. Assoc. Adv. Sci., xxviii, p. 478, 1880, Psylla. †simulans Slingerland, Cornell Univ. Agr. Exp. Sta., Bul. 44, p. 174, 1892, Host: Pyrus. [Psylla (winter form). Localities: Me., Mass., Conn., N. Y., N. J., Md., Va., Ohio, Mich., Ill., Calif.(?).

2923. Psyllia hartigi (Flor)

Flor, Rhyn. Livl., ii, p. 469, 1861, Psylla. Löw, Verh. Zool.-Bot. Ges. Wien, xxvii, p. 130, 1877; xxix, p. 577, 1880, Psylla. Thomson, Opusc. Ent., viii, p. 838, 1877, Chermes. Scott, Ent. Mo. Mag., xviii, p. 255, 1882, Psylla (listed). Edwards, Hemip. Homop. Brit. Isds., p. 244, pl. 28, fig. 4, 1896, Psylla. Sulc, Cas. Spol. Ent., ii, p. 3, 1905, Psylla. Patch, Me. Agr. Exp. Sta., Bul. 202, p. 222, 1912, Psylla (figures). Crawford, U. S. Natl. Mus., Bul. 85, p. 146, 1914, Psylla (figures). sylvicola Lethierry, Cat. Hémip., Dept. Nord, p. 90, 1874, Psylla. Reuter, Medd. Soc. Fauna Flora Fenn., i, p. 73, 1876, Psylla. Scott, Trans. Ent. Soc. Lond. for 1876, p. 539, Psylla. Douglas, Ent. Mo. Mag., xiii, p. 68, 1876, Psylla. Host: Metula. Localities: Mo. (Europe.)

29231/4. Psyllia saliceti (Först.)

Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 79, 1848, Psylla. Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 397, 1871, Psylla. Löw, Verh. Zool.-Bot. Ges. Wien., xxvii, p. 132, pl. 6, fig. 4, 1877, Psylla. Thomson, Opusc. Ent., viii, p. 839, 1877, Chermes. Sulc, Wien. Ent. Zeit., xxviii, p. 15, 1909, Psylla. Oshanin, Verz. Palae. Hemip., ii, p. 361, 1907; iii, p. 192, 1910, Psylla. salicicola Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 72, 1848, Psylla. Flor, Rhyn. Liv., ii, p. 467, 1861, Psylla. Flor, Bul. Soc. Nat. Moscou, xxxiv, pp. 345, 348, 355, 1861, Psylla. Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 398, 1871, Psylla. Scott, Trans. Ent. Soc. Lond. for 1876, p. 537, pl. 8, fig. 3, Psylla. Löw, Verh. Zool.-Bot. Ges. Wien, xxvi, p. 198, pl. 1, figs. 6-9, pl. 2, figs. Thomson, Opusc. Ent., viii, p. 839, 1877, Chermes. [23-25, 1876, Psylla. Edwards, Hemip. Homop. Brit. Isds., p. 241, 1896, Psylla. rufula Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 76, 1848, Psylla. Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 400, 1871, Psylla. subgranulata Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 94, 1848, Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 400, 1871, Psylla.

Host: Salix. Locality: Greenland. (Europe.)

29231/2. Psyllia ambigua (Först.)

Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 79 (p. 74, Osh.), 1848, *Psylla*. Meyer-Dür, Mitt. Schw. Ent. Ges., iii, p. 400, 1871, *Psylla*.

Löw, Verh. Zool.-Bot. Ges. Wien, xxxii, p. 231, 1882, Psylla.

Edwards, Hemip. Homop. Brit. Isds., p. 244, 1896, Psylla.

Aulmann, Psyllid. Cat., p. 10, 1913, Psylla (listed).

incipulation Work Notes West Drawer Desired ...

insignis Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 74, 1848, Psylla.

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 400, 1871, Psylla.

melina Flor, Rhyn. Livl., ii, p. 477, 1861, Psylla.

Flor, Bul. Soc. Nat. Moscou, xxxiv, p. 345, 1861, Psylla.

Kuwayama, Trans. Sapporo Nat. Hist. Soc., ii, pp. 162, 172, 1907, Psylla. stenolabis Löw, Pet. Nouv. Ent., ii, p. 65, 1876, Psylla.

Löw, Verh. Zool.-Bot. Ges. Wien, xxvi, p. 144, pl. 6, fig. 10, 1877, *Psylla*. Sulc, Sitz.-Ber. Bohm. Ges. Wissen. for 1909, No. 22, p. 25, *Psylla*.

annellata Thomson, Opusc. Ent., viii, p. 836, 1877, Chermes.

Host: Salix.

Localities: Greenland. (Europe.)

2924. Psyllia quadrilineata (Fh.)

Fitch, Homop. N. Y. St. Cab., p. 65, 1851, Psylla.

Thomas, 8th Rept. Ill. St. Ent., p. 18, 1879, Psylla (after Fitch).

Provancher, Pet. Faune Ent. Can., iii, p. 305, 1890, Psylla.

Mally, Proc. Ia. Acad. Sci., ii, p. 153, 1893, Psylla.

Crawford, U. S. Natl. Mus., Bul. 85, p. 148, 1914, Psylla.

Host: Salix.

Localities: Quebec, N. Y., Kans., Colo.

29241/2. Psyllia arctica (Walk.)

Walker, List Homop., iv, p. 931, 1852, Aphalara.

Scott, Trans. Ent. Soc. Lond. for 1882, pl. 19, fig. 1, Aphalara.

Psylla sp., Schwarz, Proc. Wash. Acad. Sci., ii, p. 540, 1900.

Host: (?)

Localities: Hudson's Bay, Alaska.

2925. Psyllia americana (Crawf.)

Crawford, Pomona Jl. Ent., iii, p. 628, 1911, Psylla (nomen nudum). Crawford, Pomona Jl. Ent., iv, p. 684, 1912, Psylla (mentioned). [figured) Crawford, U. S. Natl. Mus., Bul. 85, p. 147, 1914, Psylla (described and

a. var. minor (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 147, 1914, Psylla.

b. var. flava (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 148, 1914, Psylla.

Host: Salix.

Localities: Colo., Utah, Calif., Ore., Brit. Col., Albta.

2926. Psyllia ribis (Patch)

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 222, 1912, Psylla. Crawford, U. S. Natl. Mus., Bul. 85, p. 148, 1914, Psylla.

Host: (1)

Localities: Me., Colo.

2927. Psyllia borealis Horv.

Horvath, Ann. Mus. Natl. Hung., vi, p. 568, 1908.

Host: (1)

Locality: Greenland.

2928. Psyllia alaskensis (Ashm.)

Ashmead, Harriman Alaska Exped., viii, p. 137, 1904, Psylla.

Crawford, U. S. Natl. Mus., Bul. 85, p. 149, fig. 415, 1914, Psylla

Host: (1)

Locality: Alaska.

2929. Psyllia magnicauda (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 149, 1914, Psylla (figures).

Host: (1)

Locality: Colo.

2930. Psyllia striata (Patch)

Patch, Me. Agr. Exp. Sta., Bul. 187, p. 14, 1911, Psylla.

Crawford, U. S. Natl. Mus., Bul. 85, p. 150, 1914, Psylla.

Host: Betula.

Localities: Me., N. H., Wis., Colo., Calif.

2931. Psyllia carpinicola (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 151 (figures), 1914, Psylla (n.n. for ||carpini Fitch, Homop. N. Y. St. Cab., p. 64, 1851, Psylla. [carpini Fh.

rpini Fitch, Homop. N. Y. St. Cab., p. 64, 1851, Psylla. [carpini Fh.). Thomas, 8th Rept. Ill. St. Ent., p. 18, 1879, Psylla (after Fitch).

Van Duzee, Can. Ent., xxxviii, p. 411, 1906; xl, p. 160, 1908, Psylla.

Host: Carpinus.

Localities: Quebec, N. Y., Wis., Ia., Nev.

2932. Psyllia cephalica (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 151, 1914, Psylla (figures).

Hosts: Carpinus, Rubus.

Localities: N. Y., D. C., Wis., Ark., Texas.

2933. Psyllia annulata (Fh.)

Fitch, Homop. N. Y. St. Cab., p. 64, 1851, Psylla.

Riley in Lintner, 9th Rept. N. Y. St. Ent., p. 411, 1893, Psylla (note).

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 219, 1912, Psylla.

Crawford, U. S. Natl. Mus., Bul. 85, p. 152, 1914, Psylla (figures).

Host: Acer.

Localities: Conn., N. Y., Ia.

2934. Psyllia negundinis (Mally)

Mally, Proc. Ia. Acad. Sci., ii, p. 155, 1894, Psylla.

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 220, 1912, Psylla.

Crawford, U. S. Natl. Mus., Bul. 85, p. 152, 1914, Psylla.

Host: Negundo.

Localities: Ia., Wis., Colo., N. Mex.

2935. Psyllia brevistigmata (Patch)

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 222, 1912, Psylla (figures).

Crawford, U. S. Natl. Mus., Bul. 85, p. 153, 1914, Psylla (figures).

a. var. magna (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 154, 1914, Psylla.

b. var. acuta (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, pl. 154, 1914, Psylla.

Host: Pinus, Cercocarpus.

Localities: Colo., Utah, Nev., Calif.

2936. Psyllia floccosa (Patch)

Patch, Can. Ent., xli, p. 301, 1909, Psylla.

Patch, Ann. Ent. Soc. Am., ii, p. 117, 1909, Psylla (venation).

Patch, Me. Agr. Exp. Sta., Bul. 187, p. 11, 1911, Psylla (figures).

Crawford, U. S. Natl. Mus., Bul. 85, p. 154, 1914, Psylla (figures).

Host: Alnus.

Localities: Ont., Me., N. H., Md., Colo., Calif.

2937. Psyllia astigmata Crawf.

Crawford, N. S. Natl. Mus., Bul. 85, p. 155, 1914, Psylla (figures).

Host: Prunus.

Localities: Wis., Colo., Calif., Wash.

2938. Psyllia trimaculata (Crawf.)

Crawford, Pomona Jl. Ent., iii, p. 631, 1911, Psylla (as var. of alni).

Crawford, U. S. Natl. Mus., Bul. 85, p. 155, 1914, Psylla.

Host: (1)

Locality: N. Y.

2939. Psyllia cerasi (Patch)

Patch, Me. Agr. Exp. Sta., Bul. 202, p. 223, 1912, Psylla (figures).

Crawford, U. S. Natl. Mus., Bul. 85, p. 156, 1914, Psylla.

Host: Cerasus. Locality: Me.

2940. Psyllia alni (Linn.)

Linnaeus, Syst. Nat., edn. 10, i, p. 454, 1758, Chermes.

Linnaeus, Fauna Suec., edn. 2, p. , No. 1008, 1761, Chermes.

Geoffroy, Hist. Abreg. des Ins., i, p. 486, No. 3, 1762, Psylla.

Scopoli, Ent. Carn., p. 140, 1763, Chermes.

Linnaeus, Syst. Nat., edn. 12, ii, p. 738, 1767, Chermes.

DeGeer, Mémoires, iii, p. 148, pl. 10, fig. 8, 1773, Chermes.

Fabricius, Syst. Ent., p. 741, 1775, Chermes.

Goeze, Ent. Beytr., ii, p. 323, 1778, Chermes.

Fabricius, Spec. Ins., ii, p. 391, 1781, Chermes.

Retzius, Genera et Spec. Ins., p. 79, 1783, Chermes.

Fabricius, Mant. Ins., ii, p. 318, 1787, Chermes.

Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2212, 1788, Chermes.

Latreille, Hist. Nat. Crust. Ins., iii, p. 267, 1802, Psylla.

Fabricius, Ent. Syst., iv, p. 222, 1794, Chermes.

Fabricius, Syst. Rhyng., p. 305, 1803, Chermes.

Latreille, Hist. Nat. Crust. Ins., xii, p. 380, 1804, Psylla.

Latreille, Genera Crust. Ins., iii, p. 169, 1807, Psylla.

Latreille, Consid. Gén., p. 434, 1810 (as type of Psylla).

Leach, Brewster's Edinbg. Encyc., ix, p. 125, 1815, Psylla.

Zetterstedt, Fauna Lapp., p. 556, 1828, Chermes.

Burmeister, Hand. d. Ent., ii, p. 98, 1835, Psylla. Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 70, 1848, Psylla. Walker, List Homop., iv, p. 912, 1852, Psylla (bibliography). Flor, Rhyn. Livl., ii, p. 460, 1861, Psylla. Scott, Trans. Ent. Soc. Lond. for 1876, p. 532, Psylla. Löw, Verh. Zool.-Bot. Ges. Wien, xxvi, pl. 2, figs. 26, 32-35, 1876, Psylla. Löw, Verh. Zool.-Bot. Ges. Wien, xxxviii, p. 17, 1888, Psylla (note). Edwards, Hemip. Homop. Brit. Isds., p. 248, pl. 27, fig. 4, 1896, Psylla. Aulmann, Psyllid. Cat., p. 9, 1913, Psylla. Crawford, U. S. Natl. Mus., Bul. 85, p. 160, pl. 27, fig. 476, 1914, Psylla. fuscinervis Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 70, 1848, Psylla. Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 395, 1871, Psylla. heydeni Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 81, 1848, Psylla.

a. var. americana (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 156, 1914, Psylla (figures).

Host: Alnus.

Localities: "Am. Sept." (Linnaeus), Nev., Calif. (Europe.)

29401/2. Psyllia buxi (Linn.)

Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 395, 1871, Psylla.

Linnaeus, Syst. Nat., edn. 10, i, p. 454, 1758, Chermes. Geoffroy, Hist. Abreg. des Ins., i, p. 485, No. 2, 1762, Psylla (without name). Linnaeus, Syst. Nat., edn. 12, ii, p. 738, 1767, Chermes. Fabricius, Syst. Ent., p. 740, 1775, Chermes. Goeze, Ent. Beytr., ii, p. 322, 1778, Chermes. Fabricius, Spec. Ins., ii, p. 391, 1781, Chermes. Foureroy, Ent. Paris., i, p. 223, 1785, Psylla. Fabricius, Mant. Ins., ii, p. 317, 1787, Chermes. Gmelin in Linnaeus, Syst. Nat., edn. 13, i, pt. 4, p. 2212, 1788, Chermes. Fabricius, Ent. Syst., iv, p. 221, 1794, Chermes. Fabricius, Syst. Rhyng., p. 304, 1803, Chermes. Blanchard, Hist. des. Ins., Hémip., p. 210, 1840, Chermes. Förster, Verh. Natw. Ver. Preuss. Rheinl., v, p. 71, 1848, Psylla. Walker, List Homop., iv, p. 913, 1852, Psylla. Westwood, Gardner's Chronicle for 1852, p. 517, Chermes. Meyer-Dür, Mitth. Schw. Ent. Ges., iii, p. 399, 1871, Psylla. Scott, Trans. Ent. Soc. Lond. for 1876, p. 534, Psylla. Scott, Ent. Mo. Mag., xvii, p. 18, 1880, Psylla. Löw, Verh. Zool.-Bot. Ges. Wien, xxxi, p. 169, 1881, Psylla. Smith, Cat. Ins. N. J., edn. 3, p. 109, 1910, Psylla. Riley in Packard, 5th Rept. U. S. Ent. Comm., p. 672, 1890, Psylla. Edwards, Hemip. Homop. Brit. Isds., p. 249, pl. 28, fig. 7, 1896, Psylla. Weiss, Ent. News, xxviii, p. 96, 1917 (occurrence).

Host: Buxus.

Localities: N. J., D. C. (Europe.)

2941. Psyllia caudata (Crawf.)

Crawford, U. S. Natl. Mus., Bul. 85, p. 157, 1914, Psylla (figures). Host: Alnus.

Locality: Colo.

2942. Psyllia galeaformis (Patch)

Patch, Me. Agr. Exp. Sta., Bul. 187, p. 12, 1911, Psylla.

Crawford, U. S. Natl. Mus., Bul. 85, p. 157, fig. 144, 1914, Psylla.

Host: Alnus.

Localities: Ont., Me., N. H., N. Y., Mich., Wash.

UNCERTAIN SPECIES

2943. Psyllia reticeps (Prov.)

Provancher, Pet. Faune Ent. Can., iii, p. 305, 1890, *Psylla*. Crawford, U. S. Natl. Mus., Bul. 85, p. 159, 1914, *Psylla*.

Host: (1)

Locality: Quebec.

29431/4. Psylla ochracea Prov.

Provancher, Nat. Can., iv, p. 379, 1872.

Host: (?)

Locality: Quebec.

29431/2. Psylla brunnea Prov.

Provancher, Nat. Can., iv, p. 379, 1872.

Host: (1)

Locality: Quebec.

2943 1/4. Psylla cedrelae Kief.

Kieffer, Ann. Soc. Sci. Bruxelles, xxix, p. 32, fig. 11, pl. 2, fig. 20, 1905. Aulmann, Psyllid. Cat., p. 12, 1913.

Host: (1)

Locality: "Amerika."

2944. Diraphia quadricornis Prov.

Provancher, Pet. Faune Ent. Can., iii, p. 306, 1890.

Crawford, U. S. Natl. Mus., Bul. 85, p. 160, 1914, Psylla.

Host: (?)
Locality: Ont.

2945. Diraphia sanguinea Prov.

Provancher, Pet. Faune Ent. Can., iii, p. 307, 1890. Crawford, U. S. Natl. Mus., Bul. 85, p. 160, 1914, Psylla.

Host: (1)

Locality: Quebec.

ADDITIONS AND CORRECTIONS

(The head-lines are not included in counting the lines.)

Page 4, after line 16, add

Davis, Jl. N. Y. Ent. Soc., xix, p. 113, 1911. N. Y.

Page 6, after line 8 from bottom, add

Barber, Jl. N. Y. Ent. Soc., xix, p. 198, 1911. N. J.

Page, 16, line 9, for gilletti read gillettii.

Page 20, after line 29, add

Stoner, Proc. Ia. Acad. Sci., xxiii, p. 304, 1916. Ia.

Page 22, after line 30, add

Stoner, Proc. Ia. Acad. Sci., xxiii, p. 304, 1916. Ia.

Page 49, after line 30, add

Olsen, Jl. N. Y. Ent. Soc., xviii, p. 39, 1910.

Page 62, after line 4, add

Barber, Jl. N. Y. Ent. Soc., xix, p. 198, 1911. N. J.

Page 74, after line 9, add

Osborn and Drake, Ohio Nat., xv, p. 508, 1915. Ohio.

Page 88, after line 1, add

Gibson, Psyche, xxiv, p. 69, 1917 (key to species).

Page 104, after line 29, add

Morrill, U. S. Dept. Agr., Div. Ent., Bul. 39, 1899.

Page 119, after line 3, add

Osborn and Drake, Ohio Nat., xv, p. 506, 1915. Ohio.

Page 126, after line 22, add

Osborn and Drake, Ohio Nat., xv, p. 506, 1915. Ohio.

Page 142, after line 5, add

Osborn and Drake, Ohio Nat., xv, p. 505, 1915. Ohio.

Page 147, after line 1, add

Barber, Psyche, xxiv, p. 128, 1917 (key to N. American genera).

Page 155, after line 2, add

Davis, Jl. N. Y. Ent. Soc., xix, p. 113, 1911. N. Y.

Page 190, after line 15 from bottom, add

5821/2. Rhyparochromus plenus Dist.

Distant, Biol. Centr. Am., Heter., i, p. 216, pl. 19, fig. 23, 1882.

Parshley, Can. Ent., xlix, p. 47, 1917.

Localities: Mass., Conn., Ariz. (Guatemala.)

Page 200, after line 7, add

Bueno, Ent. News, xxviii, p. 65, 1917 (review of Am. species).

Page 203, after line 11 from bottom, add

Davis, Jl. N. Y. Ent. Soc., xix, p. 113, 1911. N. Y.

Page 210, line 11 from bottom should follow line 19 from bottom.

Page 211, at bottom of page, add

6371/8. Acalypta grisea Heid.

Heidemann, Proc. Ent. Soc. Wash., xviii, p. 218, pl. 17, fig. 2, 1916. Localities: Mass., Md., N. C.

Page 212, after line 3, add

Parshley, Psyche, xxiv, p. 14, 1917.

Page 212, after line 7, add .

637%. Acalypta cooleyi Drake

Drake, Ohio Jl. Sci., xvii, p. 213, 1917.

Locality: Mont.

Page 212, after line 10, add

Parshley, Psyche, xxiv, p. 15, 1917.

Page 212, after line 13, add

Genus Dictyonota Curt.

Orthotype †eryngii Curt. = strichnocera Fieb.

Curtis, Brit. Ent., iv, pl. 154, 1827.

Fieber, Ent. Monog., p. 91, 1844.

[pseudotype).

Laporte, Essai Syst. Classif. Hémip., p. 50, 1832 (names crassicornis Fabr.

Spinola, Essai sur les Hémip., p. 165, 1837 (1840), Dyctionota.

Herrich-Schaeffer, Wanz. Ins., iv, p. 73, 1839.

[as type).

Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 121, 1840 (cites eryngii Spinola, Tavola Sinot., p. 43, 1850, Dyctionota.

Flor, Rhyn. Livl., i, p. 357, 1860.

Fieber, Europ. Hemip., pp. 36, 126, 1861.

Douglas and Scott, Brit. Hemip., p. 255, 1865.

Walker, List Heter., vi, pp. 175, 176, 1873.

Horvath, Ann. Mus. Natl. Hung:, iv, pp. 13, 36, 1906 (monograph).

Subgenus Alcletha Kirk.

Orthotype tricornis Schrnk.

Kirkaldy, Entomol., xxxiii, p. 241, 1900 (n.n. for †Dictyonota Stal).

Horvath, Ann. Mus. Natl. Hung., iv, p. 37, 1906.

Oshanin, Verz. Palae. Hemip., i, p. 415, 1908.

Oshanin, Kat. Palae. Hemip., p. 43, 1912.

†Dictyonota Stål, Enum. Hemip., iii, p. 118, 1873.

Stål, Of. Vet. Akad. Forh., xxxi, p. 49, 1874.

Puton, Synop. Heter. Fr., i, p. 100, 1879.

Lethierry and Severin, Cat. Génl. Hémip., iii, p. 7, 1896.

637%. Dictyonota tricornis (Schrnk.)

Schrank, Fauna Boic., ii, p. 67, 1801, Acanthia.

Reuter, Revue Synon., p. 221, No. 173, 1888.

Horvath, Ann. Mus. Zool. Univ. Napoli, ii, No. 10, pp. 1, 3, 1906.

Horvath, Ann. Mus. Natl. Hung., iv, p. 41, 1906.

Oshanin, Verz. Palae. Hemip., i, p. 415, 1908.

crassicornis Fallén, Monog. Cimic. Suec., p. 38, 1807, Tingis.

Curtis, Brit. Ent., iv, pl. 154, 1827.

Zetterstedt, Fauna Lapp., p. 480, 1828, Tingis.

Fallén, Hemip. Suec. Cimic., p. 147, 1829, Tingis.

Laporte, Essai Classif. Syst. Hémip., p. 50, 1832 (as type).

Brulle, Hist. des Ins., ix, p. 339, pl. 25, fig. 6, 1835, Tingis.

Spinola, Essai sur les Hémip., p. 165, 1837 (1840), Dyctionota.

Zetterstedt, Ins. Lapp., column 269, 1840, Tingis (Piesma).

Fieber, Ent. Monog., p. 92, pl. 7, figs. 42-47, 1844.

Sahlberg, Geoc. Fenn., p. 134, 1848.

Herrich-Schaeffer, Wanz. Ins., ix, p. 157, 1853.

Flor, Rhyn. Livl., i, p. 358, 1860.

Fieber, Europ. Hemip., p. 127, 1861.

Douglas and Scott, Brit. Hemip., p. 255, 1865.

```
Walker, Cat. Heter., vi, p. 177, 1873.
       Stål, Of. Vet. Akad. Forh., xxxi, p. 49, 1874.
       Saunders, Trans. Ent. Soc. Lond. for 1875, p. 250.
       Puton, Synop. Heter. Fr., i, p. 100, 1879.
      Reuter, Ent. Tidskr., iii, p. 117, 1882.
       Saunders, Hemip. Heter. Brit. Isds., p. 128, pl. 12, fig. 1, 1892.
       Rey, £change, ix, p. 97, 1893.
       Hüeber, Fauna Germ., Hemip., p. 313, 1893.
   erythrophthalma Germar, Fauna Ins. Eur., iii, pl. 25, 1817, Tingis.
       Schilling, Berm. u. Tingis, in Arb. Veränd. Schles. Ges. for 1837,
       Herrich-Schaeffer, Wanz. Ins., iv, p. 74, 1839. [p. 106, 1838, Tingis.
       Fieber, Ent. Monog., p. 94, pl. 8, figs. 1-3, 1844.
       Herrich-Schaeffer, Wanz. Ins., ix, p. 158, 1853.
      Fieber, Europ. Hemip., p. 127, 1861.
       Garbiglietti, Bul. Soc. Ent. Ital., i, p. 275, 1869.
       Walker, Cat. Heter., vi, p. 177, 1873.
      Puton, Synop. Heter. Fr., i, p. 100, 1879 (as var.).
                                                                     [Tingis.
   pilicornis Herrich-Schaeffer, Fauna Ins. Germ., No. 118, pl. 17, 1830,
       Herrich-Schaeffer, Nomen. Ent., p. 57, 1835, Tingis.
       Herrich-Schaeffer, Wanz. Ins., iv, p. 74, 1839.
       Fieber, Ent. Monog., p. 95, pl. 8, figs. 8-9, 1844.
       Kolenati, Melet. Ent., vi, p. 14, 1856, Campylosteira.
  †marginatum Burmeister, Handb. d. Ent., ii, p. 258, 1835, Piesma.
      Costa, Cimic. Reg. Neap., Cent. i, p. 21, 1838.
      Blanchard, Hist. des Ins., Hémip., p. 112, 1840, Tingis.
   truncaticollis Costa, Add. Cimic. Reg. Neap., p. 7, pl. 1, fig. 4, 1860.
   lurida Garbiglietti, Bul. Soc. Ent. Ital., i, p. 274, 1869.
   erythrocephala Garbiglietti, Bul. Soc. Ent. Ital., i, p. 275, 1869.
       Walker, Cat. Heter., vi, p. 178, 1873.
Parshley, Psyche, xxiii, p. 164, 1916.
          Locality: Mo. (for variety only, the species in Europe).
```

a. var. americana Pshly.

Page 212, after line 13 from bottom, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 297, 1917. Ia., Okl., Texas, Calif. Page 212, after line 7 from bottom, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 300, 1917. Md., Va., Tenn., Ariz. Page 213, after line 9, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 297, 1917.

Page 213, after line 13, add .

639 1/8. Corythucha salicis O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 298, 1917.

Localities: Mass., Wis., Mont.

Page 213, after line 15, add [Ga., Wis., S. D., Ia., Neb., Texas, Col. Osborn and Drake, Ohio Jl. Sci., xvii, p. 300, 1917. Pa., Md., Va., S. C., Page 213, after line 2 from bottom, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 301, 1917. Idaho, Ore., Calif. [This species may prove distinct from fuscigera Stal.]

Page 214, after line 8, add

6441/4. Corythucha morrilli O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 298, 1917. Localities: Colo., Ariz.

6441/2. Corythucha coryli O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 299, 1917.

Locality: Md.

Page 214, after line 17, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 298, 1917. Pa., Ga., Tenn., Ia., La. Page 214, after line 5 from bottom, add

648 %. Corythucha pura Gibs.

Gibson, Ent. News, xxviii, p. 258, 1917.

Locality: Wash.

Page 215, after line 3, add

648%. Corythucha eriodictyonae O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 302, 1917.

Locality: Calif.

Page 215, after line 11, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 297, 1917. Ga., Ohio, Tenn., Ia., Page 215, after line 15, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 301, 1917. Colo., Ariz.

Page 215, after line 21, add

[Calif.

[(as var.).

Wis.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 301, 1917. Wyo., Utah, Mont., spinata Osborn and Drake, Ohio Jl. Sci., xvii, p. 301, 1917. Mont.

Page 215, after line 27, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 304, 1917. Ky., Ill.

Page 215, after line 30, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 304, 1917.

Page 215, after line 34, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 304, 1917. N. Y., D. C., Tenn. Page 215, after line 11 from bottom, add

Corythucha padi Drake

Drake, Ohio Jl. Sci., xvii, p. 215, 1917.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 303, 1917.

Localities: Mont., Wash., Ore., B. C.

Corythucha hoodiana O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 302, 1917.

Locality: Ore.

Page 215, after line 6 from bottom, add

Drake, Ohio Jl. Sci., xvii, p. 214, 1917.

Page 215, after line 5 from bottom, add

650½. Dolichocysta acuta Drake

Drake, Ohio Jl. Sci., xvii, p. 214, 1917.

Localities: Colo., Mont.

Page 216, after line 15, add

Parshley, Psyche, xxiv, p. 15, 1917.

Page 216, after line 5 from bottom, add

Dickerson and Weiss, Ent. News, xxviii, p. 101, 1917 (life history).

Page 217, after line 3, add

Champion, Ent. Mo. Mag., lii, p. 207, 1916.

Parshley, Psyche, xxiv, p. 15, 1917.

Dickerson, Jl. N. Y. Ent. Soc., xxv, p. 105, 1917, Leptobyrsa (full account).

Page 217, after line 23, add

Drake, Ent. News, xxviii, p. 227, 1917 (key to species).

Page 218, after line 19, add

6581/8. Gargaphia albescens Drake

Drake, Ent. News, xxviii, p. 228, 1917.

Locality: Calif.

Genus Corythaica Stål Haplotype monacha Stål

Stål, Enum. Hemip., iii, pp. 120, 128, 1873.

Champion, Biol. Centr. Am., Heter., ii, p. 9, 1897.

Champion, Trans. Ent. Soc. Lond. for 1898, p. 58.

Typonotus Uhler, Proc. Zool. Soc. Lond. for 1893, p. 716.

6581/4. Corythaica bellula Bueno

Bueno, Bul. Brookl. Ent. Soc., xii, p. 19, 1917.

Locality: N. Y.

6581/2. Corythaica constricta O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 304, 1917.

Locality: Colo.

Page 218, after line 25, add

McAtee, Bul. Brookl. Ent. Soc., xii, p. 60, 1917 (key to species).

Page 218, after line 31, add McAtee, Bul. Brookl. Ent. Soc., xii, p. 62, 1917. Ia., Neb., Wis.

Page 218, after line 37, add

McAtee, Bul. Brookl. Ent. Soc., xii, p. 61, 1917.

Page 218, after line 6 from bottom, add

McAtee, Bul. Brookl. Ent. Soc., xii, p. 63, 1917. N. J., La.

Page 218, after line 5 from bottom, add

6611/2. Leptostyla vilifer McAtee

McAtee, Bul. Brookl. Ent. Soc., xii, p. 60, 1917.

Locality: Ariz.

Page 219, after line 9 from bottom, add

Parshley, Psyche, xxiii, p. 165, 1916.

Page 220, after line 6, add

Parshley, Psyche, xxiv, p. 16, 1917.

McAtee, Bul. Brookl. Ent. Soc., xii, p. 55, 1917 (key to species).

Page 220, after line 16, add

[Neb.

McAtee, Bul. Brookl. Ent. Soc., xii, p. 58, 1917. Ont., Tenn., Ohio, Wis., Page 220, after line 17, add

6664. Leptoypha costata Pshly.

Parshley, Psyche, xxiv, p. 16, 1917 (Febr.).

McAtee, Bul. Brookl. Ent. Soc., xii, p. 57, 1917. [1, 1917 (June).

distinguenda Heidemann, Proc. Ent. Soc. Wash., xviii, p. 218, pl. 17, fig. Localities: Md., D. C., Va.

Page 220, after line 20, add

McAtee, Bul. Brookl. Ent. Soc., xii, p. 59, 1917. Texas, Calif.

Page 220, after line 21, add

666%. Leptoypha minor McAtee

McAtee, Bul. Brookl. Ent. Soc., xii, p. 56, 1917.

Locality: Calif.

666%. Leptoypha elliptica McAtee

McAtee, Bul. Brookl. Ent. Soc., xii, p. 57, 1917.

Locality: Texas.

Page 220, after line 26, add

Parshley, Psyche, xxiv, p. 17, 1917 (key to species).

Page 221, at top of page, add

6691/4. Melanorhopala obscura Pshly

Parshley, Psyche, xxiii, p. 167, 1916.

Locality: Mass.

Page 221, after line 3, add

669%. Melanorhopala infuscata Pshly.

Parshley, Psyche, xxiv, p. 19, 1917.

Locality: Va.

Genus Hesperotingis Pshly.

Orthotype antennata Pshly.

Parshley, Psyche, xxiv, p. 21, 1917.

669%. Hesperotingis antennata Pshly.

Parshley, Psyche, xxiv, p. 21, 1917.

Locality: Conn.

669%. Hesperotingis fuscata Pshly.

Parshley, Psyche, xxiv, p. 24, 1917.

Locality: Colo.

Page 221, after line 14, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 305, 1917 (key to species).

Parshley, Psyche, xxiv, p. 24, 1917.

Page 221, after line 16, add

Parshley, Psyche, xxiv, p. 25, 1917. N. H.

Page 221, after line 17, add

670%. Alveotingis minor O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 305, 1917.

Locality: Ia.

670%. Alveotingis brevicornis O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 306, 1917.

Locality: Ia.

Page 222, after line 14 from bottom, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 295, 1917.

Page 222, after line 6 from bottom, add

Osborn and Drake, Ohio Jl. Sci., xvii, p. 295, 1917. Colo., N. Mex.

Page 222, after line 1 from bottom, add

6791/8. Atheas nigricornis Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 45, pl. 3, fig. 21, 1898.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 296, 1917.

Localities: Ariz. (Mexico, Guatemala.)

67914. Atheas annulatus O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 295, 1917.

Locality: Ark.

6791/2. Atheas sordidus O. & D.

Osborn and Drake, Ohio Jl. Sci., xvii, p. 296, 1917.

Locality: Ia.

Page 223, after line 25, add

Drake, Bul. Brookl. Ent. Soc., xii, p. 49, 1917 (key to species).

Page 223, after line 29, add

68114. Monanthia chrethiae Gibs.

Gibson, Bul. Brookl. Ent. Soc., xii, p. 50, 1917.

Locality: Texas.

6811/2. Monanthia coloradensis Drake

Drake, Bul. Brookl. Ent. Soc., xii, p. 51, 1917.

Locality: Colo.

Page 248, line 12 from bottom, for gerstackeri read gerstaeckeri.

Page 257, after line 11 from bottom, add

Davis, Jl. N. Y. Ent. Soc., xix, p. 112, 1911. N. Y.

Page 273, after line 8 from bottom, add

Genus Merragata Whte.

Haplotype hebroides Whte.

White, Ann. Mag. Nat. Hist., ser. 4, xx, p. 113, 1877.

Champion, Biol. Centr. Am., Heter., ii, p. 121, 1898.

Kirkaldy and Bueno, Proc. Ent. Soc. Wash., x, p. 215, 1908 (catalogue).

Bueno, Can. Ent., xliv, p. 32, 1912 (key to species).

Drake, Ohio Jl. Sci., xvii, p. 101, 1917 (key to species). [Berg.).

Lipogomphus Berg, Hemip. Arg., p. 286, 1879 (haplotype lacuniferus

Berg, Hemip. Arg. Add., p. 116, 1884.

Berg, Ann. Soc. Sci. Arg., ix, p. 14.

8131/4. Merragata foveata Drake

Drake, Ohio Jl. Sci., xvii, p. 103, 1917.

Localities: Ohio, Colo.

8131/2. Merragata brunnea Drake

Drake, Ohio Jl. Sci., xvii, p. 105, 1917.

Locality: Ohio.

Page 274, after line 22, add

Hungerford, Psyche, xxiv, p. 73, 1917 (life history).

Page 282, after line 9 from bottom, add

Patch, Me. Agr. Exp. Sta., Bul. 244, p. 283, 1915 (life history).

Page 287, line 7, for Moufflet read Moufet.

Page 289, line 1, after Isis insert vii.

Page 291, line 4 from bottom, for Scholz read Scholtz.

Page 292, after line 13, add

Genus Macrotracheliella Champ.

Haplotype laevis Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 322, 1900.

Parshley, Ent. News, xxviii, p. 37, 1917.

8521/2. Macrotracheliella nigra Pshly.

Parshley, Ent. News, xxviii, p. 38, 1917.

Locality: Mass.

Page 295, after line 6, add

Genus Melanocoris Champ.

Haplotype obovatus Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 329, 1900.

865 1/2. Melanocoris obovatus Champ.

Champion, Biol. Centr. Am., Heter., ii, p. 330, pl. 19, fig. 27, 1900.

Localities: Calif. (Giffard). (Guatemala.)

Page 309, after line 1, add Reuter, Ann. Soc. Ent. Belg., lvii, p. 80, 1913. Page 309, after line 6, add §longipennis Oshanin, Kat. Palae. Hemip., p. 69, 1912 (as synonym). Page 314, after line 9, add Knight, Can. Ent., xlix, p. 251, 1917. Page 325, after line 33, add Genus Neobothynotus Wirtn. Orthotype modestus Wirtn. Wirtner, Ent. News, xxviii, p. 33, 1917. 9761/2. Neobothynotus modestus Wirtn. Wirtner, Ent. News, xxviii, p. 34, 1917. [pilosus Boh.). Knight, Can. Ent., xlix, p. 251, 1917 (suggests identity with Bothynotus Localities: Pa., Ill. Page 326, line 26 McAtee, Ann. Ent. Soc. Am., ix, p. 370, 1916. Lists following color varieties: rubidus McAtee, p. 371. triops McAtee, p. 371. diops McAtee, p. 372. percursus McAtee, p. 372. compar McAtee, p. 373. cunealis McAtee, p. 373. lucidus McAtee, p. 373. par McAtee, p. 373. sordidus McAtee, p. 374. bidens McAtee, p. 374. ardens McAtee, p. 375. nubilus McAtee, p. 375. delta McAtee, p. 376. varius McAtee, p. 376. bicolor McAtee, p. 376. Page 326, line 2 from bottom McAtee, Ann. Ent. Soc. Am., ix, p. 382, 1916, lists following color varieties: castus McAtee, p. 382. colonus McAtee, p. 383. amiculus McAtee, p. 384. Page 327, after line 7, add a. var. ablutus McAtee. McAtee, Ann. Ent. Soc. Am., ix, p. 386, 1916. Page 327, line 23 McAtee, Ann. Ent. Soc. Am., ix, p. 377, lists three color varieties: ancora Kngt., p. 378. fissus McAtee, p. 379. pallidulus McAtee, p. 380. Page 327, line 8, from bottom, for Zeit. read Monats. Page 329, line 31, for Samm. read Versamm. Page 329, line 33, for Strob. read Strobl. Page 335, line 9 from bottom, for Trans. read Proc.

Page 339, at bottom of page, add

Mr. Knight in his revision of genus Lygus, now being published as Bulletin 391, Cornell Univ. Agr. Exp. Sta., uses the following classification of the species, founded on genital characters only:

```
Group I (pratensis group)
```

pratensis Linn., var. punctatus Zett., p. U. S., Can.

pratensis Linn., var. rubidus Kngt., p. Me.

vanduzeei Knight., p. E. U. S., Can. [Quebec, Nova Scot. vanduzeei Kngt., var. rubroclarus Kngt., p. Mass., Vt., N. H., Me.,

convexicollis Reut., p. Calif., Wash.

convexicollis Kngt., var. coloratus Kngt., p. Calif.

humeralis Kngt., p. Br. Col.

columbiensis Kngt., p. Br. Col.

superiorensis Kngt., p. Mich.

atriflavus Kngt., p. Colo., N. Mex., Calif.

elisus Van D., p. S. D., Wyo., Colo., Texas, Ariz., Calif.

elisus Van D., var. viridiscutus Kngt., p. Calif.

elisus Van D., var. hesperius Kngt., p. Calif.

plagiatus Uhl., p. Mass., R. I., N. Y., N. J., Mo.

striatus Kngt., p. Calif.

nigropallidus Kngt., p. N. Mex.

areatus Kngt., p. Calif.

bradleyi Kngt., p. Calif.

niblius Van D., p. Calif.

ultranubilus Kngt., p. Neb., Colo., N. Mex.

nubilatus Kngt., p. Calif.

nubilosus Kngt., p. Colo., Utah, N. Mex.

distinguendus Reut., p. Colo., Utah, B. C. (Asia).

distinguendus Reut., var. tahoensis Kngt., p. Calif.

robustus Uhl., p. Colo., Calif.

Group II (campestris group)

rubicundus Fall., p. U. S., Can. (Europe.)

rubicundus Fall., var. winnipegensis Kngt., p. Manitoba.

sallei Stål, p. Colo., N. Mex., Ariz., Calif.

campestris Linn., p. U. S., Can. (Europe.)

distinctus Kngt., p. Ariz.

pabulinus Linn., p. U. S., Can. (Europe.)

Group III (approximatus group)

approximatus Stål, p. N. H., N. Y., Ont., B. C., Alask.

Group IV (olivaceus group)

olivaceus Reut., p. Conn., N. Y., N. J., Fla., La. (West Indies.)

olivaceus Reut., var. viridiusculus Kngt., p. Mass

fasciatus Reut., p.

Group V (apicalis group)

apicalis Fieb. U. S. (Neotropical.)

Group VI (communis group)

(Subgenus Neolygus Kngt. n. subg., p.

fagi Kngt., p. Vt., Mass., N. Y.

invitus Say, p. E. St.



atrinotatus Kngt., p. Pa., D. C., N. C. vitticollis Reut., p. N. Y., Mich. neglectus Kngt., p. Mass. communis Kngt., p. Me., Vt., N. H., Mass., Conn., N. Y., Va. communis Kngt., var. novascotiensis Kngt., p. Nova Scotia. univittatus Kngt., p. N. Y. Mass., N. Y., Va., Wis. quercalba Kngt., p. semivittatus Kngt., p. N. Y., Va. omnivagus Kngt., p. Ont., Vt., R. I., N. H., Mass., Conn., N. Y., Va. johnsoni Kngt., p. Vt., Conn., N. Y. belfragei Reut., p. Ont., Me., Vt., Mass., N. Y. clavigenitalis Kngt., p. Me., Mass., Md. hirticulus Van D., p. N. Y. canadensis Kngt., p. Ont., Wis. canadensis Kngt., var. binotatus Kngt., p. N. J. ostryae Kngt., p. Ont., Vt., Mass., N. Y. laurene Kngt., p. N. Y., Va., N. C. ?carolinae Reur., p. Page 343, after line 11, add a. var. novascotiensis Kngt. Knight, Can. Ent., xlviii, p. 349, 1916. Brittain, Noya Scotia Dept. Agr., Bul. 8, 1917 (life history). Page 346, after line 23, add Riley, 2d Rept. Nox. Ins. Mo., p. 113, 1870, Capsus. Page 350, after line 14 from bottom, add Dickerson and Weiss, Jl. N. Y. Ent. Soc., xxiv, p. 302, 1917 (life history) Page 367, after line 23, add Knight, Ent. News, xxviii, p. 3, 1917. Page 375, after line 22, add Knight, Can. Ent., xlix, p. 249, 1917. Me. Page 385, line 6. This note refers to preceding reference only and should have been placed at right end of line. Page 396, after line 14, add

Genus Heterotoma Latr.*

Burmeister, Hand. d. Ent., ii, p. 275, 1835. Brullé, Hist. des Ins., ix, p. 408, 1835. Blanchard, Hist. des Ins., Hémip., p. 140, 1840. [cornis Fabr. as type). Westwood, Intr. Mod. Classif. Ins., ii, Synop., p. 121, 1840 (cites spissi-Amyot and Serville, Hémip., p. 283, 1843. Spinola, Tavola Sinot., p. 43, 1850. Fieber, Wien. Ent. Monats., ii, p. 315, 1858. Fieber, Europ. Hemip., pp. 71, 290, 1861. Douglas and Scott, Brit. Hemip., p. 437, 1965. Walker, Cat. Heter., vi, pp. 44, 134, 1873. Reuter, Genera Cimic. Eur., p. 37, 1875. Reuter, Crit. Rev. Caps., i, p. 92, 1875. Reuter, Hemip. Gymn. Eur., iii, pp. 336, 544, 1883. Hüeber, Synop. Deut. Blindw., ii, pp. 105, 214, 1894? [not valid). Heterotome Latreille, Fam. Nat. Règ. Anim., p. 422, 1825 (French form, Reuter, Acta Soc. Sci. Fenn., xxxvii, No. 3, p. 149, 1910. 1180½. Heterotoma meriopterum (Scop.) Scopoli, Ent. Carn., p. 131, 1763, Cimex. Rossi, Fauna Etrus., ii, p. 249, 1790, Cimex. Fieber, Europ. Hemip., p. 290, 1861. Douglas and Scott, Brit. Hemip., p. 438, pl. 14, fig. 5, 1865. Saunders, Trans. Ent. Soc. Lond. for 1875, p. 295. Reuter, Hemip. Gymn. Eur., iii, pp. 336, 548, pl. 5, fig. 28, 1883. Reuter, Rev. Synon., p. 296, No. 274, 1888. Saunders, Hemip. Heter. Brit. Isds., p. 295, pl. 27, fig. 7, 1892. Knight, Can. Ent., xlix, p. 250, 1917 (occurrence in America). planicornis Pallas, Specil. Zool., ix, p. 23, pl. 1, fig. 13, 1772, Cimex. spissicornis Fabricius, Genera Ins., p. 147, 1776, Cimex. Panzer, Fauna Germ., ii, fig. 15, 1793, Cimex. Donovan, Brit. Ins., iv, p. 71, pl. 135, 1794, Cimex. Fabricius, Ent. Syst., iv, p. 181, 1794, Lygaeus. Schellenberg, Ges. Land- u. Wasserw., p. 14, pl. 3, fig. 4, 1800, Miris. Schrank, Fauna Boic., ii, p. 88, 1801, Cimex. Fabricius, Syst. Rhyng., p. 246, 1803, Capsus. Latreille, Hist. Nat. Crust. Ins., xii, p. 233, 1804, Capsus. Laporte, Essai Classif. Syst. Hémip., p. 41, 1832. Herrich-Schaeffer, Nomen. Ent., p. 52, 1835, Capsus. Burmeister, Hand. d. Ent., ii, p. 276, 1835. Costa, Cimic. Reg. Neap., Cent. i, p. 54, fig. 11, 1838. Blanchard, Hist. des Ins., Hémip., p. 140, 1840. Amyot and Serville, Hémip., p. 283, 1843. Meyer-Dür, Verz. Rhyn. Schw., p. 64, 1843, Capsus. Herrich-Schaeffer, Wanz. Ins., Verz., p. 40, 1853, Capsus. ater, Geoffroy in Fourcroy, Ent. Paris., p. 211, 1785, Cimex. ?crassicornis Fabricius, Syst. Ent., iv, p. 70, 1794, Acanthia. Fabricius, Syst. Rhyng., p. 246, 1803, Capsus. [609, 1806, Cimex.

?crassipennis Turton in Linnaeus, Syst. Nat., edn. 13 (Eng. edn.), ii, p. Localities: N. Y. (Europe.)

Page 397, after line 7 from bottom, add

Genus Cyrtorhinus Fieb.

Logotype (1) elegantulus Mey. = caricis Fall. Fieber, Wien. Ent. Monats., ii, p. 313, 1858.

Fieber, Europ. Hemip., pp. 69, 284, 1861. Reuter, Genera Cimic. Eur., p. 31, 1875 (as subgenus). Reuter, Rev. Crit. Caps., i, p. 91; ii, p. 125, 1875 (as subgenus). Reuter, Hemip. Gymn. Eur., iii, pp. 379, 545, 1883, Cyrtorrhinus. Atkinson, Cat. Capsidae, p. 134, 1888, Cyrtorrhinus. Hüeber, Synop. Deut. Blindw., ii, pp. 106, 148, 1897, Cyrtorrhinus. Kirkaldy, Trans. Am. Ent. Soc., xxxii, p. 128, 1906 (names elegantulus Oshanin, Verz. Palae. Hemip., i, p. 835, 1910, Cyrtorrhinus. Oshanin, Kat. Palae. Hemip., p. 73, 1912, Cyrtorrhinus (cites caricis as type). Tytthus Fieber, Wien. Ent. Monats., viii, p. 82, 1864 (type geminus Flor.). || Periscopus Breddin, Deut. Ent. Zeit. for 1896, p. 106 (type mundulus [Bred.). Breddiniessa Kirkaldy, Wien. Ent. Zeit., xxii, p. 13, 1903 (n.n. for [Periscopus Bred.). 11861/4. Cyrtorhinus caricis (Fall.) Fallén, Monog. Cimic. Suec., p. 102, 1807, Capsus. Fallén, Hemip. Suec., Cimic., p. 123, 1829, Capsus. Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 76, 1855, Capsus. Reuter, Genera Cimic. Eur., p. 31, 1875. Reuter, Rev. Crit. Caps., ii, p. 128, 1875. Thomson, Opusc. Ent., iv, p. 437, 1871, Capsus (Orthotylus). Reuter, Hemip. Gymn. Eur., iii, pp. 383, 555, pl. 1, fig. 10; pl. 2, fig. 3, 1883. Saunders, Hemip. Heter. Brit. Isds., p. 283, pl. 26, fig. 5, 1892. Hüeber, Synop. Dept. Blindw., ii, p. 150, 1897. Oshanin, Verz. Palae. Hemip., i, p. 835, 1910. Knight, Can. Ent., xlix, p. 250, 1916 (occurrence in America). elegantulus Meyer-Dür, Verz. Schw. Rhyn., Caps., p. 69, pl. 5, fig. 2, Fieber, Europ. Hemip., p. 285, 1861. [1843, Capsus. Douglas and Scott, Brit. Hemip., p. 351, 1865, Sphyracephalus. chloropterus Herrich-Schaeffer, Wanz. Ins., Verz., p. 34, 1853, Capsus. Localities: Mass., N. Y., N. J. (Europe.) 11861/2. Cyrtorhinus pygmaeus (Zett.) Zetterstedt, Ins. Lapp., column 279, 1840, Capsus. Flor, Rhyn. Livl., i, p. 605, 1860, Capsus. Fieber, Wien. Ent. Monats, viii, p. 83, 1864, Tytthus. Reuter, Genera Cimic. Eur., p. 31, 1875. Reuter, Rev. Crit. Caps., ii, p. 127, 1875. Thomson, Opusc. Ent., iv, p. 437, 1871, Tytthus. Reuter, Hemip. Gymn. Eur., iii, pp. 381, 554, pl. 2, fig. 4, 1883. Saunders, Hemip. Heter Brit. Isds., p. 283, pl. 26, fig. 6, 1892. Hüeber, Synop. Deut. Blindw., ii, p. 149, 1897. Oshanin, Verz. Palae. Hemip., i, p. 836, 1910. pellucens Boheman, Of. Vet. Akad. Forh., ix, p. 76, 1852, Capsus. Localities: Fla. (Slosson, Bradley). (Europe.) Page 399, after line 18, add

11891/2. Orthocephalus mutabilis (Fall.)

Fallén, Monog. Cimic. Suec., p. 98, 1807, Capsus. Fallén, Hemip. Suec., Cimic., p. 118, 1829, Capsus. Burmeister, Handb. d. Ent., ii, p. 277, 1835, Halticus. Kirschbaum, Rhyn. v. Wiesbd., Caps., p. 83, Capsus (Leptomerocoris). Flor, Rhyn. Livl., i, p. 567, 1860, Capsus (part).

```
Fieber, Europ. Hemip., p. 293, 1861.
   Douglas and Scott, Brit. Hemp., p. 430, 1865.
   Reuter, Hemip. Gymn. Eur., iv, pp. 48, 165, 166, pl. 4, figs. 2, 3, 1891.
   Saunders, Hemip. Heter. Brit. Isds., p. 270, 1892.
   Hüeber, Synop. Deut. Blindw., ii, p. 18, 1897.
   Knight, Can. Ent., xlix, p. 249, 1917 (occurrence in America).
     ?coriacea Fabricius, Genera Ins., p. 299, 1776, Acanthia.
         Fabricius, Ent. Syst., iv, p. 69, 1794, Acanthia.
         Fabricius, Syst. Rhyng., p. 115, 1803, Salda.
         Latreille, Hist. Nat. Crust. Ins., xii, p. 220, 1804, Lygaeus.
         Stål, Hemip. Fabr., i, p. 88, 1868.
         Thomson, Opusc. Ent., iv, p. 432, 1871.
         Reuter, Rev. Crit. Caps., ii, p. 94, 1875.
         Saunders, Trans. Ent. Soc. Lond. for 1875, p. 289.
         Reuter, Rev. Synon., p. 288, No. 263, 1888, Lopus.
     †grylloides Goeze, Ent. Beytr., ii, p. 187, 1778, Cimex.
      pilcsus Hahn, Wanz. Ins., ii, p. 96, fig. 181, 1831, Capsus.
         Herrich-Schaeffer, Nomen. Ent., pp. 52, 86, 1835, Capsus.
         Meyer-Dür, Verz. Rhyn. Schw., p. 59, 1843, Capsus.
         Herrich-Schaeffer, Wanz. Ins., Verz., p. 38, 1853, Capsus.
         Flor, Rhyn. Livl., i, p. 564, 1860, Capsus.
     ?stygialis Mulsant and Rey, Opusc. Ent., i, p. 151, 1852, Capsus.
             Localities: Me. (Europe.)
Page 404, after line 17, add
                          Genus Oncotylus Fieb.
                         Logotype punctipes Reut.
   Fieber, Wien. Ent. Monats., ii, p. 318, 1858.
   Fieber, Europ. Hemip., pp. 72, 298, 1861.
   Thomson, Opusc. Ent., i, p. 452, 1871.
   Reuter, Hemip. Gymn. Eur., ii, p. 273, 1879; iii, p. 531, 1883.
   Provancher, Pet. Faune Ent. Can., iii, p. 147, 1887.
   Kirkaldy, Trans. Am. Ent., Soc., xxxii, p. 126, 1904.
   Van Duzee, Univ. Calif. Publ., Div. Ent. Tech. Bul., i, p. 214, 1916.
      Anoterops Fieber, Wien. Ent. Monats., ii, p. 317, 1858.
          Fieber, Europ. Hemip., pp. 72, 297, 1861.
      Cylindromelus Fieber, Europ. Hemip., p. 393, 1861.
Page 412, after line 6, add
   Leonard, Jl. N. Y. Ent. Soc., xxiii, p. 193, 1915 (life history).
Page 415, line 19, for 1265 read 1256.
Page 418, after line 12, add
   Leonard, Jl. N. Y. Ent. Soc., xxiii, p. 195 (life history).
Page 419, after line 9 from bottom, add
   Knight, Can. Ent., xlix, p. 248, 1917. N. Fndl., N. Y., Colo.
Page 427, after line 20, add
   Bueno, Ent. News, xxviii, p. 201, 1917 (life history).
   Olsen, Bul. Brookl. Ent. Soc., xii, p. 21, 1917 (life history).
Page 427, after line 15 from bottom, add
   Osborn and Drake, Ohio Nat., xv, p. 503, 1915. Ohio.
Page 428, after line 19, add
```

Bueno, Ent. News, xxviii, p. 295, 1917 (life history).

Osborn and Drake, Ohio Nat., xv, p. 503, 1915. Ohio.

Page 430, after line 3, add



Harvey, Can. Ent., xxxix, p. 17, 1907 (life history). Page 477, after line 11, add Hungerford, Jl. N. Y. Ent. Soc., xxv, pp. 1, 112, 1917 (habits, life history). Page 487, line 23, for SECTION read SERIES. Page 501, after line 16, add Lander, Jl. N. Y. Ent. Soc., iii, p. 33, 1895 (domed burrows). Page 502, line 3, for Calif. read Ariz. Page 503 line, 4 from bottom, for Okagana read Okanagana. Page 504, after line 7 from bottom, add Davis, Jl. N. Y. Ent. Soc., xxv, p. 6, 1917. Page 523, after line 23, add Brittain, Proc. Ent. Soc. Nova Scot. for 1917, p. 34. Page 524, after line 15, add Brittain, Proc. Ent. Soc. Nova Scot. for 1917, p. 36. Page 563, after line 9, add Matausch, Jl. N. Y. Ent. Soc., xxiv, p. 151, 1916 (nymphs). Page 569, after line 10, add Gibson, Can. Ent., xlix, p. 75, 1917 (lists additional Mo. species). Page 580, after line 15 from bottom, add Brittain and Saunders, Can. Ent., xlix, p. 149, 1917 (with plate). Page 582, line 1, for p. 45 read p. 82, Page 604, after line 12 from bottom, add Gibson, U. S. Dept. Agr., Bul. 254, 1915 (life history). Page 605, line 25, add (Fh.) Page 616, line 16, for Ann, read Anal.; for Natl, read Nacal. Page 623, line 13, for (Van D.) read (Fieb.), and add

Page 658, after line 9 from bottom, add 2142½. Euscelis ozarcansis Gibs.

Gibson, Can. Ent., xlix, p. 184, 1917. Locality: Mo.

Page 679, line 11 from bottom, for gilletti read gillettii. Page 692, after line 14, add

Fieber, Kat. Eur. Cicad., p. 10, 1872, Doridiae.

235544 Tinobreamus moodii Giba

Page 710, line 34, probably | should read †, and add date 1874.

Page 711, after line 16, add

[history).

Brittain and Saunders, Proc. Ent. Soc. Nova Scot. for 1917, p. 48 (life Page 711, after line 25, add

2437 1/2. Empoa modesta (Gibs.)

Gibson, Can. Ent., xlix, p. 184, 1917, Typhlocyba.

Locality: Mo.

Page 718, line 17, for Ann. Zool. Bot., read Ann. Mag. Nat. Hist.

Page 720, after line 5, add

Gibson, Bul. Brookl. Ent. Soc., xii, p. 69, 1917 (key to species).

Page 726, line 16, add at end Loxophora.

Page 731, after line 14 from bottom, add

Scott, Ent. Mo. Mag., vii, p. 119, 1870.

Page 734, after line 29, add

Scott, Ent. Mo. Mag., vii, p. 121, 1870.

Page 766, after line 4, add

Spinola, Ann. Soc. Ent. Fr., viii, p. 333, 1839, Delphax.

Page 773, after line 8 from bottom, add

Scott, Ent. Mo. Mag., vii, pp. 23, 25, 1870.

Page 780, after line 24, add

28031/2. Dicranotrops cubana Crawf.

Crawford, Proc. U. S. Natl. Mus., xlvi, p. 595, 1914.

Weiss, Ent. News, xxviii, p. 215, 1917.

Localities: N. J. (Cuba.)

Page 781, line 9 from bottom, for 1906 read 1806.

LIST OF WORKS CITED

Abhandlungen der k.k. Zoologisch-Botanischen Gesellschaft in Wien. R8vo, Wien.

Acta Holm. See Kongliga Svenska Vetenskaps-Akademien Handlingar.

Acta Societatis Entomologicae Bohemiae. 8vo.

Acta Societatis Scientiarum Fennicae. 4to. Helsingfors.

American Entomologist. R8vo. 3 vols. (Vol. i, St. Louis, 1868; vol. ii, St. Louis, 1870; vol. iii, N. Y., 1880.)

American Journal of Science and Arts. 8vo. New Haven.

American Naturalist, 8vo. New York.

Amyot, Charles Jean Baptiste, and Serville, Audinet: Histoire naturelle des Insectes. Hémiptères. (In "Suites à Buffon." This series name does not appear on the half-title or title.) 8vo. Paris, 1843.

Anales del Museo Nacional de Buenos Aires, R8vo. Buenos Aires (Anal. Mus. Natl. Buenos Aires).

Anales de la Sociedad Cienifica Argentina. 8vo. Buenos Aires.

Annals of the Carnegie Museum. 8vo. Pittsburg.

Annali del Museo Civico di Storia Naturale di Genova. 8vo. Genoa.

Annals of the Entomological Society of America. 8vo. Columbus.

Annalen des k.k. Naturhistorischen Hofmuseums. R8vo. Wien.

Annals and Magazine of Natural History. 8vo. London.

Annales du Musée du Congo. Zoologie—Serie III, Faune Entomologique de l'Afrique Tropicale. Tome I, Fascicule II, Rhynchota Æthiopica. Folio. Bruxelles.

Annales Historico-Naturales Musei Nationalis Hungarici. R8vo. Budapest.

Annuaire du Musée Zoologique de l'Academie Imperiale des Sciences de St. Petersbourg. 8vo. St. Petersberg.

Annalen des k.k. Naturhistorischen Hofmuseums. R8vo. Wien.

Annales des Sciences Naturelles. 8vo. Paris.

Annales de la Société Entomologique de Belgique. 8vo. Bruxelles.

Annales de la Société Entomologique de France. 8vo. Paris.

Annales de la Société Linnéenne de Lyon. 8vo. Lyons.

Annales Société Scientifique de Bruxelles. 8vo. Brussels.

Arbeiten und Veränderungen der Schleischen Gesellschaft für vaterländische Kultur. 4to. Breslau.

Atti Reale Instituto d'Incoraggiamento alle Scienze Naturali di Napoli. 4to. Naples.

Atkinson, Edwin T.: Catalogue of the Insecta. Order Rhynchota. Suborder Hemiptera-Heteroptera. Family Capsidae. 8vo. Calcutta, 1889. (From Journal of the Asiatic Society of Bengal. Vol. lviii Supplement.)

Aulmann, G.: Psyllidarum Catalogus. R8vo. Berlin, 1913.

Baerensprung, Felix von: Catalogus Hemipterorum Europae. Berlin, 1860.

Banks, Nathan: Catalogue of the Nearctic Hemiptera-Heteroptera. 8vo. Phila., 1910.

Berg, Carlos: Hemiptera Argentina enumeravit speciesque novas descripsit. 8vo. Buenos Aires, 1879. Also: Addenda et Emendanda, 1884.

Berg, Carl.: Nova Hemiptera faunarum Argentinae et Uryguayensis. 8vo. Bonariae. 1891-1892. (From. Anal. Soc. Cient. Argent.)

Berliner Entomologische Zeitung. 8vo. Berlin.

Berthold, Arnold Adolph: Naturliche Familien des Thierrichs. 8vo. Wiemar, 1827. (A German transl. of Latreille, Familles naturelles du régne animal.)

Bihang till Kongliga Svenska Vetskaps-Akademiens Handlingar. 8vo. Stockholm.

Billberg, Gustav Johann: Enumeratio Insectorum in Museo Billberg. 4to. Holm, 1820.

Biologia Centrali Americana. 4to, London. Heteroptera in 2 vols, 1881-1901. Homoptera in 3 vols, 1881-1909.

Blanchard, Emile: Histoire naturelle des Insectes etc. 8vo. Paris, 8vo (Hemiptera apparently in vol. iii, 1840).

Bollettino dei Musei di Zoologia ed Anatomia comparata della R. Università di Torino. 8vo. Torino.

Brewster's Edinburgh Encyclopedia. 4to. Edinburgh, 1815. (Hemiptera in Vol. ix. A reprint appeared in 1830 with the same paging and a new American edition in 1832 in which the Insects are in vol. viii.)

Brooklyn Institute of Arts and Sciences, Science Bulletin. 8vo. Brooklyn.

Brues, Charles T. and Melander, A. L.: Key to the Families of North American Insects. 8vo. Boston, 1915.

Brullé, Auguste: Expédition Scientific de Morée. Folio. Paris, 1832 (Insects in vol. iii, sec. 2, 1832-33.)

Brullé, Auguste: Histoire Naturelle des Insectes. 8vo. Paris. [Hemiptera in vol. ix, 1835.]

Brunnich, Martin Thrane: Entomologia, sistens Insectorum Tabulas Systematicas, cum Introductione et Inconibus. 8vo. Hafniae, 1764.

Buckton, George Bowdler: A Monograph of the Membracidae, 4to. London, 1901–1903.

Bulletin of the American Museum of Natural History. 8vo. New York.

Bulletin of the Brooklyn Entomological Society. 8vo. Brooklyn.

Bulletin of the Buffalo Society of Natural Sciences. 8vo. Buffalo.

Bulletin of the Illinois State Laboratory of Natural History. 8vo. Peoria.

Bulletin du Muséum d'Histoire Naturelle. 8vo. Paris.

Bulletin of the Natural History Laboratory of the Iowa State Museum. 8vo.

Bulletin de la Société Entomologique de France. 8vo. Paris.

Bullettino Società Entomologica Italiana. 8vo. Firenze.

Bulletin Société Imperiale des Naturalistes. 8vo. Moscou.

Bulletin de la Société des Sciences de Bucarest-Roumanie. Bucarest, 8vo.

Bulletin of the Southern California Academy of Sciences. 8vo. Los Angeles.

Bulletin of the United States Geological and Geographical Survey of the Territories. F. V. Hayden, U. S. Geologist-in-charge. 8vo. Washington. Vol. i (containing Nos. 1 and 2, first series, and Nos. 1-6, second series). 1875-1876, vol. iii, 1877; vol. iv, 1878.

Burmeister, Hermann: Genera quaedam Insectorum Iconibus Illustravit et Descripsit. 8vo. Vol. i, 1838-1846.

—Handbuch der Entomologie. 8vo. Berlin, 1835. (Hemiptera in vol. ii, pt. 1; pt. 2 of this volume, 1839, is paged consecutively and contains a few corrections to pt. 1.)

—Zoologischer Hand-Atlas zum Schulgebrauch und Selbstunterricht, etc. Imp4to. Berlin. 1860.

Canadian Entomologist. 8vo. London, Ont.

Casopisu Ceske Spolecnosti Entomologicke. See Acta Societas Entomologicae Bohemiae.

- Cistula Entomologica. 8vo. London.
- Colorado State Agricultural College, The Agricultural Experiment Station. Bulletin. 8vo. Fort Collins.
- Comptes Rendus des Séances et Mémoires de la Société de Biologie. 8vo. Paris. Comstock, John Henry, and Comstock, Anna Botsford: A Manual for the Study of Insects. 8vo. Ithaca, 1895.
- Cooke, Matthew: Injurious Insects of the Orchard, Vineyard, Field, Garden, Conservatory, Household, Storehouse, Domestic Animals, etc., with Remedies for their Extermination. 8vo. Sacramento, 1883.
- Coquebert, Antoine Jean: Illustratio Inconographica Insectorum, etc. Folio. Paris. (Tab. 1-10, 1799; tab. 11-20, 1801; tab. 21-30, 1804.)
- Cornell University Agricultural Experiment Station. Entomological Division. Bulletin. 8vo. Ithaca.
- Costa, Achille: Annuario del Museo Zoologico della R. Universita di Napoli. 4to. Napoli.
- -Cimicum Regni Neapolitani Centuriae. Sm4to. Napoli, 1838-1852.
- Curtis, John: British Entomology, being illustrations and descriptions of the genera of Insects found in Great Britain and Ireland, etc. 8vo. 16 vols. London.
- Cuvier, Georg Leopold, ctc. Le Règne Animal. 8vo. 4 vols. Paris, 1817. (A second edition was issued in 1829 and a London edition in English in 1836. These are the only editions indexed here.)
- Dallas, William S.: List of the Specimens of Hemipterous Insects in the Collection of the British Museum. 12mo. London. Pt. 1, 1851; pt. ii, 1852.
- Decken's Reisen in Ost Afrika in 1859-61. R8vo. Leipzig. 4 vols. in 6. (Insects in vol. iii, pt. 2, 1873.)
- De Geer, Carl: Mémoires pour servir à l'histoire des Insectes. Stockholm. 4to. (Hemiptera in vol. iii, 1773.)
- Deutsche Entomologische Zeitschrift. 8vo. Berlin.
- Distant, William Lucas: A Synonymic Catalogue of Homoptera. Pt. 1, Cicadidae. 8vo. London, 1906.
- -Fauna of British India. Rhynchota (in 6 vols.). 8vo.
- -A monograph of Oriental Cicadidae. 4to. London, 1889-1892.
- Dohrn, Anton: Catalogus Hemipterorum. 12mo. Stettin, 1859.
- Donovan, Edward: The Natural History of British Insects, etc. 8vo. London. 16 vols., 1792-1813.
- Douglas, John William, and Scott, John: The British Hemiptera. Vol. i, Hemiptera-Heteroptera. 8vo. London, 1865. (Published as the Ray Society volume for 1865.)
- Drury, Drew: Illustrations of Exotic Entomology. 4to. 3 vols. London, 1837-1842. (A new edition of his Illustrations of Natural History, edited by J. O. Westwood. The species dated from earlier edition.)
- -Illustrations of Natural History, etc. 4to. London. 3 vols. 1770-1782.
- Dufour: Léon: Recherches anatomiques et Physiologiques sur les Hémiptères, etc. 8vo. Paris, 1833. (From Mémoires des Savants étrang. à l'Acad. des Sciences. Vol. iv.)
- Duméril, André Marie Constant: Zoologie analytique, ou methode naturelle de classification des animaux, etc. 8vo. Paris, 1806.
- Échange. 8vo. Paris.
- Edwards, James: The Hemiptera Homoptera of the British Islands. 8vo. London, 1896.
- Emmons, Ebenezer: Natural History of New York. Agriculture, vol. v, Insects. 4to. Albany, 1854.

Encyclopedia Americana. R8vo. Philadelphia.

Encyclopédie Méthodique. Tomes 3-10, Insectes. 4to. Paris, 1789.

Entomologist. 8vo. London.

Entomologica Americana. 8vo. New York.

Entomologist's Annual. 16mo. London.

Newman's Entomological Magazine. 8vo. London. 5 vols. 1832(1833)-1838.

Entomologiske Meddelelser udgivne of Entomologisk Forening ved Fr. Meinert. 8vo. Kjobenhaven.

Entomologische Mitteilungen. R8vo. Berlin.

Entomological Monthly Magazine. 8vo. London.

Entomologische Nachrichten. 8vo. Berlin.

Entomological News. 8vo. Philadelphia.

Entomologische Rundschau, etc. Stuttgart.

Entomologisk Tidskrift. 8vo. Stockholm.

Ersch, Johann Samuel, and Grube, J. G.: Allgemeine Encyclopadie der Wissenschaften und Kunst. 4to. Leipzig, 1818-1889.

Eschscholtz, Johann Friedrich: Entomographien. 8vo. Berlin, 1822. (From Naturwissenschaftliche Abhandlungen aus Dorpat. Vol. i, for 1823.)

Essig, Edward Oliver: Injurious and Beneficial Insects of California. 2d edition. 8vo. Sacramento, 1915.

Experiment Station Record. 8vo. Washington.

Exploration Scientifique de l'Algérie pendant 1840-1842, etc. 8vo and 4to, folio. 25 vols. Paris, 1844-1867. (Insects by Lucas in Zool., vol. 2, pt. 3, 1849.) (Misquoted as Exped. Alg.)

Fabricius, Johann Christian: Entomologia Systematics, etc. 8vo. Hafniae. (Hemiptera in vol. iv, 1794, and Supplement, 1798.)

- -Genera Insectorum, etc. 8vo. Chilonii, 1777.
- -Mantissa Insectorum, etc. 8vo. 2 vols. Hafniae, 1787. (Hemiptera in vol ii.)
- -Reise nach Norwegen. 8vo. Bohn, 1779.
- -Species Insectorum, etc. 8vo. 2 vols. Bohn, 1781. (Hemiptera in vol. ii.)
- -Systema Entomologiae, etc. Lipsiae, 1775.
- —Systema Rhyngotorum, etc. 8vo. Brunsvigae, 1803. [An edition of 1801 has been quoted, but probably in error.]

Fallén, Carl Friedrich: Hemiptera Succiae. 8vo. London, Cimicides, 1829; Cicadariae, 1826.

- -Hydrocorides et Naucorides Sueciae. 4to. Lund.
- -Monographia Cimicum Sueciae. 8vo. Hafniae, 1807. (Reprint in 1818.)
- -Specimen novam Hemiptera disponendi methodum exhibens. 4to. Lund, 1814.

Fauna of British India. See Distant, W. L.

Fauna Hawaiiensis. Folio. 3 vols. Cambridge.

Faune de la Russie et des Pays Limitrophes, etc. 8vo. St. Petersbourg.

Festschrift für Palmer. 4to. Helsingfors. (Numbers paged separately.)

Fieber, Franz Xavier: Les Cicadines d'Europe. 8vo. 4 pts. Paris. (From Revue et Magasin du Zoologie. Pt. 1, in vol. xxvi, 1875; pt. 2, in vol. xxvii, 1876; pt. 3, in vol. xxix, 1878; pt. 4, in vol. xxx, 1879.)

- -Entomologische Monographien. 4to. Prag, 1844.
- —Die europäischen Hemiptera. 8vo. Wien, 1861. (This was first published in parts, pages 1 to 112 appearing in 1860, the balance in 1861.)
- —Genera Hydrocoridum. 4to. Pragae, 1851. (From Abhandlungen der König. Böhmischen Gesellschaft der Wissenschaften in Prag.)
- -Katalog der Europäischen Cicadinen, etc. 8vo. Wien, 1872.
- Rhynchotographieen. 4to. Prag, 1851. (From Acten der Königl. Gesellschaft der Wissenschaften. Vol. v, pt. 7.)

- —Species Generis Corisa monographice dispositae. 4to. Pragae, 1851. 48 pp., 2 pls. (From Abhandl. Kön. Böhm. Gesell. Wissensch. Prag, 1851. Folge 5, vii, pp. 213-260.)
- Fitch, Asa: Catalogue with references and descriptions of the Insects collected and arranged for the State Cabinet of Natural History by Asa Fitch. (From Fourth Annual Report of the Regents of the University of the State of New York on the State Cabinet of Natural History, Albany, 1851. A reprint can be found in Lintner's 9th Rept. as N. Y. State Entomologist, for 1892.) Homop. N. Y. St. Cab.
- Flor, Gustav: Die Rhynchotorum Livlands, etc. 8vo. 2 vols. Dorpat; vol. i, 1860; vol. ii, 1861.
- Forster, Johann Reinhold: Novae Species Insectorum; Centuria I. 8vo. London, 1771.
- Fourcroy, Antoine François: Entomologia Parisiensis, etc. 16mo. 2 vols. Paris, 1785. (Fourcroy states that the names of the species were furnished by Geoffroy.)
- Gay, Claude: Historia fiscia y politica de Chile, etc. 8vo. 28 vols. and Atlas, 2 vols. Folio. Paris, 1844-1871.
- Genera Insectorum diriges par P. Wytsman. 4to. Bruxelles.
- Geoffroy, Etienne Louis: Histoire abrégée des Insectes qui se trouvent aux environs de Paris, etc. 4to. Paris, 1762. (A second edition was issued in 1764. Nodier states that certain copies of both editions bear the name of the author. All the copies I have seen are anonymous.)
- Germar, Ernst Friedrich: Fauna Insectorum Europae. 8vo. Halae.
- Gillette, Clarence P., and Baker, Carl F.: A preliminary list of the Hemiptera of Colorado. 8vo. Fort Collins, 1895. (Issued as Bulletin 31 of the Colorado Agricultural Experiment Station.)
- Gistel, Johannes: Naturgeschichte des Thierreichs fur höhere Schulen. Folio. Stuttgart, 1848.
- Glover, Townend: Manuscript Notes from my journal or illustrations of insects, native and foreign. Order Hemiptera, suborder Heteroptera, or plant bugs. 4to. Washington, 1876. (Privately printed but never published. Dr. Goding quotes a volume on the Homoptera, but I cannot find it mentioned in Dodge's bibliography of Glover.)
- Gmelin, Johann Friedrich. See Linnaeus, Systems Naturae, edn. 13, 1788.
- Gorski, S. B.: Analecta Entomographiam provinciarum occidentali-meridionalium Imperii Rossici. Fasc. 1. sm4to. Berlin, 1852.
- Griffith: The Animal Kingdom by the Baron Cuvier with additional descriptions of species by E. Griffith and others. (Partial title.) 8vo. 16 vols. London, 1827-1835.
- Guerin's Dictionnaire pittoresque d'histoire naturelle et des phénomènes de la Nature, etc. 4to. 9 vols. Paris, 1833-1839. (A second edition appeared in 1843-1845 entitled Nouveau Dictionnaire classique d'histoire naturelle, etc.)
- Guerin-Meneville, Felix Edouard, and Percheron, Achille Melchior: Genera des Insectes ou exposition detaillée de tous les charactères propres à chacun des genres de cette classe d'animaux. 8vo. 6 livr. Paris, 1835-1838.
- Guérin-Méneville, Félix Edouard: Iconographie du Règne Animal de G. Cuvier, etc. 8vo. Paris, 1829-1844. (Insects in pt. 7, 1843.)
- —Voyage autour du monde...sur...la Coquille, pendant...1822-1825....Par M. L. I. Duperry, etc. 4to and folio. Paris, 1826-1830. (Insects by Guerin. This part was not published until 1838.)

- Hahn, Carl Wilhelm: Icones ad Monographiam Cimicum. 12mo. Nürnberg. 1826.
- —Die Wanzenartigen Insecten. 8vo. Nürnberg; vol. i, 1831; vol. ii, 1834; vol. iii, to p. 32, 1835. (For balance of work see Herrich-Schaeffer.)
- Haldeman, S. S.: Stansbury's Exploration and Survey of the Great Salt Lake of Utah. 8vo. Phila., 1852.
- Handlirsch, Anton: Die Fossilen Insekten und die Phylogenie der rezenten Formen. Leipzig, 1908.
- Harriman Alaska Expedition. R8vo. Wash. (Vol. viii, Insects, 1904.)
- Harris, Moses: An Exposition of English Insects, etc. 4to. London, 1776.
- Harris, Thaddeus William: A Report on the Insects of Massachusetts Injurious to Vegetation. 8vo. Cambridge, 1841.
- —A Treatise on some of the Insects Injurious to Vegetation. 3d edn. 8vo. Boston, 1862. (A second edition with about the same title was published in 1852.)
- Hawaiian Sugar Planters' Association. Report of the work of the Experiment Station; Division of Entomology, Bulletin. 8vo. Honolulu.
- Heer, Oswald: Die Insektenfauna der Tertiärgebilde von Oeningen und von Radoboj in Crotien, etc. 4to. Leipzig, 1853. (Seems also to have been published in Allgemeine Schweizerische Gesellschaft, etc. Neue Denkschriften, xiii, Zurich, 1853.)
- Heilprin, A.: The Bermuda Islands. 8vo. Philadelphia, 1889.
- Herrich-Schäffer, Gottlieb August Wilhelm: Nomenclator Entomologicus. Verzeichniss der europäischen Insecten, etc. Heft i, Lepidoptera und Hemiptera. 16mo. Regensburg, 1835.
- —Die Wanzenartigen Insecten. 8vo. Nürnberg; vol. iii, from p. 33, 1836; vol. iv, 1839; vol. v, 1839; vol. vi, 1842; vol. vii, 1844; vol. viii, 1848; vol. ix, 1853; and Verzeichniss, 1853. (For early volumes see Hahn.)
- Hitchcock: Report on the Geology, Mineralogy, Botany, and Zoology of Massachusetts. 2d ed. 8vo. Amherst, 1835. (1st edn. in 1833.)
- Hope, Frederic William: A Catalogue of Hemiptera in the Collection of Rev.
 F. W. Hope, with short Latin descriptions of the new species. 8vo. London, 1837.
 Pt. II, London, 1842. (Pt. II states that the descriptions are by J. O. Westwood.)
 Hope Cat.
- Horae Societatis Entomologicae Rossicae. 8vo. St. Petersburg.
- Horvath, Geza: Monographia Lygaeidarum Hungariae. Budapest, 1875. (Monog. Lygaeidae.)
- —Schneider, Naturwissenschaftliche Beiträge zur Kenntniss der Kaukasusländer, etc. Dresden, 1878 (1879).
- —Synopsis Tingitidarum Regionis Palaearcticae. 8vo. Budapest, 1906. (From Annales Musei Nationalis Hungarici, vol. iv, pp. 1-118, pl. 1.)
- Houttin, Martin: Naturlyke Historie of uitvoerige beschryving der Dieren,
 Planten en Mineraalen, volgens het sammenstel van den Heer Linnaeus.
 8vo. Amsterdam. Insects, pt. 9, 1766-pt. 13, 1769 (Reuter says 1765).
- Howard, Leland O.: The Insect Book, etc. R8vo. New York, 1908.
- Hüeber, Th.: Catalogue Insectorum Faunae Germanicae; Hemiptera, Heteroptera. 8vo. Berlin, 1902.
- —Synopsis der deutschen Blindwanzen. 8vo. Stuttgart. (From Jahreshefte des Vereins für vaterländische Naturkunde in Wüttemberg. I, vol. l, 1894; II, vol. lii, 1897; III, vol. liv, 1898; IV, vol. lv, 1899; V, vol. lvi, 1900; VI, vol. lvii, 1901; VII, vol. lviii, 1902.)

Humboldt, F. H. A. von, and Bonpland, A. J. A.: Voyage aux Régions Equinoxiales du Nouveau Continent, fait en 1799-1804, etc. Pt. II, Recueil d'observations de Zoologie et d'Anatomie Comparée. 4to. 2 vols. Paris, 1805-1812. (Kirkaldy says 1833 for ii, p. 105, but Sherborn, Ann. Mag. Nat. Hist., ser. 7, iii, p. 428, says 1817.)

Illinois State Entomologist, Report of (see Report, etc.)

Indian Museum Notes. 8vo. Calcutta.

Indiana Department of Geology and Natural Resources. Annual Report. 8vo. Indianapolis.

Insect Life. 8vo. Washington.

Invertebrata Pacifica. Edited by C. F. Baker. 8vo. Pomona and Santiago de Cuba. (Vol. i, pp. 1-197, 1903-1907; apparently no more published.)

Iowa Agricultural College, Experiment Station, Bulletin. 8vo. Ames.

Iowa Agricultural Experiment Station, Bulletin. 8vo. Ames.

Iowa State Agricultural Society, Report. 8vo. Ames.

Jaeger, B.: The Life of North American Insects. 12mo. New York, 1855 (and later editions).

Jahres-Bericht der Schlesichen Gesellschaft für vaterlandische Cultur. 8vo. Breslau. (Title as used reversed by Atkinson.)

Jahresbericht der zoologischen Section des westfällischen provinzial-Vereins (Versammlung) für Wissenschaft und Kunst. Münster.

Journal of the Academy of Natural Sciences of Philadelphia. 8vo (second series in 4to). Philadelphia.

Journal of Agricultural Research. R8vo. Washington.

Journal of the Asiatic Society of Bengal. 8vo. Calcutta.

Journal of Bombay Natural History Society. 8vo. Bombay.

Journal of the Cincinnati Society of Natural History. 8vo. Cincinnati.

Journal of Economic Entomology. 8vo.

Journal of the Elisha Mitchell Scientific Society. 8vo. Chapel Hill, N. C.

Journal of Entomology and Zoology. R8vo. Claremont. (Vol. 5, 1913-date. Continues Pomona Journal of Entomology.)

Journal of the Linnean Society. Zoology. 8vo. London.

Journal of the New York Entomological Society. 8vo. New York.

Journal of the New York Microscopical Society. 8vo. New York.

Journal of the Quekett Microscopical Club. 8vo. London.

Kansas University Science Bulletin. R8vo. Lawrence.

Kirby, William, and Spence, William: An Introduction to Entomology or Elements of the Natural History of Insects. 4th ed. 8vo. London, 1822-1826.

Kirby, William: Richardson's Fauna Boreali Americana. 4to. Norwich. (Insects in vol. iv, 1837.)

Kirkaldy, George W.: Catalogue of the Hemiptera (Heteroptera) with biological and anatomical references, etc. Vol. I, Cimicidae. 8vo. Berlin, 1909. (All published.)

Kirschbaum, C. L.: Die Athysanus-Arten der Gegend von Wiesbaden. 4to. Wiesbaden, 1858. (Der Wetterauischen Gesellschaft für die gesammte Naturkunde zur Feier ihres Fünfzigjährigen Bestehens, etc.)

—Die Cicadinen der gegend von Wiesbaden und Frankfurt A.M. 8vo. Wiesbaden, 1868. (From Jahrbüchern des Nassauischen Vereins für Naturkunde, xxi u. xxii.)

—Die Gattung Idiocerus und ihre europäischen Arten. (From Programm mit welchem zur öffentlichen Prüfung und Schlussfeierlichkeit des Königlichen Gymnasiums zu Wiesbaden auf den 6. und 7. April 1868. 4to. Wiesbaden, 1868.

- Kirschbaum, C. L.: Die Rhynchoten der Gegend von Wiesbaden. Erstes Heft, die Capsinen. 8vo. Wiesbaden, 1855. (From "Jahrb. des Vereins fur Naturkunde im Herzogth. Nassau. Heft x, pp. 161-348, 1855.")
- Klug, Johann Christoph Friedrich: Symbolae physicae. Folio. Berolini, 1829-1845.
- Knight, H. H.: A Revision of the Genus Lygus as it occurs in America North of Mexico, with biological data on the species from New York. (This paper will soon appear as Bulletin 391 of the Cornell University Agricultural Experiment Station. It will include many new species which are listed in the "Additions.")
- Kolenati, Friedrich A.: Meletemata Entomologica. 8vo. Petropoli, 1845-1859. Kongliga Svenska Vetenskaps-Akademien Handlingar. 4to. Stockholm.
- Krøyer: Naturhistorisk Tidsskrift. 8vo. Kjøbenhavn.
- Lamarck, Jean Baptiste: Histoire naturelle des animaux sans vertèbres. 8vo. Paris, 1815-1822. (Hemiptera in vol. iii, 1816.)
- -Systeme des animaux sans vertèbres, etc. 8vo. Paris, 1801.
- Laporte, F. L. de: Essai d'une classification systématique de l'ordre des Hémiptères (Hémiptères-Hétéroptès Latr.) 8vo. (From Guerin, Magasin Zoologique, Nos. 52-55, 1832.)
- Latreille, Pierre André: Considérations générales sur l'ordre naturel des animaux, etc. 8vo. Paris, 1810.
- -Familles Naturelles du Règne Animal. 8vo. Paris, 1825.
- —Genera Crustaceorum et Insectorum, etc. 8vo. Paris. (Hemiptera in vol. iii, 1807.)
- —Histoire naturelle, générale et particulière des Crustacés et des Insectes, etc. 8vo. Paris. Vol. iii, X (1802); vol. xii, XII (1804).
- -Précis des Caractères génériques des Insectes, etc. 8vo. Bordeaux, An 5 (1796 or 1797).
- Lethierry, Lucien, and Severin, G.: Catalogue Général des Hémiptères. 8vo. 3 vols. Bruxelles, 1893, 1894, 1896.
- Linnaeus, Carl: Amoenitates Academicae seu dissertationes physicae, medicae, etc. 8vo. 7 vols. Holminae, 1749-1869.
- -Centuria Insectorum Rariorum. 4to. Upsala, 1763.
- -Fauna Suecica, etc. Editio altera auctior. 8vo. Stockholm, 1761.
- -Mantissa Plantarum altera, etc. 8vo. Holm, 1771.
- —Systema Naturae per Regna Tria Naturae, etc. Editio decima, reformata.

 Tomus I. Holmiae, 1758. 8vo. (Most of the references were taken from the Engelmann facsimilae reprint of 1894. 8vo. Leipzig.)
- -Systema Naturae. Ed. 12. 8vo. Holmiae. (Hemiptera in vol. I, pt. 2, 1767.)
- —Systema Naturae. Ed. 13, reformata cura Joa. Frid. Gmelin. 8vo. Lipsiae. (Hemiptera in vol. I, pt. 4, 1788. This is the date on pt. 1. The other parts of vol. I are without date. Many authors quote 1789 for part 4, but I have been unable to trace any authority for this, although it may be the correct date; a copy in the original wrappers would probably settle this point. An English translation by W. Turton was published in London, the volume containing Hemiptera in 1806, but it has been rarely quoted here.)
- Linnea Entomologica. 8vo.
- Lord's Naturalist in Vancouver's Island. 8vo. 2 vols. London, 1866.
- Lucas, Hipplyte. See Exploration Scientifique de l'Algerie.
- MacLeay, William Sharp: Horae Entomologicae or Essays on the Annulose Animals. 8vo. London, 1819-1821.
- Magazin der Entomologie, herausg. von E. F. Germar. Sm8vo. Halle.

Magazin für Insectenkunde. 8vo. Braunschweig.

Magazine of Natural History, etc. 8vo. London.

Maine Agricultural Experiment Station Bulletin. 8vo. Orono.

Massachusetts Fish and Game Commission, Report. 8vo. Boston.

Massachusetts State Board of Agriculture, Reports. 8vo. Boston.

Mayr, Gustav L.: Reise der Osterreichischen Fregatte Novara um die Erde in den Jahren 1857, 1858, 1859. Zoologischer Theil. Zweiter Band. I. Abtheilung. B. 2, Hemiptera. 4to. Wien, 1868.

Mayr, P. Matthaeus: Tabellen zum Bestimmen der Familien und Gattungen der Cicadinen von Centraleuropa, etc. 8vo. Innsbruck, 1884. (From Programmen des k.k. Gymnasiums von Hall.)

Meddelanden Societas pro Fauna et Flora Fennica. 8vo. Helsingfors. (From 1876.)

Melichar, Leopold: Cicadinen (Hemiptera-Homoptera) von Mittle-Europa. 8vo. Berlin, 1896.

-Homopteren Fauna von Ceylon. 8vo. Berlin, 1903.

Mémoires de la Société Entomologique de Belgique. 8vo. Bruxelles.

Meyer-Dür, L. R.: Verzeichness der in der Schweiz einheimischen Rhynchoten. 8vo. Solothurn, 1843.

Michigan Agricultural Experiment Station, Bulletin. 8vo. Lansing.

Mittheilungen des naturwissenschaftlichen Vereines für Steiermark. 8vo. Gratz. Mitthielungen der Schweizerischen Entomologischen Gesellschaft. 8vo. Schauffhausen.

Monthly Bulletin of the (California) State Commission of Horticulture. 8vo. Sacramento.

Moufet, Thomas: Insectorum sive minimorum Animalium Theaturm, etc. Folio. London, 1634.

Müller, Otto Friedrich: Manipulus Insectorum Taurinensium. Turin, 1766.

-Zoologiae Danicae Prodromus. 8vo. Mafniae. 1776.

Müller, Philip Ludvig Statius: Vollständiges Natursystem des Ritter Carl von Linné mit einer Erklärung. 8vo. Nurnberg. (Hemiptera in vol. v, 1774.)

Mulsant, Etienne, and Rey, Claudius: Histoire naturelle des Punaises de France.
8vo. 5 parts. Paris. (Pt. i, 1865; pt. ii, 1866; pt. iii, 1870; pt. iv, 1873; pt. v, 1879.)

Museum of the Brooklyn Institute of Arts and Sciences, Science Bulletin. 8vo. Brooklyn.

(La) Naturaleza. Folio. Mexico.

Naturaliste Canadien. 8vo. Quebec.

Naturhistorisk Tidsskrift. 8vo. Kjøbenhavn.

Natuurkundige Tijdschrift. 8vo. Arnheim.

New Jersey Agricultural Experiment Station, Bulletin. 8vo. New Brunswick.

New Mexico College of Agriculture and Mechanic Arts. Agricultural Experiment Station, Bulletin. 8vo. Mesilla Park.

New York Agricultural Experiment Station, Technical Bulletin. 8vo.

New York State Entomologist: Annual Reports. 8vo. Albany. See Rept. N. Y. State Entomologist.

New York State Museum, Memoirs. 4to. Albany.

North American Fauna. 8vo. Washington.

Notes from the Leyden Museum. 8vo.

Notiser Sällskapets pro Fauna et Flora Fennica. 4to and 8vo. Helsingfors, 1821–1874. (Continued as Societas, etc.).

Noveau Dictionnaire d'Histoire Naturelle appliquée aux Arts etc. par une Société de Naturalistes et d'Agriculteurs. 8vo. 24 vols. Paris.

Novitates Zoolocicae. 4to. London.

öfversigt af Finska Vetenskaps-Societetens Förhandlingar. 8vo. Helsingfors.

Öfversigt af Kongliga Vetenskaps-Akademiens Förhandlingar. 8vo. Stockholm.

Ohio Journal of Science. 8vo. Columbus.

Ohio Naturalist. 8vo. Columbus.

Ohio State University Bulletin. 8vo. Columbus.

Opuscula Entomologica. Edited by C. G. Thomsom. 8vo. (In 22 parts.) 1869-1897.

d'Orbigny, Alcide Charles Victor Dessalines: Dictionnaire universel d'Histoire Naturelle. 8vo. Paris, 1839 (1849).

Oshanin, B. F.: Katalog der Paläarktischen Hemipteren. 8vo. Berlin, 1912.

—Verzeichnis der Palaearktischen Hemipteren, etc. 8vo. 3 vols. St. Petersburg, 1906-1910.

Ottawa Naturalist. 8vo. Ottawa.

Packard, Alphaeus Spring: Fifth Report of the United States Entomological Commission. 8vo. Washington, 1890.

—Guide to the Study of Insects. 8vo. Salem, 1869. (Many later editions were published, but they have not been indexed here.)

Palisot de Beauvois, Ambroise Marie François Joseph: Insectes recueillis en Afrique et en Amerique dans les royaumes d'Oware a Saint-Domingue et dans les etats-unis pendant les annes 1781-1797. Folio. Paris, 1805-1821.

Panzer, Georg Wolfgang Franz: Faune Insectorum Germanicae, etc. Sm8vo. (Heft 1, 1793, to 109, 1813, by Panzer; heft 110, 1829, to 190, 1844, by Herrich-Schaeffer.)

-Schaefferi Iconum Insectorum, etc. 4to. Erlangae, 1804.

Perty, Maximillian: Delectus Animalium articulatorum, etc. 4to. Monachii. 1830-1834.

Petites Nouvelles Entomologiques. 4to. Paris.

Philippine Journal of Science. R8vo. Manila.

Poda von Neuhaus, Nicolaus: Insecta Musei Graecensis, etc. 12mo. Widmanstad, 1761.

Pomona Journal of Entomology. R8vo. Claremont. (Vol. 1-4, 1909-1912. Continued as Journal of Entomology and Zoology.)

Prairie Farmer. A weekly journal, etc. Folio. Chicago. (It is possible that species published in this journal will have to be considered as invalid.)

Proceedings of the Academy of Natural Sciences of Philadelphia. 8vo. Philadelphia.

Proceedings of the American Association for the Advancement of Science. 8vo. Salem.

Proceedings of the American Entomological Society. 8vo. Philadelphia.

Proceedings of the Biological Society of Washington. 8vo. Washington.

Proceedings of the Boston Society of Natural History. 8vo. Boston.

Proceedings of the California Academy of Sciences. 8vo. San Francisco.

Proceedings of the Davenport Academy of Sciences. 8vo. Davenport.

Proceedings of the Entomological Society of Philadelphia. 8vo. Philadelphia.

Proceedings of the Entomological Society of Washington (D. C.) 8vo. Washington.

Proceedings of the Hawaiian Entomological Society. 8vo. Honolulu.

Proceedings of the Iowa Academy of Science. 8vo. Des Moines.

Proceedings of the Linnaen Society of New South Wales. 8vo. Sidney.

Proceedings of the United States National Museum. 8vo. Washington.

Proceedings of the Washington Academy of Sciences. 8vo. Washington.

Proceedings of the Zoological Society of London. 8vo. London.

Provancher, Leon: Petite Faune Entomologique du Canada. Vol. iii, Hémiptères. 8vo. Quebec.

Psyche. 8vo. Boston.

Puton, A.: Catalogue des Hémiptères de la Faune Paléarctique. Ed. 3. 8vo. Caën, 1886. (I have not seen the second edition published in 1875.)

—Synopsis des Hémiptères Hétéroptères de France. 8vo. Paris. (Vol. i, pt. 1, 1878, pts. 2 and 3, 1879; vol. ii, pt. 4, 1881.)

Rambur, J. Pierre: Faune entomologique de l'Andalousie. 8vo. Paris, 1842.

Rathvon: Mombert's History of Lancaster County, Pennsylvania. 8vo. Lancaster, 1869.

Réaumur, René Antoine Ferchault de: Mémoires pour servir à l'histoire des Insectes. 4to. 7 vols. Paris, 1734-1742.

Reiche et Fairmaire. See Voyage en Abyssinie.

Report on the Scientific Results of the Voyage of H. M. S. Challenger during the years 1873-76. Zoology. Large 4to. London.

Reports of the Forest, Fish, and Game Commissioner of the State of New York.

4to. Albany.

Report of the Entomological Society of Ontario. 8vo. Toronto.

Report of the State Entomologist on the Noxious and Beneficial Insects of Illinois. 8vo. Champaign. (Rept. III. St. Ent.)

Report of the Iowa Academy of Science. 8vo. Des Moines.

Report of the Iowa State Agricultural Society. 8vo. Des Moines.

Report on the Injurious and other Insects of the State of New York. 8vo. Albany. (Rept. N. Y. St. Ent.)

Report of the Commissioner of Agriculture. 8vo. Washington. (Rept. U. S. Dept. Agr.)

Resoconti Societa Entomologica Italiana (in Atti della Societa Italiana Scienziati Italiani).

Retzius, Andreas Johann: Caroli De Geer Genera et Species Insectorum, etc. 8vo. Lipsiae, 1783.

Reuter, Odo Morannal: Capsinae ex America boreali in Museo Holmiensi asservatae, descriptae. 8vo. Stockholm, 1876. (From Öfversigt af Kongliga Vetenskaps-Akademiens Förhandlingar. Vol. xxxii.)

—Genera Cimicidarum Europae disposuit. 8vo. Stockholm. (From Bihang till K. Svenska Vetenskaps-Akademiens Handlingar. Vol. iii, No. 1.)

—Hemiptera Gymnocerata Europae. 4to. Helsingfors. (From Acto Societatis Scientiarum Fennicae: I, vol. xiii, 1878 (vol. dated 1884); II, vol. xiii, 1879; III, vol. xiii, 1883; IV, vol. xxiii, 1891; V, vol. xxxiii, 1896.)

—Monographia Anthocoridarum orbis Terrestris. 4to. Helsingfors, 1884. (From Acta Societatis Scientiarum Fennicae, vol. xiv.)

—Monographia generis Oncocephalus Klug, proximeque Affinium. 4to. Helsingfors, 1882. (From Acta Societatis Scientiarum Fennicae, vol. xii.)

—Bemerkungen ueber Nearktische Capsiden nebst Beschreibung neuer Arten. 4to. Helsingfors, 1909. (From Acta Societatis Scientiarum Fennicae, vol. xxxvi, No. 2.)

—Revisio critica Capsinarum praecipue Scandinaviae et Finniae. 8vo. 2 pts. Helsingfors, 1875.

—Revisio Synonymica Heteropterorum Palaearcticorum, etc. 4to. Helsingfors, 1888. (Also in Acta Societatis Scientiarum Fennicae, vol. xv, 1888.)

Revista Chilena de historia natural, Organo del Museo de Valpariso.

Revue d'Entomologie. 8vo. Caen.

Revue et Magasin de Zoologie. 8vo. Paris.

- Revue Russe d'Entomologie. 8vo. St. Petersburg.
- Revue Zoologique Africaine. R8vo. Bruxelles.
- Riley, Charles Valentine: Annual Report on the Noxious, Beneficial and Other Insects of the State of Missouri. 8vo. Jefferson City, Mo. (Nine reports, quoted by number and date.)
- Ross: Narrative of a Second Voyage in search of a North-west Passage, and of a residence in the Arctic Regions during 1829-1833, etc. 4to. 2 vols. London, 1835.
- Rossi, Peter: Fauna Etrusca. 4to. 2 vols. Liburni. 1790.
- Sagra, Ramon de la: Historia fisica, politica y natural de la Isla de Cuba. Folio. Paris. (Insects in vol. vii, 1857.)
- Sahlberg, John: Öfversight af Finlands och den Skandinaviska halföns Cicadariae. 8vo. Helsingfors.
- Sahlberg, Reinhold Ferdinand: Monographia Geocorisarum Fenniae. Helsingfors, 1848.
- Saunders, Edward: The Hemiptera-Heteroptera of the British Islands. 8vo. London, 1892.
- —Synopsis of the British Hemiptera-Heteroptera. 8vo. London. (From Transactions of the Entomological Society of London.)
- Saunders, William: Insects Injurious to Fruits. 12mo. Philadelphia, 1883.
- Say, Thomas: American Entomology. 8vo. 3 vols. Philadelphia (vol. i, 1824; vol. ii, 1825; vol. iii, 1828. Reprinted in vol. i of Say's Complete Works.)
- —The Complete Writings of Thomas Say on the Entomology of North America. Edited by John L. Leconte, M.D. 8vo. 2 vols. New York.
- —New Species of North American Insects found by Joseph Barabino, Chiefly in Louisiana. 8vo. New Harmony, La., 1832. (As reprinted in Say's Complete Writings.) Ins. of La.
- -Keating's narrative of an expedition to the source of St. Peter's River, Lake Winnepeck, Lake of the Woods, under Command of Major Long, 1823. 8vo. Phila., 1824. (Long's 2d Exped.)
- —Descriptions of new species of Heteropterous Hemiptera of North America. 8vo. New Harmony, Ind., 1831. (Pp. 1-8 only were issued in 1831, the balance in 1832. This was reprinted by Fitch in his fourth Report, Trans. N. Y. St. Agr. Soc., vol. xvii, 1857.)
- Schellenberg, Johann Rudolf: Das Geschlecht der Land- und Wasserwanzen in der Schweiz nach Familien geordnet. 8vo. Zurich, 1800.
- Schilling, Peter Samuel: Beiträg zur Entomologie Schlesiens. 8vo. 1829.
- Schrank, Frank von Paula: Enumeratio Insectorum Austriae Indigenorum. 8vo. 1781.
- -Fauna Boica. 8vo. Nürnberg. 3 vols. in 6, 1798-1804.
- Schriften der Naturforschenden Gesellschaft in Danzig. 8vo. Danzig.
- Science. Sm4to. N. Y.
- Scopoli, Johann Anton: Annus historico naturalis. 8vo. Lipsiae. (Annus V, 1772.)
- -Deliciae faunae et florae insubricae, etc. Folio. St. Salvatoris, 1786-1788.
- -Entomologia Carniolica, etc. 8vo. Vindobonae, 1763.
- Scholtz, Heinrich: Prodromus zu einer Rhynchoten-Fauna von Schlesien. 4to. Breslau, 1846. (From Uebersicht der Arbiten und Veranderungen Schlesische Gesellschaft für vaterlandische Cultur.)
- Silbermann's Revue Entomologique. 8vo. Paris.
- Sitzungsberichte der Koeniglich-Boehmische Gesellschaft der Wissenschaften, Mathematisch-naturwissenschaftliche Classe. 8vo. Prag.

- Sitzungs-Berichten der Gesellschaft naturforschender Freunde zu Berlin. 8vo. Berlin.
- Skrifter af naturhistorie Selskabet Kjöbenhavn.
- Smith, John B.: Catalogue of Insects found in New Jersey. 8vo. Trenton. (1st edn. 1890; 2d edn. (entitled Insects of New Jersey, etc.), 1900; 3d edn. (entitled Annual Report of the New Jersey State Museum, including a Report on the Insects of New Jersey), 1910.
- Societas entomologica. 4to. Berlin.
- Societe d'Histoire naturelle du Department de la Moselle, Bulletin. 8vo. Metz. Spangberg, Jacob: Species Gyponae Generis Homopterorum. 8vo. Stockholm, 1878. (From Bihang till Kongl. Svenska Vet. Akad. Handlingar. Vol. v.)
- Spinola, Marchese Maximilian: Di alcuni generi d'Insetti Arthrodignati nouvament propositi. 4to. Modena, 1852. (From Mem. di Matem. e di Fis. Soc. Ital. Modena. Vol. 25.)
- -Essai sur les Insectes Hémiptères, Rhyngotes, ou Hétéroptères. 8vo. Paris, 1840. (The 1837 edition, sometimes quoted, seems to refer to the following title: "Essais sur les Genres d'Insectes appartenants à l'Ordre des Hémiptères Linn., ou Rhyngotes Fabr. à la section des Hétéroptères Dufour. 8vo. Genes, 1837.")
- —Tavola Sinottica, etc. 4to. Modena, 1850. (From Mem. di Matem. e di Fis. Soc. Ital. Modena, vol. xxv, 1852.)
- Stål, Carl: Enumeratio Hemipterorum. 4to. Stockholm. (From Kongl. Svenska Vetenskaps-Akademiens Handlingar. Pt. I, in vol. 9, No. 1, 1870; pt. II, in vol. 10, No. 4, 1872; pt. III, in vol. 11, No. 2, 1873; pt. IV, in vol. 12, No. 1, 1874; pt. V, in vol. XIV, No. 4, 1876.)
- -Kongliga Svenska Fregattens Eugenies resa omkring Jorden. 4to. Stockholm. (Zoologi. iii, Insekter. 1859.)
- -Hemiptera Africana. 8vo. 4 vols. Holmiae, 1864-1866.
- --Hemiptera Fabriciana. 4to. Stockholm. (From Kongl. Svenska Vetenskaps-Akademiens Handlingar. Pt. I, in vol. 7, 1868; pt. 2, in vol. 8, 1869.)
- —Bidrag till Rio Janeiro-Trakens Hemipter-Fauna. 4to. Stockholm. (From Kongliga Svenska Vetenskaps-Akademiens Handlingar; pt. 1, in vol. 2, 1860; pt. 2 in vol. 3, 1862.)
- Standard Natural History. R8vo. Cambridge. (Article "Hemiptera" in vol. II, 1884.)
- Stansbury: Exploration and Survey of the Valley of the Great Salt Lake of Utah, etc. 8vo. Washington, 1853. (Hagen quotes a Philadelphia, 1852, edition of the Insect part.) (Exped. Gt. Salt Lake.)
- Stephens, James Francis: A Systematical Catalogue of British Insects, etc. 8vo. London, 1829.
- —The Nomenclature of British Insects, being a Compendious List of such species as are contained in the Systematic Catalogue of British Insects. 8vo. London, 1829.
- Stettiner entomologische Zeitung. 8vo. Stettin.
- Stoll, Caspar: Representation exactment coloriee d'apres Natur des Cigales et des Punaises, etc. Sm.4to. Amsterdam, 1780 (1788), 1790. (Vol. i, Cigales, 1788; vol. ii, Punaises, 1790.) Also a German translation: Des Herrn Caspar Stoll natürliche und nach dem Leben gemalte Abildungen und Beschreibungen der Cicaden und Wanzen und anderer damit verwandten Insecten aus Europa, Asia, Africa und America. Sm.4to. Nürnberg. 7 hefte, Cicaden, 1781; Wanzen, 1792. (References to both editions will be found in the catalogue.)
- Sulzer, Johann Heinrich: Die Kennzeichen der Insekten. Sm.4to. Zurich, 1761.

Swezey, Otto H.: A Preliminary Catalogue of the described Species of the Family Fulgoridae of America North of Mexico. 8vo. Springfield, Ohio, 1904.
(In Ohio Department of Agriculture, Division of Nursery and Orchard Inspection, Bulletin No. 3.)

Tennessee State Board of Entomology, Bulletin. 8vo. Knoxville.

Természetrajzi Füzetek. R8vo. Budapest.

Then, Franz: Katalog der Österreichischen Cicadinen. Wien, 1886. (From Programm des k.k. Theresianischen-Gymnasiums in Wien.

Thon's Entomologische Archiv. 4to. 2 vols. Jena, 1827-1830.

Thunberg, Carl Peter: Characteres Generum Insectorum variis cum adnotationibus; denuo edidit Frid. Alb. Ant. Meyer. 16mo. Gottingae, 1791.

—Dissertatio Entomologica novas Insectorum species sistens. 4to. 6 pts. Upsala, 1781-1791.

Tijdschrift voor Entomologie. 8vo. Haarlem.

Tigny, F. M. G. T. de: Histoire naturelle des Insectes, etc. 12mo. Paris. (Vol. 10, 1802.)

Transactions of the American Entomological Society. 8vo. Philadelphia.

Transactions of the Entomological Society of London. 8vo. London.

Transactions of the Illinois State Agricultural Society. 8vo. Springfield.

Transactions of the Kansas Academy of Sciences. 8vo. Topeka.

Transactions of the Linnean Society of London. 4to. London.

Transactions of the Maryland Academy of Sciences. 8vo. Baltimore.

Transactions of the N. Y. State Agricultural Society. 8vo. Albany.

Transactions of the New Zealand Institute. 8vo. Wellington.

Transactions of the San Diego Society of Natural History. 8vo. San Diego.

Transactions of the Sapporo Natural History Society. R8vo.

Turton, W. See Linnaeus, Systema Naturae, edn. 13, English transl., 1806.

Tyneside Naturalists Field Club. Transactions and Proceedings. 8vo.

Uhler, Philip Reese: Check List of the Hemiptera Heteroptera of North America. 8vo. Brooklyn, 1886.

- -Hemiptera of Colorado. See Gillette and Baker.
- —Preliminary Report of the United States Geological Survey of Wyoming and portions of contiguous Territories; being a second annual report of progress. 8vo. Washington, 1872. (Hayden's Surv. Terr., Rept. for 1870.)
- -Preliminary Report of the United States Geological Survey of Montana and portions of adjacent Territories; being a fifth annual report of progress.

 8vo. Washington, 1872. (Hayden's Surv. Terr., Rept. for 1871.)

United States Department of Agriculture, Division of Entomology, Bulletin. 8vo. Washington. (Later numbers entitled Bureau of Entomology.)

United States Department of Agriculture, Farmers' Bulletin. 8vo. Washington. United States National Museum, Bulletin. 8vo. Washington.

University of California Publications, Division of Entomology, Technical Bulletin. 8vo. Berkeley.

University of Colorado Studies. 8vo. Boulder.

University of Illinois Agricultural Experiment Station. 8vo. Urbana.

University of Nebraska Studies. 8vo.

Van Duzee, Edward Payson: Check List of the Hemiptera (excepting the Aphididae, Aleurodidae, and Coccidae) of America North of Mexico. 8vo. New York, 1916.

Verhandlungen der kaiserlich-königlichen Zoologische-Botanischen Gesellschaft in Wien. 8vo. Wien.

Verhandlungen des Naturforschenden Vereines in Brünn. 8vo. Brünn.

Verhandlungen des Naturhistorischen Vereins der Preussische Rheinlande und Westphalens. 8vo. Bonn.

- Verslagen en Mededeelingen der Koniklijike Akademie van Wetenschappen, Letterkunde, en Schoone Kunsten te Amsterdam. 8vo. Amsterdam,
- Villers, Charles Joseph de: Caroli Linnaei Entomologia, etc. 8vo. 1789.
- Vollenhoven, S. C. Snellen van: Essai d'une Faune Entomologique de l'Archipel Indo-Néerlandais. Folio. Pt. I, Scutellerides, 1863; pt. III, Pentatomides, 1868.
- —Hemiptera Heteroptera Neerlandica. 8vo. s'Gravenhage, 1878. (Compiled from articles published in Tijdschrift voor Entomologie.)
- Voyage en Abyssinie dans les provinces du Tigré, du Samen et de l'Amhara... par MM. Ferret et Galinier. 8vo. 3 vols. and atlas. Paris, 1847-1848. (Entomology, which seems to have been published in 1850, is included in vol. iii).
- Walckenaer, Charles Athanasie de: Faune Parisienne, Insectes. 8vo. 2 vols. Paris, 1802.
- Walker, Francis: Catalogue of the Specimens of Heteropterous-Hemiptera in the Collection of the British Museum. 8vo. 8 vols. London. Pts. 1-2, 1867; pt. iii, 1868; pt. iv, 1871; pt. v, 1872; pts. vi, vii, viii, 1873.
- -Insecta Saundersiana, etc. Homoptera. 8vo. London, 1858.
- —List of the Specimens of Homopterous Insects in the Collection of the British Museum. 12mo. 4 parts (paged consecutively). London, 1850, 1852, and Supplement, 1858.
- Washington University Studies. 8vo. St. Louis.
- Weber, Friedrich, and Mohr, M. H.: Naturhistorische Reise durch einen Theil Schwedens. 8vo. Göttingen, 1804.
- Weitenweber, Beitrage zur gesammten Natur- und Heilwissenschaft. 8vo.
- Westwood, John Obadiah: An Introduction to the Modern Classification of Insects. 8vo. 2 vols. London. Synopsis of British Insects bound in vol. ii. (First issued in parts beginning in 1838 or early 1839. Vol. ii, containing the Hemiptera, and the Synopsis, seem to have appeared in 1840.)
- Wheeler's Annual Report of the Chief of Engineers to the Secretary of War for the Year 1877. 8vo. 1877.
- Wheeler's Report upon Geographical and Geological Explorations and Surveys West of the One Hundredth Meridian. 4to. Washington. (Insects in vol. v, 1875.)
- Wiedemann's Zoologisches Magazin. 8vo. Kiel.
- Wiener Entomolgische Monatschrift. 8vo. Wien.
- Wiener Entomologische Zeitung. 8vo. Wien.
- Wolff, Johann Friedrich: Icones Cimicum descriptionibus illustratae. Sm.4to. Erlangen. 5 pts. (Pt. 1, 1800; pt. 2, 1801; pt. 3, 1802; pt. 4, 1804; pt. 5, posthumous, 1811.)
- Zeitschrift für die Entomologie, herausgegeben von Ernst Friedrich Germar. 8vo. 5 vols. Leipzig, 1839-1844.
- Zeitschrift für Pflanzenkrankheiten. 8vo. Stuttgart.
- Zeitschrift für wissenschaftliche Insektenbiologie. 8vo. Berlin.
- Zetterstedt, Johann Wilhelm: Fauna Insectorum Lapponica. 8vo. Hammone, 1828.
- —Insecta Lapponica descripta. Sm.4to. 1840. (In this work the columns are numbered instead of the pages; there are two columns to the page.)
- Zoologischer Anzeiger. 8vo. Leipzig.
- Zoologische Jahrbücher. 8vo. Jena. (Vol. 1, 1886.)
- Zoologischer Jahresbericht. 8vo. Leipzig. (Vol. i, 1879 [1880].)
- Zoological Journal. 8vo. London.
- Zoologische Mededeelingen uitgegeven vanwege s'Rijks Museum van Natuurlijke Historie te Leiden. 8vo. Leyden.

INDEX TO GENERA AND HIGHER GROUP NAMES

(Numbers refer to the pages)

Abebus Stål, 469. Acalypta Westw., 211. Acanalonia Spin., 750. Acanaloniinae A. & S., 750. Acanonia A. & S., 750. Acanthaspidida Stal, 244. Acanthia Fabr., 285. †Acanthia Latr., 438. †Acanthia Reut., 441. Acanthicus Lap., 567. Acanthiidae Costa, 284. Acanthiidae Reut., 284. Acanthiides Loh., 437. Acanthiiformes Reut., 437. Acanthiinae Reut., 438. Acanthilles Latr., 284. Acanthioideae Reut., 437. Acanthocephala Lap., 85. Acanthocephalini Stål, 85. Acanthoceraria Bergr., 92. †Acanthocerus Stal, 96, 104. Acanthocheila Stal, 219. Acantholoma Stål, 6. Acanthonabis Reut., 279. Acanthophysa Uhl., 146. †Acanthosoma Dist., 67. Acanthosominae Stål, 66. Aceratagallia Kirk., 573. Aceratodes A. & S., 66. Achilinae Stål, 726. Acholla Stål, 268. Achorotile Fieb., 780.
Acidoparius Stdl, 249.
Acinocoris Hahn, 202.
Acinopterus Van D., 675. Accephalus Burm., 618. Aconophora Fairm., 556. Aconura Leth., 652 Acrocoris Hahn, 249. Acrosternum Fieb., 59. Acucephalini Dohrn, 617. Acucephalus Germ., 618. Acutalis Fairm., 529. Acysta Champ., 223. Adana Stål, 730. Adelphocoris Reut., 321. Adomerus M. & R., 24. Aechmophora Stål, 565. Aelia Fabr., 47. Aclioides Dohrn, 48. Aethalion Latr., 568. Aethalioninae Spin., 568. Aethus Dall., 19. Agallia Curt., 571, 572. Agalliastes Fieb., 416.

Agalliopsis Kirk., 571. Agnocoris Reut., 349. Agondas Kirk., 544. Agrammidae D. & S., 223. Agrammodes Uhl., 223. Alcaeorrhynchus Bergr., 70. Alebra Fieb., 698. Alcletha Kirk., 814 Alepidia Reut., 380. Aligia Ball, 627. Allocatus Put., 391. Allorhinocoris Reut., 321. Allotrioza Crawf., 791. Allygus Scott, 675. †Allygus Uhl., 667. †Allygus Van D., 627. Alonips Sign., 22.
Althos Kirk., 101.
Alveotingis O. & D., 221. Alydinae A. & S., 107. Alydini Stål, 110. Alydus Fabr., 112. Amalopota Van D., 758. Amaurochrous Stal, 26. Amaurosterphus Stal, 221. Amblyoephalus Curt., 596. Amblyomia Stål, 92. Ambraciini Kirk., 363. Ambrysus Stål, 458. Americia Stal, 221. Amnestus Dall., 23. Amorgius Stål, 465. Amphiareus Dist., 295. Amphibicoryzes Spin., 423. †Amphiscepa Prov., 760. †Amphiscepa Uhl., 750. Amphiscepinae Kirk., 750. Amycle Stål, 717. Amyclus Gist., 195. Amyoteinae Sch., 69. Analocus Stal, 50. Anasa A. & S., 104. Anoylopus Flor, 198.
Aneuridae D. & S., 136.
Aneuropharina Berg, 176. Aneuropharus Berg, 176. Aneurus Curt., 140. Anisoscelini A. & S., 87. †Anisoscelis Spin., 88. Anomia Ficb., 708. Anomocera Crawf., Anonychia Reut., 209. Anoscopus Kschb, 618. Anoterops Fieb., 825.

Agallinae Kirk., 571.

Anotia Kby., 758. Antheminia M. & R., 37. Anthocoridae A. & S., 287.

Anthocoridae Reut., 284. Anthocorinae Reut., 292. Anthocoris Fall., 292. Anthylla Stål, 227. Antianthe Fowl., 544. Antillocoris Kirk., 189. Apache Kirk., 760. Apateticus Dall., 76. Aphalara Frst., 784. Aphalarini Löw, 784. Aphalaridi Low, 788. Aphanaria Dist., 192. Aphanidae L. & S., 177. †Aphanus Dall., 191. Aphanus Lap., 194. Aphelonema Uhl., 743. Aphidiens Latr., 781. Aphleboderrhis Stål, 137. Aphrodes Curt., 618. Aphrophora Germ., 509. Aphrophorinae A. & S., 509. Aphrophoroideae Spin., 507. Apiomerinae A. & S., 256. Apiomerus Lap., 256. Apocremnus Fieb., 412. Apoecilus Stål, 77. Aptus Hahn, 277. Aquarius Schell., 426. Arachnocorina Reut., 276. Aradidae Spin., 127. Aradinae A. & S., 128. Aradosyrtis Costa, 137. Aradus Fabr., 128. § Araphe Uhl., 204. Archasia Stål, 542. Archimerus Burm., 95. †Archimerus Stål, 93. Arctocorixa Wall., 478. Arenocorinae Bergr., 115. Argyrocoris Van D., 400. Arhaphe H. S., 204. Arhyssus Stål, 124. Arictus Stål, 139. Arilus Burm., 267.
Arilus Spin., 259.
Aristoreuteria Kirk., 405. Arminae Bergr., 69. Arphnus Stål, 163. Arsinotus Bergr., 360. Artheneis Flor, 158. Arvelius Spin., 63. tArytaena Scott, 803. Arytaina Frstr., 803. Arytainini Crawf., 802. Ascra Say, 66. Ascra Stål, 268. Ashmeadea Godg., 549. Asiracinae Kirk., 762. Asopinae Spin., 68. Aspidotoma Curt., 210. Astacopinae Kirk., 147. †Astemma Brul., 202.

†Astemma Lap., 207.
Astemma Latr., 374.
†Astemma Spin., 206.
Astemmides A. & S., 405.
Astemmoideae Spin., 201.
Asthenidea Reut., 292.
‡Ataenia Thom., 803.
Atheas Champ., 222.
Athysanella Bak., 652.
Athysanini Van D., 652.
Athysanis Burm., 655.
†Athysanus Fh., 585.
Atomoscelis Reut., 414.
Atomosira Uhl., 60.
Atractophora Stál, 175.
Atractotomus Fieb., 413.
Attus Hahn, 416.
Atymna Stál, 548.
Auchenorhyncha A. & S., 487.
Aufeius Stál 118.
Aulacistethus Uhl., 7.
Avephora Bier., 720.

Baebius Stal, 243. Baecula Stål, 435. Balclutha Kirk., 696. Banasa Stål, 60. Barce Stål, 237. Basileocorixa Kirk., 478. Bathysmatophorus Sahlb., Batracomorphus Lewis, 589. Belanochilus Uhl., 160. Bellocoris Hahn, 11. Belanocharis Uhl., 723. Belostoma Latr., 467. †Belostoma Latr., 465. Belostomidae Lch., 464. Benacus Stål, 464. Beosini Stål, 192. Bergthora Kirk., 19. Berytidea Fieb., 142. Berytidae D. & S., 143. Berytus Fabr., 143. Bicellules A. & S., 298. Blastophysa Riley, 801. Blissinae Stål, 165. Blissus Burm., 167. †Blissus Stål, 166. Boisea Kirk., 126. Bolbonota A. & S., 564. Bolteria Uhl., 413. Bostaera Ball, 771. Bothriocera Burm., 730. Bothriomirini Kirk., 363. Bothrocranum Reut., 378. Brachyceraea Fieb., 371. Brachyrhyncharia Stål, 137. Brachyrhynchus Brul., 140. †Brachyrhynchus Brul., 140. Brachyrhynchus Lap., 138. Brachyrhynquides A. & S., 136. Brachysteles M. & R., 295. Brachystira Fieb., 303. Brachytropis Fieb., 303.

Breddiniessa Kirk., 824.
Brepholoxa Van D., 65.
Brochymena A. & S., 29.
Bruchomorpha Newm., 741.
Bryocorinae D. & S., 358.
Bryocorini Reut., 361.
Buenoa Kirk., 454.
Burtinus Stål, 112.
Bythoscopinae Dohrn, 570.
†Bythoscopus A. & S., 585.
Bythoscopus Germ., 588.

Cacama Dist., 495. Cacodmidae Kirk., 284. Cacodminae J. & R., 284. Cadamustus Dist., 216. Cadmilos Dist., 216. Caliscelini A. & S., 740. Calisini Stål, 136. Calisius Stål, 136. Callecoraria Uhl., 373. Callicapsus Baut. 254 Callicapsus Reut., 354. Callicorixa Wht., 477. Callimiris Reut., 306. Callodemas Uhl., 316. Calocoris Fieb., 327. Calophya Löw, 789. Calyptonotus Stdl, 195. Calyotoproctus Spin., 718. Camarocyphus Reut., 386. Camaronotidae D. & S., 378. Camaronotus Fieb., 378. Camelocapsus Reut., 365. Camirus Stål, 6. Camptobrochys Fieb., 353. Camptotylaria Reut., 405. Campylenchia Stål, 561. Campylomma Reut., 417. Campyloneuraria Kirk., 369. †Cantacader Ashm., 220. Canthophorus M. & R., 24. Capaneus Stål, 94. Capellanus Dist., 406. Capsaria D. & S., 336. Capsiformes Osh., 297. Capsinae A. & S., 298. Capsinae A. & S., 298.
Capsini Burm., 298.
Capsini Reut., 312.
Capsus Fabr., 337.
†Capsus Fieb., 356.
†Capys Prov., 144.
Cardiastethus Fieb., 295.
Carinetini Diet. 400 Carinetini Dist., 499. Carpilis Stål, 187. Carpocoris Kol., 37. Carsidarinae Crawf., 790. Carthaea Stal, 752. Carthasis Champ., 283. Carynota Fh., 531. Castolus Stål, 264. Catonia Uhl., 728. Catorhintha Stål, 102. Catostyrax A. & S., 71. Caulotops Bergr., 362. Cecigenes A. & S., 201.

Cedusa Fowl., 757. Cenchrea Westw., 758. Centroscelidae L. & S., 100. Centrodontus Godg., 565. Centromelus Fieb., 240. Centrotinae Stål, 565. Centrotus Fabr., 567. Centruchoides Fowl., 566. Cephalelini Kirk., 623. Cephalocoris Stein, 420. Cerasconus Hein., 235. Cerasini Godg., 521. Ceratagallia Kirk., 573. Cerataulax Sign., 29. Ceratocapsaria Van D., 381. Ceratocapsus Reut., 381. Ceratocombidae Fieb., 421. Ceratocombina Reut., 421. Ceratocombus Sign., 422. Cercopidae Lch., 507. Cercopinae A. & S., 507. Cercopinae Kirk., 509. †Cercopis Kirk., 509, 514. Ceresa A. & S., 521. Ceropsylla Riley, 798. Cetalion Lch., 568. Chantcuses Latr., 488. Chariesterini Stål, 98. Chariesterus Lap., 98. Charontus Stål, 262. Chelinidea Uhl., 100. Chelysoma Bergr., 5. Chermidae Fall., 782. Cherminae Van D., 790. Chianthus Kol., 719. Chiloxanthus Reut., 440. Chirillus Stal, 262. Chiroleptes Kby., 178. Chlamydataria Kirk., 405. Chlamydatus Curt., 415. †Chlamydatus Reut., 398. Chloria Fieb., 702. Chlorita Fieb., 702. Chlorochroa Stål, 35. Chlorocoris Spin., 54. Chloroneura Walsh, 700. Chlorotettix Van D., 685. Chondrocera Lap., 87. Chremistica Stal, 489. †Cicada Fabr., 596. †Cicada Latr., 489. Cicada Linn., 496. Cicadaria Dist., 488. Cicadatraria Dist., 496. Cicadella Latr., 595. Cicadellidae Latr., 569. Cicadellinae Van D., 590. Cicadellini Van D., 591. Cicadetta Kol., 506. Cicadidae Latr., 487. Cicadidae Van D., 495. Cicadini Van D., 495. †Cicadula Fieb., 676.

†Cicadula Sahlb., 702. Cicadula Zett., 692. Cicadularia Van D., 692. Cimatlan Dist., 352. Cimex Burm., 47. Cimex Linn., 285. †Cimioidae Kirk., 2. Cimicidae Latr., 284. Cimicidae Stål, 284. Cimiciformes Reut., 284. †Cimioinae Kirk., 69. Cimicinae Van D., 284. Cimicoideae Reut., 283. Cimolus Stål, 103. Ciriacreminae Aulm., 790. Cistalia Stål, 199. Cixinae Stål, 730. Cixius Latr., 734. Clastoptera Germ., 517. Clidophleps Van D., 504. Clinocoridae Kirk., 284. Clinocoris Fall., 285. Clinocoris Hahn, 67. Clivinema Reut., 363. Clivineminae Reut., 363. Closterocoris Uhl., 367. Closterotomus Fieb., 328. Chemodus H. S., 187.
Cobax Germ., 760.
Coccobaphes Uhl., 338.
Cochise Kirk., 771.
Cochlorhinus Uhl., 626. Coelidia Germ., 689. Coelididae Dohrn, 688. Coenus Dall., 45. Collaria Prov., 299. Colobatus M. & R., 120. Colpochilus Reut., 408. Compsocerocoris Reut., 316. Compsus Fieb., 699. Conomellus O. & B., 659. Conorhinini Banks, 244. Conordinus Lap., 247.
Conosanus O. & B., 654.
Copicerus Schw., 762.
Coquillettia Uhl., 368. Corecorini Van D., 97. Corecoris Hahn, 97. Coreidae Lch., 83. Coreinae Stål, 84. Coreini Stål, 99. Coreoideae Reut., 82. †Coreus Lap., 116. Corimelaena Wht., 14. Corimelaenidae Uhl., 13. Corimelas A. & S., 14. Corinala Reut., 396. Coriomeris Westw., 116. †Corisa Thom., 478. Coriscina Stål, 276. †Coriscus Stål, 277, 280. Corixa Geof., 485. Corixidae Lch., 476. Corixoideae Reut., 476.

Corizinae Mayr., 116. Corizini Stål, 119. Corizus Fall., 119. †Corizus Bak., 121. Corticoles A. & S., 128. Corynocoris Mayr, 84. Corynomerus Spin., 84. Corythucha Stål, 212. Corythaica Stål, 817. Cosmopepla Stal, 49. Craspeduchus Stål, 153. Crawfordiella Van D., 799. Cremnocephalaria Reut., 366. Cremnorrhinaria Reut., 405. Creontiades Dist., 320. Criocoridea Van D., 408. Criocoris Fieb., 408. Criomorphus Curt., 780. Crophius Stål, 176. Cryphula Stål, 199. Cryptocricinae Montd., 458. Cryptoericinae Montd., Cryptoporus Uhl., 19. Curicta Stål, 461. †Cyarda Stål, 756. Cyarda Walk., 755. Cybus Dgl., 702. Cyclokara Muir, 756. Cydamus Stål, 108. Cydnidae Billb., 13. Cydninae Dall., 17. Cydnini Stål, 17. †Cydnus A. & S., 18. †Cydnus Lch., 19. Cylapinae Popp., 364. Cylapini Kirk., 364. Cylapus Say, 364. Cylindromelus Fieb., 825. Cyllecoris Hahn, 386. Cylloceps Uhl., 418. Cyllocoraria Reut., 373. Cyllocorinae Osh., 372. †Cyllocoris Spin., 386. Cyminae Stål, 161. Cymini Stal, 163. Cymoninus Bredd., 163. Cymus Hahn, 164. †Cymus Westw., 162. Cyphopelta Van D., 368. Cyrpoptus Stål, 718. Cyrtocapsus Reut., 359. Cyrtoisa Kirk., 544. Cyrtolobus Godg., 544. Cyrtomenus A. & S., 18. †Cyrtopeltis Reut., 371. Cyrtopeltocoris Reut., 367. Cyrtorhinus Fieb., 823. Cyrtosia Fh., 544.

Dacerla Bergr., 366. Dacota Uhl., 362. Danepteryx Uhl., 747. † Darbanus Prov., 260. Darmistus Stål, 108. Darninae Stål, 556. Dasycoris Dall., 116.

Dasypterus Reut., 295. Davila Dist., 188. Deinostoma Kirk., 470. Delochilocoris Bergr., 195. Delphacinae Spin., 761.
Delphacisaa Kirk., 774.
Delphacodes Fieb., 773.
†Delphax Latr., 773.
Deltocephalaria Van D., 627. Deltocephalus Burm., 639. Dendrocoris Bergr., 64. Deraeocoriaria D. & S., 352. Deraeocoris Kschb., 356. Derbinae Spin., 756. Deridna Walk., 689. Dermaptera Retz., 1. Diactor Burm., 85. Diaditus Stål, 244. Diaphnidia Uhl., 389. Dicephalus Kby., 225. Diceroprocta Stal, 489. Dichocysta Champ., 221. Dichrooscytaria D. & S., 325. Dichrooscytus Fieb., 332. Dicraneura Hardy, 700. Dicranotropis Fieb., 780. Dictyla Stål, 223. Dictyobia Uhl., 746. Dictyonia Uhl., 747. Dictyonisus Uhl., 746. Dictyonota Curt., 814. Dictyophora Germ., 719. Dictyophorinae Spin., 719. Dictyophorini Mlch., 719. Dictyssa Uhl., 745. Dictyphinae Osh., 366. Dictyphinae Osh., 366. Dicyphini Reut., 369. Dicyphonia Ball, 626. Dicyphus Fieb., 370.
†Diedrocephala Uhl., 602.
Diemeniini Kirk., 29.
Dikraneura Hardy, 700. Dilasia Reut., 290. Dilagia Reut., 290.
Dilophus Montr., 175.
Dimera Westw., 781.
Dioleus Mayr, 6.
Diommatus Uhl., 394.
Diphumus Stal, 262.
Diplocodus Kirk., 260. Diploda Walk., 260.
Diplodus A. & S., 260.
Diplonotus Stål, 183.
Diplozona Van D., 353. Dipsocoridae Dohrn, 421. Dipsocoroidea Reut., 421. Diraphia Waga, 783. Dirnalus Stål, 101. Discocephalessa Kirk., 28. Discocephalini Fieb., 27. †Discogaster A. & S., 94. Discomerus Lap., 227. Ditropis Fieb., 781. Doldina Stål, 266. Dolichocysta Champ., 215. Dolichomerium Kirk., 289.

Dolichomerus Reut., 289.
Dolichonabis Reut., 279.
Dorachosa Dist., 195.
Dorycephalus Kusch., 623.
Dorydiaria Fieb., 623.
Dorydiella Bak., 675.
Dorypleura A. & S., 66.
Draeculacephala Ball, 602.
Drionea Ball, 627.
Driotura O. & B., 654.
Drymaria Stdl, 196.
Drymocoris Jakl., 196.
Drymus Fieb., 196.
Dryphilocoris Reut., 386.
Dufouriellinae Van D., 295.
Dufouriellinae Van D., 295.
Dufouriellus Kirk., 296.
Dusius Bergr., 138.
Dycoderes Uhl., 186.
Dyctidea Uhl., 747.
Dysdercus A. & S., 207.
Dysodiidae Reut., 136.
Dysodiius Spin., 138.

Eccritotarsini Berg, 362. Ecertobia Reut., 320. Ectinoderida Stål, 256. Ectopiocerus Uhl., 324. †Ectrichodia Stal, 253. Ectrichodiinae A. & S., 253. Edessa Fabr., 66. Edessini Kirk., 66. ‡Elasmatostethus Mrsh., 68. Elasmostethus Fieb., 67. † Elasmostethus L. & S., 67. Elasmucha Stål, 67. Elidiptera Spin., 726. †Elidiptera Walk., 756. Emblethis Fieb., 195. Embolonia Prov., 741 †Embolophora Kirk., 774. Emesa Fabr., 236. †Emesa Prov., 233. Emesinae A. & S., 232. Emesini Dohrn, 236. Emcscdema Spin., 235. Empoa Fh., 708. Empoasca Wlsh., 702. Empoascaria Dist., 698. Enchenopa A. & S., 562. Enchophyllum A. & S., 561. Engytatus Reut., 371. Enicocephalidae Stål, 224. Enicocephaliformes Reut., 224 Enicocephalus Westw., 224. Entithena Fieb., 737. Entylia Germ., 553. Epibomius Dist., 156. Episcopus Reut., 405. Epitrioza Crawf., 791. Erbula Stal, 110. Eremocoris Fieb., 197. Eroticoridae D. & S., 366. Errhomenellus Put., 609. Errhomenus Fieb., 609. Erythrischius Stål, 148.

Erythroneura Fh., 711. Esperanza Barb., 109. Esuris Stål, 199. Euacanthus Burm., 607. †Euagoras H.S., 259. Euarmosus Reut., 355. Eufulgoridae Hagl., 717. Eugnathodus Bak., 697. †Eulygaeus Berg, 150. Eulygaeus Reut., 150. Euphalerus Schw., 802. Euphyllura Frst., 802. Euphyllurini Crawf., 802. Eupodisus Schtd., 78. Eupteryginae Kirk., 698. Eupteryx Curt., 707. Euptychodera Bergr., 12. Europiella Reut., 414. Eurybregma Scott, 781. Eurycephala Lap., 375. Eurychilopterella Reut., 353. Eurygaster Lap., 10. Eurygastraria Stål, 10. Eurymelini Kirk., 571. Euryophthalminae Van D., 201. Euryophthalmus Lap., 201. Eusarcoris Fieb., 50. Euscelidaria Van D., 652. Euscelis Brul, 654. Euschistus Dall., 40.
Eustictus Reut., 352.
Eutettix Van D., 662. Euthochtha Mayr, 96. Euthyrhynchus Dall., 75.
Eutropistidae Kirk., 739.
Evacanthus L. & S., 607.
‡Evagoras A. & S., 259.
Evashmeadea Godg., 549. Exacretaria Reut., 405. †Eysarcoris Spin., 48.

Eysarcoris Hahn, 50. Fenestrella O. & D., 212. Ficana Stål, 103. Fidicina A. & S., 498. Fidicinini Dist., 497. Ficberia Jakl., 274. Fitchia Stål, 265. Fitchiella Van D., 740. †Flata Germ., 734. Flatinae Spin., 752. Flatini Mich., 752. Flatoides Guer., 755. Flatoidini Mich., 755. Fokkeria Schtd., 11. †Fulgora Kirk., 720. Fulgoridae Latr., 716. †Fulgorinae Kirk., 719. Fulgorinae Spin., 717. Fulvini Uhl., 364. Fulvius Stål, 365.

Gaeaninae Dist., 495. Galaerostria Zett., 487. Galeatus Curt., 215.

Galeottus Dist., 111. Galgulidae Bülb., 471. Galguloidae Fieb., 472. Galgulus Latr., 472. Galgupha A. & S., 14. Ganocapsus Van D., 323. Gardena Dohrn, 237. Garganaria Reut., 314. Garganus Stål, 323. Gargaphia Stål, 217. Gargaropsis Fowl., 589. Gastrodes Westw., 198. Gelastocoridae Kirk., 471. Gelastocorinae Champ., 472. Gelastocoris Kirk., 472. Gelastophantia Kirk., 755. Gelchossa Kirk., 218. †Geocoridae Kirk., 147. Geocorinae Stål, 168. Geocoris Fall., 169. Geotomus M. & R., 22. Gerhardiella Popp., 409. †Gerrida Stal, 109. Gerridae A. & S., 425. Gerriformes Reut., 425. Gerrinae Bian., 426. Gerris Fabr., 426, 427. †Gerris Fabr., 109. †Gerris Schell., 233. Gerroideae Lch., 423. Ghilianella Spin., 237. Globicepidae D. & S., 386. Globiceps L. & S., 388. Glossocratus Fieb., 624. Glossonotus Butl., 534. Glyptocombus Heid., 422. Gnathobleda Stal, 241. Gnathodus Fieb., 696. Gnopherus Stål, 192. †Goniagnathus Van D., 622. Gonianotini Stal, 195. Gonioloium Fowl., 771. Gorpini Reut., 283. Graphocephala Van D., 601. Graphosomatinae Jakl., 25. Graptolomus Stdl, 150. Gyndes Stdl, 183. Gypona Germ., 610. Gyponinae Berg, 609.

Hadronema Uhl., 385.
Haematosiphon Champ., 287.
Haematosiphoninae J. & R., 287.
Hallodapini Van D., 366.
Halobates Esch., 431.
Halobatinae Bian., 430.
Halobatopsis Bian., 430.
Halocapsus Put., 391.
Halticaria Kirk., 374.
Halticocoridae D. & S., 374.
Halticocoris D. & S., 375.
Halticotoma Reut., 359.
Halticus Hahn, 374.
Halyini Stål, 29.
Hammacerinae Stål, 254.

Hammacerus Lap., 254. †Hammatocerus Burm., 254. Harmostes Burm., 117. Harmostini Stål, 117. †Harpactor Burm., 262. Harpactoraria Dist., 259. Harpactorinae A. & S., 258. Harpactorini Stål, 267. Harpiscus Stal, 262. Harpoceridae D. & S., 405. Hebecerus Kol., 84. Hebridae A. & S., 272 Hebriformes Osh., 272. Hebroideae Reut., 272. Hebrus Curt., 272. Hecalus Stål, 624. Hecalusaria Dist., 623. Heidemannia Uhl., 420. Heidemannini Kirk., 420. †Helicoptera A. & S., 726. Heliria Stål, 535. Helochara Fh., 600. Helonotocoris Leth., 174. Helonotus Uhl., 174. Helotenthes Berg, 461. Hemitrioza Crawf., 798. ‡Henicocephalus Stål, 224. Henschiella Horv., 225. ‡Hepa Geoff., 461. Heraeus Stål, 178. Herega A. & S., 257. Herpis Stål, 757. Herrera Dist., 500. Hesperocorixa Kirk., 485. Hesperolabops Kirk., 362. Hesperotingis Pahly., 818. Heterocordylus Fieb., 378. Heterogaster Schill., 173. †Heterogaster Spin., 158. Heterogastrinae Stål, 172. Heteropsylla Crawf., 789. Heteroptera Latr., 1. Heterosceloides Schtd., 70. Heterotoma Latr., 822. Heterotomaria Kirk., 373. Heterotominae Reut., 372. Heza A. & S., 267. Hezida Stål, 267. Holatus Guer., 762. Holocostethus Kirk., 32. Holymeniaria Bergr., 87. Homaemus Dall., 8. Homalocoris Prty., 255. Homalodema Fieb., 198. Homalodisca Stål, 593. Homaloporus Uhl., 19. Homoptera Latr., 487. Hoplinus Stål, 144. Hoplistoscelis Reut., 278. Hoplomachidea Reut., 403. Hoplomus Gist., 71. Hoplophorinae Stål, 557. Horcias Dist., 333. Horistini Van D., 309.

Huleria Ball, 627. Huphus M. & R., 112. Hyaliodes Reut., 369. Hyalochloria Reut., 390. Hyalymenus A. & S., 111. Hyantiini Dist., 499. Hydrobatida Stål, 425. Hydrobiotica Reut., 422. Hydrocorides Fall., 460. Hydroessa Burm., 433. Hydroessae Fieb., 432. Hydrometra Lam., 424, 426. Hydrometraeformes Reut., 423. Hydrometridae Billb., 423. †Hydrometridea Fieb., 425. Hydrometrites Lap., 423. Hydrometroidea Reut., 423. Hygromystes Stål, 267. Hygrotrechus Stal, 427. Hylophila Kby., 292. Hymenarcys A. & S., 46. Hymenelytrata Fall., 781. Hymeniphera Lap., 96. Hymenopates Uhl., 431.
Hymenocoris Uhl., 225.
Hymenodectes Uhl., 225.
Hymenophora A. & S., 96.
Hynnis Burm., 760.
Hypamastris Fowl., 552. Hypereides Kirk., 381. Hypertolmus Stål, 262. Hypocephalocera Spin., 487. Hypoxys A. & S., 66. Hypselonotaria Bergr., 100. Hypselonotus Hahn, 106. Hysteropterum A. & S., 744.

Idia Fieb., 711.
Idiocerus Lewis, 575.
Idioderma Van D., 551.
Idiolocoridae D. & S., 369.
Idolocoris D. & S., 370.
Ilnacora Reut., 396.
Infericornes A. & S., 147.
Iolania Kirk., 733.
Ioscytus Reut., 447.
Irbisia Reut., 324.
Ischnodemus Fieb., 166.
†Ischnodemus Prov., 191.
Ischnorrhynchini Stål, 161.
Ischnorrhynchus Fieb., 161.
Ischnorrhynchus Fieb., 420.
Issinae Spin., 740.
Issini Spin., 743.
Issomorphus Mlch, 749.
Issus Fabr., 748.
Isthmocoris McAt., 172.

Jadera Stål, 126. Jalysus Stål, 144. Janthe Stål, 544. Japetus Dist., 204. Jassaria Van D., 688 Jassina Stål, 569. Jassinae A. & S., 616. Jassini Dohrn, 623. Jassoidea Van D., 569. Jassus Fabr., 689. †Jassus Lch., 589. †Jassus Mayr, 675. Jerala Walk., 762.

Kangra Kirk., 320.
Katacephala Crawf., 802.
Ketidocoris Kol., 386.
†Ketidocoris Reut., 388.
Kelisia Fieb., 764.
Kirkaldya Bueno, 434.
Kleidocerys Steph., 120.
†Kleydocerus Sign., 162.
Klinophilos Kirk., 286.
Klopicoris Van D., 353.
Koebelia Bak., 570.
Koebeliidae Bak., 569.
Kolla Dist., 598.
Koraciocapsus Kirk., 323.
Kormus Fieb., 770.
Kuwayama Crawf., 791.
Kybos Fieb., 702.

Laboparia Reut., 373. Labopidea Uhl., 399. Labops Burm., 373. Laccocera Van D., 770. Laevipedes A. & S., 507. Lalervis Sign., 24. Lamenia Stål, 757. Lampethusa Dist., 325. Lamphrius Stål, 262. Lampracanthia Reut., 447. Lamprodema Dist., 190.
Lampronotus D. & S., 196.
Lampropagasa R. & P., 275.
Lamproplax D. & S., 196.
Lamprotrechus Reut., 429. Laodamia Kirk., 408. Laodamina Bnks., 408. Largidea Van D., 363. Largides A. & S., 201. Largus Burm., 202. Largus Hahn, 202. †Lasiacantha L. & S., 220, 221. Lasiochilus Reut., 289. Lasiomerus Reut., 279. Lecadra Sign., 202. Lecticoles A. & S., 284. Legnotus Schtd., 24. Leioscyta Fowl., 563. Leistarchini Stål, 234. Leptobyrsa Stål, 216. Leptocorini Van D., 125. Leptocoris Hahn, 125. †Leptocoris Westw., 110. Leptocorisa Latr., 109. Leptocorise Latr., 110. Leptocorisiini Stål, 109. Leptocorixa Berth., 110. Leptodicta Stål, 218. Leptoglossus Guer., 87.

Leptomeris Lap., 292.
Leptopodiformes Brul., 437.
Leptopodoidea Van D., 437.
Leptopterna Fieb., 301.
Leptoscelini Stål, 91.
†Leptostyla Prov., 216.
Leptostyla Stål, 218.
Leptovyba Stål, 218.
Leptovyba Stål, 220. Leptoypha Stål, 220. Lepyronia A. & S., 512. Lethiini Stål, 196. Lethocerus Mayr, 465. Leucopoecila Reut., 414. Leuronota Crawf., 791. Liburnia Stål, 773. Liburniella Crawf., 772 Lichenobia Baer., 422. Ligyrocoris Stål, 180. Limnobates Burm., 424. Limnobatidae Fieb., 424. Limnogonus Stål, 429. Limnometra Mayr, 429. Limnoporus Stål, 428. Limnotrechus Stal, 427. Limotettix Salıbg., 655, 692. †Lioderma Prov., 35. Lioderma Uhl., 34. Liodermion Kirk., 34. Liops Fieb., 406. Liorhyssus Stål, 120. Liotropis Uhl., 64. Lipogomphus Berg, 819. Lippomanus Dist., 295. Litocoris Fieb., 391. Litoralia Fieb., 471. Litosoma D. & S., 391. Litosomidac D. & S., 386. Livia Latr., 782. Liviinae Löw, 782. Liviini Crawf., 782. Lobolophus Bergr., 23. Lobonotus Uhl., 23. Lobostethus Fieb., 303. Lonatopleura Reut., 383. Lonatura O. & B., 651. Lopariinac Ckl., 382. Lophopelta Stål, 559.
Lophyrus Kol., 328.
Lopidae D. & S., 309.
Lopidae D. & S., 383. Lopidearia Van D., 382. Lopomorphus D. & S., 301. Lopus Hahn, 403. Loxa A. & S., 54. Loxophora Van D., 726. Luteva Dohrn, 235. Lyctocorinae Reut., 288. Lyctocoris Hahn, 288. Lyctus Flor, 162, †Lygacidae Kirk., 83. Lygaeidae Schill., 146. Lygaeiformes Osh., 142. Lygaeinae Stål, 147. Lygaeini Stål, 147. Lygaeoideae Ósh., 142. Lygaeosoma Spin., 156.

†Lygaeus Stdl, 153. Lygaeus Fabr., 149, 150. †Lygaeus Lch., 206. Lygaeomorphus Blnch., 126. Lygidae D. & S., 336. Lygidea Reut., 338. Lygoeoris Reut., 340. †Lygus Smth., 150. Lygus Hahn, 339, 341. Lystroides Spin., 717.

Macraulax Dall., 3. Macrocapsus Reut., 356. Macrocephalidae Kirk., 226. Macrocephalinae A. & S., 229. Macrocephalus Swed., 229. Macrocorisa Thom., 486. Macrolophina Reut., 366. Macrolophini Kirk., 369. Macrolophus Fieb., 372. Macroparius Stal, 158. Macropeltidae Fieb., 27. Macroporus Uhl., 18. †Macropsis A. & S., 589. †Macropsis Kirk., 585. Macropsis Lewis, 581. Macrosandalus Stal, 251. Macrosteles Fieb., 692. Macrostelini Kirk., 692. Macrothyreus Westw., 230. Macrotomella Van D., 766. Macrotracheliella Champ., 819. Macrotyloides Van D., 400. Macrotylus Fieb., 401. Macrovelia Uhl., 434. Madura Stål, 100. Maccenas Kirk., 216. Magoa Stål, 23. Mamurius Stål, 95. Manatanus Dist., 200. Manniferae Linn., 488. Margus Dall., 101. Maurodactylus Reut., 418. Mayana Dist., 177. Meadorus M. & R., 67. Meccus Stål, 247. Mecidea Dall., 29. Mecidiini Dist., 29. Mecomma Fieb., 397. Megaloceraea Fieb., 305. Megalonotus Fieb., 190. Megalotomus Fieb., 112. Megamelanus Ball, 764. Megamelus Fieb., 765. Meganotus Lap., 206. Megophthalminae Kirk., 569. Melanocoris Champ., 819. Melampsalta Kol., 506. Melampsaltini Dist., 506. Melanaethus Uhl., 22. Melanochila Stål, 37. Melanocoryphus Stål, 154. Melanolestes Stal, 250. Melanopleurus Stål, 152. Melanorhopala Stål, 220.

Melanostoma Stål, 48. Melanotrichus Reut., 391. Melinna Uhl., 381. Membracidae Germ., 520. Membracinae Stål, 560. Membracis Fabr., 560. Memnonia Ball, 621. Menecles Stål, 50. Menenotaria Bergr., 97. Mermimerus Sahlb., 401. Merocorinae Stål, 83. Merocoris Hahn, 116. Merocoris Perty, 84. Meropachydida Stål, 83. Merragata Wht., 819. Mesamia Ball, 628. Mesodema Mlch., 744. Mesodicus Fieb., 616. Mesowelia M. & R., 274.
Mesovelia D. & S., 273. Mcsoveliiformes Reut., 272. Metacanthinae D. & S., 144. Metapodiessa Kirk., 85. Metapodius Westw., 85. Metatropiphorus Reut., 283. Metapodus A. & S., 85. Metriorrhynchomiris Kirk., 333. Metriorrhynchus Reut., 333. Metrobates Uhl., 430. Mevius Dist., 366. Mezira A. & S., 138. Mezirinae Osh., 136. Mezirini Van D., 137. Micracanthia Reut., 446. Micracidius Stal, 249. §Micranthia Van D., 446. Micrelytrini Stål, 107. Microcentrus Stål, 565. Microledrida Fowl., 736. Microphylellus Reut., 408. Microporus Uhl., 19. Micropus Spin., 166. Microsynamma Fieb., 419. Microvelia Westw., 432, 433. Micrutalis Fowl., 530. Mictini Stål, 92. Milyas Stal, 263. Mimoceps Uhl., 313. Mimoperideris Kirk., 386. Mineus Stål, 76. Miridae Hahn, 297. Miridae Kirk., 283, 297. Miridiaria Reut., 313. Miriformes Reut., 297. Mirinae Reut., 298. Mirini A. & S., 298. Miris Fabr., 300. †Miris H.S., 303. †Miris Lap., 375. †Miris Thom., 303. Mistharnophantia Kirk., 755. Mokanna Dist., 216. Monalocoris Dahl., 361. Monanthia L. & S., 223.

Monecphora A. & S., 508. Monochrocerus Stål, 54. Mononychidae Horv., 471. Mononychinae Fieb., 473. Mononyx Lap., 473.
Monopsis Spin., 739.
Monorachis Uhl., 733.
Monosynamma Scott, 419. Montondonista Kirk., 465. Mormidea A. & S., 37, 38. †Mormidea Fieb., 37. Mozena A. & S., 93. Multareis Godg., 563. Murgantia Stål, 55. Mutyca Stål, 70. Mycterocoris Uhl., 355. Myiomma Put., 420. Myndus Stål, 737. Myochroocoris Reut., 414. Myodocha Latr., 177. Myodochidae Kirk., 147. Myodochina Stål, 177. †Myodochinae Kirk., 109. Myodochini Stål, 177. Myodocha Latr., 177. †Myodochus Lch., 110. ‡Myodochus Oliv., 178. Myrmecopeplus Berg, 367. Myrmecopsis Uhl., 366. Myrmecoraria Reut., 313. Myrmicocoridae D. & S., 366.

Nabicula Kby., 277. Nabidae Costa, 274. Nabidea Uhl., 299. Nabiformes Reut., 274. Nabina Stål, 275. Nabinae Reut., 276. Nabini Van D., 276. Nabis Latr., 276, 280. †Nabis Lch., 247. Naeogeidae Kirk., 272. Naeogeiformes Reut., 272. †Nacogeus Kirk., 273. Nacthus Stål, 746. Namacus A. & S., 101. Nannium Bergr., 138. Narnia Stål, 90. Navesus Stål, 243. Naso Fh., 740. Nasocoraria Reut., 405. Naucoridae Fall., 456. Naucorinae Stål, 457. Neides Latr., 143. Neididae Kirk., 142. Neidiformes Reut., 142. Neidinae Van D., 143. Neidoideae Reut., 142. Neoborops Uhl., 352. Neoborus Dist., 350. Neobothynotus Wrtn., 820 Neocapsus Dist., 336. Neocarnus Dist., 369. Neocoelidia G. & B., 690. Neocoris D. & S., 419.

Neolygus Kngt., 821. Neopharnus Van D., 64. Neoslossonia Van D., 623. Neotrioza Crawf., 798. Neotriozella Crawf., 798. Neottiglossa Kby., 47. Neovelia Wht., 435. Nepa Linn., 460. Nepaeformes Reut., 456. Nephotettix Mats., 653. Nepidae Latr., 459. Nepoidea Montd., 461. Nerthra Say, 474. Nerthridae Kirk., 471. Nerthrinae Kirk., 473. Neurocolpus Reut., 314. Neuroctenus Mayr, 139. Neurotmeta Guer., 739. Nezara A. & S., 57. Niesthrea Spin., 123. Ninus Stål, 163. Nionia Ball, 622. Notonecta Linn., 449. Notonectaeformes Reut., 448. Notonectidae Lch., 448. Notonectinae Fieb., 449. Notonectoidea Lch., 448. Notus Fieb., 700. Nudicolles Latr., 232. Nudirostri A. & S., 232. Nudiscuti A. & S., 565. Nymphorgerius Osh., 724. Nysiina Uhl., 156. Nysius Dall., 158.

Ochetopus Hahn, 241. Ochrimnus Stål, 154. Ochrostomus Stål, 153. Ochteridae Kirk., 475. Ochteriformes Reut., 471. Ochteroidae Reut., 471. Ochterus Latr., 475. Oculatae Latr., 437. Odmalea Bergr., 65. Odontoscelaria Stål, 10. †Odontoscelis Burm., 13. Odontotarsinae Stål, 10. Odopoea Stål, 498. Oebalus Stål, 39. Oeciacus Stål, 287. Oecleus Stål, 736. Oeclidius Van D., 736. Oedancala A. & S., 174. Ojedena Dist., 95. Okanagana Dist., 501. Oliarus Stål, 731. Omoptera Lch., 487. Oncauchenius Stal, 262. Oncerometopus Reut., 312. Oncerotrachelus Stål, 238. Oncocephalus Klug, 243. Oncogaster Stål, 69. Oncognathus Fieb., 323. Oncometopia Stål, 591. Oncopeltus Stål, 147.

Oncopsis Burm., 585. Oncotylaria D. & S., 401. Oncotylus Fieb., 825. Oncozygia Stål, 25. Oncylocotis Stål, 224. Onychiophora Reut., 142. Onychumenus Reut., 403. Ophiderma Fairm., 550. Ophthalmicus Schill., 169. Ophthalmocoris Zett., 373.
Opisthaoidius Berg, 249.
Opistheuria Reut., 312.
Oplistopus Jak., 245.
Oplomus Spin., 71, 72.
Opicaette Klue, 245. Opsicoetus Klug, 245. Opsice Is Irug, 22.
Opsice Isel., 655.
Optilete Stdl, 531.
Orectoderus Uhl., 368.
Orgamara Ball, 725.
Orgeriini Osh., 724.
Orgerius Stål, 724.
Origenous Rest. 360 Orinonotus Reut., 360. Oriterus Hahn, 104. Ormenis Stål, 753. Ornithissus Fowl., 721. Orsillacis Barb., 161. Orsillacis Uhl., 157. Orsillini Stål, 156. Orsilochus Stål, 5. Orthaea Dall., 183. Orthocephalus Fieb., 398. Ortholomus Stål, 157. Orthometrops Uhl., 283. Orthonotus Steph., 374. Orthops Fieb., 348. Orthosteira Fieb., 211. Orthotylaria Van D., 386. Orthotylinae Van D., 372. Orthotylini Van D., 373. Orthotylus Fieb., 390. Osbornia Ball, 748. Ostorodias Dist., 297. Otiocerus Kby., 759. Otiocerus Kby., 759. Oxycareninae Stål, 176. Oxydalus M. & R., 68. Ozophora Uhl., 188.

Pacarina Dist., 497.

Pachybrachius Hahn, 183.

Pachycoridae Uhl., 3.

Pachycoris Burm., 4.

Pachygroncha Spin., 175.

Pachygrontha Germ., 175.

Pachygronthinae Stål, 173.

Pachylops Fieb., 391.

Pachymerini Put., 177.

Pachymerini Put., 177.

Pachymeris Uhl., 589.

Pachypsylla Riley, 799.

Pachypsylla Riley, 799.

Padaeus Stål, 44.

Pagaronia Ball, 606.

Pagasa Stål, 275.

Pallacocoris Reut., 336.

Palmacorixa Abb., 485.

Pamera Say, 195. †Pamera Stål, 183. Pamerocoris Uhl., 365. Pamillia Uhl., 381. Pamphantus Stål, 189. Pangaeus Stål, 20. Pantilliodes Noul., 320. Pantopsilus Berg, 249. Parabolocratus Fieb., 625. Paracalocoris Dist., 326. Paracoelidia Bak., 691. Parallygus Mich., 667. Paralystra Wht., 718. †Paramesus Van D., 628. Parantonae Fowl., 531. Paraphlepsius Bak., 667. Parapholis Uhl., 616. Paraproba Dist., 389. Paraschistus Kirk., 44. Paratrioza Crawf., 791. Paraxenetus Reut., 314. Parnisini Dist., 505. Paromius Fieb., 182. Paropinae Dohrn, 569. Paropulopa Fieb., 570. Parthenicus Reut., 401. Paryphes Burm., 107. Pasatus Stål, 191. †Patara Ball, 756. Paurocephala Crawf., 789. Pauropsyllinae Crawf., 789. Pedinocoris Mayr, 470. Pediopsis Burm., 581. Peggiohisme Kirk., 188. Peliopelta Uhl., 174. Peliosoma Uhl., 175. Pelitropis Van D., 740. Pelocoris Stal, 457. Pelogonida Lch., 475. Pelogonus Latr., 475. Peltonotellus Put., 743. Peltonotus M. & R., 743. Pentacora Reut., 439. Pentagramma Van D., 781. Pentastira Kschb., 732. Pentastridius Kschb., 732. †Pentatoma Fieb., 35. Pentatomida Stål, 2. Pentatomidae Lch., 25. Pentatomiformes Reut., 2. Pentatominae Stål, 27. Pentatomini Stål, 32. Penthimia Germ., 609. Penthimiinae Kirk., 609. Peregrinus Kirk., 769. Peribalus M. & R., 32. Perideris Fieb., 386. Perigenes Dist., 181. Perilloides Schid., 73. Perillus Stål, 73. Periscopus Bredd., 824. Peritrechus Fieb., 191. Peritropini Kirk., 365. Peritropis Uhl., 366. Perthostoma Leidy, 467.

Petalotoma Guer., 87. Petissius Dist., 194.
Phacosemini Kief., 790.
Phalaenomorphini Kirk., 755.
Phalaenomorpha A. & S., 756.
Phantasmatophanes Kirk., 234.
Phaulocentrus Fowl., 566.
Philaenus Stål. 513 Philaenus Stål, 513. Philaronia Ball, 513. Philya Walk., 565. Phimodera Germ., 11. Phintius Stål, 474.
Phlegyas Stål, 173.
Phloeobiotica Reut., 127.
Phlepsius Fieb., 667. Phoenicocoris Reut., 408. Pholetaera Zett., 618. Phorticus Stål, 276. Phrynomorphusaria Kirk., 652. Phrynomorphus Curt., 654. Phthia Stål, 91. Phthirocoris Endl., 225. Phygadicida Stål, 173. Phygadicus Fieb., 173. Phygas Fieb., 173. Phylaria D. & S., 405. Phylinae Reut., 401. Phylini D. & S., 401. Phylloscelis Germ., 723. Phyllochisme Kirk., 219. Phyllocoris Costa, 292. Phyllodinus Van D., 769. Phyllotropis Stål, 561. Phymat Latz 292 Phymata Latr., 226. Phymatidae Lap., 225. Phymatinae A. & S., 226. Physatocheila Fieb., 219. Physetonotus Reut., 360. Phytocoraria D. & S., 314. Phytocoridae Fieb., 298. Phytocoris Fall., 315. †Phytocoris Lap., 206. Phytophthires Burm., 781. Phytothelga Dum., 781.
Pictinus Stål, 138.
Picumna Stål, 749.
Piesma L. & S., 210. †Piesmidae Dohrn, 223. Piesminae A. & S., 210. Piestosoma Lap., 135. Piezodera Sign., 207. Piezodorus Fieb., 62. Piezogaster A. & S., 95. Piezostethus Fieb., 290. Pilophoraria Reut., 378. Pilophorus Hahn, 378. Pindus Stål, 261. Piratinae A. & S., 250. Pirithous Dist., 359. Pissonotus Van D., 767. Pitedia Reut., 35.

Pithanidae D. & S., 313.

Pithanus Fieb., 313. Plagiognatharia Reut., 405.

Plagiognathinae Osh., 401. Plagiognathus Fieb., 410. Plascoscelida Stål, 85. Platycarenus Fieb., 27. Platycentrus Stål, 566. Platycixius Van D., 734. Platycoraria Bergr., 29. Platycoris Gist., 206. Platycoris Perty, 255. Platycotis Stål, 558. Platygaster Schill., 198. Platylygus Van D., 339. Platymetopius Burm., 634. Platymetopius Burm., 634. Platymetos Schill., 206. Platypedia Uhl., 505. Platysolen Fieb., 48. Platytylellus Reut., 309. Plea Lch., 455. Pleinae Fieb., 455. Plinthisus Fieb., 190.
Plociomeraria Put., 177.
†Plociomerus A. & S., 185.
†Ploiaria Latr., 233.
†Ploiaria Say, 236.
Ploiaria Say, 236. Ploiaria Scop., 235. Ploiariida Stal, 232. Ploiarini Costa, 232. †Ploiariodes Champ., 233. Ploiariola Reut., 233. Ploiarioliinae Van D., 232. Ploiariopsis Champ., 235. Ploteres Latr., 423. Pnirontis Stål, 239. Poblicia Stål, 718. Podicerus Dum., 144. Podisus H.S., 78. †Podisus Dist., 76. Podopini Dall., 25. Podops Lap., 25. Poecilocapsus Reut., 335. Poeciloscytus Fieb., 329. Poecilosoma Steph., 339. Poekillopterinae Kirk., 752. Poekillopterini Kirk., 752. Polyglypta Burm., 553. Polyglyptini Godg., 551. Polyneuria Reut., 2.
Polyneuria Reut., 2.
Polyneeilus Stål, 71.
Pothea A. & S., 254.
Prepops Reut., 309.
Prionidus Uhl., 268.
Prionocnemidae Scott, 790.
Prionesome Uhl. 51 Prionosoma Uhl., 51. Prionotus Lap., 268. Proarna Stål, 497. Proceps M. & R., 635. †Procenia A. & S., 591. Proconiida Stål, 591. Prokelisia Osb., 765. Pronotacantha Uhl., 145. †Prooxys A. & S., 45. Prostemminae Reut., 275. Protacanthus Uhl., 145. Protalebra Bak., 698. Protenor Hagl., 108.

Proxius Stål, 137. Proxys Spin., 44.
Psallidae D. & S., 405.
Psallus Fieb., 406. Pselliopus Bergr., 263.

Pseudatomoscelis Popp., 406.

Pseudocnemodus Barb., 187. Pseudopamera Dist., 185.
Pseudopamera Dist., 185.
Pseudophana Burm., 719.
Pseudophanides A. & S., 719
Pseudophloeinae Stål, 115. Pseudopsallus Van D., 399. Pseudoxenetus Reut., 387. †Psylla Löw, 805. Psyllaria Put., 799. Psyllia Kirk., 805. Psyllidae Latr., 782. Psyllinae Van D., 799. Psyllini Van D., 805. Psyllini Crawf., 805. Psyllopa Crawf., 803. Psyllopsis Löw, 804. †Pterometus Prov., 187. Ptochiomera Say, 185. Ptychodera Reut., 12. †Ptyela Germ., 514. †Ptyelinae Fowl., 509. †Ptyelus Lallm., 514. Publilia Stål, 555. Pycnocoris Van D., 325. Pycnoderes Guer., 360. Pychnoderini Reut., 358. †Pycnopterna Prov., 367. Pygaeus Uhl., 189. Pygoda A. & S., 66. Pygolampis Germ., 240. Pyrrhocoridae Fieb., 201. †Pyrrhocoridae Kirk., 147. Pyrrhocoriformes Reut., 200 Pyrrhocorinae A. & S., 205. Pyrrhocoris Fall., 205. †Pyrrhotes Bergr., 126. Pyrrhotes Westw., 126.

Queseda Dist., 499. Quilnus Stål, 136.

Ramphocorixa Abb., 478.
Ranatra Fabr., 461.
Ranissus Fieb., 724.
Rasahus A. & S., 251.
†Reduvidcs Stdl, 258.
†Reduvida Stdl, 259.
Reduviidae Latr., 231.
Reduviidae Latr., 231.
Reduviidae Reut., 224.
Reduvioldeae Reut., 224.
Reduviolaria Reut., 276.
Reduviolina Reut., 276.
Reduviolus Kby., 277.
†Reduviolus Reut., 280.
Reduvius Fabr., 244.
†Reduvius Stdl, 262.
Repipta Stdl, 264.
Restheniaria Reut., 309.

†Resthenia Reut., 309. Reuteria Put., 390. Reuteroscopus Kirk., 405. Rhabdocoris Kol., 110. Rhacognathus Fieb., 75. Rhagovelia Mayr, 434. †Rhaphigaster Špin., 56. Rheumatobates Bergr., 431. Rhiginia Stål, 253. Rhinacloa Reut., 418.
Rhinaulacinae Kirk, 508.
Rhinocapsus Uhl., 409.
Rhinopsylla Riley, 790.
Rhombogaster Dall., 94.
Rhopalides A. & S., 117.
Rhopalotomus Fieb., 337. Rhopalus Schill., 120. Rhynarius Hahn, 292. Rhynchopteryx Van D., 755. Rhynocoris Hahn, 261. Rhyparochrominae Stål, 177. Rhyparochromini Stål, 188. Rhyparochromus Curt., 190. Rhyparopharus Stål, 94. Rhytidolomia Stål, 34. Rhytidoporus Uhl., 19. Riĥana Dist., 489. Rileya Mlch., 744. Riparii Burm., 437. Ripicolae A. & S., 272. Rocconota Stål, 266. Romicpus Reed, 166. Runibia Stål, 57.

Saica A. & S., 239. Saicinae Stål, 238. †Salacia Dist., 189. Salda Fabr., 440. †Salda Latr., 169. Saldidae Dohrn, 437. Saldidae A. & S., 437. Saldinae Van D., 438. Saldoida Osb., 447. Saldoidinae Reut., 447. Saldula Van D., 441. Sandaliorrhyncha Brnr., 476. †Sastragala Fieb., 67. Scaphoideus Uhl., 629. Scarides A. & S., 609. Schizopteridae Reut., 422. Schumannia Champ., 242. Sciocorini A. & S., 28. Sciocoris Fall., 28. Sciodopterus A. & S., 430. Scolopocerus Uhl., 102. Scoloposcelis Fieb., 296. Scolopostethus Fieb., 199. Scolops Schm., 720. Scolopsella Ball, 717. Scotinophara Stal, 26. Scutelleridae Lch., 2. Schirini Stål, 23. Sehirus A. & S., 24. Semium Reut., 397. Sephina A. & S., 98.

Serenthiini Stål, 223. Sericophanes Reut., 367. Serinetha Spin., 125. Serinetharia Stal, 125. Serphus Stål, 470. Serripedes A. & S., 569. Sesellius Dist., 297. Sigara Fabr., 486. Sigarida Stål, 477. Sinea A. & S., 269. Siphonata Retz., 487. Sirthenea Spin., 252. Sixeonotus Reut., 359. Smilia Germ., 543. Smilinae Stål, 521. Smiliini Godg., 543. Solenonotus Reut., 296. Solubea Bergr., 39. Spanbergiella Sign., 624. Spartocera Lap., 97. Spartoceridae Dall., 97. †Spartocerus Burm., 97. Sphaerobius Uhl., 179. Sphalerocoris Flor, 144. Sphigmocephalus Endl., 225. Sphodrocoris Stal, 251. Sphragisticus Stål, 193. Sphyracephalus D. & S., 398. Sphyrocoris Mayr, 8. Sphyrops D. & S., 398. Spilolonius Stal, 243. †Spilostethus Bergr., 150. Spinda Stål, 264. Spiniger Burm., 249. Spissipèdes A. & S., 226. Stachyocnemus Stål, 115. †Stalagmostethus Kirk., 150. Stenocoris Burm., 110. Stenocoris Ramb., 182. Stenocranus Fieb., 762. \$Stenocarenus Fieb., 763. Stenodema Lap., 302, 303. Stenolemaria Kirk., 233. Stenolemus Sign., 234. Stenomacra Stal, 204. Stenopirates Walk., 224. Stenopoda Lap., 242. Stenopodinae A. & S., 239. Stenoscytus Mayr, 469. Stenotus Jak., 322. Stephania Wht., 430. Stephanitis Stål, 216. Stephaulax Bergr., 7. Sternorhyncha A. & S., 781. Stethatropis Fieb., 191. Sthenarops Uhl., 396. Sthenarus Fieb., 407. Stictocephala Stål, 526. Stictocoris Kirk., 69. Stictolobus Metc., 529. Stictonotion Kirk., 69. Stictonotus Stal, 69. Stictopelta Stål, 557. Stictopleurus Stål, 121 Stignocoris D. & S., 191.

‡Stiphrosoma Fieb., 377.
Stiphrosomidae D. & S., 374.
Stiphrosomius Fieb., 376.
Stirellus O. & B., 660.
Stiretroides Schtd., 69.
Stiretrosoma Spin., 69.
Stiretrus Lap., 69.
Stiretrus Lap., 69.
Stiretrus Lap., 69.
Stobaera Stål, 771.
Stragania Stål, 589.
Straganiopsis Bak., 588.
Stridulantes Latr., 488.
Stroggylocephalus Flor, 617.
Strongylocephalus Flor, 617.
Strongyloceris Blnch., 376.
Strongylotes Reut., 408.
Stygnus Fieb., 191.
Subtericornes A. & S., 717.
Supericornes A. & S., 717.
Supericornes A. & S., 83.
Syrtides Ramb., 226.
Syrtis Fabr., 227.
Sysinas Dist., 362.
Systelloderus Blnch., 225.
Systelloderus Blnch., 225.
Systellonotaria Reut., 366.

Taeniorphus Stal, 262. Tangia Stal, 739. Telamona Fh., 536. Telamonanthe Bak., 542. Telamonini, Godg., 531. Teleonemia Costa, 221. Teleorhinus Uhl., 367. Telepta Stål, 78. Tempyra Stål, 189. Tenagobia Bergr., 477. Tenagogonus Stal, 429. Teracriina Stal, 173. Teratocoris Fieb., 308. Teratodella Reut., 365. Teratodellaria Reut., 364. Termatophylidae Reut., 297. Tetigonia Geof., 595. Tetigonia Kirk., 596. Tetigoninae Kirk., 591. Tetigonini Kirk., 591. Tetragonocephala Crawf., 799. †Tetraphleps Prov., 288. Tetrarhinus Prov., 108. Tettigades A. & S., 499. Tettigadesini Dist., 499. Tettigetta Kol., 506. Tettigia Kol., 496. †Tettigonia Fall., 500. Tettigonia Fabr., 489, 496. Tettigonia Reaum., 595. Tettigonides A. & S., 591. Tettigonides Fall., 488. Tettigoniella Joby., 596. Tettigoniellidae Mlch., 591. Tettigoniellini Joby., 591. Tettigonioideae Spin., 590. Tettigonitae Spin., 569. †Tetyra Burm., 11. Tetyra Fabr., 3. Tetyrae Fieb., 3.

Tetyrinae Stål, 3. Texas Kirk., 48. Thamnotettix Zett., 676. Thamnotettixaria Dist., 652. Thamnus Fieb., 692. Thasus Stål, 92. Thelia A. & S., 533. Thelima A. & S., 54. Theognis Stål, 88. Thionia Stål, 748. Thops Gist., 166. Thyanta Stål, 51.
Thyreocoridae Kirk., 13.
Thyreocorinae Van D., 13. Thyreocoris Schr., 13. Thyrillus Uhl., 325. Tibicen Latr., 488. Tibicen Latr., 488.
† Tibicen Latr., 500.
Tibiceninae Van D., 488.
Tibicenini Van D., 488.
Tibicina Kol., 500.
Tibicinae Van D., 488.
Tibicininae Dist., 498.
Tibicinini Dist., 500
Tibicinoides Dist. 504 Tibicinoides Dist., 504. Ticida Uhl., 726. Tichorhinus Fieb., 3 Timodema Ball, 725. Tingididae Lap., 209.
Tingidinae A. & S., 211.
Tingidini Stål, 211.
†Tingis Banks, 220.
†Tingis Lap., 216. Tinobregmus Van D., 691. Tiryus Kirk., 381. Tivarbus Stal, 111. Tollius Stål, 114. †Tomaspis Stdl, 508.
Tominotus M. & R., 19.
Trachelomiris Reut., 299.
Trapezonotus Fieb., 192. Trepohates Uhl., 430. Triatoma Lap., 247. Trichia Reut., 381. Trichocoris Uhl., 19. Trlchocorixa Kirk., 486. Trichopepla Stål, 33. Trichosternus M. & R., 19. Trichotelocera Reut., 421. Trigonotylus Fieb., 306. Trioza Frst., 792. Triozoida Crawf., 791. Triozoida Crawf., 798. Triphleps Fieb., 293. Tritomacera Costa, 200. Tritomegas A. & S., 24. Trochopus Carp., 435. Tropidophora Bier., 720. Tropidosteptes Uhl., 350. Tropiduchinae Stål, 739. Tuberculocentrus Godg., 567.

Tubercunota Godg., 564. Tuponia Reut., 415. Tylana Stål, 744. Tylocentrus Van D., 567. Tylopelta Fowl., 563. Tylospilus Stål, 81. Tynotoma A. & S., 126. Typhlocyba Germ., 707. †Typhlocyba Fh., 699. †Typhlocybaria Dist., 708. Typhlocybini Kseth., 698. Typonotus Uhl., 817. Tythus Fieb., 824.

Uhleria Crawf., 799. Uhleriella Ball, 626. Uhleriola Horv., 195. Umbonia Burm., 557.

Valdasaria Dist., 364. Valdasus Stdl, 364. Vanduzea Godg., 552. Vanduzeeina Schtd., 12. Velia Latr., 436. Veliens Brul., 423. Veliidae A. & S., 432. Veliomorpha Cart., 433. Vulsirea Spin., 56.

Weda Schtd., 27.

Xantholobus Van D., 549.
Xenoborus Reut., 350.
Xenocorini Kirk., 401.
Xenogenus Berg, 119.
Xerocoris Van D., 91.
Xerophloea Germ., 616.
Xestocephalus Van D., 621.
Xestocoris Van D., 198.
Xiphares Stål, 100.
Xuthus Stål, 94.
Xylocoraria Reut., 295.
Xylocoris Duf., 290.
†Xylocoris Westw., 296.
Xylonannus Reut., 422.

Zaitha A. & S., 467.
Zammarini Dist., 498.
Zelini A. & S., 258.
Zelurus Hahn, 249.
Zelus Fabr., 259.
Żelus Blnch., 268.
Zicca A. & S., 106.
Zicrona A. & S., 81.
Zinneca A. & S., 610.
Zophoessa Dall., 6.
Zosmenidac Dohrn, 210.
Zosmenus Lap., 210.
Zuela Fh., 526.
Zygina Fieb., 711.

INDEX TO SPECIES

(Numbers are species-numbers except where preceded by the letter p. for page)

abbas Bergr., Aradus, 387. abbottii Kby., Otiocerus, 2691. abbreviata Fabr., Cicada, 1561. abbreviatus O. & B., Deltocephalus, 2048. abbreviatus Wolff, Miris, 879. abbreviatus (Uhl.), Peribalus, 93. abbreviatus (Uhl.), Phlegyas, 513. abbreviatus Platymetopius, DeL., 20271/2. abdominalis (Say), Arctocorixa, 1420. abdominalis (Fabr.), Deltocephalus, abdominalis (Van D.), Eugnathodus, 2377. abdominalis (Guer.), Ligyrocoris, 540. abdominalis (H.S.), Melanolestes. 746. abdominalis (Westw.), Rhaphigaster, abietis Fh., Athysanus, 1824. †abietis Retz., Cimex, 605. abjecta (Uhl.), Philaronia, 1558. ablutus McAt., Paracalocoris, p. 820. abnormis (Wlsh.), Dikraneura, 2387. abnormis Ball, Scolops, 2479. abrupta Say, Pentatoma, 179. abruptus Ball, Platymetopius, 2031. acaciae Crawf., Aphalaroida, 2836. acceptus McAt., Paracalocoris, 984%. accisa Walk., Entylia, 1716a. acclivata Emns., Telamona, 1622. †achatina Ball, Clastoptera, 1562c. achatina Germ., Clastoptera, 1562a. acridioides Fabr., Coreus, 236. aculeata Crawf., Arytaina, 2911. aculeata Van D., Ceresa, 1575. acuminata (Uhl.), Arctocorixa, 1421. †acuminata Harr., Hemiptycha, 1615. Van D., acuminatus Acinopterus, 2249. (Bak.), Euscelis, 2150. acuminatus acuminatus (Fabr.), Evacanthus, 1884. acuminatus (Fabr.), Glossonotus, 1617. acuminatus (Say), Oncerotrachelus, acuta Drke., Dolichocysta, p. 816. (Walk.), Draeculacephala, acuta 1870. acuta Ball, Orgamara, 2490. acuta Stål, Phymata, 690. acuta (Crawf.), Psyllia, 2935b.

acutangula (Guer.), Phymata, 690. †acutangula Stål, Phymata, 689d. acuticauda (Bak.), Aconura, 2117. acuticornis Stål, Platycentrus, 1749. acutissimus Stål, Podisus, 234. acutus Say, Aradus, 375. acutus Van D., Cyrtolobus, 1680. acutus (Uhl.), Flatoides, 2667. acutus (Say), Platymetopius, 201 adducta Uhl., Lygaeosoma, 460½. adjunctor (Walk.), Euschistus, 157. adjunctus Horv., Scolopostethus, 610. admirabilis Uhl., Lygaeus, 459. admittens Walk., Proconia, 1848. adspersus Schill., Capsus, 1031. adustus Hdy., Acucephalus, 1933. adustus, Gmel., Cimex., 1071. adustus McAt., Paracalocoris, 9841/s. aeneifrons (Say), Homaemus, 14. aeneipes Sign., Rhagovelia, p. 435. aeneiventris Voll., Poeciolcoris, 4b. aeneo-nitens Stål, Pothea, 753. aeola (Dall.), Jadera, 359. †aequalis Prov., Aradus, 362. aequalis Say, Aradus, 360. aequalis (Say), Hymenarcys, 140. aerugineus Fourc., Cimex, 1014. aeruginosa A. & S., Hymenarcys, 139. aesculi O. & D., Corythucha, 6491/2. aethiops A. & S., Cydnus, 43. affiguratus Uhl., Plagiognathus, 1232. affinis Westw., Acanthosoma, 203. affinis Westw., Alydus, 317. affinis Kby., Aradus, 386. affinis Van D., Brochymena, 86. affinis Dist., Capsus, 920. †affinis Mey., Capsus, 1014. affinis G. & B., Deltocephalus, 2079. affinis Dohrn, Emesa, 709. affinis Fh., Erythroneura, 2445d. affinis Dall., Harmostes, 340. affinis (Reut.), Horcias, 1000c. affinis Reut., Miris, 883. affinis Van D., Orthotylus, 1177½. † affinis Van D., Scolopostethus, 610. affinis Westw., Spartocera, 277. affinis Van D., Stobaera, 2752. agavis Reut., Caulotops, 1085.
aggressor Walk., Rhaphigaster, 229. agilis Fabr., Cimex, 1158. agilis (Uhl.), Dicyphus, 1108. agilis Spin., Nabis, 829a. agrestis Fall., Lygaeus, 589. agrestis (Fall.), Stroggylocephalus, alabamensis Bak., Macropsis, 1836.

alabamensis Bak., Nysius, 466a. alacris Stal, Cicada, 1482. alacris Malk., Thaumastopus, 566. alacris Flor, Trioza, 2875. alaskensis (Ashm.), Psyllia, 2928. alaskensis Ashm., Aphalara, 2827. alatus Mull, Cimex, 345. †alatus Burm., Diactor, 23 †alatus H 5., Diactor, 239. alba Crawf.), Psyllia, 2921. albatus (Van D.), Plagrognathus, 1237. albescens Van D., Ceresa, 1571. albescens Drke., Gargaphia, p. 817. albicans Wlsh., Empoa, 2439. albiceps Prov , Ptyelus, 1560d. albioinctus Say, Anisoscelus, 244. albicinetus Germ., Cixius, p. 736. albicollis Fabr., Cimex, 170. talbida B. & B., Buenca, 1362. albida (Champ.), Buenos, 1360. albida Kirk., Notonecta, 1352. albida Ball, Orgamara, 2495. albidicoxis Reut., Atractotomus, Reut., 1248. albido-sparsa Stål, Ceresa, 1581. albidus O. & B., Deltocephalus, 2036. albidus (Ball), Eutettix, 2190. albidus Jak., Nysius, 470. albidiventris Stal, Dysdercus, 628. albidivittis Stål, Garganus, 972. albifrons (Linn.), Acucephalus, 1936. albifrons Crawf., Trioza, 2861. albiger (Germ.), Acucephalus, 1936c. albiger Reut., Anthocoris, 855. albimarginata Woodw., Gypona, 1917. albimarginata Woodw, Gypona, 191 albipennis Woodw, Cicada, 1483. † albipennis Thl., Corimclaena, 40. albipennis Say, Thyreocoris, 42. albipennis H. S., Xylocoris, 846. albipes Fabr., Cimex, 111. albirenis H.S., Edessa, 202. albivenosus Fh., Blissus, 496. albiventris Bury, Charlestenia, 28. albiventris Bury, Charlestenia, 28. albiventris Burn., Chariesterus, 285. albiventris Fstr., Trioza, 2864. albofasciata Reut., Leucopoecila, 1249. albo-fasciatus Reut., Cyrtopeltocoris, 1096. albolinea Gill., Empoasca, 2402. albelineosa Fowl., Liburnia, 2796. alboneura Gill., Emponsea, 2418. albonotata Champ., Microvelia, 1304. albonotatus A. & S., Pusogoster, 271. albonotatus Van D., Scaphoideus, 1986. albonotatus Dall., Schirus, 71. albonotus Barb., Scaphoideus, 1986. albopicta Frbs., Empoa, 2421 albopicta Buckt., Hypheus, 1611. albopicta Handl., Phymata, 686. albopunctatus Schols, Aradus, 391. albopunctatus (DeG), Arvelius, 192. albopunctulatus (P.B.), Proxys, 137. alboscripta Van D., Empoasea, 2419.

albosignata Uhl., Gypona, 1922. albosignatus Van D., Achorotile, 2717. albosignatus Prov., Reduvius, 733. albostriella (Fall.), Alebra, 2380. albovenosa Mich., Phylloscelis, 2484a. albulus Dist., Lygaeus, 442. alni Kngt., Lygus, p. 822. alni (Linn.), Psyllia, 2940. alpha Fowl., Oncometopia, 1846. alpigena Mey., Aphalara, 2825. alpina Kol., Phytocoris, 1031. alpinus Scop., Comex, 1341. alpinus (Ball), Euscelis, 2135. alpinus 12261/4. Van D., Microphylellus, alta Funkh., Telamona, 1627. alternans H S., Lygaeus, 428. alternata (Say), Arctocorina, 1422. alternatus (Say), Archimerus, 271. alternatus (Say), Eurygaster, 19. alternatus Fh., Idiocerus, 1781. alternatus Uhl., Orthotylus, p. 396. altus O. & B., Phlepsius, 2221. alymeriae Ptch., Trioza, 2874. amabilis Ball, Idiocerus, 1776. amandus Ball, Eutettix, 2186. amazili Fairm., Umbonia, 1727 ambigua (Fstr.), Psyllia, 2923 ½. ambulans (Fall.), Mecomma, 1187. americana Dall., Aelia, 144. †americana Prov., Aelia, 145. americana Crawf., Aphalara, 2829a. americana Van D., Cicadula, 2356a. americana Van D., Cicadula, 2356a. americana Pshly., Dictyonota, p. 815. americana Champ., Gardena, 712. americana (Uhl.), Microvelia, 1307. †americana Ashm., Notonecta, 1351. americana Fabr., Notonecta, 1352. americana Fh., Penthimia, 1894. americana (Crawf.), Psyllia, 2925.

||americana (Crawf.), Psyllia, 2940a.
americana Montd., Ranatra, 1383
americana Godg, Tropidoscyta, 1740.
†americanum Uhl., Belostoma, 1389, 1391. americanus H.S., Aradus, 375. americanus Prov., Cephalelus, 2583. americanus Stal, Ceraleptus, 332. americanus (Leidy), Lethocerus, 1388 americanus (Uhl.) Ochterus, 1412.
americanus Bak, Philaenus, 1559.
americanus Van D., Plinthisus, 584.
americanus Stal, Bhacognathus, 219. americanus (Bergr.), Rhynocoris, 777a. americanus Reut., Systratiotus, 995. americanus Dall., Xylocorus, 840. amicta Uhl., Bolteria, 1245. amiculus McAt., Paracalocoris, p. 820. amoenus (Prov.), Closterocoris, 1999. amoenus (Uhl.), Coquillettia, 1105. amoenus Van D., Idiocerus, 1775.

amoenus Reut., Macrotylus, 1201. amoenus (Uhl.), Miris, 881.
amoenus (Reut.), Neoborus, 1041.
amoenus Uhl., Pilophorus, 1131.
amorphae (Mlly.), Arytaina, 2909.
amorphae (Walsh), Gargaphia, 654a.
ampelopsidis (Harr.), Telamona, 1646. ampliata Stål, Acholla, 798. ampliata Van D., Platypedia, 1540. ampliatus Uhl., Aradus, 381. amyoti Guer., Lygaeus, 547. amyotii Fh., Otiocerus, 2697. anaemus Bergr., Calisius, 398. analis (Crawf.), Liburnia, 2799. anatina Dist., Lampethusa, 978. anchorago Westw., Pentatoma, 207b. anchorago (Fabr.), Stiretrus, 207. †anchorago Kirk., Stiretrus, 616. tanchorago Schout., Stiretrus, 207a. ancilla Štål, Carineta, 1509. ancora McAt., Paracalocoris, p. 820. ancora Spin., Vulsirea, 176b. andorifer Fieb., Apocremnus, 1: andreae (Linn.), Dysdercus, 632. andrewsi (Guer.), Anasa, 303. 1243. andromeda Van D., Liburnia, 2800. angularis (Walk.), Murgantia, 175. angularis (Uhl.), Pseudopsallu angularis 1190. Pseudopsallus, angulata Ball, Aphrophora, 1547. angulata (Walk.), Ceresa, 1586. angulata Heid., Gergaphia, 657. angulata Spångb., Gypona, 1911. angulata Van D., Stictoceph Stictocephala, angulatus Uhl., Maurodactylus, 1269. angulatus Osb., Megamelus, 2720. angulatus (Uhl.), Orthotylus 1179. angulifera (Walk.), Draeculacephala, 1873. †angulifera G. & B., Lepyronia, 1558. angulifera Uhl., Lepyronia, 1556. angusta Walk., Moneophora, 1545. angusta Spin., Nabis, 828. angustata Uhl., Dyctidea, 2623. angustatus Guer., Belostoma, 1387. angustatus Van D., Crophius, 523. angustatus Stål, Cymus, 484. angustatus (Osb.), Euscelis, 2147. angustatus Uhl., Globiceps, 1162. angustatus Uhl., Nysius, 470. †angustatus Van D., Nysius, 468. angustatus Osb., Platymetopius, 2020. angustatus Van D., Rhyparochromus, angustatus Uhl., Scolops, 2477. angustatus Popp., Solenonotus, 870. angustipennis Crawf., Aphalara, 2818. angustipes (Mayr), Lethocerus, 1390. angustulus Reut., Phytocoris, 931. angustus Brul., Nabis, 828. animanus Ball., Eutettix, 2171.

annellata Tmsn., Chermes, 29231/2.

annexa Uhl., Corixa, p. 486.
annexus Uhl., Cyrtolobus, 1710.
annexus Uhl., Lygus, 1033.
annulata Ball, Aphrophora, 1552. †annulata Uhl., Brochymena, 85. annulata Walk., Brochymena, 83.
annulata Walk., Brochymena, 81.
annulata Harr., Cimcx, 733.
annulata Uhl., Pronotacantha, 425.
annulata (Fh.), Psyllia, 2933.
annulatus C. & D., Atheas, p. 818.
annulatus Fabr., Cimex, 89.
annulatus Reut, Nahis, 89. annulatus Reut., Nabis, 823. annulatus Uhl., Plagiognathus, 1240. annulicornis Stål, Namacus, 291. annulicornis Banks, Phlegyas, 511, 513. †annulicornis Osb., Phytocoris, 922. annulicornis (Reut.), Phytocoris, 930. annulicornis (Stål), Rocconota, 791. †annulicrus Berg, Phlegyas, 513. annulicrus Stål, Phlegyas, 511. annulipes Boh., Aradus, 379. annulipes Guer., Anisoscelis, 258. annulipes Stål, Barce, 713. annulipes (H.S.), Lethocerus, 1392. annulipes Stål, Phymata, 687. annulipes Stål, Ranatra, 1386. annulipes Van D., Rhynocoris, 777b. annulipes Champ., Velia, 1315. anoflava Buckt., Heliria, 1626. anomala Crawf., Aphalara, 2831. antennalis Reut., Phytocoris, 928. †antennalis Van D., Phytocoris, 929 antennata Van D., Ptochiomera, 560. antennata Crawf., Rhinopsylla, 2847. antennata Pshly., Hesperotingis, p. 818. (Fabr.), antennator Chariesterus. 283. †antennatus Flor, Miris, 898. antennatus Uhl., Psallus, p. 407. antenni-rectus Goeze, Cimex, 879. antevolens White, Anthrocoris, 859. anthocoroides Ūhl., Pamerocoris. 1091. anthracina Uhl., Salda, 1322. anthracinus Uhl., Ectopiocerus, 973. anthracinus (Van D.), Euscelis, 2139. anthracinus (Uhl.), Lobolophus, 70. anthracinus (Uhl.), Thyreocoris, 29. antica H.S., Anisoscelis, 250. antica Walk., Tettigonia, 1874. anticonigra Fairm., Acutalis, 1602a. anticus Sign., Corizus, 346. anticus Walk., Lygaeus, 358. antiguensis (Westw.), Thyanta, 162. antillarum Kirk., Tetyra, 1. antonina Walk., Enchenopa, 1734. anurus H.S., Diplonychus, 1395. apache Kirk., Belostoma, 1400. apacheanus Kirk., Cochise, 2749. aperta Van D., Platypedia, 1542. apertus Van D., Phlepsius, 2236. aphidioides Van D., Pissonotus, 2737.

apiatus (Uhl.), Chlamydatus, 1263. apicalis Sign., Acucephalus, 1936d. apicalis (O. & B.), Bythoscopus, 1836. apicalis (DeL.), Erythroneura, 2445k. apicalis (Dall.), Ficana, 299. apicalis Van D., Hecalus, 1950. apicalis Fieb., Lygus, 1024. apicalis Macrotyloides, Van D., 11961/2. apicalis (Dall.), Stachyocnemus, 330. apicalis (Walk.), Vanduzea, 1711. apicatus Osb., Deltocephalus, 2062. apiculata Uhl., Nepa., 1379. apiculata Uhl., Nepa., 1379. apiculatus Reut., Oncocephalus, 729. apiculatus Reut., Psylla, 2922. approximata R. & F., Nezara, 178. approximatus (Stål), Lygus, 1029. aptera Stål, Fitchia, 789. †aptera Walk., Gerris, 1283. apterus Fh., Blissus, 496. apterus (Linn) Haltique, 1110. apterus (Linn.), Halticus, 1119. apterus (Linn.), Pyrrhocoris, 626. aquila H.S., Pachycoris, 4a. arbolensis Crawf., Paratrioza, 2853. arborea (Say), Brochymena, 81. arborea Ball, Paropulopa, 1760. arbuti Schw., Euphyllura, 2896. arbuticola Crawf., Euphyllura, 2897. arctica (Walk.), Psyllia, 2924½. arctostaphylae Van D., Okanagana, arctostaphylae Ball, Phlepsius, 2204a. arctostaphylae Van D., Phymata, 689c.arctostaphyli Schw., Euphyllura, 2895. arctostaphyli (Ball), Euscelis, 2142. arcuata G. & B., Cicadula, 2361. arcuata Fabr., Cimex, 1. arcuata (Say), Corythucha, 639. arcuata (Say), Vanduzea, 1709. arcuatus Kschb., Acucephalus, 1936b. arcuatus (Emns.), Cyrtolobus, 1671. ardens McAt., Paracalocoris, p. 820. areatus Harr., Jassus, 1983. areatus Kngt., Lygus, p. 821. †arenarius Uhl., Emblethis, 597. arenarius (Linn.), Trapezonotus, 589. areolata Uhl., Dictyssa, 2606. areolata (Uhl.), Platypedia, 1538. areolatus Ball, Deltocephalus, 2035. areolatus Bak., Phlepsius, 2200. areolatus Van D., Thamnotettix, 2277. argenteolus (Uhl.), Aconura, 2121. argenticollis Parsh., Gerris, 12881/2. argus Rey, Acucephalus, 1936g. aridellus Boh., Deltocephalus, 2 aridus Ball, Errhomenellus, 1893. aridus Ball, Oliarus, 2532. arizona Godg., Stictopelta, 1725. arizonae Aulm., Trioza, 2868. arizonensis Barb., Dendrocoris, 197. arizonensis Godg., Evashmeadea, 1714.

arizonensis (Banks), Ploiaria, 704. arizonica Banks, Spiniger, 744. arizonicus Ckl., Macrocephalus, 696. arkansasensis Fh., Clastoptera, 1568. armata Bckt., Dicraneura, 2387½. armata (Burm.), Rhagovelia, 1311. armatipes Walk., Rhyparochromus, armigera (Say), Anasa, 307. arphnoides Bak., Ortholomus, 464. artemisiae Fstr., Aphalara, 2817. artemesiae G. & B., Athysanus, 2100. artemisiae Schill., Capsus, 1031. artemesiae Kirk., Danepteryx, 2628. arundineus Crmb., Deltocephalus, 2064. arvensis (Fh.), Liburnia, 2772. arvicola Latr., Lygaeus, 840. ashmeadi Montd., Archimerus, 273. ashmeadi Heid., Leptoglossus, 251. asodalis Godg., Potnia, 1729. aspersa G. & B., Empoasca, 2417. assimilis Crawf., Arytaina, 2906. assimilis (Reut.), Cardiastethus, 867. assimilis Uhl., Coriscus, 831. assimilis Crawf., Trioza, 2870.
associata O. & D., Corythucha, 649%.
associatus (Uhl.), Chlamydatus, 1260.
astigmata (Crawf.), Psyllia, 2937.
ater Dall., Alydus, 323.
ater (Rak.) Rythogogous, 1842 ater (Bak.), Bythoscopus, 1843. ater (Linn.), Capsus, 1008. ater Geoff., Cimex, p. 823. †ater Poda, Cimex, 733. ater (Duf.), Dufouriellus, 871. †ater Wirtn., Geocoris, 502. ater Van D., Pissonotus, 2726. ater (A. & S.), Thyreocoris, 27.
athenae Crawf., Rhinopsylla, 2846.
atlanticus Horv., Scolopostethus, 611.
atlas (Godg.), Centrodontus, 1744.
atra Van D., Dictyobia, 2620.
atra Van D., Neoslossonia, 1949. atra Germ., Phylloscelis, 2484. atra Germ., Phylloscells, 2484.
†atrata Van D., Microtoma, 594.
atrata Bueno, Microvelia, 1306¼.
atratus Fabr., Alydus, 317.
atratus Dist., Fulvius, 1093.
atratus (Dist.), Pycnoderes, 1080.
atratus (Uhl.), Strongylocoris, 1124.
atricolor Montd., Geocoris, 504.
atricornis (Van D.), Elasmostethus atricornis (Van D.), Elasmostethus, atricornis Stål, Trichopepla, 99. atridorsum Van D., Thamnotettix, 2286. atriflavus Kngt., Lygus, p. 821. atrinotatus Kngt., Lygus, p. 822. atrispinus Stål, Chlorocoris, 166. atripennis (Reut.), Platytylellus, 904. atriseta Van D., Labopidea, 1195½. atritylus Kngt., Lygus, p. 822. atrolabes Gill., Empoasca, 2401. atropuncta (Gill.), Aconura, 2123. †atropunctata Ball, Tettigonia, 1856.

atropunctatus Van D., Thamnotettix, attenuata (Bak.), Aconura, 2114. attractus Ball, Phlepsius, 2205. audax Banks, Zelus, 775. augur Say, Pentatoma, 117. auletes (Germ.), Tibicen, 1484. †aulicus H.S., Lygacus, 432. aurantiaca Crawf., Trioza, 2869. †aurantiacum B. & B., Belostoma, aurantiacum Leidy, Zaitha, 1393. aurantiacus (Prov.), Thamnotettix, 2278. auratus G. & B., Deltocephalus, 2091. auratus Ball, Eutettix, 2172. aurea Wlsh., Typhlocyba, 2380a. aureolus Van D., Thamnotettix, 2277. aureoscericea Fowl., Bolbonota, 1743. aureotecta S. & D., Empoa, 2430%. aureoviridis (Uhl.), Empoasca, 2396. aurioulata Fh., Smilia, 1661. auriculatus Stal, Capaneus, 267. aurifera (Say), Tibicen, 1480. aurigena Walk., Proconia, 1848. aurivillii Bergr., Pictinus, 402. auronitens Prov., Scaphoideus, 1983. aurora Bak., Tettigonia, 1857. auroreum (Uhl.), Hysterop Hysteropterum, 2600. australis (Wlsh.), Empoa, 2431. australis Say, Hydrometra, 1282 australis (Davis), Tibicen, 1475a. australis Bueno, Velia, 1315½. austroriparius Heid., Atheas, 679. axialis Van D., Kelisia, 2706. azalcae Horv., Stephanitis, 652. azteca (Kirk.), Tibicen, 1492. bactriana Germ., Entylia, 1716. badia Walk., Proconia, 1846. badius Van D., Ischnodemus, 495. badius H.S., Mononyx, 1410. bajula Godg., Vanduzea, 1714. bakeri Popp., Anthocoris, 856. bakeri Mont., Belostoma, 1398. bakeri Bergr., Chlamydatus, 1266. bakeri Reut., Phytocoris, 942. bakeri Crawf., Trioza, 2855. balanodis Abb., Ramphocorixa, 1419. balli Osb., Chlorotettix, 2332. balli Van D., Deltocephalus, 2097. balli Van D., Draeculacephala, 1869. balli (Van D.), Vanduzeeina, 26. balteata Zett., Cicada, 2072. †balteatus? Van D., Ligyrocoris, 537. banksi Bak., Barce, 716. banksi Barb., Ochterus, 1413. barbarae Kirk., Danepteryx, 2627. barbata Van D., Telamona, 1630. barberi Van D., Ormenis, 2657. barberi Davis, Pselliopus, 780. barretti Bak., Neocoelidia, 2350. bartschi Van D., Eutettix, 2166. basalis Fh., Blissus, 496. basalis Walk., Ceresa, 1580.

basalis Van D., Cixius, 2546.
basalis (Van D.), Macropsis, 1815.
basalis Fieb., Notonecta, 1357.
basalis Walk., Oplomus, 212a.
basalis (Dall.), Orthaea, 554.
basalis Walk., Pentatoma, 183.
basalis Proc., Poscileccutus, 2724. basalis Prov., Poeciloscytus, 1185.
basalis Reut., Poeciloscytus, 991.
basilaris (Say), Erythroneura, 2443d.
basivitta Van D., Liburnia, 2769.
basivitta Walk., Ptyelus, 1561. §basivittis Van D., Platytylellus, 905. basivittis Reut., Poeciloscytus, 994. beginii Ashm., Halobatopsis, 1296, 1297. behrensi Bergr., Aradus, 367. behrensii (Uhl.), Heterogaster, 510. behrensii Uhl., Pamillia, 1134. belangeri Prov., Miris, 879.
belfragei Stål, Archasia, 1662.
belfragei Stål, Cyrpoptus, 2456.
belfragei Stål, Lygaeus, 440.
†belfragei Prov., Lygus, 1031.
belfragei Hagl., Protenor, 312.
belfragei Stål Rhytidolomia, 103 belfragei Stal, Rhytidolomia, 103. belfragei Stål, Teleonemia, 675. belfrageii Reut., Metatropiphorus, 834. belfrageii Reut., Lygus, 1018. bella Van D., Hyalochloria, 1168½. belli (Uhl.), Thamnotettix, 2275. belligera Say, Membracis, 1728. bellula Bueno, Corythaica, p. 817. bellus Van D., Cymus, 486. bellus Emns., Phytocoris, 1004. berylina Westw., Pentatoma, 178. biceps (Say), Systelloderus, 684. bicincta (Say), Monecphora, 1545. bicinctura Van D., Catonia, 2509. bicinctura Godg., Publilia, 1721. bicinctus Curt., Acucephalus, 1933. bicinctus Walk., Capsus, 901. bicinctus (Van D.), Microphylellus, 1227. bicolor Fabr., Cicada, 2072. bicolor HS., Ectrychotes, 751. bicolor (Van D.), Euscelis, 2157. bicolor Van D., Lonatura, 2111.

†bicolor Snow, Lygaeus, 440.

bicolor (Osb.), Macropsis, 1816.

bicolor Ball, Megamelanus, 2710. bicolor Fieb., Notonecta, 1357. bicolor McAt., Paracalocoris, p. 820. bicolor DeL., Platymetopius, 2031 1/2. bicolor Westw., Pyrrhotes, 358. bicolor Ball, Scaphoideus, 2002. bicolor Stål, Spiniger, 743. bicolor Dür, Trioza. 2862. bicolor Scholtz, Xylocoris, 851. bicoloratus Ball, Eutettix, 2194. biconica (Walk.), Tibicen, 1470. bicornata Crawf., Laccocera, 2747. bicornis (Fabr.), Bothriocera, 2527. bicrucis Say, Lygaeus, 452.

bicuspis H.S., Anthocoris, 840. bidens McAt., Paracalocoris, p. 820. bifascia Walk., Monecphora, 1545. bifasciata Stål, Amblyomia, 259. bifasciata Prov., Delphax, 2751. bifasciata G. & B., Empoa, p. 826. bifasciata Prov., Livia, 2810. bifasciata (Van D.), Macropsis, 1818. †bifasciata G. & B., Pediopsis, 1820. †bifasciata Osb., Pediopsis, 1819. bifasciata Boh., Typhlocyba, 24301/2. bifasciata G. & B., Typhlocyba, 2430a, p. 826. bifasciatus Fabr., Cimex, 1129. †bifasciatus Schr., Cimex, 1128. †bifasciatus Fabr., Philaenus, 1560a. bifibulus (P.B.), Euschistus, 128. bifida (Say), Edessa, 202. bifida (Say), Edessa, 202. bifida (Say), Kolla, 1859. bifidus S. & D., Phlepsius, 2227½. bifidus (Davis), Tibicen, 1471½. biformis Stål, Euschistus, 133. 1396. bifusifera Walk., Enchenopa, 1735. bigeloviae Bak., Agallia, 1770. biguttata Uhl., Europiella, 1254. biguttatus Goeze, Cimex, 1071. biguttatus Schr., Cimex, 985. biguttatus Reut., Orthotylus, 1171. biguttatus (Say), Rasahus, 747. biguttatus (Say), Rasahus, 747. biguttula Stål, Tempyra, 576. biguttulatus Uhl., Psallus, 1216. biimpressus Montd., Pelocoris, 1367. bijugis Uhl., Homaemus, 15. bilineata (Prov.), Arctocorixa, 1423. bilineata (Say), Philaronia, 1559. bilineatus H.S., Capsus, 1203. bilineatus G. & B., Deltocephalus, 2033. bilineatus (Say), Pangaeus, 58. bilobata (Say), Orthaea, 549. †bilobata (Dist.), Pamera, 550. †bilobata Prov., Pamera, 537. bilobata Van D., Stobaera, 2757. bilobus Gmel., Cimex, 191. bilobus Say, Zelus, 768. bimacula Walk., Enchenopa, 1734. bimaculata Guer., Corixa, 1420. (Thom.), Cosmopepla, bimaculata 149. bimaculata Spångb., Gypona, 1907. bimaculata Woodw., Gypona, 1916. bimaculata Dist., Pachygrontha, 518. bimaculata (Fabr.), Thelia, 1615. bimaculatus Linn., Cimex, 986. bimaculatus Schr., Cimex, 1071. bimaculatus G. & B., Deltocephalus, bimaculatus Stål, Dysderus, 630. binotata (Wlsh.), Alebra, 2381. binotata Ball, Clastoptera, 1567b. binotata Dist., Cosmopepla, 152. binotata (Say), Enchenopa, 1735.

binotata (Godg.), Micrutalis, 1606a. binotata (Say), Phimodera, 24. binotatus Kngt., Lygus, p. 822. binotatus Spnr., Pissonotus, 2725. binotatus (Pab.) Stanotus 969 binotatus (Fabr.), Stenotus, 969. binotatus (Reut.), Xylocoris, 84 bioculatus (Fabr.), Perillus, 216. bioculatus (Fabr.), Perilius, 216.
bipunctata Ball., Orgamara, 2493.
bipunctata (H.S.), Tetyra, 3.
bipunctatus Sahlb., Capsus, 1016.
bipunctatus Fabr., Cimex, 985.
bipunctatus Kby., Ligyrocoris, 547.
bipunctatus Van D., Phytocoris, 929.
bipunctulus Woodw., Gypona, 1910.
bipunctulus H.S. Luggere, 436. bipunctulus H.S., Lygaeus, 436. (Stål), Eurypohthalbipustulatus mus, 619. birdii Godg., Empoasca, 2424. bisignata Uhl., Mesovelia, 814. bisignatus (Ball), Bythoscopus, 1840. bispinus Westw., Metapodius, 238. bistriangularis Say, Lygaeus, 441. bistriata Gmel., Cicada, 1934. bitransversus Sign., Lygaeus, 452. bivittata (Say), Acanalonia, 2639. bivittata (Ball), Aphelonema, 2593. bivittata Prov., Coriza, 1423. bivittata Rathv., Enchenopa, 1735. bivittis (Stål), Platytylellus, 908. blandus Gill., Deltocephalus, 2070. blandus Ball, Scaphoideus, 2003. blaisdelli (Uhl.). Clidophleps, 1525 blaisdelli (Uhl.), Clidophleps, 1535. blatchleyi Reut., Plagiognathus, 1234. bohemani (Stål), Crophius, 522. bohemanii Sign., Corizus, 349. bohemanni (Fall.), Microsynamma, p. 419. bonnetii Kby., Anotia, 2683. borealis Westw., Acanthosoma, 204. borealis Dall., Anthocoris, 860. borealis Heid., Aradus, 376. borealis Fairm., Ceresa, 1579. borealis S. & D., Chlorotettix, 23341/2. borealis Uhl., Corizus, 345. borealis Dist., Cydamus, 314. borealis (Dall.), Geocoris, 499a. borealis Spng., Jassus, 2341. borealis Bueno, Microvelia, 1303. borealis Van D., Oecleus, 2554. borealis Horv., Psyllia, 2927.
borealis Dall., Rhyparochromus, 600.
boreellus Reut., Nabis, 832.
boscii L. & S., Belostoma, 1395. †boscii Uhl., Perthostoma, 1393. bouchervillei Prov., Sciodopterus, 1321. boxura Dall., Pentatoma, 140. brachialis Stål, Velia, 1314. brachycerus (Uhl.), Irbisia, 975. brachyonyx Mayr, Abedus, 1406. bracteatus (Fh.), Apateticus, 225. bracteatus (Say), Halticus, 1121. bracteatus Ball, Hecalus, 1951. bradleyi Abb., Arctocorixa, p. 479.

bradleyi Van D., Draeculacephala, bradleyi Kngt., Lygus, p. 821. brasiliensis Reut., Ceratocombus, 1277. brasiliensis Bak., Protalebra, 2379. breviantennata Crawf., Trioza, 2856. breviatus (Ptch.), Psyllia, 2918. breviatus Bergr., Aradus, 388. breviceps Stål, Abedus, 1403. breviceps Stål, Cymus, 487. breviceps Fowl., Oliarus, 2532. breviceps (Reut.), Plagiognathus, 1242. brevicollis Montd., Ranatra, 1384. brevicornis O. & D., Alveotingis, p. brevicornis Fh., Ceresa, 1583. †brevicornis Prov., Ceresa, 1580. Champ., brevicornis Leptoypha, 6661/2. brevicoxa Banks, Emesa, 710. brevipennis H.S., Chemodus, 566. brevipennis (Say), Emesa, 709. brevipes Jak., Trigonotylus, 892. brevirostris O. & D., Physatocheila, 6651/4. brevis Uhl., Camptobrochys, 1061. brevis Walk., Ceresa, 1582. brevis Walk., Enchenopa, 1735. brevis Van D., Platymetopius, 2030. brevis Ball, Telamona, 1659. brevis Van D., Thyanta, 165. brevis Van D., Tylopelta, 1741. brevispinus Guer., Proxys, 138. brevistigmata (Ptch.), Psyllia, 2935. brevitylus Van D., Ceresa, 1574. breviusculus Reut., Phytocoris, 954. †breviusculus Van D., Phytocoris, 953. brimleyi Kirk., Arctocorixa, 1460. brittoni Osb., Thamnotettix, 2253. bruesi Berg, Harmostes, 336. brullei L. & S., Nabis, 828. bruneri Barb., Pseudocnemodus, 569. brunnea Banks, Barce, 714a. brunnea Drke., Merragata, p. 819. brunnea Prov., Psylla, 2943 1/2. brunnea Prov., Tragopa, 1602a. Buckt., Telamona, brunneipennis 1644. brunneo-bifasciatus Geof., Cicada, 1934. bruneosa Wild, Tibicen, 1474. brunneus Ball, Acinopterus, 2249c. brunneus Osb., Eutettix, 2162. brunneus (Prov.,), Fulvius, 1091. brunneus O. & B., Idiocerus, 1796. brunneaus Van D., Orthotylus, 1179a. brunneus Ball, Parabolocratus, 1958. brunneus DeL., Phlepsius, 22461/2. brunneus Van D., Pissonotus, 2735. brunneus Osb., Thamnotettix, 2275b. brunneus Van D., Xestocephalus, 1945. brunnicornis (H.S.), Mozena, 261.

bubalis Fabr., Centrotus, 1572, 1579.
†bubalus Buckt., Ceresa, 1580.
bubalus (Fabr.), Ceresa, 1572.
†bubalus Fh., Ceresa, 1571.
buenoi Kirk., Gerris, 1289.
buenoi Abb., Palmacorixa, 1462.
bulbosa O. & D., Corythucha, 649%.
bullata (Say), Thionia, 2634.
bullatus (Say), Geocoris, 499.
bullatus Ball, Thamnotettix, 2300.
burmeisteri L. & S., Hebrus, 810.
burmeisteri Stål, Labops, 1118.
burmeisteri (Guer.), Ozophora, 573.
burmeisterii Fieb., Corixa, 1469.
burnettii Fh., Anotia, 2685.
buxi (Linn.), Psyllia, 2940½.

caelata Uhl., Corythucha, 642. caerulea (Linn.), Zicrona, 235. caesar Reut., Lomatopleura, 1143. caffra Stál, Nabis, 828. calamorum Fh., Diraphia, 2812. calcarator (Fabr.), Archimerus, 270. †calcarator Stal, Archimerus, 271. tcalcaratus Uhl., Alydus, 323, †calcaratus Uhl., Brachytropis, 882. calceata (Say), Thyanta, 160. calidus Fabr., Lygacus, 614. californica Bak., Agallia, 1772. californica Schw., Calophya, 2840. californica Crawf., Ceropsylla, 2882. californica Bak., Koebela, 1754. californica Van D., Lamenia, 2674. californica Dist., Okanagana, 1525. californica Ball, Paropulopa, 1761. californica Banks, Ploiariola, 699. californicus Montd., Ambrysus, 1372. californicus (Bak.), Bythoscopus, 1844. 1844. californicus (Stål), Dicyphus, 1107. californicus Crawf., Kormus, 2744. californicus Walk., Lygaeus, 460. californicus Stål, Nysius, 466. californicus Van D., Oliarus, 2533. californicus (Reut.), Xylocoris, 850. californiensis (Godg.), Philya, 1746. californiensis Bak., Ploiaria, 705. caligineus (Stal), Cyrtocapsus, 1072. caliginosus Walk., Aradus, 382. caliginosus Dist., Trapezonotus, 591. callidus Ball, Deltocephalus, 2061. callidus Ball, Deltocephalus, 2061. calliope (Walk.), Melampsalta, 1543. calmariensis Fall., Pyrrhocoris, 626. calthae (Linn.), Aphalara, 2815. calva (Say), Arctocorixa, 1424. †calva Prov., Banasa, 182. calva (Say), Banasa, 184. calva (Say), Micrutalis, 1605. calvus Van D., Platycixius, 2543. camelus (Fabr.), Smilia, 1664. campestris Van D., Liburnia, 2773. campestris (Fabr.), Lyctocoris, 840. campestris Fall., Lygaeus, 1031. campestris (Linn.), Lygus, 1036 campestris Ball, Oecleus, 2558.

cana Burm., Gypona, 1898. cana Osb., Gypona, 1899. †cana Uhl., Stenopoda, 727. canadensis Prov., Archasia, 1662. canadensis Prov., Cicada, 1518. canadensis Van D., Criocoris, 1224. canadensis (Prov.), Lyctocoris, 841. canadensis Kngt., Lygus, p. 822. canadensis (Van D.), Macropsis, 1817. canadensis Prov., Nabis, 818. canadensis (Van D.), Neoborus, 1045. canadensis (Prov.), Pseudocnemodus, canadensis Van D., Ulopa, 1764. †canaliculatus Prov., Gerris, 1289. canaliculatus Say, Gerris, 1290. candelabrum Goeze, Cimex, 258. candida Ball, Neocoelidia, 2344. candidatus Van D., Ortho Orthotylus, 11781/4. canescens Van D., Okanagana, 1519. canescens Reut., Phytocoris, 926. †canicularis Prov., Cicada, 1474. canicularis (Harr.), Tibicen, 1479. cantharinus Mull., Cimex, 1158. canus Dist., Calocoris, 1122. caperatus Ball, Deltocephalus, 2096. caperatus Ban, Denocephatus, 200 capillaris Fabr., Cimex, 1071. capitata Van D., Diaphnidia, 1168. †capitata Bueno, Rhagovelia, 1304. capitatus Uhl., Protacanthus, 424. capitulatus Van D., Oecleus, 2560. capra Melsh., Microcentrus, 1748. †capsiformis Uhl., Coriscus, 824. capsiformis Germ., Nabis, 828. cara Van D., Catonia, 2521. †carbonaria Uhl., Microtoma, 594. carbonarius Fh., Phytocoris, 1138. carbonata Uhl., Corythucha, 64934. cardinalis Uhl., Tropidosteptes, 1039. cardui Curt., Acucephalus, 1933. caricis (Fall.), Cyrtorhinus, p. 824. caricis Crawf., Livia, 2813. caricis Kirk., Teratocoris, 898. caricis G. & B., Thamnotettix, 2304. carinata Kby., Arctocorixa, 1439. carinata (Champ.), Buenoa, 1361. §carinata Woodw., Dicraneura, 2392. carinata (Forst.), Entylia, 1716. carinata Van D., Macrotomella, 2722. carinata (Fabr.), Sirthenea, 750. carinata Fabr., Syrtis, 689.
carinatus Van D., Eurygaster, 20.
carinatus McAtee, Geocoris, 505.
carinatus D. & S., Lopomorphus, 879. carinatus Osb., Scaphoideus, 1992. cariosa Stal, Brochymena, 88. carneipes Mayr, Phymata, p. 229. carneola (Stål), Dikraneura, 2392. carnifex Fabr., Cimex, 149. carnosulus Van D., Lygaeus, 448. carolina H.S., Arhaphe, 623. carolina H.S., Luteva, 708.

carolinae Reut., Lygus, 1022. carolinensis (Westw.), Brochymena, 89. carolinensis Stål, Narvesus, 731. carolinensis Bueno, Pelocoris, 1368. carolinus Lthr., Phlepsius, 22101/2. carolinus Lthr., Platymetopius, 20271/4 carpini Fh., Psylla, 2931. carpinicola (Crawf.), Psyllia, 2931. caryae Kngt., Lygus, p. 822. caryae (Fh.), Microcentrus, 1747. cassinii (Fish.), Tibicina, 1510a. casta Stål, Thyanta, 161. castanea Barb., Esuris, 609.
castaneae (Fh.), Cyrtolobus, 1690.
castaneus A. & S., Cyrtomenus, 44.
castaneus (Davis), Tibicen, 1493½.
castoreus Ball, Deltocephalus, 2095. castus McAt., Paracalocoris, p. 820. catalina O. & B., Lonatura, 2107. catalinus Ball, Scaphoideus, 2005. catinus Dall., Rhaphigaster, 184. catulus Van D., Orthotylus, 1175½. caudata Crawf., Aphalara, 2823. caudata (Crawf.), Psyllia, 2941. caudata Van D., Rhynchopteryx, 2665. caviceps Reut., Hyalochloria, 11684. cavifrons Stål, Neottiglossa, 148. ceanothae Crawf., Arytaina, 2910. cedrelae Kief., Psylla, 294334. cellulatus Brul., Corizus, 345. celsus Van D., Cyrtolobus, 1667. celtidis O. & D., Corythucha, 6494. celtidis-asteriscus Rly., Pachypsylla, 2887. celtidis-curourbita Rly., Pachypsylla, 2887. celtidis-gemma Rly., Pachypsylla, 2890. celtidis-globulus Rly., Pachypsylla, 2887. celtidis-grandis Rly., Pachypsylla, 2886. celtidis-mamma Rly., Pachypsylla, 2887. celtidis-minuta Rly., Pachypsylla, p. 801. celtidis-pubescens Rly., Pachypsylla, 2887. celtidis-umbillicus Rly., Pachypsylla, 2887. celtidis-vesiculum Crawf., Pachypsylla, 2889. centriguttatus Bergr., Aradus, 371a. cephalica (Crawf.), Psyllia, 2932. cerachates (Uhl.), Camptobrochys, cerasi (Ptch.), Psyllia, 2939. ceres Kirk., Notonecta, 1359a. cervicalis Stål, Zelus, 770. chagnoni Stev., Lygus, 1014.

Dist., Ischnorrhynchus, championi 48Ô. championi Dist., Proarna, 1502. characterea Germ., Cicada, 1501. charon Kirk., Notonecta, 1352d. chelifer Crawf., Arytaina, 2908. chewkeanus Kirk., Raduviolus, 381. chinensis Westw., Pentatoma, 178a. chiragricus Ball., Thamnotettix, 2322. chisos Davis, Cicada, 15011/2. chlamydatus (Prov.), Thamnotettix, 2292. chlopterus H.S., Capsus, p. 824. †chlorionis Horv., Orthotylus, 1172. chlorionis (Say), Orthotylus, 1173. chloris (Uhl.), Ilnacora, 1182. chloris Mich., Ormenis, 2658. †chloris Prov., Sthenarops, 1046. chloriza Uhl., Labopidea, 1194. chlorogenes Dur, Psylla, 2913. chloromera Walk., Thopha, 1473. choctawana Kirk., Emesa, 709. chrysanthemi Hahn, Lopus, 1207. chrysocephalus Gmel., Cimex, 1071. chrysomelas Walk., Oplomus, 212b. chrysorrhoeus (Fabr.), Diolcus, 10. cicindeloides Walk., Arhaphe, 624. †ciliata Prov., Corythuca, 639 ciliata (Say), Corythucha, 638. ciliatus Fabr., Cimex, 258. ciliatus Osb., Thamnotettix, 2306. ciliatus (Uhl.), Thyreocoris, 32. oimbricus Mull., Cimex, 1071. Swed., Macrocephalus, cimicoides 691. cincticornis Bergr., Aradus, 370. cinctifera (Uhl.), Tibicen, 1497. cinctifrons (Fh.), Catonia, 2508. foinctipes var. Bergr., Pictimus, 402. cinctipes (Say), Podops, 74. cinctiventris Stål, Rhiginia, 752. cinctus Van D., Cyrtolous, 1677. cinctus (H.S.), Euryophthalmus, 615. cinctus O. & B., Eutettix, 2180. foinctus Van D., Largus, 616. cinctus (Fabr.), Pselliopus, 779. cinctus (P.B.), Sehirus, 71. cinerea O. & B., Agallia, 1771. cinerea Uhl., Gypona, 1929. toinerea Ferr., Nepa, 1379. cinerea (Say), Piesma, 636. cinerea Lap., Stenopoda, 727. cinerea A. & S., Therapha, 358. cinereus (Fabr.), Atrachelus, 792. cinereus (Ems.), Cyrtolobus, 1686. Soinereus O. & B., Deltocephalus, 2086. cinercus Oliv., Nabis, 829. cinercus Van D., Phlepsius, 2232. cinercus O. & B., Platymetopius, 2019. Van D., Deltocephalus, cinerosus 2086. cinerosus Osb., Scaphoideus, 1999. cingulata Uhl., Ticida, 2497. cingulatus Ball, Idiocerus, 1784a.

cinnamomeus Panz., Aradus, 391. cinnamomeus Prov., Oliarus, 2541. cinnamopterus (Krsch.), Pilophorus, 1129 circellata (Bak.), Cicadella, 1856. circumcincta Van D., Liburnia, 2776. circumcinctus Montd., Ambrysus, 1371. circumcinctus G. & B., Lygaeus, 454. circumcinctus Stål, Perillus, 217. circumcinctus (Say), Platytylellus, circumflexus Prov., Acucephalus, 1936. circumlitus Stål, Lygaeus, 454. cissi Harr., Membracis, 1646. citri (Ashm.), Halticus, 1122. citrina Spangb., Gypona, 1915. citrinifrons G. & B., Thamnotettix. 2276. †citronellus Prov., Thamnotettix, 2266. cixiiformis (Uhl.), Myiomma, 1273. clanda (Say), Perillus, 216a. clandestina Van D., Opistheuria, 913. clarior Walk., Proconia, 1846. claripennis Crawf., Calophya, 2843a. clarivida Van D., Eutettix, 2173. clathrata Mich., Dictyssa, 2605. claudus Uhl., Perillus, 216. clavata (DeL.), Erythroneura, 2447d. olavata Guer., Heza, 795. clavata Stål Melanorhopala, 667. olavatus Dall., Aphanus, 557. clavatus (Ball), Euscelis, 2141½. clavatus (Linn.), Pilophorus, 1128. clavicornis Stål, Oncozygia, 72. †claviculus Uhl., Cymus, 485. clavigenitalis Kngt., Lygus, p. 822. claviger Gmel., Cimex, 736. clavigera Uhl., Ptochiomera, 558. clavipes Uhl., Pilophorus, p. 380. cliens Stal, Macrocephalus, 693. cliens (Stal), Stenomacra, 622. tclitcllarius Prov., Bythoscopus, 1801. †clitellarius Prov., Macropsis, 1824. clitellarius (Say), Thamnottetix, 2265. clitoriae Heid., Leptostyla, 661. †clitoriae O. & D., Leptostyla, 660. clypealis Heid., Leptoglossus, 252. clypeata Van D., Acanalonia, 2646. clypeata G. & B., Empoasca, 2407. clypeata Curt., Eupteryx, 2370. clypeatus (Stål), Platycarenus, 77. coagulata Say, Tettigonia, 1848. coagulatus (Uhl.), Orthotylus, 1171. coarctatus Heid., Aradus, 366. coccinea (Fh.), Empoasca, 2406. coccinea (Forst.), Graphocephala, 1864. coccineus Walk., Capsus, 1144. coccineus (Emns.), Horcias, 1000a. cockerellii Gill., Dicraneura, 2388. cockerelli Sulc., Paratrioza, 2852.

toinnamomea Uhl., Spartocera, 278.

cockerelli (Fowl.), Scolops, 2473. cockerelli Ball, Thamnotettix, 2262. coerulescens Stål, Thyreocoris, 33. cognatus Dall., Euschistus, 127. cognatus (Van D.), Oncopsis, 1826. coleoptrata (Linn.), Lepyronia, p. 513. collaris Van D., Diplozona, 1055. collaris Westw., Pentatoma, 157. collaris Stål, Phorticus, 817. tollaris Uhl., Rhagovelia, 1309.
collaris Ball, Thamnotettix, 2269.
collaris Crawf., Trioza, 2858.
†collina Banks, Rhaptus, 604.
collina Van D., Stictocephala, 1595.
collina (Walk.), Telamona, 1653.
collina Flor, Typhlocyba, 2426.
collinus Boh. Deltocephalus, 2077. collinus Boh., Deltocephalus, 2077. collitus Ball, Phlepsius, 2230. coloepium Fh., Cixius, 2547. colon (O. & B.), Euscelis, 2152. colon Fh., Gypona, 1916. colon (Say), Paracalocoris, 980. colonus McAt., Paracalocoris, p. 820. colonus (Uhl.), Thamnotettix, 2316. coloradensis (Gill.), Erythroneura, 2445j.coloradensis Crawf., Livia, 2809. coloradensis (G. & B.), Mesamia, coloradensis Drke., Monanthia, p. 819. coloradensis Bak., Nysius, 471. coloradensis (Bak.), Oncopsis, 1824a. colorata Walk., Arma, 220. colorata Van D., Elidiptera, 2498. coloratus Kngt., Lygus, p. 821. columba Fh., Gypona, p. 615. columbianus Ball, Eutettix, 21851/2. columbiensis Kngt., Lygus, p. 821. comatus (Ball), Thamnotettix, 2315. combinata Ball, Dictyobia, 2621. comes (Say), Erythroneura, 2445. comma (Van D.), Euscelis, 2151. commissuralis (Stål), Empoa, 2434. commissuralis Reut., Xenoborus, 1046. communis Uhl., Aethus, 50. communis Crawf., Aphalara, 2822. communis Crawf., Aphalara, 2822.
communis Gill., Dicrancura, 2386.
communis Fh., Helochara, 1863.
†communis Walk., Helochara, 1862.
communis Kngt., Lygus, 1020½.
commutatus Fieb., Lygus, 1017.
compacta Walk., Cicada, 1505.
compacta Ball, Telamona, 1638. compactus (Uhl.), Aethus, 52. compactus (Uhl.), Aphanus, 595. compactus O. & B., Deltocephalus, 2059. compactus Ball, Platymetopius, 203014. compar McAt., Paracalocoris, p. 820. complectus Ball, Oliarus, 2531. complexa Caud., Sinea, 804. compressa Buckt., Antianthe, 1664.

compressa Abb., Arctocorixa, p. 479. compressa Fabr., Membracis, 1732. compressicornis Sahlbg., Triphleps, compressus Heid., Aradus, 380. compressus Ball, Orgerius, 2489. compta Ball, Neocoelidia, 2349.
compta Fowl., Tettigonia, 1858.
comptus Walk., Euschistus, 131.
tooncava Prov., Entylia, 1717.
concava (Sav.) Publisia, 1719. concava (Say), Publilia, 1719. concava Fh., Telamona, 1648. concavus (Dist.), Ozophora, 574. concentricus Van D., Deltocephalus, 2105. concinna Curt., Aphrodes, 1936. concinna Reut., Europiella, 1254. concinna Westw., Pentatoma, 235. concinna (Stål), Stobaera, 2750. concinna Dall., Strachia, 174. concinnula Fowl., Acanalonia, 2644. concinnus Bergr., Aradus, 394. concinnus Godg., Cyrtolobus, 1694. concinnus S. & D., Deltocephalus, 20781/2. concinnus Stål, Dysdercus, 629. concinnus Uhl., Hebrus, 812. concinnus Ball, Idiocerus, 1783. †concisa Buckt., Entylia, 1716a. concisa Walk., Entylia, 1717. concisus (Walk.), Pirates, 749. concolor Reut., Deraeocoris, 1071c. configuratus Uhl., Deltocephalu Deltocephalus, 2051. confluens LeC., Acanthia, 1324. confluens (Uhl.), Cicadella, 1854c. confluens Reut., Lopidea, 1147. confluens (H.S.), Perillus, 214. confluens Reut., Phytocoris, 951a. confluenta (Say), Lopidea, 1147. confluenta (Say), Saldula, 1324. confluentus (Say), Coreccoris, 279. conformata Mich., Ormenis, 2655. conformis (Uhl.), Aethus, 49. conformis Uhl., Gerris, 1285. conformis Mlch., Ormenis, 2650. confraterna (Uhl.), Acanthocephala, confraternus Barb., Ligyrocoris, 542. confraternus (Uhl.), Platytylellus, 902. confusa Doll., Anisoscelis, 244. confusa (G. & B.), Balclutha, 2372. confusa Caud., Sinea, 802. confusus (Krschb.), Acucephalus, 1936f. †confusus Thoms., Capsus, 1129. confusis Kngt., Lygus, p. 822. confusus Sign., Pangaeus, 55. toonfusus Uhl., Pilophorus, 1130. tconfusus Van D., Pilophorus, 1131. confusus Reut., Plagiognathus, 1231. confusus Reut., Trigonotylus, 895. congrex Uhl., Diommatus, 1176. congrua Uhl., Chlorochroa, 107.

congruus Uhl., Homaloporus, 46. conica (Say), Acanalonia, 2647. conica (Walk.), Telamona, 1657. conicus Van D., Ischnodemus, 494. consanguineus Dist., Davila, 571. consimilis Van D., Liburnia, 2767. consobrina Wlsh., Empoasca, 2423. consobrina Ball, Memnonia, 1938. consobrina Dist., Okanagana, 1522a. consocius (Uhl.), Camirus, 7. consolidus Uhl., Hebrus, 813. consonans Walk., Cicada, 1507. consors Uhl., Homaemus, 15. consors (Uhl.), Hoplomachidea, 1206. consors Uhl., Maurodactylus, 1270. consors Uhl., Scaphoideus, 1987. conspersipes Reut., Phytocoris, 953. conspersus Montd., Alydus, 324. conspersus Uhl., Euschistus, 122. conspersus Walk., Issus, 2634. conspersus Walk., Lygacus, 359. conspicillaris (Dall.), Cosmopepla, conspicuus H.S., Aradus, 379. constans (Walk.), Ceresa, 1577. constricta Van D., Agallia, 1765. constricta O. & D., Corythaica, p. 817. constricta Champ, Leptostyla, 660. constrictus Crawf., Megamelus, 2719. constrictus (Say), Perigenes, 543. †constrictus Util., Plociomerus, 540. contaminata Uhl., Ormenis, 2660. †contaminatus Krschb., Capsus, 1016. contaminatus Url., Dendrocoris, 199. †contaminatus D. & S., Lygus, 1017. contaminatus (Fall.), Lygus, 1015. †contaminatus Prov., Lygus, 1014. conterminus Walk. Euschistus, 129. contiguus Walk., Capsus, 985. contiguus Walk., Pirates, 749. continuus Ball, Idiocerus, 1779b. contracta O. & D., Corythucha, 64514. contractus (Say), Ligyrocoris, 537. contrarius Reut., Carthasis, 835. contubernalis Bergr., Calisius, 397. convexa (Fieb.), Arctocorixa, 1425. convexicollis Reut., Lygus, 1030. convivus Stål, Euryophthalmus, 616. cookei Gill., Deltocephalus, 2106. cooki Bak., Ortholomus, 461a. cooleyi Drke, Acalypta, p. 814. cooleyi (Van D.), Elasmostethus, 205. tooqueberti Prov., Amphiscepa, 2689. coquebertii Kby., Otiocerus, 2693. coquilletti Barb., Heraeus, 529. coquilletti Godg., Telamona, 1658. coquilletti Van D., Thamnotettix, 2260.coquilletti (Van D.), Uhleriella, 1962. coracina Uhl., Nabidea, 875. corculus (Say), Leptoglossus, 246. cordatus Geoff., Cimex, 1158. cordiger Goeze, Cimex, 1158. cordigera Fieb., Notonecta, 1357.

cordigera P.B., Scutellera, 9. coriacea Fabr., Acanthia, p. 825. coriacea Uhl., Salda, 1321. coriacipennis (Stål), Arphnus, 482. Scornata Barb., Thamnotettia, 2315. coronata Ball, Euttetix, 2175a. coronata Ball, Koebelia, 1756. coronata Stål, Sinea, 803. coronatus O. & B., Xestocephalus, 1943. cornuta Ball, Osbornia, 2629. cornuta Guer., Pentatoma, 202. cornuta Osb., Saldoida, 1347. cornutum Mich., Hysteropterum, cornutus (Linn.), Centrotus, 1752. cornutus Godg., Multareis, 1739. corrugata (Van D.), Euptychodera, †corticalis H.S., Aradus, 379. corticalis Hahn, Lyctocoris, 851. corticalis Hahn, Lyctocoris, 851. corticae Germ., Aphrophora, 1554. coryli O. & D., Corythucha, p. 816. coryli (Ptch.), Psyllia, 2919. coryli Fh., Telamona, 1647a. costalis Fabr., Cercopis, 1847. costalis H.S., Harmostes, 336. costalis H.S., Lygaeus, 435. costalis Van D., Perigenes, 545. costalis Sahlb., Salda, 1335. costalis Fabr., Tettigonia, 1510. costalis Fabr., Tettigonia, 1510. costata Van D., Catonia, 2520. costata Pans., Cicada, 1933. costata Pshly., Leptoypha, p. 817. costatus Uhl., Agrammodes, 682. costofasciata Drake, Leptostyla, 662. costomaculatus (Van D.), Phlepsius, coturnix Burm., Leptocoris, 358. orassa Walk., Fidicina, 1498. orassa Schout., Fokkeria, 21. crassa Uhl., Hymenarcys, 142. crassicornis Fabr., Acanthia, p. 823. crassicornis (Linn.), Corizus, 345. crassicornis Van D., Draeculacephala, 1878. crassicornis (Uhl.), Lampracanthia, 1345. crassicornis Fall., Tingis, p. 814. crassicornis Muls., Triphleps, 863. crassicornis (A. & S.), Umbonia, crassimana Fabr., Oedancala, 516. †crassimana Stål, Oedancala, 515. †crassimana Uhl., Oedancala, 514. crassinervis Fstr., Triosa, 2862. crassipennis Turt., Cimex., p. 823. crassipes (Fabr.), Apiomerus, 764. crassipes Schr., Cimex, 829. crassipes Uhl., Corisous, 820. crassipes Reut., Nabis, 821. crassipes Uhl., Pilophorus, p. 380. crassus Walk., Cyrtomenus, 44. crassus Van D., Drymus, 599. crassus Dall., Euschistus, 132.

crataegi O. & D., Corythucha, 6391/4. crataegi (Fh.), Glossonotus, 1621. crataegi Van D., Idiocerus, 1800. crenulatus Fabr., Cimex, 258. crenator (Fabr.), Euschistus, 129. crenatus Germ., Jassus, 1793. crenatus Say, Áradus, 379. crepitans (Van D.), Cacama, 1500. crevecoeuri (Gill.), Erythroneura, 2450. oribratus Walk., Ptyelus, 1548. cristata (Fairm.), Heliria, 1622. cristatus (Linn.), Arilus, 796. crocatus (Uhl.), Apateticus, 226. crocea Van D., Kelisia, 2707. crocea (O. & B.), Macropsis, 1812. croceipes H.S., Capsus, 971. (Úhl.), Strongylocoris, croceipes 1125. croceus Goeze, Cimex, 1071. †cruciata Prov., Acanthosoma, 206. cruciata (Say), Rhiginia, 751. cruciatus O. & B., Deltocephalus, 2068. cruciatus (Say), Elasmostethus, 204. cruciatus Van D., Orthotylus, 1179%. cruciatus Osb., Scaphoideus, 1982. crudelis Westw., Leptocorisa, 316. crudus Van D., Dicyphus, 11081/2. cruentata Gill., Dicraneura, 2384. cruentifera (Uhl.), Okanagana, 1511. cruentus H.S., Alydus, 320. cruentus Fabr., Cimex, 358. crumbi DeL., Thamnotettix, 2302½. †cubae Uhl., Corixa, 1417. cubaensis (Mayr), Belostoma, 1400. cubana Crawf., Dicranotropis, p. 827. cubana Stål, Oedancala, 517. cuoullata Burm., Hemiptycha, 1666. cucullata A. & S., Membracis, 1733. cucullata Van D., Telamona, 1624. culiciformis (Fabr.), Stenopoda, 727. culicis Uhl., Hymenodectes, 684. culicis Bucno, Stenopoda, 727. culta Van D., Liburnia, 2765. cultriformis (Davis), Tibicen, 1485½. cultus Ball, Cixius, 2550. cumulatus Ball, Phlepsius, 2204. cunealis Reut., Camptobrochys, 1060a. cunealis McAt., Paracalocoris, p. 820. cunealis Van D., Phytocoris, 948. cunealis Uhl., Plagiognathus, p. 412. cuneata Van D., Lopidea, 1152. cuneatus Dist., Neocapsus, 1006. cuneatus Van D., Orthotylus, 117916. cuneatus (Dist.), Poeciloscytus, 992. cuneotinctus (Van D.), Sthenarus, cuprea Dall., Zicrona, 235. cupreomicans Stal, Zaitha, 1395.

cupreosparsus (Uhl.), Tibicinoides, 1533. cuprescens Osb., Platymetopius, 2017.

ourrax Garb., Cardiastethus, 840.

cursitans (Fall.), Xylocoris, 851.

curticollis Bergr., Aradus, 368.
curtipennis (G. & B.), Nephotettix, 2125.
curtipennis M. & R., Sciocoris, 79.
curtisii (Fh.), Euscelis, 2156.
curtulus Reut., Mesomiris, 889.
curtulus (Stål), Tollius, 328.
†curvata Stål, Campylenchia, 1734.
curviceps Stål, Nersia, 2465.
curvipes (Stål), Orthaea, 548.
cuspidatus Dist., Chariesterus, 284.
†custator H.S., Pentatoma, 160.
custator (Fabr.), Thyanta, 158.
†custator Kirk., Thyanta, 159.
cyanea Uhl., Corimelaena, 33.
cyaneonigra Walk., Corimelaena, 33.
cyaneonigra Walk., Corimelaena, 215.
cydoniae Fh., Corythucha, p. 215.
cynicus (Say), Apateticus, 224.
cyperacae Fh., Selenocephalus, 1955.
cypraceus Osb., Thamnotettix, 2320.
†cyrtops Butl., Telamona, 1635.
cyrtops Fairm., Thelia, 1646.
cythura (Bak.), Graphocephala, 1866.

dallasi (Dist.), Orthaea, 555. daniae Turt., Cimex, 1071. danicus Fabr., Deraeocoris, 1071a. davisi (Barb.), Euryophthalmus, 618. davisi Kngt., Largidea, 10893,... davisi Van D., Megamelus, 2721. davisi (S. & G.), Tibicen, 1481. dealbata (Davis), Tibicen, 1486. debilis Uhl., Aradus, 373. debilis Van D., Creontiades, 964. †debilis Osb., Deltocephalus, 2079. debilis Uhl., Deltocephalus, 2071. debilis Uhl., Diaphnidia, 1165. debilis Uhl., Megaloceroea, 886. decens (Stål), Corythucha, 644. decens Stål, Oecleus, 2553.
†decens Van D., Oecleus, 2554.
deceptus S. & D., 213634.
decipiens Prov., Thamnotettix, 2307. decisa Walk., Entylia, 1717. declivata Van D., Telamona, 1628. declivis (Say), Acanthocephala, 237. decolor (Uhl.), Arctocorixa, 1426. decolor (Uhl.), Europiella, 1253. decolor (Fall.), Lopus, 1207. decora Reut., Ecertobia, 959. (Van D.), Aphelonema, decorata 2595. decorata Abb., Arctocorixa, 14261/2. decorata (Hahn), Cosmopepla, 153. decorata Ball, Telamona, 1637. decorata Walk., Umbonia, 1726. decoratus (Uhl.), Carthasis, 835. decoratus Uhl., Geocoris, 500a. †decoratus Thoms., Lygaeus, 610. decoratus (Perty), Pachycoris, 4b. decorus O. & B., Phlepsius, 2201. decorus Uhl., Protacanthus, 424. decurvatus Uhl., Ncides, 419. defecta Stål, Sinea, 809.

degeeri Kby., Otiocerus, 2689. degeeri Kby., Ottocerus, 2089.
degeeri Fieb., Piezodorus, 191.
deleta Van D., Agallia, 1766.
deleticus Reut., Paracalocoris, 981.
delicata Uhl., Clastoptera, 1564.
delicata Fowl., Tettigonia, 1857.
delicata (Osb.), Tibicen, 1493.
delicatum Dist., Cimatlan, 1049.
delicatus Guer., Coreus, 308.
delicatus (Uhl.). Gerhardiella. 123 delicatus (Uhl.), Gerhardiella, 1230. delicatus Van D., Myndus, 2567. delicatus Uhl., Orthotylus, p. 396. delicatus Van D., Pissonotus, 2631. †delicatus Prov., Psallus, 1239. delineatus Walk Parkusaria, 12 delineatus Walk., Pachycoris, 12. †delirator A. & S., Prooxys, 138. delius (Say), Coenus, 139. delta Ball, Chlorotettix, 2336½. delta McAt., Paracalocoris, p. 820.
denigratus Gmel., Cimex, 829.
dentata (Gill.), Erythroneura, 2449.
dentatus (O. & B.), Euscelis, 2149.
dentatus Rok. Phlyseins, 2245. dentatus Bak., Phlepsius, 2245. denticula Gill., Empoasca, 2403. denticulata Stal, Acantholoma, 8. denticulatus Westw., Arilus, 796. denticulosa Sidl, Sinea, 805. denudatus Ball, Phlepsius, 2219. denudatus (Uhl.), Thyreocoris, 30. depictus Ball, Idiocerus, 1775a. deplanata Uhl., Salda, 1323. derivatus Walk, Rhaphigaster, 183. deses Müll., Cimex, 879. desiccatus Uhl., Macrotylus, p. 403. desiccatus Uhl., Scolops, 2469. destructor Riley, Nysius, 470. destructor Hahn, Oriterus, 301. detecta Van D., Liburnia, 2776. detritus Walk., Ptyelus, 1551. diadema (Fabr.), Sinea, 800. diana (Fabr.), Stiretrus, 207b. diaphanus (Kirsch.), Orthotylus, 1175. diceros (Say), Ceresa, 1570. dichrous (H.S.), Oplomus, 211. diducta Fowl., Tettigonia, 1881. didymus Zett., Lygaeus, 476. didymus P.B., Pentatoma, 231. diffidens Horv., Scolopostethus, 612. diffusa Walk., Hemiptycha, 1651. diffusus (Say), Corecoris, 278. diffusus (Say), Ligyrocoris, 538. diffusus Uhl., Lygus, 1031. diffusus Uhl., Poeciloscytus, 989. dificilis Van D., Oliarus, 2538. dilatatus (Say), Abedus, 1404. dilatatus Duf., Aradus, 379. dilatatus Reut., Pycnoderes, 1079. dilatipennis Sign., Corizus, 343d. dimiata Kirk., Banasa, 182. dimidiata Prov., Banasa, 184. dimidiata (Say), Banasa, 182. dimidiata Van D., Catonia, 2515.

dimidiata Curt., Cimex, 1332. dimidiata Spin., Xylocoris, 840. dimidiatus Fh., Blissus, 496. dimidiatus H.S., Cimex, 157. dimidiatus Stdl, Rhaphigaster, 183. diminuta Van D., Stictocephala, 1599. diops McAt., Paracalocoris, p. 820. diospyri Ashm., Trioza, 2857. dioxys (Walk.), Dictyophora, 2465. discalis Van D., Scoloposcelis, 873. discoidalis (Emns.), Cyrtolobus, 1676. discoidalis Reut., Hyaliodes, 1106a. discoidalis Uhl., Orthotylus, p. 394. discolor Uhl., Teratocoris, 896. disconotus (Say), Crophius, 519. discopterus Stål, Geocoris, 499c. discors Costa, Lopus, 880. discors Horv., Cymus, 485. discrepans Uhl., Pangaeus, 56. dislocatus (Say), Horcias, 1000. dispar Fall., Delphax, 2766. dispar Fabr., Lygaeus, 258. dispersa (Uhl.), Arctocorixa, 1427. dispersa (Uhl.), Saldula, 1327. dissimilatus Ball., Thamnotettix, 2294. distanti (Van D.), Clidophleps, 1536. distanti Atk., Lygus, 1034. distincta O. & D., Corythucha, 649%6.
distincta Champ., Rhagovelia, 1310.
distinctum Duf., Belostoma, 1387.
distinctus G. & B., Idiocerus, 1799.
distinctus Kngt., Lygus, p. 821.
distinctus Dall., Merocoris, 236a.
distinctus (Van D.), Oncopsis, 1833.
distinctus Lthr., Phlepsius, 2200½.
distinguenda Heid., Leptoypha, p. 817. distinguendus Garb., Calocoris, 986. †distinguendus Voll., Globiceps, 1161. distinguendus Flor, Lyctocoris, 840. distinguendus Reut., Lygus, 1038. divaricatus Spnr., Pissonotus, 2727. divergens Reut., Poeciloscytus, 989. diversipes Westw, Alydus, 317. diversus Dist., Petissius, 593. divisa (Uhl.), Cicadula, 2364. divisa Reut., Ilnacora, 1181. divisus H.S., Anisoscelis, 258. divisus (H.S.), Platytylellus, 900. dixianus Ball, Platymetopius, 2011a. dohrnii (Sign.), Cicadella, 1857. dolera Spar., Liburnia, 2793. dolobrata (Ball), Cicadella, 1854a.
dolobratus Fieb., Leptopterna, 880.
dolobratus (Linn.), Miris, 879. dolosus Ball, Idiocerus, 1798. domesticus Hahn, Cimex, 840.
domesticus Mouff., Cimex, 836.
domesticus Schill., Cimex, 840.
dorsalis Van D., Cixius, 2544.
dorsalis (Gill.), Erythroneura, 2447a.
dorsalis Spanch, Gyrone, 1900. dorsalis Spångb., Gypona, 1909.

dorsalis Crawf., Kuwayama, 2849. dorsalis Van D., Macrotylus, 1201½. dorsalis (Fh.), Micrutalis, 1604. dorsalis Fieb., Notonecta, 1355. †dorsalis Berg, Oedancala, 514. dorsalis (Say), Oedancala, 515. dorsalis (Prov.), Orthotylus, 1176. dorsalis Van D., Pissonotus, 2733. dorsalis Ball, Platymetopius, 2022. dorsalis Burm., Polyglypta, 1715. dorsalis (Fh.), Stenocranus, 2701. dorsalis (Say), Stenodema, 884. dorsalis Buckt., Telamona, 1620. dorsata Fh., Bruchomorpha, 2585. dorsata (Say), Tibicen, 1498. dorsatus Dahl., Nabis, 827. dorsiger Westw., Gonocerus, 295. dorsilinea A. & S., Oedancala, 514. †dorsilinea Wirtn, Oedancala, 515. dorsivittatus Van D., Cixius, 2544. dubia Abb., Arctocorixa, 1427½. dubia Crawf., Calophya, 2842. dubia Kshb., Delphax, 2766. dubia Zett., Mecomma, 1187. dubia Ptch., Pachypsylla, 2891. dubia Fowl., Stictocephala, 1592a. dubia Ptch., Trioza, 2870. dubiosa Van D., Bolbonota, 1743. dubiosa Van D., Telamona, 1634. dubius Say, Gonocerus, 283 dubius (Dall.), Peribalus, 97. dubius Van D., Platymetopius, 2014a. dubius Germ., Podops, 75. dubius (P.B.), Podops, 73. duryi Osb., Aradus, 360. duryi O. & D., Melanorhopala, 6691/2. duzeei Bergr., Aradus, 364. duzeei Montd., Geocoris, 503. duzeei Prov., Idiocerus, 1780. dybowskyi Jak., Harpactor, 778.

eburatus Van D., Thamnotettix, 2266. echinata Uhl., Acanthophysa, 426. edentula Van D., Lamenia, 2676. edentula Montd., Ranatra, 1383a. edulis Champ., Arctocorixa, 1228. ehrethiae Gibs., Monanthia, p. 819. ehrhorni Ball, Telamona, 1639. elatus Stål, Lygaeus, 439. elegans (Fieb.), Buenoa, 1364. elegans Uhl., Dichrooscytus, 997. elegans Popen., Eccritotarsus, 1186. elegans Van D., Platymetopius, 2013. elegans Reut., Poeciloscytus, 993. elegantula Zett., Cicada, 2380. elegantulus Mcy., Capsus, p. 824. elegantulus Stål, Pamphantus, 577. elisus Van D., Lygus, 1032. ellae Godg., Telamona, p. 541. elliptica McAt., Leptoypha, p. 817. elliptica Germ., Thionia, 2632. ellipticum Latr., Belostoma, 1339. elongata (Uhl.), Saldula, 1339. elongata Fieb., Anthocoris, 871.

elongatus (Osb.), Euscelis, 2148. elongatus Barb., Jalysus, 422. elongatus (Reut.), Lyctocoris, 842. elongatus Ball, Megamelanus, 2712. elongatus Dali, Melanaethus, 63. elongatus Hart, Nabis, 825. elongatus Mey., Nabis, 828. elongatus Osb., Neuroctenus, 410. elongatus (Uhl.), Tiryus, 1136. temarginata Emms., Entúlia, 1716. emarginata Fabr., Membracis, 1718. emarginata (Say), Mezira, 405. emarginata Say, Pentatoma, 220. emarginatus G. & B., Thamnotettix, engelhardti (Davis), Tibicen, 1477a. enotus Say, Lygaeus, 436. enotatus Van D., Myndus, 2570. ensiger Ball, Idiocerus, 1789. erectus Ball., Orgerius, 2488. eremicola (Uhl.), Platytylellus, 912. ericae Flor, Cymus, 468. ericae (Schill.), Nysius, 470. erichsonii (Fieb.), Arctocorixa, 1429. eriodictyonae O. & D., Corythucha, p. terosa Wolff, Acanthia, 689b. terosa H.S., Halys, 81. terosa Guer., Phymata, 689a, d. erosa (Linn.), Phymata, 689. errabunda (Say), Ploiariola, 697. †errabundus Prov., Cerascopus, 713. erratica (Osb.), Tibicen, 1491. erythrocephala Garb., Dictyonota, p. 815. erythrocephalus (G. & B.), Macropsis, 1814. erythrophathalma Germ., Tingis, p. 815. erythrozonias Gmel., Cimex, 742. (Ball), escalantus Deltocephalus, 20901/2. escheri (Heer), Arctocorixa, 1430. essigi Van D., Macrotylus, 120134. estacadus (Ball), Euscelis, 2155. teuchlora Prov., Banasa, 182. euchlora Stål, Banasa, 188. eugraphica (Davis), Tibicen, 1482½. eupoda Hrtg., Psylla, 2862. eurinus (Say), Alydus, 323. †curinus Stål, Alydus, 327. euschistoides Voll., Euschistus, 121. evansi Ashm., Deltocephalus, 2103. exaptus (Say), Perillus, 218. excavatus Dist., Cyrtomenus, 43. excavatus Ball, Oecleus, 2557. excellens Mayr, Theognis, 246. excelsa (Fairm.), Telamona, 1655. excludens Walk., Proconia, 1848. excultus (Uhl.), Phlepsius, 2197. exiguum Horv., Cymodema, 487. exiguus Heid., Atheas, 677. exilis (W. & M.), Aphalara, 2814. exilis H.S., Pachycoris, 14. eximius Dist., Heraeus, 530.

eximius Reut., Phytocoris, 934.
exitiosus (Uhl.), Euscelis, 2131.
expansa (Germ.), Antianthe, 1666.
explanata (Uhl.), Saldula, 1326.
explanata Heid., Stephanitis, 653.
expleta (Uhl.), Arctocorixa, 1431.
explicata Uhl., Collaria, 877.
exquisita Uhl., Acanthocheila, 664.
exquisitos Osb., Thamnotettix, 2269.
†exsanguis Van D., Diplocodus, 773.
exsanguis (Stål), Zelus, 771.
extensum Dist., Xenogenus, 342.
extensus (Uhl.), Thyreocoris, 36.
externus (H.S.), Paracalacoris, 979a.
extrema Ball, Telamona, 1652.
extremus Ball, Phlepsius, 2214.
extrusus (Van D.), Euscelis, 2134.

fabae (Harr.), Empoa, 2438. †fabricii H.S., Pachycoris, 4f.

†fabricii Tigny, Pentatoma, 4. fabricii Van D., Philaenus, 1560g.

fabricii Guer., Ranatra, 1386. faceta (Say), Rhytidolomia, 105. facetus Say, Lygaeus, 453. facialis Walk., Aphrophora, 1546. fagi Kngt., Lygus, p. 821. fagi (Fh.), Oncopsis, 1832. ffagi Emns., Telamona, 1623. fagi Fh., Telamona, 1622. falicus Prov., Ischnodemus, 585.
falicus (Say), Ischnodemus, 489.
fallax Reut., Horcias, 1002.
fallax Say, Pamera, 592.
fallax Heid., Perigenes, 543.
fallani Stål Aradus 220 falleni Stål, Aradus, 389. falleni Van D., Philaenus, 1560a. famelicus (Uhl.), Dicyphus, 1109. †famelicus Prov., Idolocoris, 1116. farinosa Walk., Poeciloptera, 2649. fasoiata Stål, Gargaphia, 654. fasciata (Walk.), Kolla, 1859a. fasciata (Gray), Phymata, 689a. †fasciata Van D., Phymata, 689b. fasciata A. & S., Smilia, 1665. fasciata Fh., Telamona, 1651. fasciaticollis (Stål), Thamnotettix, 2257. (Gmel.), Enchophyllum, fasciatum 1733. fasciatus Curt., Acucephalus, 1933. fasciatus (Uhl.), Ceratocapsus, 1142. fasciatus Walk., Euschistus, 157. fasciatus Reut., Lygus, 1023. fasciatus (Dall.), Oncopeltus, 432. fasciatus (Fabr.), Philaenus, 1560f. fasciatus (raor.), Finiaenus, 1300/, fasciatus Osb., Scaphoideus, 1979.
†fasciatus Van D., Scaphoideus, 1981.
fascicollis (Rey), Liburnia, 2766b.
fascicornis Walk., Aradus, 393.
fascifera (P.B.), Pentatoma, 157.
fascifrons (Stål), Cicadula, 2365.
fascipennis Ptch., Aphalara, 2826.
fastuosus Ball. Phlensius, 2240. fastuosus Ball, Phlepsius, 2240. felti Van D., Stenocranus, 2703.

femoralis Dist., Alydus, 321. femoralis Van D., Creontiades, 963. femoralis H.S., Cydnus, 58. femoralis Fh., Livia, 2812. femoralis Lucas, Phytocoris, 986. femoralis Van D., Rhynocoris, 777c. femorata (Fabr.), Acanthocephala, 238. femorata Fairm., Ceresa, 1584. femorata Guer., Corixa, 1420. femorata Stål, Narnia, 253. femoratus Van D., Argyrocoris, 11971/2. femoratus Fh., Blissus, 496. femoratus Ball, Idiocerus, 1791. †femoratus Smith, Metapodius, 242. femoratus (P.B.), Pelocoris, 1366. †fenestrata Prov., Cyrtosia, 1678. fenestrata Ball., Dictyssa, 2608. fenestratus Walk., Aradus, 386. fenestratus Fh., Athysanus, 1828. †fenestratus Prov., Bythoscopus, 1831. fenestratus (Fh.), Cyrtolobus, 1672. †fenestratus Van D., Cyrtolobus, 1667. fenestratus Van D., Cyrtotobus, 1667. fenestratus Uhl., Glussocratus, 1952. fenestratus Mich., Naethus, 2616. fenestratus Reut., Phytocoris, 932. ferox (Banks), Castolus, 785. ferox Van D., Orthotylus, 116934. ferrugatus Fall., Miris, 880. ferruginea Stål, Carpilis, 570. ferrugineoides (Van D.), Macropsis, 1820. ferrugineus (Linn.), Gastrodes, 605. ferruginipennis (Godg.), Leioscyta, ferruginosa (Godg.), Philya, 1745. ferus (Say), Eremocoris, 600. ferus (Linn.), Nabis, 829. festina Prov., Stictocephala, 1598. festina (Say), Stictocephala, 1592. festiva Van D., Hadronema, 1157. fibulata (Crawf.), Psyllia, 2914. fidus Van D., Oliarus, 2536. fieberi Wall., Corisa, 1441. fibberi (Löw.) Dikrasayas. fieberi (Löw), Dikraneura, 2393. fieberi Now., Rhynocoris, 778. figurata (Walk.), Tibicen, 1477½. filicis (Linn.), Monalocoris, 1082. filicornis (Walk.), Creontiades, 961. filiformis Van D., Ganocapsus, 970. †filum Gray, Emesa, 709. fimbriatus Van D., Neopharnus, 193. fimbriatus (Say), Stiretrus, 207a. fiskei Heid., Aneurus, 417. fissilis Uhl., Euschistus, 121. fissus McAt., Paracalocoris, p. 820. fitchi Van D., Amalopota, 2682. fitchi (Mlch.), Fitchiella, 2581. fitchi Van D., Idiocerus, 1802. fitchi Kirk., Lamenia, 2672. fitchii Reut., Lyctocoris, 840. fitchi Van D., Oncopsis, 1828. fitchii Van D., Thamnotettix, 2312. flabellatus Ball, Phyllodinus, 2743.

flaccida Uhl., Agallia, 1764. flaccidus (Van D.), Xylocoris, 848. flammeus Geof., Cimex, 1071. flava Ball, Clastoptera, 1566. flava O. & B., Driotura, 2126a. flava Godg., Ophiderma, 1704. flava Crawf., Paratrioza, 2852. flava (Crawf., Psyllia, 2925b. flava Crawf., Tetragonocephala, 2885. flavescens (Fabr.), Empoasca, 2422. flavescens Fabr., Fulgora, 2766. flavescens Westw., Pachycoris, 9. flavescens Prov., Pediopsis, 1831. †flavescens Van D., Pediopsis, 1817. flavicans (A. & S.), Repipta, 788. flavicephala Godg., Ophiderma, 1703. flaviceps Riley, Diedrocephala, 1881. flaviclavus Barb., Ochterus, 1414. flavicollis Fabr., Cimex, 1008b. flavicollis (Drury), Loxa, 170. †flavicollis Van D., Loxa, 171. flavicollis P.B., Pentatoma, 178b. flavicornis P.B., Pentatoma, 178b. flavicornis Reut., Scoloposcelis, 872. flavicosta Stål, Deltocephalus, 2065. flavicosta Reut., Ioscytus, 1344a. flavida Schw., Calophya, 2841. flavidorsum A. & S., Zinneca, 1895. flavidus Sign., Parabolocratus, 1957. flaviguttula Godg., Ophiderma, 1702. flavilineata Fh., Gypona, 1904. †flavilineata Spångb., Gypona, 1898. flavipennis Fstr., Aphalara, 2825. flavipennis (Zett.), Dikraneura, 23871/2. flavipennis Germ., Smilia, 1605. flavipes Prov., Capsus, 1008a. flavipes Fieb., Salda, 1320. flaviventris H.S., Apiomerus, 766. flaviviridis Barb., Chlorocoris, 168. flavocapitatus Van D., Thamnotettix, 2280. flavocephala Kpka., Alebra, 2380a. flavocostatus Van D., Deltocephalus, 2065. flavoguttatus Voll., Oplomus, 212a. flavolimbatus Boh., Capsus, 918. flavo-lineatus Sign., Acucephalus, 1935. flavomaculatus (Fabr.), Globiceps, 1161. †flavomaculatus Prov., Globiceps, 917. flavomaculatus Van D., Lygus, 1031. flavomarginata (G. & B.), Empoa, 2432. flavomarginata Thom., Galgupha, 37. flavomarginatus Kouch, Cimex, 106. flavomarginatus Scholtz, Nabis, 827. flavomarginatus G. & B., Thamnotettix, 2105. flavo-marginellus Stål, Lygaeus, 452. flavonotatus Prov., Capsus, 1031. flavoscuta (Gill.), Typhlocyba, 2429. flavosparsus (Sahlbg.), Orthotylus, 1172.

flavo-striatus Edwds., Acucephalus, 1935. flavostrigatus (Donov.), Acucephalus, 1935. flavotinctus DeL., Thamnotettix, 23021/4. flavo-virens G. & B., Deltocephalus, 2088.flavo-vittata Stål, Bruchomorpha, 2585. flavus Sahlbg., Allorhinocoris, 965. flavus (Bak.), Balclutha, 2373a. flavus Walk., Bythoscopus, 1824. flavus Crawf., Megamelus, 2717a. flexulosus Ball, Deltocephalus, 2040. floccosa (Ptch.), Psyllia, 2936. floralis (Uhl.), Uhleriola, 596. florens (Stål), Dictyophora, 2464. flori Sahlb., Teratocoris, 898. flori Crawf., Trioza, 2870. florida Van D., Loxa, 171. floridae (Walk.), Elidiptera, 2504. floridana Heid., Corythucha, 646. floridana Bak., Dorydiella, 2248. floridana Ball, Draeculacephala, 1867. floridana (Walk.), Lopidea, 1148. floridanus (Linn.), Euthyrhynchus, 220. floridanus Ball, Phlepsius, 2206. floridensis Crawf., Psyllopa, 2909. flumineum Say, Belostoma, 1393. frontinalis Bueno, Microvelia, 13061/2. forcipata Fstr., Trioza, 2862. †forcipatus Fieb., Notus, 2393. forcipula Ptch., Trioza, 28694. formicarius Dist., Galcottus, 317. formicina (Uhl.), Enicocephalus, 683. formosa Dist., Ptochiomera, 563. formosus Ball, Idiocerus, 1794. formosus Van D., Orthotylus, 1175%. formosus Blnch., Lygaeus, 439. formosus Van D., Phytocoris, 946. forreri Dist., Pseudopamera, 556. forticornis Reut., Rhinacloa, 1272. †forticornis Wirtn., Rhinacloa, 1249. fossarum (Leach), Arctocorixa, 1432. fovealis Crawf., Trioza, 2863. foveata Spnr., Achrotile, 2805. foveata Van D., Liburnia, 2779. foveata Drke., Merragata, p. 819. foveatus Spnr., Pissonotus, 2755. francilloni Kby., Otiocerus, 2692. franciscana (Štål), Sticocephala, 1597. franciscanus (Bak.), Bythoscopus, 1841. franciscanus (Stål), Ischnorrhynchus, 478. franciscanus (Stål), Oliarus, 2531. franciscanus Stål, Tenagogonus, 1293. franconianus Ball, Phlepsius, 2211. fratercula Davis, Okanagana, 1530. †fraterculus Prov., Harmostes, 461.

fraterculus (Say), Harmostes, 339. fraterna Westw., Anisoscelis, 244. fraterna (Say), Barce, 715. fraterna Spångb., Gypona, 1928. fraterna Ball, Memnonia, 1939. fraternus Ball, Deltocephalus, 2046. fraternus Van D., Deraeocoris, 10711/2. fraternus Van D., Orthotylus, 11731/4. fraternus Uhl., Peritrechus, 585. fraternus Uhl., Pilophorus, p. 380. fraternus Uhl., Plagiognathus, 1238. fraxinicola (Fstr.), Psyllopsis, 2913. frenatus Germ., Jassus, 2132. fretus Olsen, Podisus, 2271/2 frigida Walk., Enchenopa, 1734. frigidus Boh., Deltocephalus, 2085. frigidus Ball, Euscelis, 2130. friscana Ball, Paropulopa, 1759. friscanus Ball, Errhomenellus, 1890. frontalis Crawf., Megamelanus, 2711. frontalis (Crawf.), Pissonotus, 2734. Van D., Platymetopius, frontalis frontalis Crawf., Trioza, 2863. #frontalis Crawf., Trioza, 2869. frontifer Walk., Capsus, p. 420. frumentarius Poda; Cimex, 879. fruticicola Bergr., Dendrocoris, 195. †fruticicola Uhl., Dendrocoris, 196. †fruticum Flor, Triphleps, 863. fulgidus Van D., Camptobrochys, fuliginosa (Oliv.), Poblicia, 2460. fuliginosus Sign., Acucephalus, 1936a. fuliginosus Gmel., Cimex, 1071. fuliginosus (Emns.), Cyrtolobus, fuliginosus G. & B., Geocoris, 502. fulva Van D., Cenchrea, 2680. fulva Ball, Driotura, 2126b. fulveola (H.S.), Alebra, 2380a. fulvescens Reut., Camptobrochys, 1069. fulvicornis (Westw.), Leptoglossus, 249. fulvida Crawf., Trioza, 2869. fulvidorsum Ball, Oecleus, 2562. fulvidorsum (Fh.), Phlepsius, 2237. fulvipennis Reut., Anthocoris, 854. †fulvipes Schr., Cimex, 1158. fulvivenosus Fh., Blissus, 496. fulvocapitatus Van D., Xestocephalus, fulvomaculatus (DeG.), Calocoris, fulvula Osb., Cicada, 1477. fulvus (DeG.), Hypselonotus, 310. fulvus Osb., Myndus, 2574. fulvus Osb., Platymetopius, 2021. fumatus H.S., Jassus, 2358. fumatus Reut., Phytocoris, 938. fumida Gill., Alebra, 2382. fumida (Gill.), Erythroneura, 2447c. fumidus (Uhl.), Chlamydatus, 1264.

fumidus S. & D., Deltocephalus, 2062½. fumidus Van D., Orthotylus, 1178¾. fumidus Ball, Scaphoideus, 2001. fumidus (Uhl.), Scolops, 2482. fumipennis (G. & B.), Macropsis, 1815a. funabulus Crmb., Deltocephalus, 2042. funesta (Walk.), Odopoea, 1506. funestus Bergr., Aradus, 383. furcata (Prov.), Liburnia, 2774. furcatus H.S., Capsus, p. 419. furcatus Osb., Paramesus, 1975. furculatus Osb., Thamnotettix, 2267. fusca Van D., Catonia, 2517. fusca DeG., Cicada, 1752. fusca Mlch., Dictyssa, 2603. fusca Stein, Pagasa, 816. fusca Bult., Polyglypta, 1715. †fusca Kirk., Ranatra, 1382. fusca P.B., Ranatra, 1381. †fusca Prov., Ranatra, 1383a. †fusca Uhl., Ranatra, 1385. fuscata Pshly., Hesperotingis, p. 818. fuscata Van D., Microledrida, 2551. fuscescens (Dall.), Podisus, 232. fuscescens Stål, Telepta, 232. fuscicornis Uhl., Lopidea, p. 385. fuscicornis Stål, Ptochiomera, 559. fuscifrons Van D., Platymetopius, 2031. fuscigera (Stål), Corythucha, 643. fuscinervis Fstr., Psylla, 2940. fuscinervosus Van D., Deltocephalus, 2098. fuscipennis Crawf., Arytaina, 2903 fuscipennis Van D., Cyrtolobus, 1687 fuscipennis Spng., Jassus, 2340. fuscipennis Van D., Phlepsius, 2226. fuscipennis Stdl, Pygolampis, 724. fuscipes Guer., Mononyx, 1410. fusciventris (Duf.), Belostoma, 1399. fusco-annulatus Stål, Aradus. 363. fusco-fasciatus (Goeze), Acucephalus, 1934. fuscolineella Fowl., Tettigonia, 1859a. fuscomaculatus Stål, Aradus, 363. fusco-maculatus Goeze, Cimex, 1017. fuscorubra Strobl, Lygus, 1031. fuscosignatus Dahlb., Deltocephalus, 2073. †fuscosus Prov., Plagiognathus, 1239. fuscosus (Prov.), Plagiognathus, fusco-testacea Reut., Phimodera, 23a. fuscous Osb., Phyllodinus, 2742. fusco-vittata Barb., Saica, 718. fusculus Reut., Lasiochilus, 845. fuscus (Thunb.), Corecoris, 277. fuscus Van D., Flatoides, 2670. fusiformis Van D., Elidiptera, 2506. fusiformis (Say), Garganus, 971.

gagates Ashm., Conogonus, 2139.

galactinus (Fieb.), Xylocoris, 846.

galbanatus Van D., Chlorotettix, galeaformis (Ptch.), Psyllia, 2942. galeata (Fabr.), Archasia, 1661. galeator (Fabr.), Euthochtha, 276. gamma Fabr., Cimex, 111. gammaroides (Van D.), Driotura, 2126. garryae Ckl., Oncometopia, 1846a. geala Kirk., Notonecta, 1357b. gebleri Kol., Aradus, 386. geblerii (Fieb.), Callicorixa, 1418. gelastops Kirk., Hesperolabops, 1086. gelidus Walk., Ptyclus, 1551. gemellatus H.S., Lygus, 1031. gemellus Ball, Thamnotettix, 2297. geminata Osb., Gypona, 1913. †geminatus Bucno, Ischnorrhynchus, 476. geminatus (Say), Ischnorrhynchus, 477. geminatus Van D., Thamnotettix, 2256. geminus (Say), Neoborus, 1042. gemmisimulans L. & C., Idiocerus, generosus Ball, Thamnotettix, 2298. geneseensis Kngt., Lygus, p. 822. geniculata Stål, Prooxys, 138. geniculatus Reut., Engytatus, 1112. geniculatus Turt., Cimex, 1071. geniculatus (Stål), Oncocephalus, geniculatus Burm., Spartocerus, 277. genistae (Latr.), Arytaina, 2904. †genistae Schr., Čimex, 986. geometrica (Sign.), Kolla, 186

Prov. Darbanus, 771. †geographica Guer., Mormidea, 116. germari Curt., Amblycephalus, 1884. germari Fieb., Idiocerus, 1793. germarii (Fieb.), Arctocorixa, 1433. gerstaeckeri (Stål), Triatoma, 741. gerulus Ball, Thamnotettix, 2299. gibbera (Stål), Tylopelta, 1740. gibbesa Retz., Entylia, 1716. gibbosa Ball, Lepyronia, 1557. gigas (Oliv.), Queseda, 1507. gigas Fabr., Reduvius, 742. gigas (Burm.), Thasus, 260. gillettei O. & B., Agallia, 1769. gillettii Van D., Corimelaena, 34. gillettei Ball, Draeculacephala, 1880. gillettei Van D., Empoa, p. 826. gillettei L. & S., Gerris, 1287. gillettei Van D., Liburnia, 2795. gillettii Abb., Palmacorixa, 1461. gillettei Uhl., Podisus, 223. gillettei Godg., Stictocephala, 1594. gillettii Van D., Thamnotettix, 2275a. gilvipes (Stål), Mecomma, 1188. gladiator Fabr., Cimex, 192. gladiolus Ball, Thamnotettix, 2311. glauca Van D., Clastoptera, 1565a. gleditschiae O. & B., Macropsis, 1807.

glomerosus Ball, Thamnotettix, 2301. gloriosus Ball, Thamnotettix, 2291. gloveri Godg., Cyrtolobus, p. 548. gnarus Ball, Deltocephalus, 2102. godingi (Van D.), Glossonotus, 1620. gonagra (Fabr.), Leptoglossus, 250. goniphora Say, Membracis, 1587. goniphorus (Say), Horcias, 1000b. gordita Abb., Corixa, 1463. gossypii (Fabr.), Corythucha, 647. gothica (Sign.), Cicadella, 1855. gothicus Scop., Cimex, 1071. gracilicornis Stål, Aradus, 390. gracilis (Uhl.), Alepidia, 1133. gracilis H.S., Corizus, 343. gracilis Handl., Macrocephalus, 694. gracilis (Van D.), Megaloceroea, 888. gracilis Uhl., Mimoceps, 917. gracilis Scott, Nysius, 470. gracilipes Stål, Neides, 419. gracilipes Jak., Salda, 1336. graeculus Ball, Thamnotettix, 2264. grallator Hrbst, Cimex, 250. graminea (Fabr.), Macropsis, 1808a. †grammica Wolff, Tetyra, 16. grammicus Ball, Deltocephalus, 2050. †grande Dmk., Belostoma, 1388. grandiceps Crawf., Katacephala, 2894. grandis (Dall.), Alcaeorrhynchus, 210. grandis Dall., Arma, 224. grandis (Ball), Bythoscopus, 1845. grandis Uhl., Camptobrochys, 1070. grandis Van D., Cyrtolobus, 1674. grandis Bak., Nysius, 471a. grandis Reut., Plagiognathus, 1236. granulata (Say), Mezira, 507. granulosa (Dall.), Acanthocephala, 239. granulosa Uhl., Pentatoma, 109. granulosum Fowl., Gonioloium, 2750. granulosus Barb., Scolopocerus, 293. graphicus Ball, Phlepsius, 2203. gravidator Fabr., Coreus, 335. grayi Van D., Sephina, 281. gregarius Goeze, Čimex, 626. griphus Uhl., Dictyonissus, 2613. grisea Heid., Acalypta, p. 813. grisea Van D., Catonia, 2511. †grisea Van D., Dascalia, 2667. grisea Spangb., Gypona, 1927. grisea Reut., Hyoidea, 1193. grisea Dall., Pentatoma, 102. grisea Buckt., Publilia, 1719. grisea Bueno, Ranatra, p. 463. grisca Germ., Xerophloea, 1930. griseolus Reut., Myochroocoris, 1250. grisescens Stål, Mormidea, 114. †griseum Stål, Belostoma, 1388. griseus (Say), Benacus, 1387. griseus (Fieb.), Corizus, 345e. griseus Van D., Cyrtolobus, 1685. †griseus Bueno, Emblethis, 597. griseus Dall., Ophthalmicus, 499.

†groenlandicus Prov., Nysius, 468. groenlandicus (Zett.), Nysius, 469. grossa Stdl, Cicada, 1507. grossa Ball, Koebelia, 1757. grossa Van D., Largidea, 1089½. grossa Fabr., Tettigonia, 1484. grossipes DeG., Cimex, 605. grossocerata O. & D., Alveotingis, 6701/2. grossum (Uhl.), Cimatlan, 1054. grossus Mich., Naethus, 2614. grossus Uhl., Scolops, 2481. †grylloides Goeze, Cimex, p. 825. guatemalanus Dist., Cymus, 488. guerini L. & S., Mormidea, 116. guerini L. & S., Phymata, 689d. fguildani H.S., Rhaphigaster, 190. guildingi Uhl., Piezodorus, 190. guildinii (Westw.), Piezodorus, 19 gundlachii (Guer.), Sephina, 280. 190. †gutta Glover, Lygaeus, 433. gutta (H.S.), Oncopeltus, 427. gutta Dall., Khyparochromus, 547. †guttata Uhl., Aulacizes, 1852. guttata Fh., Smilia, 1664a. guttatipennis Stål, Ambrysus, 1377. guttatipes Uhl., Lygus, 1025. guttatum (H.S.), Chelysoma, 5. guttatus (Walk.), Homalocoris, 758. guttatus Uhl., Macrotylus, p. 403. guttatus Sppr., Pissonotus, 2732. guttifera Walk., Aconophora, 1728. guttiger Stål, Thyreocoris, 41. guttula (Fabr.), Catorhintha, 295. guttulatus Uhl., Oncotylus, 1210. guttulatus (Uhl.), Paraxenetus, 919. guttulosus Uhl., Lygus, 1038. guttulosus Reut., Psallus, 1215. gutturosus (Ball), Allygus, 2250. gypsatus Bergr., Proxius, 399.

haematoloma (H.S.), Jadera, 357.
haematostictos Gmel., Cimex, 1071.
haldemanus Leidy, Belostoma, 1387.
halys Dall., Apateticus, 222.
hamata (Van D.), Paraproba, 1164.
hamatus (Fabr.), Rasahus, 749.
harpax Stål, Belostoma, 1387.
harrimani Ashm., Deltocephalus, 2104.
harrisi Fh., Deltocephalus, 2065.
harrisii (Uhl.), Arctocorixa, 1434.
harrisii (Uhl.), Arctocorixa, 1434.
harrisii Van D., Brochymena, 89.
†harrisii Westw., Pentatoma, 118.
hartigi (Flor), Psyllia, 2923.
hartii (Gill.), Erythroneura, 2443.
hartii (Ball), Kolla, 1861.
hawleyi Kngt., Paracalocoris, 984¼.
hebetatus Dist., Chlorocoris, 169.
hebraica P.B., Scutellera, 9.
heidemanni Montd., Ambrysus, 1375.

hades Kirk., Notonecta, 1359b. haedula Stal, Brochymena, 82.

haematocephalus Gmel., Cimex, 1071.

heidemanni Bergr., Aradus, 396. heidemanni Van D., Brepholoxa, 201. heidemanni Ball, Cenchrea, 2679. heidemanni Van D., Crophius, 521. heidemanni Reut., Fulvius, 1092. heidemanni Reut., Hesperophylum, 874. heidemanni Reut., Nabis, 822. heidemanni O. & D., Leptostyla, 661. heidemanni Reut., Paracalocoris, 982. heidemanni Reut., Phytocoris, 982. heidemanni Reut., Phytocoris, 935. heidemanni Ball, Thamnotettix, 2261. helena Woodr., Cyrtolobus, 1691. helopioides Wolff, Tetyra, 27. helvetina Mey., Trioza, 2869. hemichloris Geom. Cimes. 172 hemichloris Germ., Cimex, 178. hemiptera (Germ.), Liburnia, 2783. henshawi Ashm., Cantacader, 667. henshawi Van D., Elidiptera, 2501. heraldicus Schr., Cimex, 829. herbacea Uhl, Tuponia, p. 415. herbaticus Uhl., Teratocoris, 897. †herbida Sign., Tettigonia, 1862. herbida Walk., Tettigonia, 1863. herrichi (Reut.), Macrotylus, 1203. hesione Kirk., Tenagogonus, 1294. hesperia Uhl., Dacota, 1084. hesperia Kirk., Lomatopleura, 1144. hesperius Reut., Atractotomus, 1247. hesperius Uhl., Labops, 1117. hesperius Kngt., Lygus, p. 821. hesperius Uhl., Metrobates, 1295. hesperius Uhl., Scolops, 2480. hesperius (Uhl.), Tibicinoides, 1534. heterogeneus A. & S., Atrachelus, 792. heydeni Fstr., Psylla, 2940. hieroglyphica Say, Cicada, 1501. hieroglyphica (Say), Cicadella, 1854. hieroglyphica Duf., Corixa, 1441. thieroglyphica Harr., Tettigonia, 1855. hilaris (Say), Acrosternum, 181. hirsuta Davis, Okanagana, 1517. hirsutula Flor, Salda, 1336. hirsutulus Walk., Capsus, 920. hirta Van D., Bolteria, 1246a. hirta (Say), Pentacora, 1317. hirticornis Banks, Ploiariopsis, 706. hirticulus Van D., Lygus, 1019. hirtipes Banks, Ploiariola, 700. hirtum Reut., Semium, 1186. hirtus Montd., Blissus, 497. hirtus Curt., Capsus, 1189. hirtus Guria, Capaus, 1105.
hirtus Bueno, Corizus, 355.
†hirundinis G. & B., Acanthia, 838.
hispida Uhl., Corythucha, 648.
hispida Van D., Parantonaë, 1608. hispidus Thunb., Cimex, 800. historoides Say, Thyreocoris, 28. histrio Reut., Camptobrochys, 1063. histrionica (Stål), Aphelonema, 2591. histrionica (Hahn), Murgantia, 172. histrionicus (Linn.), Cyllecoris, 1158. hoodiana O. & D., Corythucha, p. 816. hopkinsi Heid., Neuroctenus, 411. hordeacea Butl., Polyglypta, 1715.

hornii Uhl., Macrovelia, 1308. hortuorum Tign., Cimex, 1014. horvathi Schout., Weda, 76.
howardi Montd., Curicta, 1380.
howardi Montd., Geocoris, 502a.
†howardi Van D., Geocoris, 500a.
howardii Bueno, Notonecta, 1353.
hubbardi Heid Aradus 369 hubbardi Heid., Aradus, 369.
hullensis Prov., Gypona, 1917.
humeralis (Uhl.), Dendrocoris, 194.
humeralis Kngt., Lygus, p. 821.
humidus (Osb.), Euscelis, 2143.
humidus Van D., Phlepsius, 2246.
humilis (Stal.) Bytheseoper, 1842. humilis (Stal.), Bythoscopus, 1842. humilis (Uhl.), Coriomeris, 333. humilis Walk., Hoplophora, 1728. humilis Van D., Liburnis, 2761. humilis (Say), Micracanthia, 1342. humilis (Say), Oliarus, 2540 humilis (Say), Oliarus, 2540. hyalina H. S., Tingis, 638. hyalinus (Fabr.), Corizus, 343. hyalinus Uhl., Corizus, 344.
hyalinus Van D., Oliarus, 2537.
hyalinus Osb., Platymetopius, 2008.
hyalinus (Fabr.), Tenagogonus, 1292. hydatotrephes Kirk., Arctocorixa, 1435. hypoleuca Thmsn., Trioza, 2864. tictericus H.S., Cimex, 126. ictericus (Linn.), Euschistus, 127. ichthyocephala Sign., Tettigonia, 1848. idioceroides (Bak.), Stranganiopsis, 1834. idonea Fowl., Tettigonia, 1864. ignipecta Fh., Monecphora, 1545a. ignotus (Bak.), Euscelis, p. 661. †*iticis Crawf.*, Arytaina, 2909. ilicis Ashm., Paurocephala, 2837. Ulinoiensis Godg., Ceresa, 1577. (Ğill.), Erythroneura, illinoiensis 2446. illinoiensis (Godg.), Micrutalis, 1605a. illumina Ball, Mesamia, 1977. †illuminatus G. & B., Rhyparochromus, illustris A. & S., Zicrona, 235. imbecilis (Say), Fulvius), 1092. imbuta (Walk!), Banasa, 189. immaculata (Kirk.), Acanalonia, 2641. immaculata Lthr., Agallia, 1766½. immaculata O. & D., Corythucha, 6491/16. immaculata Crawf., Neotriozella, 2878. immaculatum Say, Belostoma, 1393a. immaculatus Crawf., Euphalerus, immaculatus Ball, Paramesus, 1974. immarginatus Fh., Blissus, 496. immistus (Say), Scaphoideus, 1996. immundus Bergr., Apiomerus, 762.

impedita Walk., Entylia, 1716. imperialis (Dist.), Isthmocoris, 509. imperialis Van D., Tropidosteptes, 1040. impicta (Van D.), Balclutha, 2373. impictiventris Stål, Euschistus, 120. impiger Ball, Myndus, 2568. impressa Fieb., Notonecta, 1357a. impressicollis Stål, Aufeius, 341. impressus Hald., Belostoma, 1387. impressus Van D., Crophius, 524. impudens Stdl, Margus, 290.
impunctata (Fh.), Catonia, 2514.
†impunctatus Van D., Myndus, 2566.
imputans O. & B., Deltocephalus, **2034.** inaequalis Uhl., Nysius, 467. incana Fieb., Stethotropis, 588. incarnata Germ., Pentatoma, 191. incerta G. & B., Eutettix, 2161. incerta Van D., Liburnia, 2785. incertus (Say), Menecles, 155. incisa Gill., Empoasca, 2405. incisus Stål, Macrocephalus, 693. incisus Van D., Phlepsius, 2223. incisus (Walk.), Platytylellus, 912. incisus Osb., Scaphoideus, 1996c. incongrua (Bak.), Aconura, 2119. inconspecta Westw., Pentatoma, 125. inconspicuua Bak., Agallia, 1771. inconspicuus (Uhl.), Criomorphus, 2806. inconspicuus Kngt., Lygus, p. 822. inconspicuus (H.S.), Margus, 289. inconspicuus (Uhl.), Orthotylus, 1180. †inconspicuus Van D., Orthotylus, 11731/4. inconstans Uhl., Aneurus, 414. incubitor (Fabr.), Capaneus, 269. †incurva Van D., Corythuca, 640. incurvata Uhl., Corythucha, 641. incurvus (Dist.), Pycnoderes, 1081. indecisa Walk., Entylia, 1716. indecisus Walk., Pirates, 749. indecorus Walk., Archimerus, 272. indentatus (Hald.), Abedus, 1406. indentatus (Uhl.), Aethus, 51. indentatus Hambl., Corizus, 352. indica Linn., Notonecta, 1355. indistincta (Crawf.), Liburnia, 2791. inermis Crawf., Aphalaroida, 2835. inermis (Emns.), Cyrtolobus, 1684. inermis (Champ.), Pselliopus, 783. inermis (Fabr.), Stictocephala, 1587. infirma Stål, Pnirontis, 720. inflata (Uhl.), Dacerla, 1095. inflata Schum., Stiretrus, 207. inflatus Van D., Cnemodus, 567. inflatus Van D., Cyrtolobus, 1697. inflatus O. & B., Deltocephalus, 2039. inflatus Van D., Euschistus, 123. infumatus Osb., Deltocephalus, 2058. infuscata (Gill.), Erythroneura, 2445e.

infuscata Reut., Lygidea, 1010a. infuscata Pshly., Melanorhopala, p. 818. infuscata Stål, Ormenis, 2651. infuscatus Garb., Globiceps, 1189. infuscatus Van D., Macrotylus, 12031/2. infuscatus Reut., Phytocoris, 949. infuscatus G. & B., Thamnotettix, 2292. ingens Van D., Deraeocoris, 10714. inimicus (Say), Deltocephalus, 2063. innotata Walk., Tettigonia, 1874. inobtrusa Walk., Discocephala, 77. indorus (Duges), Haematosiphon, 839. inops Horv., Lygus, 1024a. inops, Uhl., Phytocoris, 933. inornata Ball, Acutalis, 1603. inornata Dist., Narnia, 254. †inornata Prov., Ophiderma, 1704. inornatus (Bak.), Acinopterus, 2249a. inornatus Uhl., Aradus, 378. inornatus (Say), Cyrtolobus, 1693. inornatus Pack., Jassus, 2228. †inornatus Uhl., Margus, 290. inornatus Van D., Thamnotettix, inquilinus Van D., Eremocoris, 601. insanus Ball, Eutettix, 2175. inscripta (Van D.), Aligia, 1966. inscripta (Uhl.), Arctocorixa, 1436. inscripta Van D., Draeculacephala, 1876. †inscriptus Van D., Coriscus, 830. inscriptus Van D., Coriscus, 830.
inscriptus Uhl., Idiocerus, 1796.
inscriptus Kby., Nabis, 832.
insidiosus (Say), Triphleps, 864.
insignis Heid., Atheas, 676.
insignis Uhl., Coquillettia, 1103.
insignis Uhl., Mimoceps, 916.
insignis Van D., Orthotylus, 11694.
insignis Van D., Pediopsis, 1821.
insignis (Say), Platytylellus, 909.
insignis Fstr., Psylla, 29234.
insignis Reut., Sixeonotus, 1074. insignis Reut., Sixeonotus, 1074. insignis (Uhl.), Sphaerobius, 531. insitivus (Say), Platytylellus, 899. insoleta (Walk.), Homalodisca, 1850. insoletus Van D., Aradus, 391½. instabile Reut., Lomatopleura, 1145. instabilis (Uhl.), Acanthocephala, instabilis (Van D.), Euscelis, 2146. instabilis Uhl., Miris, 883. instabilis Uhl., Paracalocoris, p. 327. †insularis Dall., Aethus, 60. insulata Kby., Notonecta, 1357. integer Stål, Euschistus, 135. †integra Uhl., Sinea, 802. intercidendus (Dist.), Platytylellus, intergressus Uhl., Eysarcoris, 154. interjungens Bergr., Doldina, 794.

intermedia Bak., Corizus, 345g. intermedia Uhl., Dyctidea, 2624. intermedia Walk., Physoplia, 1726. intermedia Van D., Platypedia, 1539. intermedius (Emns.), Cyrtolobus. intermedius Uhl., Halticus, 1120. intermedius Uhl., Poeciloscytus, 990. interneris Mlly., Pachypsylla, 2893. interrupta (Say), Arctocorixa, 1437. interrupta Ball, Paropulopa, 1758. interruptus Scott, Acucephalus, 1936. interruptus DeL., Deltocephalus, 2055 1/2. interruptus (Linn.), Evacanthus, 1885. interruptus G. & B., Idiocerus, 1781. interruptus H.S., Largus, 614. intersectus Uhl., Lygus, p. 348. interspersus Uhl., Phytocoris, 925. interstincta Fall., Cicada, 1884. interstitialis (Say), Saldula, 1328. intricata D. & S., Corisa, 1433. intricatus Uhl., Scaphoideus, 1994. intricatus Ball, Thamnotettix, 2273. inustus Dist., Calocoris?, 1185. invitus (Say), Lygus, 1020. iridescens DeL., Chlorotettix, 23391/2. iridescens Champ., Gargaphia, 655. irrorata Ball., Aphrophora, 1549. irrorata (Fabr.), Aulacizes, 1851. irrorata Van D., Catonia, 25. irrorata Rly., Corythucha, 645. irrorata Ball, Koebelia, 1755. irrorata Uhl., Notonecta, 1349. irrorata (Say), Reuteria, 1169. irrorata Fh., Telamona, 1651a. irrorata Godg., Telamona, 1634. irroratus H.S., Cimex, 136. irroratus Swz., Copicerus, 2700.
irroratus Van D., Dichrooscytus, 998.
irroratus (Fabr.), Diolcus, 9.
irroratus Ball., Errhomenellus, 1891. irroratus (Say), Phlepsius, 2228. irroratus Van D., Platymetopius, 2026. irroratus Osb., Scaphoideus, 2007. irrorella Spångb., Gypona, 1924. irrorellus (Stål), Mesamia, 1978. isabellinus Westh., Calocoris, 986.

jactatus Sign., Corieus, 350.
†jamaicensis Dist., Nysius, 461.
januatus Ball, Thamnotettix, 2282.
jocosa Stål, Bruchomorpha, 2590.
jocosa Prov., Typhlocyba, 2370.
johannis Walk., Cicada, 1501a.
johnsoni Van D., Eutettix, 2170.
johnsoni Kngt., Lygus, p. 822.
josea Ball, Phlepsius, 2213.
jucunda (Uhl.), Aligia, 1968.
†jucunda Van D., Eutettix, 2180.
†jucundus G. & B., Paramesus, 1972.
jucundus Van D., Phytocoris, 947.
jucundus Uhl., Scaphoideus, 1984.

jugalis Prov., Euschistus, 120.
jugata Uhl., Telamona, p. 541.
†juglandis Prov., Corythuca, 639.
juglandis Fh., Corythucha, 649.
juniperi Heid., Psallus, 1214.
†juniperina Prov., Pentatoma, 106.
jurgiosa Stal, Acrosternum, 180.
jurgiosus (Stål), Paracalocoris, 984.
juvenca Hardy, Aphrodes, 2072.

kalmii Stål, Lygaeus, 437.
kalmii Reut., Nabis, 833.
kennicottii (Uhl.), Arctocorixa, 1438.
kennicottii (Uhl.), Thamnotettix, 2251.
kilmani Van D., Liburnia, 2764.
kinbergi Reut., Nabis, 828.
kincaidi Ashm., Aphalara, 2829a.
kirbyi (Fieb.), Arctocorixa, 1439.
kirbyii Fh., Otiocerus, 2698.
kirkaldyi Ball, Anotia, 2688.
kirkaldyi Ball, Anotia, 2688.
kirkaldyi Ball, Thamnotettix, 2258.
klugii Fieb., Notonecta, 1359.
klugii Burm., Pachycoris, 4c.
†klugii H.S., Pachycoris, 4b, e.
knighti Van D., Orthotylus, 1179%.
koebelei Osb., Phyllodinus, 2741.
kollarii (Fieb.), Callicorixa, 1417.
koreshanus Van D., Belonochilus, 474.
kormusi Crawf., Liburnia, 2788.
kunzei Gill., Dicraneura, 2389.

labeculata Uhl., Monanthia, 681. labiata (Gill.), Aconura, 2122. lacertae Sign., Spangbergiella, 1953. lachrymalis Fh., Idiocerus, 1795. lactea Dgl., Typhlocyba, 2437. lactipennis (Van D.), Neocoelidia, 2345.

tlaoustris Kby., Gerris, 1288.
laeta (Uhl.), Cicadula, 2357.
tlaeta Ashm., Thamnotettix, 2256.
laeta Godg., Vanduzea, 1713.
laetus (Uhl.), Bythoscopus, 1835.
laetus Uhl., Neoborus, 1046.
laetus Uhl., Philophorus, p. 380.
laevicollis Champ., Zelus, 772.
laevigata (Uhl.), Arctocorixa, 1440.
tlaevigatus DeG., Cimex, 879.
tlaevigatus Zett., Miris, 885.
laevis (Uhl.), Phytocoris, 924.
laminalis Van D., Liburnia, 2762.
languidus Stål, Pnirontis, 719.
languidus Van D., Orthotylus,
1175%.

languidus Ball, Thamnotettix, 2296. lascivius Ball, Phlepsius, 2220. lasiomerus Reut., Phytocoris, 922. lassus (Ball), Euscelis, 2153½. lata Walk., Poeciloptera, 2643. lateralis (Leach), Arctocorixa, 1141. lateralis Fabr., Cimex, 879. lateralis (Stål), Conorhinus, 738. †lateralis Van D., Corimelaena, 35.

†lateralis Prov., Corisus, 349. lateralis (Say), Corizus, 348. lateralis Van D., Cyrtolobus, 1696. lateralis (Fieb.), Geocoris, 502c. lateralis Van D., Liburnia, 2763. lateralis Dall., Lygaeus, 456. lateralis (Say), Meadorus, 203. lateralis (Fabr.), Oncometopia, 1847. lateralis Van D., Orthotylus, 1179½. lateralis (Linn.), Philaenus, 1560c. lateralis Hahn, Poeciloscytus, 988a. lateralis (Fabr.), Thyreocoris, 34. lateralis H.S., Zelus, 788. lateralis H.S., Zelus, 788.
lateritus Westw., Spartocera, 277.
laticeps Crawf., Neotriozella, 2880.
laticollis (Reut.), Saldula, 1333.
laticornis (Say), Brochymena, 92.
laticornis Lap., Chondrocera, 243.
latifasciata (Davis), Tibicen, 1474b.
latifrons (Walk.), Acanalonia, 2642.
latifrons Van D., Phlepsius, 2229.
latimarginatus Zimm., Euschistus, 119. 119. latior M. & R., Xylocoris, 851. latipennis Uhl., Ceratocombus, 1279. latipennis Crawf., Trioza, 2857. latipes (Say), Campylenchia, 1734. lativentris Walk., Vulsirea, 176a. latona Kirk., Notonecta, 1352e. latulus Reut., Triphleps, 864a. latus Bak., Platymetopius, 2016. †latus Van D., Platymetopius, 2014a. laureae Kngt., Lygus, p. 822. lauri Tozt., Trioza, 2875. lautus Van D., Stenocranus, 2701a. lecticularius Stal, Conorhinus, 736. lectularius Linn., Cimex, 836. leibecki Godg., Centruchus, 1748. leii Westw., Pentatoma, 178a. lenticularis Uhl., Banasa, 185. lenticularis Stdl, Conorhinus, 736. lepida Van D., Cicadula, 2359. lepida (Stål) Heteroscoloides lepida (Stål), Heterosceloides, 208. lepidus Stdl, Anthocoris, 864. lepidus Van D., Cixius, 2549. leprosus Fabr., Cimex, 258. leptopterus Germ., Aradus, 391. lethierryi (Ewds.), Empoa, 2436. leucocephalus (Linn.), Philaenus, 1560d. leucophthalmus (Linn.), Philaenus, 1560. leucopterus (Say), Blissus, 496. leucospilus (Stål), Rhynocoris, 778. leucostictus Gmel., Cimex, 192. leucotomus Costa, Aradus, 389. leucozonias Gmel., Cimex, 1158. ligata (Say), Chlorochroa, 108. ligata (Say), Pentacora, 1318. †ligata Fh., Pentatoma, 106. ligatus Say, Cydnus, 71. lillianis Bueno, Acalypta, 6371/4. limbata (Say), Oncometopia, 1847a. limbata Stål, Sephina, 282. limbatellus Walk., Horcias, 1000b.

limbatipennis Spangb., Gypona, 1919. limbatus Stal, Geocoris, 502d. limbatus Dahlb., Nabis, 826. limbatus Van D., Thamnotettix, 2283. limbolarius Stal, Peribalus, 94. limbosa (Horv.), Saldula, 1331a. limbus McAtee, Paracalocoris, 984½. limitata Fieb., Corisa, 1450. limus Van D., Cyrtolobus, 1679.
linearis P.B., Capsus, 1031.
linearis Dist., Sysinas, 1083.
lineata (Forst.), Arctocorixa, 1442. lineata Ball, Clastoptera, 1567a. lineata Sign., Clastoptera, 1562 lineata Fairm., Hoplophora, 1728a. lineata Say, Hydrometra, 1281. lineata Bak., Neocoelidia, 2348. †lineaticollis Bak., Clastoptera, 1564. †lineaticollis Ball, Clastoptera, 1562. lineatifrons (Stål), Cicadula, 2366. lineatipes Van D., Liburnia, 2790. lineatocollis Stål, Clastoptera, 1567. lineatus Fabr., Cercopis, 1560g. lineatus Buckt., Cyrtolobus, 1690a. lineatus Bak., Errhomenellus, 1888. lineatus (Uhl.), Hecalus, 1952. lineatus Ball, Oecleus, 2556. lineatus (Linn.), Philaenus, 1561. †lineatus Uhl., Philaenus, 1559. lineatus Reut., Phytocoris, 940. lineatus (Fabr.), Poecilocapsus, 1004. tlineatus Dall., Rhyparochromus, 555. lineatus A. & S., Zelus, 786. lineiceps Spin., Graphocephala, 1865a. lineola Stål, Delphax, 2717. lineola Dall., Lygaeus, 446. lineolaris P.B., Capsus, 1031. lineolata (H.S.), Mozena, 262. lineolatus (H.S.), Apateticus, 222. lineolatus Uhl., Macrotylus, 1202. tlineolatus Emns., Phytocoris, 1020. lineosa Walk., Aconophora, 1722. lingula Van D., Dictyophora, 2463. liniarius Linn., Cimex, 1071. liniaris Say, Reduvius, 764. linnaei Westw., Pachycoris, 4d. linnei (S. & G.), Tibicen, 1473. lintneriana Kirk., Cosmopepla, 149. lippulus Ball, Phlepsius, 2210. literata Walk., Fidicina, 1484. litigiosum Duf., Belostoma, 1388. litigiosus (Stål), Ligyrocoris, 539. tlittoralis Fabr., Acanthia, 1341. tlittoralis Schr., Acanthia, 1332. littoralis Ball, Deltocephalus, 2082. †littoralis Fieb., Salda, 1336. littoralis (Linn.), Salda, 1320. †littoralis Prov., Salda, 1328. liturata Ball, Homalodisca, 1849. lituratus (Fabr.), Piezodorus, 191. livens Zett., Pholetaera, 1936. lividellus (Zett.), Deltocephalus, 2085.

lividipennis Stål, Geocoris, 506. livingstoni (Bak.), Balclutha, 2376. livingstoni Gill., Empoasca, 2408. lobata (Burm.), Hymeniphera, 275. lobata (Say), Mezira, 404. lobata Crawf., Trioza, 2866. lobatus Van D., Ischnodemus, 492. †lobatus Prov., Mezira, 407. lobatus Osb., Phlepsius, 2234. lobatus Van D., Scaphoideus, 1989. loculatus Ball, Phlepsius, 2219 1/4. longiceps Stal, Ortholomus, 461. longiceps Stal, Phymata, 690. longicollis Uhl., Orectoderus, 1102. tlongicornis Sahlb., Miris, 898. longicornis Uhl., Teratocoris, 898. longicornis Crawf., Trioza, 2872. longipennis Crawf., Leuronota, 2851. longipennis Costa, Nabis, 828. longipennis Uhl., Oncotylus, 1212. longipennis Oshn., Teratocoris, p. 820. longipes DeG., Cimex, 709. †longipes Prov., Emesa, 697. longiseta Van D., Thamnotettix, 2310. longispinis Champ., Apiomerus, 761. longispinus Stål, Hyalymenus, 318. longistylus Crawf., Trioza, 2859. longula Stål, Mecidea, 80. longulus (Dall.), Paromius, 546. longulus G. & B., Thamnotettix, 2285. loricatus Van D., Platymetopius, 2025. louisianae Aulm., Trioza, 2870. lucernea Walk., Proconia, 1846. lucida Abb., Arctocorixa, 14421/2. lucida Walk., Monanthia, 643. lucidus Kschb., Capsus, 1036. lucidus McAt., Paracalocoris, p. 820. lucidus Bak., Thamnotettix, 2272. lucorum (May.) Lygns 1016. lucorum (Mey.), Lygus, 1016. luctuosa var. Westh., Salda, 1332. luctuosa (Stål), Saldula, 1340. luctuosus Prov., Chlamydatus, 1108, 1262. luctuosus Stål, Hammacerus, 755. luctuosus Stål, Thamnotettix, 2323. lugens Stål, Anasa, 303. lugens (Fabr.), Mormidea, 111. lugens Walk., Tettigonia, 1847. lugubris Fall., Aradus, 386. †lugubris Prov., Salda, 1330. †lugubris Uhl., Salda, 1323. lugubris (Say), Saldula, 1338. lugubris Ball, Telamona, 1636. lunaria Gmel Euryophthelmus lunaris Gmel., Euryophthalmus, 614. lunaris Ball, Idiocerus, 1779a. lunata (Burm.), Mozena, 265. lunatus Van D., Myndus, 2571. luniger Fieb., Ophthalmicus, 498. lunulatus Uhl., Dysdercus, 628. lunulatus Fabr., Lygacus, 614. lurida Mich., Danepteryx, 2626. lurida Garb., Dictyonota, p. 815. lurida Stål, Melanorhopala. 668.

lurida (Dall.), Mozena, 264. luridellus Fieb., Cardiastethus, 869. luridula Reut., Eurychilopterella, †luridus Bueno, Cymus, 485. luridus Stål, Cymus, 483. luridus Stål, Diplodus, 771. luridus Dall., Euschistus, 125. luridus (Van D.), Eutettix, 2160. luridus (Reut.), Platylygus, 1013. lusorius (O. & B.), Chlorotettix, 2336. lutarium (Stål), Belostoma, 1394. lutea G. & B., Cicadula, 2304. lutea Mull., Notonecta, 1348. lutea (Walk.), Stictocephala, 1598. †luteiceps (H. & P.), Sixeonotus, 1073. luteiceps Reut., Sixeonotus, 1076. luteicornis Westw., Acanthosoma, luteivitta (Walk.), Dicranotropis, 2803. luteocephalus S. & D., Deltocephalus, 20331/2. luteolus Fyles, Aradus, 393½. luteolus Dist., Corizus, 346a. luteolus Van D., Scaphoideus, 1995. lutescens Reut., Ceratocapsus, 1137. luteus Goeze, Cimex, 1071. lutulenta Van D., Liburnia, 2780. †lynx Stål, Carpocoris, 110. lyrata Bak., Agallia, 1773. lyricen (DeG.), Tibicen, 1477.

macgillivrayi Bak., Cicadula, p. 695. macrocephalus Lam., Phymata, 691. macroceps Kirk., Corixa, 1465. macronyx Mayr, Abedus, 1405. †maculata Latr., Acanthia, 1341. maculata Funkh., Carynota, 1610. maculata Gill., Dicraneura, 2383. maculata (Gill.), Erythroneura, 2445g.maculata Van D., Lamenia, 2677. maculata Crawf., Leuronota, 2850.
maculata Fieb., Notonecta, 1352c.
maculata A. & S., Plociomerus, 549.
maculata Hald., Ploiaria, 697. maculata (Crawf.), Psyllia, 2917. maculata Van D., Telamona, 1654. maculatus (Fieb.), Corizus, 345a. maculatus (Buckt.), Cyrtolobus, 1688. maculatus Van D., Dichrooscytus, 999. maculatus (G. & B.), Errhomenellus, maculatus Mlch., Issomorphus, 2638. maculatus Mlch., Naethus, 2615. maculatus Fieb., Nysius, 470. maculatus Osb., Phlepsius, 2215. maculellus Osb., Phlepsius, 2216. maculicollis Rey, Corizus, 345c. maculicollis Stal, Homalocoris, 757. maculicollis Reut., Resthenia, 902. maculifrons Van D., Catonia, 2513.

maculifrontis (Emns.), Cyrtolobus, maoulipennis Crawf., Aphalara, 2816. maculipennis Fh., Idiocerus, 1802. maculipennis (Fh.), Livia, 2810. maculipennis Crawf., Paratrioza, 2854. †maculipennis Walk., Pirates, 749. maculiventris (Say), Podisus, 227. maculosus Ball, Scolops, 2475. maerkelii (H.S.), Pithanus, 918. magdalena (Bak.), Aconura, 2115. magdalensis Prov., Platymetopius, 2029. magna (Crawf.), Liburnia, 2775.
magna (Crawf.), Psyllia, 2835a.
magna Crawf., Psyllopa, 2904.
magnicauda (Crawf.), Psyllia, 2929.
†magnicornis Fall., Coreus, 345.
magnifons (Crawf.), Liburnia, 2786.
magnifola Godg, Talamona, 1641. magniloba Godg., Telamona, 1641. magnistyla (Crawf.), Liburnia, 2782. magnoliae Heid., Leptoglossus, 249. magnoliae Ashm., Trioza, 2877. magnus Bak., Eugnathodus, 2377a. magnus O. & B., Euscelis, 2129. magnus Osb., Eutettix, 2167. magnus Bak., Macropsis, 1843. maidis (Ashm.), Peregrinus, 2738. majestus O. & B., Phlepsius, 2195. majestus Ball, Platymetopius, 2012. major Costa, Pachytoma, 1189. major Osb., Parabolocratus, 1956. major (Prov.), Saldula, 1323. major Osb., Scaphoideus, 1996b. major Bak., Xerophloea, 1931. majus Emns., Gargara, 1609. majus Limis, Gargara, 1009.
majuscula Van D., Catonia, 2522.
malachitica Dhlb., Psylla, 2817.
malefica (Wlsh.), Empoasca, 2425.
mali (Prov.), Dikraneura, 2386.
mali (LeB.), Empoasca, 2421. maligna Wlsh., Empoasca, 2399. malina Germ., Amphiscepa, 2639. malina (Uhl.), Ilnacora, 1185. malinus Reut., Heterocordylus, 1127. †malinus Prov., Sthenarops, 1031. manca Uhl., Danepteryx, 2625. †manicatus Burm., Macrocephalus, 691. manicatus (Fabr.), Macrocephalus, 692. manitobiana Ball, Draeculacephala, 1877. manitou (Ball), Aligia, 1971. manitou (G. & B.), Balclutha, 2375. margaritacea Bueno, Buenoa, 1362. marginalis Turt., Cimex, 1332. marginalis (Reut.), Horcias, 1000d. marginalis Reut., Lomatopleura, 1145a. marginalis Walk., Lygaeus, 357. †marginalis H.S., Salda, 1335. marginalis (Walk.), Tibicen, 1485. †marginata Howd., Cicada, 1484. marginata Say, Cicada, 1485.

marginata Prov., Evagoras, 770. marginata Prov., Evagoras, 770.
marginata Fabr., Fulgora, 2766.
marginata Van D., Largidea, 1089.
marginata Ptch., Livia, 2811.
†marginata Slos., Lopidea, 1146.
marginata Uhl., Lopidea, 1150.
marginata Uhl., Microvelia, 1302.
marginata Walk., Proconia, 1846.
marginata (Van D.), Prokelisia, 2716. marginata Crawf., Trioza, 2868. marginato-striatus Goeze, Cimex, 829. marginatum (P.B.), Acrosternum, 180. †marginatum Burm., Piesma, p. 815. marginatus Uhl., Aradus, 385 marginatus Walk., Capsus, 1000b. marginatus Jakl., Corizus, 343c. marginatus Say, Gerris, 1288. marginatus Uhl., Nabis, 818. marginatus (Uhl.), Orthotylus, 1177. marginatus Prov., Perülus, 217. marginatus Van D., Pissonotus, 2723. marginatus Hahn, Poeciloscytus, 988b. marginatus Dall., Rhaphigaster, 108. marginella Stål, Brochymena, 91. marginella Fabr., Ccrccopis, 1847. marginella Dall., Corimelaena, 37. marginella (Walk.), Herrera, 1509. †marginella Barb., Stenomacra, 622. marginella (H.S.), Stenomacra, 621. marginella Dall., Zicrona, 218. marginellus Dall., Lygaeus, 441a. marginellus (Fabr.), Philaenus, 1560e.marginellus (Stal), Platycarenus, 78. marginepunctata Mlch., Dictyssa, 2604. †marginepunctatus Uhl., Gonianotus, 597. marginiventris (Stål), Apateticus, 223. margo (Dall.), Pangaeus, 55. marinus Carp., Trachopus, 1312. mariposa Davis, Okanagana, 1516. marmorata (Say), Carynota, 1613. †marmorata Van D., Carynota, 1611. marmorata (Uhl.), Corythucha, 645. marmorata Godg., Stictopelta, 1724. marmoratus Spin., Calyptoproctus, 2455.marmoratus Van D., Dichrooscytus. 956. marmoratus Van D., Eutettix, 2161. marmoratus (Uhl.), Horcias, 1003. marmoratus (Say), Stethaulax, 11. marqueti Put., Reuteria, 1169. martini Kirk., Hydrometra, 1281. maura Fstr., Trioza, 2869. mavortius (Say), Cnemodus, 566. maxima (Uhl.), Triatoma, 737. media Walk., Ectrichodia, 751. media (Say), Lopidea, 1146. media Walk., Physoplia, 1726.

medicaginis Crawf., Kuwayama, 2848. mediospinosa Sign., Dacerla, 1095. meditabunda Spångb., Gypona, 1914. medius (Bak.), Balclutha, 2373b. megalopa O. & B., Lonatura, 2109. meilleurii Prov., Collaria, 875. melaena Kirk., Notonecta, 1356a. melanocantha Walk., Mormidea, 129. melanocephalus (Reut.), Engytatus, 1114. †melanoocphalus Uhl., Eysarcoris, 154. melanocerus Reut., Anthocoris, 862. melanodermus Montd., Lygaeus, 437a. melanogaster Osb., Ceresa, 1580. melanogaster (Prov.), Thamnotettix, melanopleurus Uhl., Lygaeus, 445. melanopterus Stål, Ambrysus, 1373. melanota Spångb., Gypona, 1906. melanotus DeL., Chlorotettix, 2327a. melanotus Bell., cinorotetta, 2524 melanotus Spng., Jassus, 2342. melanotus Osb., Scaphoideus, 1997. melaxanthus H.S., Capsus, 1000. melichari Van D., Cyarda, 2664. melichari (Ball), Fiichiella, 2582. melichari Peulla, 292314. melina Flor, Psylla, 29231/2. melinus Harr., Cimex, 1071. mellus S. & D., Thamnotettix, 23181/2. †melsheimeri Osb., Deltocephalus, 2071. melsheimerii (Fh.), Deltocephalus, 2075. †melsheimerii Van D., Deltocephalus, 2079. mendax Reut., Lygidea, 1011. mendica Stål, Catorhintha, 296. mendicus Ball, Thamnotettix, 2270. mendosus Ball, Deltocephalus, 2047. mera (Say), Carynota, 1609. meratii Guer., Acucephalus, 1933. mercenaria (Say), Arctocorixa, 1443. mercedita Davis, Okanagana, 1528. meriopterum (Scop.), Heterotoma, p. 823. metzaria Crawf., Aphalara, 2822a. metzaria (Crawf.), Pissonotus, 2730. mexicana Spangb., Gypona, 1905. mexicana Guer., Membracis, 1731. mexicana A. & S., Notonecta, 1359. mexicana Sign., Rhagovelia, 1310. mexicana Champ., Schumannia, 726. mexicana Bak., Spangbergiella, 1954. mexicana Stål, Telamona, 1656. mexicana Dist., Tettigades, 1508. mexicanus Sign., Corizus, 346a. mexicanus Dist., Neurocolpus, 921. mexicanus Mayr. Stenoscytus, 1402. micans Eschs, Halobates, 1299.
micarius Ball, Deltocephalus, 2056.
†micrantula G. & B., Zaitha. 1393.
microphthalmus Flor, Sciocoris, 79. microrhina Walk., Dictyophora, 2462. mildredae Ball, Eutettix, 2185 militaris Uhl., Hadronema, 1153. milvus Walk., Cicada, 1489.

mimetica Barb., Arhaphe, 625. mimetica Osb., Coquillettia, 1104. mimeticus Heid., Atheas, 678. mimicus G. & B., Idiocerus, 1796. mimosae Crawf., Heteropsylla, 2839. mimulus (Stål), Lygaeus, 458. mimus (Say), Dysdercus, 627. mimus Bak., Phlepsius, 2221. minax Godg., Platycotis, 1729. minima Abb., Corixa, 1466. minima (Guer.), Ptochiomera, 561. minimus Bak., Chlorotettix, 2333. minimus O. & B., Deltocephalus, 2075. minimus Uhl., Dicyphus, 1111. †minki Prov., Deltocephalus, 2073. minor O. & D., Alveotingis, p. 818. minor Reut., Apocremnus, 1243. minor Abb., Arctocorixa, 1444a. minor (Walk.), Draculacephala, 1875. minor McAt., Leptoypha, p. 817. minor (Fh.), Oncopsis, 1830. minor Ball, Orgerius, 2487. minor Uhl., Platypedia, 1541. minor (Crawf.), Psyllia, 2925a. minor Osb., Scaphoideus, 1996a. minor Duf., Zaitha, 1400. minore Crawf., Pentagramma, 2808. minuta (Bak.), Aconura, 2120. minuta Crawf., Arytaina, 2907. minuta (Van D.), Lonatura, 2108. minuta Davis, Okanagana, 1532. minuta (Crawf.), Psyllia, 2920. minuta Funkh., Stictocephala, 1591. minuta Osb., Stobaera, 2754. minuta Crawf., Trioza, 2870. minutissima Crawf., Aphalara, 2830. minutus Reut., Phytocoris, 927.
minutus Bergr., Aneurus, 416.
minutus (Uhl.), Ceratocapsus, 1141.
minutus Bergr., Cligenes, 579.
minutus Van D., Dicyphus, 1111. minutus Uhl., Haltious, 1122. minutus (Mayr), Homalocoris, 756. minutus Crawf., Megamelus, 2719a. minutus Uhl., Nysius, 470a. minutus (Uhl.), Thyreocoris, 38. mira Crawf., Crawfordiella, 2884. mirabilis (Perty), Cyrtomenus, 44. miracula Ball, Timodema, 2496. misella (Stål), Poblicia, 2459.

misella Boh., Typhlocyba, 2435.

miscellus (Stål), Bythoscopus, 1838.

misellus Van D., Cixius, 2545. misellus Ball, Deltocephalus, 2054. mixta Say, Tettigonia, 1932. †mixtus Van D., Acucephalus, 1936. modesta (O. & B.), Aligia, 1970. modesta Abb., Arctocorixa, 1443½. modesta Van D., Cyphopelta, 1100. modesta Gibs., Empoa, p. 827. modesta Spångb., Gypona, 1926. modesta Banks, Pnirontis, 721. modesta Uhl., Publilia, 1721. modesta (Godg.), Telamonanthe, 1660.

(Van D.), Atomoscelis, modestus 1251.modestus (Uhl.), Ceratocapsus, 1138. modestus Reut., Microphylellus, 1225. modestus Wrtnr., Neobothynotus, p. 820. modestus Van D., Orthotylus, 1175%. modestus Uhl., Peribalus, 94. modestus Stål, Platymetopius, 2009. modestus (Dall.), Podisus, 229.
moerens Reut., Plagiognathus, 1233.
moesta Dall., Anasa, 306.
moesta Stâl, Mezira, 406. moestus Stdl, Apiomerus, 760. †moestus H.S., Chariesterus, 283. moestus Gmel., Cimex, 301. moestus Fabr., Reduvius, 277. molaris Butl., Telamona, 1640. mollicula Van D., Acanalonia, 2645. mollicula O. & D., Corythucha, 649 %. molliculus Van D., Orthotylus, 11771/4. †mollipes Prov., Diedrocephala, 1879. mollipes (Say), Draeculacephala, 1874. monachus Uhl., Lygus, 1021. moniliferae O. & B., Idiocerus, 1792. monospilus Walk., Arma, 231.
montana Crawf., Trioza, 2855.
montanus Bergr., Aradus, 374.
montanus Bak., Errhomenellus, 1887.
montanus Ball, Parabolocratus, 1955a. montanus Van D., Thamnotettix, 2274. montanus Van D., Thyreocoris, 35. montezuma Kirk., Notonecta, 1358. montezuma (Dist.), Tibicen, 1496. monticola (Fabr.), Telamona, 1645. †monticola Uhl., Telamona, 1646. monticolor G. & B., Deltocephalus, moodii Gibs., Tinobregmus, p. 826. mopsus Stål, Mamurius, 274. morgani (DeL.), Empoa, 2430c. morio Reut., Lygidea, 1012. mormo Kirk., Bruchomorpha, 2587. mormon Montd., Ambrysus, 1374. morsei Osb., Thamnotettix, 2263. morosus Ball, Idiocerus, 1787. morrilli O. & D., Corythucha, p. 815. mucosa Champ., Repipta, 787. mucronatus Uhl., Podisus, 233. munda (Ball), Aligia, 1969. munda Stål, Murgantia, 173. munda Dall., Strachia, 173. mundum (Uhl.), Cimatlan, 1052. mundus Walk., Dysderous, 629. mundus Stål, Oplomus, 213. mundus Reut., Phytocoris, 958. mulsanti White, Mesovelia, 814. multicolor H.S., Capsus, 966. multipunctatus Van D., Macrotylus, 120114.

multisignatus Reut., Paracalocoris, 983. multispinosa (DeGeer), Acholla, 797. †multispinosa A. & S., Sinea, 800. multispinosus DeG., Cimex, 800. †multispinosus Barb., Jalysus, 423. multispinus Ashm., Hoplinus, 420. †multispinus Banks, Jalysus, 423. multispinus (Stål), Ligyrocoris, 541. †musculus Prov., Anthocoris, 860. musculus (Say), Anthocoris, 861 muskokensis Godg., Carynota, 1611. musteus Ball, Idiocerus, 1785. mutabilis var. Fall., Capsus, 1189. mutabilis Perty, Cydnus, 44. mutabilis Burm., Halticus, 1189. mutabilis (Fall.)), Orthocephalus, p. 824. mutata Mlch., Dictyssa, 2610. mutica (Say), Leptoypha, 666. muticus H.S., Archimerus, 271. muticus (Fabr.), Cyrtolobus, 1695.
†muticus Van D., Cyrtolobus, 1671-72.
muticus (Say), Neides, 419.
multillarius Fabr., Reduvius, 749. †mutillarius Guer., Reduvius, 747. myops Stål, Brochymena, 84.

nacreosus Crmb., Chlorotettix, 2330. nana Walk., Poeciloptera, 2639. nanus Van D., Oeclidius, 2552. nasulus Say, Rhinuchus, 238. nasuta Ball, Bostaera, 2749. nasuta Stål, Bruchomorpha, 2589. nasutus Van D., Platymetopius, 2024. nava (Say), Catonia, 2507. nebulosa P.B., Acanthocerus, 306. nebulosa Zett., Aphalara, 2829. nebulosa Kby., Edcssa, 203. nebulosa Ball, Lonatura, 2113. nebulosa P. B., Scutellera, 9. nebulosus Uhl., Camptobrochys, 1058. †nebulosus Stål, Galgulus, 1409. nebulosus Sign., Corizus, 346a. nebulosus Van D., Phlepsius, 2244. nebulosus (Fall.), Sphragisticus, 592. necopinus Van D., Chlorotettix, 2337. necopinus Van D., Orthotylus, 11781/2. neglecta Walk., Monecphora, 1545. neglectus Kngt., Lygus, p. 822. neglectus Osb., Scaphoideus, 1981. neglectus Edwds., Šcolopostethus, neglectus Garb., Triphleps, 863. negundinis (Mlly.), Psyllia, 2934. nemoralis Van D., Catonia, 2511½. neomexicanus Bak., Phelpsius, 2198. nervata Van D., Catonia, 2518. nervatus Van D., Idiocerus, 1777. nervatus Prov., Jassus, 2156. nervatus Van D., Phyllodinus, 2739. nervosa Tmsn., Aphalara, 2825. nervosa (Say), Hymenarcys, 143 nervosa Buckt., Stictocephala, 1600.

nervoso-punctatum Sign., Aethalion, 1753. nervosus (Schr.), Acucephalus, 1933. nervosus Boh., Nabis, 827. nervosus Van D., Oecleus, 2564. nevada Ball, Eutettix, 21881/2. nevadensis Bak., Eugnathodus, 2378. nevadensis Bak., Ortholomus, 463. nicoletanensis Prov., Eurygaster, 19. nidifex Schw., Euphalerus, 2898. nigella Fairm., Polyglypta, 1715. niger Stål, Aradus, 395. niger Uhl., Ceratocombus, 1278. niger Bak., Nysius, 470b. niger Dall., Ophthalmicus, 502. niger (Dall.), Thyreocoris, 31. niger (Wolff), Triphleps, 863. nigerrimus Van D., Apocremus, 1244 ½. nigra Ball, Clastoptera, 1566c. nigra Ball, Drionia, 1964½. nigra G. & B., Empoasca, 2409. nigra (Gill.), Erythroneura, 2448a. nigra Woodw., Gypona, 1906. nigra Pshly., Macrotracheliella, p. **819.** nigra Oliv., Membracis, 1732. nigra Crawf., Paratrioza, 2852. nigra II.S., Ranatra, 1382. nigra Crawf., Trioza, 2870. nigra (Osb.), Typhlocyba, 2428. nigricans Van D., Macropsis, 1819. nigricans Ckl., Murgantia, 172. nigricans Walk., Proconia, 1846. nigricans Osb., Scaphoideus, 1993. nigricans Van D., Stictocephala, 1596. nigricephalus (Emns.), Cyrtolobus, 1690b. nigriclavus Reut., Oncerometopus, 914. nigricollis Ball, Platymetopius, 2030¼. nigricollis (Reut.), Platytylellus, 906. nigricornis Champ., Atheas, p. 818. nigricornis Fh., Blissus, 496. nigricornis Hahn, Capsus, 1008. nigricornis (Stål), Coriomeris, 334. nigridea Uhl., Lopidea, 1151. nigridorsum (DeL.), Erythroneura, nigridorsum 24471/2. nigridorsum (Crawf.), Liburnia, 2792. nigridorsum Ball, Mesamia, 1972. nigridorsum Godg., Publilia, 1719a. †nigrifrons Van D., Deltocephalus, 2097. nigrifrons Ball, Phlepsius, 2217. Thamnotettix, nigrifrons (Frbs.), 2314. nigrifrons Crawf., Trioza, 2869. nigrifrons Osb., Xestocephalus, 1944. nigrigaster (Crawf.), Liburnia, nigriger (Stål), Poecilocapsus, 1005. nigrilla Crawf., Trioza, 2870.

nigrina, Champ., Teleonemia, 671. nigrinasi (Fh.), Oncopsis, 1831. nigrinasi Van D., Orthotylus, 11751/4. nigrinervis (Stål), Lygaeus, 451. nigrinus Put., Corizus, 343b. nigripennis Rly., Calophya, 2844. nigripennis Fabr., Cicada, 1851. nigripennis Crawf., Stobaera, 2756. nigripes Reut., Anthocoris, 853. nigripes (Reut.), Labopidea, 1192. nigripes Fieb., Psallus, 1243. nigristernum Sign., Corizus, 348. †nigristernum Uhl., Corizus, 349. nigrita Reut., Horcias, 1000e.
nigrita A. & S., Physoplia, 1726.
nigritula Zett., Mecomma, 1187.
nigritus Reut., Camptobrochys, 1068.
nigriventer S. & D., Deltocephalus, 20591/2. nigriventris Stål, Nabis, 819. nigriventris (Walk.), Tibicen, 1483a. nigriviridis Ball, Platymetopius, 2011. nigrocincta Van D., Ophiderma, 1706. †nigrolineata Thoms., Corisa, 1450. nigrolineata Godg., Platycotis, 1728. nigro-maculata Prov., Platycotis, 1728. nigromarginata Sign., Dictyophora, 2464. nigronervosus Mlch., Naethus, 2617. nigropallidus, Kngt., Lygus, p. 821. nigropaintus, Angt., Lygus, p. 821. nigrophthalmus Retz., Cimex, 1014. nigropunctata Zett., Pholetaera, 1936. nigro-rubra Spin., Vulsirea, 176c. nigroscuta G. & B., Empoasca, 2414. nigro-vittata Stat, Fitchia, 789. nitens Reut., Camptobrochys, 1070a. nitens Van D., Eutettix, 2169. nitens Van D., Heraeus, 529. nitens Van D., Phyllodinus, 2740. nitens Van D., Xestocoris, 604. nitida (Fieb.), Arctocorixa, 1444. nitida Stål, Pagasa, 816. nitidicollis (Stål), Orthaea, 552. nitidula Don., Cicada, 1936. nitidula (Fabr.), Empoa, 2430½. nitiduloides (Wolff), Thyreocoris, 28. nitidulus (Uhl.), Ligyrocoris, 536. nitidus Van D., Cyrtolobus, 1698. nitidus Uhl., Halticus, p. 376. niveipennis Schw., Euphyllura, 2895a. nobilis Forb., Macropsis, 1762. noctivaga Ball, Lonatura, 2112. noctuans Kngt., Sericophanes, 10971/2. nodosa Say, Ptochiomera, 557. †nodosus Prov., Plociomerus, 612. noevus (Gill.), Erythroneura, 2447b. norvegicus (Gmel.), Calocoris, 985. notabilis (Dist.), Cymoninus, 481. notata Flor, Psylla, 2922. notatipennis Stål, Burtinus, 321. notatus Westw., Macrocephalus, 693. notulus Germ., Megamelus, 2717. noualhieri Handl., Phymata, 688. nova Godg., Stictopelta, 1723.

novascotiensis Kngt., Lygus, p. 822. noveboracensis Gmel., Arctocorixa, 1442. †noveboracensis Cooke, Cicada, 1522. novoeboracensis Sign., Corisus, 345. noveboracensis Fh., Draeculacephala, 1879. noveboracensis (Emns.), Okanagana, 1523. novella (Say), Agallia, 1762. novenarius Say, Reduvius, 796. nubeculosus Stål, Cyrpoptus, 2458. nubifera Ptch., Aphalara, 2815½. nubila (Van D.), Macropsis, 1804. nubilatus Kngt., Lygus, p. 821. nubilosus Kngt., Lygus, p. 821. nubilosus Kngt., Lygus, p. 821. nubilus Van D., Lygus, 10384. nubilus (Say), Neurocolpus, 920. nubilus Van D., Oncocephalus, 730. nubilus McAt., Paracalocoris, p. 820. nudus Ball, Phlepsius, 2242. nudatus Báll, Chlorotéttix, 2339. numenius (Say), Belonochilus, 473. nychthemerus Burm., Hammatocerus, 754.

obesa Van D., Laccocera, 2748. obesa Montd., Mozena, 266. obesa Ball, Orgamara, 2492 obesa Uhl., Rhagovelia, 1309. obesus O. & B., Deltocephalus, 2093. obfuscatus Gmel., Cimex, 1017. oblineatus Say Capsus, 1031. obliqua (Uhl.), Anasa, 305. obliqua O. & D., Corythucha, 643. obliqua Ball, Dictyssa, 2611. obliqua Say, Erythroneura, 2447. obliquus (Uhl.), Aethus, 53. obliquus Uhl., Aradus, 395. obliquus (Uhl.), Chlamydatus, 1265. obliquus H.S., Dysdercus, 630. obliquus (Say), Harmostes, 338. obliquus Uhl., Orectoderus, 1101. obliquus (Germ.), Sphyrocoris, 12. †oblonga Prov., Leptostyla, 653. oblonga (Say), Leptostyla, 659. Westw., Pentatoma, 102, oblonga 178b.oblonga Stål, Ptochiomera, 562. obovatus Champ., Melanocoris, p. 819. obscura Van D., Aphelonema, 2596. obscura Uhl., Dictyonia, 2622. obscura H. S., Halys, 87. obscura Ball, Lamenia, 2673. obscura Dall., Leptoscelis, 258. obscura Fieb., Liburnia, 2766a. obscura Uhl., Lopidca, 1150. obscura Reut., Lygidea, 1010c. obscura Pshly., Melanorhopala, p. 818. obscura Van D., Ophiderma, 1701. obscura Ball, Orgamara, 2494. obscura Bak., Neocoelidia, 2352. obscura P. B., Pentatoma, 129. obscura Reut., Phimodera, 23b.

obscura Prov., Salda, 1320. obscurator (Fabr.), Margus, 290. obscuratus Dist., Dysdercus, 635. obscuratus Montd., Geocoris, 499b. obscurella Boh., Liburnia, 2781. obscurellus Walk., Capsus, p. 419. obscuripennis (Stal), Lygaeus, 450. obscuripes Uhl., Apateticus, 226. obscurus Curt., Acucephalus, 1933. obscurus Westw., Alydus, 317. obscurus Stål, Cimolus, 300. obscurus Van D., Eremocoris, 602. ||obscurus Dall., Euschistus, 129. obscurus (Duf.), Lethocerus, 1389. obscurus Westw., Metapodius, 238. obscurus Stal, Mononyx, 1410. obscurus Uhl., Plagiognathus, 1239.
obscurus Osb., Platymetopius, 2029.
†obscurus Van D., Platymetopius, obscurus Uhl., Pocciloscytus, 992. obscurus Hahn, Rhynarius, 863. obsoleta Ball, Telamona, 1632. †obsoletus Prov., Athysanus, 2136. obsoletus Walk., Bythoscopus, 1778. obsoletus H.S., Gonocerus, 308. obstinatus Ball, Idiocerus, 1786. obtectus O. & B., Deltocephalus, 2057. obtusa (Say), Clastoptera, 1562. obtusa Wlsh., Empoasca, 2398. obtusa Uhl., Mozena, 263. obtusa Fabr., Oncometopia, 1846. obtusa Ptch., Trioza, 2865. obtusus Uhl., Cyrtomenus, 44. obtusus Walk., Largus, 616. obtusus Ball, Occleus, 2555. obtusus Barb., Phrynomorphus, 2158. obtusus Osb., Scaphoideus, 1998. obtusus (Uhl.), Thyreocoris, 39. obtutus (Van D.), Euscelis, 2158. occatoria (Say), Cicadella, 1858. occidentalis (Bak.), Aconura, 2116. occidentalis (Bak.), Balclutha, 2374. occidentalis Funkh., Ceresa, 1573. occidentalis Bak., Corizus, 345h. occidentalis Heid., Leptoglossus, 247. occidentalis (Van D.), Macropsis, 1810. occidentalis (Godg.), Micrutalis, 1606. occidentalis Van D., Myndus, 2576. occidentalis (Walk.), Okanagana, 1520. occidentulis Bak., Phlepsius, 2243. occiduus Bueno, Zelus, 776. occlusa Van D., Liburnia, 2789. occllaris (Fall.), Deltocephalus, 2052. §occilata Uhl., Bruchomorpha, 2583. ocellata Crawf., Paratricza, 2852. ocellata Costa, Salda, 1332. ocellata Mlch., Thionia, 2635. ocellatus Prov., Macropsis, 1830. ocellatus Reut., Sericophanes, 1097. ochracea Prov., Psylla, 294314. ochraceus Osb., Scaphoideus, 1990.

ochraceus H.S., Zelus, 788. ochreoptera Uhl., Tibicen, p. 495. ochripes Curt., Chlamydatus, 1187. ochroceras Stal, Rhyparochromus, 549. ocreatus (Say), Dysdercus, 634. 8-lineata (Say), Gypona, 1897. †octolineata Uhl., Gypona, 1898. 8-lineata Woodw., Gypona, 1904. 8-lineata var. a, Say, Tettigonia, 1898. octo-notata Wish., Erythroneura, 2445i. octopunctata Kirk., Pagaronia, 1882b. oculata Van D., Agallia, 1763. oculata Newm., Bruchomorpha, 2583. oculata (Reut.), Collaria, 876. oculatus O. & B., Deltocephalus, 2081. oculatus (Fabr.), Gelastocoris, 1407. oculea (Ball), Aligia, 1967. odara Kirk., Notonecta, 1357c. †oenotherae Germ., Aphrophora, 1560h. oenotherae Scop., Cicada, 1560g. oleosa (Dist.), Collaria, 878. olitorius Say, Jassus, 2340. olivacea Spangb., Gypona, 1903. olivaceus Schr., Cimex, 1071. olivaceus Reut., Lygus, 1026. olympusa (Walk.), Tibicen, 1489. omnivagus Kngt., Lygus, p. 822. opaca (Say), Elidiptera, 2499. opacula Uhl., Gargaphia, 656. opacula (Zett.), Saldula, 1335. opalinus Osb., Scaphoideus, 2000. oppositus (Say), Leptoglossus, 248. optatus Crmb., Phlepsius, 2238. optatus Crmb., Phiepsius, 2258. orbs Stål, Gerris, 1284. orbiculata Sign., Clastoptera, 1562. orbiculata (Uhl.), Saldula, 1325. orbicollis Uhl., Heraeus, 532. orbitalis Fh., Evacanthus, 1884. orbona Fabr., Cicada, 1846. orbonatus Ball, Thamnotettix, 2303. orbus Stål Rhaphingster, 178 orbus Stål, Rhaphigaster, 178. ordinatus Say, Coreus, 301. ordinatus Ball, Deltocephalus, 2078. oregona Davis, Okanagana, 15301/4. oregonensis Bak., Errhomenellus, 1889. oregonensis Bak., Platymetopius, 2015. orichalcea Dhlb., Cicadula, 23871/2. orientalis Kirk., Mesovelia, 814. ornata Abb., Arctocorixa, 14441/4. ornata Uhl., Closterocoris, 1099. ornata (Prov., Cyrtosia, 1686. ornata (Bak.), Dicyphonia, 1960. ornata (Gill.), Driotura, 2128. ornata (Stål), Liburniella, 2758. ornata Van D., Okanagana, 1512. ornata Stål, Salda, 1316. ornata Emns., Telamona, 1648. ornaticollis (Stål), Platytylellus, 901. ornatus Van D., Anthocoris, 856a. ornatus Say, Aradus, 365.

ornatus Van D., Orthotylus, 1179%.
ornatus (Reut.), Reuteroscopus, 1213.
ornatus Dall., Stiretrus, 207b.
orovila Ball, Neocoelidia, 2344½.
orozimbo Fairm., Physoplia, 1726.
orthocantha P.B., Pentatoma, 117.
osborni Van D., Balclutha, 2371.
osborni G. & B., Clastoptera, 1563.
osborni Van D., Deltocephalus, 2090.
osborni (DeL.), Erythroneura,
2444½.
osborni Ball, Eutettix, 2174.
osborni Van D., Liburnia, 2771.
osborni Van D.), Rhytidolomia, 104.
osborni Ball, Scolops, 2467.
osborni Ball, Thamnotettix, 2254.
ostryae Kngt., Lygus, p. 822.
ottawanensis Ptoh., Neotriozella,
2878.
ovalis Westw., Pentatoma, 102.

ovalis Westw., Pentatoma, 102.
ovata O. & D., Acalypta, 637½.
ovata Ball, Dictyssa, 2607.
ovata O. & D., Fenestrella, 637¾.
ovatipennis (Walk.), Picumna, 2637.
ovatus (Stål), Abedus, 1402.
ovatus Van D., Cyrtolobus, 1668.
†ovatus Bergr., Neuroctenus, 409.
ovatus Van D., Orthotylus, 1175¾.
ovatus Van D., Phlepsius, 2202.
ozarcensis Gibs., Euscelis, p. 826.

†pabulinus Scop., Cimex, 985. pabulinus (Linn.), Lygus, 1014. pacifica (Crawf.), Liburnia, 2770. †pacifica Kirk., Orthaca, 547. pacifica Van D., Stictocephala, 1588. pacificus Barb., Ceraleptus, 331. pacificus (Prov.), Gastrodes, 606. pacificus (Uhl.), Thyrillus, 976. packardi Stål, Banasa, 187. padi Drke., Corythucha, p. 816. paetus Ball, Bythoscopus, 1835a. palaetus Van D., Stenocranus, 2704. pallens Dall., Alydus, 317. pallens Stål, Arma, 227. pallens Stål, Geocoris, 500. pallens Fall., Phytocoris, 840. pallens Panz., Reduvius, 829. pallescens Walk., Capsus, p. 420. pallescens Germ., Cicada, 1543. pallescens Reut., Nabis, 820. pallescens Germ., Phylloscelis, 2485. palliatus Perris, Capsus, 1207. palliatus Prov., Darbanus, 771. pallicornis Fabr., Acanthia, 1119. pallicornis Reut., Phytocoris, 923. \$pallida Woodw., Alebra, 2380. pallida (Fairm.), Archasia, 1663. pallida Osb., Cicadula, 2363. pallida (Van D.), Clidophelps, 1536b. pallida O. & D., Corythucha, 63814. pallida (Say), Elidiptera, 2500. pallida Gill., Empoasca, 2415. pallida Bak., Neocoelidia, 2347. pallida Van D., Ophiderma, 1705.

pallida Ptch., Pachypsylla, 2892. pallida Osb., Stobaera, 2753. pallida Dist., Tibicen, 1492. pallidicornis Stal, Aradus, 389. pallidicornis H.S., Capsus, 1119. pallidicornis Stål, Narnia, 255. †pallidicornis Prov., Phytocoris, 952. pallidicornis Reut., Phytocoris, 923. †pallidicornis Van D., Phytocoris, 922. pallidicornis Reut., Trigonotylus, 892. pallidifrontis (Emns.), Cyrtolobus, 1682. pallidipennis (Stål), Leioscyta, 1738. pallidipes Stål, Bruchomorpha, 2584. pallido-virens (Stål), Thyanta, 159. pallidula Wlsh., Typhlocyba, 2380. pallidulus Montd., Ambrysus, 1369a. pallidulus Reut., Lasiochilus, 844. pallidulus McAt., Paracalocoris, p. 820. pallidulus Osb., Thamnotettix, 2313. pallidus Curt., Acucephalus, 1933. pallidus Zimm., Amnestus, 69. pallidus (Uhl.), Antillocoris, 579. pallidus Reut., Brachysteles, 866. pallidus (Rossi), Cimex, 840. pallidus Bak., Corizus, 345f. pallidus Fh., Idiocerus, 1778. pallidus Westw., Macrocephalus, 695. pallidus Van D., Phlepsus, 2222. pallidus (Zett.), Philaenus, 1560h. pallidus Uhl., Scolops, 2472. pallidus Osb., Tinobregmus, 2355. palliolata (Ball), Mesamia, 1976. pallipes Jak., Agalliastes, 1258. †pallipes Kirk., Anisops, 1362. †pallipes Heid., Calisius, 398. pallipes Van D., Horcias, 1000f. †pallipes Leth., Notonecta, 1352. pallipes Stal, Pagasa, 815. pallipes Dist., Perithous, 1072. pallipes Van D., Pissonotus, 2728. pallipes Uhl., Plagiognathus, p. 412. pallipes Burm., Polyglypta, 1715. pattipes Burm., Potygrynta, 1715.
pallipes (Fabr.), Saldula, 1332.
palmeri (Uhl.), Adelphocoris, 968.
palmeri Van D., Ceresa, 1578.
palmeri Reut., Neoborus, 1041a.
palmeri Reut., Phytocoris, 941.
palmeri Reut., Phytocoris, 941. paludemaris Barb., Peritrechus, 586. paludosus Ball, Deltocephalus, 2092. pangaeiformis Sign., Homaloporus, panimae Fowl., Acanalonia, 2647. pannosus Ball, Eutettix, 2192. panzeri Duf., Corizus, 345. par McAt., Paracalocoris, p. 820. parallela (Say), Aphrophora, 1548. parallela (Crawf.), Psyllia, 2916. parallelogramma Stål, Cryphula, 608. paralellus (Van D.), Euscelis, 2133. parallelus H.S., Largus, 621. parilis Walk., Aethus, 60. parisiensis A. & S., Xylocoris, 840.

parnisus Dall., Rhaphigaster, 179.
parshleyi Abb., Arctocorixa, 1444½.
parshleyi Kngt., Lygus, p. 822.
parva (Godg.), Micrutalis, 1607.
parva Handl., Phymata, 689f.
parvicornis Sign., Corizus, 354.
parvula Say Cicada, 1543.
parvula Ball, Kelisis, 2709.
parvulus Gill., Deltocephalus, 2074.
parvulus Sign., Geotomus, 63.
parvulus Sign., Geotomus, 63.
parvulus Van D., Podops, 75.
parvulus Dall., Rhyparochromus, 547.
parvus Lthr., Platymetopius, 2020½.
pasadena Ball, Uhleriella, 1963½.
pasadena Ball, Thamnotettix, 2268.
pascuellus (Fall.), Deltocephalus, 2073. parnisus Dall., Rhaphigaster, 179. 2073. pastinacac Fall., Lygacus, 1036. patruelis Stål, Ceresa, 1569. patulifrons Walk., Issus, 2632. patulus Walk., Prionotus, 796. paulus McAtee, Geocoris, 498a. pauperata Mich., Ormenis, 2654. pauperata Spångb., Gypona 1918. pauperculus (Ball), Eutettix, 2176. paykulli Turt., Comex, 969. peckhami (Ashm.), Galeatus, 651. pectennata Abb., Arctocorixa, 1445. pectinatus O. & B., Deltocephalus, 2045. pectoralis Stål, Camptopus, 317. pectoralia Emas., Gargara, 1598. pectoralis Spångb., Gypona, 1917. pectoralis (Say), Pygolampis, 724. pellicia Uhl., Cylloceps, 1268. pellita (Uhl.), Saldula, 1337. pellucens Fabr., Acanthia, 1320. pettucens Faor., Acastma, 1320.
pettucens Boh., Caspus, p. 824.
pettucens Fowl., Occleus, 2559.
pettucida Uhl., Diaphnidia, 1166.
pettucidus Goeze, Cimex, 1332.
pettucidus Garb., Orthotylus, 1267. pellucidus Ball, Scaphoideus, 2004. peltata Uhl., Parapholis, 1930. pendula Van D., Paraproba, 1163. pennsylvaniae Westw., Pentatoma, pennsylvanica Handl., Phymata, 689b. pennsylvanicum (De Geer), Acrosternum, 179. pennsylvanicus Sign., Geotomus, 62. † pennsylvanicus Fh., Rhaphigaster. 181. pentagona Ball, Neocoelidia, 23511/4. perclavatus Van D., Jalysus, 423. percultus Dist., Heracus, 534. percursus McAt., Paracalocoris, p. 820. perdita (A. & S.), Microcentrus, 1748. perditor (Fabr.), Thyanta, 157.

perdix Uhl., Scolops, 2470.

*peregrinans O. & B., Agallia, 1773. peregrinans Stål, Agallia, 1774. **peregrinus Kirk., Zelus, 773. perelegantis Ball, Eutettix, 2184. perennis Fh., Nabis, p. 282. perfida Stål, Madura, 286. pergandei Heid., Corythucha, 640. pergandei Gill., Empoasca, 2404. pergandii Reut., Cardiastethus, 868. periplanios Kirk., Orthaea, 547. permutata Uhl., Aphrophora, 1550. permutata Uhl., Dictyobia, 2619. permutata Van D., Enchenopa, 1736. perplexus G. & B., Idiocerus, 1780. perpunciata A. & S., Hymenarcys, 143. perpunctata Van D., Thamnotettiz, 2314. perpunctatus Dall., Harmostes, 335. †perpunctatus Uhl., Triphleps, 864. perrisi: Duf., Aradus, 391.
perrisi: M. & R., Capsus, 1244.
perseae Heid., Aeysta, 680.
persignandus (Dist.), Platytylellus, 907 persimilis Van D., Aradus, 368½, persimilis Horv., Chlorochroa, 106. personalus Bak., Phlepsius, 2196. personatus (Linn.), Reduvius, 733. personatus Germ., Stiretrus, 207c. perspicillatus O. & B., Thamnotettix, 2284. peruvianus (Guer.), Dysdercus, 631. petiolata Say, Myodocha, 526. pettiti (Reut.), Neoborus, 1044 phorodendronae (Van D.), Klopicoris, 1057. phyllopus (Linn.), Leptoglossus, 244. phyllosomus (Burm.), Meccus, 735. phymatophora (P.B.), Alcaeorrhynchus, 209. tphymatophora Stal, Mutyca, 210. pia A. & S., Emesa, 709. piceatus Stal, Pangaeus, 60. piceola Kshb., Delphaz, 2766. piceola (Sarb.), Lethmooris 507. piccola Kshb., Delphax, 2766.
piccus (Say), Isthmocoris, 507.
piccus (Van D., Megamelus, 2718.
piccus (Dall.), Peribalus, 96.
piccus Spnr., Pissonotus, 2736.
piccus Van D., Scolops, 2483.
picicollis Van D., Parthenicus, 1199½.
piccolor Westw., Acanthosoma, 203.
menus Uhl., Melanacthus, 62.
picipes (H.S.), Melanolestes, 745.
picta Zett., Aphalara, 2825.
picta Uhl., Bolteria, 1246.
picta Prov., Carynota, 1614. picta Prov., Carynota, 1614. picta Van D., Catonia, 2510. picta Uhl., Hadronema, 1156 picta Uhl., Hesperolabops, 1086. picta Prov., Penthimia, 1894. picta (Drury), Phthia, 258. picta Walk., Tettigonia, 1864. picta Walk., Umbonia, 1726. picticeps Curt., Miris, 879.

pictifrons Stål, Myndus, 2565. pictipes H.S., Apiomerus, 767. pictipes Stål, Corizus, 346a. pictipes Champ., Diaditus, 732. pictipes Champ., Dichocysta, 670. †pictipes Montd., Geocoris, 498. pictipes Champ., Zelus, 769. pictiventris Stål, Mormidea, 112. picturata Uhl., Ozophora, 571. †picturata Uhl., Salacia, 579. picturatus Uhl., Dycoderus, 565. picturatus Osb., Scaphoideus, 1980. pictus Horv., Corizus, 345b. pictus Osb., Deltocephalus, 2042. pictus Van D., Eutettix, 2042 pictus Van D., Eutettix, 2167. pictus (H.S.), Trepobates, 1296. †pilicornis Uhl., Dasycoris, 333. pilicornis H.S., Tingis, p. 815. piligera Stal, Plociomera, 540. pilipes Dall., Pentatoma, 98. pilosellus (Hory) (Simey 837 pilosellus (Horv.), Cimex, 837. pilosulus H.S., Alydus, 327. pilosulus (Stål), Antillocoris, 578. pilosulus (Uhl.), Psalaus, 1219. †pilosulus Van D., Salacia, 579. pilosus Hahn, Capsus, p. 825. pima Kirk., Oliarus, 2539. pini Fh., Cixius, 2548. pini Fh., Clastoptera, 1566c. pini Montd., Dendrocoris, 198. pinicola Crawf., Aphalara, 2820. pinicola Kirk., Calocoris, 987. pinorum Mne., Helicoptera, 2499. †pipistrelli Chitt., Cimex, 837. pithecolobia Crawf., Aphalaroida, 2832.
placidus (Prov.), Acucephalus, 1937.
placidus Uhl., Podisus, 230.
placidus Osb., Thamnotettix, 2319.
placitus Van D., Oliarus, 2529.
plagiata (Reut.), Neoborus, 1041b.
plagiata Fieb., Notonecta, 1357.
plagiata Walk., Proconia, 1846.
plagiatus Uhl. Lyona 1035 plagiatus Uhl., Lygus, 1035. plagifer (Reut.), Xenoborus, 1047. plana Heid., Leptodictya, 662. planicornis Pall., Cimex, p. 823. planifrons (Kby.), Arctocorixa, 1446. † platycnemis Uhl., Anisops, 1362. platycnemis (Fieb.), Buenoa, 1363. platyrhynchus Osb., Dorycephalus, 1947. plebejus Stål, Heraeus, 528. plenus Dist., Rhyparochromus, p. plexa (Say), Physatocheila, 665. plicaticollis Lucas, Pentatoma, 178a. plumbea Uhl., Rhagovelia, 1312. †pluto Prov., Alydus, 323.
pluto Uhl., Alydus, 322.
pluto Uhl., Cochlorhinus, 1961.
†plutonius Prov., Athysanus, 2138.
plutonius Bak., Corizus, 345i.
plutonius Uhl., Jassus, 2144.

podopioides Uhl., Prionosoma, 156. poeyi (Guer.), Brochymens, pocyi Guer., Naucoris, 1366. †poeyi Uhl., Naucoris, 1368. politus Sign., Aethus, 54. †politus Prov., Aneurus, 413. politus Say, Aneurus, 412.
politus Uhl., Euschistus, 124.
politus (Uhl.), Ioscytus, 1344.
politus Reut., Phytocoris, 955.
politus Uhl., Plagiognatis, 1241. pollinosa Fowl., Aulacizes, 1852. polygoni Fstr., Aphalara, 2815. polygrapha Uhl., Corythucha, 649. polystolus Scott, Acucephalus, 1936. pomonae Aulm., Trioza, 2870. ponderosa Stål, Strachia, 176c. porosus (Germ.), Camirus, 6. porphyrea Fairm., Carynota, 1614. porrecta Walk., Aconophora, 1728a. porrecta Buckt., Enchenopa, 1735. porrectus Geoff., Cimex, 879. postfasoiata A. & S., Ceresa, 1570. potoria Ball, Cicadula, 2369. praealta Fowl., Telamona, 1650. praecinctus Gmel., Cimex, 779. praecipua Walk., Anisoscelis, 250. praecox Van D., Lamenia, 2675. praecultus Dist., Ischnodemus, 491. praetermissa Bergr., Doldina, 793. praeusta (Fieb.), Callicorixa, 1416. †prasinus Reut., Allorhinocoris, 965. †prasina D. & S., Litosoma, 1172. prasinus Reut., Lygus, 1024a. prasinus Dall., Rhaphigaster, 17 prasina Walk., Tettigonia, 1879. pratensis (Linn.), Lygus, 1031. prehensilis (Fabr.), Macrocephalus, 695. princeps Uhl., Hadronema, 1155. proboscideus Walk., Aradus, 392. producta Van D., Catonia, 2523. †producta Van D., Diedrocephala, 1875. producta (Walk.), Draeculacephala, 1872. producta (Van D.), Fokkeria, 21. producta Barb., Orsillacis, 475. producta Uhl., Orsillacis, 461. producta Van D., Thionia, 2636. productilis Barb., Ghilianella, 711. productus (Walk.), Deltocephalus, 2032. productus G. & B., Idiocerus, 1790. productus Uhl., Limnotrechus, 1287. productus Osb., Scaphoideus, 1991. projecta (Butl.), Heliria, 1624. prolixa Fowl., Tettigonia, 1862. pronoe (Walk.), Fidicina, 1505. propingua Westw., Pentatoma, 178a. †propinguas Prov., Coriscus, 818. propinguas Crawf., Euphalerus, 2901. propinguas Dist., Harmostes, 341. propinquus Reut., Nabis, 825. prosopis Crawf., Aphalaroida, 2834.

ı

protensa Montd., Ranatra, 1385. protensa Fstr., Triaza, 2862. proteus Fh., Clastoptera, 1566. tproteus Prev., Clastoptera, 1562c. proteus Stål, Homaemus, 17. protracta (Uhl.), Triatoma, 740. provancheri (Burque), Diaphnidia, 1167. provancher: Van D., Idiocerus, 1801, †providus Bak., Nysius, 466. †providus Uhl., Nysius, 461. proxima (Walk.), Ormenis, 2661. proxima Westw., Pentatoma, 178a. proxima (rawf., Rhinopsylla, 2847a. proxima (Dall.), Runibia, 177. proximus Sign , Corizus, 346a, pruinosa Spangh., Gypona, 1900. pruinosa (Say), Ormenis, 2649. pruinosa Bail, Telamona, 1642. pruinosa (8ay), Tibieen, 1474. pruni O. & D., Corythucha, 640¼. pruni (Prov.), Oncopsis, 1829. †psalliodes Prov., Parthenicus, 1184. psalliodes Reut., Parthenicus, 1198. psammobius Garb., Trapezonotus, pseudo chinche Fh., Anthocoris, 864. pseudoheraeus Barb., Ligyrocoria, 533. pseudonymus Bergr., Neuroctenus, psittacella Fowl., Tettigoma, 1860. psylloides Leth., Delphax, 2738. tpteridis Uhl., Bryocoris, 1140. pteridis Dhib., Typhlocyba, 2437. puberula Stål, Ptochiomera, 564. puberulus Montd., Psailus, 1243. puberus Uhl., Oncotylus, 1209. pubescens (Walk.), Aphleboderrhis, 401. pubescens Crawf., Arytaina, 2912. pubescens Reut., Lygus, 1031. pubescens Emns., Ophiderms, 1701. pubescens (Reut.), Sthenarus, 1221. pudicus Stal, Ambrysus, 1370. puella Van D., Liburnia, 2768. puella Reut., Phytocoris, 951. pugnax (Fabr.), Solubea, 117. pulchella Crawf., Aphalara, 2824. pulchella G. & B., Empoasca, 2410. pulchella Bueno, Microvelia, 1303. pulchella Ball, Neocoelidia, 2350. pulchella Crawf., Paratrioza, 2852. pulchella (Ball), Telamonanthe, 1659. pulchellus Montd., Ambrysus, 1369. pulchellus Bak., Entettix, 2189. †pulchellus Prev., Oncotylus, 1172. pulchellus Heid., Isometopus, 1274. pulchellus Westw., Pentatoma, 207. pulcher Stål, Galgulus, 1407 pulcher (Stål), Hyalymenus, 319, pulcher Reut., Trigonotylus, 891. pulchripennus Bak., Phlepsus, 2209, pulicarius (Fall.), Chlamydatus, 1258.

pulicarius (Germ.), Thyreocoris, 37. pulicarius Van D., Xestocephalus, 1940. pullatus Dist., Camirus, 6. pullatus Ball, Eutettix, 2183.
pullatus Van D., Orthotylus, 11794.
pulverulenta Curt., Aphrodes, 1933.
pulverulenta Uhl Hadrodema, 1037.
pulverulentus H.S., Anwascelis, 258. purverulentus Walk., Largus, 619. purula (Van D.), Acanalonia, 2640. pumila Van D., Catonia, 2512. pumila Van D., Liburnia, p. 780. pumilus (l'hl), Ceratocapsus, 1139. punctata (Thmb.), Balclutha, 2370. punctata Van D., Brochymena, 90. †punctata Mich., Cyarda, 2664. punctata Fieb., Notonecta, 1352a. punctatissimus Voll., Cocaus, 139. punctatissimus Sign., Geotomus, 65. punctato-nervosus Goese, Cimex, 345. punctatus (Dist.), Antillocoris, 580. punctatus Sign., Corizius, 351. punctatus (O. & B.), Deltocephalus, MADE OF THE PARTY punctatus (Walk.), Flatoides, 2666. punctatus Zett., Lygus, 1031. punctatus Costa, Nabis, 829a. punctatus Prov., Rhyparochromus, 489. punctellus (Stål), Sphyrocoris, 13. puncticollis Stål, Ambrysus, 1376. puncticollis Spängb., Gypona, 1920. puncticallis Fall., Phytocons, 476. punctifer (Walk.), Mormidea, 115. punctiferum Walk., Hysteropterum, punctifrons (Fall.), Cicadula, 2356. punctifrons (Van D.), Macropsis, †punctipennis Thom., Nysius, 468. punctipennis H.S., Podisus, 222. punctipennis Dall., Rhopalus, 348. punctipes H.S., Capsus, 1267, punctipes Est., Cicada, 2073, punctipes (Say) Geocoris, 498, punctipes Reut Natus 220 punctipes Reut., Nabus, 830.
punctipes Reut., Oncotylus, 1208.
punctipes P.B., Pentatoma, 111.
punctipes Say, Pentatoma, 111, 126.
punctiscriptus Van D., Phlepsius, punctiscuta G. & B., Thamnotettis, 2292 †punctiventris Stål, Corisus, 349. punctiventris Stål, Hypselonotus, 309. punctiventris Dall., Rhopalus, 345. punctiventris Van D., Thyanta, 164. †punciulata Prov., Trichia, 1044. punctulatus (P B.), Proxys, 138. punctulatus Westw., Rhaphigaster, 191. punctulatus (Reut.), Tiryus, 1135. pungens Germ., Flata, 2466. †pungens Stål, Opisocetus, 733.

pungens Lec., Reduvius, 745. punicus Linn., Cimex, 220. pupillata H. S., Halys, 85. pura Gibs., Corythucha, p. 816. pura (Stål), Empoasca, 2411. purcis (Drury), Hammacerus, 754. purpuripenne Blanch., Pentatoma, purpuripennis Hahn, Pentatoma, 191. pusilla Van D., Micracanthia, 1343. pusillum (Uhl.), Cimatlan, 1053. pusillus Uhl., Amnestus, 68. †pusillus Burm., Hebrus, 810. pusillus Van D., Myndus, 2573. pusillus Bak., Phlepsius, 2225. pusillus Reut., Poeciloscytus, p. 332. pusio (Stål), Lygaeus, 449. pusio Heid., Nannium, 403. pustulata P.B., Pentatoma, 129. putnami (Osb.), Neoslossonia, 1949. putnami (Uhl.), Platypedia, 1537. pygmaea Fieb., Corixa, 1468. pygmaeus (Zett.), Cyrtorhinus, p. pyramidata Uhl., Telamona, 1629. †pyramidoides Smith, Thelia, 1621. †pyri Curt., Psylla, 2922. pyricola (Fstr.), Psyllia, 2922. pyrifoliae Frbs., Trioza, 2869½. pyrioides Scott, Stephanitis, 652. †pyrisuga Brnd., Psylla, 2922. pyrops (Crmb.), Platymetopius, 2010. pyrrhocerus (H.S.), Euschistus, 125a. pyrrhopterus Stål, Lygaeus, 444. pyrrhotelus Walk., Tettigonia, 1847. quadrangularis (Say), Lepyronia, quadrata Walk., Poeciloptera, 2643. quadricornis Prov., Diraphia, 2944. 4-lineata Frbs., Cicadula, 2362. 4-lineata Mlch., Flata, 2528. 4-lineata Germ., Hoplophora, 1728a. 4-lineata (Fh.), Psyllia, 2924. quadrilineatus Say, Aradus, 361.
4-lineatus Van D., Oecleus, 2563.
4-maculata Godg., Platycotis, 1728a.
quadrimaculatus Guer., Pycnoderes, 1078. quadrinotata Say, Aphrophora, 1546. 4-notata Prov., Brochymena, 84. quadri-notata Spngb., Gypona, 1921. †quadrinotata Uhl., Ranatra, 1383. 4-punctata Prov., Agallia, 1764. 4-punctata Fh., Cicadula, 2312. 4-punctata Ball, Huleria, 1965. 4-punctata Crawf., Trioza, 2860. 4-pustulata (Fabr.), Brochymena, 85. †quadripustulata H.S., Brochymena, 84. 4-pustulata Van D., Stobaera, 2755. quadristriata Barb., Sphaerobius, quadrivittata (Say), Platycotis,

1728a.

quadrivittata Say, Tettigonia, 1864. quadrivittatus Say, Capsus, 1004. †quebecensis Prov., Gypona, 1898. quebecensis (Prov.), Gypona, 1899. quebecensis Prov., Tetrarhinus, 312. quercalba Kngt., Lygus, p. 822. querci (Fh.), Cyrtolobus, 1692. querci Fh., Empoa, 2430. querci G. & B., Eutettix, 2164. querci Fh., Telamona, 1644. quercus Walk., Telamona, 1644. 5-lineatus (Say), Oliarus, 2528. 5-maculata Bak., Eupteryx, 2426. 5-spinosus (Say), Megalotomus, 320. quisquilius DeG., Cimex, 733.

radiata Gill., Empoasca, 2412. radicis Osb., Myndus, 2575. raleighi Bueno, Notonecta, 1354. ramentosa Ball, Dicyphonia, 1959. ramentosus (Uhl.), Idiocerus, 1796. ramona Ball, Neocoelidia, 23451/2. ramosa Kirk., Gypona, 1902. ramosus (Bak.), Phlepsius, 2247. ramosus Uhl., Phytocoris, 945. raphanus Howd., Nysius, 470. rapidus (Say), Adelphocoris, 966. raptatorius Say, Reduvius, 800. raptor Kby., Chiroleptes, 526. raptoria Stål, Sinea, 805. †raptorius Walk., Mononyx, 1410. rastratus (Stål), Thyreocoris, 28½. reaumurii Kby., Otiocerus, 2694. reclivata Fh., Telamona, 1635. reclivatus Say, Lygaeus, 436. recticornis Gmel., Cimex, 879. rectus Say, Aradus, 386. recurvatus H.S., Alydus, 317. redacta Fowl., Tettigonia, 1865. redimitis Uhl., Lygus, 1031. reducta Walk., Entylia, 1716b. reducta Ball, Orgamara, 2491. reductus Walk., Plociomerus, 547. reductus Walk., Plociomerus, 547. reductus Ball, Scaphoideus, 2006a. regalis Kngt., Clivinema, 1087½. regalis Uhl., Macrotylus, 1205. regalis (Uhl.), Pseudoxenetus, 1159. reflexulus (Say), Harmostes, 336. reflexus O. & B., Deltocephalus, 2044. reineckei Van D. Cyrophus, 2457. reineckei Van D., Cyrpoptus, 2457. relativus (G. & B.), Euscelis, 2136. relicta (Fabr.), Ormenis, 2659. remigis Say, Gerris, 1283. remotus Horv., Carpocoris, 110. renardii Kol., Zelus, 773. renormatus (Uhl.), Thyreocoris, 40. reperta Uhl., Cicada, 1495. reperta (Uhl.), Saldula, 1330. repertus Uhl., Oncotylus, 1211. repetita Heid., Anasa, 304. repetitus Uhl., Macroporus, 45. repleta Fieb., Cicadula, 2356a. repletus Uhl., Apiomerus, 763. repletus Uhl., Lygus, p. 348. †resedae Uhl., Cymus, 477.

resedae (Panz.), Ischnorrhynchus, 476. resh (Hald.), Tibicen, 1487. residuus Van D., Horcias, 1000g. resonans (Walk.), Tibicen, 1488.
reticeps (Prov.), Psyllia, 2943.
reticulata Guer., Arctocorixa, 1447.
reticulata (Sign.), Draeculacephala, 1881. reticulata Stål, Hymenarcys, 141. reticulata (Mlch.), Misodema, 2602. reticulata Ball, Neocoelidia, 2346. reticulata Bak., Ploiariopsis, 707. reticulata Van D., Publilia, 1720. reticulata Ball, Scolopsella, 2452. reticulata Hald. Zaitha, 1401. reticulatus Barb., Dendrocoris, 196. reticulatus Van D., Tylocentrus, 1750. retrorsus Uhl., Deltocephalus, 2065. §retroversus Uhl., Deltocephalus, 2065.reuteri White, Dolichomerus, 843. reuteri Van D., Phytocoris, 946. reversalis (O. & B.), Macropsis, 1806. reverta Uhl., Gypona, 1955. rhododendri Horv., Stephanitis, 653. rhodomelas (H.S.), Oplomus, 211b. †rhois Glvr., Psylla, 2844. rhyparus Stål, Orgerius, 2486. ribesiae (Crawf.), Arytaina, 2905. ribis (Ptch.), Psyllia, 2926. ricanoides (Spin.), Carthaea, 2648. rileyi Bak., Phelspius, 2239. rileyi Bergr., Rheumatobates, 1297. rileyi Montd., Sinea, 808. rileyi (Godg.), Telamonanthe, 1658. rimosa (Say), Okanagana, 1518. †riparia D. & S., Salda, 1336. riparius Scop., Cimex, 879. rivularis Germ., Jassus, 1935. robertsoni Fh., Anotia, 2686. robertsoni Fh., Cicada, 1487. robertsoni (Fh.), Fitchiella, 2580. robertsoni Uhl., Pangaeus, 58. robiniae (Uhl.), Lopidea, 1149. robinae Fh., Thelia, 1618. robusta (Bak.), Aconura, 2118. robusta Crawf., Arytaina, 2902. robusta O. & B., Driotura, 2127. robusta Gill., Empoasca, 2413. robusta (Uhl.), Gerris, 1286. robusta Uhl., Hadronema, 1154. robusta Uhl., Microvelia, 1306. robusta Walk., Poeciloptera, 2643. robusta Uhl., Tetyra, 2. robustus Uhl., Apocremnus, 1243. †robustus Prov., Aradus, 361. robustus Uhl., Aradus, 362. robustus (Uhl.), Bythoscopus, 1837. robustus Uhl., Camptobrochys, 1062. robustus (Uhl.), Geotomus, 61. robustus Reut., Platytylellus, 903. robustus Uhl., Scolops, 2478. robustus (Uhl.), Strongylocoris, 1126.

rohweri Ckl., Pachypsylla, 2888. trolandri Rets., Cimex, 986. troripes Uhl., Coriscus, 819. rosacea Reut., Lygidea, 1010b.
rosaceus Van D., Poeciloscytus, 1229.
rosae (Linn.), Empoa, 2437.
rosae Harr., Tettigonia, 2437. rosea Burm., Hynnis, 2689. trosca Kshb., Typhlocyba, 2436. rosca Prov., Typhlocyba, 2370. roscipennis Reut., Nabis, 830. roseus Bak., Corizus, 348a.
roseus Van D., Gerhardiella, 1229.
roseus (Uhl.), Phytocoris, 944.
rotulata Van D., Pelitropis, 2579. rotundata (Crawf.), Liburnia, 2801. rotundata Stål, Stictocephala, 1593. rotundifrons Davis, Okanagana, 15121/2. rotundipennis Crawf., Trioza, 2861. rubecula Goeze, Cimex, 1031 rubecula (Uhl.), Lygidea, 1010. rubella Van D., Catonia, 2519. rubellus Uhl., Miris, 883.
rubens Harr., Cimex, 1071.
ruber (Linn.), Deraeocoris, 1071.
ruber Reut., Oncerometopus, 915. rubescens Mich, Amphiscepa, 2639a. rubescens Stdl, Lygacus, 452. rubi Wish., Psylla, 2867. rubi Hdy, Typhlocyba, 2435. rubicollis (Uhl.), Lygaeus, 457. rubicunda Uhl., Megaloceroea, 887. rubicundus (Fall.), Lygus, 1037. rubida (Uhl.), Europiella, 1256. rubida Popp., Gerhardiella, 1229. rubida (Uhl.), Largidea, 1088. rubida (Uhl.), Triatoma, 739. rubidus Ball, Eutettix, 2192½. rubidus Kngt., Lygus, p. 821. rubidus McAt., Paracalocoris, p. 820. ?rubiginosus Dall., Euschistus, 157. rubiginosus H.S., Archimerus, 271. rubra (Gill.), Erythroneura, 24 †rubra Fowl., Monecphora, 1545. rubricans (Prov.), Microphylellus, 1226. rubricata Van D., Erythroneura, 2451. rubricatus Reut., Corizus, 343e. †rubricatus Hahn, Lygus, 1037. rubricollis Banks, Lygaeus, 457. rubriger Stål, Lygaeus, 455. rubrinervis (Stal), Creontiades, 960. rubrivittata Walk., Aconophora, 1728. rubro-acuminatus Goeze, Cimex, 1071. rubrocinctus DeG., Cimex, 617. rubroclarus Kngt., Lygus, p. 821. rubrofusca P.B., Pentatoma, 127. rubrolimbata A. & S., Herega, 764. rubromarginatus Kouch., Cimex, 108. rubronotatus Prov., Rhopalotomus, rubropictus Voll., Oplomus, 211a.

rubroscuta (Gill.), Erythroneura, rubrovenosa Davis, Okanagana, 1514. grubrovitta Snow, Stictocephala, 1592a. rubrovittatus (Stål), Platytylellus, 910. rudis Dist., Cicada, 1496. rudis Uhl., Reduviolus, 830. rudis (Walk.), Tibicen, 1472. rufa (Gill.), Aconura, 2122a. rufescens Barb., Alydus, 326. rufescens Gmel., Cimex, 1071. rufescens Osb., Thamnotettix, 2279. ruficeps Duf., Belostoma, 1387, 1392. ruficollis Fall., Phytocoris, p. 419. trusicornis Hahn, Miris, 885. ruficornis (Geoff.), Trigonotylus, rufifascia (Walk), Ormenis, 2662. rufipedis Fh., Blissus, 496. †rufipennis Uhl., Dichrooscytus, 996. rufipennis Duf., Xylocoris, 851. rufipes Van D., Ischnodemus, 490. rufipes Stål, Trapezonotus, 590. rufiventris Walk., Aulacizes, 1851. rufivitta (Walk.), Stictocephala, rufivittatus Ball, Megamelanus, 2714. rufocinctus H.S., Cimex, 108. rufoculis Kby., Lygaeus, 358. rufofasciata (DeG.), Triatoma, 742. †rufopictus Barb., Chlorocoris, 168. rufoscriptus Van D., Phytocoris, rufoscutellatus (Bak.), Bythoscopus, 1839. rufoscutellatus Latr., Limnoporus, 1291. rufoscutellatus (Gray), Paryphes, rufula Gill., Dicraneura, 2387a. rufula Fstr., Psylla, 29231/4 rufus G. & B., Idiocerus, 1784. rufus Van D., Phytocoris, 957. rufusculus Reut., Nabis, 831. rugator Fabr., Coreus, 301. rugicollis Ball, Chlorotettix, 2328. rugicollis Reut., Triphleps, 864. rugifrons Uhl., Pangaeus, 57. rugipennis Crawf., Euphalerus, 2899. rugosa (Ball), Aphelonema, 2592. rugosa Spangb., Gypona, 1896. rugosa Fieb., Notonecta, 1357. rugosus Curt., Acucephalus, 1933. rugosus Buckt., Campylocentrus, 1752. rogusus A. & S., Merocoris, 236. rugulosa (Say), Thyanta, 163. rumicis Mly., Aphalara, 2816. rumicis Boh., Psylla, 2814. rupinatus Ball, Thamnotettix, 2271.

rustica Fabr., Cercopis, 1933. rusticus (Fall.), Stignocoris, 588. rutilans Horv., Lygus, 1031.

sabulosus Fourc., Cimex, 345. sacchari (Fabr.), Teleonemia, 673. saccharivorus (Wstw.), Stenocranus, 2705. sagitta (Fabr.), Podisus, 231. sagittatà Germ., Membracis, 1728. saint-cyri Prov., Clastoptera, 1566. saint-cyri Prov., Nysius, 468. salamandra Fairm., Ophiderma, 1700. salamandra (Burm.), Oplomus, 212d. saldaeformis Uhl., Peritropis, 1094. saliceti (Fstr.), Psyllia, 292314. salicicola Fstr., Psylla, 2923 14. salicis O. & D., Corythucha, p. 815. salicis Ckl., Phymata, 689g. salicis D. & S., Psallus, 1244. salicis Mlly., Trioza, 2870. saliens Wolff, Capsus, 1258. saliens (Reut.), Criocoris, 1223. salina Ball, Kelisia, 2708. sallei Stål, Lygus, 1027. sallei Fallou, Stenomacra, 622. salsura Ball, Lonatura, 2110. saltator Heid., Glyptocombus, 1280. saltator (Hahn), Orthocephalus, saltatoria (Linn.), Saldula, 1341. saltatorius Fabr., Lygaeus, 986. †saltatorius Panz., Lygaeus, 1332. saltatrix Prov., Livia, 2812. salvini Dist., Ischnorrhynchus, 479. sanctus (Say), Scaphoideus, 1980. †sanctus Van D., Scaphoideus, 1981. sandarachatus (Say), Oncopeltus, 431. sandersi Osb., Deltocephalus, 2041. sandersi White, Nabis, 828. sanguinarius Uhl., Coccobaphes, 1009. sanguinea (G. & B.), Dikraneura, sanguinea Prov., Diraphia, 2945. §sanguinca Aulm., Trioza, p. 797. sanguineus (Costa), Corizus, 343a. sanguinolenta (Prov.), Agallia, 1767. sanguinolenta Spångb., Gypona, 1925. sanguinolenta (Fabr.), Jadera, 358. sanguinolentus Van D., Oncopeltus, 429. sanguino-apicalis Godg., Stictocephala. 1587. sanguinosa Fstr., Trioza, 2864. sanguinosa Rly., Trioza, p. 797. sanguisuga Stål, Sinea, 806. sanguisuga (Lec.), Triatoma, 738. saratogensis (Fh.), Aphrophora, sareptanus Jak., Stenotus, 969. sarpinus Dall., Rhaphigaster, 181. satur Ball, Deltocephalus, 2094. saucia Van D., Ormenis, 2652. saucia (Say), Rhytidolomia, 101. saucius Ball, Eutettix, 2188. saundersi D. & S., Teratocoris, 898. saxatilis Van D., Amycle, 2454. †saxeus Uhl., Neoborus, 1041.

sayi Ball, Anotia, 2687. sayi Reut., Camptobrochys, 1067. sayi Stal, Chlorochroa, 109. sayi (Fh.), Deltocephalus, 2053. sayi (Van D.), Thyreocoris, 42. sayi (S. & G.), Tibicen, 1475. scaber O. & B., Eutettix, 2189a. scabra Abb., Arctocorixa, p. 483. scabrosus (Uhl.), Crophius, 525. scabrosus Mich., Flatoides, 2669. scabrosus (Uhl.), Sixeonotus, 1077. scalaris (Fairm.), Heliria, 1623. scalaris Van D., Scaphoideus, 1988. scarlatina Fh., Gypona, 1923. schach (Fabr.), Moneephora, 1544. schaefferi (Barb.), Odmalea, 200. schaefferi, Davis, Okanagana, 1521. schaefferi Schout., Pachycoris, 4e. schellenbergii Kby., Otiocerus, 2699. schousboei (Fabr.), Pachycoris, 4f. schwarzi Ashm., Aphalara, 2828. schwarzii Uhl., Camptobrochys, 1065. schwarzi Van D., Crophius, 520. schwarzii Ashm., Enicocephalus, 684. schwarzi Reut., Pilophorus, 1130. schwarzii Heid., Proxius, 400. schwarzii Rly., Rhinopsylla, 2845. schwarzi Ball, Thamnotettix, 2255. scitulus Ball, Eutettix, 2182. scitus Walk., Aethus, 55. †scolopax Uhl., Orsillus, 461. scolopax (Say), Ortholomus, 462. scorbutica (Fabr.), Anasa, 306. scorpio DcG., Cimcx, 689. scotica (Curt.), Saldula, 1336. scriptus Ball, Platymetopius, 2028. scrupeus (Say), Paracalacoris, 979. †scrupcus Prov., Phytocoris, 922. scrupulosa Spångb., Gypona, 1901. scrupulosa Stål, Teleonemia, 674. scrupulosus Ball, Scaphoideus, 2006. scudderi Stål, Geocoris, 501. sculptoconus Crawf., Neotriozella, 28**7**9. sculptus (Fairm.), Cyrtolobus, 1675. scurra (Germ.), Idiocerus, 1793. scurrilis Van D., Argyrocoris, 1197. scutatus (Stål), Corizus, 350. scutellaris Walk., Bedetria, 208. scutellaris (Gill.), Erythroneura, 2445h. scutellaris (Reut.), Neoborus, 1041d. scutellaris Fieb., Notonecta, 1352. scutellaris Kirk., Notonecta, 1348a. scutellata Walk., Proconia, 1846. scutellatus Van D., Alydus, 325. scutellatus Van D., Horcias, 1000a. scutellatus Dist., Lygus, 1034. †scutellatus Prov., Orthops, 1041a. scutellatus Uhl., Orthops, 1036. scutellatus (Uhl.), Pseudoxenetus, 1160. scutellatus Dall., Rhyparochromus, 550.

scutello-maculatus Goeze, Cimex, 829. secundarius Uhl., Scolopocerus, 292. segmentata (Fowl.), Vanduzea, 1712. segusinus Mull., Deraeocoris, 1071b. †segusinus Reut., Deraeocoris, 1071. selector Stål, Catorhintha, 297. selector Uhl., Catorhintha, 295. selectus Fieb., Globiceps, 1161. selene Kirk., Notonecta, 1352f. sellaris Abb., Corixa, 1464. sellatus (Guer), Euryophthalmus, 620. sementinus Ball, Oliarus, 2534. semi-brunnea Buckt., Stictocephala, semicrema (Say), Acutalis, 1602a. †semicrema Prov., Ceresa, 1580. semifascia Walk., Thelia, 1673. semifasciata Buckt., Argante, 1 semifasciata Uhl., Coelidia, 2340. semiflavus (Linn.), Capsus, 1008b. semiflavus Wolff, Miris, 988. seminigra (Stål), Liburnia, 2798. †seminuda G. & B., Eutettix, 2182. seminudus (Say), Eutettix, 2179. semipullatus Van D., Thamnotettix, 2275. semiustus Van D., Maurodactylus, 1271. semivitrea (Prov.), Dictyssa, 2612. semivittata (Say), Trichopepla, 98. semivittatum H.S., Pentatoma, 98. semivittatus Kngt., Lygus, p. 822. †senecionis Bak., Nysius, 472. senectus Van D., Orthotylus, senilis Van D., Reduvius, 734. senilis (Say), Rhytidolomia, 102. separata (Uhl.), Saldula, 1329. separatus (Uhl.), Macrolophus, 1116. septendecim (Linn.), Tibicina, 1510. septentrionalis Walk., Aneurus, 413. septentrionalis Prov., Elidiptera, 2503. septentrionalis (Spin.), Ormenis, 2656. septentrionalis Walk., Tettigonia, 1847a. †7-guttata Ball., Draeculacephala, 1869. 7-guttata (Walk.), Draeculacephala, 1868. seriata Abb, Arctocorixa, 14471/2. scriatus (Reut.), Psallus, 1218. †scricans Uhl., Coriscus, 820. sericans (Stål), Irbisia, 974. sericans Reut., Nabis, 819. sericata (Uhl.), Labopidea, sericea Stal, Pygolampis, 723. sericeus Eschs., Halobates, 1300. †scriceus Prov., Poecdoscytus, 1172. scriceus Uhl., Poecdoscytus, 991. sericeus Uhl., Psallus, p. 407. serieventris Uhl., Podisus, 228. †serrata P.B., Halys, 85.

†serrata Wolff, Halys, 89. serratulae Fabr., Cicada, 1934. serratus (Fabr.), Harmostes, 335. serripes Oliv., Myodocha, 526. serrulata (Uhl.), Arctocorixa, 1448. serrulatus H.S., Spartocera, 277. servillei Spin., Acanalonia, 2643. servillei Spin., Issus, 2630. servillei (Guer.), Orthaea, 550. servus (Say), Euschistus, 118. †seticornis Shrnk, Cimex, 986. setigera Osb., Prokelisia, 2715. setosa Champ., Corythucha, 648½. setosa (Stal), Orthaea, 553. setosus Reut., Ceratocapsus, 1140. sctosus Gmel., Cimex, 800. setosus (Stål), Ligyrocoris, 534. setosus (Van D.), Tollius, 329. severini Handl., Phymata, 689e. sexguttata Walk., Cicada, 1501a. 6-guttatus (Prov.), Macrotylus, 1200. sezmaculata Walk., Membracis, 1731. sexmaculatus G. & B., Deltocephalus, sexmaculatus (Barb.), Horcias, 1001. sex-maculatus Stål, Oncopeltus, 433. sexnotata (Fall.), Cicadula, 2362. sexnotata Van D., Empoa, 2430b. 6-punctatus Prov., Jassus, 2063. sexspinosa Wolff, Reduvius, 797. sexstriatus Gmel., Cimex, 829. sexvittatus (Van D.), Euscelis, 2153. shastus (Ball), Euscelis, 21361/2. shermani Heid., Aradus, 377. shermani Kngt., Lygus, p. 822. shermani Ball, Thamnotettix, 2302. shooterii Uhl., Notonecta, 1356. shoshone Kirk., Eurygaster, 20. sibericus (Reut.), Nabis, 827a. sibilatrix Berg., Tympanoterpes, siccifolius Uhl., Bythoscopus, 1767. sicula A. & S., Polyglypta, 1715. siculus Sign., Corizus, 343a. sidae (Fabr.), Corizus, 346. sideroxyli Rly., Ceropsylla, 2881. signata (Fieb.), Arctocorixa, 1449. signata Uhl., Microvelia, 1301. signata (Reut.), Neoborus, 1041c.

signata Ball, Uhleriella, 1964.
signatifrons Van D., Deltocephalus, 2066.
signatus Uhl., Agalliastes, 1266.
signatus Ubl., Coriscus, 824.
signatus (Dist.), Creontiades, 962.
signatus Mlch., Flatoides, 2668.
signatus Heid., Isometopus, 1275.
signifer Reut., Lygus, 1014a.
signifer Reut., Phytocoris, 925a.
signifera (Walk.), Pacarina, 1504.
signoreti Stål, Ambrysus, 1378.
signoreti Fh., Aphrophora, 1553.
signoreti Duf., Belostoma, 1392.
signoreti Stål, Bothriocera, 2525.
†signoreti Van D., Bothriocera, 2524a.

signoreti (Guer.), Cistalia, 607. signoreti Fh., Otiocerus, 2695. signoreti (Guer.), Pentacora, 1316. silvestri Mtch., Smilia, 1664d. similaris (S. & G.), Tibicen, 1478. similis Say, Aradus, 371. similis Stål, Heza, 795. similis (Walk.), Kolla, 1862. similis Bark., Perigenes, 544. similis Lth., Phlepsius, 22351/2 similis Crawf., Stenocranus, 2702. . similis Woodw., Tettigonia, 1855. similis Crawf., Trioza, 2863. similis Crawf., Trioza, 2869. similis Crawf., Trioza, 2870. simplarius O. & B., Athysanus, 2089. simplex Uhl., Agalliastes, 1259.
simplex Uhl., Aneurus, 415.
simplex Uhl., Aphelonema, 2594.
simplex Van D., Cyrtolobus, 1689.
simplex Van D., Deltocephalus, 2089. simplex (Reut.), Engytatus, 1113. simplex (Uhl.), Labopidea, 1193. simplex (Uhl.), Neuroctenus, 408. simplex (Germ.), Thionia, 2631. simplicia Dist., Pundaluoya, 2738. simplicicornis Strob, Calocoris, 986. simplicipes Uhl., Ploiaria, 702. simulans Uhl., Aulacostethus, 11. simulans Heid., Leptodictya, 663. simulans Stål, Phymata, 690. simulans Singl., Psylla, 2922. singula Walk., Jerala, 2700. †sinuata Fh., Éntilia, 1716. †sinuata Buckt., Entylia, 1716a. sinuata (Fabr.), Entylia, 1718. sinuata (Crawf.), Psyllia, 2915. sinuata Fowl., Telamona, 1649. †sinuatus Guer., Alydus, 318. sinuatus H.S., Alydus, 317. sipolisii Fallou, Rasahus, 749. slossoni Van D., Cicadula, 2368. slossoni Ball, Deltocephalus, 2038. slossoni Van D., Elidiptera, 2502. slossoni Van D., Eutettix, 2168. slossoni Van D., Ischnodemus, 493. slossoni Ball, Liburnia, 2759. slossoni Barb., Ligyrocoris, 535. slossoni Ball, Myndus, 2569. slossoni Van D., Oliarus, 2537. slossoni Ball, Phlepsius, 2241. slossoni Van D., Platymetopius, 2018. slossoni Osb., Saldoida, 1346. smaragdula (Fall.), Empoasca, 2395. smaragdula (Fabr.), Nezara, 178a. †smaragdula Duf., Pentatoma, 178. smith Van D., Thamnotettix, 2308. snowi Gill., Empoasca, 2416. snowi Ball, Eutettix, 2187. snowi G. & B., Idiocerus, 1797. snowi Van D., Narnia, 256. snowi Ball, Occleus, 2561. sobrinus Uhl., Hebrus, 811. sobrius Uhl., Cnemodus, 568. sobrius (Walk.), Oncopsis, 1825.

socialis (Wht.), Tenagobia, 1415. socius Stat, Largus, 619. socius Uhl., Zelus, 774. sodalicus (Uhl.), Rhyparochromus, solani Heid., Gargaphia, 658.
solani Heid., Irbisia, 975a.
solani Curt., Lygus, 1014.
solida Uhl., Lygaesoma, 442.
solidaginis (Walk.), Phlepsius, 2246.
solus Godg., Tuberculocentrus, 1751.
solutus Montd., Geocoris, 5002. sonans Walk., Cicada, 1507. sonchi Fstr., Aphalara, 2825. sonchi Crawf., Hemitrioza, 2883. sonora Walk., Cicada, 1484. sonorae G. & B., Thamnotettix, 2275. sonorana Kirk., Mistharnophantia, sonorus Ball, Deltocephalus, 2101. sordens Gmel., Cimex, 1008. sordida (Uhl.), Banasa, 186. sordida Uhl., Lepyronia, 1557. sordida (Van D.), Macropsis, 1822. sordidata Uhl., Cicada, 1489. sordidipennis Stål, Myndus, 2566. sordidula Stål, Mormidea, 113. sordidus O. & D., Atheas, p. 818. sordidus H.S., Cimex, 126. sordidus Reut., Nabis, 820. sordidus McAt., Paracalocoris, p. 820. sordidus (Reut.), Xylocoris, 847. sordulentus Uhl., Monorachis, 2542. southwicki (Van D.), Eutettix, 2162. spangbergi Sign., Pangaeus, 59. spartii Hrtg., Psylla, 2904. spartini Osb., Megamelanus, 2713. sparsus Curt., Acucephalus, 1933. spathula Rey, Corizus, 343. spatulatus O. & B., Chlorotettix, spatulatus Van D., Phlepsius, 2196. speciosus Van D., Dichrooscytus, 9951/2. speculator Montd., Geocoris, 502b. sphacelata (Uhl.), Saldula, 1334. spilota Westw., Pentatoma, 118. spinata O. & D., Corythucha, p. 816. spiniceps Stal, Anasa, 306. spiniceps Stal, Anasa, 306. spinicollis (Champ.), Pselliopus, 782. spinicrus A. & S., Mozena, 261. spinicrus Reut., Nabis, 824. spinifera Crawf., Aphalaroida, 2833. spinifrons (Say), Amnestus, 67. spinipes (H.S.), Sinea, 807. spiniventris Sign., Stenolemus, 701. spinosa Dall., Arma, 227. spinosa Dug., Corythucha, 6481/4. spinosissima Kol., Pygolampis, 720. spinosula Stål, Fitchia, 790. spinosula Stal, Filenia, 180. spinosus (Say), Jalysus, 421. spirans Fabr., Cimex, 178a. †spirans Dall., Rhaphigaster, 180. spissicornis Fabr., Cimex, p. 823. spissipes (Say), Apiomerus, 765.

splendida Gill., Empoasca, 2400. splendidus (Uhl.), Perillus, 215. sponsa Guer., Neurotmeta, 2577. sponsalis Geoff., Cimex, 829. spreta Zett., Cicadula, 2370. spreta Godg., Telamona, 1647a. †spumarius Fall., Cercopis, 1560a. spurca Stål, Pygolampis, 722. spurculus Stål, Euschistus, 130. spurcus Stål, Capaneus, 268. spurcus Uhl., Scolops, 2468. squalus Burm., Archimerus, 271. stagnalis (Leach), Arctocorixa, 1450. stagnalis Burm., Velia, 1313. †stagnalis Uhl., Velia, 1314. stalii Sign., Conorhinus, 742. stalii Reut., Ilnacora, 1184. stalii (Reut.), Lyctocoris, 843. stallii Uhl., Pachycoris, 4d. steinegeri (Ashm.), Liburnis, 2784. stellaris Ball, Phlepsius, 22191/2. stellata (Curt.), Chiloxanthus, 1319. stenolabis Löw, Psylla, 2923½. stigmatica (Fieb.), Arctocorixa, 1451. stigmatus (Say), Cixius, 2549. †stigmatus Uhl., Cixius, 2545. stigmosa (Uhl.), Europiella, 1252. stimulatrix Emns., Sinea, 797. stimulea Van D., Ceresa, 1575. stolatus Ball, Chlorotettix, 2338. stolida Fairm., Membracis, 1731. stolida Farm., memoracis, 1131. stolii Kby., Otiocerus, 2690. †stollii H.S., Zaitha, 1404. straminea (Osb.), Mesamia, 1973. stamineus Walk., Capsus, 985. stramineus S. & D., Thamnotettix, 23051/2. stria Latr., Acanthia, 1332. †stria Smith, Sirthenea, 750. striata (Linn.), Arctocorixa, 1452. striata Fabr., Cercopis, 1933. striata Fabr., Fulgora, 2766. striata Burm., Gypona, 1904. striata (Ptch.), Psyllia, 2930. striata Walk., Tettigonia, 1847. striatella Fabr., Cercopis, 1933. striatipes (Hald.), Okanagana, 1526. †striatulus O. & B., Athysanus, 2146. striatulus (Fall.), Euscelis, 2144. striatus Kngt., Lygus, p. 821. strictus Ball, Eutettix, 2177. strigata Uhl., Lopidea, p. 385. strigipes (H.S.), Mineus, 221. strigosus Uhl., Nysius, 472. strigulatus (Walk.), Camptobrochys, 1059. striola Fieb., Idiocerus, 1803. striola Fieb., Plea, 1365. striolus (Fall.), Euscelis, 21 strobi (Fh.), Eutettix, 2181. strombergi Godg., Carynota, 1609. strombergi Godg., Heliria, 1625. stupida (Walk.), Carynota, 1611. stygialis M. & R., Capsus, p. 825.

stygica Say, Nerthra, 1411. stygica Ball, Uhleriella, 1963. †stygicus Uhl., Mononyx, 1410. stygicus (Say), Strongylocoris, 1123. stylatus Ball, Deltocephalus, 2049. stylifera Ptch., Trioza, 2873. suaedae Crawf., Aphalara, 2821. suavis (Reut.), Chlamydatus, 1259. suavis Reut., Pallacocoris, 1007. subaeneus (Van D.), Eutettix, 2163. subarmatus H.S., Harpactor, 797. †subbifasciatus Prov., Idiocerus, 1795. subbifasciatus Say, Jassus, 2340. subcoleoptratus Kby., Nabis, 818. subcupraeus (Prov.), Thamnotettix, 2252. subfalcata Van D., Telamona, 1643. †subferrugineus G. & B., Amnestus, 68. subfuscus Kngt., Lygus, p. 822. subglaber (Walk.), Geotomus, 66. subgranulata Fstr., Psylla, 292314. subinermis (Stål), Castolus, 784. subinermis Stål, Stenopoda, 727. submarginatus (Say), Orthotylus, 1178. subnitida S. & D., Idiocerus, 1781½. subnitida Uhl., Tuponia, 1257. subnitidulus Reut., Phytocoris, 936. subpiceus Stål, Apiomerus, 759. subrufescens (Walk.), Banasa, 183. subrufus Dist., Harmostes, 337. subrugosus Stål, Chlorocoris, 167. subrusticus (Fall.), Acucephalus, subsericea Westw., Pentatoma, 178a. subspinosa Duf., Zaitha, 1395. substriata (Walk.), Stitocephala, 1590. †subulata Prov., Ceresa, 1577. subulatus (Say), Stictolobus, 1601. subvittatus Stål, Darmistus, 313. succinea Van D., Catonia, 25211/2. succinctus var. a Say, Capsus, 615. succinctus (Linn.), Euryophthalmus, †succinctus Osb., Largus, 616. suffusa Osb., Cicadula, 2360. sulcata Crawf., Trioza, 2863a. sulcatus Uhl., Bucnoa, 1289. †sulcifrons Thoms., Capsus, 1017. †sulcifrons D. & S., Lygus, 1015. sulcifrons Stål, Neottiglossa, 147. sulcipes (Say), Scolops, 2466. sulphurella Leth., Anomia, 2436. sulphureus Reut., Psallus, 1217. superba (Fh.), Tibicen, 1490. superba Walk., Vulsirea, 176. superbus (Uhl.), Adelphocoris, 967. superbus Van D., Phlepsius, 2199. superbus (Prov.), Xestocephalus, 1941. superiorensis Kngt., Lygus, p. 821. suspectus Reut., Dichrooscytus, 996. sutilis (Uhl.), Arctocorixa, 1453.

suturalis Mlch., Bruchomorpha, 2586. suturalis DeL., Chlorotettix, 23271/2. suturalis (Fabr.), Cimex, 632. suturalis Curt., Delphax, 2766. suturalis Fh., Idiocerus, 1779. suturalis (O. & B.), Macropsis, 1811. suturellus (H.S.), Dysdercus, 633. †sylvaticus Panz., Lygaeus, 589. sylvestris O. & B., Deltocephalus, 2083. †sylvestris Osh., Ligyrocoris, 537. †sylvestris Stål, Ligyrocoris, 538. sylvicola Lthy., Psylla, 2923. symphoricarpae (Ball), Euscelis, 2141. synodica (Say), Okanagana, 1529. tibida (Stål), Acholla, 799. †tahida Bueno, Cymodema, 484. †tahida (Uhl.), Cymodema, 487. †tahida Banks, Monanthia, 662. †tahida Spin., Monopsis, 2578. †tabidus Prov., Cymus, 485. tabulata (Burm.), Chelinidea, 287. tacta Walk., Thelia, 1584. taeniola (Dall.), Pentatoma, 162. taeniola (Dall.), Zicca, 308. tahoensis Kngt., Lygus, p. 821. †tanaceti H.S., Capsus, 1208. tardus H.S., Anthocoris, 871. tarsalis (Fieb.), Arctocorixa, 1454. tarsalis Dall., Coenus, 139. tarsalis (Reut.), Trigonotylus, 893. tarsatus (Fabr.), Hyalymenus, 317. tartarea (Say), Acutalis, 1602. tau Voll., Vulsirea, 176a. taurina Fh., Ceresa, 1576. taurus (Fabr.), Repipta, 786. teapae Fowl., Liburnia, 2797. teliformis (Walk.), Graphocephala, 1864a. temnostethoides Reut., Asthenidea, tenebrosa Walk., Brochymena, 87. tenebrosa Say, Pentatoma, 138. tenebrosa Walk., Proconia, 1846. tenebrosus (Dist.), Sixeonotus, 1075. tenebrosus (Dist.), Gypona, 1912. tenella Walk., Tettigonia, 1859. tenellus (Bak.), Eutettix, 2178. tenellus Van D., Lygus, 1019. tenerrima (H.S.), Empoa, 2435. tennessa DeL., Phlepsius, 2235½. tenuicornis Champ., Aneurus, 418. tenuicornis Say, Cylapus, 1090. tenuipes Mnrt., Rheumatobates, 1298. tenuis Walk.. Aethus, 60. tenuis (Reut.), Engytatus, 1115. tenuis Reut., Trigonotylus, 892. terebrans (G. & B.), Nephotettix, 2124. tergatus Fh., Chlorotettix, 2327. terminalis (Dall.), Acanthocephala,

terminalis Dall., Anasa, 307.

†tessellata Gill., Empoasca, 2417. tessellatus Van D., Xestocephalus, testacea Fh., Clastoptera, 1562b. testacea Van D., Leioscyta, 1737a. testaceum (Leidy), Belostoma, 1401. testudinarius Burm., Jassus, 2228. testudinatus (Uhl.), Aethus, 48. testudo Curt., Aphrodes, 1936. teter (Spin.), Cyrtomenus, 43. tetra Walk., Mormidea, 114. tetrastigma H.S., Capsus, 979. texana Stål, Catorhintha, 298. texana Barb., Esperanza, 315. texana Crawf., Heteropsylla, 2838. texana Banks, Ploiaria, 703. texana (Davis), Tibicen, 1489½. texanus (O. & B.), Euscelis, 2154. texanus Ball, Eutettix, 2193. texanus Bak., Phlepsius, 2233. thanatophana Kirk., Poblicia, 2461. thesigus Kol., Nabis, 827. thomasii Uhl., Metapodius, 239. thomsonii Stal, Acalypta, 637. thomsoni Put., Corixa, 1450. thomsoni Reut., Scolopostethus, 610. thoracicus Guer., Holotus, 2700. thoracicus Van D., Horcias, 1000g. thoracicus Dall., Metapodius, 237. thoracicus Stal, Rasahus, 748. thymi (Wolff), Nysius, 468. tibialis H.S., Anisoscelis, 248. †tibialis Uhl., Corimelaena, 37. tibialis H.S., Crinocerus, 276. tibialis (Fabr.), Oplomus, 212e. tibialis Van D., Orthotylus, 1169½. tibialis Reut., Phytocoris, 952. †tibicen Germ., Cicada, 1473. tigrinus Ball, Phlepsius, 2208. tinctus Uhl., Calocoris, 987. tiliae (Walsh), Gargaphia, 654. tiliae Kngt., Lygus, p. 822. tinealis Burm., Bothriocera, 2524. tipuloides (DeG.), Leptocorisa, 316. titusi Ball, Thamnotettix, 2287. tomentosus Vill., Cimex, 988. torpida Walk., Phimodera, 23. torquata (Fabr.), Nezara, 178b. torrida Reut., Phimodera, 22. torridus (Scop.), Pachycoris, 4. torridus Lthr., Phelpsius, 2231 1/2. torridus Ball, Platymetopius, 2030a. torva Fh., Entylia, 1716a. townsendi (Uhl.), Tibicen, 1471. translucens Tuck., Orthotylus, 1174. transversa Fabr., Cercopis, 1933. transversa Van D., Dictyssa, 2609. transversa Van D., Loxophora, 2497. transversa (Walk.), Tibicen, 1482. transversalis Geof., Cicada, 1934. transversalis Fabr., Cimex, 1036. transversalis Mlch., Thionia, 2633. §transversus Thoms., Capsus, 1036. transversus Thunb., Cimex, 178b. tredecim (Riley), Tibicina, 1510.

13-punctata Ball, Pagaronia, 1882. triangulata Davis, Okanagana, 1527. tricarinata (Say), Stobaera, 2751. tricarinata Prov., Embolonia, 2583. tricincta Fh., Erythroneura, 2441. tricolor Fabr., Cimex, 1071b. tricolor Van D., Dicraneura, 2391. tricolor (Van D.), Neoborus, 1043. tricornis Schrnk., Dictyonota, p. 814. tridentata Ptch., Pachypsylla, 2886. trifasciata Gill., Empoasca, 2394. trifasciata (Say), Erythroneura, 2440. triguttata (Burm.), Vanduzea, 1710. triguttatus (Guer.), Heraeus, 527. trilineata (Prov.), Arctocorixa, 1455. trilineata Kby., Neottiglossa, 146. trilineatus Say, Membracis, 1695. trilineatus Ball, Platymetopius, 20171/2. trimaculata (Fh.), Macropsis, 1821. †trimaculata Van D., Pediopsis, 1819. trimaculata (Crawf.), Psyllia, 2938. trinotata Barb., Ozophora, 572. triops Gmel., Cimex, 829. triops McAt., Paracalocoris, p. 820. triozomina Schw., Calophya, 2843. tripartita Walk., Darnis, 1613. tripligatus Barb., Lygaeus, 447. tripuncta Rly., Psylla, 2867. tripunctata (Dall.), Lygaeosoma, 4601/2. tripunctata Ball, Neocoelidia, 2351. tripunctata (Fh.), Pagaronia, 1883. tripunctata (Fh.), Trioza, 2867. tripunctatus Mull., Cimex, 829. 3-punctigera Westw., Pentatoma, 178a. tripustulatus (Fabr.), Oplomus, 212. triquetra (Fabr.), Homalodisca, 1848. trispinosum Reut, Stenodema, 882. tristicolor White, Triphleps, 865. tristigmus (Say), Euschistus, 125. tristigmus H.S., Pentatoma, 125. tristigmus H.S. tristis (DeG.), Anasa, 301. tristis Stål, Bruchomorpha, 2588. tristis Van D., Clastoptera, 1562c. tristis Ball, Eutettix, 2165. tristis (Stål), Isthmocoris, 508. tristis Uhl., Maoraulax, 3. tristis (Van D.), Macropsis, 1823. tristis Uhl., Macrotylus, 1204. tristis Van D., Okanagana, 1515. tristis Van D., Peribalus, 95. tristis Van D., Peritrechus, 587. tristis Fh., Telamona, 1647. triunata Ball, Neocoelidia, 23521/2. triunata Ball, Pagaronia, 1882a. triupsilon Walk., Cicada, 1507. trivialis (Ball), Macropsis, 1813. trivittata Prov., Corixa, 1455. trivittatus H.S., Asopus, 220. trivittatus (Say), Leptocoris, 356. tropicalis (Dist.), Phlegyas, 512. tropicus Dist., Scolopstethus, 613.

uhleri Kirk., Notonecta, 1350. uhleri Bak., Ortholomus, 456. uhleri Sign., Pangaeus, 57. uhleri Van D., Phepsius, 2212. truculentus Stål, Lygaeus, 438. trulliger Bergr., Rheumatobates, $1298\frac{1}{2}$. truncaticollis Costa, Dictyonota, p. uhleri Van D., Poeciloscytus, 990. 815. uhleri Dist., Scolopocerus, 294. uhleri Ball, Scolops, 2471. uhleri Stål, Thelia, 1616. truncatipennis Boh., Delphaz, 2717. truncata (Van D.), Clidophleps, truncatus Ramb., Corizus, 343. truncatus (Bak.), Oncopsis, 1827. truncatus Van D., Phlepsius, 2231. trux Snow, Lygaeus, 435. tuberculata Coq., Bolbonata, 1742. tuberculata (Fairm.), Lophopelta, tuberculata Bak., Paracoelidia, 2353. tuberculata Banks, Ploiariola, 698. tuberculatus Hambl., Corizus, 353. tuberculifer Kby., Aradus, 382. †tuberculifer Uhl., Aradus, 383. tuberosus (Fairm.), Cyrtolobus, 1673. tubus Ball, Phlepsius, 2224. tuckeri Van D., Liburnia, 2778. tuckeri (Popp.), Psallus, 1220. tullahomi DeL., Phlepsius, 2230½. tumida (Uhl.), Arctocorixa, 1456. tumida Gill., Empoasca, 2420. tumidifrons G. & B., Neocoelidia, tumidula Stål, Gnathobleda, 725. tumidus (Walk.), Cyrtolobus, 1699. tunicarubra (Gill.), Erythroneura, 2442. tunicatus Ball, Chlorotettix, 2335. turbida Godg., Ceresa, 1580. turcicus Fabr., Lygaeus, 434. †turcicus Prov., Lygaeus, 437. turpiculus Ball, Phelpsius, 2227. turriculatus (Emns.), Glossonotus, 1618. turritella Buckt., Telamona, 1653. twiningi Uhl., Jassus, 1975. †twiningi Van D., Paramesus, 1972. typhaeus (Fabr.), Merocoris, 236. typhlocyboides G. & B., Empoasca, 2414a. typhoeus Fabr., Cimex., 117. tyrannus (Fabr.), Capsus, 1008a. uhleri Van D., Agallia, 1768. uhleri Van D., Amalopota, 2681. uhleri Stål, Anasa, 302. uhleri Banks, Barce, 714. uhleri Bak., Bathysmatophorus, 1886. uhleri Van D., Calocoris, 987.

uhleri Ball, Cenchrea, 2678. uhleri Stål, Chlorochroa, 106. uhleri (Ball), Cicadella, 1854b. uhleri Montd., Cosmopepla, 150. uhleri (Ball), Euscelis, 2138. uhleri Sign., Geotomus, 64. uhleri Giard., Halticus, 1122. uhleri (Montd.), Lethocerus, 1391. uhleri Stål, Lygaeus, 443. uhleri Handl., Macrocephalus, 696.

uhleri (Reut.), Trigonotylus, 894. uhlerianus Kirk., Chlamydatus, 1266. ulicis Fstr., Aphalara, 2815. ulicis Curt., Psylla, 2904. uliginosus (Say), Geocoris, 502. ulirichi Fieb., Triphleps, 863. ulmi O. & D., Corythucha, 6381/4. ulmi (Linn.), Empoa, 2433. ultranubilus Kngt., Lygus, p. 821. umbonatus Berg., Macroscytus, 44. umbraticus Ball, Thamnotettix, 2321. umbrina Reut., Europiella, 1255. umbrinus Rey, Corizus, 345d. umbrinus Fieb., Sciocoris, 79. umbrosus (Dist.), Aphanus, 594. umbrosus S. & D., Phlepsius, 22231/2. umbellatarum Scop., Cimex, 1031. umbellatarum Scop., Cimex, 1031. uncinata Van D., Okanagana, 1531. uncinatus Gmel., Cimex, 749. undata (Fabr.), Bothriocera, 2526. undata (Say), Neottiglossa, 145. undata (Fabr.), Oncometopia, 1846. undulata Heid., Gargaphia, p. 218. undulata Say, Notonecta, 1352. †undulata Champ., Sinea, 802. undulata Uhl. Sinea 801. undulata Uhl., Sinea, 801. ungae Ashm., Cicadula, 2367. unica (Prov.), Empoasca, 2400. unicolor Curt., Acucephalus, 1933. †unicolor Bak., Chlorotettix, 2331. unicolor (Fh.), Chlorotettix, 2324. unicolor Fowl., Clastoptera, 1568. unicolor Gill., Empoasca, 2397. unicolor Stål, Gypona, 1908. unicolor Osb., Idiocerus, 1778. unicolor Heid., Isometopus, 1276. unicolor (Walk.), Liburnia, 2802. unicolor Prov., Lygus, 1172. unicolor Fieb., Notonecta, 1352. unicolor H.S., Notonecta, 1348. †unicolor Germ., Odontoscelis, 27. unicolor Uhl., Ozophora, 575. unicolor Guer., Petaloma, 243. unicolor Westw., Pentatoma, 178a. unicolor Flor, Psylla, 2913. unicolor Osb., Scaphoideus, 1985. unicolor Fh., Telamona, 1651. unicoloratus G. & B., Deltocephalus, 2080. unicolorous O. & B., Deltocephalus, 2080. unifasciata Guer., Notonecta, 1355. †unifasciatus var. H.S., Oncopeltus,

unifasciatus (Fabr.), Poeciloscytus,

uniformis Heid., Aradus, 384.

431.

988.

uniformis Fairm., Ceresa, 1585. uniformis (Uhl.), Chlamydatus, 1261. uniformis Stål, Melanorhopala, 669. uniformis Van D., Orthotylus, 1173½. †uniformis Guer., Stictocephala, 1593. uniformis Stål, Stictocephala, 1592. unipuncta Gill., Dicraneura, 2385. unipunctata Prov., Delphax, 2701. †univittata Fh., Thelia, 1620. univittatus (Harr.), Glossonotus, 1619. univittatus Kngt., Lygus, p. 822. unum Ball, Hysteropterum, 2598. unus (Say), Drymus, 598. urinus Smith, Alydus, 323. ursinus Van D., Pycnocoris, 977. ursinus Ball, Thamnotettix, 2295. urticae (Linn.), Trioza, 2862. ustulatus Uhl., Lygus, p. 348. ustulatus (Fall.), Philaenus, 1560b. utahnus Ball, Phlepsius, 2207. uvidus (Dist.), Reuteroscopus, 1213a.

vaccini (Van D.), Parthenicus, 1199. †vaccinii O. & B., Athysanus, 2144. vaccinii (Van D.), Euscelis, 2145. vacunus Crmb., Chlorotettix, 2325. vaga Wall., Corisa, 1441. vagans Fabr., Cimex, 829. †vagans Say, Miris, 883. vagata Uhl., Salda, 1317. vagus Ball, Idiocerus, 1779c. valida Reut., Halticotoma, 1073. validus Reut., Camptobrochys, 1060. validus Uhl., Corizus, 347. validus Reut., Phytocoris, 939. valvata (Uhl.), Cacama, 1499. vapidus Ball, Thamnotettix, 2293. vanduzei Heid., Aradus, 364. vanduzeei (Crawf.), Liburnia, 2787. vanduzeei Kngt., Lygus, p. 821. vanduzeei (Kirk.), Nabis, 827b. vanduzei Dist., Okanagana, 1522. vanduzei Bak., Chlorotettix, 2321. vanduzei (Ball), Cyclokara, 2671. vanduzei G. & B., Deltocephalus, vanduzei O. & B., Dorycephalus, 1948. vanduzei G. & B., Eutettix, 2337. vanduzei Ball, Phlepsius, 2218. vanduzei Reut., Phytocoris, 956. vanduzei Ball, Scolops, 2474. vanduzei (Gill.), Typhlocyba, 2427. vanduzeii (Uhl., Rhinocapsus, 1228. vanduzii (Godg.), Cyrtolobus, 1674. vandykei Van D., Okanagana, 1524. varia Van D., Idioderma, 1708.
varia Walk., Thopha, 1498.
variabilis (Fall.), Apocremnus, 1244.
variabilis Vill., Cimex, 178.
variabilis Fish Notometa, 1351 variabilis Fieb., Notonecta, 1351. †variabilis Guer., Notonecta, 1352. variabilis (Fh.), Oncopsis, 1824. varians Stål, Banasa, 183.

varians Dist., Engytatus, 1112. varians Stål, Largus, 615. varians Crawf., Trioza, 2871. variata Uhl., Agallia, p. 574. variata (Fall.), Cicadula, 2358. varicolor (Westw.), Murgantia, 173. varicolor (Fabr.), Oncopeltus, 428. variegata Wall., Corisa, 1433. variegata Van D., Elidiptera, 2505. variegata Kby., Pentatoma, 218. variegata Prov., Salda, 1318. variegata (Fabr.), Tibicen, 1476. variegata (Fabr.), Tribicen, 1476. variegata (Drury), Triatoma, 736. variegatus H.S., Asopus, 207a. variegatus Prov., Bythoscopus, 1824. variegatus Sign., Corizus, 343. variegatus (Guer.), Gelastocoris, 1409. variegatus Van D., Homaemus, 18. variegatus Spnr., Pissonotus, 2729. variicollis Rey, Liburnia, 2766c. variolarius (P.B.), Euschistus, 126. varipes Fallou, Lestomerus, 749. varipes H.S., Zelus, 788. varius Godg., Cyrtolobus, 1678. varius McAt., Paracalocoris, p. 820. varus (Ball), Euscelis, 2137.
vastulus Ball, Thamnotettix, 2288.
vau (Say), Cyrtolobus, 1678.
vau Van D., Phytocoris, 943. veaziei Ptch., Aphalara, 2822. venaticus Uhl., Poeciloscytus, 995. venatorium (Van D.), Cimatlan, 1050. venditarius Ball, Thamnotettix, 2309. venosa Walk., Enchenopa, 1734. venosa (Uhl.), Proarna, 1503. venosus Osb., Athysanus, 2134. venosus (Fabr.), Hypselonotus, 310a. ventralis Sign., Corizus, 346a ventralis (Say), Rhynocoris, 777. venusta Champ., Dolichocysta, 650. venusta Mlch., Ormenis, 2653. venusta O.-S., Pachypsylla, 2886. vera Godg., Carynota, 1612. verbasci (Mey.), Campylomma, 1267. verecundus Van D., Platymetopius, vermiculosus Crawf., Euphalerus, 2900. vernalis Mne., Amycle, 2453. vernalis Fh., Livia, 2812. vernalis Fh., Typhlocyba, 2370. verrucosus Ball, Idiocerus, 1788. versuta (Say), Graphocephala, 1865. verticalis Fieb., Corixa, 1467. verticalis Stål, Gypona, 1905. verticalis (Uhl.), Pseudopsallus, 1191. †verticis Prov., Idiocerus, 1796. verticis (Say), Idiocerus, 1782. vescus Ball, Thamnotettix, 2286a. vespertinus Ball, Thamnotettix, 2289. vestita Prov., Helicoptera, 2499. vestita Godg., Vanduzea, 1710. vestitus Uhl., Dicyphus, 1110.

†vicarius Van D., Coriscus, 826. vicarius Horv., Emblethis, 597. vicarius Reut., Nabis, 825. vicarius Reut., Nabis, 825.
vicarius Horv., Oeciacus, 838.
vicarius (Walk.), Oliarus, 2530.
vicarius (Reut.), Xylocoris, 849.
vicilinus Crmb., Deltocephalus, 2084.
vicina (Dall.), Orthaea, 551.
vicina Handl., Phymata, 685.
vicinum (Prov.), Stenodema, 883.
vicinus Champ., Gelastocoris, 1408.
vicinus Dall. Lugaeus, 441 vicinus Dall., Lygaeus, 441.
†victor H.S., Cimex, 137.
†victor Wolff, Cimex, 138.
victoris M. & R., Rhopalus, 343a. viduus (Voll.), Padaeus, 136. vigilax Uhl., Neoborops, 1048. vilis Dist., Compsocerocoris, 952. villicus (Crmb.), Euscelis, 2159, villifer McAt., Leptostyla, p. 817. villosa Reut., Clivinema, 1087. villosum Prov., Prionosoma, 156. villosus Thunbg., Cimex, 733. vincta (Say), Orthaea, 547. vinculatus Ball, Deltocephalus, 2067. vinula Stal, Fidicina, 1505. vinnulus Crmb., Deltocephalus, 2060. vinulus Stål, Rhyparochromus, 547. violacea Westw., Pentatoma, 235. violacea (Fabr.), Vulsirea, 176. violaceus Dall., Oplomus, 212f. violaceus (Say), Stiretrus, 207d. violascens (Westw.), Murgantia, 174. virens (Linn.), Stenodema, 885. virescens Dall., Harmostes, 336. virescens Van D., Idioderma, 1707. virescens A. & S., Loxa, 170. virescens (Gmel.), Macropsis, 1808. virescens Fall., Miris, 885. virescens Blanch., Notonecta, 1352b. virescens Stål, Xerophloea, 1930. virgulatus Uhl., Deltocephalus, 2157. viridescens Walk., Aconophora, 1728. viridescens Fourc., Cimex, 1017. viridescens Wlsh., Empoasea, 2423. viridescens (Prov.), Livia, 28124. viridescens DeL., Tinobregmus, 23541/2. viridicata Uhl., Lioderma, 100. viridicata (Walk.), Rhytidolomia, viridicatus Uhl., Corizus, 344. viridicatus Uhl., Orthotylus. 1170. viridifascia (Walk.), Tibicen, 1495. viridinervis Thoms., Orthotylus, 1175. viridipennis Dahlb., Phytocoris, 1172. viridipes Curt., Eupteryx, 2395.

vestitus (Uhl.), Macrotyloides, 1196.

vetulus Ball, Thamnotettix, 2286b.

v-flavum Goeze, Cimex, 879. viburni Kngt., Lygus, p. 822. vicaria Walk., Pentlatoma, 178b. vicaria Walk., Pentlatima, 1894.

†vicarius Prov., Coriscus, 323.

viridipunctata Say, Scutellera, 10. viridis Ball, Acinopterus, 2249b. viridis Prov., Acopsis, 1874. †viridis Prov., Acopsis, 1874. viridis Crawf., Aphalara, 2819. †viridis Flor, Capsus, 1015. viridis (Linn.), Cicadella, 1853. viridis Weed, Chlorotettix, 2329. viridis (Emns.), Cyrtolobus, 1670. viridis Osb., Gnathodus, 2371. viridis Uhl., Ilnacora, 1183. viridis (Fall.), Lygus, 1017. viridis (Fh.), Macropsis, 1809. viridis (rh.), Macropsis, 1809.
viridis Prov., Miris, 890.
viridis Ball, Myndus, 2372.
viridis Van D., Orthotylus, 1175½.
viridis (Uhl.), Parabolocratus, 1955.
viridis P. B., Pentatoma, 170.
viridis Ball, Scolops, 2476.
viridis Godg., Smilia, 1664c.
viridis Ball, Telamona, 1631.
viridis Crawf.. Trioza. 2876. viridis Crawf., Trioza, 2876. viridis (Fabr.), Xerophloea, 1930. viridiscutus Kngt., Lygus, p. 821. viridiscimus Wolff. Cimex, 178a. viriding Van D. Chlorotettiv, 2399 viridius Van D., Chlorotettix, 2329. viridiusculus Kngt., Lygus, p. 821. viridula (Linn.), Nezara, 178. viridula Fstr., Psylla, 2913. viridulus Panz., Lygaeus, 1031. viriosus (Ball), Euscelis, 2140. visalia Ball, Mesamia, 1974a. visalius Ball, Thamnotettix, 2290. visendus Crmb., Deltocephalus, 2043. vitellina (Fh.), Mesamia, 1975. vitifex Fh., Erythroneura, 2445a. vitis (Harr.), Erythroneura, 2445c. vitrata Burm., Hoplophora, 1728. vitreipennis Rly., Calophya, p. 790. vitreipennis Fstr., Trioza, 2864. vitripennis Burm., Cimex, 117. vitripennis (Say), Hyaliodes, 1106. vitripennis (Stal), Naethus, 2618. vitripennis Germ., Tettigonia, 1848. vitripennis (Say), Tibicen, 1483. vittata Ball, Clastoptera, 1566b. vittata Ball, Driotura, 2127a. vittata Kirk., Leptocoris, 356. vittata (Fabr.), Platycotis, 1728. vittata Buckt., Publilia, 1716. vittata A. & S., Smilia, 1664. vittatifrons (Uhl.), Pentagramma, 2807. vittatus Gmel., Cimex, 1158. vittalus Dahl., Cyllecoris, 918.
vittalus Reut., Phytocoris, 937.
§vittatus Reut., Phytocoris, 937.
§vittatus Uhl., Poecilocapsus, 1004.
vittatus (Stål), Stenocranus, 2701a.
vittatus Van D., Tinobregmus, 2354.
vitticollis Reut., Lygus, 1021.
vittiger Uhl., Chelinidea, 288.
vittinosus Harr. Aludus, 327. vittinosus Harr., Alydus. 327. vittipennis Van D., Laccocera, 2745. vittipennis S. & D., Thamnotettix, 23201/2.

